

Plastic Bottle, 5.5 oz. 078698301013

M-P RADIATOR SEALANT AND CONDITIONER

C105

M-P (Multi-Purpose) Radiator Sealant and Conditioner treats the entire cooling system.

APPLICATIONS:

- Stops cooling system rust, scale, corrosion
- Protects against rust and lime formation
- · Repairs leaks in cooling system
- Neutralizes acids: anti-foaming
- Contains water pump lubricant
- Safe on all metals and hoses
- · Mixes with all anti-freeze
- · Stops gasket seepage

DIRECTIONS: (TO PREVENT BURNS, USE EXTREME CARE WHEN REMOVING CAP FROM RADIATOR). SEE OWNERS MANUAL FOR CAP REMOVAL INSTRUCTIONS. With coolant at proper level and engine at normal operating temperature, add entire contents to radiator. Replace radiator cap. Run engine for at least 15 minutes. If leak continues, mechanical repair may be necessary.

STORAGE, HANDLING & DISPOSAL: SAFEGUARD OUR ENVIRONMENT. Use and dispose of product, container and residue and used antifreeze/coolant and radiator fluids in accordance with all local, state and federal laws and regulations. Collect and recycle fluids whenever possible. Where permitted, (check with local sewer authority), dispose of in sanitary sewer systems. Never pour onto ground or in a storm or septic sewer system.

DANGER: EYE AND SKIN IRRITANT. HARMFUL IF SWALLOWED.

FIRST AID: EYE CONTACT: Flush thoroughly with water for 15 minutes while occasionally lifting eyelids and get prompt medical attention. SKIN CONTACT: Wash thoroughly with soap and water. If irritation develops, get prompt medical attention. INHALATION: Move to fresh air. If breathing becomes difficult, get prompt medical attention. INGESTION: If swallowed, do not induce vomiting. Call poison control center, physician, or hospital emergency room immediately.

KEEP AWAY FROM CHILDREN AND ANIMALS

NOTICE: While this information is presented in good faith and believed to be accurate, Radiator Specialty Company does not guarantee satisfactory results from reliance thereon. The data is offered solely for your information and Radiator Specialty Company disclaims all liability for any loss or damage from its use. Thoroughly test any application according to the product directions and independently conclude satisfactory performance. Nothing contained herein is to be construed as a recommendation to use the product in violation of any patent.

