




#### **Cutting :: Grinding :: Sharpening**

When you want to cut, grind, or sharpen almost anything, turn to Gator Finishing Products®. Gator and GatorBlade® brand products guarantee results. Gator products are tested to meet the highest safety standards and to optimize performance. With their reliable and sturdy construction, GatorBlade® provides both the professional and the DIYer with an important tool for their arsenal. When you need products you can depend on, look for Gator Finishing Products®.

#### Indestructible Construction

All Gator abrasive products go through rigorous testing to meet the high standards we demand from our products. We purposely try to make our products fail so when you use them, they don't.





### Cut-Off Blades

- For cutting metal in small places.For Die Grinders

Item No.	Description	Application	Pk. Qty.	Inner/Master.
9429	B-Series Adaptor Kit with 3" x <sup>1</sup> /16" x <sup>3</sup> /8"	Metal	1	<b>-/10</b>
9440	3" x <sup>1</sup> /16" x <sup>3</sup> /8"	Metal	5	<i>-</i> /10
9425	3" x <sup>3</sup> /32" x <sup>3</sup> /8"	Metal	5	<i>-</i> /10
9426	4" x <sup>1</sup> /16" x <sup>3</sup> /8"	Metal	5	<b>-/10</b>
9427	4" x <sup>3</sup> /32" x <sup>3</sup> /8"	Metal	5	<b>-/10</b>



### Angle Grinder Thin Cut Blades

• For cutting metal and masonry.

Item No.	Description	Application	Pk. Qty.	Inner/Master.
9600	4" x 0.045" x <sup>5</sup> /8"	Masonry	1	<b>-/20</b>
9601	4" x 0.045" x <sup>5</sup> /8"	Metal	1	<b>-/20</b>
9610	4 <sup>1</sup> /2" x 0.045" x <sup>7</sup> /8"	Masonry	1	<del>-/</del> 20
9611	4 <sup>1</sup> /2" x 0.045" x <sup>7</sup> /8"	Metal	1	<b>-/20</b>
9621	4 <sup>1</sup> /2" x <sup>1</sup> /16" x <sup>7</sup> /8"	Metal	1	<b>-/20</b>



### Cut-Off Blades - Type 1

- For cutting metal, masonry, and asphalt.For Circular Saws, Chop Saws, and Gas Powered Saws

Item No.	Description	Application	Pk. Qty.	Inner/Master.
9630	6 <sup>1</sup> /2" x <sup>1</sup> /8" x <sup>5</sup> /8"	Masonry	1	<i>-</i> /10
9631	6 <sup>1</sup> /2" x <sup>3</sup> /32" x <sup>5</sup> /8"	Metal	1	<i>-</i> /10
9640	7" x <sup>1</sup> /8" x <sup>5</sup> /8"	Masonry	1	<i>-</i> /10
9641	7" x <sup>1</sup> /8" x <sup>5</sup> /8"	Metal	1	<i>-</i> /10
9650	8" x <sup>1</sup> /8" x <sup>5</sup> /8"	Masonry	1	<i>-</i> /10
9651	8" x <sup>3</sup> /32" x <sup>5</sup> /8"	Metal	1	<i>-</i> /10
9660	10" x <sup>1</sup> /8" x <sup>5</sup> /8"	Masonry	1	<i>-</i> /10
9661	10" x <sup>3</sup> /32" x <sup>5</sup> /8"	Metal	1	<i>-</i> /10
9670	12" x <sup>1</sup> /8" x 1"	Masonry	1	<i>-</i> /10
9671	12" x <sup>1</sup> /8" x 1"	Metal	1	<b>-/10</b>
9672	12" x <sup>1</sup> /8" x 20 mm	Masonry	1	<i>-</i> /10
9673	12" x <sup>1</sup> /8" x 20 mm	Metal	1	<i>-</i> /10
9680	14" x <sup>1</sup> /8" x 1"	Masonry	1	<i>-</i> /10
9681	14" x <sup>1</sup> /8" x 1"	Metal	1	<i>-</i> /10
9682	14" x <sup>1</sup> /8" x 20 mm	Masonry	1	<i>-</i> /10
9683	14" x <sup>1</sup> /8" x 20 mm	Metal	1	<i>-</i> /10
9675	12" x <sup>3</sup> /32" x 1"	Metal	1	<i>-</i> /10
9685	14" x <sup>3</sup> /32" x 1"	Metal	1	<i>-</i> /10

### Grinding Wheels - Type 27

- For Angle Grinders
- For grinding and deburring metal or masonry. \* -11 indicates thread hub.

Item No.	Description	Application	Pk. Qty.	Inner/Master.
9602	4" x <sup>1</sup> /8" x <sup>5</sup> /8"	Masonry	1	<i>-</i> /10
9603	4" x 1/8" x 5/8"	Metal	1	<i>-</i> /10
9604	4" x <sup>1</sup> /4" x <sup>5</sup> /8"	Masonry	1	<i>-</i> /10
9605	4" x <sup>1</sup> /4" x <sup>5</sup> /8"	Metal	1	<i>-</i> /10
9612	4 <sup>1</sup> /2" x <sup>1</sup> /8" x <sup>7</sup> /8"	Masonry	1	<i>-</i> /10
9613	4 <sup>1</sup> /2" x <sup>1</sup> /8" x <sup>7</sup> /8"	Metal	1	<i>-</i> /10
9614	4 <sup>1</sup> /2" x <sup>1</sup> /4" x <sup>7</sup> /8"	Masonry	1	<i>-</i> /10
9615	$4^{1/2}$ " x $^{1/4}$ " x $^{7/8}$ "	Metal	1	<i>-</i> /10
9618	4 <sup>1</sup> /2" x <sup>1</sup> /4" x <sup>5</sup> /8"-11	Masonry	1	<i>–</i> /15
9619	4 <sup>1</sup> /2" x <sup>1</sup> /4" x <sup>5</sup> /8"-11	Metal	1	<i>–</i> /15
9648	7" x <sup>1</sup> /4" x <sup>5</sup> /8"-11	Masonry	1	<i>–</i> /15
9649	7" x <sup>1</sup> /4" x <sup>5</sup> /8"-11	Metal	1	<i>–</i> /15
9699	9" x <sup>1</sup> /4" x <sup>5</sup> /8"-11	Metal	1	<b>-/2</b>







### GatorBlade Flap Discs

Flap discs are used for removing large amounts of material and for shaping or smoothing wood, metal, and masonry.

Item No.	Description	Grit	RPM	Inner/Master.
9703	4" x <sup>5</sup> /8"	36	15,000	<b>-/10</b>
9706	4" x <sup>5</sup> /8"	60	15,000	<b>-/10</b>
9708	4" x <sup>5</sup> /8"	80	15,000	<b>-/10</b>
9713	4 <sup>1</sup> /2" x <sup>7</sup> /8"	36	13,300	<b>-/10</b>
9716	4 <sup>1</sup> /2" x <sup>7</sup> /8"	60	13,300	<b>-/10</b>
9718	4 <sup>1</sup> /2" x <sup>7</sup> /8"	80	13,300	<b>-/10</b>
9711	4 <sup>1</sup> /2" x <sup>7</sup> /8"	120	13,300	<b>-/10</b>
9743	7" x <sup>7</sup> /8"	36	8,500	<b>-/10</b>
9746	7" x <sup>7</sup> /8"	60	8,500	<b>-/10</b>
9748	7" x <sup>7</sup> /8"	80	8,500	<b>-/10</b>



## Mounted Grinding Wheels

- With 1/4" Arbor
- For grinding and deburring metal.

Item No.	Description	Pk. Qty.	Inner/Master.
6115	1 <sup>1</sup> /2"	1	-/40
6116	2"	1	-/40
6117	2 <sup>1</sup> /2"	1	-/40

## Mounted Aluminum Oxide Grinding Wheel Stones

- For electric drills, mounted on a 1/4" shank.
- For deburring, grinding & rough polishing.



Item No.	Description	Grit	Pk. Qty.	Inner/Master.
6150	<sup>3</sup> /4" x 1" Aluminum Oxide Stone	60	1	4/40
6151	1" x <sup>1</sup> /2" Aluminum Oxide Stone	60	1	4/40
6152	<sup>3</sup> /4" x 1 <sup>1</sup> /8" Round Cone Stone	60	1	4/40
6153	<sup>11</sup> /16" x 1 <sup>1</sup> /4" Pointed Cone Stone	60	1	4/40
6154	<sup>11</sup> /16" x <sup>7</sup> /4" Tapered Cone Stone	60	1	4/40
6155	<sup>3</sup> /4" x <sup>5</sup> /8" Half Round Stone	60	1	4/40
6156	1" x 1" Full Round Stone	60	1	4/40
6157	1" x <sup>5</sup> /8" Tapered Cup Stone	60	1	4/40
6158	1 <sup>1</sup> /4" x <sup>1</sup> /4" Tapered Wheel Stone	60	1	4/40
6159	<sup>3</sup> /4" x <sup>3</sup> /4" Straight Cup Stone	60	1	4/40

## Bench Top Aluminum Oxide Grinding Wheels

• For grinding metal and steel and for sharpening blades and cutting tools.

Item No.	Description	Grit	Pk. Qty.	Inner/Master.
6000	8"x 1"x 1"	80	1	-/2
6001	8"x 1"x 1"	60	1	-/2
6002	8"x 1"x 1"	36	1	<b>-/2</b>
Includes set of b to fit 1", <sup>3</sup> /4" & <sup>5</sup>	oushings to reduce the diameter 5/8" shafts.			
6005	6" x 1" x 1"	80	1	-/2
6006	6" x 1" x 1"	60	1	<b>-/2</b>
6007	6" x 1" x 1"	36	1	<b>-/2</b>
Includes set of b to fit <sup>3</sup> /4", <sup>5</sup> /8" &	oushings to reduce the diameter 1/2" shafts.			
6010	6" x <sup>3</sup> /4" x 1"	80	1	<b>-/2</b>
6011	6" x <sup>3</sup> /4" x 1"	60	1	<b>-/2</b>
6012	6" x <sup>3</sup> /4" x 1"	36	1	<b>-/2</b>
Includes set of b to fit <sup>3</sup> /4", <sup>5</sup> /8" &	oushings to reduce the diameter 1/2" shafts.			
6025	5" x <sup>3</sup> /4" x 1"	80	1	<b>-/2</b>
6026	5" x <sup>3</sup> /4" x 1"	60	1	-/2
6027	5" x <sup>3</sup> /4" x 1"	36	1	<b>-/2</b>
Includes set of b to fit <sup>3</sup> /4", <sup>5</sup> /8" &	oushings to reduce the diameter 1/2" shafts.			
6047	6"x 1" x 1" Grinding Wheel Dressing Stick	20/24	1	1/10



# Rubbing Bricks

The above Silicon Carbide Dressing Stick resurfaces Grinding Wheels by removing particle build-up.

Item No.	Description	Pk. Qty.	Inner/Master.
6069	6" x 3" Rubbing Brick with Handle	1	<b>-</b> /5
6068	8" x 3" Rubbing Brick with Handle	1	<b>-</b> /5



### Sharpening Stones

For sharpening hand and cutting tools, removes burrs and pits from tool/blade, produces sharp edge.

Item No.	Description	Pk. Qty.	Inner/Master.
6050	3" Pocket Stone	1	10/50
6063	$4" \times 1^3/4" \times 5/8"$ Combination Stone	1	<b>-/10</b>
6047	6" Grinding Wheel Dress Stick (20-24 grit)	1	<b>-/10</b>
6061	6" x 2" x <sup>3</sup> /4" Aluminum Oxide Combination Stone	1	<i>-</i> /10
6060	6" x 2" x 1" Combination Stone (80 and 60 grit)	1	<b>-/10</b>
6058	8" x 2" x 1" Combination Stone	1	<b>-/10</b>
6055	10" Scythe Stone	1	<b>-</b> /10



