according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey®

Version 1.2

Revision Date 03/24/2017

Print Date 05/21/2018

SDS Number 350000032586 GEN_SOF Number 59749

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	Glade® Plugins® Car Blue Odyssey®
Recommended use	:	Air Freshener
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone Emergency telephone number	:	+18005585252 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 4	Combustible liquid.
Eye irritation	Category 2A	Causes serious eye irritation.
Skin sensitisation	Category 1	May cause an allergic skin
		reaction.

Labelling

Hazard symbols Exclamation mark

Signal word Warning

Hazard statements

Combustible liquid. Causes serious eye irritation. May cause an allergic skin reaction.

Precautionary statements

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey® Version 1.2 Print Date 05/21/2018 Revision Date 03/24/2017 SDS Number 350000032586 GEN SOF Number 59749 If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Specific treatment (see supplemental first aid instructions on this label). IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep cool. Dispose of contents/ container to an approved incineration plant. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves. Avoid breathing spray. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Fragrance - Trade Secret	Mixture	60.00 - 100.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
Skin contact	: Wash off with plenty of water. If skin irritation or rash occurs: Get medical advice/ attention.
	2/11

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car	Blue Odyssey®		
Version 1.2	Print Date 05/21/2018		
Revision Date 03/24/2017	SDS Number 350000032586 GEN_SOF Number 59749		
Inhalation	: No special requirements.		
Ingestion	: No special requirements		
5. FIREFIGHTING MEASURES			
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.		
Specific hazards during firefighting	Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Container may melt and leak in heat of fire.		
Further information	Cool and use caution when approaching or handling fire- exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.		
6. ACCIDENTAL RELEASE ME	ASURES		
Personal precautions	Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Wear personal protective equipment. Wash thoroughly after handling.		
Environmental precautions	: Outside of normal use, avoid release to the environment.		
Methods and materials for containment and cleaning up	: Use only non-sparking equipment. Dike large spills. Clean residue from spill site.		

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey®

Version 1.2

Revision Date 03/24/2017

Print Date 05/21/2018

SDS Number 350000032586 GEN_SOF Number 59749

7. HANDLING AND STORAGE

Handling			
Precautions for safe handling	:	Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Contaminated work clothing should not be allowed out of the workplace. Avoid breathing vapours, mist or gas. Wash thoroughly after handling.	
Advice on protection against fire and explosion	:	Keep away from sources of ignition - No smoking.	
Storage			
Requirements for storage areas and containers	:	Store in a well-ventilated place. Keep cool.	
Other data	:	The product is chemically stable.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Benzyl acetate	140-11-4	-	10 ppm	-	ACGIH TWA

Personal protective equipment

Skin and body protection	:	No special requirements.
Eye protection	:	Safety glasses with side-shields
Hand protection	:	Wear suitable gloves.
Respiratory protection	:	No special requirements.

4/11

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey®			
Version 1.2		Print Date 05/21/2018	
Revision Date 03/24/2017		SDS Number 350000032586 GEN_SOF Number 59749	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.	
9. PHYSICAL AND CHEMICAL PR	OF	PERTIES	
Form	:	gel	
Color	:	blue green	
Odor	:	Marine/Ozone	
Odour Threshold	:	Test not applicable for this product type	
рН	:	Test not applicable for this product type	
Melting point/freezing point	:	Test not applicable for this product type	
Initial boiling point and boiling range	:	Test not applicable for this product type	
Flash point	:	86 °C 186.8 °F Method: ASTM D3828	
Evaporation rate	:	Test not applicable for this product type	
Flammability (solid, gas)	:	not auto-flammable	
Upper/lower flammability or explosive limits	:	Test not applicable for this product type	
Vapour pressure	:	Calculated0.8401 hPa at 20 °C	
		5/11	

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey® Version 1.2 Print Date 05/21/2018 Revision Date 03/24/2017 SDS Number 350000032586 GEN_SOF Number 59749 Test not applicable for this product type Vapour density : Test not applicable for this product type : 0.9768 g/cm3 at 25 °C Relative density Solubility(ies) : negligible Partition coefficient: n-: Test not applicable for this product type octanol/water Auto-ignition temperature : does not ignite **Decomposition temperature** : Test not applicable for this product type Viscosity, dynamic : 84 mPa.s Viscosity, kinematic : Test not applicable for this product type Oxidizing properties : Test not applicable for this product type Volatile Organic - additional exemptions may apply : 79.3 % Compounds *as defined by US Federal and State Consumer Product Total VOC (wt. %)* Regulations Other information : None identified : **10. STABILITY AND REACTIVITY** Possibility of hazardous : Stable under recommended storage conditions. reactions 6/11

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey® Version 1.2 Print Date 05/21/2018 Revision Date 03/24/2017 SDS Number 350000032586 GEN_SOF Number 59749 Conditions to avoid : Heat, flames and sparks. Incompatible materials : Strong oxidizing agents Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview		Warning	
Acute oral toxicity	:	LD50 > 5000 mg/kg	
Acute inhalation toxicity	:	LC50 > 10 mg/L	
Acute dermal toxicity	:	LD50 > 5000 mg/kg	

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2A	-
Skin sensitisation	Category 1	-
Respiratory sensitisation	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey®

Version 1.2

Print Date 05/21/2018

Revision Date 03/24/2017

SDS Number 350000032586 GEN_SOF Number 59749

Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known. Condition

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey®

Version 1.2

Revision Date 03/24/2017

Print Date 05/21/2018

SDS Number 350000032586 GEN_SOF Number 59749

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Fragrance - Trade Secret	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)	
Fragrance - Trade Secret	No data available	No data available	

Mobility

Component	End point	Value
Fragrance - Trade Secret	No data available	

PBT and vPvB assessment

Component	Results
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey®

Version 1.2

Revision Date 03/24/2017

Print Date 05/21/2018

SDS Number 350000032586 GEN_SOF Number 59749

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Notification status	All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

16. OTHER INFORMATION

HMIS Ratings	
Health	2
Flammability	2
Reactivity	0

according to Hazard Communication Standard; 29 CFR 1910.1200



Glade® PlugIns® Car Blue Odyssey®

Version 1.2

Revision Date 03/24/2017

Print Date 05/21/2018

SDS Number 350000032586 GEN_SOF Number 59749

NFPA Ratings		
Health	2	
Fire	2	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &	
-	Regulatory Affairs (GSARA)	