



PRIME*SOURCE*TM
BUILDING PRODUCTS, INC.
and
BUILDING PRODUCTS CANADA CORPORATION
are Itochu Companies
Carrollton, Texas 75006 USA
www.primesourcebp.com


Distribution Centers

Location	Telephone	Fax	E-mail Addresses
ALABAMA - Montgomery	(800) 488-2281	(800) 447-8195	Montgomery@primesourcebp.com
ARIZONA - Phoenix	(800) 755-2291	(623) 245-4144	Phoenix@primesourcebp.com
CALIFORNIA - Los Angeles	(800) 998-4864	(888) 548-6248	LosAngeles@primesourcebp.com
CALIFORNIA - San Leandro	(800) 755-2286	(866) 850-6370	SanLeandro@primesourcebp.com
COLORADO - Denver	(800) 489-2870	(888) 642-4422	Denver@primesourcebp.com
CONNECTICUT - Waterbury	(800) 745-3319	(877) 434-6927	Waterbury@primesourcebp.com
FLORIDA - Miami	(800) 653-4864	(877) 895-8980	Miami@primesourcebp.com
FLORIDA - Orlando	(800) 432-2537	(407) 888-9724	Orlando@primesourcebp.com
FLORIDA - Tallahassee	(800) 875-6930	(850) 574-7439	Tallahassee@primesourcebp.com
GEORGIA - Atlanta	(800) 488-2296	(800) 679-6532	Atlanta@primesourcebp.com
GEORGIA - Savannah	(800) 398-4864	(877) 521-7613	Savannah@primesourcebp.com
ILLINOIS - Chicago	(800) 488-5508	(877) 886-8214	Chicago@primesourcebp.com
INDIANA - Indianapolis	(800) 755-2269	(800) 426-8716	Indianapolis@primesourcebp.com
LOUISIANA - New Orleans	(800) 745-3347	(800) 545-9842	NewOrleans@primesourcebp.com
MARYLAND - Baltimore	(800) 488-5517	(800) 689-6712	Baltimore@primesourcebp.com
MASSACHUSETTS - Boston	(800) 444-9585	(508) 436-6113	Boston@primesourcebp.com
MICHIGAN - Detroit	(800) 497-4864	(800) 308-7724	Detroit@primesourcebp.com
MINNESOTA - Minneapolis	(800) 829-2120	(877) 845-0929	Minneapolis@primesourcebp.com
MISSOURI - Kansas City	(800) 457-2620	(800) 280-2718	KansasCity@primesourcebp.com
MISSOURI - Springfield	(800) 488-5516	(800) 995-0615	Springfield@primesourcebp.com
NEW JERSEY - Edison	(800) 745-3318	(800) 689-6711	Edison@primesourcebp.com
NEW YORK - Albany	(800) 745-3320	(877) 823-2456	Albany@primesourcebp.com
NEW YORK - Rochester	(800) 745-3321	(877) 745-3321	Rochester@primesourcebp.com
NORTH CAROLINA-Greensboro	(800) 488-2294	(800) 757-6724	Greensboro@primesourcebp.com
OHIO - Cleveland	(440) 846-3600	(440) 846-3601	Cleveland@primesourcebp.com
OHIO - Cincinnati	(800) 745-3323	(800) 967-7584	Cincinnati@primesourcebp.com
OKLAHOMA - Oklahoma City	(800) 366-5357	(800) 236-7521	OklahomaCity@primesourcebp.com
ONTARIO, CAN - Toronto	(866) 512-1418	(866) 512-1653	Toronto@primesourcebp.com
PENNSYLVANIA - Pittsburgh	(800) 488-5518	(800) 745-8762	Pittsburgh@primesourcebp.com
SOUTH CAROLINA - Columbia	(800) 488-2295	(800) 834-1858	Columbia@primesourcebp.com
TENNESSEE - Nashville	(800) 488-5509	(800) 308-7308	Nashville@primesourcebp.com
TEXAS - Dallas	(800) 745-3341	(800) 487-5758	Dallas@primesourcebp.com
TEXAS - Houston	(800) 775-4864	(800) 990-0260	Houston@primesourcebp.com
TEXAS - San Antonio	(800) 745-3342	(800) 644-0232	SanAntonio@primesourcebp.com
UTAH - Salt Lake City	(877) 873-8875	(801) 952-0900	SaltLakeCity@primesourcebp.com
WASHINGTON - Seattle	(800) 755-2254	(253) 437-1607	Seattle@primesourcebp.com

Call PrimeSource at: 800-676-7777 - USA
866-512-1418 - Canada

www.grip-rite.com
www.primesourcebp.com

Collated Fasteners



PRIME*SOURCE*TM
BUILDING PRODUCTS, INC.
and
BUILDING PRODUCTS CANADA CORPORATION
are Itochu Companies

Collated Fastener Selection Made Easy



Where will the fastener be used?

Yellow Label Background	For Interior Use Coated
Green Label Background	For Limited Outdoor Use Galvanized
Green Label Background	For Outdoor Use Exterior Galvanized for Treated Lumber
Gold Label Background	For Outdoor Use PrimeGuard Plus No-Rust Exterior Coated for Treated Lumber
Silver Label Background	For Outdoor Use PrimeGuard Plus Stainless Steel for Treated Lumber, Redwood and Cedar
Blue Label Background	Roofing

Label example*

* Center color stripe on label below matches page color within the catalog



What type of fastener do you need?

Framing, Siding & Roofing Nails	
Red Stripe on Label	Wire Collated
Beige Stripe on Label	Plastic Collated
Aqua/Purple Stripe on Label	Paper Collated
Finishing Nails & Brads	
Red Stripe on Label	Adhesive Collated 15 Gauge FN Series
Aqua Stripe on Label	Mylar® Collated 15 Gauge DA Series Adhesive Collated 23 Gauge
Purple Stripe on Label	Adhesive Collated 16 & 18 Gauge
Staples-all adhesive collated	
Red Stripe on Label	16 Gauge BCS Series 18 Gauge SX Series
Aqua Stripe on Label	16 Gauge P Series, N Series 18 Gauge L Series
Purple Stripe on Label	16 Gauge GSW Series, GS Series
Beige Stripe on Label	16 Gauge 76 Series
Hammer Tacker Staples	
Red Stripe on Label	STCR Series SHCR Series
Beige Stripe on Label	50 Series
White Stripe on Label	A11 & A19 Series



Table of Contents

	Page Number	Page Color*
How to Select a Fastener	2-4	
General Fastener Information		
Common Collated Fastener Coatings and Finishes	4	
Common Collated Nail Shanks	5	
PrimeGuard Plus® Exterior Fasteners	6-7	
Roofing		
15° Coil Roofing Nails	8	
Plastic Cap Staple Packs	9	
Framing		
21° Round Head Plastic Stick	10-14	
28° Clipped Head Plastic Stick	15	
28° Clipped Head Wire Stick	16-17	
33° Clipped Head Paper Stick	18-19	
15° Round Head Wire Coil	20-21	
33° Round Head Joist Hanger	22	
30°-34° Round Head Joist Hanger	23	
Siding & Fencing		
15° Round Head Wire Coil	24-25	
15° Round Head Plastic Coil	26	
Finish & Brad Nails		
15 Gauge "FN" Angled Finish Nails	27	
15 Gauge "DA" Angled Finish Nails	28-29	
16 Gauge Angled Finish Nail	30	
16 Gauge Finish Brads	31-32	
18 Gauge Finish Brads	33-34	
23 Gauge Micropins	35	
Flooring		
15 Gauge Flooring Staples	36	
"L" Flooring Cleats	37	
"T" Nails	37	
Staples		
16 Gauge "BCS" Wide Crown	38	
16 Gauge "P" Wide Crown	39	
16 Gauge "GSW" Wide Crown	40	
16 Gauge "BCS" Medium Crown	41	
16 Gauge "N" Medium Crown	42	
16 Gauge "GS" Medium Crown	43	
16 Gauge "76" Medium Crown	44	
18 Gauge "SX" Narrow Crown	45	
18 Gauge "L" Narrow Crown	46-47	
"50" Series Hammer Tacker	48	
"A11" Series Hammer Tacker	49	
"A19" Series Hammer Tacker	49	
"STCR" Series Hammer Tacker	50	
"SHCR" Series Hammer Tacker	50	
Do-It-Yourself Convenience Tubs		
15° Coil Roofing Nails	51	
15° Coil Nails Wire Collated	51	
21° Round Head Plastic Stick	52	
28° Clipped Head Wire Stick	53	
15 Gauge Flooring Staples	53	
Tool & Fastener Cross Reference	54-64	



* Page color matches the label color stripe in the diagram on facing page

Grip-Rite® - We know fasteners!



Finding the right collated fastener for your tool *and* for your project can be quite a challenge. There are as many, or more, brands of collated fasteners as there are brands of pneumatic tools on the market today. The last thing you need to worry about is getting back to your work site and not having the correct fastener. How do you know which fastener is the *right* fastener for you? Trust Grip-Rite, the most popular brand of fasteners in America, for all of your fastening needs.

Grip-Rite collated fasteners are a perfect fit for Grip-Rite pneumatic tools, along with many other brands. Each Grip-Rite collated fastener is guaranteed not to malfunction when used in a tool for which it is recommended. Grip-Rite's color-coded packaging and labeling takes the guesswork out of matching a fastener to your tool and to your project (turn to the inside front cover of this catalog for our label illustration).

Finding the “rite” collated fastener (how to use this catalog)

You need to consider two things when purchasing collated fasteners:

- 1. Which fastener do I need to fit my tool? Once you know this,
- 2. What type of fastener is right for my project?

This catalog is organized first by fastener type, then by the different styles of fasteners within each type. **If you know what type and style of fastener you need, turn to the Table of Contents** for the page(s) listing your fasteners.

If you know the make and model of your tool, turn to the Tool & Fastener Cross Reference. Tool brands, types and models are listed alphabetically, along with the pages where you will find the fasteners designed to fit those tools.

Once you have found the *style* of fasteners that fit your tool, you can choose the *type of finish* to complement your project.

Still not sure where to start? As long as you know the type of tool you are using or the type of fastener, Grip-Rite makes it easy to find exactly the fastener you need.

Matching the fasteners to your tool
Fasteners have been designed to meet the special needs of projects such as roofing, siding, or framing, and in many cases are known by the application for which they are intended (roofing nails, finish nails, etc.) Be sure to use the correct type of fastener for your project. Tool makes and models are listed on each Grip-Rite collated fastener label; check to confirm that your tool is listed.

Most collated fasteners are either **nails, are finish nails/brads, or are staples**. Use this section to identify the type of fasteners that fit your tool.

Collated Nails
If you have a nailer, you need collated nails:

- collated in either coils or sticks
- collated with wire, paper, or plastic
- either full round head or clipped head
- collated with or without gaps between the nails
- collated at a variety of degrees (0°, 15°, 21°, 28°, 33°, etc.)

Coil Nails

15° Coil Roofing Nails



15° Round Head Wire Coil Framing Nails



15° Round Head Wire Coil Siding/Fencing Nails



15° Round Head Plastic Coil Siding/Fencing Nails




Stick Nails

21° Round Head Plastic Stick Framing Nails



28° Clipped Head Plastic Stick Framing Nails




Stick Nails Continued



Collated Finish & Brad Nails

If you have a finish nailer or brad nailer, you need finish brads or nails:

- 15, 16 or 18 gauge wire
- collated with either adhesive or Mylar® adhesive
- collated straight or on angle



Collated Staples

If you have a stapler, you need staples:

- 15, 16 or 18 gauge wire
- narrow, medium, or wide-crown
- arched or flat crown
- may also be a “hammer tacker” style staple

16 Gauge Wide Crown




16 Gauge Medium Crown




18 Gauge Narrow Crown



Hammer Tacker Arched Crown Staples




Hammer Tacker Flat Crown Staples



Other Collated Fasteners

If you have another type of tool, such as a cap stapler or flooring tool, you will need fasteners designed specifically for that “specialty” tool:

- Plastic Cap Staple Packs
- 15 Gauge Flooring Staples
- “L” Flooring Cleats
- “T” Nails



Matching the fasteners to your project

Consider where the fastener will be used (inside, outside, with treated lumber, etc.). Grip-Rite collated fasteners are available in a variety of finishes ranging from coated to stainless steel. The background color of each label indicates the type of coating or the optimal application for those fasteners:

-  Yellow – Bright/Coated
-  Green – Galvanized
-  Gold – PrimeGuard Plus® No-Rust Exterior Coated
-  Silver – PrimeGuard Plus® Stainless Steel
-  Blue – Roofing

Outdoor applications and other high-moisture environments will require a fastener specifically designed for these conditions. Grip-Rite PrimeGuard Plus fasteners are recommended for all exterior applications and for use with treated lumber, carry a lifetime guarantee against rust and corrosion, and are certified with the Rust-Oleum® stamp of approval. See the PrimeGuard Plus section for more information.

One final fastener check:

- Does the fastener description in the color band match the fasteners you need for your tool?
- Is your tool make and model listed on the label?
- Does the label color background match the type of project you are working on?

If you answered “yes” to each question, you have the "rite" collated fastener!

Common Collated Fastener Coatings & Finishes

Most fasteners are made of steel unless otherwise noted. All collated fasteners are vinyl coated for ease of use.

Bright – Bright, uncoated steel finish intended for use where corrosion resistance is not required.

Vinyl coated – Eases nail driving and provides greater holding power.

Galvanized – Treated with layer of zinc for enhanced resistance to corrosion and rust.

Electrogalvanized – Zinc coating applied to steel with an electrical charge. Offers limited resistance to rust.

Hot dipped galvanized – Zinc coating applied by dipping into molten zinc. All Grip-Rite hot-dipped galvanized meet the ASTM A-153 standard for hot-dipped galvanized.

Exterior galvanized – Fasteners are recommended for use with treated lumber.

Gold dichromate – Gold-colored zinc dichromate applied over electrogalvanized surface for additional corrosion resistance.

PrimeGuard Plus No-Rust Exterior coating – Proprietary coating that provides lifetime guarantee against rust and corrosion, including treated lumber.

Stainless steel – Lifetime guarantee against rust and corrosion; recommended for use with cedar, redwood, or treated lumber.

Copper – For specialty applications when working with copper or where appearance is a factor (copper weathered by age and exposure to elements can provide desirable appearance).

Common Collated Nail Shanks

Smooth – Most common for everyday projects, provides the least amount of holding power.



Barbed – Horizontal or herring-bone indentations in the shank. Relatively better hold than smooth shank, but far less than a comparable threaded nail.



Screw/Spiral – Designed to drive into hard woods and dense materials. Nail actually turns when driven, much like wood screws. Very good holding power.



Ring/Annular Thread – A series of closely spaced concentric rings around shank. Nail does not turn when driven; instead, the wood fibers are forced over the ring shoulders into their annular grooves like wedges. Gives greatest holding power in soft or medium woods.





PRIMEGUARD PLUS



PrimeGuard Plus® Premium Exterior Fasteners

PrimeGuard Plus fasteners are specifically designed for optimal performance, appearance, and value for all outdoor projects. Every Grip-Rite PrimeGuard Plus fastener carries a lifetime guarantee against rust and corrosion. What's more, PrimeGuard Plus fasteners are now certified with the Rust-Oleum® stamp of approval. PrimeGuard Plus fasteners are the first and only fasteners to pass Rust-Oleum's rigorous rust and corrosion testing standards. Rust-Oleum has been trusted by America for protection against rust and corrosion since 1921. Now that trusted protection extends to PrimeGuard Plus fasteners.

What makes exterior fasteners different?

Corrosion resistance. Indoor applications somewhat shield fasteners from moisture and other factors that can cause the fastener to corrode. However, fences, decks, sheds, siding, and other outdoor projects are continuously exposed to the elements. And so are the fasteners holding them together.

Fastener corrosion resistance is evaluated using an "hour rating" system based upon ASTM B117. This process involves placing fasteners in a test chamber and subjecting them to heat and salt spray. When the fastener breaks down or starts to rust, the time frame becomes the fastener's rating.

Fastener Finish	Approximate Rating (Hours)
Electrogalvanized	48
Yellow zinc	100
Dacrotized	300-400
Hot dipped galvanized	600-700
Double Hot-dipped galvanized	700-800
PrimeGuard Plus/Rust-Oleum	1500 hours

What can cause a fastener to corrode?

Rain, salt and snow from winter conditions, cleaning solutions, etc. Not only is the holding power of the fastener compromised but also the metal itself begins to react with the wood surrounding it, causing unsightly discoloration and staining.

Many woods are treated with chemicals to prevent rot and insect infestation, and these chemicals can also corrode fasteners. Dacrotized and electrogalvanized fasteners are not suitable for use with this wood. PrimeGuard Plus-coated fasteners and stainless steel fasteners are approved for use with all treated lumber, and still carry their lifetime guarantee against rust and corrosion when used with this material.

There is some discoloration that occurs naturally, regardless what material is used to pierce the wood. Wood contains tannins, self-preserving water-soluble compounds, that are often released when wood is penetrated. The tannins themselves may cause discoloration. This is commonly known as "extractive staining".

Tannins, acidic by nature, may also react with the iron in fasteners, leading to additional blue/black gray staining.

Some woods, especially decay-resistant types such as cedar and redwood, contain relatively more tannins than other species. Only PrimeGuard Plus stainless steel fasteners are recommended for use with cedar and redwood, and still carry a lifetime guarantee when used with these woods.

So while some discoloration is to be expected, the goal is to minimize additional staining whenever possible.


- Only stainless steel is recommended for use with all redwood and cedar projects, for marine projects, and within 5 miles of coastline.
- Lifetime guarantee against rust and corrosion when used with any wood, including all treated lumber.

Tested to the extreme... and the results are in!

PrimeGuard Plus fasteners were tested using the most thorough methods recognized by fastener manufacturers and wood treaters worldwide. PrimeGuard Plus fasteners performed better when tested side by side against other nationally recognized brands' coatings, including double hot-dip galvanized. You don't have to take our word for how they performed, pictures are worth a thousand words.

Rust-Oleum®

Accelerated weathering testing in accordance with ASTM G85 was conducted. The PrimeGuard Plus fasteners were driven into corrosive ACQ treated lumber to simulate a typical application, then placed in an environmental test chamber. The test chamber accelerates corrosion by continually alternating one hour cycles of fog (with 0.05% sodium chloride and 0.035% ammonium sulfate to simulate an industrial environment) and one hour cycles of dry heat.




Independent testing



Continual testing is conducted according to ASTM B117 Salt Spray Testing procedures. The corrosion chamber greatly accelerates corrosive conditions by spraying a constant 5% salt solution on the fasteners at a stable cabinet temperature of 95°F. This procedure is one of the most effective corrosion tests in the world, and is used by many industries including aerospace, automotive, and compliance.

Michigan State University

Testing was conducted using the American Wood Preservers Association's E12 methodology. Three different types of treated lumber (CCA-type C, ACQ-type D, and CA-B) were used, each at ground contact treatment levels much higher than what is normally used in residential deck construction.




This test also utilized an environmental test chamber that maintained 90% humidity to accelerate possible corrosion.



15° Coil Roofing Nails

Primary applications include:
Roofing Shingles & Vinyl
Siding*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 8-9 and page 51 of this catalog.

Manufacture	Model
A-PLUS	R-45
ATRO	45 ROOFING ROLL
BASSO	NR 31/45
BEA	SN-500, 554DC, 552DC
BESCO	RF3145
BOSTITCH	RN45B, RN46, N12, N12-40
CAMPBELL HAUSFELD	NC1545
CRAFTSMAN	18445
DE POAN	DPN-6D2
DEWALT	D51321
DUO-FAST	DRN-45
EZ FASTEN	CRN45AA
FASCO	R4CN 15W-45CT, R3C-CN15W-32CT ROOF
GREX	CR45, CR50
GRIP-RITE	GRTCR175
GRIZZLY	G6771
HAUBOLD	RNC450W, RNC45W
HILTI	RFC-134B

Manufacture	Model
HITACHI	NV 45AB, NV45AC
INTERCHANGE	ICB-CN45R
JAMERCO	JTCN45RA
JEPSON	PRN45C
MAKITA	AN-451
MAX	CN450R
NICHE RICH	17A 2052
NIKOTA	RF3145
PASLODE	3175/44RCU
PNEU TOOLS	RC150
PORTER-CABLE	RN 175
RIDGID	RN1750RNA
SENCO	SCN 200R, SCN40R
SPOTNAILS	KRN 45, VRN45
STAN TECH	SDCN 10B-1
T.C. INTERNATIONAL	UNC 175R
TRIDENT ASSOC.	CRW45AA
TRUSTY	CN45R
UNICATCH	UN175R

15° Coil Roofing Nails

Primary applications include:
Roofing Shingles & Vinyl
Siding*



15° Wire Weld Coil
Bobina de alambre soldado de 15°
1-1/4" / 3.18 cm x .120
Stainless Steel - Smooth Shank / Galvanizado - Acero Inoxidable

Collated Roofing Nails / Clavos para techos en secuencia

Primary applications include:
Roofing shingles, Vinyl siding
Las aplicaciones primarias incluyen:
Clavado de tejas, Paneles de revestimiento lateral de vinilo

For use with:
Para usar con:
Grip-Rite: GR11CR175
Craftsman: 18415
Paslode: 3175 RCU
Ridgid: RN1750RNA
Most other Coil Roofing Nailers
La mayoría de las otras clavadoras para techo de bobina

Resistch: RN45A-1, N175R
Hitachi: NV15B, NV15AC
Porter Cable: RN175
Senco: SCN200R, SCN40R

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y roble.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

7,200 count / número

GRCR3DRSS

Lifetime Guarantee Against Rust and Corrosion			
Stainless Steel – 304 Stainless			
Size	Shank Style	SKU	Quantity
1"	Ring	GRCR2DRSS	7.2M Carton
1-1/4"	Ring	GRCR3DRSS	7.2M Carton
1-1/2"	Ring	GRCR4DRSS	7.2M Carton

Plastic Cap Staple Packs

Primary applications include:
Roof Felt & House-Wrap

1" Diameter Plastic Caps 5/8" Staples



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model
GRIP-RITE	GRC58, GRC58A

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
PNEU TOOL	RC-58

Galvanized Wire				
Crown	Leg	Cap Size	SKU	Quantity
1/2"	5/8"	1" DIA.	GRCP5822	2.2M

String Collated / Secuencia en serie
1/2" Crown • 5/8" Leg • 1" Cap Diameter / Corona 1/2" • Pata 5/8" • Tapas plasticas de 1" de diametro

Plastic Cap Staple Packs / Paquetes de tapas plásticas de grapas

Primary applications include: Roofing shingles, Vinyl siding
Las aplicaciones primarias incluyen: Tejas y vinilo. Resinas involucradas por vetas

For use with: 1/2" Crown • 5/8" Leg • 1" Cap Diameter / Corona 1/2" • Pata 5/8" • Tapas plasticas de 1" de diametro

Should not be used on treated lumber
No usar en madera tratada
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

2,000 caps/2,000 staples
2,200 tapas/2,200 grapas

GRCP5822

15° Wire Weld Coil
Bobina de alambre soldado de 15°
1-1/4" / 3.18 cm x .120
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Roofing Nails / Clavos para techos en secuencia

Primary applications include:
Roofing shingles, Vinyl siding
Las aplicaciones primarias incluyen:
Clavado de tejas, Paneles de revestimiento lateral de vinilo

For use with:
Para usar con:
Grip-Rite: GR11CR175
Craftsman: 18415
Paslode: 3175 RCU
Ridgid: RN1750RNA
Most other Coil Roofing Nailers
La mayoría de las otras clavadoras para techo de bobina

Resistch: RN45A-1, N175R
Hitachi: NV15B, NV15AC
Porter Cable: RN175
Senco: SCN200R, SCN40R

Should not be used on treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie no sea aceptable

7,200 count / número

GRCR3DGAL

15° Wire Weld Coil
Bobina de alambre soldado de 15°
1-1/4" / 3.18 cm x .120
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Roofing Nails / Clavos para techos en secuencia

Primary applications include:
Roofing shingles, Vinyl siding
Las aplicaciones primarias incluyen:
Clavado de tejas, Paneles de revestimiento lateral de vinilo

For use with:
Para usar con:
Grip-Rite: GR11CR175
Craftsman: 18415
Paslode: 3175 RCU
Ridgid: RN1750RNA
Most other Coil Roofing Nailers
La mayoría de las otras clavadoras para techo de bobina

Resistch: RN45A-1, N175R
Hitachi: NV15B, NV15AC
Porter Cable: RN175
Senco: SCN200R, SCN40R

For use on exterior applications and with all treated lumber
Resistch: RN45A-1, N175R
Hitachi: NV15B, NV15AC
Porter Cable: RN175
Senco: SCN200R, SCN40R

Should not be used on treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie no sea aceptable

7,200 count / número

GRCR3DHDG

Galvanized			
Size	Shank Style	SKU	Quantity
3/4"	Smooth	GRCR19GAL	7.2M Carton
7/8"	Smooth	GRCR2DCGAL	7.2M Carton
1"	Smooth	GRCR2DGAL	7.2M Carton
1-1/4"	Smooth	GRCR3DGAL	7.2M Carton
1-1/4"	Smooth	GRCR3DGALB	3.84M Bucket
1-1/2"	Smooth	GRCR4DGAL	7.2M Carton
1-3/4"	Smooth	GRCR5DGAL	7.2M Carton
2"	Smooth	GRCR6DGAL	7.2M Carton
1-1/4"	Ring	GRCR3DRGAL	7.2M Carton
1-1/2"	Ring	GRCR4DRGAL	7.2M Carton


Hot Dipped Galvanized			
Size	Shank Style	SKU	Quantity
1"	Smooth	GRCR2DHDG	7.2M Carton
1-1/4"	Smooth	GRCR3DHDG	7.2M Carton
1-1/2"	Smooth	GRCR4DHDG	7.2M Carton
1-3/4"	Smooth	GRCR5DHDG	7.2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head
Plastic Stick Nails

Primary applications include: Framing,
Sheathing, Subfloors & Roof Decking*




Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.		Grip-Rite Collated Fasteners that fit these tools can be found on pages 10-14 and 52 of this catalog.	
Manufacture	Model	Manufacture	Model
AIRY	AVA2100CRK	JADE	JT350PL
APACH	AN-9021, AN-9021AC	JAMERCO	JTNFH90A
APLUS	S-130A, S-100A, S-90D	JEPSON	PF21FH
ATRO/ISM	RHS921	JIT	FN2190
BASSO	A22/100-A1, A22/90H-B1	J-K	89
BEA	R90-946, R100-950, R130-957	MAKITA	AN922, AN8300
BERRY-FAST	3000, 3500, 4100, 4500	MAX	SN890RH, SN80, SN90
BESCO	RHF9021	NICHE RICH	17A2051
BOSTITCH	N95RHN, N90RHN, KN85PP-1, N95-162, N79RH, N88RH	NIKEMA	590RN100, 590RN90
CAMPBELL	NS2090	NIKOTA	RHF9021
HAUSFELD		PANREX	PR-9021P
CRAFTSMAN	18436, 19034	PASLODE	5325 SRH, 5350/SRN-20
DEPOAN	DPN 6C50-RN2290	PATEK	PR9021
DEWALT	D51845, D51844	PORTER-CABLE	FR 350NC, FR350MAG, FR350, FR 350A
DUO-FAST	CN350B, SNP 83, CN325B, NSP-350F, CN350, CN137	PREBENA	9FAK100
EZ FASTEN	SN9021	RIDGID	R350RHA
FASCO	R5C RHN 20-90 SS-CT, F6C RHN 20-100	SENCO	SN60, SN65, SN65C, FRAMEPRO 652, FRAMEPRO 602, FRAMEPRO 650
GREX	SF 9021H		FRAMEPRO 700XL
GRIP-RITE	GRTRH350		FRAMEPRO 752XP, FRAMEPRO 702XP
GRIZZLY	G6050	SPOTNAILS	YPR90
HAUBOLD	RH90, RN100D, RN90PII, RN130 R, RN130 R/DB	STAN TECH	SDN 11 B-1, SDN 11
HILTI	RHN-9020	T.C. INTERNATIONAL	SRN 90, UNS 350
HITACHI	NR83A, NR90AC, NR90AC2, NR83A2	TRIDENT ASSOC.	SRN90
HOLZ-HER	3500 SERIES	TRUSTY	AF9021, TYI2190FN
INTERCHANGE	ICB-FN88	UNICATCH	UNS 350 PL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head
Plastic Stick Nails

Primary applications include: Framing,
Sheathing, Subfloors & Roof Decking*



21° Plastic Strip Round Head
Cabeza redonda en cinta plástica 21°
3-1/4" / 8.26 cm x .131 (16D Short / Corto)
Coated - Smooth Shank / Revestido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, exterior decks
Las aplicaciones primarias incluyen:
Armarzon, Revestimiento, Contrapisos, Cubierta interior del techo, Taberones de exteriores

For use with:
Para usar con:
Grip-Rite: CUTTHROB
Craftsman: 18436, 19034
DeWalt: 101844
Duo-Fast: CH350B, N27050P
Most other 21° Plastic Strip Round Head Nails
I a mayoría de las otras clavadoras de cabeza redonda y cinta plástica de 21°

Hitachi: NTR3A, NTR3AC2
Porter Cable: FR350, FR350MAG
Senco: All Proton Pro (KORHAN A / 100) HSH series

4,000 count / número

Round Head / Cabeza redonda

Plastic Strip / Cinta plástica

21°


GR024

Coated	Size	Shank Style	Nail Type	SKU	Quantity
	4D 1-1/2" x .148	Smooth	Hanger Nail	GR112148	6M Carton
	6D 2" x .113	Smooth	Common	GR03	5M Carton
	6D 2" x .113	Smooth	Common	GR03L	2.5M Carton
	10D 2-1/8" x .148	Smooth	Ply	GR218148	5M Carton
	10D 2-1/8" x .148	Smooth	Ply	GR7D148	4M Carton
	10D 2-1/4" x .148	Smooth	Ply	GR214148	5M Carton
	10D 2-1/4" x .148	Smooth	Ply	GR7DL148	4M Carton
	8D 2-3/8" x .113	Smooth	Cooler	GR07	5M Carton
	8D 2-3/8" x .113	Smooth	Cooler	GR07L	2.5M Carton
	8D 2-1/2" x .131	Smooth	Common	GR212131	5M Carton
	8D 2-1/2" x .131	Smooth	Common	GR8D131	4M Carton
	10D 2-3/8" x .120	Smooth	Cooler	GR238120	5M Carton
	10D 2-3/8" x .148	Smooth	Ply	GR238148	5M Carton
	10D 2-3/8" x .148	Smooth	Ply	GR8D148	4M Carton
	10D 3" x .120	Smooth	Sinker	GR301	4M Carton
	10D 3" x .120	Smooth	Sinker	GR301L	2M Carton
	10D 3" x .131	Smooth	Framer	GR014	4M Carton
	10D 3" x .131	Smooth	Framer	GR014L	2M Carton
	10D 3" x .148	Smooth	Common	GR3148	4M Carton
	12D 3-1/4" x .120	Smooth	Framer	GR444	4M Carton
	12D 3-1/4" x .120	Smooth	Framer	GR444L	2M Carton
	12D 3-1/4" x .148	Smooth	Common	GR314148	4M Carton
	12D 3-1/4" x .162	Smooth	Short-Common	GR314162	2.5M Carton
	16D 3-1/4" x .131	Smooth	Short-Common	GR024	4M Carton
	16D 3-1/4" x .131	Smooth	Short-Common	GR024L	2M Carton
	16D 3-3/8" x .131	Smooth	Sinker	GR338	4M Carton
	16D 3-3/8" x .131	Smooth	Sinker	GR338L	2M Carton
	16D 3-1/2" x .131	Smooth	Box	GR312131	4M Carton
	16D 3-1/2" x .131	Smooth	Box	GR312131L	2M Carton
	16D 3-1/2" x .162	Smooth	Common	GR312162	2.5M Carton
	6D 2" x .113	Ring	Common	GR04	5M Carton
	6D 2" x .113	Ring	Common	GR04L	2.5M Carton
	8D 2-3/8" x .113	Ring	Cooler	GR08R	5M Carton
	8D 2-3/8" x .113	Ring	Cooler	GR08RL	2.5M Carton
	10D 2-3/8" x .148	Ring	Ply	GR238148RD	5M Carton
	10D 2-3/8" x .148	Ring	Ply	GR8D148R	4M Carton
	10D 3" x .131	Ring	Framer	GR014R	4M Carton
	8D 2-3/8" x .113	Screw	Cooler	GR016	5M Carton
	10D 2-1/8" x .148	Screw	Ply	GR218148S	5M Carton
	10D 2-1/8" x .148	Screw	Ply	GR7D148S	4M Carton
	10D 2-3/8" x .148	Screw	Ply	GR8D148S	4M Carton
	10D 3" x .120	Screw	Sinker	GR3120S	4M Carton
	12D 3-1/4" x .148	Screw	Common	GR314148S	4M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



21° Plastic Strip Round Head
Cabeza redonda en cinta plástica 21°
2" / 5.08 cm x .113 (6D Common / Común)
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, exterior decks.
Las aplicaciones primarias incluyen:
Armazón, Revoestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

5,000 count / número

GR05G


7 64 666 10 93 57 110

Galvanized					
	Size	Shank Style	Nail Type	SKU	Quantity
6D	2" x .113	Smooth	Common	GR05G	5M Carton
6D	2" x .113	Smooth	Common	GR05GL	2.5M Carton
8D	2-3/8" x .113	Smooth	Cooler	GR09G	5M Carton
8D	2-3/8" x .113	Smooth	Cooler	GR09GL	2.5M Carton
8D	2-1/2" x .131	Smooth	Common	GR212131G	5M Carton
10D	3" x .120	Smooth	Sinker	GR301G	4M Carton
10D	3" x .120	Smooth	Sinker	GR301GL	2M Carton
10D	3" x .131	Smooth	Framer	GR033G	4M Carton
12D	3-1/4" x .120	Smooth	Box	GR444G	4M Carton
12D	3-1/4" x .120	Smooth	Box	GR444GL	2M Carton
16D	3-1/4" x .131	Smooth	Short	GR034G	4M Carton
16D	3-1/4" x .131	Smooth	Short	GR034GL	2M Carton
16D	3-3/8" x .131	Smooth	Sinker	GR338G	4M Carton
6D	2" x .113	Ring	Common	GR04G	5M Carton
8D	2-3/8" x .113	Ring	Cooler	GR08G	5M Carton
8D	2-3/8" x .113	Ring	Cooler	GR08GL	2.5M Carton
10D	3" x .120	Ring	Sinker	GR408G	4M Carton
10D	3" x .120	Ring	Sinker	GR408GL	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



21° Plastic Strip Round Head
Cabeza redonda en cinta plástica 21°
2" / 5.08 cm x .113 (6D Common / Común)
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks.
Las aplicaciones primarias incluyen:
Armazón, Revoestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores.

5,000 count / número

GR0H5G

7 64 666 10 93 57 110

Exterior Galvanized					
	Size	Shank Style	Nail Type	SKU	Quantity
6D	2" x .113	Smooth	Common	GR05HG	5M Carton
8D	2-3/8" x .113	Smooth	Cooler	GR09HG	5M Carton
8D	2-3/8" x .113	Smooth	Cooler	GR09HGL	2.5M Carton
8D	2-1/2" x .131	Smooth	Common	GR212131HG	5M Carton
10D	3" x .120	Smooth	Sinker	GR301HG	4M Carton
10D	3" x .120	Smooth	Sinker	GR301HGL	2M Carton
10D	3" x .131	Smooth	Framer	GR033HG	4M Carton
12D	3-1/4" x .120	Smooth	Box	GR444HG	4M Carton
12D	3-1/4" x .120	Smooth	Box	GR444HGL	2M Carton
16D	3-1/4" x .131	Smooth	Short	GR034HG	4M Carton
16D	3-1/4" x .131	Smooth	Short	GR034HGL	2M Carton
16D	3-1/2" x .131	Smooth	Box	GR312131HG	4M Carton
16D	3-1/2" x .162	Smooth	Common	GR312162HG	2.5M Carton
6D	2" x .113	Ring	Common	GR04HG	5M Carton
8D	2-3/8" x .113	Ring	Cooler	GR08RHG	5M Carton
8D	2-3/8" x .113	Ring	Cooler	GR08HGL	2.5M Carton
10D	3"x.120	Ring	Sinker	GR408HG	4M Carton
10D	3"x.120	Ring	Sinker	GR408HGL	2M Carton
10D	2-3/8" x .113	Screw	Cooler	GR016HG	5M Carton
10D	3" x .120	Screw	Sinker	GR015HG	4M Carton
12D	3-1/4" x .120	Screw	Box	GR444SHG	4M Carton
12D	3-1/4" x .120	Screw	Box	GR444SHGL	2M Carton


Exterior Galvanized, Casing Head					
	Size	Shank Style	Nail Type	SKU	Quantity
8D	2-3/8" x .113	Smooth	Cooler-Casing	GR238CSHG	2.5M Carton
16D	3-1/4" x .113	Smooth	Short-Casing	GR314CSHG	2M Carton

Lifetime Guarantee Against Rust and Corrosion					
No-Rust Exterior Coated					
	Size	Shank Style	Nail Type	SKU	Quantity
6D	2" x .113	Smooth	Common	GR05PGP	5M Carton
8D	2-3/8" x .113	Smooth	Cooler	GR09PGP	5M Carton
10D	3" x .131	Smooth	Framer	GR033PGP	4M Carton
16D	3-1/4" x .131	Smooth	Short	GR034PGP	4M Carton
16D	3-1/4" x .131	Smooth	Short	GR034PGPL	2M Carton
6D	2" x .113	Ring	Common	GR04PGP	5M Carton
8D	2-3/8" x .113	Ring	Cooler	GR08RPGP	5M Carton
8D	2-3/8" x .113	Ring	Cooler	GR08PGPL	2.5M Carton
10D	3" x .120	Ring	Sinker	GR408PGP	4M Carton
10D	2-3/8" x .113	Screw	Cooler	GR016PGP	5M Carton
10D	3" x .120	Screw	Sinker	GR015PGP	4M Carton
12D	3-1/4" x .120	Screw	Box	GR444SPGP	4M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



21° Plastic Strip Round Head
Cabeza redonda en cinta plástica 21°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfridador)
Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armarazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Grip-Rite: CUTTHRO50
Craftsman: 10436, 10034
DeWalt: 101845

Hitachi: NT83A, NT90AC2
Porter Cable: FR350, FR350MAG
Senco: All Framo Pro 600RSH & /00 RSH series

2,500 count / número


GR439SS

Lifetime Guarantee Against Rust and Corrosion					
Stainless Steel – 304 Stainless					
Size	Shank Style	Nail Type	SKU	Quantity	
8D 2-3/8" x .113	Smooth	Cooler	GR439SS	2.5M Carton	
10D 3" x .131	Smooth	Framer	GR4395SS	2M Carton	
16D 3-1/4" x .131	Smooth	Short	GR440SS	2M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08RSS	5M Carton	
10D 3" x .120	Ring	Sinker	GR408SS	4M Carton	
10D 3" x .120	Screw	Sinker	GR015SS	4M Carton	
12D 3-1/4" x .120	Screw	Box	GR444SSS	4M Carton	

Stainless Steel – 304 Stainless, Casing Head				
Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Casing-Cooler	GR238CSSS	2.5M Carton

28° Clipped Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.				Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.			
Manufacturer		Model		Manufacturer		Model	
BASSO		N90PH-A1		DUO FAST		NSPM-325F	

28° Plastic Strip Clipped Head
Cabeza recortada en cinta plástica 28°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Coated - Smooth Shank / Revestido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armarazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Basso: NS0PH-A1
Duo-Fast: NSPM-325F
Most other 28° Plastic Strip Clipped Head Nails

La mayoría de las otras clavadoras de cabeza recortada y cinta plástica de 28°

2,500 count / número

GR603L

Coated				
Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler	GR603L	2.5M Carton
10D 3" x .120	Smooth	Sinker	GR615L	4M Carton
10D 3" x .120	Smooth	Sinker	GR615L	2M Carton
10D 3" x .131	Smooth	Framer	GR606L	4M Carton
10D 3" x .131	Smooth	Framer	GR606L	2M Carton
16D 3-1/4" x .131	Smooth	Short	GR607L	2M Carton
8D 2-3/8" x .113	Ring	Cooler	GR609RL	2.5M Carton

28° Plastic Strip Clipped Head
Cabeza recortada en cinta plástica 28°
3" / 7.62 cm x .113 (10D Framer / Constructor)
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armarazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Basso: NS0PH-A1
Duo-Fast: NSPM-325F
Most other 28° Plastic Strip Clipped Head Nails

La mayoría de las otras clavadoras de cabeza recortada y cinta plástica de 28°

4,000 count / número

GR606GL


Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler	GR611GL	2.5M Carton
10D 3" x .120	Smooth	Sinker	GR615GL	2M Carton
10D 3" x .131	Smooth	Framer	GR606GL	4M Carton
16D 3-1/4" x .131	Smooth	Short	GR613GL	2M Carton
10D 3" x .120	Ring	Sinker	GR617GL	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

28° Clipped Head Wire Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated. Grip-Rite Collated Fasteners that fit these tools can be found on pages 16-17 and 53 of this catalog.

Manufacturer	Model	Manufacturer	Model
AIRY	ANB2883CRK	DEPOAN	6C51-CN2890
APACH	AN-9028AN-9028AC	EZ FASTEN	SRN9028
APLUS	S-90B	FASCO	R5C HHN 28-90 SS CT
ATRO/ISM	CHS-928	GREX	SF9028H
BASSO	N90SB	JAMERCO	JTAFN2890
BESCO	CHF9028	MAX	SN890CH/28
BOSTITCH	N80SB, N70S, N79WW, N16, N100S, N86S, N80S, N88WW	PORTER-CABLE	FM350A
		STAN TECH	1526B
		TRUSTY	TYI2890FN
CAMPBELL HAUSFELD	NS2890	UNICATCH	UNS350P8

28° Wire Weld Clipped Head
Cabeza recortada en alambre soldado 28°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Coated - Smooth Shank / Revestido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Bostitch: N16, N70S, N79WW, N80S, N86S, N88WW, N100S
Most other 28° Wire Weld Clipped Head Nails
La mayoría de las otras clavadoras para cabeza recortada de bobina de alambre soldados de 28°

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el fondo de la superficie es inaceptable

2,500 count / número

Clipped Head / Cabeza recortada

Wire Weld / Biscanilla en alambre soldado

GRS8D

7 64666 09337 0

28° Wire Weld Clipped Head
Cabeza recortada en alambre soldado 28°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Bostitch: N16, N70S, N79WW, N80S, N86S, N88WW, N100S
Most other 28° Wire Weld Clipped Head Nails
La mayoría de las otras clavadoras para cabeza recortada de bobina de alambre soldados de 28°

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el fondo de la superficie es inaceptable

2,500 count / número

Clipped Head / Cabeza recortada

Wire Weld / Biscanilla en alambre soldado

GRS8DG

7 64666 09337 0


Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6D	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8D	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10D	2M Carton
10D 3" x .131	Smooth	Framer	GRS10DZ	2M Carton
12D 3-1/4" x .120	Smooth	Box	GRS12D	2M Carton
16D 3-1/4" x .131	Smooth	Short	GRS12DZ	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZ	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DR	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DR	2.5M Carton

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6DG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8DG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10DG	2M Carton
12D 3-1/4" x .120	Smooth	Cooler	GRS12DG	2M Carton
16D 3-1/4" x .131	Smooth	Short	GRS12DZG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZG	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DRG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DRG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRG	2M Carton
12D 3-1/4" x .120	Ring	Cooler	GRS12DRG	2M Carton
12D 3-1/4" x .120	Screw	Cooler	GRS12DSG	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

28° Clipped Head Wire Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



28° Wire Weld Clipped Head
Cabeza recortada en alambre soldado 28°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Bostitch: N16, N70S, N79WW, N80S, N86S, N88WW, N100S
Most other 28° Wire Weld Clipped Head Nails
La mayoría de las otras clavadoras para cabeza recortada de bobina de alambre soldados de 28°

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Para usar con todo tipo de madera tratada, cedro y roble.
Los ácidos tánicos que se encuentran naturalmente en la madera pueden causar manchas y vetas.

2,500 count / número

Clipped Head / Cabeza recortada

Wire Weld / Biscanilla en alambre soldado

GRS8DHG

7 64666 09337 0

28° Wire Weld Clipped Head
Cabeza recortada en alambre soldado 28°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapiso, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Bostitch: N16, N70S, N79WW, N80S, N86S, N88WW, N100S
Most other 28° Wire Weld Clipped Head Nails
La mayoría de las otras clavadoras para cabeza recortada de bobina de alambre soldados de 28°

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Para usar con todo tipo de madera tratada, cedro y roble.
Los ácidos tánicos que se encuentran naturalmente en la madera pueden causar manchas y vetas.

2,500 count / número

Clipped Head / Cabeza recortada

Wire Weld / Biscanilla en alambre soldado

GRS8DRSS

7 64666 09337 0


Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6DHG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8DHG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10DHG	2M Carton
12D 3-1/4" x .120	Smooth	Box	GRS12DHG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZHG	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DRHG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DRHG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRHG	2M Carton
12D 3-1/4" x .120	Ring	Box	GRS12DRHG	2M Carton
12D 3-1/4" x .120	Screw	Cooler	GRS12DSHG	2M Carton

Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Ring	Cooler	GRS8DRSS	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRSS	2M Carton
12D 3-1/4" x .120	Ring	Box	GRS12DRSS	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

33° Clipped Head Paper Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.		Grip-Rite Collated Fasteners that fit these tools can be found on pages 18 and 19 of this catalog.	
Manufacturer	Model	Manufacturer	Model
AIRY	AUA3490CRK	MAKITA	AN-942
APACH	AN-9034, AN-9024AC	MAX	SN90CH-34
APLUS	S-90E	PANREX	PR-0034P
ATRO/ISM	CHS 933	PASLODE	IMPULSE350, IMPULSE300,
BASSO	N90PA-A1		IMPULSE325, GN212,
BESCO	CHF9034, CHF9030		F3505, 5350, SK312, IMCT,
BOSTITCH	N90PT, N79PT		5325
CAMPBELL HAUSFELD	NS349099	PATEK	PR0034
CRAFTSMAN	18179	PORTER-CABLE	FC350, FC350A, FM350A
DEPOAN	DPN6052	RIDGID	R350CHA
DEWALT	D51823, D51822	SENCO	SN2, SN2+, SN3, SN325+, SN4,
EZ FASTEN	SN9034		SN70, FRAMEPRO 600XL,
FASCO	R5C HHN 31-90 SS CT, F5C		FRAMEPRO 601,
	HHN 31-83, F6 HHN 31-90,		FRAMEPRO 651,
	F25 A-90/40		FRAMEPRO 700XL,
GREX	SF9034H		FRAMEPRO 701XP,
GRIP-RITE	GRTCH350		FRAMERPO 751XP
HILTI	CHN9033	SPOTNAILS	YTD90
HITACHI	NR83AA, NR83AA2, NR90AA,	STAN TECH	SDN11-PT-1
	NR90AD, NR83AA3	T.C. INTERNATIONAL	UNS 350 P4/P8
INTERCHANGE	ICB-DF88	TECH FORGE	1521
JADE	JT350 P4	TRUSTY	TYI3490FN, AF0034
JAMERCO	JTAFN3190	UNICATCH	UNS 350P4

33° Paper Tape Clipped Head
Cabeza recortada en cinta de papel 33°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Coated - Smooth Shank / Revestido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores


For use with:
Para usar con:
Grip-Rite: GRTCH350
Bostitch: N79PT, N90PT
DeWalt: D51822, D51823
Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD
Paslode: S325, S350, F-350S, GN212, IMCT, IMPULSE300, IMPULSE350, SK312
Most other 33° Paper Tape Round Head Nails
La mayoría de los otros clavos redondos para cabeza redonda con cinta de papel de 33°
Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

Coated					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .113	Smooth	Cooler	GRSP6D	2.5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GRSP8D	2.5M Carton	
10D 3" x .120	Smooth	Sinker	GRSP10D	2M Carton	
10D 3" x .131	Smooth	Framer	GRSP10DZ	2M Carton	
12D 3-1/4" x .120	Smooth	Box	GRSP12D	2M Carton	
12D 3-1/4" x .131	Smooth	Short	GRSP12DZ	2M Carton	
16D 3-1/2" x .131	Smooth	Box	GRSP16DZ	2M Carton	
6D 2" x .113	Ring	Cooler	GRSP6DR	2.5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GRSP8DR	2.5M Carton	
10D 3" x .120	Ring	Sinker	GRSP10DR	2M Carton	

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

33° Clipped Head Paper Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



33° Paper Tape Clipped Head
Cabeza recortada en cinta de papel 33°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Grip-Rite: GRTCH350
Bostitch: N79PT, N90PT
DeWalt: D51822, D51823
Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD
Paslode: S325, S350, F-350S, GN212, IMCT, IMPULSE300, IMPULSE350, SK312
Most other 33° Paper Tape Round Head Nails
La mayoría de los otros clavos redondos para cabeza redonda con cinta de papel de 33°
Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

33° Paper Tape Clipped Head
Cabeza recortada en cinta de papel 33°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Grip-Rite: GRTCH350
Bostitch: N79PT, N90PT
DeWalt: D51822, D51823
Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD
Paslode: S325, S350, F-350S, GN212, IMCT, IMPULSE300, IMPULSE350, SK312
Most other 33° Paper Tape Round Head Nails
La mayoría de los otros clavos redondos para cabeza redonda con cinta de papel de 33°
Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

33° Paper Tape Clipped Head
Cabeza recortada en cinta de papel 33°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
No-Rust Exterior Coated - Smooth Shank / Revestidos exteriormente para evitar el óxido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Grip-Rite: GRTCH350
Bostitch: N79PT, N90PT
DeWalt: D51822, D51823
Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD
Paslode: S325, S350, F-350S, GN212, IMCT, IMPULSE300, IMPULSE350, SK312
Most other 33° Paper Tape Round Head Nails
La mayoría de los otros clavos redondos para cabeza redonda con cinta de papel de 33°
Lifetime guarantee against rust and corrosion
Lifetime rusted naturally in wood can cause staining and streaking
Garantía de por vida contra óxido y corrosión
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas

33° Paper Tape Clipped Head
Cabeza recortada en cinta de papel 33°
2-3/8" / 6.03 cm x .113 (8D Cooler / Enfriador)
Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof decking, Exterior decks
Las aplicaciones primarias incluyen:
Armazón, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Para usar con:
Grip-Rite: GRTCH350
Bostitch: N79PT, N90PT
DeWalt: D51822, D51823
Hitachi: NR83AA, NR83AA2, NR90AA, NR90AD
Paslode: S325, S350, F-350S, GN212, IMCT, IMPULSE300, IMPULSE350, SK312
Most other 33° Paper Tape Round Head Nails
La mayoría de los otros clavos redondos para cabeza redonda con cinta de papel de 33°
Lifetime guarantee against rust and corrosion
Lifetime rusted naturally in wood can cause staining and streaking
Garantía de por vida contra óxido y corrosión
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas

Galvanized					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .113	Smooth	Cooler	GRSP6DG	2.5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GRSP8DG	2.5M Carton	
10D 3" x .120	Smooth	Sinker	GRSP10DG	2M Carton	
10D 3" x .131	Smooth	Framer	GRSP10DZG	2M Carton	
12D 3-1/4" x .131	Smooth	Short	GRSP12DZG	2M Carton	
16D 3-1/2" x .131	Smooth	Box	GRSP16DZG	2M Carton	
6D 2" x .113	Ring	Cooler	GRSP6DRG	2.5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRG	2.5M Carton	
10D 3" x .120	Ring	Sinker	GRSP10DRG	2M Carton	
12D 3-1/4" x .120	Ring	Box	GRSP12DRG	2M Carton	

Exterior Galvanized					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .113	Smooth	Cooler	GRSP6DHG	2.5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GRSP8DHG	2.5M Carton	
10D 3" x .120	Smooth	Sinker	GRSP10DHG	2M Carton	
12D 3-1/4" x .131	Smooth	Short	GRSP12DZHG	2M Carton	
16D 3-1/2" x .131	Smooth	Box	GRSP16DZHG	2M Carton	
6D 2" x .113	Ring	Cooler	GRSP6DRHG	2.5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRHG	2.5M Carton	
10D 3" x .120	Ring	Sinker	GRSP10DRHG	2M Carton	
12D 3-1/4" x .120	Ring	Box	GRSP12DRHG	2M Carton	

Lifetime Guarantee Against Rust and Corrosion					
No-Rust Exterior Coated					
Size	Shank Style	Nail Type	SKU	Quantity	
12D 3-1/4" x .131	Smooth	Short	GRSP12ZPGP	2M Carton	
16D 3-1/2" x .131	Smooth	Short	GRSP16ZPGP	2M Carton	
6D 2" x .113	Ring	Cooler	GRSP6RPGP	2.5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GRSP8RPGP	2.5M Carton	
10D 3" x .120	Ring	Sinker	GRSP10RPGP	2M Carton	
12D 3-1/4" x .120	Ring	Short	GRSP12RPGP	2M Carton	

Lifetime Guarantee Against Rust and Corrosion					
Stainless Steel – 304 Stainless					
Size	Shank Style	Nail Type	SKU	Quantity	
16D 3-1/2" x .131	Smooth	Short	GRSP16ZSS	2M Carton	
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRSS	2.5M Carton	
10D 3" x .120	Ring	Short	GRSP10DRSS	2M Carton	
12D 3-1/4" x .120	Ring	Box	GRSP12DRSS	2M Carton	

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Round Head Wire Coil Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.		Grip-Rite Collated Fasteners that fit these tools can be found on pages 20, 21 and 51 of this catalog.	
Manufacturer	Model	Manufacturer	Model
APLUS	C-70, C-65, C-57, C-50, C-90, C-100	HITACHI	NV83A, NV65AB, NV65AC, NV75AG, NV65AH
ATRO	ROLL 85, RHC 700, RHC 900, RHC 1000	INTERCHANGE	ICB-CN83
BASSO	C33/90-B1, C25/65L-A1, C25/60-A1, C33/90-A1, C31/65-A1	MAKITA	AN-901, AN-621
BEA	T701, 900DC, 800DC, 566DC, 550DC, 700DC	MAX	HN90, CN565, CN565S, CN565D, CN890S, CN100, CN70, CN665, CN890II, CN80, CN80F
BOSTITCH	N80CB, N86C, N100CPP, N70C, N64CP, N100C	NIKEMA	565CN70, 590CN90, 451CN60
DEPOAN	DPN-6C1/CN1583	PANREX	PR-565P
EZ FASTEN	CN90, CN70AA, CN70HD	PASLODE	F275C, P275C, 4275/CN70, F325C, P350C, 5325/CN80, 4250/65CP
FASCO	R5 CN15W-90A, F5 CN15W65, F5C CN15W90, F5 CN15W65 SIC	PATEK	CN565
	REG, F5C CN15W75	PORTER-CABLE	COIL250, COIL350
GREX	CN70, CN90	SENCO	SCN 300, SCN 60, SCN 65
HAUBOLD	RNC90 WI, RNC65 WKI, RNC700WII, RN60 PII/BS	SPOTNAILS	YCN83, MCW64
		TRIDENT ASSOC.	CN70

15° Wire Weld Coil

Bobina de alambre soldado de 15°

3-1/4" / 3.18 cm x .131 (16D Short / Corto)

Coated - Smooth Shank / Revestido - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof Decking, & Exterior Decks
Las aplicaciones primarias incluyen:
Armarción, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Bostitch: N80CB, N86C
Hitachi: NV83A
Paslode: T275C, T325C
Most other 15° Wire Weld Coil Framing Nailers
La mayoría de las clavadoras para armazón de 15° de bobina de alambre soldado

Should not be used on treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

2,500 count / número

GRC12PZD

15° Wire Weld Coil

Bobina de alambre soldado de 15°

3-1/4" / 3.18 cm x .131 (16D Short / Corto)

Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof Decking, & Exterior Decks
Las aplicaciones primarias incluyen:
Armarción, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Bostitch: N80CB, N86C
Hitachi: NV83A
Paslode: T275C, T325C
Most other 15° Wire Weld Coil Framing Nailers
La mayoría de las clavadoras para armazón de 15° de bobina de alambre soldado

Should not be used on treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

2,500 count / número

GRC12PZDG

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Round Head Wire Coil Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



15° Wire Weld Coil

Bobina de alambre soldado de 15°

3-1/4" / 3.18 cm x .131 (16D Short / Corto)

Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof Decking, & Exterior Decks
Las aplicaciones primarias incluyen:
Armarción, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Bostitch: N80CB, N86C
Hitachi: NV83A
Paslode: T275C, T325C
Most other 15° Wire Weld Coil Framing Nailers
La mayoría de las clavadoras para armazón de 15° de bobina de alambre soldado

Should not be used on treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

2,500 count / número

GRC12PDHG

15° Wire Weld Coil

Bobina de alambre soldado de 15°

3-1/4" / 3.18 cm x .131 (16D Short / Corto)

Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Framing Nails / Clavos para armazón en secuencia

Primary applications include:
Framing, Sheathing, Subfloors, Roof Decking, & Exterior Decks
Las aplicaciones primarias incluyen:
Armarción, Revestimiento, Contrapisos, Cubierta interior del techo, Terrazas de exteriores

For use with:
Bostitch: N80CB, N86C
Hitachi: NV83A
Paslode: T275C, T325C
Most other 15° Wire Weld Coil Framing Nailers
La mayoría de las clavadoras para armazón de 15° de bobina de alambre soldado

Should not be used on treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

2,500 count / número

GRC12RDSS


Exterior Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .099	Smooth	Sheathing	GRC6P99DGH	3M Carton
10D 3" x .120	Smooth	Sinker	GRC10PDHG	2.5M Carton
12D 3-1/4" x .120	Smooth	Box	GRC12PDHG	2.5M Carton
6D 2" x .099	Ring	Cooler	GRC6R99DGH	3M Carton
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99DGH	3M Carton
10D 3" x .120	Ring	Sinker	GRC10RDHG	2.5M Carton
12D 3-1/4" x .120	Ring	Box	GRC12RDHG	2.5M Carton

Lifetime Guarantee Against Rust and Corrosion				
Stainless Steel – 304 Stainless				
Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .099	Ring	Cooler	GRC6R99DSS	3M Carton
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99DSS	3M Carton
10D 3" x .120	Ring	Sinker	GRC10RDSS	2.5M Carton
12D 3-1/4" x .120	Ring	Box	GRC12RDSS	2.5M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

33° Joist Hanger Nails

Primary applications include:
Designed specifically for
fastening hanger plates*



Grip-Rite Collated Fasteners are designed to fit **ONLY** the tools and models indicated. These fasteners **SHOULD NOT** be used in single-blow tools.

Manufacturer	Model
GRIP-RITE	GR150, GR250
PNEU TOOLS	RN150, RN250

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
SENCO	HN150, HN250

Coated				
Size	Shank Style	Nail Type	SKU	Quantity
1-1/2" x .131	Smooth	Joist Hanger	GRJSN131	2M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJSN112	2M Carton
2-1/2" x .148	Smooth	Joist Hanger	GRJSN212	1.5M Carton
2-1/2" x .162	Smooth	Joist Hanger	GRJSN162	1.5M Carton

Grip Rite

33° Plastic Strip / Cinta plástica 33°
1-1/2" / 3.81 cm x .148 Coated - Smooth Shank / Revestido - Espiga lisa

Collated Joist Hanger Nails / Clavo para soporte de viga en secuencia

Primary applications include: joist hanger plates.
Las aplicaciones principales incluyen: placas para soporte de viga.
For use with: Pneu Tools: GR150, GR250; Senco: HN150, HN250.
Para usar con: Pneu Tools: GR150, GR250; Senco: HN150, HN250.
Should not be used in single blow tools. Should not be used where surface rust is unacceptable.
No usar en martillo de impacto. No usar donde el estado de la superficie sea inaceptable.

2,000 count / número

GRJSN112

Exterior Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
1-1/2" x .148	Smooth	Joist Hanger	GRJSN112HG	2M Carton
2-1/2" x .148	Smooth	Joist Hanger	GRJSN212HG	1.5M Carton
2-1/2" x .162	Smooth	Joist Hanger	GRJSN162HG	1.5M Carton

Grip Rite

33° Plastic Strip / Cinta plástica 33°
1-1/2" / 3.81 cm x .148 Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Joist Hanger Nails / Clavo para soporte de viga en secuencia

Primary applications include: joist hanger plates.
Las aplicaciones principales incluyen: placas para soporte de viga.
For use with: Pneu Tools: GR150, GR250; Senco: HN150, HN250.
Para usar con: Pneu Tools: GR150, GR250; Senco: HN150, HN250.
Should not be used in single blow tools. Should not be used where surface rust is unacceptable.
No usar en martillo de impacto. No usar donde el estado de la superficie sea inaceptable.


2,000 count / número

GRJSN112HG

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

30°-34° Joist Hanger Nails

Primary applications include: Metal
hangers, seismic and hurricane ties,
anchors and connector straps*



Grip-Rite Collated Fasteners are designed to fit **ONLY** the tools and models indicated.

Manufacturer	Model
BOSTITCH	MCN150, MCN250
GRIP-RITE	GRSB150, GRSB250
	GR150, GR250
HITACHI	NR65AK (S)

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
MASTER FORCE	208-5014
PASLODE	F-250S-PP
PNEU TOOLS	RN150, RN250, RNS150, RNS250
SENCO	HN150, HN250

Heat Treated - Coated				
Size	Shank Style	Nail Type	SKU	Quantity
1-1/2" x .131	Smooth	Joist Hanger	GRJH4DZHT	4M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJH4DCHT2	2M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJH4DCHT	3M Carton
2-1/2" x .148	Smooth	Joist Hanger	GRJH8DCHT	2M Carton
2-1/2" x .162	Smooth	Joist Hanger	GRJH8162HT	2M Carton

Grip Rite

33° Paper Tape / Cinta de papel 33°
1-1/2" / 3.81 cm x .148 Heat Treated - Coated - Smooth Shank / Termotratado - Revestido - Espiga lisa

Collated Joist Hanger Nails / Clavo para soporte de viga en secuencia

Primary applications include: joist hanger plates.
Las aplicaciones principales incluyen: placas para soporte de viga.
For use with: Pneu Tools: GR150, GR250; Senco: HN150, HN250.
Para usar con: Pneu Tools: GR150, GR250; Senco: HN150, HN250.
Should not be used in single blow tools. Should not be used where surface rust is unacceptable.
No usar en martillo de impacto. No usar donde el estado de la superficie sea inaceptable.

2,000 count / número

GRJSN112

Heat Treated - Exterior Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
1-1/2" x .131	Smooth	Joist Hanger	GRJH4DZHG	4M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJH4DCHG2	2M Carton
1-1/2" x .148	Smooth	Joist Hanger	GRJH4DCHG	3M Carton
2-1/2" x .148	Smooth	Joist Hanger	GRJH8DCHG	2M Carton
2-1/2" x .162	Smooth	Joist Hanger	GRJH8162HG	2M Carton

Grip Rite

33° Paper Tape / Cinta de papel 33°
1-1/2" / 3.81 cm x .148 Heat Treated - Exterior Galvanized - Smooth Shank / Termotratado - Galvanizado exterior - Espiga lisa

Collated Joist Hanger Nails / Clavo para soporte de viga en secuencia

Primary applications include: joist hanger plates.
Las aplicaciones principales incluyen: placas para soporte de viga.
For use with: Pneu Tools: GR150, GR250; Senco: HN150, HN250.
Para usar con: Pneu Tools: GR150, GR250; Senco: HN150, HN250.
Should not be used in single blow tools. Should not be used where surface rust is unacceptable.
No usar en martillo de impacto. No usar donde el estado de la superficie sea inaceptable.

2,000 count / número

GRJSN112HG

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Round Head Wire Coil Nails

Primary applications include:
Siding, Fencing &
Cedar Shake*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 24 and 25 of this catalog.

Manufacturer	Model
APLUS	C-70, C-65, C-57, C-50
BASSO	C25/65L-A1
BEA	566DC, 550DC, 700DC
BOSTITCH	N63CP, N64C, N55C, N50C, N55CP, N65CP
DUO-FAST	N55
EZ FASTEN	CN70AA, CN70HD
FASCO	R4 CN15W-50CT
GRIP-RITE	GRTCS250
HAUBOLD	N55
HITACHI	NV 65AH

Manufacturer	Model
MAKITA	AN611
MAX	CN565S, CN565, CN665, CN55, CN70
NIKEMA	451CN60
PANREX	PR-565P
PASLODE	3250/HSF, 3225/N55
PATEK	CN565
PORTER-CABLE	COIL200
SENCO	SCN 55, SCN 56
SPOTNAILS	MCW64

15° Wire Weld Coil
Bobina de alambre soldado de 15°
7D 2-3/16" / 5.56 cm x .092
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250
Bostitch: N63CP, N64C, N55C, N50C, N55CP, N65CP
DuroFast: N55
Hitachi: NV65AH
Most other 15° Wire Weld Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina de alambre soldado

Should not be used on treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada.
No usar donde el estado de la superficie es inaceptable.

3,000 count / número

GRC7P90DG

15° Wire Weld Coil
Bobina de alambre soldado de 15°
7D 2-3/16" / 5.56 cm x .092
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250
Bostitch: N63CP, N64C, N55C, N50C, N55CP, N65CP
DuroFast: N55
Hitachi: NV65AH
Most other 15° Wire Weld Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina de alambre soldado

For use on exterior applications and with all treated lumber.
Para uso en aplicaciones exteriores y con toda tipo de madera tratada.
El uso en aplicaciones interiores y con toda tipo de madera tratada.
Las juntas laterales que se encuentran normalmente en la madera pueden causar manchas y vetas.

3,000 count / número

GRC7P90DHG

Galvanized			
Size	Shank Style	SKU	Quantity
7D 2-3/16" x .092	Smooth	GRC7P90DG	3M Carton
3D 1-1/4" x .080	Ring	GRC3R80DG	3M Carton
4D 1-1/2" x .080	Ring	GRC4R80DG	3M Carton
5D 1-3/4" x .080	Ring	GRC5R80DG	3M Carton
6D 2" x .092	Ring	GRC6R90DG	3M Carton
7D 2-3/16" x .092	Ring	GRC7R90DG	3M Carton
8D 2-1/2" x .092	Ring	GRC8R90DG	3M Carton

Exterior Galvanized			
Size	Shank Style	SKU	Quantity
7D 2-3/16" x .092	Smooth	GRC7P90DHG	3M Carton
8D 2-1/2" x .092	Smooth	GRC8P90DHG	3M Carton
5D 1-3/4" x .080	Ring	GRC5R80DHG	3M Carton
6D 2" x .092	Ring	GRC6R90DHG	3M Carton
7D 2-3/16" x .092	Ring	GRC7R90DHG	3M Carton
8D 2-1/2" x .092	Ring	GRC8R90DHG	3M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Round Head Wire Coil Nails

Primary applications include:
Siding, Fencing &
Cedar Shake*



15° Wire Weld Coil
Bobina de alambre soldado de 15°
7D 2-3/16" / 5.56 cm x .092
Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250
Bostitch: N63CP, N64C, N55C, N50C, N55CP, N65CP
DuroFast: N55
Hitachi: NV65AH
Most other 15° Wire Weld Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina de alambre soldado

Should not be used on treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada.
No usar donde el estado de la superficie es inaceptable.

3,000 count / número

GRC7R90DSS

Lifetime Guarantee Against Rust and Corrosion			
Stainless Steel – 304 Stainless			
Size	Shank Style	SKU	Quantity
4D1-1/2" x .090	Ring	GRC4R90DSS	3M Carton
5D1-3/4" x .080	Ring	GRC5R80DSS	3M Carton
5D1-3/4" x .090	Ring	GRC5R90DSS	3M Carton
6D 2" x .092	Ring	GRC6R90DSS	3M Carton
7D2-3/16" x .092	Ring	GRC7R90DSS	3M Carton
8D2-1/2" x .092	Ring	GRC8R90DSS	3M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Round Head Plastic Coil Nails

Primary applications include:
Siding, Fencing &
Cedar Shake*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.				Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.			
Manufacture	Model	Manufacture	Model	Manufacture	Model	Manufacture	Model
BOSTITCH	N66C	MAX	CN565S				
GRIP-RITE	GRTCS250	PORTER-CABLE	COIL250				
HITACHI	NV65AH	SENCO	SCN56				
MAKITA	AN611						

15° Plastic Coil
Bobina plástica de 15°
2-1/2" / 6.35 cm x .092
Galvanized - Smooth Shank / Galvanizado - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250
Bostitch: N66C
Hitachi: NV65AH
Makita: AN611
Max: CN565S
Porter Cable: COIL250
Senco: SCN56

Most other 15° Plastic Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina plástica

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

4,800 count / número

GRPC8D92G

15° Plastic Coil
Bobina plástica de 15°
2-1/2" / 6.35 cm x .092
Exterior Galvanized - Smooth Shank / Galvanizado exterior - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250
Bostitch: N66C
Hitachi: NV65AH
Makita: AN611
Max: CN565S
Porter Cable: COIL250
Senco: SCN56

Most other 15° Plastic Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina plástica

For use on exterior applications with all treated lumber
Polimer coating on shanks resists rot and insect damage
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina plástica

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

4,800 count / número

GRPC8D92HG

15° Plastic Coil
Bobina plástica de 15°
2-1/2" / 6.35 cm x .092
Stainless Steel - Smooth Shank / Acero inoxidable - Espiga lisa

Collated Siding/Fencing Nails
Clavos para paneles de revestimiento lateral/cerca

Primary applications include:
Siding, Fencing, & Cedar Shake
Las aplicaciones primarias incluyen:
Paneles de revestimiento lateral, cercas, y listón de cedro

For use with:
Para usar con:
Grip-Rite: GRTCS250
Bostitch: N66C
Hitachi: NV65AH
Makita: AN611
Max: CN565S
Porter Cable: COIL250
Senco: SCN56

Most other 15° Plastic Coil Siding/Fencing Nailers
La mayoría de las clavadoras para paneles de revestimiento lateral/cerca de 15° de bobina plástica

Lifetime guarantee against rust and corrosion
For use with all treated lumber, cedar and redwood
Tannic acids found naturally in wood can cause staining and streaking
Garantía de por vida contra óxido y corrosión
Para usar con todo tipo de madera tratada, cedro y secoya
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas

4,800 count / número

GRPC8R90SS

Lifetime Guarantee Against Rust and Corrosion


Stainless Steel – 304 Stainless

Size	Shank Style	SKU	Quantity
5D 1-3/4" x .092	Ring	GRPC5R90SS	3M Carton
6D 2" x .092	Ring	GRPC6R90SS	3M Carton
7D 2-3/16" x .092	Ring	GRPC7R90SS	3M Carton
8D 2-1/2" x .092	Ring	GRPC8R90SS	2.4M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15 Gauge Angled “FN” Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.				Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.			
Manufacturer	Model	Manufacturer	Model	Manufacturer	Model	Manufacturer	Model
ATRO/ISM	MONZA 64	MAKITA	AF-632				
BASSO	FN-64S-3	SPOTNAILS	XBFN64				
BESCO	AFN1564B	STAN TECH	SDN-15BR				
BOSTITCH	N60FN, N62FN, N62FNK, N59N	TRUSTY	TYI261565AB				
DEPOAN	DPN6610/FN64						

15 Gauge “FN” Angled Adhesive Collated
Secuencia en adhesivo en ángulo “FN” calibre 15
2" / 5.08 cm
Galvanized Wire / Alambre galvanizado

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTFN250
Bostitch: FN59, N60FN2, N62FNK2
Max: AF63, NF550/-65
Stan Tech: SDN-15BR
Most other 15 Gauge Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo calibre 15

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

3,650 count / número

GRFN1532

15 Gauge “FN” Angled Adhesive Collated
Secuencia en adhesivo en ángulo “FN” calibre 15
2" / 5.08 cm
Stainless Steel / Acero inoxidable

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTFN250
Bostitch: FN59, N60FN2, N62FNK2
Max: AF63, NF550/-65
Stan Tech: SDN-15BR
Most other 15 Gauge Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo calibre 15

Lifetime guarantee against rust and corrosion
For use with all treated lumber, cedar and redwood
Tannic acids found naturally in wood can cause staining and streaking
Garantía de por vida contra óxido y corrosión
Para usar con todo tipo de madera tratada, cedro y secoya
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas

3,650 count / número

GRFN1532SS

Lifetime Guarantee Against Rust and Corrosion


Stainless Steel – 304 Stainless

Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	15 Gauge	GRFN1524SS	3.65M per Box	4 Boxes per Case
2"	15 Gauge	GRFN1532SS	3.65M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRFN1540SS	3.65M per Box	4 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15 Gauge Angled “DA”
Finish Nails

Primary applications include: Casing,
Finish, Trim, Moulding & Cabinets*



Mylar® Adhesive
Collation



Grip-Rite Collated Fasteners are designed
to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can
be found on pages 28 and 29 of this catalog.

Manufacture	Model
ACCUSET	A250FN
AIRY	AMB0564CRK
APACH	DA-64
APLUS	DA-65, DA-50
B2B	15BA65S
BEA	SKDA663-770
BESCO	AFN1564S
CAMPBELL HAUSFELD	NB3565
CRAFTSMAN	18448
DEPOAN	DPN 6612/DA21
DE VILBISS	AFN 5
DEWALT	D51275K, DC628K
DUO-FAST	DA FN6480
EZ FASTEN	DA 50, DA65
FASCO	R4-BA65 CTR3C-BA50 CT
GREX	AF64
GRIP-RITE	GRTAN250
GRIZZLY	G6049
HITACHI	NT65AA, NT65MA

Manufacture	Model
INTERCHANGE	ICB-BN1564S
JAMERCO	JTAFN1464A
JEPSON	PFN1564
JIT	NA1565
MAX	NF550/15-65
NIKOTA	AFN1564S
PORTER-CABLE	DA250A, CDA250, DA250B
PREBENA	5X-DA-63
RIDGID	R250AFA
SENCO	SFN-1SFN-2B, FINISHPRO 41XP, SFN-1+, SNF30
	AIRFREEE41, FINISHPRO 35XP, SFN-40
SPOTNAILS	XBA1564, KBA1564
T.C. INTERNATIONAL	UB 15250A4
TRIDENT ASSOC.	DA65, DA50
TRUSTY	TYI341564DA
UNICATCH	UN15250A4

15 Gauge "DA" Angled Mylar® Collated
Secuencia Mylar® en ángulo "DA" calibre 15
1-1/4" / 3.18 cm
Bright Wire / Alambre brillante

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTAN250
Craftsman: 18448
DeWalt: D51275K
Duo-Fast: DAFN6480
Hitachi: NT65AA

Porter-Cable: DA250A
Ridgid: R250AFA
Senco: FINISHPRO 35,
FINISHPRO 41XP
SFN1, SFN2B, SFN30, SFN40

4,000 count / número

Most other 15 Gauge Mylar® Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia
con adhesivo Mylar® calibre 15

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable


GRDA15L

Bright Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/4"	15 Gauge	GRDA15L	4M per Box	4 Boxes per Case
1-1/2"	15 Gauge	GRDA17L	4M per Box	4 Boxes per Case
1-3/4"	15 Gauge	GRDA19L	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21L	4M per Box	4 Boxes per Case
2-1/4"	15 Gauge	GRDA23L	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25L	4M per Box	4 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15 Gauge Angled “DA”
Finish Nails

Primary applications include: Casing,
Finish, Trim, Moulding & Cabinets*



Mylar® Adhesive
Collation



15 Gauge "DA" Angled Mylar® Collated
Secuencia Mylar® en ángulo "DA" calibre 15
1-1/4" / 3.18 cm
Galvanized Wire / Alambre galvanizado

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTAN250
Craftsman: 18448
DeWalt: D51275K
Duo-Fast: DAFN6480
Hitachi: NT65AA

Porter-Cable: DA250A
Ridgid: R250AFA
Senco: FINISHPRO 35,
FINISHPRO 41XP
SFN1, SFN2B, SFN30, SFN40

4,000 count / número

Most other 15 Gauge Mylar® Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia
con adhesivo Mylar® calibre 15

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRDA15GL

15 Gauge "DA" Angled Mylar® Collated
Secuencia Mylar® en ángulo "DA" calibre 15
1-1/2" / 3.81 cm
Stainless Steel / Acero inoxidable

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTAN250
Craftsman: 18448
DeWalt: D51275K
Duo-Fast: DAFN6480
Hitachi: NT65AA

Porter-Cable: DA250A
Ridgid: R250AFA
Senco: FINISHPRO 35,
FINISHPRO 41XP
SFN1, SFN2B, SFN30, SFN40

4,000 count / número

Most other 15 Gauge Mylar® Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia
con adhesivo Mylar® calibre 15

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y secoya.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

GRDA17SSL


Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/4"	15 Gauge	GRDA15GL	4M per Box	4 Boxes per Case
1-1/2"	15 Gauge	GRDA17GL	4M per Box	4 Boxes per Case
1-3/4"	15 Gauge	GRDA19GL	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21GL	4M per Box	4 Boxes per Case
2-1/4"	15 Gauge	GRDA23GL	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25GL	4M per Box	4 Boxes per Case

Lifetime Guarantee Against Rust and Corrosion				
Stainless Steel – 304 Stainless				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	15 Gauge	GRDA17SSL	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21SSL	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25SSL	4M per Box	4 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge Angled Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
DEWALT	DC614KA, DC618KA
HITACHI	NT65GB

Manufacture	Model
PASLODE	T250A-F16, IM250A

16 Gauge "AF" Angled Adhesive Collated
Secuencia en adhesivo en ángulo "AF" calibre 16
1-1/2" / 3.81 cm
Galvanized Wire / Alambre galvanizado

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
DeWalt: DC614KA, DC618KA
Hitachi: NT65GB
Paslode: T250A-F16, IM250A
Most other 16 Gauge Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo calibre 16

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

2,000 count / número

GRAF112

16 Gauge "AF" Angled Adhesive Collated
Secuencia en adhesivo en ángulo "AF" calibre 16
2" / 5.08 cm
Stainless Steel / Acero inoxidable

Collated Finish Nails / Clavos para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
DeWalt: DC614KA, DC618KA
Hitachi: NT65GB
Paslode: T250A-F16, IM250A
Most other 16 Gauge Adhesive Collated Finish Nailers
La mayoría de las otras clavadoras de acabado en secuencia con adhesivo calibre 16

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y secoya.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

2,000 count / número

GRAF2SS


Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	16 Gauge	GRAF112	2M per Box	12 Boxes per Case
2"	16 Gauge	GRAF2	2M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRAF212	2M per Box	12 Boxes per Case

Lifetime Guarantee Against Rust and Corrosion				
Stainless Steel – 304 Stainless				
Size	Gauge	SKU	Box Quantity	Case Pack
2"	16 Gauge	GRAF2SS	2M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRAF212SS	2M per Box	12 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on page 30 of this catalog.


Manufacture	Model
ACCUSET	A250SM
AIRY	AFA0551COB, AFA0350CRB, AMB0365CRK
APACH	LT-1650E, LT-1664E, LT-50LAC, LT-1650, LT-1664
APLUS	FH/SI-03, F16/64, F16/50, F16/50L
ATRO/ISM	MINOR 600, TIP 50, BN16-200
B2B	16B65S, 16B50S
BASSO	B16/50-A1, B16/50-C1, 16/64LW, 16/64-A1, 16/50-B1, 16/50LW-1
BEA	S451-142, SK400
BERRYFAST	BC50
BESCO	PN31832, PN31850, TK2IN1, NT1664, NT1650
BOSTITCH	T36, T35, T35-40, SB-1664FN
CAMPBELL	NB00050
HAUSFELD	
CRAFTSMAN	18441, 1844
DEPOAN	DPN-6A54/F50MO, 66B/FT64, DPN-6A53/FT50
DE VILBISS	NF2502X4
DEWALT	D51256K, DC612KA, DC616K
DUO-FAST	BFN-740, LFN748, LFN764A
EZ FASTEN	F16/50R, BN16/50AC, BN16/64AC, F16/50AC
FASCO	R3C-FN50 CT, R3T FN-70 CT, F26C-FN50SS
GREX	1664, NT1650
GRIP-RITE	GRTFN250
GRIZZLY	G6048, H2910, G7578
HAUBOLD	SKN64A/16, SKN40 V/16, SKS64 A/16

Manufacture	Model
HILTI	FBN-212N
HITACHI	NT 65A, NT65A2
HOLZ HER	BC50
INTERCHANGE	ICB-BF1650L, ICB-BF1664L
JAMERCO	JTFN1650A, JTFN1664A
JEPSON	PFN1664
JIT	1651, 1665
MAX	NF352-ST/16-50
NICHE RICH	17A2004
NIKEMA	440S GG51, 440S GG66
NIKOTA	TK2 IN 1, NT1664, NT1650
OMER	1463, 1463NS, 1450
PANREX IND.	PR-1664P
PASLODE	3250-F16, T215-F16, MU-112B, F16200, IM250, IM250II, 3200-F16
PORTA-NAILS	462
PORTER-CABLE	FN250A, FN250B, FN250, FN250AK
PREBENA	3MN-63
RIDGID	R250SFA
SENCO	AIRFREE 32, FINISHPRO 32XP
SPOTNAILS	FB 1632, KB 1564, HG 1640, XB 1564, WB 1650
SUPCO	1650A, 1664
T.C. INTERNATIONAL	UB 16200C, UB 16250B
TRIDENT ASSOC.	F16150AC, BN 16150AC, BN16164AC
TRUSTY	TYI1650L, TYI1650H, TYI1664
UNICATCH	UN 16200A
UNITECH	1506, 1505, 1519

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



16 Gauge Adhesive Collated

Secuencia en adhesivo calibre 16

1-1/4" / 3.18 cm

Galvanized Wire / Alambre galvanizado

Collated Finish Brads / Clavos sin cabeza para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets

Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:

Grip-Rite: GRTFN250

Bostitch: SB-1664FN

Craftsman: 18314, 18321

DeWalt: D51256K

Duo-Fast: BFN-740, LFN748, LFN764A

Hitachi: NT65A, N565A2

Max: NF352

Paslode: 3250-F16, MU-112F, MU-212F

Porter-Cable: FN250

Ridgid: R250SFA

Senco: AIRFEE 32, FINISHPRO 32XP

Most other 16 Gauge Adhesive Collated Brad Nailers

La mayoría de las otras clavadoras para clavos sin cabeza en secuencia con adhesivo calibre 16

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

2,500 count / número

GRF16114

16 Gauge Adhesive Collated

Secuencia en adhesivo calibre 16

1-1/2" / 3.81 cm

Stainless Steel / Acero inoxidable

Collated Finish Brads / Clavos sin cabeza para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets

Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:

Grip-Rite: GRTFN250

Bostitch: SB-1664FN

Craftsman: 18314, 18321

DeWalt: D51256K

Duo-Fast: BFN-740, LFN748, LFN764A

Hitachi: NT65A, N565A2

Max: NF352

Paslode: 3250-F16, MU-112F, MU-212F

Porter-Cable: FN250

Ridgid: R250SFA

Senco: AIRFEE 32, FINISHPRO 32XP

Most other 16 Gauge Adhesive Collated Brad Nailers

La mayoría de las otras clavadoras para clavos sin cabeza en secuencia con adhesivo calibre 16

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y secoya.
Los ácidos tánicos que se encuentran normalmente en la madera pueden causar manchas y vetas.

2,500 count / número

GRF16112SS


Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
3/4"	16 Gauge	GRF1634	2.5M per Box	12 Boxes per Case
7/8"	16 Gauge	GRF1678	2.5M per Box	12 Boxes per Case
1"	16 Gauge	GRF161	2.5M per Box	12 Boxes per Case
1-1/8"	16 Gauge	GRF16118	2.5M per Box	12 Boxes per Case
1-1/4"	16 Gauge	GRF16114	2.5M per Box	12 Boxes per Case
1-1/2"	16 Gauge	GRF16112	2.5M per Box	12 Boxes per Case
1-3/4"	16 Gauge	GRF16134	2.5M per Box	12 Boxes per Case
2"	16 Gauge	GRF162	2.5M per Box	12 Boxes per Case
2-1/4"	16 Gauge	GRF16214	2.5M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRF16212	2.5M per Box	12 Boxes per Case

Lifetime Guarantee Against Rust and Corrosion				
Stainless Steel – 304 Stainless				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	16 Gauge	GRF16112SS	2.5M per Box	12 Boxes per Case
2"	16 Gauge	GRF162SS	2.5M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRF16212SS	2.5M per Box	12 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

18 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.


Manufacture	Model
ACCUSET	A125BN, A200BN, A2N125
AIRY	ATA6232SRK, ADA021CRK, ADA6250CRK, ADA0257COK, AJA1316SNE, ATA0232SRB, ATT249S, ATA0241SRB
APACH	LNf-50AC, LNf-42AC, LNf-32AC, LU-50F, LU-32F, LU-50FAC, LU-32FAC, LNf-30AC
APLUS	F18/32, F18/35, F18/35C, F18/32C, F18/50, F18/57, F18/50C, F18/30
ATRO/ISM	TI-PIN 44, MINOR TIPIN 30, MINOR TIPIN 38, BN18-125
B2B	18B32S
BASSO	BS50P-A1, F18/50P-A1, B18/35P-A2, B18/35-A1, 18/50, BS50-A1, B18/50-A1 B18/50P-A2, BS32P-A1, B18/32P-A2
BEA	S125
BERRYFAST	BC 140, BC120, BC 130
BESCO	SF1850, SB1840, BN1850, BN1842, BN1832
BOSTITCH	T29-30, BT31-1B, BT35B, BT50B, SB2N1, SB-1842BN, SB-1850BN
CAMPBELL	NB0040, NB0030
HAUSFELD	
CRAFTSMAN	18433, 18454
DEPOAN	GA52/F50MD
DE VILBISS	NB1252X4, NBSCN2X4, NB2002X4
DEWALT	D51238K, D51236K
DUO-FAST	BB 4440, DBN 4440
EZ FASTEN	COMBI 40/50, F18/50AC, F18/57R, F18/30AC, F18/32AC
FASCO	F20P GN-31CT, F20T GN-40CT, F26C-GN50SS, R3C GN50 CT
GREX	1832, 1850, BS5032
GRIP-RITE	GRTBN125, GRTBN200

Grip-Rite Collated Fasteners that fit these tools can be found on page 34 of this catalog.

Manufacture	Model
GRIZZLY	G6045, G6046, G6047, G8126, G9248, H2911, H2912, H2913
HAUBOLD	SKN30 JN/12, SKN40 V/12, SKN30 JN/1
HILTI	BN 136B
HITACHI	NT32AE, NT45A, NT50AD
HOLZ HER	BC-130
INTERCHANGE	ICB-BF1832M3, ICB-BF1850M3
JAMERCO	JTBN1832, JTBN1842A, JTBN1850A, JT1838SB42
JEPSON	PFN1832
JIT	1832, 1850
J-K	TNF201/18-25, TJDPB607 2, TJ DPN6018 2
MAKITA	AF-502, AF-503
MAX	NF201/18-35, NF221/18-55, NF201/18-25
NICHE RICH	17A2002, 17A2003, 17A2001
NIKEMA	420S GF/32, 420S GF51
NIKOTA	BN1850, SB1840, BN1832
OMER	1250, 1240, 1220, 1220D
PASLODE	T125-F18, T200-F18, IM200-F18, 2138-F18II
PORTER-CABLE	BN 125, BN 200
PREBENA	2K-J50, SPJ-50-SDS, 2X-J32SD-S90
RIDGID	R213BNA
SENCO	FINISHPRO 15XP, FINISHPRO 18XP, SDN18BR FINISHPRO 25XP, FINISHPRO2N1, SLP20, AIRFREEE25
SPOTNAILS	CB 1820, TB1840, WB 1850, CB1832, DB1825, HLB-1520BP
STAN TECH	SDN18BR
SUPCO	1832, 1850
T.C. INTERNATIONAL	UB 18125C, UB 18200B
TRADESMAN	8460, 8480
TRIDENT ASSOC.	F18150AC, F18132A
TRUSTY	TYI1832, TYI1850, TYI1840
UNICATCH	UB 18200A
UNITECH	1503A

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

18 Gauge Finish Brads
Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



18 Gauge Adhesive Collated
Secuencia en adhesivo calibre 18
1-1/4" / 3.18 cm
Galvanized Wire / Alambre galvanizado

Collated Finish Brads / Clavos sin cabeza para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Base, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTBN125, GRTBN200 **Pasloche:** 3250-F16,
Bostitch: SB-1842BN, SB-1850BN MU-112F, MU-212F
Craftsman: 18309, 18310 **Porter-Cable:** BN125,
DeWalt: D51238K **BN200**
Duo-Fast: BB4440 **Ridgid:** R231BNA
Hitachi: NT45A, NT50AD **Senco:** FINISHPRO 15 & 18,
Makita: AF501, AF502, AF503 **FINISHPRO 25XP, LS4, LS5**
Most other 18 Gauge Adhesive Collated Brad Nailers
La mayoría de las otras clavadoras para clavos sin cabeza en
secuencia con adhesivo calibre 18

5,000 count / número

GRF18114

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

18 Gauge Adhesive Collated
Secuencia en adhesivo calibre 18
1-1/4" / 3.18 cm
Stainless Steel / Acero inoxidable

Collated Finish Brads / Clavos sin cabeza para acabado en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Base, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Base, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTBN125, GRTBN200 **Pasloche:** 3250-F16,
Bostitch: SB-1842BN, SB-1850BN MU-112F, MU-212F
Craftsman: 18309, 18310 **Porter-Cable:** BN125,
DeWalt: D51238K **BN200**
Duo-Fast: BB4440 **Ridgid:** R231BNA
Hitachi: NT45A, NT50AD **Senco:** FINISHPRO 15 & 18,
Makita: AF501, AF502, AF503 **FINISHPRO 25XP, LS4, LS5**
Most other 18 Gauge Adhesive Collated Brad Nailers
La mayoría de las otras clavadoras para clavos sin cabeza en secuencia con
adhesivo calibre 18

5,000 count / número

GRF18114SS

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Tannic acids found naturally in wood can cause staining and streaking.
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y roble.
Los ácidos tánicos que se encuentran normalmente en la
madera pueden causar manchas y vetas.

Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
5/8"	18 Gauge	GRF1858	5M per Box	20 Boxes per Case
3/4"	18 Gauge	GRF1834	5M per Box	20 Boxes per Case
1"	18 Gauge	GRF181	5M per Box	20 Boxes per Case
1-1/8"	18 Gauge	GRF18118	5M per Box	20 Boxes per Case
1-3/16"	18 Gauge	GRF181316	5M per Box	20 Boxes per Case
1-1/4"	18 Gauge	GRF18114	5M per Box	20 Boxes per Case
1-1/2"	18 Gauge	GRF18112	5M per Box	10 Boxes per Case
1-3/4"	18 Gauge	GRF18134	5M per Box	10 Boxes per Case
2"	18 Gauge	GRF182	5M per Box	10 Boxes per Case

Lifetime Guarantee Against Rust and Corrosion				
Stainless Steel – 304 Stainless				
Size	Gauge	SKU	Box Quantity	Case Pack
3/4"	18 Gauge	GRF1834SS	5M per Box	20 Boxes per Case
1"	18 Gauge	GRF181SS	5M per Box	20 Boxes per Case
1-1/4"	18 Gauge	GRF18114SS	5M per Box	20 Boxes per Case
1-1/2"	18 Gauge	GRF18112SS	5M per Box	10 Boxes per Case
2"	18 Gauge	GRF182SS	5M per Box	10 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

23 Gauge Micropins
Primary applications include: Small trim, carvings and ornamentals, picture frames*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.		Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.	
Manufacture	Model	Manufacture	Model
ACCUSET	A100MP	PORTER-CABLE	PIN100
BOSTITCH	TU-216-2330	SENCO	SHP10, FINISHPRO 10
GRIP-RITE	GRTPIN23		

23 Gauge Adhesive Collated
Secuencia en adhesivo calibre 23
3/4" / 1.91 cm
Galvanized Wire / Alambre galvanizado

Collated Headless Pins / Pasadores sin cabeza en secuencia

Primary applications include:
Casing, Finish, Trim, Moulding, Cabinets
Las aplicaciones primarias incluyen:
Contramarcos, Acabados, Bordes, Molduras, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTPIN23 **Porter-Cable:** PIN100
Accuset: A100MP **Senco:** SHP10, FINISHPRO 10
Bostitch: TU-216-2330
Most other 23 Gauge Pinners
La mayoría de los otros sujetadores calibre 23

3,000 count / número

GR34PIN


Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

Galvanized Wire				
Size	Gauge	SKU	Box Quantity	Case Pack
1/2"	23 Gauge	GR12PIN	3M per Box	5 Boxes per Case
5/8"	23 Gauge	GR58PIN	3M per Box	5 Boxes per Case
3/4"	23 Gauge	GR34PIN	3M per Box	5 Boxes per Case
13/16"	23 Gauge	GR1316PIN	3M per Box	5 Boxes per Case
1"	23 Gauge	GR1PIN	3M per Box	5 Boxes per Case
Mix of four different sizes of nails	23 Gauge	GRMIXPIN	3.2M per Box	5 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15 Gauge Flooring Staples

Primary applications include: Hardwood Flooring*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page and on page 53 of this catalog.

Manufacturer	Model
BOSTITCH	MIII FS
GRIP-RITE	GR200FS

Manufacturer	Model
POWER NAIL	445FS
TRUSTY	FS50

15 Gauge Medium Crown 1/2" / 1.27 cm
Calibre 15 Corona media
1-1/2" / 3.81 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Hardwood flooring
Las aplicaciones primarias incluyen: Pisos de madera dura

5,000 Count / Número

For use with:
Para usar con:
Grip-Rite: GR200FS Bostitch: MIII FS
Most other 15 Gauge Adhesive Collated Flooring Staples
La mayoría de las otras engrapadoras en secuencia con adhesivo para pisos calibre 15

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRBCS1512

Galvanized Wire				
Crown	Leg	Gauge	SKU	Quantity
1/2"	1-1/2"	15 Gauge	GRBCS1512	5M Carton
1/2"	1-3/4"	15 Gauge	GRBCS1514	5M Carton
1/2"	2"	15 Gauge	GRBCS1516	5M Carton

"L" Style Flooring Cleat

Primary applications include: Hardwood Flooring*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	MIII FN
GRIP-RITE	GR200LCN
PORTER CABLE	FCN 200

Manufacturer	Model
POWER NAIL	445, 345, 55
PRIMATECH	P210, H300, Q500
SENCO	SHF50, SHF15, SHF10

"L" Shaped Flooring Cleats
Remaches en "L" para piso
1-3/4" / 4.45 cm - Heat Treated / Termotratado

Collated Flooring Cleats / Remaches para pisos en secuencia

Primary applications include: Hardwood flooring
Las aplicaciones primarias incluyen: Pisos de madera dura

1,000 count / número

For use with:
Para usar con:
Grip-Rite: GR200LCN Porter-Cable: FCN200
Bostitch: MIIIFN Senco: SHF10, SHF15, SHF50
Most other Adhesive Collated Flooring "L" Shaped Cleat Nailers
La mayoría de las otras clavadoras de remaches en "L" en secuencia con adhesivo para pisos


Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRFLN175

Heat Treated - Coated			
Size	SKU	Box Quantity	Case Pack
1-1/2"	GRFLN150	1M per Box	5 Boxes per Case
1-3/4"	GRFLN175	1M per Box	5 Boxes per Case
2"	GRFLN200	1M per Box	5 Boxes per Case

"T" Nail

Primary applications include: Wood furring to concrete and masonry*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BEA	T54-155
BOSTITCH	MIII812-CNCT

Manufacturer	Model
PORTA-NAIL	460

1-3/8" / 3.49 cm x .097
Heat Treated / Termotratado

Collated "T"-Nails / Clavos estilo "T" en secuencia

Primary applications include: Wood furring to concrete and masonry
Las aplicaciones primarias incluyen: Listones de madera para contrazar a concreto o mampostería

2,500 count / número

For use with / Para usar con:
Bostitch: MIII812-CNCT Porta Nail: 460
Most other Adhesive Collated "T"-Nailers
La mayoría de las otras clavadoras "T" en secuencia con adhesivo

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

GRBT499XH


Heat Treated - Coated			
Size	SKU	Box Quantity	Case Pack
5/8" x .097	GRBT461XH	2.5M per Box	4 Boxes per Case
1-3/8" x .097	GRBT499XH	2.5M per Box	4 Boxes per Case
2-1/4" x .097	GRBT481XH	2.5M per Box	4 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge “BCS” Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
ATRO/ISM	100, MINOR 38
BASSO	N25/38
BEA	140, 145/32-178
BERRYFAST	1115, 1110
BESCO	WS2538
BOSTITCH	T40 S2, T50-S2, T35-32, 438S2, T35-8, 450S2

Manufacture	Model
CRAFTSMAN	18415
FASCO	R3 ATW-38ROOF
HILTI	SW-112A
OMER	WS 38, WS 38ROOFING
SPOTNAILS	HL 1612A, HL 1620, XS 1650, HL1616A, XS 1640, HL 1612AW

16 Gauge Wide Crown 1" / 2.54 cm
Calibre 16 Corona ancha
1-1/2" / 3.81 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Docking, Doors, Cabinet Backs.
Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Pallets, Cercas, Torrazas, Puertas, Parte posterior de gabinetes.

10,000 count / número

GRBCS1102

For use with:
Para usar con:
Bostitch: T40 S2, T50-S2, T35-32, 438S2, T35-8, 450S2
Craftsman: 18415
Hilti: SWA-112A


Most other 16 Gauge Wide Crown "BCS"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "BCS"
calibre 16 de ancho corona

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

Galvanized Wire				
Crown	Leg	Gauge	SKU	Quantity
1"	3/4"	16 Gauge	GRBCS1097	10M Carton
1"	7/8"	16 Gauge	GRBCS1098	10M Carton
1"	1"	16 Gauge	GRBCS1099	10M Carton
1"	1-1/4"	16 Gauge	GRBCS1101	10M Carton
1"	1-1/2"	16 Gauge	GRBCS1102	10M Carton
1"	1-3/4"	16 Gauge	GRBCS1116	10M Carton
1"	2"	16 Gauge	GRBCS1117	10M Carton

16 Gauge “P” Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
APLUS	P-50
BASSO	N26/38, N26/38P
BESCO	WS 2638
DEPOAN	DPN-6651
DUO-FAST	KW 1748, RNS-1748I, KWR 1748, RS 1748
EZ FASTEN	WS 16/38
FASCO	R3 SNW-38CTR
GREX	2638

Manufacturer	Model
GRIP-RITE	GRTS1200
HITACHI	N 3824A
INTERCHANGE	ICB-SF2640S
JEPSON	PSW1638
NIKOTA	WS2638
OMER	WP 38, WP 38ROOFING
SENCO	PW, MW, SPS
SPOTNAILS	XS 3640, XS 3650, HL 1612AT
STAN TECH	SDS 16-1

16 Gauge Wide Crown 1" / 2.54 cm
Calibre 16 Corona ancha
1" / 2.54 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Lath, Insulation, Butt Joining, Sheathing, Roofing.
Las aplicaciones primarias incluyen: Listón, aislamiento, junta plana, revestimiento, techado.

10,000 count / número

GRP13

For use with:
Para usar con:
Grip-Rite: GRTS1200
Duo-Fast: KW 1748, RNS-1748I, KWR 1748HS 1748
Hitachi: N 3824 A
Senco: PW, MW, SPS

Most other 16 Gauge Wide Crown "P"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "P" calibre 16 de ancho corona

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable


Galvanized Wire				
Crown	Leg	Gauge	SKU	Quantity
1"	5/8"	16 Gauge	GRP10	10M Carton
1"	3/4"	16 Gauge	GRP11	10M Carton
1"	7/8"	16 Gauge	GRP12	10M Carton
1"	1"	16 Gauge	GRP13	10M Carton
1"	1-1/4"	16 Gauge	GRP15	10M Carton
1"	1-1/2"	16 Gauge	GRP17	10M Carton
1"	1-3/4"	16 Gauge	GRP19	10M Carton
1"	2"	16 Gauge	GRP21	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge “GSW” Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
B2B	16W50P, 16W38P
BASSO	140/38
FASCO	R3 PSW-38CT
GRIP-RITE:	GRTS1516
HAUBOLD	PN 3232JW

Manufacturer	Model
JIT	1651S
OMER	WK 38, WK 38ROOFING
PASLODE	3200-W16, 3150-W16R, MU112-W-16R
SPOTNAILS	XS 2650, XS 2640

16 Gauge Wide Crown 15/16" / 2.38 cm
Calibre 16 Corona ancha
5/8" / 1.59 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Lath, Insulation, Butt Joining, Sheathing, Roofing.
Las aplicaciones primarias incluyen: Listón, aislamiento, junta plana, revestimiento, techado

10,000 count / número

GRGSW1658


For use with:
Para usar con:
Grip-Rite: GRTS1516
Basso: 140/38
Paslode: 3200-W16, 3150-W16R, MU112-W-16R
Most other 16 Gauge Wide Crown "GSW"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "GSW" calibre 16 de ancho corona

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable

Galvanized Wire				
Crown	Leg	Gauge	SKU	Quantity
15/16"	3/4"	16 Gauge	GRGSW1634	10M Carton
15/16"	7/8"	16 Gauge	GRGSW1678	10M Carton
15/16"	1"	16 Gauge	GRGSW161	10M Carton
15/16"	1-1/4"	16 Gauge	GRGSW16114	10M Carton
15/16"	1-1/2"	16 Gauge	GRGSW16112	10M Carton
15/16"	1-3/4"	16 Gauge	GRGSW16134	10M Carton
15/16"	2"	16 Gauge	GRGSW162	10M Carton

16 Gauge “BCS” Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
AIRY	AMB1751CRK
APACH	LU-964, LU-951
ATRO/ISM	VULCANO 16NC-VS
BASSO	N851P
BESCO	MS951
BOSTITCH	T40S4, T50S4, T36-50, T36-1, T35-8, 450S2, 538S4, 438S4, 650S4

Manufacturer	Model
CRAFTSMAN	18410
FASCO	R4P HD-50CT TL
HILTI	SM 300
JIT	938, 951
SPOTNAILS	HL 7616AP
TRUSTY	TY116964B

16 Gauge Medium Crown 1/2" / 1.27 cm
Calibre 16 Corona media
1-1/2" / 3.81 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet backs.
Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Pallets, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

10,000 Count / Número

GRBCS1109

For use with:
Para usar con:
Bostitch: T40S4, T50S4, T36-50, T36-1, 538S4, 438S4, 650S4
Craftsman: 18410
Hilti: SM300
Most other 16 Gauge Medium Crown "BCS"-style Collated Staples
La mayoría de las otras engrapadoras en secuencia estilo "BCS" calibre 16 de ancho media

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable


Galvanized Wire				
Crown	Leg	Gauge	SKU	Quantity
1/2"	1"	16 Gauge	GRBCS1105	10M Carton
1/2"	1-1/4"	16 Gauge	GRBCS1107	10M Carton
1/2"	1-1/2"	16 Gauge	GRBCS1109	10M Carton
1/2"	1-3/4"	16 Gauge	GRBCS1111	10M Carton
1/2"	2"	16 Gauge	GRBCS1112	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge “N” Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacture	Model
AIRY	AMB1551CRK
APACH	LU-864, LU-864KG, LU-851KG
APLUS	N-50, N-64
ATRO/ISM	VULCANO 100
B2B	16M50S
BASSO	N16-951
BEA	14/40-723, 14/50-763, 14/32-613, 14/40-713, 14/50-800, 14/50-800SEQ, 14/50-800QR
BESCO	MS951FS, MS851
DEWALT	D51430
EZ FASTEN	MS16/50, MS16/50A, MS16/50H, MS16/64A, MS16/64, MS16/64H
FASCO	F45C-G-55TL, R3C G40 CT, R4P-G-50
GREX	1140, 1151
GRIP-RITE	GRTSM200
GRIZZLY	G6044
HITACHI	N 5008ACN, N 5008AB, N 5008AA, N 5008AI

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
INTERCHANGE	ICT-SF-167851S
JAMERCO	JTSN1650
JIT	1150
MAX	TA551/16-11
NICHE RICH	17A3001
NIKOTA	MS851
OMER	M2 45, MS 50, 700 50, 700 45, MS 38CL, MS 38NS, MS 30NOSAG, 700 32NOSAG
PANREX IND.	PR-16851P
PORTER-CABLE	MS 200
PREBENA	3ML44
SENCO	M1, M2 50, SKSN, SNS 45, SNS 50, SNS 40
SPOTNAILS	XS76-8650, XS6650, MS76-865i
STAN TECH	SDS16-716
T.C. INTERNATIONAL	US 16716A
TRIDENT ASSOC.	MS16/50A
TRUSTY	TYI16851S, TYI16864S, 16851

Grip Rite® 16 Gauge Medium Crown 7/16”/1.11 cm
Calibre 16 Corona media
1” / 2.54 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs
Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Pallets, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

For use with:
Para usar con:
Grip-Rite: GRTSM200
Hitachi: N 5008ACN, N 5008AB, N 5008AA, N5008AI
Max: TA551/16 11

Most other 16 Gauge Medium Crown “N” style Collated Staples
La mayoría de las otras engrapadoras en secuencia están “N” calibre 16 de ancho media

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable



GRN13



Grip Rite® 16 Gauge Medium Crown 7/16”/1.11 cm
Calibre 16 Corona media
1-1/2” / 3.81 cm Leg / Pata
Stainless Steel / Acero inoxidable

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs
Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Pallets, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

For use with:
Para usar con:
Grip-Rite: GRN17SSP10
Hitachi: N 5008ACN, N 5008AB, N 5008AA, N5008AI
Max: TA551/16-11

Most other 16 Gauge Medium Crown “N” style Collated Staples
La mayoría de las otras engrapadoras en secuencia están “N” calibre 16 de ancho media

Lifetime guarantee against rust and corrosion.
For use with all treated lumber, cedar and redwood.
Ironic acids found naturally in wood can cause staining and streaking
Garantía de por vida contra óxido y corrosión.
Para usar con todo tipo de madera tratada, cedro y roble.
Los ácidos lácticos que se encuentran normalmente en la madera pueden causar manchas y vetas.



GRN17SS



Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity
7/16"	1"	16 Gauge	GRN13	10M Carton
7/16"	1-1/4"	16 Gauge	GRN15	10M Carton
7/16"	1-1/2"	16 Gauge	GRN17	10M Carton
7/16"	1-3/4"	16 Gauge	GRN19	10M Carton
7/16"	2"	16 Gauge	GRN21	10M Carton

Lifetime Guarantee Against Rust and Corrosion


Stainless Steel – 304 Stainless

Crown	Leg	Gauge	SKU	Quantity
7/16"	1-1/2"	16 Gauge	GRN17SS	10M Carton
7/16"	1-3/4"	16 Gauge	GRN19SS	10M Carton
7/16"	2"	16 Gauge	GRN21SS	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge “GS” Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model
APACH	LU-951PD
BASSO	7616
BERRYFAST	1320
DEWALT	D51431
FASCO	R3C HD-40 VIL-SID, F45C-HD-55TL
GRIZZLY	G6772

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
NIKEMA	450 16NC
OMER	S4 50
PASLODE	3150-S16, 3200 S16P, PA-200, IM200 S16, 5200, 4200S16P
SPOTNAILS	MS6650i
TRUSTY	TYI16851KG, TYI16864KG

Grip Rite® 16 Gauge Medium Crown 1/2”/1.27 cm
Calibre 16 Corona media
1” / 2.54 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs
Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Pallets, Cercas, Terrazas, Puertas, Parte posterior de gabinetes

For use with:
Para usar con:
Basso: 7016
Paslode: 3150-S16, 3200 S16P, PA-200, IM200 S16, 5200, 4200S16P
Most other 16 Gauge Medium Crown “GS” style Collated Staples
La mayoría de las otras engrapadoras en secuencia están “GS” calibre 16 de ancho media

Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable



GRGS161




Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity
1/2"	1"	16 Gauge	GRGS161	10M Carton
1/2"	1-1/4"	16 Gauge	GRGS16114	10M Carton
1/2"	1-1/2"	16 Gauge	GRGS16112	10M Carton
1/2"	1-3/4"	16 Gauge	GRGS16134	10M Carton
1/2"	2"	16 Gauge	GRGS162	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

16 Gauge “76” Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
DUO-FAST	MS-7664E, SM-7648, SM-7664

Manufacture	Model
PASLODE	GSI16

16 Gauge Medium Crown 7/16" / 1.11 cm
Calibre 16 Corona media
1-3/8" / 3.49 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors, Cabinet Backs.
Las aplicaciones primarias incluyen: Revestimiento, Cajón de embalaje, Pallets, Cercas, Terrazas, Puertas, Parte posterior de gabinetes.

For use with:
Para usar con:
Duo-Fast: MS-7664E, SM-7648, SM-7664
Paslode: GSI16
Most other 16 Gauge Medium Crown "76"-style Collated Staples.
La mayoría de las otras engrapadoras en secuencia están "76" calibre 16 de ancho medio.


Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada.
No usar donde el óxido de la superficie es inaceptable.

GR7644

Galvanized Wire					
Crown	Leg	Gauge	SKU	Quantity	
7/16"	1"	16 Gauge	GR7632	10M Carton	
7/16"	1-1/4"	16 Gauge	GR7640	10M Carton	
7/16"	1-1/2"	16 Gauge	GR7648	10M Carton	
7/16"	1-3/4"	16 Gauge	GR7656	10M Carton	
7/16"	2"	16 Gauge	GR7664	10M Carton	

18 Gauge “SX” Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	SB-150SX, SB2N1, SB150SX-HD, T35-15, T28-5, S32SX, T40SX-CT

Manufacturer	Model
NIKEMA	430 90
TRUSTY	TYI9025, TYI9040L, TYI9040H, AS3290

18 Gauge Narrow Crown 7/32" / 5.33 mm
Calibre 18 Corona estrecha
1/2" / 1.27 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Casing, Finish, Trim, Moulding, Base, Cabinets.
Las aplicaciones primarias incluyen: Contramarcos, Acabados, Bordos, Molduras, Base, Gabinetes.

For use with:
Para usar con:
Bostitch: SB-150SX, SB2N1, SB150SX-HD, T35-15, T28-5, S32SX, T40SX-CT
Most other 18 Gauge Narrow Crown "SX"-style Adhesive Collated Staples.
La mayoría de las otras engrapadoras en secuencia con adhesivo están "sx" calibre 18 de corona estrecha.

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada.
No usar donde el óxido de la superficie es inaceptable.

GRSX12G


Galvanized Wire					
Crown	Leg	Gauge	SKU	Quantity	Case Pack
7/32"	1/2"	18 Gauge	GRSX12G	5M per Box	10 Boxes per Case
7/32"	3/4"	18 Gauge	GRSX34G	5M per Box	10 Boxes per Case
7/32"	7/8"	18 Gauge	GRSX78G	5M per Box	8 Boxes per Case
7/32"	1"	18 Gauge	GRSX1G	5M per Box	8 Boxes per Case
7/32"	1-1/8"	18 Gauge	GRSX118G	5M per Box	8 Boxes per Case
7/32"	1-3/16"	18 Gauge	GRSX1316G	5M per Box	8 Boxes per Case
7/32"	1-1/4"	18 Gauge	GRSX114G	5M per Box	6 Boxes per Case
7/32"	1-3/8"	18 Gauge	GRSX138G	5M per Box	6 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

18 Gauge “L” Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacture	Model
ACCUSET	A100LS, A150LS, A2N125
AIRY	ADA6250CRK, ADA0637CRK, ATA6232SRK, ATA0632CRK, ATA0616S, ATA0626SRB
APACH	LU-9032AC, LU-9032, LU-9025, LU9025AC, LU-50F, LU-9040AC, LU-9040LB, LU-9040H
APLUS	LU-9040 HAD, LU-50FAC
	90/25, F18/35C, F18/32C, F18/50C, 90/40, 90/40L, 90/40LP
ATRO/ISM	90/32, 18 NC 150, 90/32 LM, MINOR 90/40
B2B	18N32S, 18N38S
BASSO	S90/40LP-A1, S90/40L-A1, S90/30-A1, 90/40LW, BS50P-A1, BS50-A1, BS32P-A1, S90/25P-C1, 90/40 A1, S90/25P-B2
BEA	90/38-150, 90/40-621, 90/40-711, 90/25-552, 90/38-157, 90/32-611
BERRYFAST	90/30, 90/40
BESCO	SB1840, NS9038HG, W9038HD, NS9038LW, TK2IN1, NS9025, NS9025FS
CAMPBELL	SN258K
HAUSFELD	
CRAFTSMAN	18496, 18449, 18435, 18454, 18396
DEPOAN	DPN 763, 673/9040
DEWALT	D51420K, D51422K
DE VILBISS	NCS 2, SCN1002X4, NBSCN2X4
DUO-FAST	KN1848A, KG1836, DNS1840
EZ FASTEN	90/25AC, 90/40AC, COMBI 40/50, NS90/40AC, 90/40F
FASCO	F20P 90/25, F20T 90/30, R3C-90/40, F26C-90/40SS, F26C-90/32SS, F20T40CT, F20 T90/40 CT


Grip-Rite Collated Fasteners that fit these tools can be found on page 47 of this catalog.

Manufacture	Model
GREX	9025, 9032, 9040, 9032F, BS 5032
GRIP-RITE	GRTSN100, GRTSN150
GRIZZLY	G6042, G6043, G8126, G9248, H2913, H2912
HAUBOLD	PN6040H
HILTI	SN-114B, SN-118
HITACHI	N 3804A, N3804 AA, N3804AB
INTERCHANGE	ICB-SF0425SK, ICB-SF9040B
JAMERCO	JTS061825, JT1838SB42, JTS061838H, JTS061825A
JEPSON	PSN1832
JIT	9038A, 9032
MAKITA	AT638
NIKEMA	430 92
NIKOTA	SB 1840, TK2IN1, NS9038HD, NS9025
OMER	9040, 9038 CLD3, 9038B, 9032, 9032R, 9038
PORTA NAILS	462
PORTER-CABLE	NS 100, NS 150, NSS 150
PREBENA	3M-E-50-PR, 2P-E40-S90, 2X-E25SD-S90
RIDGID	R150FSA
SENCO	LN4450, KN4450, SLS25XP-L, FINISHPRO SN1, SKS L, SLS 20L, SLS 15, SLS18
SPOTNAILS	HL3852, WS4840W2, FS 4825, WS4840, TS4825, TRL 3852
STAN TECH	SDS 18-14, SDS 18-LM14, SDS-18-14-24
SUPCO	9040
T.C. INTERNATIONAL	US2238A, US1814C
TRADESMAN	8470, 8480
TRIDENT ASSOC.	90/40 AC

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

18 Gauge “L” Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



Grip Rite® 18 Gauge Narrow Crown 1/4" / 6.35 mm
Calibre 18 Corona estrecha
1" / 1.27 cm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Casing, Finish, Trim, Moulding, Base, Cabinets
Las aplicaciones primarias incluyen: Contramarcos, Acabados, Dórces, Molduras, Base, Gabinetes

For use with:
Para usar con:
Grip-Rite: GRTSN100, GRTSN150
Craftsman: 18396, 18435, 18449, 18454, 18496
Duo-Fast: DNS1810, KG1836, KN1818A
Hitachi: N3804A, N3804AA, N3804AB
Makita: AT638
Porter-Cable: N2100, N2150, NSS150
Ridgid: R2138NA
Senco: KN4450, LN4450
Most other 1/4" Narrow Crown 18 Gauge "L"-style
Adhesive Collated Staples
La mayoría de las otras engrapadoras en secuencia con
adhesivo estilo "L" calibre 18 de corona estrecha



GRL13



Should not be used in treated lumber
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el fondo de la superficie es inaceptable


Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity	Case Pack
1/4"	3/4"	18 Gauge	GRL11	5M per Box	16 Boxes per Case
1/4"	7/8"	18 Gauge	GRL12	5M per Box	12 Boxes per Case
1/4"	1"	18 Gauge	GRL13	5M per Box	12 Boxes per Case
1/4"	1-1/8"	18 Gauge	GRL14	5M per Box	10 Boxes per Case
1/4"	1-1/4"	18 Gauge	GRL15	5M per Box	10 Boxes per Case
1/4"	1-1/2"	18 Gauge	GRL17	5M per Box	10 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

“50” Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BEA	95/16-425
DUO-FAST	CS5000, EWC-5018A, SURESHOT 5020, HT550, CT 859
EZ FASTEN	95/16AB
FASCO	T-HT550, T-R19
GREX	G50/8E, 5018

Manufacturer	Model
NIKEMA	50 4000
OMER	5016, 5016SCL, 5016SL, 5016CL, 5016CLV
PATEK	HT550, HT550H
PREBENA	IM-D16-S90
SPOTNAILS	BS8018, BS5018

5/16" / 1.27 cm Crown / Corona
5/16" / 7.94 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, fieltro

5,000 count / número

For use with: / Para usar con:
Duo-Fast: CS5000, LWC-5018A, SURESHOT 5020, HT550, CT 859
Most other "50"-style Hammer Tacker Staples
La mayoría de las otras engrapadoras estilo martillo para tachuelas "50"

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable


GR5010516C

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
1/2"	1/4"	GR50814C	5M per Box	20 Boxes per Case
1/2"	5/16"	GR5010516C	5M per Box	20 Boxes per Case
1/2"	3/8"	GR501238C	5M per Box	20 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

“A11” Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
AIRY	AZA5016S, AZA5016SOK
ARROW	T50, T50PBN, ETF50PBN, ETG50BN, ETFX50, HT 50
BOSTITCH	PHT150C, TR200, TR100, TRE500
DUO-FAST	SLAPSHOT
FASCO	T-R11, F1AA11-16AUTOL/M
GREX	GHT 5000
GRIP-RITE	GRR11

Manufacturer	Model
INTERCHANGE	ICB-A11-TACKER, ME-T50
PATEK	HT54R, HT11, HT11H
PREBENA	HHPF09, HPPF14-S90
RAPID	R-11, A-11
SENCO	PC0705
SPOTNAILS	85060
STAN TECH	SDH20
T.C. INTERNATIONAL	US A11

3/8" / 9.53 mm Crown / Corona
1/4" / 6.35 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, fieltro

5,000 count / número

For use with: / Para usar con:
Grip-Rite: GRR11
Bostitch: PHT150C, TR200, TR100
Duo-Fast: SLAPSHOT
Most other "A11"-style Hammer Tacker Staples
La mayoría de las otras engrapadoras estilo martillo para tachuelas "A11"


Should not be used in treated lumber.
Should not be used where surface rust is unacceptable
No usar en madera tratada

GRA1114

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRA1114	5M per Box	20 Boxes per Case
3/8"	5/16"	GRA11516	5M per Box	20 Boxes per Case
3/8"	3/8"	GRA1138	5M per Box	20 Boxes per Case
3/8"	3/8"	GRA1138125	1.25M per Box	32 Boxes per Case

“A19” Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
GRIP-RITE	GRR19

Manufacturer	Model
RAPID	R19

3/8" / 9.53 mm Crown / Corona
1/4" / 6.35 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, fieltro

5,000 count / número

For use with: / Para usar con:
Grip-Rite: GRR19
Rapid: R-19
Most other "A19"-style Hammer Tacker Staples
La mayoría de las otras engrapadoras estilo martillo para tachuelas "A19"

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable
No usar en madera tratada
No usar donde el óxido de la superficie es inaceptable


GRA1914

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRA1914	5M per Box	20 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

“STCR” Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	PC5000, PC4000, PC2000, PC1000, P6C-80, P6C-8, T5-8DR, T15/T-80CT, H30-8, EHS-300

Manufacturer	Model
J-K	694
PREBENA	HHD-10
RAPID	31

9/16" / 1.43 mm Crown / Corona
7/16" / 1.11 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt.
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, fieltro.

For use with: / Para usar con:
Bostitch: PC5000, PC4000, PC2000, PC1000, P6C-80, P6C-8, Rapid: 31.
Most other "STCR"-style Hammer Tacker Staples.
La mayoría de las otras engrapadoras estilo martillo para tachuelas "STCR".

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada.
No usar donde el óxido de la superficie es inaceptable.


5,000 count / número

GRSTCR916

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
7/16"	1/4"	GRSTCR14	5M per Box	20 Boxes per Case
7/16"	5/16"	GRSTCR516	5M per Box	20 Boxes per Case
7/16"	3/8"	GRSTCR38	5M per Box	20 Boxes per Case
7/16"	1/2"	GRSTCR12	5M per Box	20 Boxes per Case
7/16"	9/16"	GRSTCR916	5M per Box	20 Boxes per Case

“SHCR” Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	H2B

Manufacturer	Model

3/8" / 9.53 mm Crown / Corona
1/4" / 6.35 mm Leg / Pata
Galvanized Wire / Alambre galvanizado

Collated Staples / Grapas en secuencia

Primary applications include: Insulation, Housewrap, Roofing, Felt.
Las aplicaciones primarias incluyen: Aislamiento, envoltura para casas, techado, fieltro.

For use with: / Para usar con:
Bostitch: H2B.
Most other "SHCR"-style Hammer Tacker Staples.
La mayoría de las otras engrapadoras estilo martillo para tachuelas "SHCR".

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
No usar en madera tratada.
No usar donde el óxido de la superficie es inaceptable.

5,000 count / número

GRSHCR14

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRSHCR14	5M per Box	20 Boxes per Case
3/8"	3/8"	GRSHCR38	5M per Box	20 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

Do-It-Yourself Convenience Tubs

15° Coil Roofing Nails

Primary applications include: Roofing Shingles & Vinyl Siding*



1-1/4" x .120 (Roofing Nail)
Galvanized Ring
AROS GALVANIZADOS RECUBIERTOS • À REVÊTEMENT GALVANISÉ CRANTÉ

COIL ROOFING NAILS

FOR USE WITH/ PARA USAR CON/UTILIZE AVEC:
• BOSTITCH RN48B-1 & N12B
• GRIP-RITE GRRCR375 & 390
• HIYACHI NV45AB & AC
• PASLIDE J175 ACE
• PORTER CABLE RVN175
• PRIMEAIR PCR175 & 390
• SENCE SCN 390B & SCN 400B
• Most Other Coil Roofing Nailers

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
Tachas with these fasteners in cedar and redwood may cause staining and cracking.
The use of Grip-Rite Collated fasteners and accessories is recommended for all fastener products.

600

GRRCR375

CAUTION: YOU MUST WEAR SAFETY GLASSES

Galvanized					
Size	Shank Style	SKU	Tub Quantity	Case Pack	Cases Per Skid
1-1/4"	Smooth	GRRCR375	600 per tub	6 tubs per case	48 cases
1-1/4"	Ring	GRRCR375R	600 per tub	6 tubs per case	48 cases

Tool listings for these fasteners can be found on page 8



15° Coil Nails Wire Collated

Primary applications include: Framing, Sheeting, Subfloors, Roof Decking & Exterior Decks*



2-3/8" x .113 (8D Cooler)
Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

STANDARD COIL NAILS

FOR USE WITH/ PARA USAR CON/UTILIZE AVEC:
• Bostitch N80C & N80C
• Grip-Rite GRPCF325
• Hilti Hilti NV200A
• Paslode F275C & F325C
• Porter Cable COIL230 & COIL350
• Primeair PCF325
• Sence SCN 3000, SCN 60 & SCN 65
• Most Other 15 Deg. Coil Wire Weld Nailers

Should not be used in treated lumber.
Should not be used where surface rust is unacceptable.
Nails with these fasteners in cedar and redwood may cause staining and cracking.
The use of Grip-Rite Collated fasteners and accessories is recommended for all fastener products.

500

GRPCF325

CAUTION: YOU MUST WEAR SAFETY GLASSES

Coated						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRPC8PD	500 per tub	6 tubs per case	48 cases
10D 3"x.120	Smooth	Sinker	GRPC10PD	500 per tub	6 tubs per case	48 cases

Tool listings for these fasteners can be found on page 20




* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

Do-It-Yourself Convenience Tubs

21° Round Head Plastic Stick Nails

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



2-3/8" x.113(8D Cooler) Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE
ROUND HD, PLASTIC STRIP

ROUND HEAD
CABEZA REDONDA
TÊTES RONDES

PLASTIC STRIP
BANDA DE PLÁSTICO
BANDAS DE PLASTIQUE

ITEM#: **GRT07**
ART#: **GRT07**
MADE IN TAIWAN

Carton contains 4 x 500 pcs/tub
Net Count 2,000 pcs

50 764666 53351 1

Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRT07	500 per tub	4 tubs per case	80 cases
10D 3"x.131	Smooth	Framer	GRT014	500 per tub	4 tubs per case	80 cases
16D 3-1/4"x.131	Smooth	Sinker	GRT024	500 per tub	4 tubs per case	80 cases
16D 3-1/2"x.131	Smooth	Box	GRT312131	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 10

2" x.113 Ring(6D Cooler) Exterior Galv.
EXTERIOR GALVANIZADOS • EXTERNE GALVANISE
ROUND HD, PLASTIC STRIP
Grip-Rite Colated Stainless Steel Fasteners are recommended for all outdoor projects.

ROUND HEAD
CABEZA REDONDA
TÊTES RONDES

PLASTIC STRIP
BANDA DE PLÁSTICO
BANDAS DE PLASTIQUE

ITEM#: **GRT04HG**
ART#: **GRT04HG**
MADE IN TAIWAN

Carton contains 4 x 500 pcs/tub
Net Count 2,000 pcs

50 764666 53348 1


Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
6D 2"x.113	Ring	Cooler	GRT04HG	500 per tub	4 tubs per case	100 cases
8D 2-3/8"x.113	Ring	Cooler	GRT08RHG	500 per tub	4 tubs per case	100 cases
10D 3"x.120	Ring	Sinker	GRT408HG	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 10

Do-It-Yourself Convenience Tubs

28° Clipped Head Wire Stick Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



2-3/8" x.113 (8D Cooler) Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE
CLIPPED HD, WIRE WELD

CLIPPED HEAD
CABEZA CORTADA
TÊTES TRONÇONNÉES

WIRE WELD
ALAMBRE SELLADO
À VUE SOUDÉE

ITEM#: **GRTS8D**
ART#: **GRTS8D**
MADE IN TAIWAN

Carton contains 12 x 500 pcs/tub
Net Count 6,000 pcs

50 764666 53343 6

Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRTS8D	500 per tub	12 tubs per case	42 cases
10D 3"x.120	Smooth	Sinker	GRTS10D	500 per tub	4 tubs per case	80 cases
12D 3-1/4"x.120	Smooth	Box	GRTS12D	500 per tub	4 tubs per case	80 cases
16D 3-1/2"x.131	Smooth	Box	GRTS16DZ	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 15



2" x.113 Ring(6D Cooler) Exterior Galv.
EXTERIOR GALVANIZADOS • EXTERNE GALVANISE
CLIPPED HEAD, WIRE WELD
Grip-Rite Colated Stainless Steel Fasteners are recommended for all outdoor projects.

CLIPPED HEAD
CABEZA CORTADA
TÊTES TRONÇONNÉES

WIRE WELD
ALAMBRE SELLADO
À VUE SOUDÉE

ITEM#: **GRTS6DRHG**
ART#: **GRTS6DRHG**
MADE IN TAIWAN

Carton contains 12 x 500 pcs/tub
Net Count 6,000 pcs

50 764666 53342 9

Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
6D 2"x.113	Ring	Cooler	GRTS6DRHG	500 per tub	12 tubs per case	42 cases
8D 2-3/8"x.113	Ring	Cooler	GRTS8DRHG	500 per tub	12 tubs per case	42 cases

Tool listings for these fasteners can be found on page 15



15 Gauge Flooring Staples

Primary applications include: Hardwood Flooring*



2" x 1/2" CROWN / ANCHO / KIRGEUR
15 GAUGE GALVANIZED STAPLES
Grapas Galvanizadas De Calibre 15 • Agrafes Galvanisés Diamètre 15
15 ga. MEDIUM CROWN STAPLES

ITEM#: **GRTBCS1516**
ART#: **GRTBCS1516**
MADE IN TAIWAN

Carton contains 12 x 500 pcs/tub
Net Count 6,000 pcs

50 764666 53355 9

Crown	Leg	Gauge	SKU	Tub Quantity	Case Pack	Cases Per Skid
1/2"	2"	15 Gauge	GRTBCS1516	500 per tub	12 tubs per case	56 cases

Tool listings for these fasteners can be found on page 36

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

Tool & Fastener Cross Reference



Tool Brand	Tool Type	Tool Model	Fasteners on page
ACCUSET	Finish Brad Nailer-16 Gauge	A250SM	31-32
ACCUSET	Finish Brad Nailer-18 Gauge	A125BN, A200BN, A2N125	33-34
ACCUSET	Finish Nailer-15 Gauge Angled "DA" Style	A250FN	28-29
ACCUSET	Micropins-23 Gauge	A100MP	35
ACCUSET	Stapler-Narrow Crown 18 Gauge "L" Style	A100LS, A150LS, A2N125	46-47
AIRY	Finish Brad Nailer-16 Gauge	AFA0551COB, AFA0350CRB, AMB0365CRK	31-32
AIRY	Finish Brad Nailer-18 Gauge	ATA6232SRK, ADA021CRK, ADA6250CRK, ADA0257COK, AJA1316SNE, ATA0232SRB, ATT249S, ATA0241SRB	33-34
AIRY	Finish Nailer-15 Gauge Angled "DA" Style	AMB0564CRK	28-29
AIRY	Framing Nailer-21° Round Head-Plastic	AVA2100CRK	11-14, 52
AIRY	Framing Nailer-28° Clipped Head-Wire	ANB2883CRK	16-17, 53
AIRY	Framing Nailer-33° Clipped Head-Paper	AUA3490CRK	18-19
AIRY	Hammer Tacker Stapler-"A11" Style	AZA5016S, AZA5016SOK	49
AIRY	Stapler-Medium Crown 16 Gauge "BCS" Style	AMB1751CRK	41
AIRY	Stapler-Medium Crown 16 Gauge "N" Style	AMB1551CRK	42
AIRY	Stapler-Narrow Crown 18 Gauge "L" Style	ADA6250CRK, ADA0637CRK, ATA6232SRK, ATA0632CRK, ATA0616S, ATA0626SRB	46-47
APACH	Finish Brad Nailer-16 Gauge	LT-1650E, LT-1664E, LT-50LAC, LT-1650, LT-1664	31-32
APACH	Finish Brad Nailer-18 Gauge	LNF-50AC, LNF-42AC, LNF-32AC, LU-50F, LU-32F, LU-50FAC, LU-32FAC, LNF-30AC	33-34
APACH	Finish Nailer-15 Gauge Angled "DA" Style	DA-64	28-29
APACH	Framing Nailer-21° Round Head-Plastic	AN-9021, AN-9021AC	11-14, 52
APACH	Framing Nailer-28° Clipped Head-Wire	AN-9028, AN-9028AC	16-17, 53
APACH	Framing Nailer-33° Clipped Head-Paper	AN-9034, AN-9024AC	18-19
APACH	Stapler-Medium Crown 16 Gauge "BCS" Style	LU-964, LU-951	41
APACH	Stapler-Medium Crown 16 Gauge "GS" Style	LU-951PD	43
APACH	Stapler-Medium Crown 16 Gauge "N" Style	LU-864, LU-864KG, LU-851KG	42
APACH	Stapler-Narrow Crown 18 Gauge "L" Style	LU-9032AC, LU-9032, LU-9025, LU9025AC, LU-50F, LU-9040AC, LU-9040LB, LU-9040H, LU-9040 HAD, LU-50FAC	46-47
APLUS	Finish Brad Nailer-16 Gauge	FH/SI-03, F16/64, F16/50, F16/50L	31-32
APLUS	Finish Brad Nailer-18 Gauge	F18/32, F18/35, F18/35C, F18/32C, F18/50, F18/57, F18/50C, F18/30	33-34
APLUS	Finish Nailer-15 Gauge Angled "DA" Style	DA-65, DA-50	28-29
APLUS	Framing Nailer-15° Wire Coil	C-70, C-65, C-57, C-50, C-90, C-100	20-21, 51
APLUS	Framing Nailer-21° Round Head-Plastic	S-130A, S-100A, S-90D	11-14, 52
APLUS	Framing Nailer-28° Clipped Head-Wire	S-90B	16-17, 53
APLUS	Framing Nailer-33° Clipped Head-Paper	S-90E	18-19
APLUS	Roofing Nailer-15° Wire Coil	R-45	8-9, 51
APLUS	Siding/Fencing Nailer-15° Wire Coil	C-70, C-65, C-57, C-50	24-25
APLUS	Stapler-Medium Crown 16 Gauge "N" Style	N-50, N-64	42
APLUS	Stapler-Narrow Crown 18 Gauge "L" Style	90/25, F18/35C, F18/32C, F18/50C, 90/40, 90/40L, 90/40LP	46-47
APLUS	Stapler-Wide Crown-16 Gauge "P" Style	P-50	39
ARROW	Hammer Tacker Stapler-"A11" Style	T50, T50PBN, ETF50PBN, ETG50BN, ETFX50, HT 50	49
ATRO	Framing Nailer-15° Wire Coil	ROLL 85, RHC 700, RHC 900, RHC 1000	20-21, 51
ATRO	Roofing Nailer-15° Wire Coil	45 ROOFING ROLL	8-9, 51
ATRO/ISM	Finish Brad Nailer-16 Gauge	MINOR 600, TIP 50, BN16-200	31-32
ATRO/ISM	Finish Brad Nailer-18 Gauge	TI-PIN 44, MINOR TIPIN 30, MINOR TIPIN 38, BN18-125	33-34
ATRO/ISM	Finish Nailer-15 Gauge Angled "FN" Style	MONZA 64	27
ATRO/ISM	Framing Nailer-21° Round Head-Plastic	RHS921	11-14, 52
ATRO/ISM	Framing Nailer-28° Clipped Head-Wire	CHS-928	16-17, 53
ATRO/ISM	Framing Nailer-33° Clipped Head-Paper	CHS 933	18-19
ATRO/ISM	Stapler-Medium Crown 16 Gauge "BCS" Style	VULCANO 16NC-VS	41
ATRO/ISM	Stapler-Medium Crown 16 Gauge "N" Style	VULCANO 100	42
ATRO/ISM	Stapler-Narrow Crown 18 Gauge "L" Style	90/32, 18 NC 150, 90/32 LM, MINOR 90/40	46-47

Tool & Fastener Cross Reference



Tool Brand	Tool Type	Tool Model	Fasteners on page
ATRO/ISM	Stapler-Wide Crown-16 Gauge "BCS" Style	100, MINOR 38	38
B2B	Finish Brad Nailer-16 Gauge	16B65S, 16B50S	31-32
B2B	Finish Brad Nailer-18 Gauge	18B32S	33-34
B2B	Finish Nailer-15 Gauge Angled "DA" Style	15BA65S	28-29
B2B	Stapler-Medium Crown 16 Gauge "N" Style	16M50S	42
B2B	Stapler-Narrow Crown 18 Gauge "L" Style	18N32S, 18N38S	46-47
B2B	Stapler-Wide Crown-16 Gauge "GSW" Style	16W50P, 16W38P	40
BASSO	Finish Brad Nailer-16 Gauge	B16/50-A1, B16/50-C1, 16/64LW, 16/64-A1, 16/50-B1, 16/50LW-1	31-32
BASSO	Finish Nailer-15 Gauge Angled "FN" Style	FN-64S-3	27
BASSO	Framing Nailer-15° Wire Coil	C33/90-B1, C25/65L-A1, C25/60-A1, C33/90-A1, C31/65-A1	20-21, 51
BASSO	Framing Nailer-21° Round Head-Plastic	A22/100-A1, A22/90H-B1	11-14, 52
BASSO	Roofing Nailer-15° Wire Coil	NR 31/45	8-9, 51
BASSO	Siding/Fencing Nailer-15° Wire Coil	C25/65L-A1	24-25
BASSO	Stapler-Medium Crown 16 Gauge "BCS" Style	N851P	41
BASSO	Stapler-Medium Crown 16 Gauge "GS" Style	7616	43
BASSO	Stapler-Medium Crown 16 Gauge "N" Style	N16-951	42
BASSO	Stapler-Narrow Crown 18 Gauge "L" Style	S90/40LP-A1, S90/40L-A1, S90/30-A1, 90/40LW, BS50P-A1, BS50-A1, BS32P-A1, S90/25P-C1, 90/40 A1, S90/25P-B2	46-47
BASSO	Stapler-Wide Crown-16 Gauge "BCS" Style	N25/38	38
BASSO	Stapler-Wide Crown-16 Gauge "GSW" Style	140/38	40
BASSO	Stapler-Wide Crown-16 Gauge "P" Style	N26/38, N26/38P	39
BASSO	Finish Brad Nailer-18 Gauge	BS50P-A1, F18/50P-A1, B18/35P-A2, B18/35-A1, 18/50, BS50-A1, B18/50-A1, B18/50P-A2, BS32P-A1, B18/32P-A2	33-34
BASSO	Framing Nailer-28° Clipped Head-Plastic	N90PH-A1	15
BASSO	Framing Nailer-28° Clipped Head-Wire	N90SB	16-17, 53
BASSO	Framing Nailer-33° Clipped Head-Paper	N90PA-A1	18-19
BEA	Finish Brad Nailer-16 Gauge	S451-142, SK400	31-32
BEA	Finish Brad Nailer-18 Gauge	S125	33-34
BEA	Finish Nailer-15 Gauge Angled "DA" Style	SKDA663-770	28-29
BEA	Framing Nailer-15° Wire Coil	T701, 900DC, 800DC, 566DC, 550DC, 700DC	20-21, 51
BEA	Framing Nailer-21° Round Head-Plastic	R90-946, R100-950, R130-957	11-14, 52
BEA	Hammer Tacker Stapler-"50" Style	95/16-425	48
BEA	Hardwood Flooring Nailer-"T" Style	T54-155	37
BEA	Roofing Nailer-15° Wire Coil	SN-500, 554DC, 552DC	8-9, 51
BEA	Siding/Fencing Nailer-15° Wire Coil	566DC, 550DC, 700DC	24-25
BEA	Stapler-Medium Crown 16 Gauge "N" Style	14/40-713, 14/40-723, 14/50-763, 14/50-800, 14/50-800SEQ, 14/50-800QR, 14/32-613	42
BEA	Stapler-Narrow Crown 18 Gauge "L" Style	90/38-150, 90/40-621, 90/40-711, 90/25-552, 90/38-157, 90/32-611	46-47
BEA	Stapler-Wide Crown-16 Gauge "BCS" Style	140, 145/32-178	38
BERRYFAST	Finish Brad Nailer-16 Gauge	BC50	31-32
BERRYFAST	Finish Brad Nailer-18 Gauge	BC 140, BC120, BC 130	33-34
BERRYFAST	Framing Nailer-21° Round Head-Plastic	3000, 3500, 4100, 4500	11-14, 52
BERRYFAST	Stapler-Medium Crown 16 Gauge "GS" Style	1320	43
BERRYFAST	Stapler-Narrow Crown 18 Gauge "L" Style	90/30, 90/40	46-47
BERRYFAST	Stapler-Wide Crown-16 Gauge "BCS" Style	1115, 1110	38
BESCO	Finish Brad Nailer-16 Gauge	PN31832, PN31850, TK2IN1, NT1664, NT1650	31-32
BESCO	Finish Brad Nailer-18 Gauge	SF1850, SB1840, BN1850, BN1842, BN1832	33-34
BESCO	Finish Nailer-15 Gauge Angled "DA" Style	AFN1564S	28-29
BESCO	Finish Nailer-15 Gauge Angled "FN" Style	AFN1564B	27
BESCO	Framing Nailer-21° Round Head-Plastic	RHF9021	11-14, 52
BESCO	Framing Nailer-28° Clipped Head-Wire	CHF9028	16-17, 53
BESCO	Framing Nailer-33° Clipped Head-Paper	CHF9034, CHF9030	18-19
BESCO	Roofing Nailer-15° Wire Coil	RF3145	8-9, 51



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
BESCO	Stapler-Medium Crown 16 Gauge "BCS" Style	MS951	41
BESCO	Stapler-Medium Crown 16 Gauge "N" Style	MS951FS, MS851	42
BESCO	Stapler-Narrow Crown 18 Gauge "L" Style	SB1840, NS9038HG, W9038HD, NS9038LW, TK2IN1, NS9025, NS9025FS	46-47
BESCO	Stapler-Wide Crown-16 Gauge "BCS" Style	WS2538	38
BESCO	Stapler-Wide Crown-16 Gauge "P" Style	WS 2638	39
BOSTITCH	Finish Brad Nailer-16 Gauge	T36, T35, T35-40, SB-1664FN	31-32
BOSTITCH	Finish Brad Nailer-18 Gauge	T29-30, BT31-1B, BT35B, BT50B, SB2N1, SB-1842BN, SB-1850BN	33-34
BOSTITCH	Finish Nailer-15 Gauge Angled "FN" Style	N60FN, N62FN, N62FNK, N59N	27
BOSTITCH	Framing Nailer-15° Wire Coil	N80CB, N86C, N100CPP, N70C, N64CP, N100C	20-21, 51
BOSTITCH	Framing Nailer-21° Round Head-Plastic	N95RHN, N90RHN, KN85PP-1, N95-162, N79RH, N88RH	11-14, 52
BOSTITCH	Framing Nailer-28° Clipped Head-Wire	N80SB, N70S, N79WW, N16, N100S, N86S, N80S, N88WW	16-17, 53
BOSTITCH	Framing Nailer-33° Clipped Head-Paper	N90PT, N79PT	18-19
BOSTITCH	Hammer Tacker Stapler-"A11" Style	PHT150C, TR200, TR100, TRE500	49
BOSTITCH	Hammer Tacker Stapler-"SHCR" Style	H2B	50
BOSTITCH	Hammer Tacker Stapler-"STCR" Style	PC5000, PC4000, PC2000, PC1000, P6C-80, P6C-8, T5-8DR, T15/T-80CT, H30-8, EHS-300	50
BOSTITCH	Hardwood Flooring Nailer-"T" Style	MIII812-CNCT	37
BOSTITCH	Hardwood Flooring Nailer-15 Gauge "L" Style	MIII FN	37
BOSTITCH	Hardwood Flooring Stapler-15 Gauge	MIII FS	36, 53
BOSTITCH	Joist Hanger Nails-30°-34° Paper	MCN150, MCN250	23
BOSTITCH	Micropins-23 Gauge	TU-216-2330	35
BOSTITCH	Roofing Nailer-15° Wire Coil	RN45B, RN46, N12, N12-40	8-9, 51
BOSTITCH	Siding/Fencing Nailer-15° Plastic Coil	N66C	26
BOSTITCH	Siding/Fencing Nailer-15° Wire Coil	N63CP, N64C, N55C, N50C, N55CP, N65CP	24-25
BOSTITCH	Stapler-Medium Crown 16 Gauge "BCS" Style	T40S4, T50S4, T36-50, T36-1, 538S4, 438S4, 650S4	41
BOSTITCH	Stapler-Narrow Crown 18 Gauge "SX" Style	SB-150SX, SB2N1, SB150SX-HD, T35-15, T28-5, S32SX, T40SX-CT	45
BOSTITCH	Stapler-Wide Crown-16 Gauge "BCS" Style	T40-S2, T50-52, T35-32, 438S2, T35-8, 450S2	38
CAMPBELL HAUSFELD	Finish Brad Nailer-16 Gauge	NB00050	31-32
CAMPBELL HAUSFELD	Finish Brad Nailer-18 Gauge	NB0040, NB0030	33-34
CAMPBELL HAUSFELD	Finish Nailer-15 Gauge Angled "DA" Style	NB3565	28-29
CAMPBELL HAUSFELD	Framing Nailer-21° Round Head-Plastic	NS2090	11-14, 52
CAMPBELL HAUSFELD	Framing Nailer-28° Clipped Head-Wire	NS2890	16-17, 53
CAMPBELL HAUSFELD	Roofing Nailer-15° Wire Coil	NC1545	8-9, 51
CAMPBELL HAUSFELD	Stapler-Narrow Crown 18 Gauge "L" Style	SN258K	46-47
CAMPBELL HAUSFELD	Framing Nailer-33° Clipped Head-Paper	NS349099	18-19
CRAFTSMAN	Finish Brad Nailer-16 Gauge	18441, 1844	31-32
CRAFTSMAN	Finish Brad Nailer-18 Gauge	18433, 18454	33-34
CRAFTSMAN	Finish Nailer-15 Gauge Angled "DA" Style	18448	28-29
CRAFTSMAN	Framing Nailer-21° Round Head-Plastic	18436, 19034	11-14, 52
CRAFTSMAN	Framing Nailer-33° Clipped Head-Paper	18179	18-19
CRAFTSMAN	Roofing Nailer-15° Wire Coil	18445	8-9, 51
CRAFTSMAN	Stapler-Medium Crown 16 Gauge "BCS" Style	18410	41
CRAFTSMAN	Stapler-Narrow Crown 18 Gauge "L" Style	18496, 18449, 18435, 18454, 18396	46-47
CRAFTSMAN	Stapler-Wide Crown-16 Gauge "BCS" Style	18415	38
DE VILBISS	Finish Brad Nailer-16 Gauge	NF2502X4	31-32
DE VILBISS	Finish Brad Nailer-18 Gauge	NB1252X4, NBSCN2X4, NB2002X4	33-34
DE VILBISS	Finish Nailer-15 Gauge Angled "DA" Style	AFN 5	28-29
DE VILBISS	Stapler-Narrow Crown 18 Gauge "L" Style	NCS2, SCN1002X4, NBSCN2X4	46-47
DEPOAN	Finish Brad Nailer-16 Gauge	DPN-6A54/F50MO, 66B/FT64, DPN-6A53/FT50	31-32
DEPOAN	Finish Brad Nailer-18 Gauge	GA52/F50MD	33-34
DEPOAN	Finish Nailer-15 Gauge Angled "DA" Style	DPN 6612/DA21	28-29
DEPOAN	Finish Nailer-15 Gauge Angled "FN" Style	DPN-6610/FN64	27



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
DEPOAN	Framing Nailer-15° Wire Coil	DPN-6C1/CN1583	20-21, 51
DEPOAN	Framing Nailer-21° Round Head-Plastic	DPN 6C50-RN2290	11-14, 52
DEPOAN	Framing Nailer-28° Clipped Head-Wire	6C51-CN2890	16-17, 53
DEPOAN	Framing Nailer-33° Clipped Head-Paper	DPN6052	18-19
DEPOAN	Roofing Nailer-15° Wire Coil	DPN-6D2	8-9, 51
DEPOAN	Stapler-Narrow Crown 18 Gauge "L" Style	DPN 763, 673/9040	46-47
DEPOAN	Stapler-Wide Crown-16 Gauge "P" Style	DPN-6651	39
DEWALT	Finish Brad Nailer-16 Gauge	DC616K, DC612KA, D51256K	31-32
DEWALT	Finish Brad Nailer-18 Gauge	D51238K, D51236K	33-34
DEWALT	Finish Nailer-15 Gauge Angled "DA" Style	D51275K, DC628K	28-29
DEWALT	Finish Nailer-16 Gauge Angled	DC614KA, DC618KA	30
DEWALT	Framing Nailer-21° Round Head-Plastic	D51845, D51844	11-14, 52
DEWALT	Framing Nailer-33° Clipped Head-Paper	D51823, D51822	18-19
DEWALT	Roofing Nailer-15° Wire Coil	D51321	8-9, 51
DEWALT	Stapler-Medium Crown 16 Gauge "GS" Style	D51431	43
DEWALT	Stapler-Medium Crown 16 Gauge "N" Style	D51430	42
DEWALT	Stapler-Narrow Crown 18 Gauge "L" Style	D51422K, D51420K	46-47
DUO-FAST	Finish Brad Nailer-16 Gauge	BFN-740, LFN-748, LFN-764A	31-32
DUO-FAST	Finish Brad Nailer-18 Gauge	BB 4440, DBN 4440	33-34
DUO-FAST	Finish Nailer-15 Gauge Angled "DA" Style	DA FN6480	28-29
DUO-FAST	Framing Nailer-21° Round Head-Plastic	CN350B, SNP 83, CN325B, NSP-350F, CN350, CN137	11-14, 52
DUO-FAST	Framing Nailer-28° Clipped Head-Plastic	NSPM-325F	15
DUO-FAST	Hammer Tacker Stapler-"50" Style	CS 5000, EWC-5018A, SURESHOT 5020, HT550, CT 859	48
DUO-FAST	Hammer Tacker Stapler-"A11" Style	SLAPSHOT	49
DUO-FAST	Roofing Nailer-15° Wire Coil	DRN-45	8-9, 51
DUO-FAST	Siding/Fencing Nailer-15° Wire Coil	N55	24-25
DUO-FAST	Stapler-Medium Crown 16 Gauge "76" Style	MS-7664E, SM-7648, SM-7664	44
DUO-FAST	Stapler-Narrow Crown 18 Gauge "L" Style	KN1848A, KG1836, DNS1840	46-47
DUO-FAST	Stapler-Wide Crown-16 Gauge "P" Style	KW-1748, RNS-1748I, KWR-1748, RS-1748	39
EZ FASTEN	Finish Brad Nailer-16 Gauge	F16/50R, BN16/50AC, BN16/64AC, F16/50AC	31-32
EZ FASTEN	Finish Brad Nailer-18 Gauge	COMBI 40/50, F18/50AC, F18/57R, F18/30AC, F18/32AC	33-34
EZ FASTEN	Finish Nailer-15 Gauge Angled "DA" Style	DA50, DA65	28-29
EZ FASTEN	Framing Nailer-15° Wire Coil	CN90, CN70AA, CN70HD	20-21, 51
EZ FASTEN	Framing Nailer-21° Round Head-Plastic	SN9021	11-14, 52
EZ FASTEN	Framing Nailer-28° Clipped Head-Wire	SRN9028	16-17, 53
EZ FASTEN	Framing Nailer-33° Clipped Head-Paper	SN9034	18-19
EZ FASTEN	Hammer Tacker Stapler-"50" Style	95/16AB	48
EZ FASTEN	Roofing Nailer-15° Wire Coil	CRN45AA	8-9, 51
EZ FASTEN	Siding/Fencing Nailer-15° Wire Coil	CN70AA, CN70HD	24-25
EZ FASTEN	Stapler-Medium Crown 16 Gauge "N" Style	MS16/50, MS16/50A, MS16/50H, MS16/64A, MS16/64, MS16/64H	42
EZ FASTEN	Stapler-Narrow Crown 18 Gauge "L" Style	90/25AC, 90/40AC, COMBI 40/50, NS90/40AC, 90/40F	46-47
EZ FASTEN	Stapler-Wide Crown-16 Gauge "P" Style	WS16/38	39
FASCO	Finish Brad Nailer-16 Gauge	R3C-FN50 CT, R3T FN-70 CT, F26C-FN50SS	31-32
FASCO	Finish Brad Nailer-18 Gauge	F20P GN-31CT, F20T GN-40CT, F26C-GN50SS, R3C GN50CT	33-34
FASCO	Finish Nailer-15 Gauge Angled "DA" Style	R4-BA65 CTR3C-BA50 CT	28-29
FASCO	Framing Nailer-15° Wire Coil	R5 CN15W-90A, F5 CN15W65, F5C CN15W90, F5 CN15W65 SIC REG, F5C CN15W75	20-21, 51
FASCO	Framing Nailer-21° Round Head-Plastic	R5C RHN 20-90 SS-CT, F6C RHN 20-100	11-14, 52
FASCO	Framing Nailer-28° Clipped Head-Wire	R5C HHN 28-90 SS CT	16-17, 53
FASCO	Framing Nailer-33° Clipped Head-Paper	R5C HHN 31-90 SS CT, F5C HHN 31-83, F6 HHN 31-90, F25 A-90/40	18-19
FASCO	Hammer Tacker Stapler-"50" Style	T-HT550, T-R19	48
FASCO	Hammer Tacker Stapler-"A11" Style	T-R11, F1AA11-16AUTOL/M	49
FASCO	Roofing Nailer-15° Wire Coil	R4CN 15W-45CT, R3C-CN15W-32CT ROOF	8-9, 51

Tool & Fastener Cross Reference

Tool & Fastener Cross Reference

Tool & Fastener Cross Reference



Tool Brand	Tool Type	Tool Model	Fasteners on page
FASCO	Siding/Fencing Nailer-15° Wire Coil	R4 CN15W-50CT	24-25
FASCO	Stapler-Medium Crown 16 Gauge "BCS" Style	R4P HD-50CT TL	41
FASCO	Stapler-Medium Crown 16 Gauge "GS" Style	R3C HD-40 VIL-SID, F45C-HD-55TL	43
FASCO	Stapler-Medium Crown 16 Gauge "N" Style	F45C-G-55TL, R3C G40 CT, R4P-G-50	42
FASCO	Stapler-Narrow Crown 18 Gauge "L" Style	F20P 90/25, F20T 90/30, R3C-90/40, F26C-90/40SS, F26C-90/32SS, F20T40CT, F20 T90/40 CT	46-47
FASCO	Stapler-Wide Crown-16 Gauge "BCS" Style	R3 ATW-38ROOF	38
FASCO	Stapler-Wide Crown-16 Gauge "GSW" Style	R3 PSW-38CT	40
FASCO	Stapler-Wide Crown-16 Gauge "P" Style	R3 SNW-38CTR	39
GREX	Finish Brad Nailer-16 Gauge	1664, NT1650	31-32
GREX	Finish Brad Nailer-18 Gauge	1832, 1850, BS5032	33-34
GREX	Finish Nailer-15 Gauge Angled "DA" Style	AF64	28-29
GREX	Framing Nailer-15° Wire Coil	CN70, CN90	20-21, 51
GREX	Framing Nailer-21° Round Head-Plastic	SF 9021H	11-14, 52
GREX	Framing Nailer-28° Clipped Head-Wire	SF9028H	16-17, 53
GREX	Framing Nailer-33° Clipped Head-Paper	SF9034H	18-19
GREX	Hammer Tacker Stapler-"50" Style	G50/8E, 5018	48
GREX	Hammer Tacker Stapler-"A11" Style	GHT 5000	49
GREX	Roofing Nailer-15° Wire Coil	CR45, CR50	8-9, 51
GREX	Stapler-Medium Crown 16 Gauge "N" Style	1140, 1151	42
GREX	Stapler-Narrow Crown 18 Gauge "L" Style	9025, 9032, 9040, 9032F, BS 5032	46-47
GREX	Stapler-Wide Crown-16 Gauge "P" Style	2638	39
GRIP-RITE	Finish Brad Nailer-16 Gauge	GRTFN250	31-32
GRIP-RITE	Finish Brad Nailer-18 Gauge	GRTBN125, GRTBN200	33-34
GRIP-RITE	Finish Nailer-15 Gauge Angled "DA" Style	GRTAN250	28-29
GRIP-RITE	Framing Nailer-21° Round Head-Plastic	GRTRH350	11-14, 52
GRIP-RITE	Framing Nailer-33° Clipped Head-Paper	GRTCH350	18-19
GRIP-RITE	Hammer Tacker Stapler-"A11" Style	GRR11	49
GRIP-RITE	Hammer Tacker Stapler-"A19" Style	GRR19	49
GRIP-RITE	Hardwood Flooring Nailer-15 Gauge "L" Style	GR200LCN	37
GRIP-RITE	Hardwood Flooring Stapler-15 Gauge	GR200FS	36, 53
GRIP-RITE	Joist Hanger Nailer-33° Plastic	GR150, GR250	22
GRIP-RITE	Joist Hanger Nails-30°-34° Paper	GR150, GR250, GRSB150, GRSB250	23
GRIP-RITE	Micropins-23 Gauge	GRTPIN23	35
GRIP-RITE	Plastic Cap Stapler-5/8"	GRC58, GRC58A	9
GRIP-RITE	Roofing Nailer-15° Wire Coil	GRTCR175	8-9, 51
GRIP-RITE	Siding/Fencing Nailer-15° Plastic Coil	GRTCS250	26
GRIP-RITE	Siding/Fencing Nailer-15° Wire Coil	GRTCS250	24-25
GRIP-RITE	Stapler-Medium Crown 16 Gauge "N" Style	GRTSM200	42
GRIP-RITE	Stapler-Narrow Crown 18 Gauge "L" Style	GRTSN100, GRTSN150	46-47
GRIP-RITE	Stapler-Wide Crown-16 Gauge "GSW" Style	GRTS1516	40
GRIP-RITE	Stapler-Wide Crown-16 Gauge "P" Style	GRTS1200	39
GRIZZLY	Finish Brad Nailer-16 Gauge	G6048, H2910, G7578	31-32
GRIZZLY	Finish Brad Nailer-18 Gauge	G6045, G6046, G6047, G8126, G9248, H2911, H2912, H2913	33-34
GRIZZLY	Finish Nailer-15 Gauge Angled "DA" Style	G6049	28-29
GRIZZLY	Framing Nailer-21° Round Head-Plastic	G6050	11-14, 52
GRIZZLY	Roofing Nailer-15° Wire Coil	G6771	8-9, 51
GRIZZLY	Stapler-Medium Crown 16 Gauge "GS" Style	G6772	43
GRIZZLY	Stapler-Medium Crown 16 Gauge "N" Style	G6044	42
GRIZZLY	Stapler-Narrow Crown 18 Gauge "L" Style	G6042, G6043, G8126, G9248, H2913, H2912	46-47
HAUBOLD	Finish Brad Nailer-16 Gauge	SKN64A/16, SKN40 V/16, SKS64 A/16	31-32
HAUBOLD	Finish Brad Nailer-18 Gauge	SKN30 JN/12, SKN40 V/12, SKN30 JN/1	33-34
HAUBOLD	Framing Nailer-15° Wire Coil	RNC90 WI, RNC65 WKI, RNC700WII, RN60 PII/BS	20-21, 51

Tool & Fastener Cross Reference



Tool Brand	Tool Type	Tool Model	Fasteners on page
HAUBOLD	Framing Nailer-21° Round Head-Plastic	RH90, RN100D, RN90PII, RN130 R, RN130 R/DB	11-14, 52
HAUBOLD	Roofing Nailer-15° Wire Coil	RNC450W, RNC45W	8-9, 51
HAUBOLD	Siding/Fencing Nailer-15° Wire Coil	N55	24-25
HAUBOLD	Stapler-Narrow Crown 18 Gauge "L" Style	PN6040H	46-47
HAUBOLD	Stapler-Wide Crown-16 Gauge "GSW" Style	PN 3232JW	40
HILTI	Finish Brad Nailer-16 Gauge	FBN-212N	31-32
HILTI	Finish Brad Nailer-18 Gauge	BN 136B	33-34
HILTI	Framing Nailer-21° Round Head-Plastic	RHN-9020	11-14, 52
HILTI	Framing Nailer-33° Clipped Head-Paper	CHN-9033	18-19
HILTI	Roofing Nailer-15° Wire Coil	RFC-134B	8-9, 51
HILTI	Stapler-Medium Crown 16 Gauge "BCS" Style	SM-300	41
HILTI	Stapler-Narrow Crown 18 Gauge "L" Style	SN-114B, SN-118	46-47
HILTI	Stapler-Wide Crown-16 Gauge "BCS" Style	SW-112A	38
HITACHI	Finish Brad Nailer-16 Gauge	NT 65A, NT65A2	31-32
HITACHI	Finish Brad Nailer-18 Gauge	NT32AE, NT45A, NT50AD	33-34
HITACHI	Finish Nailer-15 Gauge Angled "DA" Style	NT65AA, NT65MA	28-29
HITACHI	Finish Nailer-16 Gauge Angled	NT65GB	30
HITACHI	Framing Nailer-15° Wire Coil	NV83A, NV65AB, NV65AC, NV75AG, NV65AH	20-21, 51
HITACHI	Framing Nailer-21° Round Head-Plastic	NR83A, NR90AC, NR90AC2, NR83A2	11-14, 52
HITACHI	Framing Nailer-33° Clipped Head-Paper	NR 83AA, NR 83AA2, NR 90AA, NR 90AD, NR83AA3	18-19
HITACHI	Joist Hanger Nails-30°-34° Paper	NR65AK (S)	23
HITACHI	Roofing Nailer-15° Wire Coil	NV 45AB, NV 45AC	8-9, 51
HITACHI	Siding/Fencing Nailer-15° Plastic Coil	NV65AH	26
HITACHI	Siding/Fencing Nailer-15° Wire Coil	NV 65AH	24-25
HITACHI	Stapler-Medium Crown 16 Gauge "N" Style	N 5008ACN, N 5008AB, N 5008AA, N 5008AI	42
HITACHI	Stapler-Narrow Crown 18 Gauge "L" Style	N 3804A, N3804 AA, N3804AB	46-47
HITACHI	Stapler-Wide Crown-16 Gauge "P" Style	N 3824A	39
HOLZ HER	Finish Brad Nailer-16 Gauge	BC50	31-32
HOLZ HER	Finish Brad Nailer-18 Gauge	BC-130	33-34
HOLZ-HER	Framing Nailer-21° Round Head-Plastic	3500 SERIES	11-14, 52
INTERCHANGE	Finish Brad Nailer-16 Gauge	ICB-BF1650L, ICB-BF1664L	31-32
INTERCHANGE	Finish Brad Nailer-18 Gauge	ICB-BF1832M3, ICB-BF1850M3	33-34
INTERCHANGE	Finish Nailer-15 Gauge Angled "DA" Style	ICB-BN1564S	28-29
INTERCHANGE	Framing Nailer-15° Wire Coil	ICB-CN83	20-21, 51
INTERCHANGE	Framing Nailer-21° Round Head-Plastic	ICB-FN88	11-14, 52
INTERCHANGE	Framing Nailer-33° Clipped Head-Paper	ICB-DF88	18-19
INTERCHANGE	Hammer Tacker Stapler-"A11" Style	ICB-A11-TACKER, ME-T50	49
INTERCHANGE	Roofing Nailer-15° Wire Coil	ICB-CN45R	8-9, 51
INTERCHANGE	Stapler-Medium Crown 16 Gauge "N" Style	ICT-SF-167851S	42
INTERCHANGE	Stapler-Narrow Crown 18 Gauge "L" Style	ICB-SF0425SK, ICB-SF9040B	46-47
INTERCHANGE	Stapler-Wide Crown-16 Gauge "P" Style	ICB-SF2640S	39
JADE	Framing Nailer-21° Round Head-Plastic	JT350PL	11-14, 52
JADE	Framing Nailer-33° Clipped Head-Paper	JT350 P4	18-19
JAMERCO	Finish Brad Nailer-16 Gauge	JTFN1650A, JTFN1664A	31-32
JAMERCO	Finish Brad Nailer-18 Gauge	JTBN1832, JTBN1842A, JTBN1850A, JT1838SB42	33-34
JAMERCO	Finish Nailer-15 Gauge Angled "DA" Style	JTAFN1464A	28-29
JAMERCO	Framing Nailer-21° Round Head-Plastic	JTNFH90A	11-14, 52
JAMERCO	Framing Nailer-28° Clipped Head-Wire	JTAFN2890	16-17, 53
JAMERCO	Framing Nailer-33° Clipped Head-Paper	JTAFN3190	18-19
JAMERCO	Roofing Nailer-15° Wire Coil	JTCN45RA	8-9, 51
JAMERCO	Stapler-Medium Crown 16 Gauge "N" Style	JTSN1650	42
JAMERCO	Stapler-Narrow Crown 18 Gauge "L" Style	JTS061825, JT1838SB42, JTS061838H, JTS061825A	46-47
JEPSON	Finish Brad Nailer-16 Gauge	PFN1664	31-32



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
JEPSON	Finish Brad Nailer-18 Gauge	PFN1832	33-34
JEPSON	Finish Nailer-15 Gauge Angled "DA" Style	PFN1564	28-29
JEPSON	Framing Nailer-21° Round Head-Plastic	PF21FH	11-14, 52
JEPSON	Roofing Nailer-15° Wire Coil	PRN45C	8-9, 51
JEPSON	Stapler-Narrow Crown 18 Gauge "L" Style	PSN1832	46-47
JEPSON	Stapler-Wide Crown-16 Gauge "P" Style	PSW1638	39
JIT	Finish Brad Nailer-16 Gauge	1651, 1665	31-32
JIT	Finish Brad Nailer-18 Gauge	1832, 1850	33-34
JIT	Finish Nailer-15 Gauge Angled "DA" Style	NA1565	28-29
JIT	Framing Nailer-21° Round Head-Plastic	FN2190	11-14, 52
JIT	Stapler-Medium Crown 16 Gauge "BCS" Style	938, 951	41
JIT	Stapler-Medium Crown 16 Gauge "N" Style	1150	42
JIT	Stapler-Narrow Crown 18 Gauge "L" Style	9038A, 9032	46-47
JIT	Stapler-Wide Crown-16 Gauge "GSW" Style	1651S	40
J-K	Finish Brad Nailer-18 Gauge	TNF201/18-25, TJDPB607 2, TJDPN6018 2	33-34
J-K	Framing Nailer-21° Round Head-Plastic	89	11-14, 52
J-K	Hammer Tacker Stapler-"STCR" Style	694	50
MAKITA	Finish Brad Nailer-18 Gauge	AF-502, AF-503	33-34
MAKITA	Finish Nailer-15 Gauge Angled "FN" Style	AF-632	27
MAKITA	Framing Nailer-15° Wire Coil	AN-901, AN-621	20-21, 51
MAKITA	Framing Nailer-21° Round Head-Plastic	AN922, AN8300	11-14, 52
MAKITA	Framing Nailer-33° Clipped Head-Paper	AN-942	18-19
MAKITA	Roofing Nailer-15° Wire Coil	AN-451	8-9, 51
MAKITA	Siding/Fencing Nailer-15° Plastic Coil	AN611	26
MAKITA	Siding/Fencing Nailer-15° Wire Coil	AN611	24-25
MAKITA	Stapler-Narrow Crown 18 Gauge "L" Style	AT-638	46-47
MASTER FORCE	Joist Hanger Nails-30°-34° Paper	208-5014	23
MAX	Finish Brad Nailer-16 Gauge	NF352-ST/16-50	31-32
MAX	Finish Brad Nailer-18 Gauge	NF201/18-35, NF221/18-55, NF201/18-25	33-34
MAX	Finish Nailer-15 Gauge Angled "DA" Style	NF550/15-65	28-29
MAX	Framing Nailer-15° Wire Coil	HN90, CN565, CN565S, CN565D, CN890S, CN100, CN70, CN665, CN890II, CN80, CN80F	20-21, 51
MAX	Framing Nailer-21° Round Head-Plastic	SN890RH, SN80, SN90	11-14, 52
MAX	Framing Nailer-28° Clipped Head-Wire	SN890CH/28	16-17, 53
MAX	Framing Nailer-33° Clipped Head-Paper	SN890CH-34	18-19
MAX	Roofing Nailer-15° Wire Coil	CN450R	8-9, 51
MAX	Siding/Fencing Nailer-15° Plastic Coil	CN565S	26
MAX	Siding/Fencing Nailer-15° Wire Coil	CN565S, CN565, CN665, CN55, CN70	24-25
MAX	Stapler-Medium Crown 16 Gauge "N" Style	TA551/16-11	42
NICHE RICH	Finish Brad Nailer-16 Gauge	17A2004	31-32
NICHE RICH	Finish Brad Nailer-18 Gauge	17A2002, 17A2003, 17A2001	33-34
NICHE RICH	Framing Nailer-21° Round Head-Plastic	17A2051	11-14, 52
NICHE RICH	Roofing Nailer-15° Wire Coil	17A 2052	8-9, 51
NICHE RICH	Stapler-Medium Crown 16 Gauge "N" Style	17A3001	42
NIKEMA	Finish Brad Nailer-16 Gauge	440S GG51, 440S GG66	31-32
NIKEMA	Finish Brad Nailer-18 Gauge	420S GF/32, 420S GF51	33-34
NIKEMA	Framing Nailer-15° Wire Coil	565CN70, 590CN90, 451CN60	20-21, 51
NIKEMA	Framing Nailer-21° Round Head-Plastic	590RN100, 590RN90	11-14, 52
NIKEMA	Hammer Tacker Stapler-"50" Style	50 4000	48
NIKEMA	Siding/Fencing Nailer-15° Wire Coil	451CN60	24-25
NIKEMA	Stapler-Medium Crown 16 Gauge "GS" Style	450 16NC	43
NIKEMA	Stapler-Narrow Crown 18 Gauge "L" Style	430 92	46-47
NIKEMA	Stapler-Narrow Crown 18 Gauge "SX" Style	430 90	45



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
NIKOTA	Finish Brad Nailer-16 Gauge	TK2IN1, NT1664, NT1650	31-32
NIKOTA	Finish Brad Nailer-18 Gauge	BN1850, SB1840, BN1832	33-34
NIKOTA	Finish Nailer-15 Gauge Angled "DA" Style	AFN1564S	28-29
NIKOTA	Framing Nailer-21° Round Head-Plastic	RHF9021	11-14, 52
NIKOTA	Roofing Nailer-15° Wire Coil	RF3145	8-9, 51
NIKOTA	Stapler-Medium Crown 16 Gauge "N" Style	MS851	42
NIKOTA	Stapler-Narrow Crown 18 Gauge "L" Style	SB1840, TK2IN1, NS9038HD, NS9025	46-47
NIKOTA	Stapler-Wide Crown-16 Gauge "P" Style	WS2638	39
OMER	Finish Brad Nailer-16 Gauge	1463, 1463NS, 1450	31-32
OMER	Finish Brad Nailer-18 Gauge	1250, 1240, 1220, 1220D	33-34
OMER	Hammer Tacker Stapler-"50" Style	5016, 5016SCL, 5016SL, 5016CL, 5016CLV	48
OMER	Stapler-Medium Crown 16 Gauge "GS" Style	S4 50	43
OMER	Stapler-Medium Crown 16 Gauge "N" Style	M2 45, MS 50, 700 50, 700 45, MS 38CL, MS 38NS, MS 30NOSAG, 700 32NOSAG	42
OMER	Stapler-Narrow Crown 18 Gauge "L" Style	9040, 9038 CLD3, 9038B, 9032, 9032R, 9038	46-47
OMER	Stapler-Wide Crown-16 Gauge "BCS" Style	WS 38, WS 38ROOFING	38
OMER	Stapler-Wide Crown-16 Gauge "GSW" Style	WK 38, WK 38ROOFING	40
OMER	Stapler-Wide Crown-16 Gauge "P" Style	WP 38, WP 38ROOFING	39
PANREX	Framing Nailer-15° Wire Coil	PR-565P	20-21, 51
PANREX	Framing Nailer-21° Round Head-Plastic	PR-9021P	11-14, 52
PANREX	Siding/Fencing Nailer-15° Wire Coil	PR-565P	24-25
PANREX IND.	Finish Brad Nailer-16 Gauge	PR-1664P	31-32
PANREX IND.	Framing Nailer-33° Clipped Head-Paper	PR-0034P	18-19
PANREX IND.	Stapler-Medium Crown 16 Gauge "N" Style	PR-16851P	42
PASLODE	Finish Brad Nailer-16 Gauge	3250-F16, T215-F16, MU-112B, F16200, IM250, IM250II, 3200-F16	31-32
PASLODE	Finish Brad Nailer-18 Gauge	T125-F18, T200-F18, IM200-F18, 2138-F18II	33-34
PASLODE	Finish Nailer-16 Gauge Angled	T250A-F16, IM250A	30
PASLODE	Framing Nailer-15° Wire Coil	F275C, P275C, 4275/CN70, F325C, P350C, 5325/CN80, 4250/65CP	20-21, 51
PASLODE	Framing Nailer-21° Round Head-Plastic	5325 SRH, 5350/SRN-20	11-14, 52
PASLODE	Framing Nailer-33° Clipped Head-Paper	IMPULSE350, IMPULSE300, IMPULSE325, GN212, F3505, 5350, SK312, IMCT, 5325	18-19
PASLODE	Joist Hanger Nails-30°-34° Paper	F-250S-PP	23
PASLODE	Roofing Nailer-15° Wire Coil	3175/44RCU	8-9, 51
PASLODE	Siding/Fencing Nailer-15° Wire Coil	3250/HSF, 3225/N55	24-25
PASLODE	Stapler-Medium Crown 16 Gauge "76" Style	GS116	44
PASLODE	Stapler-Medium Crown 16 Gauge "GS" Style	3150-S16, 3200 S16P, PA-200, IM200 S16, 5200, 4200S16P	43
PASLODE	Stapler-Wide Crown-16 Gauge "GSW" Style	3200-W16, 3150-W16R, MU112-W-16R	40
PATEK	Framing Nailer-15° Wire Coil	CN565	20-21, 51
PATEK	Framing Nailer-21° Round Head-Plastic	PR9021	11-14, 52
PATEK	Framing Nailer-33° Clipped Head-Paper	PR0034	18-19
PATEK	Hammer Tacker Stapler-"50" Style	HT550, HT550H	48
PATEK	Hammer Tacker Stapler-"A11" Style	HT54R, HT11, HT11H	49
PATEK	Siding/Fencing Nailer-15° Wire Coil	CN565	24-25
PNEU TOOLS	Joist Hanger Nailer-33° Plastic	RN150, RN250	22
PNEU TOOLS	Joist Hanger Nails-30°-34° Paper	RN150, RN250, RNS150, RNS250	23
PNEU TOOLS	Plastic Cap Stapler-5/8"	RC-58	9
PNEU TOOLS	Roofing Nailer-15° Wire Coil	RC150	8-9, 51
PORTA-NAIL	Hardwood Flooring Nailer-"T" Style	460	37
PORTA-NAILS	Finish Brad Nailer-16 Gauge	462	31-32
PORTA-NAILS	Stapler-Narrow Crown 18 Gauge "L" Style	462	46-47
PORTER CABLE	Finish Nailer-15 Gauge Angled "DA" Style	DA250A, CDA250, DA250B	28-29
PORTER CABLE	Framing Nailer-15° Wire Coil	COIL250, COIL350	20-21, 51
PORTER CABLE	Framing Nailer-28° Clipped Head-Wire	FM350A	16-17, 53

Tool & Fastener Cross Reference



Tool Brand	Tool Type	Tool Model	Fasteners on page
PORTER CABLE	Hardwood Flooring Nailer-15 Gauge "L" Style	FCN 200	37
PORTER CABLE	Siding/Fencing Nailer-15° Plastic Coil	COIL250	26
PORTER CABLE	Stapler-Medium Crown 16 Gauge "N" Style	MS 200	42
PORTER CABLE	Stapler-Narrow Crown 18 Gauge "L" Style	NS 100, NS 150, NSS 150	46-47
PORTER-CABLE	Finish Brad Nailer-16 Gauge	FN250A, FN250B, FN250, FN250AK	31-32
PORTER-CABLE	Finish Brad Nailer-18 Gauge	BN125, BN200	33-34
PORTER-CABLE	Framing Nailer-21° Round Head-Plastic	FR 350NC, FR350MAG, FR350, FR 350A	11-14, 52
PORTER-CABLE	Framing Nailer-33° Clipped Head-Paper	FC350, FC350A, FM350A	18-19
PORTER-CABLE	Micropins-23 Gauge	PIN100	35
PORTER-CABLE	Roofing Nailer-15° Wire Coil	RN 175	8-9, 51
PORTER-CABLE	Siding/Fencing Nailer-15° Wire Coil	COIL200	24-25
POWER NAIL	Hardwood Flooring Nailer-15 Gauge "L" Style	445, 345, 55	37
POWER NAIL	Hardwood Flooring Stapler-15 Gauge	445FS	36, 53
PREBENA	Finish Brad Nailer-16 Gauge	3MN-63	31-32
PREBENA	Finish Brad Nailer-18 Gauge	2K-J50, SPJ-50-SDS, 2X-J32SD-S90	33-34
PREBENA	Finish Nailer-15 Gauge Angled "DA" Style	5X-DA-63	28-29
PREBENA	Framing Nailer-21° Round Head-Plastic	9FAK100	11-14, 52
PREBENA	Hammer Tacker Stapler-"50" Style	IM-D16-S90	48
PREBENA	Hammer Tacker Stapler-"A11" Style	HHPF09, HPPF14-S90	49
PREBENA	Hammer Tacker Stapler-"STCR" Style	HHD-10	50
PREBENA	Stapler-Medium Crown 16 Gauge "N" Style	3ML44	42
PREBENA	Stapler-Narrow Crown 18 Gauge "L" Style	3M-E-50-PR, 2P-E40-S90, 2X-E25SD-S90	46-47
PRIMATECH	Hardwood Flooring Nailer-15 Gauge "L" Style	P210, H300, Q500	37
RAPID	Hammer Tacker Stapler-"A11" Style	R-11, A-11	49
RAPID	Hammer Tacker Stapler-"A19" Style	R-19	49
RAPID	Hammer Tacker Stapler-"STCR" Style	31	50
RIDGID	Finish Brad Nailer-16 Gauge	R250SFA	31-32
RIDGID	Finish Brad Nailer-18 Gauge	R213BNA	33-34
RIDGID	Finish Nailer-15 Gauge Angled "DA" Style	R250AFA	28-29
RIDGID	Framing Nailer-21° Round Head-Plastic	R350RHA	11-14, 52
RIDGID	Framing Nailer-33° Clipped Head-Paper	R350CHA	18-19
RIDGID	Roofing Nailer-15° Wire Coil	RN1750RNA	8-9, 51
RIDGID	Stapler-Narrow Crown 18 Gauge "L" Style	R150FSA	46-47
SENCO	Finish Brad Nailer-16 Gauge	AIRFREE 32, FINISHPRO 32XP	31-32
SENCO	Finish Brad Nailer-18 Gauge	FINISHPRO 15XP, FINISHPRO 18XP, SDN18BR, FINISHPRO 25XP, FINISHPRO2N1, SLP20, AIRFREE25	33-34
SENCO	Finish Nailer-15 Gauge Angled "DA" Style	SFN-1SFN-2B, FINISHPRO 41XP, SFN-1+, SNF30, AIRFREE41, FINISHPRO 35XP, SFN-40	28-29
SENCO	Framing Nailer-15° Wire Coil	SCN 300, SCN 60, SCN 65	20-21, 51
SENCO	Framing Nailer-21° Round Head-Plastic	SN60, SN65, SN65C, FRAMEPRO 652, FRAMEPRO 602, FRAMEPRO 650, FRAMEPRO 700XL, FRAMEPRO 752XP, FRAMEPRO 702XP	11-14, 52
SENCO	Framing Nailer-33° Clipped Head-Paper	SN2, SN2+, SN3, SN325+, SN4, SN70, FRAMEPRO 600XL, FRAMEPRO 601, FRAMEPRO 651, FRAMEPRO 700XL, FRAMEPRO 701XP, FRAMEPRO 751XP	18-19
SENCO	Hammer Tacker Stapler-"A11" Style	PC0705	49
SENCO	Hardwood Flooring Nailer-15 Gauge "L" Style	SHF50, SHF15, SHF10	37
SENCO	Joist Hanger Nailer-33° Plastic	HN150, HN250	22
SENCO	Joist Hanger Nails-30°-34° Paper	HN150, HN250	23
SENCO	Micropins-23 Gauge	SHP10, FINISHPRO 10	35
SENCO	Roofing Nailer-15° Wire Coil	SCN 200R, SCN 40R	8-9, 51
SENCO	Siding/Fencing Nailer-15° Plastic Coil	SCN56	26
SENCO	Siding/Fencing Nailer-15° Wire Coil	SCN 55, SCN 56	24-25



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
SENCO	Stapler-Medium Crown 16 Gauge "N" Style	M1, M2 50, SKSN, SNS 45, SNS 50, SNS 40	42
SENCO	Stapler-Narrow Crown 18 Gauge "L" Style	LN4450, KN4450, SLS25XP-L, FINISHPRO SN1, SKS L, SLS 20L, SLS 15, SLS18	46-47
SENCO	Stapler-Wide Crown-16 Gauge "P" Style	PW, MW, SPS	39
SPOTNAILS	Finish Brad Nailer-16 Gauge	FB 1632, KB 1564, HG 1640, XB 1564, WB 1650	31-32
SPOTNAILS	Finish Brad Nailer-18 Gauge	CB1820, TB1840, WB1850, CB1832, DB1825, HLB-1520BP	33-34
SPOTNAILS	Finish Nailer-15 Gauge Angled "DA" Style	XBA1564, KBA1564	28-29
SPOTNAILS	Finish Nailer-15 Gauge Angled "FN" Style	XBFN64	27
SPOTNAILS	Framing Nailer-21° Round Head-Plastic	YPR90	11-14, 52
SPOTNAILS	Framing Nailer-33° Clipped Head-Paper	YTD90	18-19
SPOTNAILS	Hammer Tacker Stapler-"50" Style	BS8018, BS5018	48
SPOTNAILS	Hammer Tacker Stapler-"A11" Style	85060	49
SPOTNAILS	Stapler-Medium Crown 16 Gauge "BCS" Style	HL 7616AP	41
SPOTNAILS	Stapler-Medium Crown 16 Gauge "GS" Style	MS 6650i	43
SPOTNAILS	Stapler-Medium Crown 16 Gauge "N" Style	XS 76-8650, XS 6650, MS 76-865i	42
SPOTNAILS	Stapler-Narrow Crown 18 Gauge "L" Style	HL3852, WS4840W2, FS4825, WS4840, TS4825, TRL3852	46-47
SPOTNAILS	Stapler-Wide Crown-16 Gauge "BCS" Style	HL 1612A, HL 1620, XS 1650, HL1616A, XS 1640, HL 1612AW	38
SPOTNAILS	Stapler-Wide Crown-16 Gauge "GSW" Style	XS 2650, XS 2640	40
SPOTNAILS	Stapler-Wide Crown-16 Gauge "P" Style	XS 3640, XS 3650, HL 1612AT	39
SPOTNAILS	Framing Nailer-15° Wire Coil	YCN83, MCW64	20-21, 51
SPOTNAILS	Roofing Nailer-15° Wire Coil	KRN 45, VRN45	8-9, 51
SPOTNAILS	Siding/Fencing Nailer-15° Wire Coil	MCW 64	24-25
STAN TECH	Finish Brad Nailer-18 Gauge	SDN18BR	33-34
STAN TECH	Finish Nailer-15 Gauge Angled "FN" Style	SDN-15BR	27
STAN TECH	Framing Nailer-21° Round Head-Plastic	SDN 11 B-1, SDN 11	11-14, 52
STAN TECH	Framing Nailer-28° Clipped Head-Wire	1526B	16-17, 53
STAN TECH	Framing Nailer-33° Clipped Head-Paper	SDN11-PT-1	18-19
STAN TECH	Hammer Tacker Stapler-"A11" Style	SDH20	49
STAN TECH	Roofing Nailer-15° Wire Coil	SDCN 10B-1	8-9, 51
STAN TECH	Stapler-Medium Crown 16 Gauge "N" Style	SDS16-716	42
STAN TECH	Stapler-Narrow Crown 18 Gauge "L" Style	SDS 18-14, SDS 18-LM14, SDS-18-14-24	46-47
STAN TECH	Stapler-Wide Crown-16 Gauge "P" Style	SDS 16-1	39
SUPCO	Finish Brad Nailer-16 Gauge	1650A, 1664	31-32
SUPCO	Finish Brad Nailer-18 Gauge	1832, 1850	33-34
SUPCO	Stapler-Narrow Crown 18 Gauge "L" Style	9040	46-47
T.C. INTERNATIONAL	Finish Brad Nailer-16 Gauge	UB 16200C, UB 16250B	31-32
T.C. INTERNATIONAL	Finish Brad Nailer-18 Gauge	UB 18125C, UB 18200B	33-34
T.C. INTERNATIONAL	Finish Nailer-15 Gauge Angled "DA" Style	UB 15250A4	28-29
T.C. INTERNATIONAL	Framing Nailer-21° Round Head-Plastic	SRN 90, UNS 350	11-14, 52
T.C. INTERNATIONAL	Framing Nailer-33° Clipped Head-Paper	UNS 350 P4/P8	18-19
T.C. INTERNATIONAL	Hammer Tacker Stapler-"A11" Style	US A11	49
T.C. INTERNATIONAL	Roofing Nailer-15° Wire Coil	UNC 175R	8-9, 51
T.C. INTERNATIONAL	Stapler-Medium Crown 16 Gauge "N" Style	US 16716A	42
T.C. INTERNATIONAL	Stapler-Narrow Crown 18 Gauge "L" Style	US2238A, US1814C	46-47
TECH FORGE	Framing Nailer-33° Clipped Head-Paper	1521	18-19
TRADESMAN	Finish Brad Nailer-18 Gauge	8460, 8480	33-34
TRADESMAN	Stapler-Narrow Crown 18 Gauge "L" Style	8470, 8480	46-47
TRIDENT ASSOC.	Finish Brad Nailer-16 Gauge	F16150AC, BN16150AC, BN16164AC	31-32
TRIDENT ASSOC.	Finish Brad Nailer-18 Gauge	F18150AC, F18132A	33-34
TRIDENT ASSOC.	Finish Nailer-15 Gauge Angled "DA" Style	DA65, DA50	28-29
TRIDENT ASSOC.	Framing Nailer-15° Wire Coil	CN70	20-21, 51
TRIDENT ASSOC.	Framing Nailer-21° Round Head-Plastic	SRN90	11-14, 52
TRIDENT ASSOC.	Roofing Nailer-15° Wire Coil	CRW45AA	8-9, 51



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
TRIDENT ASSOC.	Stapler-Medium Crown 16 Gauge "N" Style	MS16/50A	42
TRIDENT ASSOC.	Stapler-Narrow Crown 18 Gauge "L" Style	90/40 AC	46-47
TRUSTY	Finish Brad Nailer-16 Gauge	TY11650L, TY11650H, TY11664	31-32
TRUSTY	Finish Brad Nailer-18 Gauge	TY11832, TY11850, TY11840	33-34
TRUSTY	Finish Nailer-15 Gauge Angled "DA" Style	TYI341564DA	28-29
TRUSTY	Finish Nailer-15 Gauge Angled "FN" Style	TYI261565AB	27
TRUSTY	Framing Nailer-21° Round Head-Plastic	AF9021, TYI2190FN	11-14, 52
TRUSTY	Framing Nailer-28° Clipped Head-Wire	TYI2890FN	16-17, 53
TRUSTY	Framing Nailer-33° Clipped Head-Paper	TYI3490FN, AF0034	18-19
TRUSTY	Hardwood Flooring Stapler-15 Gauge	FS50	36, 53
TRUSTY	Roofing Nailer-15° Wire Coil	CN45R	8-9, 51
TRUSTY	Stapler-Medium Crown 16 Gauge "BCS" Style	TYI16964B	41
TRUSTY	Stapler-Medium Crown 16 Gauge "GS" Style	TYI16851KG, TYI16864KG	43
TRUSTY	Stapler-Medium Crown 16 Gauge "N" Style	TYI16851S, TYI16864S, 16851	42
TRUSTY	Stapler-Narrow Crown 18 Gauge "SX" Style	TYI9025, TYI9040L, TYI9040H, AS3290	45
UNICATCH	Finish Brad Nailer-16 Gauge	UN 16200A	31-32
UNICATCH	Finish Brad Nailer-18 Gauge	UB 18200A	33-34
UNICATCH	Finish Nailer-15 Gauge Angled "DA" Style	UN15250A4	28-29
UNICATCH	Framing Nailer-21° Round Head-Plastic	UNS 350 PL	11-14, 52
UNICATCH	Framing Nailer-28° Clipped Head-Wire	UNS 350P8	16-17, 53
UNICATCH	Framing Nailer-33° Clipped Head-Paper	UNS 350P4	18-19
UNICATCH	Roofing Nailer-15° Wire Coil	UN175R	8-9, 51
UNITECH	Finish Brad Nailer-16 Gauge	1506, 1505, 1519	31-32
UNITECH	Finish Brad Nailer-18 Gauge	1503A	33-34

