



FENCING & WIRE



PRODUCT CATALOG

FENCING • ACCESSORIES • WIRE PRODUCTS

GRFWCAT
08/2013



Contents _____



Introduction 2

Fencing

How To Select The Right Fence 4
Choose The Right Coating 4
Select The Right Mesh 4
Mesh & Knot Design 4
Hardware Cloth 5
Welded Wire Fence 6-7
Home & Garden Fence 7
Welded Economy Fence 8
Home & Kennel Fence 8
Rabbit Shield 9
Tomato Guard 10
Aviary Netting 10
Poultry Netting 11
Electric Fence Wire 12
Cut Soffit Screen 12

Accessories

T-Posts 14
Galvanized T-Posts 15
Unpainted Grape Stakes 15
Light-Duty U-posts 15
T-Post Clips 16
T-Post Driver 16
Poultry Net Staples 16
Fence Staples 17
Vineyard Staples 17
Round Wood Post Bracket 18

Wire Products

Galvanized Stone Wire 20
Smooth Galvanized Wire 20

Dealer Resources 22-25




Grip-Rite® offers a comprehensive assortment of high-quality, light and medium-gauge fence fabrics in woven and welded meshes. All Grip-Rite fencing is made from recycled steel.

Grip-Rite fencing and wire products are available nationwide in a variety of styles and sizes. Easy-to-read labels show common applications, making the products easy to identify and easy to choose for each project.

Contractors, agriculturalists, vintners, and homeowners alike all turn to Grip-Rite for their fencing and wire needs.





FENCING

How To Select The Right Fence

A good fence works as a barrier to either enclose or exclude and can be made of several kinds of materials. Wire fence can be different heights and appearances, and if chosen correctly, can provide the consumer with peace of mind and a good return on their investment. There are many types of fence products and each is designed to perform a specific function.

Choose The Right Coating

Galvanized

Galvanized wire is zinc coated to resist rust and corrosion and will last longer than uncoated wire. Common coatings include: Commercial, Class 1, and Class 3. The higher the coating weight, the longer the expected resistance to rust and corrosion.

Vinyl Coated

Vinyl coated fence is first galvanized and then vinyl coated for additional protection against corrosion, as well as adding a more aesthetic appearance. Vinyl coated fence is for yards, gardens, and pets, and blends well with the environment.

Painted

Painted fence products offer an economic alternative when project longevity is not a primary concern. Painted fence products are typically not galvanized, and include items such as studded T-posts and U-posts. Paint provides a minimum protective coating over steel, while offering a different appearance than galvanized or vinyl coated products.

Select The Right Mesh

Fence wires are woven or welded into uniform patterns called meshes. Choosing the correct mesh or spacing of the fence wires is critical. To determine the optimal gauge and mesh for your project, be sure to consider; (1) what you will enclose, and (2) how flexible or inflexible (rigid) the fence needs to be. A basic rule of thumb is, the larger the animal, the larger the mesh and the more rigid the fence should be. The opposite is true for smaller animals.

All Grip-Rite wire fencing is made from recycled steel.




Mesh Design

Fence is constructed by forming the wire into uniform patterns called “mesh”.


Square Mesh

Wire is either “knotted” or welded to form squares or rectangles vertical or horizontal. This mesh pattern is used mostly with heavier gauge wire.



Hexagonal Mesh

(commonly called netting)
Typically made of a light-weight wire that is woven to form a hexagon.



Knot Design

Many heavy gauge wire fences are made by tying sections of wire together with “knots”. There are two common types of knots used, each with specific advantages.


Square Knot

This construction prevents the fence from buckling or sagging. One-piece vertical stay wires are tied to line wires and crimped at the joint to prevent slippage.



Hinged Knot

This knot acts as a “hinge” that gives under pressure, then springs back into shape. Vertical wires are individually cut and wrapped on the line wires.





Hardware Cloth

- ☑ Available in galvanized or vinyl coated
 - Galvanized prior to welding, which provides a smooth finish to the wire surface
 - Vinyl coating over galvanized wire provides additional protection from corrosion and blends well with the environment
- ☑ Ideal for home projects, garden use, and the workshop
- ☑ Pre-cut sizes from 5 feet are very popular at retail



SKU	Gauge	Mesh	Size
Woven — Galvanized			
HC24885	27	1/8 in.	24 in. x 5 ft.
HC248810	27	1/8 in.	24 in. x 10 ft.
HC248825	27	1/8 in.	24 in. x 25 ft.
HC2488100	27	1/8 in.	24 in. x 100 ft.
HC3088100	27	1/8 in.	30 in. x 100 ft.
HC36885	27	1/8 in.	36 in. x 5 ft.
HC368810	27	1/8 in.	36 in. x 10 ft.
HC368825	27	1/8 in.	36 in. x 25 ft.
HC368850	27	1/8 in.	36 in. x 50 ft.
HC3688100	27	1/8 in.	36 in. x 100 ft.
HC488810	27	1/8 in.	48 in. x 10 ft.
HC488825	27	1/8 in.	48 in. x 25 ft.
HC4888100	27	1/8 in.	48 in. x 100 ft.
Welded — Galvanized			
HC24445	23	1/4 in.	24 in. x 5 ft.
HC244410	23	1/4 in.	24 in. x 10 ft.
HC244425	23	1/4 in.	24 in. x 25 ft.
HC244450	23	1/4 in.	24 in. x 50 ft.
HC2444100	23	1/4 in.	24 in. x 100 ft.
HC3044100	23	1/4 in.	30 in. x 100 ft.
HC36445	23	1/4 in.	36 in. x 5 ft.
HC364410	23	1/4 in.	36 in. x 10 ft.
HC364425	23	1/4 in.	36 in. x 25 ft.
HC364450	23	1/4 in.	36 in. x 50 ft.
HC3644100	23	1/4 in.	36 in. x 100 ft.
HC48445	23	1/4 in.	48 in. x 5 ft.
HC484410	23	1/4 in.	48 in. x 10 ft.

SKU	Gauge	Mesh	Size
Welded — Galvanized			
HC484425	23	1/4 in.	48 in. x 25 ft.
HC484450	23	1/4 in.	48 in. x 50 ft.
HC4844100	23	1/4 in.	48 in. x 100 ft.
HC24225	19	1/2 in.	24 in. x 5 ft.
HC242210	19	1/2 in.	24 in. x 10 ft.
HC242220	19	1/2 in.	24 in. x 20 ft.
HC242225	19	1/2 in.	24 in. x 25 ft.
HC242250	19	1/2 in.	24 in. x 50 ft.
HC2422100	19	1/2 in.	24 in. x 100 ft.
HC3022100	19	1/2 in.	30 in. x 100 ft.
HC36225	19	1/2 in.	36 in. x 5 ft.
HC362210	19	1/2 in.	36 in. x 10 ft.
HC362220	19	1/2 in.	36 in. x 20 ft.
HC362225	19	1/2 in.	36 in. x 25 ft.
HC362250	19	1/2 in.	36 in. x 50 ft.
HC3622100	19	1/2 in.	36 in. x 100 ft.
HC48225	19	1/2 in.	48 in. x 5 ft.
HC482210	19	1/2 in.	48 in. x 10 ft.
HC482225	19	1/2 in.	48 in. x 25 ft.
HC482250	19	1/2 in.	48 in. x 50 ft.
HC4822100	19	1/2 in.	48 in. x 100 ft.
Welded — Vinyl Coated — Green			
HC24225G	19	1/2 in.	24 in. x 5 ft.
HC242210G	19	1/2 in.	24 in. x 10 ft.
HC36225G	19	1/2 in.	36 in. x 5 ft.
HC362210G	19	1/2 in.	36 in. x 10 ft.



Fencing

FENCING



Welded Wire Fence

- ☑ Available in galvanized or vinyl coated
 - Galvanized prior to welding, which provides a smooth finish to the wire surface
 - Vinyl coating over galvanized wire provides additional protection from corrosion and blends well with the environment
- ☑ Offers rigidity and strength for a variety of light-duty outdoor fence projects
- ☑ Ideal for yards, gardens, and pets




ACCESSORIES

SKU	Gauge	Mesh	Size
Galvanized			
W36421250	12-1/2	4 in. x 2 in.	36 in. x 50 ft.
W364212100	12-1/2	4 in. x 2 in.	36 in. x 100 ft.
W48421250	12-1/2	4 in. x 2 in.	48 in. x 50 ft.
W484212100	12-1/2	4 in. x 2 in.	48 in. x 100 ft.
W60421250	12-1/2	4 in. x 2 in.	60 in. x 50 ft.
W604212100	12-1/2	4 in. x 2 in.	60 in. x 100 ft.
W72421250	12-1/2	4 in. x 2 in.	72 in. x 50 ft.
W724212100	12-1/2	4 in. x 2 in.	72 in. x 100 ft.
W24421450	14	4 in. x 2 in.	24 in. x 50 ft.
W244214100	14	4 in. x 2 in.	24 in. x 100 ft.
W36421450	14	4 in. x 2 in.	36 in. x 50 ft.
W364214100	14	4 in. x 2 in.	36 in. x 100 ft.
W48421450	14	4 in. x 2 in.	48 in. x 50 ft.
W484214100	14	4 in. x 2 in.	48 in. x 100 ft.
W60421450	14	4 in. x 2 in.	60 in. x 50 ft.
W604214100	14	4 in. x 2 in.	60 in. x 100 ft.
W72421450	14	4 in. x 2 in.	72 in. x 50 ft.
W724214100	14	4 in. x 2 in.	72 in. x 100 ft.

WIRE PRODUCTS

SKU	Gauge	Mesh	Size
Galvanized			
W362214100	14	2 in. x 2 in.	36 in. x 100 ft.
W482214100	14	2 in. x 2 in.	48 in. x 100 ft.
W602214100	14	2 in. x 2 in.	60 in. x 100 ft.
W722214100	14	2 in. x 2 in.	72 in. x 100 ft.
W362216100	16	2 in. x 2 in.	36 in. x 100 ft.
W482216100	16	2 in. x 2 in.	48 in. x 100 ft.
W602216100	16	2 in. x 2 in.	60 in. x 100 ft.
W722216100	16	2 in. x 2 in.	72 in. x 100 ft.
Vinyl Coated — Green			
W36421450G	14	4 in. x 2 in.	36 in. x 50 ft.
W48421450G	14	4 in. x 2 in.	48 in. x 50 ft.
W60421450G	14	4 in. x 2 in.	60 in. x 50 ft.
W72421450G	14	4 in. x 2 in.	72 in. x 50 ft.
Vinyl Coated — Black			
W36421450B	14	4 in. x 2 in.	36 in. x 50 ft.
W48421450B	14	4 in. x 2 in.	48 in. x 50 ft.
W60421450B	14	4 in. x 2 in.	60 in. x 50 ft.
W72421450B	14	4 in. x 2 in.	72 in. x 50 ft.




Welded Wire Fence

- ☑ Galvanized wire with welded construction
- ☑ Galvanized prior to welding, which provides a smooth finish to the wire surface
- ☑ Smaller mesh provides an effective barrier against small animals while maintaining an open view
- ☑ Offers rigidity and strength for a variety of light-duty outdoor fence projects



SKU	Gauge	Mesh	Size
W182114100	14	2 in. x 1 in.	18 in. x 100 ft.
W24211450	14	2 in. x 1 in.	24 in. x 50 ft.
W242114100	14	2 in. x 1 in.	24 in. x 100 ft.
W36211450	14	2 in. x 1 in.	36 in. x 50 ft.
W362114100	14	2 in. x 1 in.	36 in. x 100 ft.
W48211450	14	2 in. x 1 in.	48 in. x 50 ft.
W482114100	14	2 in. x 1 in.	48 in. x 100 ft.
W602114100	14	2 in. x 1 in.	60 in. x 100 ft.
W722114100	14	2 in. x 1 in.	72 in. x 100 ft.
W241114100	14	1 in. x 1 in.	24 in. x 100 ft.
W361114100	14	1 in. x 1 in.	36 in. x 100 ft.

SKU	Gauge	Mesh	Size
W481114100	14	1 in. x 1 in.	48 in. x 100 ft.
W601114100	14	1 in. x 1 in.	60 in. x 100 ft.
W721114100	14	1 in. x 1 in.	72 in. x 100 ft.
W241116100	16	1 in. x 1 in.	24 in. x 100 ft.
W361116100	16	1 in. x 1 in.	36 in. x 100 ft.
W481116100	16	1 in. x 1 in.	48 in. x 100 ft.
W18112100	16	1 in. x 1/2 in.	18 in. x 100 ft.
W24112100	16	1 in. x 1/2 in.	24 in. x 100 ft.
W30112100	16	1 in. x 1/2 in.	30 in. x 100 ft.
W36112100	16	1 in. x 1/2 in.	36 in. x 100 ft.
W48112100	16	1 in. x 1/2 in.	48 in. x 100 ft.



Home & Garden Fence

- ☑ “Hinge” knot construction
- ☑ Galvanized prior to weaving, which provides a smooth finish to the wire surface
- ☑ Graduated spacing provides protection and containment of small animals
- ☑ Ideal protection for small and large garden projects



SKU	Gauge	Mesh	Size
GRHG4850	14-1/2	Variable	47 in. x 50 ft.



Fencing

FENCING



Welded Economy Fence

- ☑ Available in galvanized or vinyl coated
 - Galvanized prior to welding, which provides a smooth finish to the wire surface
 - Vinyl coating over galvanized wire provides additional protection from corrosion and blends well with the environment
- ☑ Offers rigidity and strength for a variety of light-duty outdoor fence projects
- ☑ Ideal for yards, gardens, and pets



SKU	Gauge	Mesh	Size
Galvanized			
W36321650	16	3 in. x 2 in.	36 in. x 50 ft.
W48321650	16	3 in. x 2 in.	48 in. x 50 ft.
Vinyl Coated — Green			
W24321625G	16	3 in. x 2 in.	24 in. x 25 ft.
W36321650G	16	3 in. x 2 in.	36 in. x 50 ft.
W48321650G	16	3 in. x 2 in.	48 in. x 50 ft.
W60321650G	16	3 in. x 2 in.	60 in. x 50 ft.
W72321650G	16	3 in. x 2 in.	72 in. x 50 ft.




ACCESSORIES



Home & Kennel Fence

- ☑ “S” knot construction
- ☑ Galvanized prior to weaving, which provides a smooth finish to the wire surface
- ☑ 4 in. x 2 in. spacing protects small and large animals and discourages climbing
- ☑ Ideal for yards and kennels



SKU	Gauge	Mesh	Size
GRHK4850	12-1/2	4 in. x 2 in.	48 in. x 50 ft.



WIRE PRODUCTS



Rabbit Shield

- Available in galvanized or vinyl coated
 - Galvanized prior to welding, which provides a smooth finish to the wire surface
 - Vinyl coating over galvanized wire provides additional protection from corrosion and blends well with the environment
- Designed for use with small animals and birds for both containment and protection
- Larger mesh towards top of fence allows animals to see through if penned; smaller mesh near bottom prevents access when fence is used around vegetables and other vulnerable plants

SKU	Gauge	Mesh	Size
Galvanized			
W2850RS	14	Variable	28 in. x 50 ft.
W4050RS	14	Variable	40 in. x 50 ft.
Vinyl Coated — Green			
W2850RSG	14	Variable	28 in. x 50 ft.
W4050RSG	14	Variable	40 in. x 50 ft.





Fencing

FENCING



Tomato Guard

- ☑ Galvanized prior to welding, which provides a smooth finish to the wire surface
- ☑ Prevents plant sprawl and rot yet provides easy access to fruit
- ☑ Twenty foot roll makes 4 cylindrical cages

SKU	Gauge	Mesh	Size
TG4820	14	4 in. x 6 in.	48 in. x 20 ft.



ACCESSORIES



Aviary Netting

- ☑ Galvanized wire is woven into a uniform hexagon mesh, similar to poultry netting, but suited for smaller birds
- ☑ Use to construct poultry and pet pens, garden pest barriers, and arts and crafts projects

SKU	Gauge	Mesh	Size
AN2425	22	1/2 in.	24 in. x 25 ft.
AN24100	22	1/2 in.	24 in. x 100 ft.
AN3625	22	1/2 in.	36 in. x 25 ft.
AN36100	22	1/2 in.	36 in. x 100 ft.
AN48100	22	1/2 in.	48 in. x 100 ft.
AN72100	22	1/2 in.	72 in. x 100 ft.



WIRE PRODUCTS



Poultry Netting

- ☑ Available in galvanized or vinyl coated
 - Galvanized prior to weaving, which provides a smooth finish to the wire surface
 - Vinyl coating over galvanized wire provides additional protection from corrosion and blends well with the environment
- ☑ Wire is woven into a uniform hexagon mesh, with horizontal wires to keep fence straight and upright
- ☑ Available in 1 in. and 2 in. mesh
- ☑ Use to construct poultry and pet pens, garden pest barriers, arts and crafts projects

SKU	Gauge	Mesh	Size
Galvanized			
PN12150	20	1 in.	12 in. x 50 ft.
PN121150	20	1 in.	12 in. x 150 ft.
PN18125	20	1 in.	18 in. x 25 ft.
PN18150	20	1 in.	18 in. x 50 ft.
PN181150	20	1 in.	18 in. x 150 ft.
PN24125	20	1 in.	24 in. x 25 ft.
PN24150	20	1 in.	24 in. x 50 ft.
PN241150	20	1 in.	24 in. x 150 ft.
PN36125	20	1 in.	36 in. x 25 ft.
PN36150	20	1 in.	36 in. x 50 ft.
PN361150	20	1 in.	36 in. x 150 ft.
PN48125	20	1 in.	48 in. x 25 ft.
PN48150	20	1 in.	48 in. x 50 ft.
PN481150	20	1 in.	48 in. x 150 ft.
PN60150	20	1 in.	60 in. x 50 ft.
PN601150	20	1 in.	60 in. x 150 ft.
PN72150	20	1 in.	72 in. x 50 ft.
PN721150	20	1 in.	72 in. x 150 ft.

SKU	Gauge	Mesh	Size
Galvanized			
PN12250	20	2 in.	12 in. x 50 ft.
PN122150	20	2 in.	12 in. x 150 ft.
PN24225	20	2 in.	24 in. x 25 ft.
PN24250	20	2 in.	24 in. x 50 ft.
PN242150	20	2 in.	24 in. x 150 ft.
PN36225	20	2 in.	36 in. x 25 ft.
PN36250	20	2 in.	36 in. x 50 ft.
PN362150	20	2 in.	36 in. x 150 ft.
PN48225	20	2 in.	48 in. x 25 ft.
PN48250	20	2 in.	48 in. x 50 ft.
PN482150	20	2 in.	48 in. x 150 ft.
PN60250	20	2 in.	60 in. x 50 ft.
PN602150	20	2 in.	60 in. x 150 ft.
PN72250	20	2 in.	72 in. x 50 ft.
PN722150	20	2 in.	72 in. x 150 ft.
Vinyl Coated — Green			
PN24125G	20	1 in.	24 in. x 25 ft.
PN36125G	20	1 in.	36 in. x 25 ft.



Fencing

FENCING

Electric Fence Wire

- ☑ For enhancement of security provided by temporary or semi-permanent fencing enclosures
- ☑ Galvanized wire prevents rust and corrosion

SKU	Gauge	Length	Reels/ Carton
Galvanized			
EFW1412	14	1/2 mi. (2,640 ft.)	1
EFW1414	14	1/4 mi. (1,320 ft.)	2
EFW1712	17	1/2 mi. (2,640 ft.)	1
EFW1714	17	1/4 mi. (1,320 ft.)	2



Cut Soffit Screen

- ☑ For housing vents and roof gutters

ACCESSORIES

SKU	Gauge	Mesh	Size
Galvanized			
HC48825	27	1/8 in.	4 in. x 25 ft.
HC488100	27	1/8 in.	4 in. x 100 ft.
HC68825	27	1/8 in.	6 in. x 25 ft.
HC688100	27	1/8 in.	6 in. x 100 ft.
HC888100	27	1/8 in.	8 in. x 100 ft.
HC34425	23	1/4 in.	3 in. x 25 ft.
HC344100	23	1/4 in.	3 in. x 100 ft.
HC44425	23	1/4 in.	4 in. x 5 ft.
HC444100	23	1/4 in.	4 in. x 100 ft.
HC644100	23	1/4 in.	6 in. x 100 ft.
HC844100	23	1/4 in.	8 in. x 100 ft.
HC944100	23	1/4 in.	9 in. x 100 ft.



WIRE PRODUCTS

A close-up photograph of a green metal mesh cage used for supporting plants. The cage is made of a grid of thin green wires and is attached to a thicker green vertical post. The plant inside has green and reddish-brown leaves. The background is a blurred garden scene with green grass and other plants. A red arrow points towards the bottom right corner of the image.

ACCESSORIES




Accessories

FENCING

T-Posts

- ☑ Painted in red or green with cream-color top
- ☑ 0.95 lb. light-duty studded t-posts used for gardens, safety, silt, and small animal fencing
- ☑ 1.25 lb. heavy-duty and 1.33 lb. studded t-posts used for large animals and areas receiving frequent use
- ☑ Uses an attached spade for stability
- ☑ Manufactured from recycled rail steel



ACCESSORIES

WIRE PRODUCTS

SKU	Weight	Color	Height
Painted			
TP40LWGC	0.95 lb./ft.	Green/Cream	4 ft.
TP50LWGC	0.95 lb./ft.	Green/Cream	5 ft.
TP56LWGC	0.95 lb./ft.	Green/Cream	5 ft. 6 in.
TP60LWGC	0.95 lb./ft.	Green/Cream	6 ft.
TP66LWGC	0.95 lb./ft.	Green/Cream	6 ft. 6 in.
TP70LWGC	0.95 lb./ft.	Green/Cream	7 ft.
TP80LWGC	0.95 lb./ft.	Green/Cream	8 ft.
TP50125GC	1.25 lb./ft.	Green/Cream	5 ft.
TP56125GC	1.25 lb./ft.	Green/Cream	5 ft. 6 in.
TP60125GC	1.25 lb./ft.	Green/Cream	6 ft.
TP66125GC	1.25 lb./ft.	Green/Cream	6 ft. 6 in.
TP70125GC	1.25 lb./ft.	Green/Cream	7 ft.
TP80125GC	1.25 lb./ft.	Green/Cream	8 ft.
TP90125GC	1.25 lb./ft.	Green/Cream	9 ft.
TP100125GC	1.25 lb./ft.	Green/Cream	10 ft.
TP50133GC	1.33 lb./ft.	Green/Cream	5 ft.
TP56133GC	1.33 lb./ft.	Green/Cream	5 ft. 6 in.
TP60133GC	1.33 lb./ft.	Green/Cream	6 ft.
TP66133GC	1.33 lb./ft.	Green/Cream	6 ft. 6 in.
TP70133GC	1.33 lb./ft.	Green/Cream	7 ft.
TP80133GC	1.33 lb./ft.	Green/Cream	8 ft.
TP100133GC	1.33 lb./ft.	Green/Cream	10 feet

SKU	Weight	Color	Height
Painted			
TP40LWRC	0.95 lb./ft.	Red/Cream	4 ft.
TP50LWRC	0.95 lb./ft.	Red/Cream	5 ft.
TP56LWRC	0.95 lb./ft.	Red/Cream	5 ft. 6 in.
TP60LWRC	0.95 lb./ft.	Red/Cream	6 ft.
TP66LWRC	0.95 lb./ft.	Red/Cream	6 ft. 6 in.
TP70LWRC	0.95 lb./ft.	Red/Cream	7 ft.
TP80LWRC	0.95 lb./ft.	Red/Cream	8 ft.
TP50125RC	1.25 lb./ft.	Red/Cream	5 ft.
TP56125RC	1.25 lb./ft.	Red/Cream	5 ft. 6 in.
TP60125RC	1.25 lb./ft.	Red/Cream	6 ft.
TP66125RC	1.25 lb./ft.	Red/Cream	6 ft. 6 in.
TP70125RC	1.25 lb./ft.	Red/Cream	7 ft.
TP80125RC	1.25 lb./ft.	Red/Cream	8 ft.
TP90125RC	1.25 lb./ft.	Red/Cream	9 ft.
TP100125RC	1.25 lb./ft.	Red/Cream	10 ft.
TP50133RC	1.33 lb./ft.	Red/Cream	5 ft.
TP56133RC	1.33 lb./ft.	Red/Cream	5 ft. 6 in.
TP60133RC	1.33 lb./ft.	Red/Cream	6 ft.
TP66133RC	1.33 lb./ft.	Red/Cream	6 ft. 6 in.
TP70133RC	1.33 lb./ft.	Red/Cream	7 ft.
TP80133RC	1.33 lb./ft.	Red/Cream	8 ft.
TP100133RC	1.33 lb./ft.	Red/Cream	10 ft.

Galvanized T-Posts

- ☑ 1.25 lb. heavy-duty and 1.33 lb. studded t-posts used for large animals and areas receiving strong use
- ☑ Zinc-coated to resist rust and corrosion
- ☑ Uses an attached spade for stability
- ☑ Manufactured from recycled rail steel



SKU	Weight	Height
Galvanized		
TP56125HG	1.25 lb./ft.	5 ft. 6 in.
TP60125HG	1.25 lb./ft.	6 ft.
TP66125HG	1.25 lb./ft.	6 ft. 6 in.
TP70125HG	1.25 lb./ft.	7 ft.
TP80125HG	1.25 lb./ft.	8 ft.
TP60133HG	1.33 lb./ft.	6 ft.
TP66133HG	1.33 lb./ft.	6 ft. 6 in.
TP70133HG	1.33 lb./ft.	7 ft.

Unpainted Grape Stakes

- ☑ 0.85 lb. & 0.95 lb. light-duty and 1.25 lb. heavy-duty grape stakes used for safety, silt, and vineyard fencing
- ☑ Can be ordered with attached spade for stability or without attached spade



SKU	Weight	Height
Without Spade		
TPG6085NS	0.85 lb./ft.	6 ft.
TPG7085NS	0.85 lb./ft.	7 ft.
TPG60LWNS	0.95 lb./ft.	6 ft.
TPG70LWNS	0.95 lb./ft.	7 ft.
TPG76LWNS	0.95 lb./ft.	7 ft. 6 in.
TPG50125NS	1.25 lb./ft.	5 ft.
TPG60125NS	1.25 lb./ft.	6 ft.
TPG70125NS	1.25 lb./ft.	6 ft.
With Spade		
TPG70125WS	1.25 lb./ft.	7 ft.
TPG76125WS	1.25 lb./ft.	7 ft. 6 in.
TPG80125WS	1.25 lb./ft.	8 ft.
TPG90125WS	1.25 lb./ft.	9 ft.

Light Duty U-Posts

- ☑ Rolled design and tough green enameled finish over 14 gauge steel equates to added strength and durability
- ☑ Tabs punched every 6 inches, with spade for stability
- ☑ Residential and commercial applications, including signage, mail box, flower and vegetable garden border, and animal fencing



SKU	Height	Color
Painted		
UP36LD	36 in.	Green
UP48LD	48 in.	Green
UP60LD	60 in.	Green
UP72LD	72 in.	Green




Accessories

FENCING

T-Post Clips

- ✓ Post clips circle the fence post to securely hold the fence in position
- ✓ Suggested use: 5 clips per post



SKU	Gauge	Pieces/Bag
Galvanized		
TPCLIP1225	12	25

ACCESSORIES

T-Post Driver

- ✓ Steel sleeve rides over the post and guides hammer action to safely drive the post into the ground
- ✓ Eliminates the need to dig holes and simplifies installation
- ✓ Handles situated at a convenient 120° setting
- ✓ Ear protection and gloves are recommended for safety



SKU	Description	Length	Weight
Painted			
TPPWH	Red with handles	24 in.	17 lb.
TPPWHD	Red with handles	31 in.	21 lb.

WIRE PRODUCTS

Poultry Netting Staples

- ✓ For attaching poultry net (a.k.a. chicken wire) fencing to wood
- ✓ Made to conform to ASTM F1667

Size	Gauge	Crown	Approx. Count/lb.	Weight	SKU
Electrogalvanized					
3/4"	14	3/16"	500	50 lb.	34EGPNS
Hot Dipped Galvanized					
3/4"	14	3/16"	500	50 lb.	34HGPNS



Fence Staples

- ☑ Generally used for attaching woven wire fence, welded fence, or barbed wire to wooden fence posts
- ☑ Made to conform to ASTM F1667



Bright



Hot Dipped Galvanized

Size	Gauge	Crown	Approx. Count/lb.	SKU
Bright				
1"	9	1/4"	106	1FS
1-1/8"	9	1/4"	97	118FS
1-1/4"	9	1/4"	87	114FS
1-1/2"	9	1/4"	72	112FS
1-3/4"	9	1/4"	61	134FS
2"	9	1/4"	53	2FS
Cement Coated				
1-1/4"	9	1/4"	87	114CCFS
1-1/2"	9	1/4"	72	112CCFS
1-3/4"	9	1/4"	61	134CCFS

Size	Gauge	Crown	Approx. Count/lb.	SKU
Electrogalvanized				
1"	9	1/4"	106	1EGFS
1-1/8"	9	1/4"	97	118EGFS
1-1/4"	9	1/4"	87	114EGFS
1-1/2"	9	1/4"	72	112EGFS
1-3/4"	9	1/4"	61	134EGFS
2"	9	1/4"	53	2EGFS
2-1/2"	9	1/4"	26	212EGFS
Hot Dipped Galvanized				
1"	9	1/4"	106	1HGFS
1-1/8"	9	1/4"	97	118HGFS
1-1/4"	9	1/4"	87	114HGFS
1-1/2"	9	1/4"	72	112HGFS
1-3/4"	9	1/4"	61	134HGFS
2"	9	1/4"	53	2HGFS
2-1/2"	9	1/4"	26	212HGFS

Vineyard Staples

- ☑ For attaching vineyard trellis wire to vineyard post
- ☑ Made to conform to ASTM F1667

Size	Gauge	Crown	Approx. Count/lb.	SKU
Electrogalvanized				
1"	12	1/4"	201	1EG12FS
1-1/4"	12	1/4"	151	114EG12FS
1-1/2"	12	1/4"	137	112EG12FS





Accessories

FENCING



Easy, One-person Installation



ACCESSORIES



Round Wood Post Bracket

- Multi-use, fits 4-6 in. round posts
- Pre-drilled for 8 fasteners
- Reusable, attractive, and strong
- Animal-friendly with no sharp edges
- Powder-coated green finish for longevity

SKU	Material	Size	Brackets/ Master Carton
RWPBRKT	16 Gauge Steel	2-3/4 in. x 3-1/2 in.	100

WIRE
PRODUCTS

For best results, use matching green Grip-Rite® PrimeGuard Plus® Exterior Screws



Certified By



Size	Drive	Color	Tub	SKU
2" x #8	T20	Green	1 lb.	P212STT5

Rust-Oleum® is a registered trademark of Rust-Oleum Brand Company used under license by PrimeSource Building Products. ©Rust-Oleum Brand Company. All rights reserved.

A landscape photograph featuring a wire fence in the foreground. A prominent vertical wooden post stands in the center. The background shows a valley with a lake and distant mountains under a blue sky. The text 'WIRES PRODUCTS' is overlaid in white, bold, sans-serif font. A red arrow points to the right at the bottom right corner.

WIRES PRODUCTS



Wire Products

FENCING

Stone Wire

- ☑ Used with the reinforcing mesh when the house is being prepared for the stucco base coat
- ☑ 100 lb. bundle made up of eight 12.5 lb. sub bundles called “stones”



SKU	Gauge	Approx. ft./Stone	Weight/ Roll
Galvanized			
STW18	18	2,000 ft.	100 lb.

Smooth Galvanized Wire

- ☑ Intended for general fence applications or repair



ACCESSORIES

SKU	Gauge	Weight/ Roll
SWG8100	8	100 lb.
SWG910	9	10 lb.
SWG9100	9	100 lb.
SWG10100	10	100 lb.
SWG11100	11	100 lb.
SWG1210	12	10 lb.
SWG1250	12	50 lb.
SWG12100	12	100 lb.
SWG13100	13	100 lb.
SWG1410	14	10 lb.
SWG1450	14	50 lb.
SWG14100	14	100 lb.
SWG15100	15	100 lb.
SWG1610	16	10 lb.
SWG1650	16	50 lb.
SWG16100	16	100 lb.
SWG1850	18	50 lb.
SWG18100	18	100 lb.
SWG2250	22	50 lb.

WIRE PRODUCTS

DEALER RESOURCES

Hardware Cloth 24" x 1/2" x 10'

Hardware Cloth 24" x 1/2" x 10'

are Cloth 24" x 1/2" x 10'

Poultry Netting 24" x 1" x 25'

Hardware Cloth 36" x 1/2" x 10'

Hardware Cloth 36" x 1/2" x 10'

x 10'

Hardware Cloth 36" x 1/2" x 10'

Poultry Netting 36" x 1" x 50'

50'

Hardware Cloth 48" x 1/2" x 10'

Poultry Netting 48" x 1" x 100'

Hardware Cloth 48" x 1/2" x 10'



Dealer Resources

Display Racks & Signage

Become the destination for wire fence in your market with the PrimeSource stocking dealer program.



Wire Fence Display Header

SKU: GRWFHB52

- ✓ 52 in. x 14 in.



Wire Fence 4 ft. Display Rack

SKU: FENRACK34

- ✓ Customized wire fence center
- ✓ Self-merchandising packaging
- ✓ Easy inventory management
- ✓ FREE heavy-duty steel display rack and point-of-sale materials

Contact PrimeSource for programs and availability 800-676-7777



Wire Fence Box Merchandisers

- ☑ Use in seasonal or high-traffic areas
- ☑ Free standing on shelves, end caps, or floor display
- ☑ Boxes are disposable / recyclable when empty
- ☑ True shelf merchandiser with a small footprint

SKU	Gauge	Mesh	Size	Rolls/ Merchandiser
Poultry Netting — Galvanized				
PN24125BX	20	1 in. x 1 in.	24 in. x 25 ft.	6
PN36125BX	20	1 in. x 1 in.	36 in. x 25 ft.	6
Welded Hardware Cloth — Galvanized				
HC242210BX	19	1/2 in. x 1/2 in.	24 in. x 10 ft.	9
HC362210BX	19	1/2 in. x 1/2 in.	36 in. x 10 ft.	9
HC244410BX	23	1/4 in. x 1/4 in.	24 in. x 10 ft.	9
HC364410BX	23	1/4 in. x 1/4 in.	36 in. x 10 ft.	9
Welded Wire Fence — Vinyl Coated Green				
W241625GBX	16	3 in. x 2 in.	24 in. x 25 ft.	6
W361650GBX	16	3 in. x 2 in.	36 in. x 50 ft.	4

Wire Fence Gondola Fixture Display

- ☑ Designed for 4 ft. or larger displays
- ☑ Fully adjustable for all fence roll sizes, metal u-posts and t-posts
- ☑ Header boards are eye-catching and informative, helps your customers with product selection
- ☑ Uses your existing gondola-style retail fixtures





PRIMESOURCE[®]
BUILDING PRODUCTS, INC.

© 2013 PrimeSource Building Products, Inc. All right reserved.