

# SAFETY DATA SHEET

Revision Date 05-May-2015

# **1. IDENTIFICATION**

Product identifier Product Name	Black Magic 2-in-1 Engine Shine	
Other means of identification Product Code Document Synonyms	626115 SKU BM22018 None	
Recommended use of the chemical Recommended Use Uses advised against	and restrictions on use Engine Degreaser No information available	
Details of the supplier of the safety	data sheet	
Supplier Address ITW Global Brands	Manufacturer Address	<u>Distributor</u>
6925 Portwest Dr., Suite 100		
Houston, TX 77024 Company Phone Number	1-855-888-1988	
24 Hour Emergency Phone Number	(CHEMTREC) 1-800-424-9300 or 1-703-527-3 (RMPDC) 1-877-504-9352 (U.S.)	3887 (U.S.)
E-mail address	SDS@itwgb.com	

2. HAZARDS IDENTIFICATION

Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Aspiration toxicity	Category 1
Flammable aerosols	Category 2
Gases under pressure	Liquefied gas

#### Label elements

**Emergency Overview** 

# Danger

May be fatal if swallowed and enters airways Flammable aerosol Pressurized container: may burst if heated Contains gas under pressure; may explode if heated Version 1



# **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood Contents under pressure and can explode when exposed to heat or open flame Keep away from heat/sparks/open flames/hot surfaces. - No smoking Pressurized container: Do not pierce or burn, even after use Wash hands and face thoroughly after handling Use personal protective equipment as required Keep cool. Protect from sunlight

#### **Precautionary Statements - Response**

IF INHALED: Remove victim to fresh air and keep at rest

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C) Keep out of reach of children

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- May be harmful in contact with skin
- Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
DISTILLATES (PETROLEUM), HYDROTREATED	64742-47-8	15 - 40	*
LIGHT			
WATER	7732-18-5	10 - 30	*
OXYGENATED SOLVENT	34590-94-8	5 - 10	*
PROPANE (PROPELLANT)	74-98-6	3 - 7	*
ISOBUTANE (PROPELLENT)	75-28-5	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

# Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing
Most important symptoms and eff	ects, both acute and delayed
Symptoms	See section 2 for more information.
Indication of any immediate medio	cal attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
<u>Unsuitable extinguishing media</u> None. <u>Specific hazards arising from the</u> Combustible material. Contents und	<u>chemical</u> er pressure and can explode when exposed to heat or flames.
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. May be ignited by heat, sparks or flames.
Protective equipment and precaute As in any fire, wear self-contained by protective gear.	tions for firefighters reathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective	equipment and emergency procedures
Personal precautions	Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas Avoid contact with eyes and skin. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.
Methods and material for contain	nent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and show

	into suitable containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Do not puncture or incinerate cans. Contents under pressure. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin and eyes. Use personal protective equipment as required. Extremely slippery when spilled.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Keep out of the reach of children.	
Incompatible materials	Strong oxidizing agents	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
OXYGENATED SOLVENT 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
PROPANE (PROPELLANT) 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

### Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state

Flammable Aerosol; Liquid

Appearance	White liquid	
Odor	Hydrocarbon	
Odor threshold	No information available	
Property_	Values	Remarks • Method
H	9.0 - 10.0	<u></u>
Melting point / freezing point	No information available	
Boiling point / boiling range	100 °C / 212 °F	
Flash point	Not Applicable	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	Typical 0.91 @ 20° C	
Water solubility	Negligible	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening point	No information available	
Softening point Molecular weight	No information available	
VOC Content (%)	8.0	
Density	908 gm/cm3 @ 20° C	
Bulk density	No information available	

# **10. STABILITY AND REACTIVITY**

# Reactivity

Stable under normal use

# Chemical stability

Stable under recommended storage conditions

#### Possibility of Hazardous Reactions

None under normal processing.

## Conditions to avoid

Keep away from all heat sources, open flames and other sources of ignition.

# Incompatible materials

Strong oxidizing agents

## Hazardous Decomposition Products

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

**Eye contact** Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

# Skin contact May cause skin irritation and/or dermatitis.

Ingestion Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
WATER 7732-18-5	> 90 mL/kg (Rat)	-	-
OXYGENATED SOLVENT 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
PROPANE (PROPELLANT) 74-98-6	-	-	= 658 mg/L (Rat)4 h

#### Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Target Organ Effects	Central nervous system.

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	6641 mg/kg
ATEmix (dermal)	3903 mg/kg
ATEmix (inhalation-gas)	5232084 mg/l

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	4720: 96 h Den-dronereides heteropoda mg/L LC50
OXYGENATED SOLVENT 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	1919: 48 h Daphnia magna mg/L LC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### <u>Mobility</u>

Disperses in water.

Chemical Name	Partition coefficient
OXYGENATED SOLVENT 34590-94-8	-0.064
PROPANE (PROPELLANT) 74-98-6	2.3

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

<u>DOT</u> UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols, Consumer Commodity, Limited Quantity (LQ) 2.2
IATA UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols, Consumer commodity, Limited Quantity (LQ) 2.2
IMDG UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols, Consumer Commodity, Limited Quantity (LQ) 2.2

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Not determined
IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AICS	Not determined

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

# US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PROPANE (PROPELLANT) 74-98-6	Х	X	Х
SODIUM HYDROXIDE 1310-73-2	Х	X	Х

# U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

Non-controlled

NFPA HMIS	Health hazards 2 Health hazards 2	Flammability 1 Flammability 1	Instability 0 Physical hazards 0	- Personal protection B
NFPA (National Fire Protec HMIS (Hazardous Material	,			
Revision Date	05-May-2	015		

Revision Date Revision Note

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

4

#### End of Safety Data Sheet