

INNOVATIVE DRAINAGE AND WATER CONSERVATION SOLUTIONS



WATER MANAGEMENT PRODUCT CATALOG



OUR THINKING CONTINUES TO MAKE WAVES.

From construction and agriculture to residential and recreation, Hancor offers innovative drainage solutions for a variety of industries and applications worldwide. Among the first companies to manufacture HDPE pipe, Hancor continues to build on its legacy by addressing our customers' most critical issues including structural integrity, cost-efficiency, ease of installation and lasting performance.

For over 100 years, Hancor products have proven their rugged durability in a wide range of the most demanding field applications. It's no wonder so many engineers and contractors recognize Hancor polyethylene to be the superior choice, providing better value and delivering better performance over concrete, PVC or metal.

Your Hancor sales representative has been extensively trained in our products and their applications, and has the knowledge and experience to answer your questions and provide you with any additional information you need. If you would like a more in-depth look at our company please visit our web site at www.hancor.com.

IN THIS CATALOG

You'll find our complete line of Hancor offerings divided into product categories to make your search easier. An Application matrix, located in the beginning of the catalog, helps to identify typical product usage defining solutions for your project requirements. Product Characteristic matrixes, located in front of each product section, help define features, benefits and general product uniqueness.

TABLE OF CONTENTS

PRODUCT APPLICATIONS

Matrix of appropriate applications for all products4-5

PIPE

Dual Wall

- Characteristics6
- Sanitary / Industrial / Irrigation Drainage7
- Storm Drainage8-10

Single Wall

- Characteristics11
- Storm Drainage12-16

FITTINGS

Dual Wall17-33

Single Wall34-38

PVC In-Line Drains & Catch Basins39-51

Outflow Accessories52

Water Control Structure53

RETENTION/DETENTION SYSTEMS54-59

STORM WATER TREATMENT60-67

ENVIROCHAMBERS68

TANKS69-71

WASTE WATER ACCESSORIES72

METER PITS73

FOUNDATION DRAINAGE PRODUCTS74

GEOSYNTHETICS75-76

ACCESSORIES77

COMPARATIVE ANALYSIS78



RESALE ITEMS – MARKED WITH 

– ARE PRODUCTS OFFERED FOR SALE
BUT NOT MANUFACTURED BY HANCOR.

STANDARD AND METRIC UNITS ARE PROVIDED ON PRODUCTS THROUGHOUT THE CATALOG. UNLESS STATED OTHERWISE, METRIC UNITS SHOULD BE USED FOR REFERENCE PURPOSES ONLY. PRODUCTS SUBJECT TO CHANGE WITHOUT NOTICE. ALL SALES OF OUR PRODUCT ARE SUBJECT TO A LIMITED WARRANTY AND PURCHASERS ARE SOLELY RESPONSIBLE FOR INSTALLATION AND USE OF OUR PRODUCTS AND DETERMINING WHETHER A PRODUCT IS SUITED FOR ANY SPECIFIC NEEDS. PLEASE CONSULT A FULL COPY OF HANCOR'S TERMS AND CONDITIONS FOR SALE FOR FURTHER DETAILS.

PRODUCT APPLICATIONS

APPLICATIONS	LOW-HEAD TRANS- MISSION	SANITITE™	BLUE SEAL®	SURE-LOK® F477 BELL-AND- SPIGOT	Hi-Q®	ECOFIRST® BELL-AND- SPIGOT	ECOFIRST® PLAIN END	AASHTO	HEAVY DUTY
CONSTRUCTION PRODUCTS									
STORM SEWERS			●	●	●	●	●		
RETENTION/DETENTION			●	●	●	●	●		
CULVERTS/CROSS DRAINS			●	●	●	●	●	●	
SLOPE/EDGE DRAINS			●	●	●	●	●	●	●
MINING/FORESTRY/INDUSTRIAL			●	●	●	●	●	●	●
POST TENSIONING									
RESIDENTIAL PRODUCTS									
FOUNDATION/EDGE DRAINS				●	●	●	●		●
DOWNSPOUTS/ROOF DRAINAGE				●	●	●	●		●
CULVERTS			●	●	●	●	●	●	●
SUB DRAINAGE									●
ON-SITE WASTE MANAGEMENT									
POND OVERFLOW			●						
RECREATION PRODUCTS									
PATHS/WALKWAYS/EDGE DRAINS				●	●	●	●		●
SPORTS PLAYING FIELDS			●	●	●	●	●	●	●
CULVERTS				●	●	●	●	●	●
PARKING LOT DRAINAGE			●	●	●			●	●
GOLF COURSE DRAINAGE				●	●	●	●	●	●
LANDSCAPE/SUB DRAINAGE						●	●		●
POND EQUALIZER			●						
AGRICULTURAL PRODUCTS									
FIELD DRAINAGE						●	●		●
GRAIN AERATION				●	●				●
LAND RECLAMATION				●	●	●	●		●
POND OVERFLOWS			●						
WATERWAYS				●	●	●	●	●	●
TERRACING				●	●	●	●	●	●
DITCH ENCLOSURES			●	●	●				●
SANITARY SEWER/INDUSTRIAL PRODUCTS									
SANITARY SEWER TRUNK LINES		●							
INDUSTRIAL WASTE		●							
IRRIGATION TRANSMISSION LINES	●		●						

SUGGESTED PRODUCTS AND APPLICATIONS ARE PROVIDED FOR GENERAL GUIDANCE ONLY.
CONTACT A HANCOR REPRESENTATIVE TO DISCUSS THE PRODUCTS ACCEPTABLE FOR SPECIFIC APPLICATIONS.

PRODUCT APPLICATIONS

APPLICATIONS	CO-EX	CHANNEL MUCK	CHANNEL-FLOW*	GRAVELLESS	SMOOTH WALL	TURF FLOW*	POST TENSIONING DUCT
CONSTRUCTION PRODUCTS							
STORM SEWERS							
RETENTION/DETENTION							
CULVERTS/CROSS DRAINS							
SLOPE/EDGE DRAINS							
MINING/FORESTRY/INDUSTRIAL							
POST TENSIONING							●
RESIDENTIAL PRODUCTS							
FOUNDATION/EDGE DRAINS					●	●	
DOWNSPOUTS/ROOF DRAINAGE					●		
CULVERTS					●		
SUB DRAINAGE					●	●	
ON-SITE WASTE MANAGEMENT			●	●	●		
POND OVERFLOW							
RECREATION PRODUCTS							
PATHS/WALKWAYS/EDGE DRAINS					●	●	
SPORTS PLAYING FIELDS					●	●	
CULVERTS							
PARKING LOT DRAINAGE							
GOLF COURSE DRAINAGE					●	●	
LANDSCAPE/SUB DRAINAGE					●	●	
POND EQUALIZER							
AGRICULTURAL PRODUCTS							
FIELD DRAINAGE	●	●					
GRAIN AERATION							
LAND RECLAMATION	●	●					
POND OVERFLOWS							
WATERWAYS							
TERRACING							
DITCH ENCLOSURES							

DUAL WALL PIPE

LOW-HEAD TRANSMISSION, SANITITE™, BLUE SEAL®, SURE-LOK® F477, ECOFIRST® & HI-Q®

CHARACTERISTICS


PRODUCT	DESCRIPTION	DIAMETER RANGE	LENGTH	CONNECTION	SPECIFICATIONS/ PERFORMANCE
DUAL WALL					
LOW-HEAD TRANSMISSION	Annular Corrugation with Smooth Interior manufactured with HDB resins. 24"-60" (600-1500mm) diameters have a reinforced bell-and-spigot including a bell tolerance device covered with a protective wrap. The gasket is reinforced with a closed cell structural foam core.	18"-60" (450-1500mm)	18"-30" (450-750mm) 13' or 20' (3.9 or 6m) 36"-60" (900-1500mm) 13' or 20.5' (3.9 or 6.24m)	Bell-and-spigot with rubber gasket meeting ASTM F477 providing testable watertight performance.	18"-60" (450-1500mm) meets a modified ASTM F894.
SANITITE	Annular Corrugation with Smooth Interior manufactured with HDB resins. 24"-60" (600-1500mm) diameters have a reinforced bell-and-spigot including a bell tolerance device covered with a protective wrap. The gasket is reinforced with a closed cell structural foam core.	18"-60" (450-1500mm)	18"-30" (450-750mm) 13' or 20' (3.9 or 6m) 36"-60" (900-1500mm) 13' or 20.5' (3.9 or 6.24m)	Bell-and-spigot with rubber gasket meeting ASTM F477 providing testable watertight performance.	18"-60" (450-1500mm) meets a modified ASTM F894.
BLUE SEAL	Annular Corrugation with Smooth Interior 24"-60" (600-1500mm) diameters have a reinforced bell-and-spigot including a bell tolerance device covered with a protective wrap. The gasket is reinforced with a closed cell structural foam core.	12"-60" (300-1500mm)	12"-30" (300-750mm) 20' (6m) 36"-60" (900-1500mm) 20.5' (6.24m)	Bell-and-spigot with rubber gasket meeting ASTM F477 providing testable watertight performance.	12"-60" (300-1500mm) meets AASHTO M294, Type S.
SURE-LOK F477	Annular Corrugation with Smooth Interior.	4"-60" (100-1500mm)	4"-30" (100-750mm) 20' (6m) 36"-60" (900-1500mm) 20.5' (6.24m)	Bell-and-spigot with rubber gasket meeting ASTM F477 providing testable soil- and silt-tight performance.	4"-10" (100-250mm) meets AASHTO M252, Type S. 12"-60" (300-1500mm) meets AASHTO M294, Type S.
ECOFIRST	Annular Corrugation with Smooth Interior made from recycled polyethylene.	4"-60" (100-1500mm)	4"-30" (100-750mm) 20' (6m) 12"-30" (300-750mm) Plain End 30' (9m) 12"-30" (300-750mm) Bell-and-Spigot 9.4' (2.8m) 36"-60" (900-1500mm) Bell-and-Spigot 20.5' (6.24m)	Bell-and-spigot with rubber gasket meeting ASTM F477 providing soil- and silt-tight performance. Plain end External snap or split band couplers depending on diameter.	4"-8" (100-200mm) meets requirements of AASHTO M252, Type S, except raw material requirements. 12"-30" (300-750mm) meets requirements of AASHTO M294, Type S, except raw material requirements.
HI-Q	Annular Corrugation with Smooth Interior.	4"-30" (100-750mm)	20' (6m)	External snap or split band couplers depending on diameter.	4"-10" (100-250mm) meets AASHTO M252, Type S. 12"-30" (300-750mm) meets AASHTO M294, Type S.

DUAL WALL PIPE


SANITARY / INDUSTRIAL / IRRIGATION DRAINAGE
LOW-HEAD TRANSMISSION & SANITITE™

10" - 60" DUAL WALL PIPE OFFERINGS


INSIDE DIAMETER	STYLE	STANDARD LENGTHS	SANITITE	LOW-HEAD TRANSMISSION
18" (450mm)	plain	13' (3.9m)* 20.5' (6.24m)	HP SLT 18 0013 HP SLT 18 0020	HP RLT 18 0013 HP RLT 18 0020
24" (600mm)	plain	13' (3.9m)* 20.5' (6.24m)	HP SLT 24 0013 HP SLT 24 0020	HP RLT 24 0013 HP RLT 24 0020
30" (750mm)	plain	13' (3.9m)* 20.5' (6.24m)	HP SLT 30 0013 HP SLT 30 0020	HP RLT 30 0013 HP RLT 30 0020
36" (900mm)	plain	12.5' (3.8m) 20.5' (6.24m)	HP SLT 36 0013 HP SLT 36 0020	HP RLT 36 0013 HP RLT 36 0020
42" (1050mm)	plain	12.5' (3.8m) 20.5' (6.24m)	HP SLT 42 0013 HP SLT 42 0020	HP RLT 42 0013 HP RLT 42 0020
48" (1200mm)	plain	12.5' (3.8m) 20.5' (6.24m)	HP SLT 48 0013 HP SLT 48 0020	HP RLT 48 0013 HP RLT 48 0020
54" (1350mm)	plain	12.5' (3.8m) 20.5' (6.24m)	HP SLT 54 0013 HP SLT 54 0020	HP RLT 54 0013 HP RLT 54 0020
60" (1500mm)	plain	12.5' (3.8m) 20.5' (6.24m)	HP SLT 60 0013 HP SLT 60 0020	HP RLT 60 0013 HP RLT 60 0020




18"-30" (450-750mm)
SANITITE



36"-60" (900-1500mm)
SANITITE



18"-30" (450-750mm)
LOW-HEAD TRANSMISSION



36"-60" (900-1500mm)
LOW-HEAD TRANSMISSION







*CONTACT HANCOR FOR AVAILABILITY.

DUAL WALL PIPE

STORM DRAINAGE

ECOFIRST[®], HI-Q[®], SURE-LOK[®] F477 & BLUE SEAL[®]

4" - 8" DUAL WALL PIPE OFFERINGS

INSIDE DIA.	OUTSIDE DIA.	STD LGTH	STYLE	ECOFIRST REC BELL-AND-SPIGOT	ECOFIRST PLAIN END	ECOFIRST BELL-AND-SPIGOT	HI-Q PLAIN END	SURE-LOK F477 BELL-AND-SPIGOT	BLUE SEAL BELL-AND-SPIGOT
4" (100mm)	4.7" (119mm)	20' (6m)	plain perf perf/wrap	DX RLC 04 0020 DX RFC 04 0020	DW PLN 04 0020 DW PFN 04 0020	DW SR7 04 0020 DW FR7 04 0020	DW PL1 04 0020 DW PF1 04 0020 DW PWK 04 0020	DW S47 04 0020 DW F47 04 0020 DW SK7 04 0020	DW S10 04 0020
6" (150mm)	6.9" (175mm)	20' (6m)	plain perf perf/wrap	DX RLC 06 0020 DX RFC 06 0020	DW PLN 06 0020 DW PFN 06 0020	DW SR7 06 0020 DW FR7 06 0020	DW PL1 06 0020 DW PF1 06 0020 DW PWK 06 0020	DW S47 06 0020 DW F47 06 0020 DW SK7 06 0020	DW S10 06 0020
8" (200mm)	9.4" (239mm)	20' (6m)	plain perf perf/wrap	DX RLC 08 0020 DX RFC 08 0020	DW PLN 08 0020 DW PFN 08 0020	DW SR7 08 0020 DW FR7 08 0020	DW PL1 08 0020 DW PF1 08 0020 DW PWK 08 0020	DW S47 08 0020 DW F47 08 0020 DW SK7 08 0020	DW S10 08 0020
									
				4"-8" (100-200mm) ECOFIRST REC BELL-AND-SPIGOT	4"-8" (100-200mm) ECOFIRST PLAIN END	4"-8" (100-200mm) ECOFIRST BELL-AND-SPIGOT	4"-8" (100-200mm) HI-Q PLAIN END	4"-8" (100-200mm) SURE-LOK F477 BELL-AND-SPIGOT	4"-8" (100-200mm) BLUE SEAL BELL-AND-SPIGOT


DUAL WALL PIPE

STORM DRAINAGE


ECOFIRST®, HI-Q®, SURE-LOK® F477 & BLUE SEAL®

10" - 18" DUAL WALL PIPE OFFERINGS


INSIDE DIA.	OUTSIDE DIA.	STANDARD LENGTHS	STYLE	ECOFIRST REC BELL-AND-SPIGOT	ECOFIRST PLAIN END	ECOFIRST BELL-AND-SPIGOT	HI-Q PLAIN END	SURE-LOK F477 BELL-AND-SPIGOT	BLUE SEAL BELL-AND-SPIGOT
10" (250mm)	11.9" (303mm)	20' (6m)	plain perf perf/wrap	DX RLC 10 0020 DX RFC 10 0020	DX PLN 10 0020 DX PFN 10 0020	DX S47 10 0020 DX F47 10 0020 DX K47 10 0020	DW PL1 10 0020 DW PF1 10 0020 DW PWK 10 0020	DR S47 10 0020 DR F47 10 0020 DR K47 10 0020	DW S10 10 0020
12" (300mm)	14.2" (361mm)	9.4' (2.8m) 20' (6m) 30' (9m)	plain plain perf perf/wrap plain		DX PLN 12 0020 DX PFN 12 0020 DX PLN 12 0030	DX S47 12 009 DX S47 12 0020 DX F47 12 0020 DX K47 12 0020	DW PL1 12 0020 DW PF1 12 0020 DW PWK 12 0020	DR S47 12 0020 DR F47 12 0020 DR K47 12 0020	DR AWT 12 0020
15" (375mm)	17.7" (450mm)	9.4' (2.8m) 20' (6m) 30' (9m)	plain plain perf perf/wrap plain		DX PLN 15 0020 DX PFN 15 0020 DX PLN 15 0030	DX S47 15 009 DX S47 15 0020 DX F47 15 0020 DX K47 15 0020	DW PL1 15 0020 DW PF1 15 0020 DW PWK 15 0020	DR S47 15 0020 DR F47 15 0020 DR K47 15 0020	DR AWT 15 0020
18" (450mm)	21.5" (546mm)	9.4' (2.8m) 20' (6m) 30' (9m)	plain plain perf perf/wrap plain		DX PLN 18 0020 DX PFN 18 0020 DX PLN 18 0030	DX S47 18 009 DX S47 18 0020 DX F47 18 0020 DX K47 18 0020	DW PL1 18 0020 DW PF1 18 0020 DW PWK 18 0020	DR S47 18 0020 DR F47 18 0020 DR K47 18 0020	DR AWT 18 0020




10"-18" (250-450mm)
ECOFIRST REC
BELL-AND-SPIGOT




10"-18" (250-450mm)
ECOFIRST
PLAIN END




10"-18" (250-450mm)
ECOFIRST
BELL-AND-SPIGOT



10"-18" (250-450mm)
HI-Q
PLAIN END



10"-18" (250-450mm)
SURE-LOK F477
BELL-AND-SPIGOT



10"-18" (250-450mm)
BLUE SEAL
BELL-AND-SPIGOT


DUAL WALL PIPE

STORM DRAINAGE

ECOFIRST® , HI-Q®, SURE-LOK® F477 & BLUE SEAL®

24"- 60" DUAL WALL PIPE OFFERINGS


INSIDE DIA.	OUTSIDE DIA.	STANDARD LENGTHS	STYLE	ECOFIRST PLAIN END	ECOFIRST BELL-AND-SPIGOT	HI-Q PLAIN END	SURE-LOK F477 BELL-AND-SPIGOT	BLUE SEAL BELL-AND-SPIGOT
24" (600mm)	28.4" (721mm)	9.4' (2.8m) 20' (6m)* 30' (9m)	plain plain perf perf/wrap plain	DX PLN 24 0020 DX PFN 24 0020 DX PLN 24 0030	DX S47 24 009 DX S47 24 0020 DX F47 24 0020 DX K47 24 0020	DW PL1 24 0020 DW PF1 24 0020 DW PWK 24 0020	DR S47 24 0020 DR F47 24 0020 DR K47 24 0020	DR 108 24 0020
30" (750mm)	36.0" (900mm)	9.4' (2.8m) 20' (6m)* 30' (9m)	plain plain perf perf/wrap plain	DX PLN 30 0020 DX PFN 30 0020 DX PLN 30 0030	DX S47 30 009 DX S47 30 0020 DX F47 30 0020 DX K47 30 0020	DW PL1 30 0020 DW PF1 30 0020	DR S47 30 0020 DR F47 30 0020	DR 108 30 0020
36" (900mm)	41.4" (1052mm)	20.5' (6.24m)	plain perf		DX S47 36 0020 DX F47 36 0020			DW 108 36 0020
42" (1050mm)	48.0" (1200mm)	20.5' (6.24m)	plain perf		DX S47 42 0020 DX F47 42 0020			DW 108 42 0020
48" (1200mm)	55.0" (1397mm)	20.5' (6.24m)	plain perf		DX S47 48 0020 DX F47 48 0020			DW 108 48 0020
54" (1350mm)	61.0" (1549mm)	20.5' (6.24m)	plain perf		DX S47 54 0020			DW 108 54 0020
60" (1500mm)	67.3" (1709mm)	20.5' (6.24m)	plain perf		DX S47 60 0020 DX F47 60 0020			DW 108 60 0020



24"-30" (600-750mm)
**ECOFIRST
PLAIN END**




24"-30" (600-750mm)
**ECOFIRST
BELL-AND-SPIGOT**




24"-30" (600-750mm)
**HI-Q
PLAIN END**



24"-30" (600-750mm)
**SURE-LOK F477
BELL-AND-SPIGOT**




24"-30" (600-750mm)
**BLUE SEAL
BELL-AND-SPIGOT**



36"-60" (900-1500mm)
**ECOFIRST
BELL-AND-SPIGOT**



36"-60" (900-1500mm)
**SURE-LOK F477
BELL-AND-SPIGOT**



36"-60" (900-1500mm)
**BLUE SEAL
BELL-AND-SPIGOT**

*CONTACT YOUR LOCAL HANCOR REPRESENTATIVE FOR LENGTH AVAILABILITY BY REGION.

SINGLE WALL PIPE

CHARACTERISTICS

PRODUCT	DESCRIPTION	DIAMETER RANGE	LENGTH	CONNECTION	SPECIFICATIONS/ PERFORMANCE
SINGLE WALL					
AASHTO PIPE	Annular corrugated single wall	3" - 24" (75 - 600mm)	100' - 4900' (30 - 1470m) coil for 3" - 6" (75 - 150mm) diameter pipe 20' (6m) for 8" - 24" (200 - 600mm) diameter pipe	Internal, external snap or split band couplers	3" - 10" (75 - 250mm): AASHTO M252 Type C 12" - 24" (300 - 600mm): AASHTO M294 Type C
HEAVY DUTY PIPE	Annular corrugated single wall	3" - 8" (75 - 200mm)	10' - 20' (3 - 6m) sticks, 100' - 4900' (30 - 1470m) coils, depending on the diameter	Internal, external snap or split band couplers	3" - 6" (75 - 150mm): ASTM F405 8" (200mm): ASTM F667
CO-EX	Annular corrugated single wall with white exterior and black interior	3" - 4" (75 - 100mm)	100' - 2900' (30 - 870m) depending on the diameter	Internal or external snap couplers	ASTM F405
CHANNEL MUCK PIPE	Annular corrugated single wall with 3/4" holes	4" - 6" (100 - 150mm)	100' - 2900' (30 - 870m) depending on the diameter	Internal or external snap couplers	ASTM F405
CHANNEL-FLOW® PIPE	Annular corrugated single wall having 3/4" holes	4" (100mm)	10' - 250' (3 - 75m)	Internal or external snap couplers	ASTM F405
GRAVELLESS PIPE	Annular corrugated single wall wrapped in geotextile fabric with 5/8" holes	8" (200mm) 10" (250mm)	10' - 20' (3 - 6m)	Split band or internal snap coupler	ASTM F667
SMOOTHWALL PIPE	Smooth white exterior and smooth black interior	3" (75mm) 4" (100mm) 6" (150mm)	10' (3m)	Bell-and-spigot	ASTM F810
TURF FLOW® PIPE	Spiral corrugated single wall	2" (50mm)	Rolls up to 500' (150m)	External couplers	Local/Manufacturer's recommendations
POST TENSIONING DUCT	Spiral corrugated single wall	2" (50mm)	500' (150m)	External couplers	Local/Manufacturer's recommendations
GRAIN-DRI® GRAIN AERATION PIPE	Annular corrugated single and dual wall	10" (250 mm) 12" (300mm) 15" (375mm) 18" (450mm)* 24" (600mm)*	20' (6m)	Split band coupler	Local/Manufacturer's recommendations


*DUAL WALL PIPE

SINGLE WALL PIPE

AASHTO

3" - 24" AASHTO SINGLE WALL

INSIDE DIAMETER	OUTSIDE DIAMETER	STANDARD LENGTHS	STYLE	PRODUCT CODE
3" (75mm)	3.6" (91mm)	250' (75m)	Plain	AH PL1 03 0250
		250' (75m)	Perf	AH PF1 03 0250
		4900' (1470m)	Perf/wrap	AH PF1 03 4900
		4900' (1470m)		AH PWT 03 4900
4" (100mm)	4.6" (117mm)	250' (75m)	Plain	AH PL1 04 0250
		250' (75m)	Perf	AH PF1 04 0250
		2900' (870m)	Perf/wrap	AH PF1 04 2900
		3200' (960m)		AH PWK 04 0250
				AH PWK 04 2900
6" (150mm)	7.0" (178mm)	100' (30m) 1300' (390m)	Plain	AH PL1 06 0100
				AH PL1 06 1300
			Perf	AH PF1 06 0100
				AH PF1 06 1300
			Perf/wrap	AH PWK 06 0100
				AH PWK 06 1300
8" (200mm)	9.5" (241mm)	20' (6m)	Plain	AH PL1 08 0020
			Perf	AH PF1 08 0020
			Perf/wrap	AH PWK 08 0020
10" (250mm)	12.0" (300mm)	20' (6m)	Plain	HY PL1 10 0020
			Perf	HY PF1 10 0020
			Perf/wrap	HY PWK 10 0020
12" (300mm)	14.2" (361mm)	20' (6m)	Plain	HY PL1 12 0020
			Perf	HY PF1 12 0020
			Perf/wrap	HY PWK 12 0020
15" (375mm)	17.7" (450mm)	20' (6m)	Plain	HY PL1 15 0020
			Perf	HY PF1 15 0020
			Perf/wrap	HY PWK 15 0020
18" (450mm)	21.5" (546mm)	20' (6m)	Plain	HY PL1 18 0020
			Perf	HY PF1 18 0020
			Perf/wrap	HY PWK 18 0020
24" (600mm)	28.4" (721mm)	20' (6m)	Plain	HY PL1 24 0020
			Perf	HY PF1 24 0020
			Perf/wrap	HY PWK 24 0020




SINGLE WALL PIPE

HEAVY DUTY, CO-EX

3" - 24" HEAVY DUTY SINGLE WALL


INSIDE DIAMETER	STANDARD LENGTHS	STYLE	PRODUCT CODE
3" (75mm)	10' (3m) 100' (30m) 250' (75m)	Plain	HY PL1 03 0010
			HY PL1 03 0100
			HY PL1 03 0250
	10' (3m) 100' (30m) 250' (75m) 4900' (1470m)	Perf	HY PF1 03 0010
			HY PF1 03 0100
			HY PF1 03 0250
	100' (30m) 250' (75m) 4900' (1470m)	Perf/wrap	HY PWK 03 0100
			HY PWK 03 0250
			HY PWK 03 4900
4" (100mm)	10' (3m) 100' (30m) 250' (75m)	Plain	HY PL1 04 0010
			HY PL1 04 0100
			HY PL5 04 0250
	10' (3m) 100' (30m) 250' (75m) 2900' (870m) 3200' (960m)	Perf	HY PF1 04 0010
			HY PF1 04 0100
			HY PF5 04 0250
	100' (30m) 250' (75m) 2900' (870m) 3200' (960m)	Perf/wrap	HY PF5 04 2900
			HY PF5 04 3200
			HY PWK 04 0100
6" (150mm)	10' (3m) 20' (6m) 100' (30m) 1300' (390m)	Plain	HY PL1 06 0010
			HY PL1 06 0020
			HY PL1 06 0100
	100' (30m) 1300' (390m)	Perf	HY PL1 06 1300
			HY PF1 06 0010
			HY PF1 06 0020
	100' (30m) 1300' (390m)	Perf/wrap	HY PF1 06 0100
			HY PF1 06 1300
			HY PWK 06 0100
8" (200mm)	20' (6m) 720' (216m)	Plain	HY PWK 06 1300
			HY PL1 08 0020
			HY PL1 08 0720
		Perf	HY PF1 08 0020
			HY PF1 08 0720
			HY PWK 08 0020
10" - 24" (250 - 600mm)	See AASHTO PIPE pg.12		HY PWK 08 0720



HEAVY DUTY PIPE

4" CO-EX SINGLE WALL

INSIDE DIAMETER	OUTSIDE DIAMETER	STANDARD LENGTHS	STYLE	PRODUCT CODE
4" (100mm)	4.6" (117mm)	100' (30m)	Plain	CX PL1 04 0100
		250' (75m)		CX PL1 04 0250
		100' (30m)	Perf	CX PF1 04 0100
		250' (75m) 2900' (870m)		CX PF1 04 0250 CX PF1 04 2900





CO-EX PIPE

SINGLE WALL PIPE

CHANNEL MUCK, CHANNEL-FLOW®, GRAVELLESS

4", 5", 6" CHANNEL MUCK SINGLE WALL

INSIDE DIAMETER	OUTSIDE DIAMETER	STANDARD LENGTHS	STYLE	PRODUCT CODE
4" (100mm)	4.7" (119mm)	100' (30m)	Perf 3-hole, 360°	CM 341 04 0100
		250' (75m)		CM 341 04 0250
		2900' (870m)		CM 341 04 2900
		250' (75m)	Perf/Wrap	CM 3WK 04 0250
5" (125mm)	5.9" (150mm)	180' (54m)	Perf 3-hole, 360°	CM 341 05 0180
		1800' (540m)		CM 341 05 1800
				CM 3WK 05 0180
			Perf/Wrap	CM 3WK 05 1800
6" (150mm)	6.9" (175mm)	100' (30m)	Perf 3-hole, 360°	CM 341 06 0100
		1300' (390m)		CM 341 06 1300
				CM 3WK 06 0100
			Perf/Wrap	CM 3WK 06 1300





3 Hole, 360°

CHANNEL MUCK PIPE

4" CHANNEL-FLOW SINGLE WALL


INSIDE DIAMETER	STANDARD LENGTHS	STYLE	PRODUCT CODE
4" (100mm)	10' (3m)	Perf 2-hole, 120°	CF 221 04 0010
	10' (3m)	Perf 3-hole, 120°	CF 321 04 0010
	100' (30m)		CF 321 04 0100
	250' (75m)		CF 321 04 0250
	10' (3m)	Perf 3-hole, 360°	CF 341 04 0010



Option 1:
3 Hole, 120°



Option 2:
2 Hole, 120°





Option 3:
3 Hole, 360°

CHANNEL-FLOW PIPE

8"- 10" GRAVELLESS SINGLE WALL

INSIDE DIAMETER	STANDARD LENGTHS	STYLE	PRODUCT CODE
8" (200mm)	10' (3m)	Perf/wrap	CF LWC 08 0010
	20' (6m)		CF LWC 08 0020
10" (250mm)	10' (3m)	Perf/wrap	CF LWC 10 0010
	20' (6m)		CF LWC 10 0020

SYNTHETIC FILTER WRAP






GRAVELLESS PIPE

SINGLE WALL PIPE


SMOOTHWALL, TURF FLOW®

3", 4", 6" SMOOTHWALL SINGLE WALL

INSIDE DIAMETER	OUTSIDE DIAMETER	STANDARD LENGTHS	STYLE	PRODUCT CODE
3" (75mm)	3.25" (83mm)	10' (3m)	Plain	DW 0ER 03 0010
			2-hole, 120°	DW 2ER 03 0010
4" (100mm)	4.215" (107mm)	10' (3m)	Plain	DW 0ER 04 0010
			2-hole, 120°	DW 2ER 04 0010
			3-hole, 120° ⁵ / ₈ "	DW 3ER 04 0010
			3-hole, 120° ³ / ₄ "	DW 334 04 0010
			3-hole, 360°	DW 4ER 04 0010
6" (150mm)	6.275" (159mm)	10' (3m)	Plain	DW 0ER 06 0010
			2-hole, 120°	DW 2ER 06 0010
			3-hole, 120°	DW 3ER 06 0010



SMOOTHWALL PIPE



TURF FLOW PIPE

2" TURF FLOW SINGLE WALL*

INSIDE DIAMETER	OUTSIDE DIAMETER	STANDARD LENGTHS	STYLE	PRODUCT CODE
2" (50mm)	2.4" (61mm)	100' (30m)	Plain	TF PL1 02 0100
			Wide Slot	TF WS1 02 0100
		118' (35.4m)	Wide Slot	TF WS1 02 0118
			Wide Slot with Wrap	TF PWK 02 0118
		500' (150m)	Narrow Slot	TF NS1 02 0500


*All prices are F.O.B. Orgin (Findlay, OH).

SINGLE WALL PIPE

POST-TENSIONING DUCT, GRAIN-DRI™

POST-TENSIONING DUCT

DIAMETER	STANDARD LENGTH	PRODUCT CODE
2" (50mm)	500' (150m)	PT PL1 02 0500




POST-TENSIONING DUCT

GRAIN-DRI

GRAIN AERATION PIPE

	DESCRIPTION	PRODUCT CODE
Single Wall Pipe	10" (250mm) Grain-Dri Pipe 20' L	AE D31 10 0020
	12" (300mm) Grain-Dri Pipe 20' L	AE D31 12 0020
	15" (375mm) Grain-Dri Pipe 20' L	AE D31 15 0020
Dual Wall Pipe	18" (450mm) Grain-Dri Pipe 20' L	AE D31 18 0020
	24" (600mm) Grain-Dri Pipe 20' L	AE D31 24 0020
Screen Fabric	12" (300mm) Grain-Dri Screen Fabric, 100' RL	FW G00 12 0100
	15" (375mm) Grain-Dri Screen Fabric, 100' RL	FW G00 15 0100
	18" (450mm) Grain-Dri Screen Fabric, 100' RL	FW G00 18 0100
	24" (600mm) Grain-Dri Screen Fabric, 100' RL	FW G00 24 0100





GRAIN-DRI PIPE

COUPLERS, REPAIR KITS

HI-Q®, SURE-LOK® & ECOFIRST®


4" - 30" HI-Q, ECOFIRST PLAIN END COUPLERS

DIAMETER	TYPE	PRODUCT CODE	
		Coupler only	Coupler with Gasket
6" (150mm)	Snap	FC CSB 06 0000	
8" (200mm)	Snap	FC CPB 08 0000	
10" (250mm)	Split band	FC CPB 10 0000	FC CPG 10 0000
12" (300mm)	Split band	FC CPB 12 0000	FC CPG 12 0000
15" (375mm)	Split band	FC CPB 15 0000	FC CPG 15 0000
18" (450mm)	Split band	FC CPB 18 0000	FC CPG 18 0000
24" (600mm)	Split band	FC CPB 24 0000	FC CPG 24 0000
30" (750mm)	Split band	FC CPB 30 0000	FC CPG 30 0000
36" (900mm)	Split band	FC CPB 36 0000	
48" (1200mm)	Split band	FC CPB 48 0000	


SNAP COUPLER

SPLIT BAND COUPLER

4" - 60" SURE-LOK, ECOFIRST CUT & JOIN KITS

DIAMETER	PRODUCT CODE
	SURE-LOK
	Double Bell Coupler + 2 gaskets installation stub, lube
4" (100mm)	FC C47 04 0000
6" (150mm)	FC C47 06 0000
8" (200mm)	FC C47 08 0000
10" (250mm)	FC CJS 10 0000
12" (300mm)	FC C47 12 0000
15" (375mm)	FC C47 15 0000
18" (450mm)	FC C47 18 0000
24" (600mm)	FC C47 24 0000
30" (750mm)	FC C47 30 0000
36" (900mm)	FC C47 36 0000
42" (1050mm)	FC C47 42 0000
48" (1200mm)	FC C47 48 0000
54" (1350mm)	FC C47 54 0000
60" (1500mm)	FC C47 60 0000


DOUBLE BELL COUPLER

MAR-MAC® COUPLERS




DIAMETER	PRODUCT CODE
4" (100mm)	FC CMM 04 0000
6" (150mm)	FC CMM 06 0000
8" (200mm)	FC CMM 08 0000
10" (250mm)	FC CMM 10 0000
12" (300mm)	FC CMM 12 0000
15" (375mm)	FC CMM 15 0000
18" (450mm)	FC CMM 18 0000
24" (600mm)	FC CMM 24 0000
30" (750mm)	FC CMM 30 0000
36" (900mm)	FC CMM 36 0000
42" (1050mm)	FC CMM 42 0000
48" (1200mm)	FC CMM 48 0000
54" (1350mm)	FC CMM 54 0000
60" (1500mm)	FC CMM 60 0000
30" - 60" (750-1500mm)	Banding Tool <i>Please note that the banding tool is a required purchase for 30" - 60" product installations.</i>

PVC REPAIR KITS



DIAMETER	PRODUCT CODE
	PVC Sleeve + 2 gaskets, lube
10" (250mm)	FC PRC 10 0000
12" (300mm)	FC PRC 12 0000
15" (375mm)	FC PRC 15 0000
18" (450mm)	FC PRC 18 0000
24" (600mm)	FC PRC 24 0000
30" (750mm)	FC PRC 30 0000


PVC REPAIR KIT



TYPICALLY TWO REPAIR KITS AND A PIECE OF PIPE ARE NEEDED FOR POST INSTALLATION PIPE REPAIR.

NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR FIELD REPAIR OF 36"-60" (900-1500mm) DIAMETER PIPE AND FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

INSTALLATION STUBS, LUBRICANT

INSTALLATION STUBS

DIAMETER	PRODUCT CODE	W VALUE
10" (250mm)	FC INS 10 0000	4" (100mm)
12" (300mm)	FC INS 12 0000	4" (100mm)
15" (375mm)	FC INS 15 0000	5" (125mm)
18" (450mm)	FC INS 18 0000	6" (150mm)
24" (600mm)	FC INS 24 0000	7.5" (187.5mm)
30" (750mm)	FC INS 30 0000	10" (250mm)
36" (900mm)	FC INS 36 0000	10" (250mm)
42" (1050mm)	FC INS 42 0000	10" (250mm)
48" (1200mm)	FC INS 48 0000	12" (300mm)
54" (1350mm)	FC INS 54 0000	12" (300mm)
60" (1500mm)	FC INS 60 0000	12" (300mm)



INSTALLATION STUB

LUBRICANTS





DIAMETER	BRUSH ON	BRUSH ON	SPRAY ON
	1 QUART(0.9L) PRODUCT CODE PS TLL 02 0000	1 GALLON (3.8L) PRODUCT CODE PS TLL 01 0000	16 OUNCES (0.45L) PRODUCT CODE PS TLL 04 0000
	Typical # Joints Covered		
4" (100mm)	24	97	50
6" (150mm)	16	66	32
8" (200mm)	12	48	24
10" (250mm)	9	38	18
12" (300mm)	8	35	16
15" (375mm)	7	30	14
18" (450mm)	6	25	12
24" (600mm)	4	18	8
30" (750mm)	3	13	6
36" (900mm)	2	11	4
42" (1050mm)	2	9	4
48" (1200mm)	2	8	4
54" (1350mm)	1	7	2
60" (1500mm)	1	6	2

END CAPS & ADAPTERS TO SMOOTH HDPE

HI-Q® & SURE-LOK®

4" - 30" END CAPS*

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
	END CAPS	END CAPS - Includes 1 gasket	
4" (100mm)	FC E0B 04 0000	FC E47 04 0000	FC E0T 04 0000
6" (150mm)	FC EQQ 06 0000	FC E47 06 0000	FC E0T 06 0000
8" (200mm)	FC CLB 08 0000	FC E47 08 0000	FC E0T 08 0000
10" (250mm)	FC E0B 10 0000	FC E47 10 0000	
12" (300mm)	FC EQQ 12 0000	FC E47 12 0000	FC E0T 12 0000
15" (375mm)	FC EQQ 15 0000	FC E47 15 0000	FC E0T 15 0000
18" (450mm)	FC EQQ 18 0000	FC E47 18 0000	FC E0T 18 0000
24" (600mm)	FC EQQ 24 0000	FC E47 24 0000	FC E0T 24 0000
30" (750mm)	FC EQQ 30 0000	FC E47 30 0000	FC E0T 30 0000
54" (1350mm)		FC E47 54 0000	
60" (1500mm)	FC EQQ 60 0000	FC E47 60 0000	FC E0T 60 0000



HI-Q

SURE-LOK BELL-AND-SPIGOT & SURE-LOK WT

*HANCOR END CAPS ARE FOR HORIZONTAL APPLICATIONS ONLY. HANCOR END CAPS ARE NOT PERMITTED TO BE USED IN ANY VERTICAL APPLICATIONS. MISUSE OR FAILURE TO PROPERLY SECURE END CAPS MAY RESULT IN DAMAGE TO PERSONS OR PROPERTY OR MAY RESULT IN INJURY OR DEATH.

6"- 60" NON-PRESSURE PIPE PLUG* WITH GASKETS



DIAMETER	I.D.	O.D.	STANDARD WEIGHT	PRODUCT CODE
	Dimensions (without gaskets)			
6" (150mm)	5.00" (125mm)	7.50" (185mm)	14 oz. (0.392kg)	FC POS 06 0000
8" (200mm)	7.00" (175mm)	10.00" (250mm)	1 lb. (0.453kg)	FC POS 08 0000
10" (250mm)	8.00" (200mm)	12.00" (300mm)	1 lb. 8 oz. (0.677kg)	FC POS 10 0000
12" (300mm)	11.00" (275mm)	13.50" (335mm)	1 lb. 14 oz. (0.845kg)	FC POS 12 0000
15" (375mm)	13.75" (345mm)	17.00" (425mm)	2 lb. 5 oz. (1.046kg)	FC POS 15 0000
18" (450mm)	16.75" (420mm)	20.00" (500mm)	3 lb. 5 oz. (1.499kg)	FC POS 18 0000
24" (600mm)	22.50" (565mm)	26.50" (660mm)	6 lb. (2.718kg)	FC POS 24 0000
30" (750mm)	28.50" (710mm)	32.25" (805mm)	14 lb. (6.342kg)	FC POS 30 0000
36" (900mm)	34.75" (870mm)	39.00" (975mm)	17 lb. (7.701kg)	FC POS 36 0000
42" (1050mm)	40.50" (1010mm)	46.00" (1150mm)	28 lb. (12.684kg)	FC POS 42 0000
48" (1200mm)	46.00" (1150mm)	52.00" (1300mm)	34 lb. (15.402kg)	FC POS 48 0000
54" (1350mm)	51.25" (1280mm)	59.00" (1475mm)	52 lb. (23.556kg)	FC POS 54 0000
60" (1500mm)	58.00" (1450mm)	66.00" (1650mm)	60 lb. (27.180kg)	FC POS 60 0000


PIPE PLUG

NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.


*PRODUCT IS SHIPPED DIRECT FROM VENDOR.

END CAPS & ADAPTERS TO SMOOTH HDPE


HI-Q® & SURE-LOK®

4" - 30" ADAPTERS TO SMOOTH HDPE

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 1 gasket	
4" (100mm)	FC AAQ 04 0000	FC AA7 04 0000	FC AAT 04 0000
6" (150mm)	FC ABQ 06 0000	FC AB7 06 0000	FC ABT 06 0000
8" (200mm)	FC ACQ 08 0000	FC AC7 08 0000	FC ACT 08 0000
10" (250mm)	FC ADQ 10 0000	FC AD7 10 0000	
12" (300mm)	FC AEQ 12 0000	FC AE7 12 0000	FC AET 12 0000
15" (375mm)	FC AFQ 15 0000	FC AF7 15 0000	FC AFT 15 0000
18" (450mm)	FC AGQ 18 0000	FC AG7 18 0000	FC AGT 18 0000
24" (600mm)	FC AHQ 24 0000	FC AH7 24 0000	FC AHT 24 0000
30" (750mm)	FC AIQ 30 0000	FC AI7 30 0000	FC AIT 30 0000



HI-Q



SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT



NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

ECCENTRIC REDUCERS

HI-Q® & SURE-LOK®

ECCENTRIC REDUCERS

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 1 main and 1 stub gasket	
6" x 4" (150mm x 100mm)	FC SAQ 06 0000	FC SA7 06 0000	FC SAT 06 0000
8" x 4" (200mm x 100mm)	FC SAQ 08 0000	FC SA7 08 0000	FC SAT 08 0000
8" x 6" (200mm x 150mm)	FC SBQ 08 0000	FC SB7 08 0000	FC SBT 08 0000
10" x 4" (250mm x 100mm)	FC SAQ 10 0000	FC SA7 10 0000	
10" x 6" (250mm x 150mm)	FC SBQ 10 0000	FC SB7 10 0000	
10" x 8" (250mm x 200mm)	FC SCQ 10 0000	FC SC7 10 0000	
12" x 4" (300mm x 100mm)	FC EAQ 12 0000	FC EA7 12 0000	FC EAT 12 0000
12" x 6" (300mm x 150mm)	FC EBQ 12 0000	FC EB7 12 0000	FC EBT 12 0000
12" x 8" (300mm x 200mm)	FC ECQ 12 0000	FC EC7 12 0000	FC ECT 12 0000
12" x 10" (300mm x 250mm)	FC EDQ 12 0000	FC ED7 12 0000	FC EDT 12 0000
15" x 4" (375mm x 100mm)	FC EAQ 15 0000	FC EA7 15 0000	FC EAT 15 0000
15" x 6" (375mm x 150mm)	FC EBQ 15 0000	FC EB7 15 0000	FC EBT 15 0000
15" x 8" (375mm x 200mm)	FC ECQ 15 0000	FC EC7 15 0000	FC ECT 15 0000
15" x 10" (375mm x 250mm)	FC EDQ 15 0000	FC ED7 15 0000	FC EDT 15 0000
15" x 12" (375mm x 300mm)	FC EEQ 15 0000	FC EE7 15 0000	FC EET 15 0000
18" x 4" (450mm x 100mm)	FC EAQ 18 0000	FC EA7 18 0000	FC EAT 18 0000
18" x 6" (450mm x 150mm)	FC EBQ 18 0000	FC EB7 18 0000	FC EBT 18 0000
18" x 8" (450mm x 200mm)	FC ECQ 18 0000	FC EC7 18 0000	FC ECT 18 0000
18" x 10" (450mm x 250mm)	FC EDQ 18 0000	FC ED7 18 0000	FC EDT 18 0000
18" x 12" (450mm x 300mm)	FC EEQ 18 0000	FC EE7 18 0000	FC EET 18 0000
18" x 15" (450mm x 375mm)	FC EFQ 18 0000	FC EF7 18 0000	FC EFT 18 0000
24" x 4" (600mm x 100mm)	FC EAQ 24 0000	FC EA7 24 0000	FC EAT 24 0000
24" x 6" (600mm x 150mm)	FC EBQ 24 0000	FC EB7 24 0000	FC EBT 24 0000
24" x 8" (600mm x 200mm)	FC ECQ 24 0000	FC EC7 24 0000	FC ECT 24 0000
24" x 10" (600mm x 250mm)	FC EDQ 24 0000	FC ED7 24 0000	FC SDT 24 0000
24" x 12" (600mm x 300mm)	FC EEQ 24 0000	FC EE7 24 0000	FC SET 24 0000
24" x 15" (600mm x 375mm)	FC EFQ 24 0000	FC EF7 24 0000	FC SFT 24 0000
24" x 18" (600mm x 450mm)	FC EGQ 24 0000	FC EG7 24 0000	FC SGT 24 0000
30" x 4" (750mm x 100mm)	FC EAQ 30 0000	FC EA7 30 0000	FC SAT 30 0000
30" x 6" (750mm x 150mm)	FC EBQ 30 0000	FC EB7 30 0000	FC SBT 30 0000
30" x 8" (750mm x 200mm)	FC ECQ 30 0000	FC EC7 30 0000	FC SCT 30 0000
30" x 10" (750mm x 250mm)	FC EDQ 30 0000	FC ED7 30 0000	FC SDT 30 0000
30" x 12" (750mm x 300mm)	FC EEQ 30 0000	FC EE7 30 0000	FC SET 30 0000
30" x 15" (750mm x 375mm)	FC EFQ 30 0000	FC EF7 30 0000	FC SFT 30 0000
30" x 18" (750mm x 450mm)	FC EGQ 30 0000	FC EG7 30 0000	FC SGT 30 0000
30" x 24" (750mm x 600mm)	FC EHQ 30 0000	FC EH7 30 0000	FC SHT 30 0000
36" x 4" (900mm x 100mm)	FC SAQ 36 0000	FC SA7 36 0000	
36" x 6" (900mm x 150mm)	FC SBQ 36 0000	FC SB7 36 0000	
36" x 8" (900mm x 200mm)	FC SCQ 36 0000	FC SC7 36 0000	
36" x 10" (900mm x 250mm)	FC SDQ 36 0000	FC SD7 36 0000	
36" x 12" (900mm x 300mm)	FC SEQ 36 0000	FC SE7 36 0000	
36" x 15" (900mm x 375mm)	FC SFQ 36 0000	FC SF7 36 0000	
36" x 18" (900mm x 450mm)	FC SGQ 36 0000	FC SG7 36 0000	
36" x 24" (900mm x 600mm)	FC SHQ 36 0000	FC SH7 36 0000	
36" x 30" (900mm x 750mm)	FC SIQ 36 0000	FC SI7 36 0000	
42" x 4" (1050mm x 100mm)		FC SA7 42 0000	
42" x 6" (1050mm x 150mm)		FC SB7 42 0000	
42" x 18" (1050mm x 450mm)	FC SGQ 42 0000	FC SG7 42 0000	
48" x 4" (1200mm x 100mm)		FC SA7 48 0000	
48" x 24" (1200mm x 600mm)	FC SHQ 48 0000	FC SH7 48 0000	
48" x 36" (1200mm x 900mm)	FC EJQ 48 0000	FC SJ7 48 0000	
48" x 42" (1200mm x 1050mm)		FC SK7 48 0000	
54" x 30" (1350mm x 750mm)	FC SIQ 54 0000	FC SI7 54 0000	
60" x 30" (1500mm x 750mm)	FC SIQ 60 0000	FC SI7 60 0000	
60" x 54" (1500mm x 1350mm)	FC SMQ 60 0000		


HI-Q

**SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT**


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

TAP REDUCERS


HI-Q® & SURE-LOK®

TAP REDUCERS

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 1 gasket	
10" x 4" (250mm x 100mm)	FC RAQ 10 0000	FC RA7 10 0000	
10" x 6" (250mm x 150mm)	FC RBQ 10 0000	FC RB7 10 0000	
10" x 8" (250mm x 200mm)	FC RCQ 10 0000	FC RC7 10 0000	
12" x 4" (300mm x 100mm)	FC FAQ 12 0000	FC FA7 12 0000	FC FAT 12 0000
12" x 6" (300mm x 150mm)	FC FBQ 12 0000	FC FB7 12 0000	FC FBT 12 0000
12" x 8" (300mm x 200mm)	FC FCQ 12 0000	FC FC7 12 0000	FC FCT 12 0000
12" x 10" (300mm x 250mm)	FC FDQ 12 0000	FC FD7 12 0000	FC FDT 12 0000
15" x 4" (375mm x 100mm)	FC FAQ 15 0000	FC FA7 15 0000	FC FAT 15 0000
15" x 6" (375mm x 150mm)	FC FBQ 15 0000	FC FB7 15 0000	FC FBT 15 0000
15" x 8" (375mm x 200mm)	FC FCQ 15 0000	FC FC7 15 0000	FC FCT 15 0000
15" x 10" (375mm x 250mm)	FC FDQ 15 0000	FC FD7 15 0000	FC FDT 15 0000
15" x 12" (375mm x 300mm)	FC FEQ 15 0000	FC FE7 15 0000	FC FET 15 0000
18" x 4" (450mm x 100mm)	FC FAQ 18 0000	FC FA7 18 0000	FC FAT 18 0000
18" x 6" (450mm x 150mm)	FC FBQ 18 0000	FC FB7 18 0000	FC FBT 18 0000
18" x 8" (450mm x 200mm)	FC FCQ 18 0000	FC FC7 18 0000	FC FCT 18 0000
18" x 10" (450mm x 250mm)	FC FDQ 18 0000	FC FD7 18 0000	FC FDT 18 0000
18" x 12" (450mm x 300mm)	FC FEQ 18 0000	FC FE7 18 0000	FC FET 18 0000
18" x 15" (450mm x 375mm)	FC FFQ 18 0000	FC FF7 18 0000	FC FFT 18 0000
24" x 4" (600mm x 100mm)	FC FAQ 24 0000	FC FA7 24 0000	FC FAT 24 0000
24" x 6" (600mm x 150mm)	FC FBQ 24 0000	FC FB7 24 0000	FC FBT 24 0000
24" x 8" (600mm x 200mm)	FC FCQ 24 0000	FC FC7 24 0000	FC FCT 24 0000
24" x 10" (600mm x 250mm)	FC FDQ 24 0000	FC FD7 24 0000	FC FDT 24 0000
24" x 12" (600mm x 300mm)	FC FEQ 24 0000	FC FE7 24 0000	FC FET 24 0000
24" x 15" (600mm x 375mm)	FC FFQ 24 0000	FC FF7 24 0000	FC FFT 24 0000
24" x 18" (600mm x 450mm)	FC FGQ 24 0000	FC FG7 24 0000	FC FGT 24 0000
30" x 4" (750mm x 100mm)	FC FAQ 30 0000	FC FA7 30 0000	FC FAT 30 0000
30" x 6" (750mm x 150mm)	FC FBQ 30 0000	FC FB7 30 0000	FC FBT 30 0000
30" x 8" (750mm x 200mm)	FC FCQ 30 0000	FC FC7 30 0000	FC FCT 30 0000
30" x 10" (750mm x 250mm)	FC FDQ 30 0000	FC FD7 30 0000	FC FDT 30 0000
30" x 12" (750mm x 300mm)	FC FEQ 30 0000	FC FE7 30 0000	FC FET 30 0000
30" x 15" (750mm x 375mm)	FC FFQ 30 0000	FC FF7 30 0000	FC FFT 30 0000
30" x 18" (750mm x 450mm)	FC FGQ 30 0000	FC FG7 30 0000	FC FGT 30 0000
30" x 24" (750mm x 600mm)	FC FHQ 30 0000	FC FH7 30 0000	FC FHT 30 0000



HI-Q

SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT

NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.


ELBOWS

HI-Q® & SURE-LOK®


4"- 60" 22.5 DEGREE ELBOWS

Includes 2 gaskets

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
4" (100mm)	FC L2Q 04 0000	FC L27 04 0000	FC L2T 04 0000
6" (150mm)	FC L2Q 06 0000	FC L27 06 0000	FC L2T 06 0000
8" (200mm)	FC L2Q 08 0000	FC L27 08 0000	FC L2T 08 0000
10" (250mm)	FC L2Q 10 0000	FC L27 10 0000	
12" (300mm)	FC L2Q 12 0000	FC L27 12 0000	FC L2T 12 0000
15" (375mm)	FC L2Q 15 0000	FC L27 15 0000	FC L2T 15 0000
18" (450mm)	FC L2Q 18 0000	FC L27 18 0000	FC L2T 18 0000
24" (600mm)	FC L2Q 24 0000	FC L27 24 0000	FC L2T 24 0000
30" (750mm)	FC L2Q 30 0000	FC L27 30 0000	FC L2T 30 0000
36" (900mm)	FC L2Q 36 0000	FC L27 36 0000	
42" (1050mm)	FC L2Q 42 0000	FC L27 42 0000	
48" (1200mm)	FC L2Q 48 0000	FC L27 48 0000	
54" (1350mm)		FC L27 54 0000	
60" (1500mm)	FC L2Q 60 0000	FC L27 60 0000	FC L2T 60 0000



HI-Q




SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


4"- 60" 45 DEGREE ELBOWS

Includes 2 gaskets

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
4" (100mm)	FC L4Q 04 0000	FC L47 04 0000	FC L4T 04 0000
6" (150mm)	FC L4Q 06 0000	FC L47 06 0000	FC L4T 06 0000
8" (200mm)	FC L4Q 08 0000	FC L47 08 0000	FC L4T 08 0000
10" (250mm)	FC L4Q 10 0000	FC L47 10 0000	
12" (300mm)	FC L4Q 12 0000	FC L47 12 0000	FC L4T 12 0000
15" (375mm)	FC L4Q 15 0000	FC L47 15 0000	FC L4T 15 0000
18" (450mm)	FC L4Q 18 0000	FC L47 18 0000	FC L4T 18 0000
24" (600mm)	FC L4Q 24 0000	FC L47 24 0000	FC L4T 24 0000
30" (750mm)	FC L4Q 30 0000	FC L47 30 0000	FC L4T 30 0000
36" (900mm)	FC L4Q 36 0000	FC L47 36 0000	FC L4T 36 0000
42" (1050mm)	FC L4Q 42 0000	FC L47 42 0000	FC L47 42 0000
48" (1200mm)	FC L4Q 48 0000	FC L47 48 0000	
60" (1500mm)	FC L4Q 60 0000	FC L47 60 0000	FC L4T 60 0000



HI-Q



SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

ELBOWS


HI-Q® & SURE-LOK®

4"- 60" 90 DEGREE ELBOWS SINGLE MITER

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 2 gaskets	
4" (100mm)	FC LNQ 04 0000	FC LN7 04 0000	FC LNT 04 0000
6" (150mm)	FC LNQ 06 0000	FC LN7 06 0000	FC LNT 06 0000
8" (200mm)	FC LNQ 08 0000	FC LN7 08 0000	FC LNT 08 0000
10" (250mm)	FC LNQ 10 0000	FC LN7 10 0000	
12" (300mm)	FC LNQ 12 0000	FC LN7 12 0000	FC LNT 12 0000
15" (375mm)	FC LNQ 15 0000	FC LN7 15 0000	FC LNT 15 0000
18" (450mm)	FC LNQ 18 0000	FC LN7 18 0000	FC LNT 18 0000
24" (600mm)	FC LNQ 24 0000	FC LN7 24 0000	FC LNT 24 0000
30" (750mm)	FC LNQ 30 0000	FC LN7 30 0000	FC LNT 30 0000
36" (900mm)	FC LNQ 36 0000	FC LN7 36 0000	
42" (1050mm)	FC LNQ 42 0000	FC LN7 42 0000	
48" (1200mm)	FC LNQ 48 0000	FC LN7 48 0000	
60" (1500mm)	FC LNQ 60 0000	FC LN7 60 0000	FC LNT 60 0000



HI-Q



SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

ELBOWS


HI-Q® & SURE-LOK®

4"- 60" 90 DEGREE ELBOWS DOUBLE MITER

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 2 gaskets	
4" (100mm)	FC L9Q 04 0000	FC L97 04 0000	FC L9T 04 0000
6" (150mm)	FC L9Q 06 0000	FC L97 06 0000	FC L9T 06 0000
8" (200mm)	FC L9Q 08 0000	FC L97 08 0000	FC L9T 08 0000
10" (250mm)	FC L9Q 10 0000	FC L97 10 0000	
12" (300mm)	FC L9Q 12 0000	FC L97 12 0000	FC L9T 12 0000
15" (375mm)	FC L9Q 15 0000	FC L97 15 0000	FC L9T 15 0000
18" (450mm)	FC L9Q 18 0000	FC L97 18 0000	FC L9T 18 0000
24" (600mm)	FC L9Q 24 0000	FC L97 24 0000	FC L9T 24 0000
30" (750mm)	FC L9Q 30 0000	FC L97 30 0000	FC L9T 30 0000
36" (900mm)	FC L9Q 36 0000	FC L97 36 0000	
42" (1050mm)	FC L9Q 42 0000	FC L97 42 0000	
48" (1200mm)	FC L9Q 48 0000	FC L97 48 0000	
60" (1500mm)	FC L9Q 60 0000	FC L97 60 0000	FC L9T 60 0000



HI-Q



SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

TEES


HI-Q® & SURE-LOK®

4" - 60" TEES

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 3 gaskets	
4" (100mm)	FC T0Q 04 0000	FC T47 04 0000	FC T0T 04 0000
6" (150mm)	FC T0Q 06 0000	FC T47 06 0000	FC T0T 06 0000
8" (200mm)	FC T0Q 08 0000	FC T47 08 0000	FC T0T 08 0000
10" (250mm)	FC T0Q 10 0000	FC T47 10 0000	
12" (300mm)	FC T0Q 12 0000	FC T47 12 0000	FC T0T 12 0000
15" (375mm)	FC T0Q 15 0000	FC T47 15 0000	FC T0T 15 0000
18" (450mm)	FC T0Q 18 0000	FC T47 18 0000	FC T0T 18 0000
24" (600mm)	FC T0Q 24 0000	FC T47 24 0000	FC T0T 24 0000
30" (750mm)	FC T0Q 30 0000	FC T47 30 0000	FC T0T 30 0000
36" (900mm)	FC T0Q 36 0000	FC T47 36 0000	
42" (1050mm)	FC T0Q 42 0000	FC T47 42 0000	
48" (1200mm)	FC T0Q 48 0000	FC T47 48 0000	
54" (1350mm)		FC T47 54 0000	
60" (1500mm)	FC T0Q 60 0000	FC T47 60 0000	



HI-Q



SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

REDUCING TEES


HI-Q® & SURE-LOK®

REDUCING TEES

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 2 main and 1 stub gasket	
6" x 4" (150mm x 100mm)	FC AAQ 06 0000	FC AA7 06 0000	FC AAT 06 0000
8" x 4" (200mm x 100mm)	FC AAQ 08 0000	FC AA7 08 0000	FC AAT 08 0000
8" x 6" (200mm x 150mm)	FC ABQ 08 0000	FC AB7 08 0000	FC ABT 08 0000
10" x 4" (250mm x 100mm)	FC AAQ 10 0000	FC AA7 10 0000	
10" x 6" (250mm x 150mm)	FC ABQ 10 0000	FC AB7 10 0000	
10" x 8" (250mm x 200mm)	FC ACQ 10 0000	FC AC7 10 0000	
12" x 4" (300mm x 100mm)	FC AAQ 12 0000	FC AA7 12 0000	FC AAT 12 0000
12" x 6" (300mm x 150mm)	FC ABQ 12 0000	FC AB7 12 0000	FC ABT 12 0000
12" x 8" (300mm x 200mm)	FC ACQ 12 0000	FC AC7 12 0000	FC ACT 12 0000
12" x 10" (300mm x 250mm)	FC ADQ 12 0000	FC AD7 12 0000	FC ADT 12 0000
15" x 4" (375mm x 100mm)	FC AAQ 15 0000	FC AA7 15 0000	FC AAT 15 0000
15" x 6" (375mm x 150mm)	FC ABQ 15 0000	FC AB7 15 0000	FC ABT 15 0000
15" x 8" (375mm x 200mm)	FC ACQ 15 0000	FC AC7 15 0000	FC ACT 15 0000
15" x 10" (375mm x 250mm)	FC ADQ 15 0000	FC AD7 15 0000	FC ADT 15 0000
15" x 12" (375mm x 300mm)	FC AEQ 15 0000	FC AE7 15 0000	FC AET 15 0000
18" x 4" (450mm x 100mm)	FC AAQ 18 0000	FC AA7 18 0000	FC AAT 18 0000
18" x 6" (450mm x 150mm)	FC ABQ 18 0000	FC AB7 18 0000	FC ABT 18 0000
18" x 8" (450mm x 200mm)	FC ACQ 18 0000	FC AC7 18 0000	FC ACT 18 0000
18" x 10" (450mm x 250mm)	FC ADQ 18 0000	FC AD7 18 0000	FC ADT 18 0000
18" x 12" (450mm x 300mm)	FC AEQ 18 0000	FC AE7 18 0000	FC AET 18 0000
18" x 15" (450mm x 375mm)	FC AFQ 18 0000	FC AF7 18 0000	FC AFT 18 0000
24" x 4" (600mm x 100mm)	FC AAQ 24 0000	FC AA7 24 0000	FC AAT 24 0000
24" x 6" (600mm x 150mm)	FC ABQ 24 0000	FC AB7 24 0000	FC ABT 24 0000
24" x 8" (600mm x 200mm)	FC ACQ 24 0000	FC AC7 24 0000	FC ACT 24 0000
24" x 10" (600mm x 250mm)	FC ADQ 24 0000	FC AD7 24 0000	FC ADT 24 0000
24" x 12" (600mm x 300mm)	FC AEQ 24 0000	FC AE7 24 0000	FC AET 24 0000
24" x 15" (600mm x 375mm)	FC AFQ 24 0000	FC AF7 24 0000	FC AFT 24 0000
24" x 18" (600mm x 450mm)	FC AGQ 24 0000	FC AG7 24 0000	FC AGT 24 0000
30" x 4" (750mm x 100mm)	FC AAQ 30 0000	FC AA7 30 0000	FC AAT 30 0000
30" x 6" (750mm x 150mm)	FC ABQ 30 0000	FC AB7 30 0000	FC ABT 30 0000
30" x 8" (750mm x 200mm)	FC ACQ 30 0000	FC AC7 30 0000	FC ACT 30 0000
30" x 10" (750mm x 250mm)	FC ADQ 30 0000	FC AD7 30 0000	FC ADT 30 0000
30" x 12" (750mm x 300mm)	FC AEQ 30 0000	FC AE7 30 0000	FC AET 30 0000
30" x 15" (750mm x 375mm)	FC AFQ 30 0000	FC AF7 30 0000	FC AFT 30 0000
30" x 18" (750mm x 450mm)	FC AGQ 30 0000	FC AG7 30 0000	FC AGT 30 0000
30" x 24" (750mm x 600mm)	FC AHQ 30 0000	FC AH7 30 0000	FC AHT 30 0000
36" x 4" (900mm x 100mm)	FC AAQ 36 0000	FC AA7 36 0000	
36" x 6" (900mm x 150mm)	FC ABQ 36 0000	FC AB7 36 0000	
36" x 8" (900mm x 200mm)	FC ACQ 36 0000	FC AC7 36 0000	
36" x 10" (900mm x 250mm)	FC ADQ 36 0000	FC AD7 36 0000	
36" x 12" (900mm x 300mm)	FC AEQ 36 0000	FC AE7 36 0000	
36" x 15" (900mm x 375mm)	FC AFQ 36 0000	FC AF7 36 0000	
36" x 18" (900mm x 450mm)	FC AGQ 36 0000	FC AG7 36 0000	
36" x 24" (900mm x 600mm)	FC AHQ 36 0000	FC AH7 36 0000	
36" x 30" (900mm x 750mm)	FC AIQ 36 0000	FC AI7 36 0000	
42" x 4" (1050mm x 100mm)	FC AAQ 42 0000	FC AA7 42 0000	
42" x 6" (1050mm x 150mm)	FC ABQ 42 0000	FC AB7 42 0000	
42" x 8" (1050mm x 200mm)	FC ACQ 42 0000	FC AC7 42 0000	
42" x 10" (1050mm x 250mm)	FC ADQ 42 0000	FC AD7 42 0000	
42" x 12" (1050mm x 300mm)	FC AEQ 42 0000	FC AE7 42 0000	
42" x 15" (1050mm x 375mm)	FC AFQ 42 0000	FC AF7 42 0000	
42" x 18" (1050mm x 450mm)	FC AGQ 42 0000	FC AG7 42 0000	
42" x 24" (1050mm x 600mm)	FC AHQ 42 0000	FC AH7 42 0000	
42" x 30" (1050mm x 750mm)	FC AIQ 42 0000	FC AI7 42 0000	
48" x 4" (1200mm x 100mm)	FC AAQ 48 0000	FC AA7 48 0000	
48" x 6" (1200mm x 150mm)	FC ABQ 48 0000	FC AB7 48 0000	
48" x 8" (1200mm x 200mm)	FC ACQ 48 0000	FC AC7 48 0000	
48" x 10" (1200mm x 250mm)	FC ADQ 48 0000	FC AD7 48 0000	
48" x 12" (1200mm x 300mm)	FC AEQ 48 0000	FC AE7 48 0000	
48" x 15" (1200mm x 375mm)	FC AFQ 48 0000	FC AF7 48 0000	
48" x 18" (1200mm x 450mm)	FC AGQ 48 0000	FC AG7 48 0000	
48" x 24" (1200mm x 600mm)	FC AHQ 48 0000	FC AH7 48 0000	
48" x 30" (1200mm x 750mm)	FC AIQ 48 0000	FC AI7 48 0000	
60" x 4" (1500mm x 100mm)		FC AA7 60 0000	



HI-Q



SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT

NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.


REDUCING TAP TEES

HI-Q® & SURE-LOK®


REDUCING HDPE TAP TEES

DIAMETER	HI-Q (6" - 48")	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 2 gaskets	
6" x 4" (150mm x 100mm)	FC TAQ 06 0000	FC TA7 06 0000	FC TAT 06 0000
8" x 4" (200mm x 100mm)	FC TAQ 08 0000	FC TA7 08 0000	FC TAT 08 0000
8" x 6" (200mm x 150mm)	FC TBQ 08 0000	FC TB7 08 0000	FC TBT 08 0000
10" x 4" (250mm x 100mm)	FC TAQ 10 0000	FC TA7 10 0000	
10" x 6" (250mm x 150mm)	FC TBQ 10 0000	FC TB7 10 0000	
10" x 8" (250mm x 200mm)	FC TCQ 10 0000	FC TC7 10 0000	
12" x 4" (300mm x 100mm)	FC TAQ 12 0000	FC TA7 12 0000	FC TAT 12 0000
12" x 6" (300mm x 150mm)	FC TBQ 12 0000	FC TB7 12 0000	FC TBT 12 0000
12" x 8" (300mm x 200mm)	FC TCQ 12 0000	FC TC7 12 0000	FC TCT 12 0000
12" x 10" (300mm x 250mm)	FC TDQ 12 0000	FC TD7 12 0000	FC TDT 12 0000
15" x 4" (375mm x 100mm)	FC TAQ 15 0000	FC TA7 15 0000	FC TAT 15 0000
15" x 6" (375mm x 150mm)	FC TBQ 15 0000	FC TB7 15 0000	FC TBT 15 0000
15" x 8" (375mm x 200mm)	FC TCQ 15 0000	FC TC7 15 0000	FC TCT 15 0000
15" x 10" (375mm x 250mm)	FC TDQ 15 0000	FC TD7 15 0000	FC TDT 15 0000
15" x 12" (375mm x 300mm)	FC TEQ 15 0000	FC TE7 15 0000	FC TET 15 0000
18" x 4" (450mm x 100mm)	FC TAQ 18 0000	FC TA7 18 0000	FC TAT 18 0000
18" x 6" (450mm x 150mm)	FC TBQ 18 0000	FC TB7 18 0000	FC TBT 18 0000
18" x 8" (450mm x 200mm)	FC TCQ 18 0000	FC TC7 18 0000	FC TCT 18 0000
18" x 10" (450mm x 250mm)	FC TDQ 18 0000	FC TD7 18 0000	FC TDT 18 0000
18" x 12" (450mm x 300mm)	FC TEQ 18 0000	FC TE7 18 0000	FC TET 18 0000
18" x 15" (450mm x 375mm)	FC TFQ 18 0000	FC TF7 18 0000	FC TFT 18 0000
24" x 4" (600mm x 100mm)	FC TAQ 24 0000	FC TA7 24 0000	FC TAT 24 0000
24" x 6" (600mm x 150mm)	FC TBQ 24 0000	FC TB7 24 0000	FC TBT 24 0000
24" x 8" (600mm x 200mm)	FC TCQ 24 0000	FC TC7 24 0000	FC TCT 24 0000
24" x 10" (600mm x 250mm)	FC TDQ 24 0000	FC TD7 24 0000	FC TDT 24 0000
24" x 12" (600mm x 300mm)	FC TEQ 24 0000	FC TE7 24 0000	FC TET 24 0000
24" x 15" (600mm x 375mm)	FC TFQ 24 0000	FC TF7 24 0000	FC TFT 24 0000
24" x 18" (600mm x 450mm)	FC TGQ 24 0000	FC TG7 24 0000	FC TGT 24 0000
30" x 4" (750mm x 100mm)	FC TAQ 30 0000	FC TA7 30 0000	FC TAT 30 0000
30" x 6" (750mm x 150mm)	FC TBQ 30 0000	FC TB7 30 0000	FC TBT 30 0000
30" x 8" (750mm x 200mm)	FC TCQ 30 0000	FC TC7 30 0000	FC TCT 30 0000
30" x 10" (750mm x 250mm)	FC TDQ 30 0000	FC TD7 30 0000	FC TDT 30 0000
30" x 12" (750mm x 300mm)	FC TEQ 30 0000	FC TE7 30 0000	FC TET 30 0000
30" x 15" (750mm x 375mm)	FC TFQ 30 0000	FC TF7 30 0000	FC TFT 30 0000
30" x 18" (750mm x 450mm)	FC TGQ 30 0000	FC TG7 30 0000	FC TGT 30 0000
30" x 24" (750mm x 600mm)	FC THQ 30 0000	FC TH7 30 0000	FC THT 30 0000
36" x 4" (900mm x 100mm)	FC TAQ 36 0000	FC TA7 36 0000	
36" x 6" (900mm x 150mm)	FC TBQ 36 0000	FC TB7 36 0000	
36" x 8" (900mm x 200mm)	FC TCQ 36 0000	FC TC7 36 0000	
36" x 10" (900mm x 250mm)	FC TDQ 36 0000	FC TD7 36 0000	
36" x 12" (900mm x 300mm)	FC TEQ 36 0000	FC TE7 36 0000	
36" x 15" (900mm x 375mm)	FC TFQ 36 0000	FC TF7 36 0000	
36" x 18" (900mm x 450mm)	FC TGQ 36 0000	FC TG7 36 0000	
36" x 24" (900mm x 600mm)	FC THQ 36 0000	FC TH7 36 0000	
36" x 30" (900mm x 750mm)	FC TIQ 36 0000	FC TI7 36 0000	
42" x 4" (1050mm x 100mm)	FC TAQ 42 0000	FC TA7 42 0000	
42" x 6" (1050mm x 150mm)	FC TBQ 42 0000	FC TB7 42 0000	
42" x 8" (1050mm x 200mm)	FC TCQ 42 0000	FC TC7 42 0000	
42" x 10" (1050mm x 250mm)	FC TDQ 42 0000	FC TD7 42 0000	
42" x 12" (1050mm x 300mm)	FC TEQ 42 0000	FC TE7 42 0000	
42" x 15" (1050mm x 375mm)	FC TFQ 42 0000	FC TF7 42 0000	
42" x 18" (1050mm x 450mm)	FC TGQ 42 0000	FC TG7 42 0000	
42" x 24" (1050mm x 600mm)	FC THQ 42 0000	FC TH7 42 0000	
42" x 30" (1050mm x 750mm)	FC TIQ 42 0000	FC TI7 42 0000	
48" x 4" (1200mm x 100mm)	FC TAQ 48 0000	FC TA7 48 0000	
48" x 6" (1200mm x 150mm)	FC TBQ 48 0000	FC TB7 48 0000	
48" x 8" (1200mm x 200mm)	FC TCQ 48 0000	FC TC7 48 0000	
48" x 10" (1200mm x 250mm)	FC TDQ 48 0000	FC TD7 48 0000	
48" x 12" (1200mm x 300mm)	FC TEQ 48 0000	FC TE7 48 0000	
48" x 15" (1200mm x 375mm)	FC TFQ 48 0000	FC TF7 48 0000	
48" x 18" (1200mm x 450mm)	FC TGQ 48 0000	FC TG7 48 0000	
48" x 24" (1200mm x 600mm)	FC THQ 48 0000	FC TH7 48 0000	
48" x 30" (1200mm x 750mm)	FC TIQ 48 0000	FC TI7 48 0000	

DIAMETER	HI-Q (60")
60" x 4" (1500mm x 100mm)	FC TAQ 60 0000
60" x 6" (1500mm x 150mm)	FC TBQ 60 0000
60" x 8" (1500mm x 200mm)	FC TCQ 60 0000
60" x 10" (1500mm x 250mm)	FC TDQ 60 0000
60" x 12" (1500mm x 300mm)	FC TEQ 60 0000
60" x 15" (1500mm x 375mm)	FC TFQ 60 0000
60" x 18" (1500mm x 450mm)	FC TGQ 60 0000
60" x 24" (1500mm x 600mm)	FC THQ 60 0000
60" x 30" (1500mm x 750mm)	FC TIQ 60 0000



HI-Q

SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

INTERNAL COUPLER TAP TEES & SADDLE TEES


HI-Q® & SURE-LOK®

INTERNAL COUPLER TAP TEES

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT
		Includes 2 gaskets
12" x 4" (300mm x 100mm)	FC CAQ 12 0000	FC CA7 12 0000
12" x 6" (300mm x 150mm)	FC CBQ 12 0000	FC CB7 12 0000
12" x 8" (300mm x 200mm)	FC CCQ 12 0000	FC CC7 12 0000
15" x 4" (375mm x 100mm)	FC CAQ 15 0000	FC CA7 15 0000
15" x 6" (375mm x 150mm)	FC CBQ 15 0000	FC CB7 15 0000
15" x 8" (375mm x 200mm)	FC CCQ 15 0000	FC CC7 15 0000
18" x 4" (450mm x 100mm)	FC CAQ 18 0000	FC CA7 18 0000
18" x 6" (450mm x 150mm)	FC CBQ 18 0000	FC CB7 18 0000
18" x 8" (450mm x 200mm)	FC CCQ 18 0000	FC CC7 18 0000
24" x 4" (600mm x 100mm)	FC CAQ 24 0000	FC CA7 24 0000
24" x 6" (600mm x 150mm)	FC CBQ 24 0000	FC CB7 24 0000
24" x 8" (600mm x 200mm)	FC CCQ 24 0000	FC CC7 24 0000




HI-Q



SURE-LOK BELL-AND-SPIGOT

SADDLE TEES

DIAMETER	SURE-LOK
10" x 4" (250mm x 100mm)	FC DAQ 10 0000
12" x 4" (300mm x 100mm)	FC DAQ 12 0000
12" x 6" (300mm x 150mm)	FC DBQ 12 0000
15" x 6" (375mm x 150mm)	FC DBQ 15 0000
18" x 4" (450mm x 100mm)	FC DAQ 18 0000
18" x 6" (450mm x 150mm)	FC DBQ 18 0000
18" x 8" (450mm x 200mm)	FC DCQ 18 0000
24" x 4" (600mm x 100mm)	FC DAQ 24 0000
24" x 6" (600mm x 150mm)	FC DBQ 24 0000
24" x 8" (600mm x 200mm)	FC DCQ 24 0000
30" x 4" (750mm x 100mm)	FC DAQ 30 0000
30" x 6" (750mm x 150mm)	FC DBQ 30 0000
30" x 8" (750mm x 200mm)	FC DCQ 30 0000



SADDLE TEE


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

CROSS TEES


HI-Q® & SURE-LOK®

4" - 30" CROSS TEES

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 4 gaskets	
4" (100mm)	FC TXQ 04 0000	FC TX7 04 0000	FC TXT 04 0000
6" (150mm)	FC TXQ 06 0000	FC TX7 06 0000	FC TXT 06 0000
8" (200mm)	FC TXQ 08 0000	FC TX7 08 0000	FC TXT 08 0000
10" (250mm)	FC TXQ 10 0000		
12" (300mm)	FC TXQ 12 0000	FC TX7 12 0000	FC TXT 12 0000
15" (375mm)	FC TXQ 15 0000	FC TX7 15 0000	FC TXT 15 0000
18" (450mm)	FC TXQ 18 0000	FC TX7 18 0000	FC TXT 18 0000
24" (600mm)	FC TXQ 24 0000	FC TX7 24 0000	FC TXT 24 0000
30" (750mm)	FC TXQ 30 0000	FC TX7 30 0000	FC TXT 30 0000



HI-Q



SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

WYES


HI-Q® & SURE-LOK®

4" - 60" WYES

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 3 gaskets	
4" (100mm)	FC WAQ 04 0000	FC WA7 04 0000	FC WAT 04 0000
6" (150mm)	FC WBQ 06 0000	FC WB7 06 0000	FC WBT 06 0000
8" (200mm)	FC WCQ 08 0000	FC WC7 08 0000	FC WCT 08 0000
10" (250mm)	FC WDQ 10 0000	FC WD7 10 0000	
12" (300mm)	FC WEQ 12 0000	FC WE7 12 0000	FC WET 12 0000
15" (375mm)	FC WFQ 15 0000	FC WF7 15 0000	FC WFT 15 0000
18" (450mm)	FC WGQ 18 0000	FC WG7 18 0000	FC WGT 18 0000
24" (600mm)	FC WHQ 24 0000	FC WH7 24 0000	FC WHT 24 0000
30" (750mm)	FC WIQ 30 0000	FC WI7 30 0000	FC WIT 30 0000
36" (900mm)	FC WJQ 36 0000	FC WJ7 36 0000	
42" (1050mm)	FC WKQ 42 0000	FC WK7 42 0000	
48" (1200mm)	FC WLQ 48 0000	FC WL7 48 0000	
54" (1350mm)		FC W47 54 0000	
60" (1500mm)	FC WNQ 60 0000	FC W47 60 0000	



HI-Q



**SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT**


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

REDUCING WYES


HI-Q® & SURE-LOK®

REDUCING WYES

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 2 main and 1 stub gasket	
6" x 4" (150mm x 100mm)	FC BAQ 06 0000	FC BA7 06 0000	FC BAT 06 0000
8" x 4" (200mm x 100mm)	FC BAQ 08 0000	FC BA7 08 0000	FC BAT 08 0000
8" x 6" (200mm x 150mm)	FC BBQ 08 0000	FC BB7 08 0000	FC BBT 08 0000
10" x 4" (250mm x 100mm)	FC BAQ 10 0000	FC BA7 10 0000	
10" x 6" (250mm x 150mm)	FC BBQ 10 0000	FC BB7 10 0000	
10" x 8" (250mm x 200mm)	FC BCQ 10 0000	FC BC7 10 0000	
12" x 4" (300mm x 100mm)	FC BAQ 12 0000	FC BA7 12 0000	FC BAT 12 0000
12" x 6" (300mm x 150mm)	FC BBQ 12 0000	FC BB7 12 0000	FC BBT 12 0000
12" x 8" (300mm x 200mm)	FC BCQ 12 0000	FC BC7 12 0000	FC BCT 12 0000
12" x 10" (300mm x 250mm)	FC BDQ 12 0000	FC BD7 12 0000	FC BDT 12 0000
15" x 4" (375mm x 100mm)	FC BAQ 15 0000	FC BA7 15 0000	FC BAT 15 0000
15" x 6" (375mm x 150mm)	FC BBQ 15 0000	FC BB7 15 0000	FC BBT 15 0000
15" x 8" (375mm x 200mm)	FC BCQ 15 0000	FC BC7 15 0000	FC BCT 15 0000
15" x 10" (375mm x 250mm)	FC BDQ 15 0000	FC BD7 15 0000	FC BDT 15 0000
15" x 12" (375mm x 300mm)	FC BEQ 15 0000	FC BE7 15 0000	FC BET 15 0000
18" x 4" (450mm x 100mm)	FC BAQ 18 0000	FC BA7 18 0000	FC BAT 18 0000
18" x 6" (450mm x 150mm)	FC BBQ 18 0000	FC BB7 18 0000	FC BBT 18 0000
18" x 8" (450mm x 200mm)	FC BCQ 18 0000	FC BC7 18 0000	FC BCT 18 0000
18" x 10" (450mm x 250mm)	FC BDQ 18 0000	FC BD7 18 0000	FC BDT 18 0000
18" x 12" (450mm x 300mm)	FC BEQ 18 0000	FC BE7 18 0000	FC BET 18 0000
18" x 15" (450mm x 375mm)	FC BFQ 18 0000	FC BF7 18 0000	FC BFT 18 0000
24" x 4" (600mm x 100mm)	FC BAQ 24 0000	FC BA7 24 0000	FC BAT 24 0000
24" x 6" (600mm x 150mm)	FC BBQ 24 0000	FC BB7 24 0000	FC BBT 24 0000
24" x 8" (600mm x 200mm)	FC BCQ 24 0000	FC BC7 24 0000	FC BCT 24 0000
24" x 10" (600mm x 250mm)	FC BDQ 24 0000	FC BD7 24 0000	FC BDT 24 0000
24" x 12" (600mm x 300mm)	FC BEQ 24 0000	FC BE7 24 0000	FC BET 24 0000
24" x 15" (600mm x 375mm)	FC BFQ 24 0000	FC BF7 24 0000	FC BFT 24 0000
24" x 18" (600mm x 450mm)	FC BGQ 24 0000	FC BG7 24 0000	FC BGT 24 0000
30" x 4" (750mm x 100mm)	FC BAQ 30 0000	FC BA7 30 0000	FC BAT 30 0000
30" x 6" (750mm x 150mm)	FC BBQ 30 0000	FC BB7 30 0000	FC BBT 30 0000
30" x 8" (750mm x 200mm)	FC BCQ 30 0000	FC BC7 30 0000	FC BCT 30 0000
30" x 10" (750mm x 250mm)	FC BDQ 30 0000	FC BD7 30 0000	FC BDT 30 0000
30" x 12" (750mm x 300mm)	FC BEQ 30 0000	FC BE7 30 0000	FC BET 30 0000
30" x 15" (750mm x 375mm)	FC BFQ 30 0000	FC BF7 30 0000	FC BFT 30 0000
30" x 18" (750mm x 450mm)	FC BGQ 30 0000	FC BG7 30 0000	FC BGT 30 0000
30" x 24" (750mm x 600mm)	FC BHQ 30 0000	FC BH7 30 0000	FC BHT 30 0000
36" x 4" (900mm x 100mm)		FC BA7 36 0000	
36" x 6" (900mm x 150mm)		FC BB7 36 0000	
36" x 8" (900mm x 200mm)		FC BC7 36 0000	
36" x 10" (900mm x 250mm)		FC BD7 36 0000	
36" x 12" (900mm x 300mm)		FC BE7 36 0000	
36" x 15" (900mm x 375mm)		FC BF7 36 0000	
36" x 18" (900mm x 450mm)		FC BG7 36 0000	
36" x 24" (900mm x 600mm)		FC BH7 36 0000	
36" x 30" (900mm x 750mm)	FC YIQ 36 0000	FC BI7 36 0000	
42" x 4" (1050mm x 100mm)		FC BA7 42 0000	
42" x 6" (1050mm x 150mm)		FC BB7 42 0000	
42" x 8" (1050mm x 200mm)		FC BC7 42 0000	
42" x 10" (1050mm x 250mm)		FC BD7 42 0000	
42" x 12" (1050mm x 300mm)		FC BE7 42 0000	
42" x 15" (1050mm x 375mm)		FC BF7 42 0000	
42" x 18" (1050mm x 450mm)		FC BG7 42 0000	
42" x 24" (1050mm x 600mm)		FC BH7 42 0000	
42" x 30" (1050mm x 750mm)		FC BI7 42 0000	
48" x 4" (1200mm x 100mm)		FC BA7 48 0000	
48" x 6" (1200mm x 150mm)		FC BB7 48 0000	
48" x 8" (1200mm x 200mm)		FC BC7 48 0000	
48" x 10" (1200mm x 250mm)		FC BD7 48 0000	
48" x 12" (1200mm x 300mm)		FC BE7 48 0000	
48" x 15" (1200mm x 375mm)		FC BF7 48 0000	
48" x 18" (1200mm x 450mm)		FC BG7 48 0000	
48" x 24" (1200mm x 600mm)		FC BH7 48 0000	
48" x 30" (1200mm x 750mm)		FC BI7 48 0000	



HI-Q

SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


*NOTE: ECCENTRIC REDUCING TEES AVAILABLE AS CUSTOM FITTINGS.
NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

REDUCING TAP WYES


HI-Q® & SURE-LOK®

REDUCING TAP WYES

DIAMETER	HI-Q	SURE-LOK BELL-AND-SPIGOT	SURE-LOK WT
		Includes 2 main gaskets	
10" x 4" (250mm x 100mm)	FC YAQ 10 0000	FC YA7 10 0000	
10" x 6" (250mm x 150mm)	FC YBQ 10 0000	FC YB7 10 0000	
10" x 8" (250mm x 200mm)	FC YCQ 10 0000	FC YC7 10 0000	
12" x 4" (300mm x 100mm)	FC YAQ 12 0000	FC YA7 12 0000	FC YAT 12 0000
12" x 6" (300mm x 150mm)	FC YBQ 12 0000	FC YB7 12 0000	FC YBT 12 0000
12" x 8" (300mm x 200mm)	FC YCQ 12 0000	FC YC7 12 0000	FC YCT 12 0000
12" x 10" (300mm x 250mm)	FC YDQ 12 0000	FC YD7 12 0000	FC YDT 12 0000
15" x 4" (375mm x 100mm)	FC YAQ 15 0000	FC YA7 15 0000	FC YAT 15 0000
15" x 6" (375mm x 150mm)	FC YBQ 15 0000	FC YB7 15 0000	FC YBT 15 0000
15" x 8" (375mm x 200mm)	FC YCQ 15 0000	FC YC7 15 0000	FC YCT 15 0000
15" x 10" (375mm x 250mm)	FC YDQ 15 0000	FC YD7 15 0000	FC YDT 15 0000
15" x 12" (375mm x 300mm)	FC YEQ 15 0000	FC YE7 15 0000	FC YET 15 0000
18" x 4" (450mm x 100mm)	FC YAQ 18 0000	FC YA7 18 0000	FC YAT 18 0000
18" x 6" (450mm x 150mm)	FC YBQ 18 0000	FC YB7 18 0000	FC YBT 18 0000
18" x 8" (450mm x 200mm)	FC YCQ 18 0000	FC YC7 18 0000	FC YCT 18 0000
18" x 10" (450mm x 250mm)	FC YDQ 18 0000	FC YD7 18 0000	FC YDT 18 0000
18" x 12" (450mm x 300mm)	FC YEQ 18 0000	FC YE7 18 0000	FC YET 18 0000
18" x 15" (450mm x 375mm)	FC YFQ 18 0000	FC YF7 18 0000	FC YFT 18 0000
24" x 4" (600mm x 100mm)	FC YAQ 24 0000	FC YA7 24 0000	FC YAT 24 0000
24" x 6" (600mm x 150mm)	FC YBQ 24 0000	FC YB7 24 0000	FC YBT 24 0000
24" x 8" (600mm x 200mm)	FC YCQ 24 0000	FC YC7 24 0000	FC YCT 24 0000
24" x 10" (600mm x 250mm)	FC YDQ 24 0000	FC YD7 24 0000	FC YDT 24 0000
24" x 12" (600mm x 300mm)	FC YEQ 24 0000	FC YE7 24 0000	FC YET 24 0000
24" x 15" (600mm x 375mm)	FC YFQ 24 0000	FC YF7 24 0000	FC YFT 24 0000
24" x 18" (600mm x 450mm)	FC YGQ 24 0000	FC YG7 24 0000	FC YGT 24 0000
30" x 4" (750mm x 100mm)	FC YAQ 30 0000	FC YA7 30 0000	FC YAT 30 0000
30" x 6" (750mm x 150mm)	FC YBQ 30 0000	FC YB7 30 0000	FC YBT 30 0000
30" x 8" (750mm x 200mm)	FC YCQ 30 0000	FC YC7 30 0000	FC YCT 30 0000
30" x 10" (750mm x 250mm)	FC YDQ 30 0000	FC YD7 30 0000	FC YDT 30 0000
30" x 12" (750mm x 300mm)	FC YEQ 30 0000	FC YE7 30 0000	FC YET 30 0000
30" x 15" (750mm x 375mm)	FC YFQ 30 0000	FC YF7 30 0000	FC YFT 30 0000
30" x 18" (750mm x 450mm)	FC YGQ 30 0000	FC YG7 30 0000	FC YGT 30 0000
30" x 24" (750mm x 600mm)	FC YHQ 30 0000	FC YH7 30 0000	FC YHT 30 0000
36" x 4" (900mm x 100mm)	FC YAQ 36 0000		
36" x 6" (900mm x 150mm)	FC YBQ 36 0000		
36" x 8" (900mm x 200mm)	FC YCQ 36 0000		
36" x 10" (900mm x 250mm)	FC YDQ 36 0000		
36" x 12" (900mm x 300mm)	FC YEQ 36 0000		
36" x 15" (900mm x 375mm)	FC YFQ 36 0000		
36" x 18" (900mm x 450mm)	FC YGQ 36 0000		
36" x 24" (900mm x 600mm)	FC YHQ 36 0000		
36" x 30" (900mm x 750mm)	FC YIQ 36 0000		



HI-Q



SURE-LOK BELL-AND-SPIGOT
& SURE-LOK WT


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.

COUPLERS

INTERNAL SNAP, EXTERNAL SNAP & SPLIT BAND

INTERNAL SNAP COUPLERS


DIAMETER	PACKAGE QUANTITY	PRODUCT CODE
3" (75mm)	50	FC CZB 03 0000
4" (100mm)	50	FC CZB 04 0000
5" (125mm)	25	FC CZB 05 0000
6" (150mm)	20	FC CZB 06 0000
8" (200mm)	10	FC CSB 08 0000



INTERNAL SNAP COUPLER

EXTERNAL SNAP COUPLERS


DIAMETER	PACKAGE QUANTITY	PRODUCT CODE
4" (100mm)	50	FC CLB 04 0000
6" (150mm)	20	FC CLB 06 0000
8" (200mm)	5	FC CPB 08 0000
10" (250mm)	5	FC CLB 10 0000



EXTERNAL SNAP COUPLER

SPLIT BAND COUPLERS

DIAMETER	PACKAGE QUANTITY	PRODUCT CODE
5" (125mm)	25	FC CPB 05 0000
8" (200mm)	20	FC CPS 08 0000
10" (250mm)	5	FC CPB 10 0000
12" (300mm)	5	FC CPB 12 0000
15" (375mm)	5	FC CPB 15 0000
18" (450mm)	5	FC CPB 18 0000
24" (600mm)	5	FC CPB 24 0000
30" (750mm)	5	FC CPB 30 0000
36" (900mm)	2	FC CPB 36 0000
48" (1200mm)	2	FC CPB 48 0000




SPLIT BAND COUPLER

FOR MAR-MAC® COUPLERS PLEASE REFER TO PAGE 54

END CAPS, ADAPTERS & DOWNSPOUT ADAPTERS

EXTERNAL END CAPS*

DIAMETER	PACKAGE QUANTITY	PRODUCT CODE
3" (75mm)	50	FC E0B 03 0000
4" (100mm)	50	FC E0B 04 0000
5" (125mm)	50	FC E0B 05 0000
6" (150mm)	20	FC E0B 06 0000
8" (200mm)	10	FC CLB 08 0000
10" (250mm)	10	FC E0B 10 0000
12" (300mm)	10	FC E0B 12 0000
15" (375mm)	5	FC E0B 15 0000




EXTERNAL END CAP

**HANCOR END CAPS ARE FOR HORIZONTAL APPLICATIONS ONLY. HANCOR END CAPS ARE NOT PERMITTED TO BE USED IN ANY VERTICAL APPLICATIONS. MISUSE OR FAILURE TO PROPERLY SECURE END CAPS MAY RESULT IN DAMAGE TO PERSONS OR PROPERTY OR MAY RESULT IN INJURY OR DEATH.*

INTERNAL END CAPS


DIAMETER	PACKAGE QUANTITY	PRODUCT CODE
4" (100mm)	50	FC EZB 04 0000
5" (125mm)	25	FC EZB 05 0000
6" (150mm)	20	FC EZB 06 0000
8" (200mm)	10	FC EZB 08 0000



INTERNAL END CAP

ADAPTERS


DIAMETER	PACKAGE QUANTITY	PRODUCT CODE
3" (75mm)	25	FC A0B 03 0000
4" (100mm)	50	FC ACB 04 0000
5" (125mm)	50	FC A0B 05 0000
6" (150mm)	20	FC A0B 06 0000



ADAPTER

DOWNSPOUT ADAPTERS

SIZE	PACKAGE QUANTITY	PRODUCT CODE
Downspout Dimensions x Pipe Diameter		
2 ¹ / ₂ " x 2 ¹ / ₂ " x 4" (62.5mm x 62.5mm x 100mm)	20	FC D4B 04 0000
2" x 3" x 3" (50mm x 75mm x 75mm)	50	FC D5B 03 0000
2" x 3" x 4" (50mm x 75mm x 100mm)	50	FC D5B 04 0000
3" x 4" x 4" (75mm x 100mm x 100mm)	50	FC D7B 04 0000




DOWNSPOUT ADAPTER

REDUCERS & ELBOWS

REDUCERS*


SIZE	PACKAGE QUANTITY	PRODUCT CODE
(Main x Stub)		
4" x 3" (100mm x 75mm)	25	FC R03 04 0000
5" x 4" (125mm x 100mm)	25	FC R04 05 0000
6" x 4" (150mm x 100mm)	20	FC R04 06 0000
6" x 5" (150mm x 125mm)	20	FC R05 06 0000
8" x 6" (200mm x 150mm)	5	FC R06 08 0000
10" x 8" (250mm x 200mm)	5	FC R08 10 0000
12" x 10" (300mm x 250mm)	5	FC R10 12 0000
15" x 12" (375mm x 300mm)	1	FC R12 15 0000



REDUCER

90 DEGREE ELBOWS


SIZE	PACKAGE QUANTITY	PRODUCT CODE
3" (75mm)	25	FC L0B 03 0000
4" (100mm)	25	FC L0B 04 0000



90° ELBOW

90 DEGREE BLIND TEES

SIZE	PACKAGE QUANTITY	PRODUCT CODE
5" (125mm)	10	FC TBB 05 0000
6" (150mm)	5	FC TBL 06 0000
8" (200mm)	5	FC TBL 08 0000
6" x 6" x 6"/5"/4" (150mm/125mm/100mm)	10	FC TRO 06 0000
12" x 12" x 12"/10" (300mm/250mm)	1	FC TRO 12 0000




BLIND TEE

TEES

**STANDARD, REDUCING, STEP-DOWN,
CROSS, INTERNAL TAP**

STANDARD TEES


SIZE	PACKAGE QUANTITY	PRODUCT CODE
3" (75mm)	25	FC T0B 03 0000
4" (100mm)	25	FC T0B 04 0000
5" (125mm)	10	FC T0B 05 0000
6" (150mm)	5	FC TNB 06 0000



STANDARD TEE

REDUCING TEES


SIZE	PACKAGE QUANTITY	PRODUCT CODE
(Main x Stub)		
6" x 5"/4" (150mm x 125mm/100mm)	10	
10" x 6" (250mm x 150mm)	1	FC TR6 10 0000
12" x 6" (300mm x 150mm)	1	FC TR6 12 0000



REDUCING TEE

STEP-DOWN REDUCING TEES


SIZE	PACKAGE QUANTITY	PRODUCT CODE
(Main x Stub)		
5" x 5"/4" (125mm/100mm)	10	FC TR4 05 0000
6" x 6"x6"/5"/4" (150mm/125mm/100mm)	10	FC TRN 06 0000
8" x 8"/6"/4" (200mm/150mm/100mm)	5	FC TSD 08 0000
10" x 10"/8" (250mm/200mm)	1	FC TSD 10 0000
12" x 12"/10" (300mm/250mm)	1	FC TR0 12 0000



STEP-DOWN REDUCING TEE

CROSS TEES


DIAMETER	PACKAGE QUANTITY	PRODUCT CODE
6" (150mm)	5	FC TDB 06 0000



CROSS TEE

INTERNAL TAP TEES

SIZE	PACKAGE QUANTITY	PRODUCT CODE
4" x 6"/8" (100mm x 150mm/200mm)	50	FC TI6 04 0000
4" x 10"/12" (100mm x 250mm/300mm)	50	FC TI0 04 0000




INTERNAL TAP TEE

WYES, GRAVELLESS ACCESSORIES & TURF FLOW® FITTINGS

WYES


SIZE	PACKAGE QUANTITY	PRODUCT CODE
(Size on Size)	25	FC Y0B 03 0000
3" (75mm)		
4" (100mm)	10	FC Y0B 04 0000
5" (125mm)	5	FC Y0B 05 0000
6" (150mm)	5	FC Y0B 06 0000



WYE

GRAVELLESS ACCESSORIES


PRODUCT DESCRIPTION	STYLE	PRODUCT CODE
8" x 4" offset adapter (200mm x 100mm)	with grommet	FC OAB 08 0000
8" x 4" offset adapter (200mm x 100mm)	without grommet	FC OWB 08 0000
8" x 8" x 6" 1/4" SD reducing tee (200mmx200mmx150mm/100mm)		FC TSD 08 0000
10" x 4" offset adapter (250mm x 100mm)	with grommet	FC OAB 10 0000
10" x 4" offset adapter (250mm x 100mm)	without grommet	FC OWB 10 0000
10" x 10" x 10" 1/8" reducing tee (250mmx250mmx250mm/200mm)		FC TSD 04 0000
Sewer and drain grommet		PS S35 04 0000



OFFSET ADAPTER

2" TURF FLOW FITTINGS

FITTINGS	PACKAGE QUANTITY	PRODUCT CODE
Coupler	50	FC CLB 02 0000
End cap	50	FC E0B 02 0000
Blind tee/elbow	50	FC TBB 02 0000
Reducer	25	FC R02 04 0000




TURF FLOW COUPLER

PVC IN-LINE DRAINS

DRAIN-RITE™

**DRAIN-RITE™
WITH ROUND GRATES**


SIZE	DESCRIPTION	PRODUCT CODE
8"x4" (200mm x 100mm)	H10 round	FP D1R 08 0004
8"x6" (200mm x 150mm)	H10 round	FP D1R 08 0006
8"x8" (200mm x 200mm)	H10 round	FP D1R 08 0008
8"x4" (200mm x 100mm)	H25 round	FP D2R 08 0004
8"x6" (200mm x 150mm)	H25 round	FP D2R 08 0006
8"x8" (200mm x 200mm)	H25 round	FP D2R 08 0008
10"x4" (250mm x 100mm)	H10 round	FP D1R 10 0004
10"x6" (250mm x 150mm)	H10 round	FP D1R 10 0006
10"x8" (250mm x 200mm)	H10 round	FP D1R 10 0008
10"x10" (250mm x 250mm)	H10 round	FP D1R 10 0010
10"x4" (250mm x 100mm)	H25 round	FP D2R 10 0004
10"x6" (250mm x 150mm)	H25 round	FP D2R 10 0006
10"x8" (250mm x 200mm)	H25 round	FP D2R 10 0008
10"x10" (250mm x 250mm)	H25 round	FP D2R 10 0010
12"x4" (300mm x 100mm)	H10 round	FP D1R 12 0004
12"x6" (300mm x 150mm)	H10 round	FP D1R 12 0006
12"x8" (300mm x 200mm)	H10 round	FP D1R 12 0008
12"x10" (300mm x 250mm)	H10 round	FP D1R 12 0010
12"x12" (300mm x 300mm)	H10 round	FP D1R 12 0012
12"x4" (300mm x 100mm)	H25 round	FP D2R 12 0004
12"x6" (300mm x 150mm)	H25 round	FP D2R 12 0006
12"x8" (300mm x 200mm)	H25 round	FP D2R 12 0008
12"x10" (300mm x 250mm)	H25 round	FP D2R 12 0010
12"x12" (300mm x 300mm)	H25 round	FP D2R 12 0012
12"x4" (300mm x 100mm)	H25 solid round	FP D2S 12 0004
12"x6" (300mm x 150mm)	H25 solid round	FP D2S 12 0006
12"x8" (300mm x 200mm)	H25 solid round	FP D2S 12 0008
12"x10" (300mm x 250mm)	H25 solid round	FP D2S 12 0010
12"x12" (300mm x 300mm)	H25 solid round	FP D2S 12 0012
15"x4" (375mm x 100mm)	H10 round	FP D1R 15 0004
15"x6" (375mm x 150mm)	H10 round	FP D1R 15 0006
15"x8" (375mm x 200mm)	H10 round	FP D1R 15 0008
15"x10" (375mm x 250mm)	H10 round	FP D1R 15 0010
15"x12" (375mm x 300mm)	H10 round	FP D1R 15 0012
15"x15" (375mm x 375mm)	H10 round	FP D1R 15 0015
15"x4" (375mm x 100mm)	H25 round	FP D2R 15 0004
15"x6" (375mm x 150mm)	H25 round	FP D2R 15 0006
15"x8" (375mm x 200mm)	H25 round	FP D2R 15 0008
15"x10" (375mm x 250mm)	H25 round	FP D2R 15 0010
15"x12" (375mm x 300mm)	H25 round	FP D2R 15 0012
15"x15" (375mm x 375mm)	H25 round	FP D2R 15 0015
15"x4" (375mm x 100mm)	H25 solid round	FP D2S 15 0004
15"x6" (375mm x 150mm)	H25 solid round	FP D2S 15 0006
15"x8" (375mm x 200mm)	H25 solid round	FP D2S 15 0008
15"x10" (375mm x 250mm)	H25 solid round	FP D2S 15 0010
15"x12" (375mm x 300mm)	H25 solid round	FP D2S 15 0012
15"x15" (375mm x 375mm)	H25 solid round	FP D2S 15 0015


IN-LINE DRAINS


PVC IN-LINE DRAINS

DRAIN-RITE™

DRAIN-RITE™ WITH ROUND GRATES



SIZE	DESCRIPTION	PRODUCT CODE
18"x4" (450mm x 100mm)	H10 round	FP D1R 18 0004
18"x6" (450mm x 150mm)	H10 round	FP D1R 18 0006
18"x8" (450mm x 200mm)	H10 round	FP D1R 18 0008
18"x10" (450mm x 250mm)	H10 round	FP D1R 18 0010
18"x12" (450mm x 300mm)	H10 round	FP D1R 18 0012
18"x15" (450mm x 375mm)	H10 round	FP D1R 18 0015
18"x18" (450mm x 450mm)	H10 round	FP D1R 18 0018
18"x4" (450mm x 100mm)	H25 round	FP D2R 18 0004
18"x6" (450mm x 150mm)	H25 round	FP D2R 18 0006
18"x8" (450mm x 200mm)	H25 round	FP D2R 18 0008
18"x10" (450mm x 250mm)	H25 round	FP D2R 18 0010
18"x12" (450mm x 300mm)	H25 round	FP D2R 18 0012
18"x15" (450mm x 375mm)	H25 round	FP D2R 18 0015
18"x18" (450mm x 450mm)	H25 round	FP D2R 18 0018
18"x4" (450mm x 100mm)	H25 solid round	FP D2S 18 0004
18"x6" (450mm x 150mm)	H25 solid round	FP D2S 18 0006
18"x8" (450mm x 200mm)	H25 solid round	FP D2S 18 0008
18"x10" (450mm x 250mm)	H25 solid round	FP D2S 18 0010
18"x12" (450mm x 300mm)	H25 solid round	FP D2S 18 0012
18"x15" (450mm x 375mm)	H25 solid round	FP D2S 18 0015
18"x18" (450mm x 450mm)	H25 solid round	FP D2S 18 0018
24"x4" (600mm x 100mm)	H10 round	FP D1R 24 0004
24"x6" (600mm x 150mm)	H10 round	FP D1R 24 0006
24"x8" (600mm x 200mm)	H10 round	FP D1R 24 0008
24"x10" (600mm x 250mm)	H10 round	FP D1R 24 0010
24"x12" (600mm x 300mm)	H10 round	FP D1R 24 0012
24"x15" (600mm x 375mm)	H10 round	FP D1R 24 0015
24"x18" (600mm x 450mm)	H10 round	FP D1R 24 0018
24"x24" (600mm x 600mm)	H10 round	FP D1R 24 0024
24"x4" (600mm x 100mm)	H25 round	FP D2R 24 0004
24"x6" (600mm x 150mm)	H25 round	FP D2R 24 0006
24"x8" (600mm x 200mm)	H25 round	FP D2R 24 0008
24"x10" (600mm x 250mm)	H25 round	FP D2R 24 0010
24"x12" (600mm x 300mm)	H25 round	FP D2R 24 0012
24"x15" (600mm x 375mm)	H25 round	FP D2R 24 0015
24"x18" (600mm x 450mm)	H25 round	FP D2R 24 0018
24"x24" (600mm x 600mm)	H25 round	FP D2R 24 0024
24"x4" (600mm x 100mm)	H25 solid round	FP D2S 24 0004
24"x6" (600mm x 150mm)	H25 solid round	FP D2S 24 0006
24"x8" (600mm x 200mm)	H25 solid round	FP D2S 24 0008
24"x10" (600mm x 250mm)	H25 solid round	FP D2S 24 0010
24"x12" (600mm x 300mm)	H25 solid round	FP D2S 24 0012
24"x15" (600mm x 375mm)	H25 solid round	FP D2S 24 0015
24"x18" (600mm x 450mm)	H25 solid round	FP D2S 24 0018
24"x24" (600mm x 600mm)	H25 solid round	FP D2S 24 0024




IN-LINE DRAINS

PVC IN-LINE DRAINS

DRAIN-RITE™

**DRAIN-RITE™
WITH ROUND GRATES**


SIZE	DESCRIPTION	PRODUCT CODE
30"x4" (750mm x 100mm)	H25 round	FP D2R 30 0004
30"x6" (750mm x 150mm)	H25 round	FP D2R 30 0006
30"x8" (750mm x 200mm)	H25 round	FP D2R 30 0008
30"x10" (750mm x 250mm)	H25 round	FP D2R 30 0010
30"x12" (750mm x 300mm)	H25 round	FP D2R 30 0012
30"x15" (750mm x 375mm)	H25 round	FP D2R 30 0015
30"x18" (750mm x 450mm)	H25 round	FP D2R 30 0018
30"x24" (750mm x 600mm)	H25 round	FP D2R 30 0024
30"x30" (750mm x 750mm)	H25 round	FP D2R 30 0030
30"x4" (750mm x 100mm)	H25 solid round	FP D2S 30 0004
30"x6" (750mm x 150mm)	H25 solid round	FP D2S 30 0006
30"x8" (750mm x 200mm)	H25 solid round	FP D2S 30 0008
30"x10" (750mm x 250mm)	H25 solid round	FP D2S 30 0010
30"x12" (750mm x 300mm)	H25 solid round	FP D2S 30 0012
30"x15" (750mm x 375mm)	H25 solid round	FP D2S 30 0015
30"x18" (750mm x 450mm)	H25 solid round	FP D2S 30 0018
30"x24" (750mm x 600mm)	H25 solid round	FP D2S 30 0024
30"x30" (750mm x 750mm)	H25 solid round	FP D2S 30 0030
36"x4" (900mm x 100mm)	H25 round	FP D2R 36 0004
36"x6" (900mm x 150mm)	H25 round	FP D2R 36 0006
36"x8" (900mm x 200mm)	H25 round	FP D2R 36 0008
36"x10" (900mm x 250mm)	H25 round	FP D2R 36 0010
36"x12" (900mm x 300mm)	H25 round	FP D2R 36 0012
36"x15" (900mm x 375mm)	H25 round	FP D2R 36 0015
36"x18" (900mm x 450mm)	H25 round	FP D2R 36 0018
36"x24" (900mm x 600mm)	H25 round	FP D2R 36 0024
36"x30" (900mm x 750mm)	H25 round	FP D2R 36 0030
36"x36" (900mm x 900mm)	H25 round	FP D2R 36 0036
36"x4" (900mm x 100mm)	H25 solid round	FP D2S 36 0004
36"x6" (900mm x 150mm)	H25 solid round	FP D2S 36 0006
36"x8" (900mm x 200mm)	H25 solid round	FP D2S 36 0008
36"x10" (900mm x 250mm)	H25 solid round	FP D2S 36 0010
36"x12" (900mm x 300mm)	H25 solid round	FP D2S 36 0012
36"x15" (900mm x 375mm)	H25 solid round	FP D2S 36 0015
36"x18" (900mm x 450mm)	H25 solid round	FP D2S 36 0018
36"x24" (900mm x 600mm)	H25 solid round	FP D2S 36 0024
36"x30" (900mm x 750mm)	H25 solid round	FP D2S 36 0030
36"x36" (900mm x 900mm)	H25 solid round	FP D2S 36 0036


IN-LINE DRAINS


PVC IN-LINE DRAINS

DRAIN-RITE™

DRAIN-RITE™ WITH SQUARE HINGED GRATES



SIZE	DESCRIPTION	PRODUCT CODE
12"x4" (300mm x 100mm)	H10 square	FP D1Q 12 0004
12"x6" (300mm x 150mm)	H10 square	FP D1Q 12 0006
12"x8" (300mm x 200mm)	H10 square	FP D1Q 12 0008
12"x10" (300mm x 250mm)	H10 square	FP D1Q 12 0010
12"x12" (300mm x 300mm)	H10 square	FP D1Q 12 0012
12"x4" (300mm x 100mm)	H25 square	FP D2Q 12 0004
12"x6" (300mm x 150mm)	H25 square	FP D2Q 12 0006
12"x8" (300mm x 200mm)	H25 square	FP D2Q 12 0008
12"x10" (300mm x 250mm)	H25 square	FP D2Q 12 0010
12"x12" (300mm x 300mm)	H25 square	FP D2Q 12 0012
12"x4" (300mm x 100mm)	H25 solid square	FP D2E 12 0004
12"x6" (300mm x 150mm)	H25 solid square	FP D2E 12 0006
12"x8" (300mm x 200mm)	H25 solid square	FP D2E 12 0008
12"x10" (300mm x 250mm)	H25 solid square	FP D2E 12 0010
12"x12" (300mm x 300mm)	H25 solid square	FP D2E 12 0012
15"x4" (375mm x 100mm)	H10 square	FP D1Q 15 0004
15"x6" (375mm x 150mm)	H10 square	FP D1Q 15 0006
15"x8" (375mm x 200mm)	H10 square	FP D1Q 15 0008
15"x10" (375mm x 250mm)	H10 square	FP D1Q 15 0010
15"x12" (375mm x 300mm)	H10 square	FP D1Q 15 0012
15"x15" (375mm x 375mm)	H10 square	FP D1Q 15 0015
15"x4" (375mm x 100mm)	H25 square	FP D2Q 15 0004
15"x6" (375mm x 150mm)	H25 square	FP D2Q 15 0006
15"x8" (375mm x 200mm)	H25 square	FP D2Q 15 0008
15"x10" (375mm x 250mm)	H25 square	FP D2Q 15 0010
15"x12" (375mm x 300mm)	H25 square	FP D2Q 15 0012
15"x15" (375mm x 375mm)	H25 square	FP D2Q 15 0015
15"x4" (375mm x 100mm)	H25 solid square	FP D2E 15 0004
15"x6" (375mm x 150mm)	H25 solid square	FP D2E 15 0006
15"x8" (375mm x 200mm)	H25 solid square	FP D2E 15 0008
15"x10" (375mm x 250mm)	H25 solid square	FP D2E 15 0010
15"x12" (375mm x 300mm)	H25 solid square	FP D2E 15 0012
15"x15" (375mm x 375mm)	H25 solid square	FP D2E 15 0015



IN-LINE DRAINS

DRAIN-RITE™ DOMED GRATES



SIZE	DESCRIPTION	PRODUCT CODE
8"x4" (200mm x 100mm)	H10 domed	FP D1D 08 0004
8"x6" (200mm x 150mm)	H10 domed	FP D1D 08 0006
8"x8" (200mm x 200mm)	H10 domed	FP D1D 08 0008
10"x4" (250mm x 100mm)	H10 domed	FP D1D 10 0004
10"x6" (250mm x 150mm)	H10 domed	FP D1D 10 0006
10"x8" (250mm x 200mm)	H10 domed	FP D1D 10 0008
10"x10" (250mm x 250mm)	H10 domed	FP D1D 10 0010


CATCH BASINS

DRAIN-RITE™

CATCH BASINS WITH ROUND GRATES



DIAMETER	HEIGHT	DESCRIPTION	PRODUCT CODE
8" (200mm)	to 60" (1500mm)	H10 round grate	FP B1R 08 0060
8" (200mm)	to 60" (1500mm)	H25 round grate	FP B2R 08 0060
8" (200mm)	to 120" (3000mm)	H10 round grate	FP B1R 08 0120
8" (200mm)	to 120" (3000mm)	H25 round grate	FP B2R 08 0120
10" (250mm)	to 60" (1500mm)	H10 round grate	FP B1R 10 0060
10" (250mm)	to 60" (1500mm)	H25 round grate	FP B2R 10 0060
10" (250mm)	to 120" (3000mm)	H10 round grate	FP B1R 10 0120
10" (250mm)	to 120" (3000mm)	H25 round grate	FP B2R 10 0120
12" (300mm)	to 60" (1500mm)	H10 round grate	FP B1R 12 0060
12" (300mm)	to 60" (1500mm)	H25 round grate	FP B2R 12 0060
12" (300mm)	to 120" (3000mm)	H10 round grate	FP B1R 12 0120
12" (300mm)	to 120" (3000mm)	H25 round grate	FP B2R 12 0120
12" (300mm)	to 60" (1500mm)	H25 round solid grate	FP B2S 12 0060
12" (300mm)	to 120" (3000mm)	H25 round solid grate	FP B2S 12 0120
15" (375mm)	to 60" (1500mm)	H10 round grate	FP B1R 15 0060
15" (375mm)	to 60" (1500mm)	H25 round grate	FP B2R 15 0060
15" (375mm)	to 120" (3000mm)	H10 round grate	FP B1R 15 0120
15" (375mm)	to 120" (3000mm)	H25 round grate	FP B2R 15 0120
15" (375mm)	to 60" (1500mm)	H25 round solid grate	FP B2S 15 0060
15" (375mm)	to 120" (3000mm)	H25 round solid grate	FP B2S 15 0120
18" (450mm)	to 60" (1500mm)	H10 round grate	FP B1R 18 0060
18" (450mm)	to 60" (1500mm)	H25 round grate	FP B2R 18 0060
18" (450mm)	to 120" (3000mm)	H10 round grate	FP B1R 18 0120
18" (450mm)	to 120" (3000mm)	H25 round grate	FP B2R 18 0120
18" (450mm)	to 60" (1500mm)	H25 round solid grate	FP B2S 18 0060
18" (450mm)	to 120" (3000mm)	H25 round solid grate	FP B2S 18 0120
24" (600mm)	to 60" (1500mm)	H10 round grate	FP B1R 24 0060
24" (600mm)	to 60" (1500mm)	H25 round grate	FP B2R 24 0060
24" (600mm)	to 120" (3000mm)	H10 round grate	FP B1R 24 0120
24" (600mm)	to 120" (3000mm)	H25 round grate	FP B2R 24 0120
24" (600mm)	to 60" (1500mm)	H25 round solid grate	FP B2S 24 0060
24" (600mm)	to 120" (3000mm)	H25 round solid grate	FP B2S 24 0120
30" (750mm)	to 60" (1500mm)	H25 round grate	FP B2R 30 0060
30" (750mm)	to 120" (3000mm)	H25 round grate	FP B2R 30 0120
30" (750mm)	to 60" (1500mm)	H25 round solid grate	FP B2S 30 0060
30" (750mm)	to 120" (3000mm)	H25 round solid grate	FP B2S 30 0120
36" (900mm)	to 60" (1500mm)	H25 round grate	FP B2R 36 0060
36" (900mm)	to 120" (3000mm)	H25 round grate	FP B2R 36 0120
36" (900mm)	to 60" (1500mm)	H25 round solid grate	FP B2S 36 0060
36" (900mm)	to 120" (3000mm)	H25 round solid grate	FP B2S 36 0120



CATCH BASIN


CATCH BASINS

DRAIN-RITE™

CATCH BASINS WITH SQUARE HINGED GRATES



DIAMETER	HEIGHT	DESCRIPTION	PRODUCT CODE
12" (300mm)	to 60" (1500mm)	H10 square grate	FP B1Q 12 0060
12" (300mm)	to 60" (1500mm)	H25 square grate	FP B2Q 12 0060
12" (300mm)	to 120" (3000mm)	H10 square grate	FP B1Q 12 0120
12" (300mm)	to 120" (3000mm)	H25 square grate	FP B2Q 12 0120
12" (300mm)	to 60" (1500mm)	H25 square solid grate	FP B2E 12 0060
12" (300mm)	to 120" (3000mm)	H25 square solid grate	FP B2E 12 0120
15" (375mm)	to 60" (1500mm)	H10 square grate	FP B1Q 15 0060
15" (375mm)	to 60" (1500mm)	H25 square grate	FP B2Q 15 0060
15" (375mm)	to 120" (3000mm)	H10 square grate	FP B1Q 15 0120
15" (375mm)	to 120" (3000mm)	H25 square grate	FP B2Q 15 0120
15" (375mm)	to 60" (1500mm)	H25 square solid grate	FP B2E 15 0060
15" (375mm)	to 120" (3000mm)	H25 square solid grate	FP B2E 15 0120



CATCH BASIN

CATCH BASINS WITH DOMED GRATES



DIAMETER	HEIGHT	DESCRIPTION	PRODUCT CODE
8" (200mm)	to 60" (1500mm)	H10 dome grate	FP B1D 08 0060
8" (200mm)	to 120" (3000mm)	H10 dome grate	FP B1D 08 0120
10" (250mm)	to 60" (1500mm)	H10 dome grate	FP B1D 10 0060
10" (250mm)	to 120" (3000mm)	H10 dome grate	FP B1D 10 0120

CATCH BASINS MINIMUM SUMP DEPTH



DIAMETER	SUMP DEPTH
8" (200mm)	6" (150mm)
10" (250mm)	6" (150mm)
12" (300mm)	6" (150mm)
15" (375mm)	6" (150mm)
18" (450mm)	6" (150mm)
24" (600mm)	8" (200mm)
30" (750mm)	10" (250mm)
36" (900mm)	14" (350mm)


PVC MANHOLE ADAPTERS

DRAIN-RITE™

PVC MANHOLE ADAPTERS



DIAMETER	SANDED PRODUCT CODE	UNSANDED PRODUCT CODE
4" (100mm)	FP PMC 04 0000	FP NMC 04 0000
6" (150mm)	FP PMC 06 0000	FP NMC 06 0000
8" (200mm)	FP PMC 08 0000	FP NMC 08 0000
10" (250mm)	FP PMC 10 0000	FP NMC 10 0000
12" (300mm)	FP PMC 12 0000	FP NMC 12 0000
15" (375mm)	FP PMC 15 0000	FP NMC 15 0000
18" (450mm)	FP PMC 18 0000	FP NMC 18 0000
24" (600mm)	FP PMC 24 0000	FP NMC 24 0000
30" (750mm)		
36" (900mm)		



MANHOLE ADAPTER

LOCKING DUCTILE IRON DROP-IN GRATE



DIAMETER	PRODUCT CODE
6" (150mm)	FP DDG 06 0000
8" (200mm)	FP DDG 08 0000
10" (250mm)	FP DDG 10 0000
12" (300mm)	FP DDG 12 0000
15" (375mm)	FP DDG 15 0000
18" (450mm)	FP DDG 18 0000
24" (600mm)	FP DDG 24 0000



DROP-IN GRATE

1. All grates come with locking bolts and instructions.
2. Drop-in grates are designed to fit on top of Hancor dual wall pipe for light-duty applications only.


CURB INLET STRUCTURES

DRAIN-RITE™

CURB INLET STRUCTURES 2' x 2' GRATES



DIAMETER	HEIGHT	DESCRIPTION	PRODUCT CODE
12" (300mm)	to 60" (1500mm)	straight	FP C2S 12 0060
12" (300mm)	to 60" (1500mm)	diagonal	FP C2D 12 0060
12" (300mm)	to 60" (1500mm)	high flow	FP C2H 12 0060
12" (300mm)	to 120" (3000mm)	straight	FP C2S 12 0120
12" (300mm)	to 120" (3000mm)	diagonal	FP C2D 12 0120
12" (300mm)	to 120" (3000mm)	high flow	FP C2H 12 0120
15" (375mm)	to 60" (1500mm)	straight	FP C2S 15 0060
15" (375mm)	to 60" (1500mm)	diagonal	FP C2D 15 0060
15" (375mm)	to 60" (1500mm)	high flow	FP C2H 15 0060
15" (375mm)	to 120" (3000mm)	straight	FP C2S 15 0120
15" (375mm)	to 120" (3000mm)	diagonal	FP C2D 15 0120
15" (375mm)	to 120" (3000mm)	high flow	FP C2H 15 0120
18" (450mm)	to 60" (1500mm)	straight	FP C2S 18 0060
18" (450mm)	to 60" (1500mm)	diagonal	FP C2D 18 0060
18" (450mm)	to 60" (1500mm)	high flow	FP C2H 18 0060
18" (450mm)	to 120" (3000mm)	straight	FP C2S 18 0120
18" (450mm)	to 120" (3000mm)	diagonal	FP C2D 18 0120
18" (450mm)	to 120" (3000mm)	high flow	FP C2H 18 0120
24" (600mm)	to 60" (1500mm)	straight	FP C2S 24 0060
24" (600mm)	to 60" (1500mm)	diagonal	FP C2D 24 0060
24" (600mm)	to 60" (1500mm)	high flow	FP C2H 24 0060
24" (600mm)	to 120" (3000mm)	straight	FP C2S 24 0120
24" (600mm)	to 120" (3000mm)	diagonal	FP C2D 24 0120
24" (600mm)	to 120" (3000mm)	high flow	FP C2H 24 0120
30" (750mm)	to 60" (1500mm)	straight	FP C2S 30 0060
30" (750mm)	to 60" (1500mm)	diagonal	FP C2D 30 0060
30" (750mm)	to 60" (1500mm)	high flow	FP C2H 30 0060
30" (750mm)	to 120" (3000mm)	straight	FP C2S 30 0120
30" (750mm)	to 120" (3000mm)	diagonal	FP C2D 30 0120
30" (750mm)	to 120" (3000mm)	high flow	FP C2H 30 0120



2x2 CURB INLET

Includes up to 4 outlet stubs.


CURB INLET STRUCTURES

DRAIN-RITE™

CURB INLET STRUCTURES 2' x 3' GRATES



DIAMETER	HEIGHT	DESCRIPTION	PRODUCT CODE
18" (450mm)	to 60" (1500mm)	straight	FP C3S 18 0060
18" (450mm)	to 60" (1500mm)	diagonal	FP C3D 18 0060
18" (450mm)	to 60" (1500mm)	high flow	FP C3H 18 0060
18" (450mm)	to 120" (3000mm)	straight	FP C3S 18 0120
18" (450mm)	to 120" (3000mm)	diagonal	FP C3D 18 0120
18" (450mm)	to 120" (3000mm)	high flow	FP C3H 18 0120
24" (600mm)	to 60" (1500mm)	straight	FP C3S 24 0060
24" (600mm)	to 60" (1500mm)	diagonal	FP C3D 24 0060
24" (600mm)	to 60" (1500mm)	high flow	FP C3H 24 0060
24" (600mm)	to 120" (3000mm)	straight	FP C3S 24 0120
24" (600mm)	to 120" (3000mm)	diagonal	FP C3D 24 0120
24" (600mm)	to 120" (3000mm)	high flow	FP C3H 24 0120
30" (750mm)	to 60" (1500mm)	straight	FP C3S 30 0060
30" (750mm)	to 60" (1500mm)	diagonal	FP C3D 30 0060
30" (750mm)	to 60" (1500mm)	high flow	FP C3H 30 0060
30" (750mm)	to 120" (3000mm)	straight	FP C3S 30 0120
30" (750mm)	to 120" (3000mm)	diagonal	FP C3D 30 0120
30" (750mm)	to 120" (3000mm)	high flow	FP C3H 30 0120



2x3 CURB INLET

Includes up to 4 outlet stubs.


TRAFFIC STRUCTURES

DRAIN-RITE™

TRAFFIC STRUCTURES 2' x 2' GRATES



DIAMETER	HEIGHT	DESCRIPTION	PRODUCT CODE
12" (300mm)	to 60" (1500mm)	straight	FP T2S 12 0060
12" (300mm)	to 60" (1500mm)	diagonal	FP T2D 12 0060
12" (300mm)	to 60" (1500mm)	high flow	FP T2H 12 0060
12" (300mm)	to 120" (3000mm)	straight	FP T2S 12 0120
12" (300mm)	to 120" (3000mm)	diagonal	FP T2D 12 0120
12" (300mm)	to 120" (3000mm)	high flow	FP T2H 12 0120
15" (375mm)	to 60" (1500mm)	straight	FP T2S 15 0060
15" (375mm)	to 60" (1500mm)	diagonal	FP T2D 15 0060
15" (375mm)	to 60" (1500mm)	high flow	FP T2H 15 0060
15" (375mm)	to 120" (3000mm)	straight	FP T2S 15 0120
15" (375mm)	to 120" (3000mm)	diagonal	FP T2D 15 0120
15" (375mm)	to 120" (3000mm)	high flow	FP T2H 15 0120
18" (450mm)	to 60" (1500mm)	straight	FP T2S 18 0060
18" (450mm)	to 60" (1500mm)	diagonal	FP T2D 18 0060
18" (450mm)	to 60" (1500mm)	high flow	FP T2H 18 0060
18" (450mm)	to 120" (3000mm)	straight	FP T2S 18 0120
18" (450mm)	to 120" (3000mm)	diagonal	FP T2D 18 0120
18" (450mm)	to 120" (3000mm)	high flow	FP T2H 18 0120
24" (600mm)	to 60" (1500mm)	straight	FP T2S 24 0060
24" (600mm)	to 60" (1500mm)	diagonal	FP T2D 24 0060
24" (600mm)	to 60" (1500mm)	high flow	FP T2H 24 0060
24" (600mm)	to 120" (3000mm)	straight	FP T2S 24 0120
24" (600mm)	to 120" (3000mm)	diagonal	FP T2D 24 0120
24" (600mm)	to 120" (3000mm)	high flow	FP T2H 24 0120
30" (750mm)	to 60" (1500mm)	straight	FP T2S 30 0060
30" (750mm)	to 60" (1500mm)	diagonal	FP T2D 30 0060
30" (750mm)	to 60" (1500mm)	high flow	FP T2H 30 0060
30" (750mm)	to 120" (3000mm)	straight	FP T2S 30 0120
30" (750mm)	to 120" (3000mm)	diagonal	FP T2D 30 0120
30" (750mm)	to 120" (3000mm)	high flow	FP T2H 30 0120



2x2 TRAFFIC STRUCTURE

Includes up to 4 outlet stubs.

TRAFFIC STRUCTURES

DRAIN-RITE™

TRAFFIC STRUCTURES 2' x 3' GRATES



DIAMETER	HEIGHT	DESCRIPTION	PRODUCT CODE
18" (450mm)	to 60" (1500mm)	straight	FP T3S 18 0060
18" (450mm)	to 60" (1500mm)	diagonal	FP T3D 18 0060
18" (450mm)	to 60" (1500mm)	high flow	FP T3H 18 0060
18" (450mm)	to 120" (3000mm)	straight	FP T3S 18 0120
18" (450mm)	to 120" (3000mm)	diagonal	FP T3D 18 0120
18" (450mm)	to 120" (3000mm)	high flow	FP T3H 18 0120
24" (600mm)	to 60" (1500mm)	straight	FP T3S 24 0060
24" (600mm)	to 60" (1500mm)	diagonal	FP T3D 24 0060
24" (600mm)	to 60" (1500mm)	high flow	FP T3H 24 0060
24" (600mm)	to 120" (3000mm)	straight	FP T3S 24 0120
24" (600mm)	to 120" (3000mm)	diagonal	FP T3D 24 0120
24" (600mm)	to 120" (3000mm)	high flow	FP T3H 24 0120
30" (750mm)	to 60" (1500mm)	straight	FP T3S 30 0060
30" (750mm)	to 60" (1500mm)	diagonal	FP T3D 30 0060
30" (750mm)	to 60" (1500mm)	high flow	FP T3H 30 0060
30" (750mm)	to 120" (3000mm)	straight	FP T3S 30 0120
30" (750mm)	to 120" (3000mm)	diagonal	FP T3D 30 0120
30" (750mm)	to 120" (3000mm)	high flow	FP T3H 30 0120



2x3 TRAFFIC STRUCTURE

Includes up to 4 outlet stubs.


RISER / EXTENTIONS

DRAIN-RITE™

RISER / EXTENTIONS



SIZE	DESCRIPTION	PRODUCT CODE
8" (200mm)	initial foot riser ext.	FP REX 08 0000
8" (200mm)	additional foot ext.	FP AEX 08 0000
10" (250mm)	initial foot riser ext.	FP REX 10 0000
10" (250mm)	additional foot ext.	FP AEX 10 0000
12" (300mm)	initial foot riser ext.	FP REX 12 0000
12" (300mm)	additional foot ext.	FP AEX 12 0000
15" (375mm)	initial foot riser ext.	FP REX 15 0000
15" (375mm)	additional foot ext.	FP AEX 15 0000
18" (450mm)	initial foot riser ext.	FP REX 18 0000
18" (450mm)	additional foot ext.	FP AEX 18 0000
24" (600mm)	initial foot riser ext.	FP REX 24 0000
24" (600mm)	additional foot ext.	FP AEX 24 0000
30" (750mm)	initial foot riser ext.	FP REX 30 0000
30" (750mm)	additional foot ext.	FP AEX 30 0000
36" (900mm)	initial foot riser ext.	FP REX 36 0000
36" (900mm)	additional foot ext.	FP AEX 36 0000



DRAIN BASIN EXTENSION

LOCKING GRATE

DRAIN-RITE™

LOCKING GRATE ADDERS SQUARE HINGED GRATES



DIAMETER	DESCRIPTION	PRODUCT CODE
12" (300mm)	H10 square locking adder	FP LAQ 12 0000
12" (300mm)	H25 square locking adder	FP 2AQ 12 0000
12" (300mm)	solid square locking adder	FP LAE 12 0000
15" (375mm)	H10 square locking adder	FP LAQ 15 0000
15" (375mm)	H25 square locking adder	FP 2AQ 15 0000
15" (375mm)	solid square locking adder	FP LAE 15 0000

LOCKING GRATE ADDERS ROUND GRATES



DIAMETER	DESCRIPTION	PRODUCT CODE
12" (300mm)	H10 round locking adder	FP LAR 12 0000
12" (300mm)	H25 round locking adder	FP 2AR 12 0000
12" (300mm)	solid round locking adder	FP LAS 12 0000
15" (375mm)	H10 round locking adder	FP LAR 15 0000
15" (375mm)	H25 round locking adder	FP 2AR 15 0000
15" (375mm)	solid round locking adder	FP LAS 15 0000
18" (450mm)	H10 round locking adder	FP LAR 18 0000
18" (450mm)	H25 round locking adder	FP 2AR 18 0000
18" (450mm)	solid round locking adder	FP LAS 18 0000
24" (600mm)	H10 round locking adder	FP LAR 24 0000
24" (600mm)	H25 round locking adder	FP 2AR 24 0000
24" (600mm)	solid round locking adder	FP LAS 24 0000
30" (750mm)	H25 round locking adder	FP LAR 30 0000
30" (750mm)	solid round locking adder	FP LAS 30 0000
36" (900mm)	H25 round locking adder	FP LAR 36 0000
36" (900mm)	solid round locking adder	FP LAS 36 0000

CATCH BASINS

POLYETHYLENE CATCH BASINS* Custom made to order only

RISER DIAMETER	RISER HEIGHT	STUB** DIAMETER
12" - 48" (300mm-1200mm)	2' - 8' (0.6m-2.4m)	4" - 48" (100mm-1200mm)


*RISERS MUST BE PROPERLY BACKFILLED VERTICALLY PER HANCOR DRAINAGE HANDBOOK – INSTALLATIONS/ VERTICAL. USE FITTING LIMITATION SHEET TO INFORM AND ENSURE PROPER INSTALLATION COMPLIANCE. 54" AND 60" (1350 AND 1500MM) NOT AVAILABLE FOR VERTICAL APPLICATIONS.

STUBS MUST FIT ON CIRCUMFERENCE AND HEIGHT OF RISER AND MUST NOT BE OVERLAPPING. STUBS ARE STANDARD LENGTH FOR COUPLING AND MUST BE A SMALLER DIAMETER THAN THE RISER. NO MORE THAN THREE STUBS PER STRUCTURE UNDER MOST CIRCUMSTANCES.

LIDS SHOULD BE INSTALLED PER LIGHT DUTY CATCH BASIN DETAIL AND ARE AVAILABLE THROUGH OTHER MANUFACTURERS. CATCH BASIN LIDS ARE NOT FABRICATED BY HANCOR. HDPE BOTTOM DOES NOT COME STANDARD WITH RISERS. MUST BE REQUESTED. **STUBS AVAILABLE IN SURE-LOK® (HUB), HI-Q® OR SMOOTH HDPE.

FOR MORE INFORMATION CONTACT HANCOR'S APPLICATION ENGINEERING DEPARTMENT AT 800-2HANCOR (242-6267, EXT. 809).


HANCOR END CAPS ARE FOR HORIZONTAL APPLICATIONS ONLY. HANCOR END CAPS ARE NOT PERMITTED TO BE USED IN ANY VERTICAL APPLICATIONS. MISUSE OR FAILURE TO PROPERLY SECURE END CAPS MAY RESULT IN DAMAGE TO PERSONS OR PROPERTY OR MAY RESULT IN INJURY OR DEATH.



CATCH BASIN

POLYETHYLENE DRAIN GRATES

SIZE	PRODUCT CODE
12" (300mm)	MR GDG 12 0000
15" (375mm)	MR GDG 15 0000



DRAIN GRATE

OUTFLOW ACCESSORIES


FLARED & SLOPED END SECTIONS, ANIMAL GUARDS & TRASH GUARDS

FLARED END SECTIONS





SIZE	PRODUCT CODE
10" (250mm) and 12" (300mm)	MR PES 12 0000
15" (375mm)	MR PES 15 0000
18" (450mm)	MR PES 18 0000
24" (600mm)	MR PES 24 0000
30" (750mm)	MR PES 30 0000
36" (900mm)	MR PES 36 0000

TOP VIEW



SIDE VIEW



FRONT VIEW
STAINLESS STEEL
THREADED FASTENER


FLARED END SECTION

METAL TRASH GUARDS



DIAMETER	DESCRIPTION	PRODUCT CODE
12" (300mm)	GALVANIZED STEEL	MR GTG 12 0000
15" (375mm)	GALVANIZED STEEL	MR GTG 15 0000
18" (450mm)	GALVANIZED STEEL	MR GTG 18 0000
24" (600mm)	GALVANIZED STEEL	MR GTG 24 0000
30" (750mm)	GALVANIZED STEEL	MR GTG 30 0000
36" (900mm)	GALVANIZED STEEL	MR GTG 36 0000



METAL TRASH GUARD

SLOPED END SECTIONS




DIAMETER	SLOPE 2:1	SLOPE 3:1	SLOPE 4:1	SLOPE 6:1
12" (300mm)	FC S21 12 0000	FC S31 12 0000	FC S41 12 0000	FC S61 12 0000
15" (375mm)	FC S21 15 0000	FC S31 15 0000	FC S41 15 0000	FC S61 15 0000
18" (450mm)	FC S21 18 0000	FC S31 18 0000	FC S41 18 0000	FC S61 18 0000
24" (600mm)	FC S21 24 0000	FC S31 24 0000	FC S41 24 0000	FC S61 24 0000
30" (750mm)	FC S21 30 0000	FC S31 30 0000	FC S41 30 0000	FC S61 30 0000
36" (900mm)	FC S21 36 0000	FC S31 36 0000	FC S41 36 0000	


SLOPED END
SECTION

ANIMAL GUARDS



DIAMETER	DESCRIPTION	PRODUCT CODE
4" (100mm)	METAL RAT GUARD	MR URG 04 0000
6" (150mm)	METAL RAT GUARD	MR URG 06 0000
8" (200mm)	METAL RAT GUARD	MR URG 08 0000
10" (250mm)	METAL RAT GUARD	MR URG 10 0000
15" (375mm)	METAL RAT GUARD	MR URG 15 0000
18" (450mm)	METAL RAT GUARD	MR URG 18 0000
24" (600mm)	METAL RAT GUARD	MR URG 24 0000
30" (750mm)	METAL RAT GUARD	MR URG 30 0000
36" (900mm)	METAL RAT GUARD	MR URG 36 0000




ANIMAL GUARD

WATER CONTROL STRUCTURE

WATER CONTROL STRUCTURE

DIMENSIONS				PRODUCT CODE
RISER	INLET	OUTLET	HEIGHT	
24" (600mm)	8" (200mm)	10" (250mm)	4 foot (1.2m)	WS WCS 24 1004
24" (600mm)	8" (200mm)	10" (250mm)	6 foot (1.8m)	WS WCS 24 1006
24" (600mm)	8" (200mm)	10" (250mm)	8 foot (2.4m)	WS WCS 24 1008
24" (600mm)	10" (250mm)	12" (300mm)	4 foot (1.2m)	WS WCS 24 1204
24" (600mm)	10" (250mm)	12" (300mm)	6 foot (1.8m)	WS WCS 24 1206
24" (600mm)	10" (250mm)	12" (300mm)	8 foot (2.4m)	WS WCS 24 1208

WATER CONTROL STRUCTURE



HICKENBOTTOM RISERS




DIAMETER	DESCRIPTION	PRODUCT CODE
6" (150mm)	Tops w/Caps, 1" 25mm Round Holes	FC UHR 06 0000
	Bottom (Middle) NS, Small Hole (5/16") 8mm	FC UNR 06 0000
	Tee NS	FC THR 06 0000
8" (200mm)	Tops w/Caps, 1" 25 mm Round Holes	FC UHR 08 0000
	Bottom (Middle) NS, Small Hole (5/16") 8mm	FC UNR 08 0000
	Tee NS	FC THR 08 0000

RETENTION/DETENTION SYSTEMS, CONNECTORS


LANDMAX®

LANDMAX HEADERS – REDUCING STUBS


INSIDE DIAMETER	HI-Q* COMPONENT HEADER – REDUCING			SURE-LOK BELL-AND-SPIGOT COMPONENT HEADER – REDUCING		
	SINGLE	DOUBLE	TRIPLE	SINGLE	DOUBLE	TRIPLE
12" (300mm)	FC SCH 12 0000	FC DCH 12 0000	FC TCH 12 0000	FC SCW 12 0000	FC ZZQ 01 0000	FC ZZQ 01 0000
15" (375mm)	FC SCH 15 0000	FC DCH 15 0000	FC TCH 15 0000	FC SCW 15 0000	FC ZZQ 01 0000	FC ZZQ 01 0000
18" (450mm)	FC SCH 18 0000	FC DCH 18 0000	FC TCH 18 0000	FC SCW 18 0000	FC DCW 18 0000	FC TCW 18 0000
24" (600mm)	FC SCH 24 0000	FC DCH 24 0000	FC TCH 24 0000	FC SCW 24 0000	FC DCW 24 0000	FC TCW 24 0000
30" (750mm)	FC SCH 30 0000	FC DCH 30 0000	FC TCH 30 0000	FC SCW 30 0000	FC DCW 30 0000	FC TCW 30 0000
36" (900mm)	FC SCH 36 0000	FC DCH 36 0000	FC TCH 36 0000	FC SCW 36 0000	FC DCW 36 0000	FC TCW 36 0000
42" (1050mm)	FC SCH 42 0000	FC DCH 42 0000		FC SCW 42 0000	FC DCW 42 0000	
48" (1200mm)	FC SCH 48 0000	FC DCH 48 0000		FC SCW 48 0000	FC DCW 48 0000	
54" (1350mm)	FC SCH 54 0000	FC DCH 54 0000		FC SCW 54 0000	FC DCW 54 0000	
60" (1500mm)	FC SCH 60 0000	FC DCH 60 0000		FC SCW 60 0000	FC DCW 60 0000	




**HI-Q
SINGLE**




**HI-Q
DOUBLE**




**HI-Q
TRIPLE**



**SURE-LOK
BELL-AND-SPIGOT
SINGLE**




**SURE-LOK
BELL-AND-SPIGOT
DOUBLE**



**SURE-LOK
BELL-AND-SPIGOT
TRIPLE**

ECCENTRIC REDUCERS

INSIDE DIAMETER	HI-Q*	SURE-LOK BELL-AND-SPIGOT*
12" x 8" (300mm x 200mm)	FC ECQ 12 0000	FC EC7 12 0000
15" x 8" (375mm x 200mm)	FC ECQ 15 0000	FC EC7 15 0000
18" x 12" (450mm x 300mm)	FC EEQ 18 0000	FC EE7 18 0000
24" x 15" (600mm x 375mm)	FC EGQ 24 0000	FC EG7 24 0000
30" x 18" (750mm x 450mm)	FC EGQ 30 0000	FC EG7 30 0000
36" x 18" (900mm x 450mm)	FC SGQ 36 0000	FC SG7 36 0000
42" x 18" (1050mm x 450mm)	FC SGQ 42 0000	FC SG7 42 0000
48" x 24" (1200mm x 600mm)	FC SHQ 48 0000	FC SH7 48 0000
54" x 30" (1350mm x 750mm)	FC SIQ 54 0000	FC SI7 54 0000
60" x 30" (1500mm x 750mm)	FC SIQ 60 0000	FC SI7 60 0000









NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.
*FOR RETENTION SYSTEMS ONLY.



RETENTION/DETENTION SYSTEMS, ACCESSORIES

LANDMAX®

LANDMAX HEADERS – SIZE ON SIZE STUBS

INSIDE DIAMETER	HI-Q* COMPONENT HEADER – SIZE ON SIZE			SURE-LOK BELL-AND-SPIGOT COMPONENT HEADER – SIZE ON SIZE		
	SINGLE	DOUBLE	TRIPLE	SINGLE	DOUBLE	TRIPLE
12" (300mm)	FC TOQ 12 0000	FC DCH 12 0012	FC TCH 12 0012	FC S7H 12 0012	FC D7H 12 0012	FC T7H 12 0012
15" (375mm)	FC TOQ 15 0000	FC DCH 15 0015	FC TCH 15 0015	FC S7H 15 0015	FC D7H 15 0015	FC T7H 15 0015
18" (450mm)	FC TOQ 18 0000	FC DCH 18 0018	FC TCH 18 0018	FC S7H 18 0018	FC D7H 18 0018	FC T7H 18 0018
24" (600mm)	FC TOQ 24 0000	FC DCH 24 0024	FC TCH 24 0024	FC S7H 24 0024	FC D7H 24 0024	FC T7H 24 0024
30" (750mm)	FC TOQ 30 0000	FC DCH 30 0030	FC TCH 30 0030	FC S7H 30 0030	FC D7H 30 0030	FC T7H 30 0030
36" (900mm)	FC TOQ 36 0000	FC DCH 36 0036	FC TCH 36 0036	FC S7H 36 0036	FC D7H 36 0036	FC T7H 36 0036
42" (1050mm)	FC TOQ 42 0000	FC DCH 42 0042		FC S7H 42 0042	FC D7H 42 0042	
48" (1200mm)	FC TOQ 48 0000	FC DCH 48 0048		FC S7H 48 0048	FC D7H 48 0048	
54" (1350mm)	FC ZZQ 01 0000	FC ZZQ 01 0000		FC ZZQ 01 0000	FC ZZQ 01 0000	
60" (1500mm)	FC TOQ 60 0000	FC DCH 60 0060		FC S7H 60 0060	FC D7H 60 0060	
						
	HI-Q SINGLE	HI-Q DOUBLE	HI-Q TRIPLE	SURE-LOK BELL-AND-SPIGOT SINGLE	SURE-LOK BELL-AND-SPIGOT DOUBLE	SURE-LOK BELL-AND-SPIGOT TRIPLE

LANDMAX ACCESSORIES

DIAMETER	PRODUCT CODE	 WELDED END PLATE ON HEADER	DIAMETER	PRODUCT CODE	 HI-Q CLEAN OUT STUBS 1" LONG ON HEADER
12" (300mm)	FC ZZQ 01 0000		4" (100mm)	FC ZZQ 01 0000	
15" (375mm)	FC ZZQ 01 0000		6" (150mm)	FC ZZQ 01 0000	
18" (450mm)	FC ZZQ 01 0000		8" (200mm)	FC ZZQ 01 0000	
24" (600mm)	FC ZZQ 01 0000		10" (250mm)	FC ZZQ 01 0000	
30" (750mm)	FC ZZQ 01 0000		12" (300mm)	FC ZZQ 01 0000	
36" (900mm)	FC ZZQ 01 0000		15" (375mm)	FC ZZQ 01 0000	
42" (1050mm)	FC ZZQ 01 0000		18" (450mm)	FC ZZQ 01 0000	
48" (1200mm)	FC ZZQ 01 0000		24" (600mm)	FC ZZQ 01 0000	
54" (1350mm)	FC ZZQ 01 0000		30" (750mm)	FC ZZQ 01 0000	
60" (1500mm)	FC ZZQ 01 0000				


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.
*FOR RETENTION SYSTEMS ONLY.

RETENTION/DETENTION COUPLERS


LANDMAX® & MAR-MAC®

LANDMAX COUPLERS



DIAMETER	HI-Q® PLAIN END*	PRODUCT CODE
	Snap coupler (4-8") (100-200mm) Split band (10-30") (250-750mm)	Double Bell Coupler + 2 gaskets
4" (100mm)		FC C47 04 0000
6" (150mm)	FC CSB 06 0000	FC C47 06 0000
8" (200mm)	FC CSB 08 0000	FC C47 08 0000
10" (250mm)	FC CPB 10 0000	
12" (300mm)	FC CPB 12 0000	FC C47 12 0000
15" (375mm)	FC CPB 15 0000	FC C47 15 0000
18" (450mm)	FC CPB 18 0000	FC C47 18 0000
24" (600mm)	FC CPB 24 0000	FC C47 24 0000
30" (750mm)	FC CPB 30 0000	FC C47 30 0000
36" (900mm)	FC CPB 36 0000	FC C47 36 0000
42" (1050mm)		FC C47 42 0000
48" (1200mm)	FC CPB 48 0000	FC CJS 48 0000
54" (1350mm)		FC CJS 54 0000
60" (1500mm)		FC CJS 60 0000



**SNAP
COUPLER**



**SPLIT BAND
COUPLER**



**DOUBLE BELL
COUPLER**

MAR-MAC® COUPLERS



DIAMETER	PRODUCT CODE
4" (100mm)	FC CMM 04 0000
6" (150mm)	FC CMM 06 0000
8" (200mm)	FC CMM 08 0000
10" (250mm)	FC CMM 10 0000
12" (300mm)	FC CMM 12 0000
15" (375mm)	FC CMM 15 0000
18" (450mm)	FC CMM 18 0000
24" (600mm)	FC CMM 24 0000
30" (750mm)	FC CMM 30 0000
36" (900mm)	FC CMM 36 0000
42" (1050mm)	FC CMM 42 0000
48" (1200mm)	FC CMM 48 0000
54" (1350mm)	FC CMM 54 0000
60" (1500mm)	FC CMM 60 0000
30" - 60" (750-1500mm)	Banding Tool <i>Please note that the banding tool is a required purchase for 30" - 60" product installations.</i>


NOTE: CONTACT YOUR HANCOR REPRESENTATIVE FOR AVAILABILITY OF SIZES NOT LISTED ABOVE.
*FOR RETENTION SYSTEMS ONLY.

RETENTION/DETENTION

STORMASTER™

STORMASTER STORM WATER CHAMBER


HEIGHT	PRODUCT CODE
30" (750mm)	SM CHA 30 0000



STORMASTER STORM WATER
CHAMBER

STORMASTER SOLID END CAP


TYPE	PRODUCT CODE
Solid	SM END 30 0000



STORMASTER SOLID END CAP

STORMASTER END CAP WITH PRE-FABRICATED STUBS @ TOP


HEIGHT	PRODUCT CODE
4" (100mm)	SM ENH 30 0004
6" (150mm)	SM ENH 30 0006
8" (200mm)	SM ENH 30 0008
10" (250mm)	SM ENH 30 0010
12" (300mm)	SM ENH 30 0012
15" (375mm)	SM ENH 30 0015
18" (450mm)	SM ENH 30 0018



STORMASTER END CAP WITH
PRE-FABRICATED STUBS @ TOP

STORMASTER END CAP WITH PRE-FABRICATED STUBS @ BOTTOM

HEIGHT	PRODUCT CODE
4" (100mm)	SM ENL 30 0004
6" (150mm)	SM ENL 30 0006
8" (200mm)	SM ENL 30 0008
10" (250mm)	SM ENL 30 0010
12" (300mm)	SM ENL 30 0012
15" (375mm)	SM ENL 30 0015
18" (450mm)	SM ENL 30 0018
24" (600mm)	SM ENL 30 0024




STORMASTER END CAP WITH
PRE-FABRICATED STUBS @ BOTTOM

RETENTION/DETENTION COMPONENTS

STORMASTER™

STORMASTER SINGLE HEADERS SIZE ON SIZE


DIAMETER		PRODUCT CODE
I.D.	O.D.	
12" (300mm)	14.2" (355mm)	SM SCH 12 0012
15" (375mm)	17.7" (442.5mm)	SM SCH 15 0015
18" (450mm)	21.5" (537.5mm)	SM SCH 18 0018
24" (600mm)	28.4" (710mm)	SM SCH 24 0024



SINGLE HEADER


STORMASTER SINGLE HEADERS REDUCING

DIAMETER		PRODUCT CODE
MAIN I.D.	STUB I.D.	
12" (300mm)	8" (200mm)	SM SCH 12 0000
15" (375mm)	8" (200mm)	SM SCH 15 0000
18" (450mm)	12" (300mm)	SM SCH 18 0000
24" (600mm)	15" (375mm)	SM SCH 24 0000
30" (750mm)	18" (450mm)	SM SCH 30 0000
36" (900mm)	24" (600mm)	SM SCH 36 0000

SINGLE HEADER
REDUCING

STORMASTER DOUBLE HEADERS SIZE ON SIZE


DIAMETER		PRODUCT CODE
I.D.	O.D.	
12" (300mm)	14.2" (355mm)	SM DCH 12 0012
15" (375mm)	17.7" (442.5mm)	SM DCH 15 0015
18" (450mm)	21.5" (537.5mm)	SM DCH 18 0018
24" (600mm)	28.4" (710mm)	SM DCH 24 0024



DOUBLE HEADER

STORMASTER DOUBLE HEADERS REDUCING

DIAMETER		PRODUCT CODE
MAIN I.D.	STUB I.D.	
12" (300mm)	8" (200mm)	SM DCH 12 0000
15" (375mm)	8" (200mm)	SM DCH 15 0000
18" (450mm)	12" (300mm)	SM DCH 18 0000
24" (600mm)	15" (375mm)	SM DCH 24 0000
30" (750mm)	18" (450mm)	SM DCH 30 0000
36" (900mm)	24" (600mm)	SM DCH 36 0000




DOUBLE HEADER REDUCING

RETENTION/DETENTION COMPONENTS

STORMASTER™ HEADER ACCESSORIES

WELDED END PLATE ON HEADER


DIAMETER	DESCRIPTION
12" (300mm)	Sold with header
15" (375mm)	Sold with header
18" (450mm)	Sold with header
24" (600mm)	Sold with header
30" (750mm)	Sold with header
36" (900mm)	Sold with header
42" (1050mm)	Sold with header
48" (1200mm)	Sold with header
54" (1350mm)	Sold with header
60" (1500mm)	Sold with header



WELDED END PLATE ON HEADER

HI-Q CLEAN OUT STUBS 1' LONG ON HEADER

DIAMETER	DESCRIPTION
4" (100mm)	Sold with header
6" (150mm)	Sold with header
8" (200mm)	Sold with header
10" (250mm)	Sold with header
12" (300mm)	Sold with header
15" (375mm)	Sold with header
18" (450mm)	Sold with header
24" (600mm)	Sold with header
30" (750mm)	Sold with header



HI-Q CLEAN OUT STUBS

SPLIT BAND COUPLERS

DIAMETER	PRODUCT CODE
12" (300mm)	FC CPB 12 0000
15" (375mm)	FC CPB 15 0000
18" (450mm)	FC CPB 18 0000
24" (600mm)	FC CPB 24 0000
30" (750mm)	FC CPB 30 0000

STORM WATER TREATMENT

STORM WATER QUALITY UNIT


MODULE I SEDIMENT SEPARATOR WITH 2 SKIMMING WEIRS

DIAMETER	DESCRIPTION	PRODUCT CODE
36" (900mm)	Module I – 20.5' (6.24m)	FC WSO 36 0000
36" (900mm)	Module I – Extended 40' (12m)	FC WSX 36 0000
42" (1050mm)	Module I – 20.5' (6.24m)	FC WSO 42 0000
42" (1050mm)	Module I – Extended 40' (12m)	FC WSX 42 0000
48" (1200mm)	Module I – 20.5' (6.24m)	FC WSO 48 0000
48" (1200mm)	Module I – Extended 40' (12m)	FC WSX 48 0000
54" (1350mm)	Module I – 20.5' (6.24m)	FC WSO 54 0000
54" (1350mm)	Module I – Extended 40' (12m)	FC WSX 54 0000
60" (1500mm)	Module I – 20.5' (6.24m)	FC WSO 60 0000
60" (1500mm)	Module I – Extended 40' (12m)	FC WSX 60 0000


MODULE II SWQU WITH BAFFLE 55™ AND COALESCING MEDIA COMPONENTS

DIAMETER	DESCRIPTION	PRODUCT CODE
48" (1200mm)	Module II	FC WSF 48 0000
60" (1500mm)	Module II	FC WSF 60 0000

MODULE I



MODULE II



BYPASS INLET / OUTLET KITS

DIAMETER	DESCRIPTION	PRODUCT CODE
10" (250mm)	Inlet Line Kit	FC BNK 10 0000
12" (300mm)	Inlet Line Kit	FC BNK 12 0000
15" (375mm)	Inlet Line Kit	FC BNK 15 0000
10" (250mm)	Outlet Line Kit	FC BUK 10 0000
12" (300mm)	Outlet Line Kit	FC BUK 12 0000
15" (375mm)	Outlet Line Kit	FC BUK 15 0000

BYPASS STRUCTURES

DIAMETER	PRODUCT CODE
12" (300mm)	FC BYK 12 0000
15" (375mm)	FC BYK 15 0000
18" (450mm)	FC BYK 18 0000
24" (600mm)	FC BYK 24 0000
30" (750mm)	FC BYK 30 0000
36" (900mm)	FC BYK 36 0000
42" (1050mm)	FC BYK 42 0000

OUTLET ECCENTRIC WYE KITS

SIZE	PRODUCT CODE
12" x 10" (300 x 250mm)	FC CDK 12 0000
15" x 10" (375 x 250mm)	FC CDK 15 0000
15" x 12" (375 x 300mm)	FC CEK 15 0000

STORM WATER TREATMENT

FLOGARD+PLUS™


FRAME MOUNT – FLAT GRATED AND COMBINATION INLETS




CHART A

MODEL NUMBER	INLET TYPE	INLET ID (MIN) (INXIN)*	GRATE OD (INXIN)*	SOLIDS STORAGE CAPACITY (CU FT)	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FGP-12F	Flat Grate	12x12	12x14	0.3	0.4	2.8	FG BIF 12 0012
FGP-1530F	Flat Grate	15x30	15x35	2.3	1.6	6.9	FG BIF 15 1530
FGP-16F	Flat Grate	16x16	16x19	0.8	0.7	4.7	FG BIF 16 0016
FGP-1642F	Flat Grate	16x24	16x26	1.5	1.2	5.0	FG BIF 16 1624
FGP-18F	Flat Grate	18x18	18x20	0.8	0.7	4.7	FG BIF 18 0018
FGP-1820F	Flat Grate	16x19	18x21	2.1	1.4	5.9	FG BIF 16 1820
FGP-1824F	Flat Grate	16x22	18x24	1.5	1.2	5.0	FG BIF 16 1824
FGP-1836F	Flat Grate	18x36	18x40	2.3	1.6	6.9	FG BIF 18 1836
FGP-1836FGO	Combination	24x36	18x40	2.3	1.6	6.7	FG BIF 24 1836
FGP-2024F	Flat Grate	18x22	20x24	1.2	1.0	5.9	FG BIF 18 1822
FGP-21F	Flat Grate	22x22	24x24	2.2	1.5	6.1	FG BIF 22 0021
FGP-2142F	Flat Grate	21x40	24x40	4.3	2.4	9.1	FG BIF 21 2142
FGP-2148F	Flat Grate	19x46	22x48	4.7	2.6	9.8	FG BIF 19 2148
FGP-24F	Flat Grate	24x24	24x27	2.2	1.5	6.1	FG BIF 24 0024
FGP-2430F	Flat Grate	24x30	26x30	2.8	1.8	7.0	FG BIF 24 2430
FGP-2436F	Flat Grate	24x36	24x40	3.4	2.0	8.0	FG BIF 24 2436
FGP-2436FGO	Combination	36x36	24x40	3.4	2.0	8.0	FG BIF 36 2436
FGP-2448F	Flat Grate	24x48	26x48	4.4	2.4	9.3	FG BIF 24 2448
FGP-28F	Flat Grate	28x28	32x32	2.2	1.5	6.3	FG BIF 28 0028
FGP-2840F	Flat Grate	24x36	28x40	4.2	2.3	8.7	FG BIF 24 2840
FGP-30F	Flat Grate	30x30	30x34	3.6	2.0	8.1	FG BIF 30 0030
FGP-36F	Flat Grate	36x36	36x40	4.6	2.4	9.1	FG BIF 36 0036
FGP-3648F	Flat Grate	36x48	40x48	6.8	3.2	11.5	FG BIF 36 3648
FGP-48F	Flat Grate	48x48	48x54	9.5	3.9	13.2	FG BIF 48 4801
FGP-48FGO	Combination	48x48	18x52	9.5	3.5	13.2	FG BIF 48 4800

*Dimensions are approximate – submit exact measurements when ordering.



FRAME MOUNT – FLAT GRATED INLET



FRAME MOUNT – COMBINATION INLET

STORM WATER TREATMENT

FLOGARD+PLUS™


FRAME MOUNT – ROUND GRATED INLET




CHART B

MODEL NUMBER	INLET TYPE	INLET ID (MIN) (IN DIA)*	GRATE OD (IN DIA)*	SOLIDS STORAGE CAPACITY (CU FT)	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FGP-RF15F	Circular	15	18	0.3	0.4	2.8	FG BIH 15 0015
FGP-RF18F	Circular	18	20	0.3	0.4	2.8	FG BIH 18 0018
FGP-RF20F	Circular	22	24	0.8	0.7	4.7	FG BIH 22 0020
FGP-RF24F	Circular	24	26	0.8	0.7	4.7	FG BIH 24 0024
FGP-RF36F	Circular	36	39	2.2	1.5	6.1	FG BIH 36 0036

*Dimensions shown are approximate – submit exact dimensions when ordering.



FRAME MOUNT – ROUND GRATED INLET



CURB MOUNT – CURB INLET

CURB MOUNT – CURB INLET



CHART C

MODEL NUMBER	INLET TYPE	INLET WIDTH (IN)*	SOLIDS STORAGE CAPACITY (CU FT)	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FGP-24CI	Curb Inlet	12x12	0.9	0.8	5.6	FG PBC 00 0002
FGP-30CI	Curb Inlet	15x30	1.1	1.0	6.7	FG PBC 00 0025
FGP-36CI	Curb Inlet	16x16	1.4	1.2	7.9	FG PBC 00 0003
FGP-42CI	Curb Inlet	18x18	1.6	1.4	8.8	FG PBC 00 0035
FGP-48CI	Curb Inlet	20x24	1.9	1.5	9.9	FG PBC 00 0004

*Dimensions shown are approximate – submit exact measurements when ordering.

STORM WATER TREATMENT

FLOGARD+PLUS™

WALL MOUNT – COMBINATION INLET




CHART D

MODEL NUMBER	INLET TYPE	INLET ID (MIN) (INXIN)*	GRATE OD (INXIN)*	SOLIDS STORAGE CAPACITY (CU FT)	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FGP-1836W	Flat or Combo	16x33	22x37	2.3	1.6	6.7	FG BIW 22 1836
FGP-1836WE	Flat or Combo	16x33	22x39	2.3	1.6	6.7	FG BIW 22 1830
FGP-24W	Flat or Combo	22x22	27x27	2.2	1.5	5.9	FG BIW 27 0024
FGP-28W	Flat or Combo	26x26	28x28	2.2	1.5	5.9	FG BIW 28 0028
FGP-2436W	Flat or Combo	22x33	27x37	3.4	2.0	7.7	FG BIW 27 2436
FGP-2436WE	Flat or Combo	22x37	27x39	3.4	2.0	7.7	FG BIW 27 2430
FGP-36W**	Flat Grate	32x33	37x42	4.6	2.4	8.7	FG BIW 42 0036
FGP-36WE**	Flat Grate	32x37	39x42	4.6	2.4	8.7	FG BIW 42 0360
FGP-3648W**	Flat Grate	33x44	37x54	6.8	3.2	11.5	FG BIW 54 3648
FGP-3648WE**	Flat Grate	37x44	39x54	6.8	3.2	11.5	FG BIW 54 3640

*Dimensions are approximate – submit exact measurements when ordering.

**2 pieces



WALL MOUNT – COMBINATION INLET

ACCESSORIES



MODEL NUMBER	DESCRIPTION	PRODUCT CODE
FGP-AB	Expansion Anchor/Bolt Set (4 pcs.)	FG PAB 38 0025
FGP-EF	Expansive Foam Sealant (12 oz)	FG PFS 00 0000
FGP-SB24	Multiple Grate Span Bracket (24")	FG PSB 24 0024
FGP-SB36	Multiple Grate Span Bracket (36")	FG PSB 36 0036

STORM WATER TREATMENT

FLOGARD™

FRAME MOUNT – FLAT GRATED AND COMBINATION INLETS – SHALLOW INSTALLATIONS




CHART E

MODEL NUMBER	INLET TYPE	INLET ID (MIN) (INXIN)*	GRATE OD (INXIN)*	SOLIDS STORAGE CAPACITY (CU FT)	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FF-V64D	Flat Grate	14x14	16x16	0.3	0.2	0.2	FG BIS 14 0064
FF-16D	Flat Grate	16x16	18x18	0.5	0.4	0.4	FG BIS 16 0016
FF-1624D	Flat Grate	16x24	16x26	0.6	0.7	0.6	FG BIS 16 1624
FF-18D	Flat Grate	18x18	20x20	0.5	0.5	0.5	FG BIS 18 0018
FF-1824D	Flat Grate	18x24	20x24	0.6	0.7	0.6	FG BIS 18 1824
FF-1836SD	Flat Grate	18x36	18x40	1.0	1.1	1.1	FG BIS 18 1836
FF-1836DGO	Combination	18x36	18x40	1.0	1.1	1.1	FG BIS 24 1836
FF-1848DGO	Combination	48x48	18x52	1.2	1.4	1.4	FG BIS 48 1848
FF-21D	Flat Grate	22x22	24x24	0.7	0.7	0.7	FG BIS 22 0021
FF-24D	Flat Grate	24x24	26x26	0.8	0.9	0.9	FG BIS 24 0024
FF-24DGO	Combination	24x24	18x36	0.8	0.9	0.9	FG BIS 24 0240
FF-2430D	Flat Grate	24x30	26x30	1.0	1.1	1.1	FG BIS 24 2430
FF-2436D	Flat Grate	24x36	24x40	1.1	1.3	1.3	FG BIS 24 2436
FF-2436SD	Flat Grate	24x36	24x40	1.1	1.3	1.3	FG BIS 24 2431
FF-2436DGO	Combination	24x36	24x40	1.1	1.3	1.3	FG BIS 36 2436
FF-2448D**	Flat Grate	24x48	26x48	1.3	1.6	1.6	FG BIS 24 2448
FF-30D	Flat Grate	30x30	30x34	1.1	1.3	1.3	FG BIS 30 0030
FF-36D**	Flat Grate	36x36	40x40	1.3	1.6	1.6	FG BIS 36 0036
FF-3648SD**	Flat Grate	36x48	40x40	1.6	2.0	1.9	FG BIS 36 3648

*Dimensions are approximate – submit exact measurements when ordering.

**2 piece



FRAME MOUNT – FLAT GRATED INLET –
SHALLOW INSTALLATIONS

STORM WATER TREATMENT

FLOGARD™

T-SERIES FRAME MOUNT




CHART F

MODEL NUMBER	INLET TYPE	INLET ID (MIN) (INXIN)*	GRATE OD (INXIN)*	SOLIDS STORAGE CAPACITY (CU FT)	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FG-TV9	Christy	9x14	10x16	0.2	0.3	0.1	FG TIG 09 0009
FG-TV64	Christy	14x14	16x16	0.4	0.5	0.2	FG TIG 14 0064
FG-T9	NDS	7x7	9x9	0.1	0.2	0.1	FG TIG 07 0009
FG-T1212	NDS	10x10	12x12	0.2	0.3	0.1	FG TIG 10 1212
FG-T18	Flat Grate	15x15	18x18	0.7	0.7	0.2	FG TIG 15 0018
FG-T24	Flat Grate	22x22	24x24	1.4	1.1	0.3	FG TIG 22 0024
FG-T26	Flat Grate	24x24	26x26	1.6	1.2	0.3	FG TIG 24 0026
FG-TR12	Circular Grate	10	12	0.0	0.1	0.14	FG TIG 10 0012
FG-TR15	Circular Grate	12	15	0.1	0.1	0.18	FG TIG 12 0015
FG-TR18	Circular Grate	15	18	0.2	0.2	0.30	FG TIG 15 1518
FG-TR20	Circular Grate	18	20	0.3	0.4	0.37	FG TIG 18 0020
FG-TR24	Circular Grate	22	24	0.5	0.6	0.46	FG TIG 22 2224
FG-TR25	Circular Grate	24	25	0.7	0.7	0.51	FG TIG 24 0025
FG-TD6T	Trench Drain	4	6	0.0	0.1	0.2	FG TIG 04 0006
FG-TD8T	Trench Drain	6	8	0.1	0.2	0.2	FG TIG 06 0008
FF-TD10T	Trench Drain	8	10	0.1	0.3	0.2	FG TIG 08 0010
FF-TD12T	Trench Drain	10	12	0.2	0.3	0.2	FG TIG 10 1012
FF-TD14T	Trench Drain	12	14	0.2	0.4	0.2	FG TIG 12 0014
FF-TDR8R	Drain Rite	7.5	9.5	0.0	0.0	0.09	FG TIG 08 0008
FF-TDR10R	Drain Rite	9.5	11.5	0.0	0.1	0.14	FG TIG 10 0010
FF-TDR12R	Drain Rite	9.5	11.5	0.0	0.1	0.14	FG TIG 12 0012
FF-TDR12SQ	Drain Rite	11.5	13.5x13.5	0.1	0.1	0.18	FG TIG 00 0012
FF-TDR15R	Drain Rite	11	14	0.1	0.1	0.18	FG TIG 15 0015
FF-TDR15SQ	Drain Rite	14.5	16x16	0.1	0.1	0.18	FG TIG 00 0015
FF-TDR18R	Drain Rite	15	17	0.2	0.3	0.30	FG TIG 18 0018
FF-TDR24R	Drain Rite	21	23	0.3	0.4	0.37	FG TIG 24 0024
FF-TDR30R	Drain Rite	27	29	0.7	0.6	0.46	FG TIG 30 0030
FF-TDR36R	Drain Rite	34	36	0.9	0.7	0.51	FG TIG 36 0036

*Dimensions are approximate – submit exact measurements when ordering.

T-SERIES FRAME MOUNT



STORM WATER TREATMENT

FLOGARD™


FB-24 CATCH BASIN FILTER – FLAT GRATED INLET



CHART G

MODEL NUMBER	INLET TYPE	OUTLET PIPE SIZE (IN)	GRATE OD (INXIN)*	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FF-FB24S	Flat	3	24x24	0.05	0.07	FG B2S 00 0024
FF-FB24	Flat	4	24x24	0.05	0.14	FG B24 00 0024
FF-FB24B	Flat	6	24x24	0.05	0.41	FG B2B 00 0024

*Dimensions are approximate – submit exact measurements when ordering.



FB-24 CATCH BASIN FILTER –
FLAT GRATED INLET


TRASH AND DEBRIS GUARD ASSEMBLY



CHART H

MODEL NUMBER	INLET TYPE	INLET WIDTH* (IN)	INLET HEIGHT* (IN)	FILTER DEPTH (IN)	PRODUCT CODE
FG-TDG24	Parkway Culvert	32	6.0	0.75	FG TDG 24 0000
FG-TDG36	Parkway Culvert	44	6.0	0.75	FG TDG 36 0000
FG-TDG42	Parkway Culvert	50	6.0	0.75	FG TDG 42 0000
FG-TDG48	Parkway Culvert	56	6.0	0.75	FG TDG 48 0000
FG-TDG60	Parkway Culvert	68	6.0	0.75	FG TDG 60 0000

*Dimensions are approximate – submit exact measurements when ordering.



TRASH AND DEBRIS GUARD ASSEMBLY

STORM WATER TREATMENT

FLOGARD™


DOWNSPOUT FILTER




CHART I

MODEL NUMBER	INLET ID (IN DIA)	BOX DIM.* (INXINXIN)	SOLIDS STORAGE CAPACITY (CU FT)	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FG-DS4	4	14x24x7.5	0.4	0.35	1.15	FG DSA 04 0000
FG-DS6	6	14x24x7.5	0.4	0.35	1.15	FG DSA 06 0000
FG-DS8	8	22x28x17.5	2.6	1.40	4.35	FG DSA 08 0000
FG-DS10	10	22x51x17.5	5.2	2.60	4.35	FG DSA 10 0000

*Dimensions are approximate – submit exact measurements when ordering.



DOWNSPOUT FILTER



PERK FILTER – WALL MOUNT
– FLAT GRATED INLET


PERK FILTER – WALL MOUNT – FLAT GRATED INLET



CHART J

MODEL NUMBER	INLET TYPE	CB ID (INXIN)*	OVERFLOW ID (IN DIA)	MIN. REQUIRED FLOWLINE DROP	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FF-PF2436	Flat Grate	24x36	12	18.0	1.8	0.7	FG PKF 24 2436
FF-PF30	Flat Grate	29x29	12	18.0	1.8	0.7	FG PKF 30 0030
FF-PF36	Flat Grate	35x35	18	18.0	2.4	1.1	FG PKF 36 0036

*Dimensions are approximate – submit exact measurements when ordering.




FOSSIL TEE SUPPLEMENTARY FILTER



CHART K

MODEL NUMBER	OUTLET PIPE SIZE (IN)	FILTER SIZE (INXIN)	FILTERED FLOW (CFS)	TOTAL BYPASS CAPACITY (CFS)	PRODUCT CODE
FF-T106	6	10x24	0.03	0.41	FG FTF 10 0106




FOSSIL TEE
SUPPLEMENTARY FILTER

ENVIROCHAMBER™ UNITS* & ACCESSORIES


ENVIROCHAMBER ACCESSORIES

TYPE*	LOAD RATING	NOMINAL DIMENSIONS	CAPACITY	PRODUCT CODE
Narrow	H-10	11.5" x 15" x 101.5" (292mm x 380mm x 2578mm)	44 gal. (166 l)	CT N12 00 0000
Narrow	H-20	11.5" x 15" x 101.5" (292mm x 380mm x 2578mm)	44 gal. (166 l)	CT N12 20 0000
Standard	H-10	12" x 34" x 75" (300mm x 850mm x 1875mm)	92 gal. (348 l)	CT S12 00 0001
Standard	H-20	12" x 34" x 75" (300mm x 850mm x 1875mm)	92 gal. (348 l)	CT S12 20 0001
Hi Capacity SF	H-10	17.5" x 34" x 75" (438mm x 850mm x 1875mm)	139 gal. (526 l)	CT H17 00 0000
Hi Capacity SF	H-20	17.5" x 34" x 75" (438mm x 850mm x 1875mm)	139 gal. (526 l)	CT H17 20 0000
Hi Capacity SW	H-10	17.5" x 34" x 75" (438mm x 850mm x 1875mm)	139 gal. (526 l)	CT H17 30 0000
Hi Capacity SW	H-20	17.5" x 34" x 75" (438mm x 850mm x 1875mm)	139 gal. (526 l)	CT H17 40 0000


*171 NARROW UNITS PER PALLET (11 PALLETS/TRUCK); 51 STANDARD UNITS PER PALLET (22 PALLETS/TRUCK); 39 HI CAPACITY SF UNITS PER PALLET (21 PALLETS/TRUCK); 53 HI CAPACITY SW UNITS PER PALLET (21 PALLETS/TRUCK)



NARROW



STANDARD




HI CAPACITY




NARROW ENVIROCHAMBER END PLATE

ENVIROCHAMBER ACCESSORIES

DESCRIPTION	PRODUCT CODE
Narrow inlet/outlet plate	CTN 124 00 000
Standard inlet plate	CT SCP 00 0001
Standard outlet end cap	CT SOC 00 0001
Hi Capacity inlet plate	CT HCP 00 0001
Hi Capacity outlet end plate	CT HOC 00 0001
H-10 Standard 22.5 degree left elbow	CT HLL 00 0022
H-10 Standard 22.5 degree right elbow	CT HRL 00 0022
H-20 Standard 22.5 degree left elbow	CT HLL 20 0022
H-20 Standard 22.5 degree right elbow	CT HRL 20 0022



ENVIROCHAMBER INLET PLATE



ENVIROCHAMBER OUTLET END PLATE

*PRODUCTS NOT STOCKED AT ALL BRANCHES. REFER TO HANCOR REPRESENTATIVE FOR AVAILABILITY.

POLYETHYLENE TANKS

SNYDER® TANKS

PUMP TANKS



CAPACITY	LENGTH	WIDTH	HEIGHT	MANHOLE DIAMETER	PRODUCT CODE
300 gal. (1136 l) SPHERE	50" (1250mm)	50" (1250mm)	49.5" (1237.5mm)	1-24" (25-600mm)	SN 030 05 2655
500 gal. (1893 l) SPHERE	60" (1500mm)	60" (1500mm)	59.5" (1487.5mm)	1-24" (25-600mm)	SN 050 05 1755

Sphere pump tanks are furnished with manhole cover only.

SEPTIC TANKS – SINGLE COMPARTMENT



CAPACITY	LENGTH	WIDTH	HEIGHT	MANHOLE DIAMETER	PRODUCT CODE
300 gal. (1136 l) SPHERE	50" (1250mm)	50" (1250mm)	49.5" (1237.5mm)	1-24" (25-600mm)	SN 030 05 2600
500 gal. (1893 l) SPHERE	60" (1500mm)	60" (1500mm)	59.5" (1487.5mm)	1-24" (25-600mm)	SN 050 05 1700
500 gal. (1893 l) Low Profile	88" (2200mm)	48" (1200mm)	42" (1050mm)	1-24" (25-600mm)	SN 050 09 5301
750 gal. (2839 l)	80" (2000mm)	64" (1600mm)	62" (1550mm)	1-24" (25-600mm)	SN 075 05 0255
1050 gal. (3974 l)	100" (2500mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN 105 05 0655
1250 gal. (4731 l)	119" (2975mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN 125 05 0855
1500 gal. (5678 l)	140" (3500mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN 150 05 1255

SEPTIC TANKS – DOUBLE COMPARTMENT



CAPACITY	LENGTH	WIDTH	HEIGHT	MANHOLE DIAMETER	PRODUCT CODE
900 gal. (3408 l) Low Profile (2/3 - 1/3)	111" (2775mm)	60" (1500mm)	51" (1275mm)	2-24" (50-600mm)	SN FL2 00 0900
1050 gal. (3974 l) Low Profile (2/3 - 1/3)	126" (3150mm)	60" (1500mm)	51" (1275mm)	2-24" (50-600mm)	SN FL2 00 1050
1050 gal. (3974 l)	100" (2500mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN 105 05 0600
1250 gal. (4731 l)	119" (2975mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN 125 05 0800
1500 gal. (5678 l)	140" (3500mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN 150 05 1200
750 gal. (2839 l)	80" (2000mm)	64" (1600mm)	62" (1550mm)	1-24" (25-600mm)	SN FL1 00 0750
1050 gal. (3974 l)	100" (2500mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN FLA 00 1050
1250 gal. (4731 l)	119" (2975mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN FL2 00 1250
1500 gal. (5678 l)	140" (3500mm)	64" (1600mm)	62" (1550mm)	2-24" (50-600mm)	SN FL2 00 1500

Septic tanks are furnished pre-plumbed with inlet and outlet tees, gaskets, and manhole covers.
With the exception of the 300 gallon and 500 gallon sphere tanks, SEPTIC TANKS ARE NOT TO BE USED AS PUMP TANKS OR HOLDING TANKS WITH PUMPS IN THEM.

POLYETHYLENE TANKS

SNYDER® TANKS

ABOVE GROUND TANKS



CAPACITY	DIAMETER	HEIGHT	OPENING	OUTLET FITTING	PRODUCT CODE
110 gal (416 l) Vertical	33" (825mm)	36" (900mm)	8" (200mm)	2" (50mm)	SN 011 08 0010
210 gal (794 l) Vertical	33" (825mm)	64" (1600mm)	18" (450mm)	2" (50mm)	SN 021 08 0207
300 gal (1136 l) Vertical	35" (875mm)	78" (1950mm)	18" (450mm)	2" (50mm)	SN 030 01 6306
550 gal (2081 l) Vertical	64" (1600mm)	46" (1150mm)	10" (250mm)	2" (50mm)	SN 055 01 6706
1100 gal (4164 l) Narrow Vertical	64" (1600mm)	87" (2175mm)	18" (450mm)	2" B.O. (50mm)	SN 110 01 8306
1100 gal (4164 l) Vertical	86" (2150mm)	53" (1325mm)	10" (250mm)	2" B.O. (50mm)	SN 110 01 7106
1500 gal (5677 l) Vertical	86" (2150mm)	70" (1750mm)	10" (250mm)	2" B.O. (50mm)	SN 150 01 7706
2000 gal (7570 l) Vertical	90" (2250mm)	88" (2200mm)	18" (450mm)	2" B.O. (50mm)	SN 200 05 0506
2500 gal (9462 l) Vertical	90" (2250mm)	106" (2650mm)	18" (450mm)	2" B.O. (50mm)	SN 250 05 0906
3000 gal (11355 l) Vertical	90" (2250mm)	125" (3125mm)	18" (450mm)	2" B.O. (50mm)	SN 300 05 1306
5100 gal (19303 l) Vertical	102" (2550mm)	159" (3975mm)	18" (450mm)	2" B.O. (50mm)	SN 510 08 2100
30 gal (113 l) Horizontal Leg	23" (575mm)	19" (475mm)	6" (150mm)	-	SN 003 01 0806
300 gal (1136 l) Horizontal Leg	38" (950mm)	72" (1800mm)	10" (250mm)	1 - 1/4" (31.25mm)	SN 030 01 3206
150 gal (567 l) Utility	54" (1350mm)	22" (550mm)	10" (250mm)	2" (50mm)	SN 015 01 6006
300 gal (1136 l) Utility	65" (1625mm)	29" (725mm)	10" (250mm)	2" (50mm)	SN 030 01 6206
465 gal (1760 l) Utility	65" (1625mm)	45" (1125mm)	10" (250mm)	2"(50mm)	SN 046 51 6506

NOTE: Tanks above are for above ground only. B.O. = Bolted On

CLEAR WATER TANKS



CAPACITY	DIAMETER	HEIGHT	OPENING	OUTLET FITTING	PRODUCT CODE
120 gal (454 l) Vertical	32" (800mm)	38" (950mm)	10" (250mm)	1-1/2" (37.5mm)	SN 012 01 5402
200 gal (757 l) Vertical	36" (900mm)	59" (1475mm)	10" (250mm)	1-1/2" (37.5mm)	SN 020 01 5403
300 gal (1136 l) Vertical	36" (900mm)	82" (2050mm)	10" (250mm)	1-1/2" (37.5mm)	SN 030 01 6301
525 gal (1986 l) Vertical	48" (1200mm)	76" (1900mm)	10" (250mm)	2" (50mm)	SN 052 01 8001
1000 gal (3785 l) Vertical	60" (1500mm)	88" (2200mm)	18" (450mm)	2" B.O. (50mm)	SN 100 01 8301
2000 gal (7570 l) Vertical	96" (2400mm)	87" (2175mm)	18" (450mm)	2" B.O. (50mm)	SN 200 05 0501
2600 gal (9500 l) Vertical	96" (2400mm)	100" (2500mm)	18" (450mm)	2" B.O. (50mm)	SN 260 05 0901
3000 gal (11355 l) Vertical	96" (2400mm)	114" (2850mm)	18" (450mm)	2" B.O. (50mm)	SN 300 05 1301
5000 gal (18925 l) Vertical	102" (2550mm)	159" (3975mm)	18" (450mm)	2" B.O. (50mm)	SN 500 07 4202

NOTE: CA only. B.O. = Bolted On

GREEN WATER TANKS



CAPACITY	DIAMETER	HEIGHT	OPENING	OUTLET FITTING	PRODUCT CODE
205 gal (794 l) Vertical	42" (1050mm)	43" (1075mm)	10" (250mm)	1-1/2" (37.5mm)	SN 020 51 5404
310 gal (1173 l) Vertical	42" (1050mm)	59" (1475mm)	10" (250mm)	2" (50mm)	SN 031 01 6302
550 gal (2081 l) Vertical	64" (1600mm)	46" (1150mm)	10" (250mm)	2" B.O. (50mm)	SN 055 01 6700
1100 gal (4164 l) Vertical	86" (2150mm)	53" (1325mm)	18" (450mm)	2" B.O. (50mm)	SN 110 01 7100
1500 gal (5677 l) Vertical	86" (2150mm)	70" (1750mm)	18" (450mm)	2" B.O. (50mm)	SN 150 01 7700
2600 gal (9500 l) Vertical	96" (2400mm)	92" (2300mm)	18" (450mm)	2" B.O. (50mm)	SN 260 00 9010
3000 gal (11355 l) Vertical	96" (2400mm)	109" (2725mm)	18" (450mm)	2" B.O. (50mm)	SN 300 01 3010
5000 gal (18925 l) Vertical	102" (2550mm)	157" (3925mm)	18" (450mm)	2" B.O. (50mm)	SN 500 04 2020
5400 gal (20439 l) Vertical	144" (3600mm)	87" (2175mm)	18" (450mm)	2" B.O. (50mm)	SN 400 70 002
11000 gal (41635 l) Vertical	144" (3600mm)	171" (4275mm)	18" (450mm)	3" B.O. (75mm)	SN 110 00 5330

NOTE: CA only. B.O. = Bolted On

POLYETHYLENE TANKS

SNYDER® TANKS

BELOW GROUND CISTERN



CAPACITY	LENGTH	WIDTH	HEIGHT	MANHOLE DIAMETER	PRODUCT CODE
325 Sphere	50" (1250mm)	50" (1250mm)	49.5" (1237.5mm)	1 - 24" (25 - 600mm)	SN 032 55 2643
525 Sphere	60" (1500mm)	60" (1500mm)	59.5" (1487.5mm)	1 - 24" (25 - 600mm)	SN 052 55 1743
575 Low Profile	88" (2200mm)	48" (1200mm)	42" (1050mm)	1 - 24" (25 - 600mm)	SN 057 59 7401
1200	100" (2500mm)	64" (1600mm)	62" (1550mm)	2 - 24" (50 - 600mm)	SN 120 05 0643
1700	140" (3500mm)	64" (1600mm)	62" (1550mm)	2 - 24" (50 - 600mm)	SN 170 05 1243

Cisterns are furnished with manhole covers only.

FITTINGS/ACCESSORIES





SEPTIC CISTERN ACCESSORIES	PRODUCT CODE
Schedule 40 PVC Inlet Tee Assembly (no gasket)	SN 003 47 1177
Schedule 40 PVC Outlet Tee Assembly (no gasket)	SN 003 47 1178
Gasket	SN 000 33 1217
Tamper resistant bolt kit (4 bolts; one driver bit)	SN 003 47 1197
Manhole extension (12"H X 24"D)	SN 000 05 1655
24" Septic / cistern lid	SN 000 51 4163
24" Septic / cistern lid w/ 4" inspection port	SN 514 00 1163
24" Septic / cistern lid w/ 6" inspection port	SN 514 00 2163
24" Septic / cistern lid with 12" riser X 30" height	SN 000 52 2163
WATER TANK FITTINGS AND ACCESSORIES	
3/4" Double-threaded polyethylene fitting (bulkhead)	SN 000 34 0001
3/4" Double-threaded polyethylene fitting (bulkhead) Heavy Duty	SN 000 30 0130
1" Double-threaded polyethylene fitting (bulkhead)	SN 000 34 0002
1" Double-threaded polyethylene fitting (bulkhead) Heavy Duty	SN 000 10 0131
1-1/4" Double-threaded polyethylene fitting (bulkhead)	SN 000 34 0003
1-1/2" Double-threaded polyethylene fitting (bulkhead)	SN 000 34 0004
1-1/2" Double-threaded polyethylene fitting (bulkhead) Heavy Duty	SN 000 10 0144
2" Double-threaded polypropylene fitting (bulkhead)	SN 000 34 1104
2" Polypropylene fitting with siphon tube (bulkhead)	SN 000 34 7840
3" Double-threaded polypropylene fitting (bulkhead)	SN 000 34 3120
3" Double-threaded polypropylene fitting with siphon tube (bulkhead)	SN 000 34 7539
2" Double-threaded polypropylene fitting (bolt-on)	SN 000 34 1103
2" Polypropylene fitting with siphon tube (bolt-on)	SN 000 34 7842
3" Double-threaded polypropylene fitting (bolt-on)	SN 000 34 1105
3" Double-threaded polypropylene fitting with siphon tube (bolt-on)	SN 000 34 7844
Galvanized band assembly for the 300 HLT (optional) 2 bands and 1 "J" bolt package needed per tank	SN 000 33 9095
4" SS Bolted fitting – Full Nipple	SN FNR 40 0000
"J" bolt package 343047 6" threaded cap	SN 000 34 7014
6" threaded cap	SN 000 34 3047
10" threaded cap	SN 000 34 3080
18" threaded lid assembly	SN 000 34 3091


WASTE WATER ACCESSORIES

WASTE WATER ACCESSORIES


DESCRIPTION	PRODUCT CODE
Alternator Valve Kit with 30" (750mm) Riser	CA AS3 00 0000
 Bull Run Valve with 24" (600mm) Key	CA BRV 00 0000
Distribution Box	CA D00 00 0000
Multi-purpose Distribution Sump	CA DM0 00 0000
Lid Kit for Sewage Ejector Sump and Radon Vented Sump	CA RWL 00 0000
Sewage Ejector Sump with PVC Hub	CA SB3 18 0001




**MULTI-PURPOSE
DISTRIBUTION
SUMP**



ALTERNATOR VALVE




DISTRIBUTION BOX



SEWAGE EJECTOR SUMP AND LID

VENTED ELLS & BAFFLES

DESCRIPTION	PKG. QUANTITY	PRODUCT CODE
4" (100mm) Vented Ells	5	CA EV0 04 0000
4" (100mm) Vented Baffle, 3" (75mm) Spur	6	CA BOT 04 0000




VENTED ELL

METER PITS

METER PITS*

I.D. x LENGTH	PRODUCT CODE
18" x 24" (450mm x 600mm)	MP NL1 18 0001
18" x 30" (450mm x 750mm)	MP NL1 18 0002
18" x 36" (450mm x 900mm)	MP NL1 18 0003
18" x 48" (450mm x 1200mm)	MP NL1 18 0004
21" x 24" (525mm x 600mm)	MP NL1 21 0001
21" x 30" (525mm x 750mm)	MP NL1 21 0002
21" x 36" (525mm x 900mm)	MP NL1 21 0003
21" x 48" (525mm x 1200mm)	MP NL1 21 0004
24" x 24" (600mm x 600mm)	MP NL1 24 0024
24" x 30" (600mm x 750mm)	MP NL1 24 0002
24" x 36" (600mm x 900mm)	MP NL1 24 0003
18" x 12' (450mm x 3.5m) (UNCUT SECTION)	MP PL1 18 0012
21" x 12' (525mm x 3.5m) (UNCUT SECTION)	MP PL1 21 0012
24" x 12' (600mm x 3.5m) (UNCUT SECTION)	MP PL1 24 0012

*ALL METER PITS ARE WHITE AND NOTCHED.
UNCUT SECTIONS DO NOT HAVE NOTCHES.




METER PITS

FOUNDATION DRAINAGE PRODUCTS

FOUNDATION DRAINAGE PRODUCTS

DESCRIPTION	DIMENSIONS	PRODUCT CODE
14 gal. (53L) Sump Pump Well	18" diameter x 24" length (450mm x 600mm)	CA SW4 18 0000
19 gal. (72L) Sump Pump Well	18" diameter x 30" length (450mm x 750mm)	CA SW0 18 0000
Solid Sump Pump Lid	18" diameter (450mm)	CA LWO 18 0000
Notched Sump Pump Lid	18" diameter (450mm)	CA LWN 18 0000
Radon Dual Purpose Vented Sump Well	18" diameter x 24" length (450mm x 600mm)	CA SWR 18 0000
Lid Kit for Sewage Ejector Sump and Radon Vented Sump	18" diameter (450mm)	CA RWL 00 0000
1-1/4" (31.75mm) Diameter Sump Hose Kit	24' (7m) hose	MR SDK 00 0000
1-1/2" (37.5mm) Diameter Sump Hose Kit	24' (7m) hose	MR SDK 15 0000



SUMP PUMP & NOTCHED LID

RADON DUAL PURPOSE VENTED SUMP AND LID

GEOSYNTHETICS

TERRAFIBER™ NONWOVEN & WOVEN

TERRAFIBER – NONWOVEN



PRODUCT	WEIGHT oz/sy' (g/m')	ROLL AREA yd' (m')	WIDTH	LENGTH	PRODUCT CODE
3.2 oz.	3.2 (110)	120 (100.34)	3' (.9m)	360' (110m)	FW 3NW 03 0360
	3.2 (110)	500 (418)	12.5' (3.8m)	360' (110m)	FW 3NW 12 5360
	3.2 (110)	600 (502)	15.0' (4.5m)	360' (110m)	FW 3NW 15 0360
3.8 oz.	3.8 (129)	16 (13.38)	6.25' (1.875m)	23' (7m)	FW MNW 06 0023
	3.8 (129)	120 (100.34)	3' (.9m)	360' (110m)	FW 4NL 03 0360
	3.8 (129)	160 (133.78)	4' (1.2m)	360' (110m)	FW 4NL 04 0360
	3.8 (129)	500 (418)	12.5' (3.8m)	360' (110m)	FW 4NL 12 5360
	3.8 (129)	600 (502)	15.0' (4.5m)	360' (110m)	FW 4NL 15 0360
	3.8 (129)	500 (418)	15.0' (4.5m)	300' (90m)	FW 4NL 15 0300
	3.8 (129)	500 (418)	12.5' (3.8m)	360' (110m)	FW 4NC 12 5360
4.0 oz.	4.0 (136)	600 (502)	15.0' (4.5m)	360' (110m)	FW 4NC 15 0360
	4.0 (136)	500 (418)	12.5' (3.8m)	360' (110m)	FW 4NW 12 5360
4.8 oz.	4.8 (163)	500 (418)	12.5' (3.8m)	360' (110m)	FW 4NW 15 0360
	4.8 (163)	600 (502)	15.0' (4.5m)	360' (110m)	FW 4NW 15 0360
6.4 oz.	6.4 (217)	500 (418)	15.0' (4.5m)	300' (90m)	FW 6NW 15 0300
7.0 oz.	7.0 (238)	500 (418)	15.0' (4.5m)	300' (90m)	FW 7NW 15 0300
8.2 oz.	8.2 (278)	500 (418)	15.0' (4.5m)	300' (90m)	FW 8NW 15 0300

PROPERTIES

PRODUCT	FIBER DESCRIPTION	WEIGHT oz/sy' (g/m')	GRAB TENSILE STRENGTH lbf (kN)	PUNCTURE lbf (kN)	TRAPEZOID TEAR lbf (kN)	FLOW RATE gal/min/ft' (l/min/m')	AOS US SIEVE (mm)	MULLEN BURST psi (kPa)
3.2 oz.	Polypropylene	3.2 (110)	80 (0.36)	40 (0.17)	30 (0.13)	155 (6336)	50 (0.300)	145 (1000)
3.8 oz.	Polypropylene	3.8 (129)	90 (0.4)	55 (0.24)	35 (0.16)	150 (6111)	60 (0.25)	175 (1205)
4.0 oz.	Polypropylene	4.0 (136)	100 (0.45)	65 (0.30)	45 (0.20)	140 (5698)	70 (0.212)	210 (1447)
4.8 oz.	Polypropylene	4.8 (163)	120 (0.53)	70 (0.31)	50 (0.22)	135 (5500)	70 (0.212)	225 (1550)
6.4 oz.	Polypropylene	6.4 (217)	160 (0.71)	95 (0.42)	60 (0.27)	110 (4477)	70 (0.212)	305 (2100)
8.2 oz.	Polypropylene	8.2 (278)	205 (0.9)	130 (0.58)	80 (0.36)	95 (3866)	80 (0.180)	380 (2618)

TERRAFIBER – WOVEN



PRODUCT	WEIGHT oz/sy' (g/m')	ROLL AREA yd' (m')	WIDTH	LENGTH	PRODUCT CODE
SLIT FILMS					
4.0 oz.	4.0 (136)	600 (502)	12.5' (3.8m)	432' (132m)	FW 4WN 12 5432
	4.0 (136)	601 (503)	17.5' (5.3m)	309' (94.2m)	FW 4WN 17 5309
6.0 oz.	6.0 (203)	500 (418)	12.5' (3.8m)	360' (110m)	FW 6WN 12 5360
	6.0 (203)	502 (419)	17.5' (5.3m)	258' (78.6m)	FW 6WN 17 5258
MONOFILAMENTS					
5.6 oz.	5.6 (190)	400 (334)	12.0' (3.7m)	300' (90m)	FW 5WM 12 0300
8.0 oz.	8.0 (271)	500 (418)	15.0' (4.5m)	300' (90m)	FW 8WM 15 0300
WOVEN					
8.5 oz.	8.5 (289)	500 (418)	15.0' (4.5m)	300' (90m)	FW 8HP 37 0300

PROPERTIES

PRODUCT	FIBER DESCRIPTION	WEIGHT oz/sy' (g/m')	GRAB TENSILE STRENGTH lbf (kN)	PUNCTURE lbf (kN)	TRAPEZOID TEAR lbf (kN)	FLOW RATE gal/min/ft' (l/min/m')	AOS US SIEVE (mm)	MULLEN BURST psi (kPa)
4.0 oz.	Polypropylene Slit Films	4.0 (136)	200 (0.9)	90 (0.4)	75 (0.33)	5.0 (200)	50 (0.300)	400 (2756)
6.0 oz.	Polypropylene Slit Films	6.0 (203)	315 (1.40)	120 (0.53)	120 (0.53)	4.0 (163)	40 (0.425)	600 (4134)
5.6 oz.	Polypropylene Monofilaments	5.6 (190)	370 (1.65) MD 250 (1.11) CD	135 (0.6)	100 (0.45) MD 60 (0.27) CD	18 (733)	70 (0.212)	480 (3304)
8.0 oz.	Polypropylene Monofilaments	8.0 (271)	400 (1.78) MD 315 (1.40) CD	150 (0.67)	150 (0.67) MD 200 (0.89) CD	70 (2851)	40 (0.425)	800 (5506)

GEOSYNTHETICS

TERRAFIBER™ FILTER SOCK & TRENCH LINER

TERRAFIBER – FILTER SOCK



PRODUCT	WEIGHT oz/sy' (g/m²)	PIPE DIAMETER	SOCK LENGTH	PRODUCT CODE
2.5-3.6 oz.	3.6 (121.6)	3" (75mm)	100' (30m)	FW B00 03 0100
	3.0 (100.8)	4" (100mm)	250' (75m)	FW BUV 04 0250
	2.9 (99.1)	6" (150mm)	100' (30m)	FW BUV 06 0100
	3.4 (114.1)	8" (200mm)	20' (6m)	FW B00 08 0000
	2.7 (92.3)	12" (300mm)	20' (6m)	FW B00 12 0000
	3.1 (104.7)	18" (450mm)	20' (6m)	FW B00 18 0000
6.0 oz.	2.5 (85.7)	24" (600mm)	20' (6m)	FW B00 24 0000
	3.6 (123.6)	4" (100mm)	250' (75m)	FW BHY 04 0250
	3.5 (120.1)	6" (150mm)	100' (30m)	FW BHY 06 0100

PROPERTIES

PRODUCT	FIBER DESCRIPTION	WEIGHT oz/sy' (g/m²)	GRAB TENSILE STRENGTH lbf (kN)	PUNCTURE lbf (kN)	TRAPEZOID TEAR lbf (kN)	FLOW RATE gal/min/ft' (l/min/m²)	AOS US SIEVE (mm)	MULLEN BURST psi (kPa)
2.5-3.6 oz. Knitted	Polyester white or black and bagged	3.6 (121.6)	N/A	35 (.16)	N/A	700 (28,518)	30 (0.600)	100 (690)
		3.0 (100.8)	N/A	35 (.16)	N/A	700 (28,518)	30 (0.600)	100 (690)
		2.9 (99.1)	N/A	35 (.16)	N/A	700 (28,518)	30 (0.600)	100 (690)
		3.4 (114.1)	N/A	35 (.16)	N/A	700 (28,518)	30 (0.600)	100 (690)
		2.7 (92.3)	N/A	35 (.16)	N/A	700 (28,518)	30 (0.600)	100 (690)
		3.1 (104.7)	N/A	35 (.16)	N/A	700 (28,518)	30 (0.600)	100 (690)
6.0 oz. Knitted	Polyester black and not bagged	2.5 (85.7)	N/A	35 (.16)	N/A	700 (28,518)	30 (0.600)	100 (690)
		3.6 (123.6)	N/A	35 (.16)	N/A	700 (28,518)	40 (0.425)	135 (931)
		3.5 (120.1)	N/A	35 (.16)	N/A	700 (28,518)	40 (0.425)	135 (931)

TERRAFIBER – ON-SITE WASTE TRENCH LINER



PRODUCT	WEIGHT oz/sy' (g/m²)	ROLL AREA yd' (m²)	WIDTH	LENGTH	PRODUCT CODE
0.45-0.70 oz.	0.45 (11)	333 (278)	2' (0.6m)	1500' (450m)	FW C23 24 1500
	0.70 (23)	333 (278)	2' (0.6m)	1500' (450m)	FW R00 24 1500
	0.45 (11)	100 (84)	3' (0.9m)	300' (90m)	FW C23 36 0300
	0.70 (23)	100 (84)	3' (0.9m)	300' (90m)	FW R00 36 0300
	0.45 (11)	500 (418)	3' (0.9m)	1500' (450m)	FW C23 36 1500
	0.70 (23)	500 (418)	3' (0.9m)	1500' (450m)	FW R00 36 1500
	0.45 (11)	667 (558)	4' (1.2m)	1500' (450m)	FW C23 48 1500
	0.70 (23)	667 (558)	4' (1.2m)	1500' (450m)	FW R00 48 1500
	0.45 (11)	833 (697)	5' (1.5m)	1500' (450m)	FW C23 60 1500
	0.70 (23)	833 (697)	5' (1.5m)	1500' (450m)	FW R00 60 1500
	0.45 (11)	1000 (836)	6' (1.8m)	1500' (450m)	FW C23 72 1500
	0.70 (23)	1000 (836)	6' (1.8m)	1500' (450m)	FW R00 72 1500

PROPERTIES

PRODUCT	FIBER DESCRIPTION	WEIGHT oz/sy' (g/m²)	GRAB TENSILE STRENGTH lbf (kN)	PUNCTURE lbf (kN)	TRAPEZOID TEAR lbf (kN)	FLOW RATE gal/min/ft' (l/min/m²)	AOS US SIEVE (mm)	MULLEN BURST psi (kPa)
0.45-.0.70 oz Spun-bonded	Nylon		13.9 (62) MD					
		0.45 (11)	6.9 (31) TD	N/A	6.1 (.03) MD	N/A	N/A	17.8 (122.7)
		0.70 (23)	16 (.07) MD	N/A	7 (.03) MD	N/A	N/A	12 (82.7)

TERRAFIBER – FENCE



PRODUCT		ESTIMATED ROLL WEIGHT		WIDTH		LENGTH		PRODUCT CODE	
Safety Fence		14.7 lbs (6.7 kg)		4' (1.2m)		100' (30m)		TC SAF 00 0000	
Silt Fence with posts		50 lbs (23 kg)		3' (0.9m)		100' (30m)		TC SIL 00 0000	
PROPERTIES		GRAB TENSILE STRENGTH lbf (kN)	PUNCTURE lbf (kN)	TRAPEZOID TEAR lbf (kN)	FLOW RATE gal/min/ft' (l/min/m')	AOS US SIEVE (mm)	MULLEN BURST psi (kPa)		
PRODUCT	FIBER DESCRIPTION								
Safety Fence	High Density Polyethylene	N/A	N/A	N/A	N/A	N/A	N/A		
Silt Fence	Polypropylene Silt Films	124 (500)	65 (290)	65 (290)	10 (405)	30 (0.600)	300 (2060)		

*PRODUCTS NOT STOCKED AT ALL BRANCHES. REFER TO HANCOR REPRESENTATIVE FOR AVAILABILITY.

ACCESSORIES

LAYOUT FLAGS, BLACK TAPE, WIRE TIES & TWINE

LAYOUT FLAGS & BLACK TAPE



DESCRIPTION	AVAIL. LENGTHS	PRODUCT CODE
Layout Flags	—	MR F00 00 0000
2" (50mm) Black Tape	36 yd. roll	MR TB0 00 0000

WIRE TIES



LENGTH	DESCRIPTION	PRODUCT CODE
7 3/4" (197mm)	Releasable Ties	PS TIE 07 0000
8 3/8" (213mm)	Releasable Ties	PS TIE 08 0000
11" (279mm)	Releasable Ties	PS TIE 11 0000
14" (356mm)	Releasable Ties	PS TIE 14 0000
20" (500mm)	Non-Releasable Ties	PS TIE 20 0000

TWINE



DESCRIPTION	PRODUCT CODE
White Twine - 1 Roll	PS WEW 00 0000
Tree Rope - 1 Roll	PS WHB 00 0000
Black Twine - 1 Roll	PS WXB 00 0000
Tree Rope/Black & Orange - 1 Roll	PS TBR 00 0000

COMPARATIVE ANALYSIS

POLYETHYLENE VS. CONCRETE, METAL & PVC

COMPARATIVE ANALYSIS OF PIPE MATERIALS

	HANCOR HIGH DENSITY POLYETHYLENE PIPE	REINFORCED CONCRETE PIPE	CORRUGATED METAL PIPE	PVC PIPE
SPECIFICATIONS	• AASHTO M252 • AASHTO M294 • ASTM F405 • ASTM F667 • CSA B 182.6	• ASTM C76 • AASHTO M17	• ASTM A760 • AASHTO M36	• ASTM F794 • ASTM F949 • ASTM D3034 • ASTM F794 • ASTM F679 • ASTM D1785 • AASHTO M304
JOINTS	• Water-tight, Soil-tight and Silt-tight capabilities • Fewer joints than concrete for equivalent lengths	• Gaskets available • May require steel joint rings for water-tightness	• External bolted bands required	• Joints are either bell/spigot, gasketed integral bell or sleeve
DURABILITY	• Excellent chemical and abrasion resistance	• HDPE or PVC linings used to enhance service life, and/or reduce abrasion • Susceptible freeze and thaw cracking	• Special coatings and/or increased steel thickness can be used to enhance service life • Susceptible to corrosion from road salts and chemicals	• Less abrasion resistant than HDPE • Reduced impact resistance in cold temperatures • Fillers reduce impact resistance
HYDRAULICS	• Typical Manning's "n" design values of .010 to .012 for smooth interior product	• Typical Manning's "n" design values of .013 (Published test values as low as .010)	• Typical Manning's "n" design values of .024 (Published test values as low as .011)	• Typical Manning's "n" value of 0.009
STRUCTURAL	• Capable of traffic loads (HS-25) at 1' (300mm) of min. cover for 4"-48" (100-1200mm) pipe and 1.5' (450mm) of min. cover for 60" (1500mm) pipe • Standard product capable of 40' (12m) or deeper burial applications	• Standard strength classes available • Spigot reinforcing may be required to prevent joint shear	• Standard gauge thickness available • Heavy gauges necessary in corrosive elements	• Pipe stiffness and structural performance varies • Fillers reduce tensile strength
DIAMETERS	• 4" - 60" (100-1500mm)	• 8" - 144" (200-3600mm) (Some smaller diameters have no reinforcement)	• 4" - 144" (100-3600mm)	• 1/8" - 48" (3-1200mm)

INFORMATION PROVIDED BY THE CORRUGATED POLYETHYLENE PIPE ASSOCIATION (CPPA),
A DIVISION OF THE PLASTIC PIPE INSTITUTE (PPI).

NOTE: FOR MORE DETAILS ON SPECIFIC DESIGN AND/OR INSTALLATION CRITERIA, REFER TO THE APPROPRIATE INDUSTRY GUIDELINES.



HANCOR YOUR PIPELINE TO INFORMATION.

24 HOURS A DAY, SEVEN DAYS A WEEK

In today's fast-paced environment, the normal 8 a.m. – 5 p.m. workday is quickly becoming a thing of the past. That's why Hancor provides you with a variety of ways to request and receive information around the clock. Talk in real-time. Or get information electronically. Whatever you prefer, we've got you covered.

Hancor offers a full array of literature on all of our product lines. Find what you need with the self-service convenience of our Web site at www.hancor.com.

DIRECT CONTACT

Customer Service

888-FOR PIPE (367-7473)

Fax 888-FAX PIPE (329-7473) 24 hours a day

Application Engineering

For technical questions, call

800-2HANCOR (242-6267), ext. 809

ELECTRONIC MEDIA

Web Site

Find market- and application-specific information and the latest industry news at our On-Line Pipeline – www.hancor.com



Hancor is an Official Partner of Ducks Unlimited, the world's leading wetland conservation organization.

SPEC | PROFESSOR™

SPECIFICATION WRITER • VER. 1.0

Creates non-proprietary, technically accurate, specifications in Construction Specifications Institute (CSI) format

www.specprofessor.com

Hancor®, SpecProfessor™, Hi-Q® Pipe, Hi-Q® Fittings, Sure-Lok® Pipe, Sure-Lok® Fittings, Turf Flow® Tubing, Turf Flow® Fittings, Channel-Flow® Tubing, Channel-Flow® Fittings, LandMax® Pipe Systems, Grain-Dri™, BLUE SEAL®, EcoFirst®, Terrafiber™, Drain-Rite™, SaniTite™, StorMaster™ and EnviroChamber™ Units are registered trademarks of Hancor, Inc. Mar-Mac® is a registered trademark of Mar-Mac Construction Products, Inc. FloGard+Plus™ is a registered trademark of Kristar Enterprises, Inc. © 2004 Hancor, Inc. 1900-551 #0300/1204