



PRODUCT CATALOG

1 THE
POWER
OF
ONE



db Dearborn
Brass.



Oatey



The Power of One

Oatey® is the number one source for purchasing the leading brands in the plumbing and home improvement industries. You can purchase any of our brands easily and efficiently – on one invoice, in one shipment, with one phone call. Only Oatey brings you the plumbing industry’s best brands in one source. That’s why we’re the choice for plumbing professionals.

For more information on Oatey or our product offerings, please visit oatey.com or contact our customer service group at **800-321-9532**.

TRUSTED

- Comprehensive technical support
- Reputable leadership in the plumbing industry
- Experienced customer service professionals

STRONG

- Regional distribution: Dallas, Newark, Cleveland
- Multiple manufacturing locations: Minnesota, Nebraska, Ohio and China
- ISO 9001 Certified
- Twenty-three categories with a broad range of products


EFFICIENT

- VMI - Vendor Managed Inventory
- EDI - Paperless ordering, invoices and ship notices
- Automatic acknowledgements and confirmations of shipments
- Economical minimum orders for prepaid freight
- Multi-branded Promotional Opportunities

SAFE

- Compliant to hazmat policies
- Sustainable practices
- C-TPAT participant


Our History



Power of One Category	Description	Page
1 Plastic Pipe Cements and Primers	Solvent cements, primers, cleaners and related products	2
2 Thread Sealants	Thread sealants, PTFE tape and leak detectors	7
4 Putty, Caulks and Water Barriers	Putty, epoxy, sealing compounds and caulk	9
5 Oils, Lubricants and Hand Cleaners	Cutting oil, lubricants, hand towels, lotion cleaners and related products	10
6 Drain and Waste System Cleaners	Drain system cleaning products	10
7 Heating Chemicals and Anti-Freeze	Heating maintenance products and anti-freeze	11
8 Bowl Setting Wax Gaskets and Bolts	Wax rings and bolts	12
9 Drains and Closet Flanges	Closet flanges, shower drains, backwater valves and related products	16
10 Shower Pan Liners	Shower pan liners and related products	16
11 Supply Boxes & Lines	Washing machine, icemaker outlet boxes with related supply lines	17
14 Pipe Support	Pipe clamps, hanging straps and related products	17
21 Pans & Stands	Water heater stands	18
23 Rough-In Products	Tub protectors, tub boxes, access panels, pipe guards, test caps and related products	18
Numerical Listing		19



PVC SOLVENT CEMENTS



P-4 Regular Bodied Clear PVC Cement

For PVC pipe and fittings up to 4"

- Regular bodied, fast set clear cement for use on all schedules and classes of PVC pipe and fittings up to 4" diameter for Sch. 40 and 2" diameter for Sch. 80.
- Lo-VOC Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and other environmental requirements.
- Recommended for potable water, pressure pipe, conduit and drain, waste and vent applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018100-24	4 Oz	P-4 Regular PVC Cement	24	8	078864 181005
018110-24	8 Oz	P-4 Regular PVC Cement	24	15	078864 181104
018120-12	16 Oz	P-4 Regular PVC Cement	12	15	078864 181203
018130-12	32 Oz	P-4 Regular PVC Cement	12	28	078864 181302
018140	1 Gal	P-4 Regular PVC Cement	6	51	078864 181401



P-6 Medium Bodied Clear PVC Cement

For PVC pipe and fittings up to 6"

- Medium bodied, medium set clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-VOC Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and other environmental requirements.
- Recommended for potable water, pressure pipe, conduit and drain, waste and vent applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018150-24	4 Oz	P-6 Medium PVC Cement	24	8	078864 181500
018160-24	8 Oz	P-6 Medium PVC Cement	24	15	078864 181609
018170-12	16 Oz	P-6 Medium PVC Cement	12	15	078864 181708
018180-12	32 Oz	P-6 Medium PVC Cement	12	28	078864 181807
018190	1 Gal	P-6 Medium PVC Cement	6	51	078864 181906



P-12 Heavy Bodied Clear PVC Cement

For PVC pipe and fittings up to 12"

- Heavy bodied, medium set clear cement for use on all schedules and classes of PVC pipe and fittings up to 12" diameter with interference fit.
- Lo-VOC Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and other environmental requirements.
- Thick formula fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and drain, waste and vent applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018200-24	4 Oz	P-12 Heavy PVC Cement	24	8	078864 182002
018210-24	8 Oz	P-12 Heavy PVC Cement	24	15	078864 182101
018220-12	16 Oz	P-12 Heavy PVC Cement	12	15	078864 182200
018230-12	32 Oz	P-12 Heavy PVC Cement	12	28	078864 182309
018240	1 Gal	P-12 Heavy PVC Cement	6	51	078864 182408



PVC SOLVENT CEMENTS



P-12G Heavy Bodied Gray PVC Cement

For PVC pipe and fittings up to 12"

- Heavy bodied, medium set gray cement for use on all schedules and classes of PVC pipe and fittings up to 12" diameter with interference fit.
- Lo-VOC Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and other environmental requirements.
- Thick formula fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and drain, waste and vent applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018270-12	16 Oz	P-12G Heavy Gray PVC Cement	12	15	078864 182705
018280-12	32 Oz	P-12G Heavy Gray PVC Cement	12	28	078864 182804
018290	1 Gal	P-12G Heavy Gray PVC Cement	6	51	078864 182903



SPECIAL CONDITIONS PVC SOLVENT CEMENTS



All-Temp, All-Weather Clear PVC Cement

For PVC pipe and fittings up to 6"

- Medium bodied, very fast setting, all weather clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Formulated for fast initial set up at temperatures down to -15°F.
- Lo-VOC Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and other environmental requirements.
- Recommended for potable water, pressure pipe, conduit and drain, waste and vent applications.
- Recommended application temperature -15°F to 110°F / -26°C to 43°C.
- Meets ASTM D 2564.
- No primer needed on non-pressure DWV installations through 4" diameter, where local codes permit.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018320-12	16 Oz	All-Temp PVC Cement	12	15	078864 183207
018330-12	32 Oz	All-Temp PVC Cement	12	28	078864 183306
018340	1 Gal	All-Temp PVC Cement	6	51	078864 183405



Wet Set, Wet Conditions Hot Blue PVC Cement

For PVC pipe and fittings up to 6"

- Medium-bodied blue cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Very fast-setting "Hot" cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended for potable water, sewer and DWV applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- No primer needed on non-pressure DWV, where local codes permit.
- Meets ASTM D2564.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018400-24	4 Oz	Wet Set PVC Cement	24	8	078864-184006
018410-24	8 Oz	Wet Set PVC Cement	24	15	078864-184105
018420-12	16 Oz	Wet Set PVC Cement	12	15	078864-184204
018430-12	32 Oz	Wet Set PVC Cement	12	28	078864-184303
018440	1 Gal	Wet Set PVC Cement	6	51	078864-184402



MULTI-PURPOSE SOLVENT CEMENT




MP-6 Multi-Purpose Milky Clear Cement
For ABS, PVC and CPVC pipe and fittings up to 6"

- Medium bodied, medium set, multi-purpose milky clear cement for use on all schedules and classes of ABS, PVC and CPVC pipe and fittings up to 6" diameter with interference fit.
- Lo-VOC Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and other environmental requirements.
- Recommended for potable water, conduit and drain, waste and vent applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets performance requirements of ASTM D 2235, D 2564 & F 493.
- Always check local codes for acceptability of this product.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018000-24	4 Oz	Mp-6 Multi-Purpose Cement	24	8	078864 180008
018010-24	8 Oz	Mp-6 Multi-Purpose Cement	24	15	078864 180107
018020-12	16 Oz	Mp-6 Multi-Purpose Cement	12	15	078864 180206
018030-12	32 Oz	Mp-6 Multi-Purpose Cement	12	28	078864 180305
018040	1 Gal	Mp-6 Multi-Purpose Cement	6	51	078864 180404

ELECTRICAL SOLVENT CEMENT



P-6E Electrical Clear PVC Conduit Cement
For electrical PVC conduit & plumbing PVC applications

- Medium bodied, medium set clear cement for use on duct and conduit PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-VOC Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and other environmental requirements.
- Recommended for duct and conduit applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018450-24	4 Oz	P-6E Conduit Cement	24	8	078864 184501



ABS SOLVENT CEMENT



A-6 Black ABS Cement
For ABS pipe and fittings up to 6"

- Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For all non-pressure applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D2235.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018500-24	4 Oz	A-6 ABS Black Cement	24	8	078864-185003
018510-24	8 Oz	A-6 ABS Black Cement	24	15	078864-185102
018520-12	16 Oz	A-6 ABS Black Cement	12	15	078864-185201
018530-12	32 Oz	A-6 ABS Black Cement	12	28	078864-185300
018540	1 Gal	A-6 ABS Black Cement	6	51	078864-185409



TRANSITION SOLVENT CEMENT



Transition Cement
For ABS to PVC pipe and fittings

- Medium-bodied green cement for use in joining ABS to PVC in non-pressure transition joints up to 6" diameter.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D3138.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018570-12	16 Oz	Transition Cement – Green	12	15	078864-185706



CPVC SOLVENT CEMENT



C-4 Regular Bodied Orange CPVC Cement
For CPVC pipe and fittings up to 4"

- Medium-bodied orange cement for use on all schedules and classes of CPVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For Residential and Commercial hot and cold water systems up to 200°F / 93°C.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Approved for Corzan® CPVC Piping Systems.
- Meets ASTM F493 and ASTM D2846.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
018700-24	4 Oz	C-4 Reg Orange CPVC Cement	24	8	078864-187007
018710-24	8 Oz	C-4 Reg Orange CPVC Cement	24	15	078864-187106
018720-12	16 Oz	C-4 Reg Orange CPVC Cement	12	15	078864-187205
018730-12	32 Oz	C-4 Reg Orange CPVC Cement	12	28	078864-187304



PRIMERS AND CLEANERS



Clear Primer
For PVC & CPVC pipe and fittings

- A clear aggressive primer for use on PVC and CPVC.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- All schedules and all diameters.
- Meets ASTM F656.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
019000-24	4 Oz	Clear Primer	24	8	078864-190007
019010-24	8 Oz	Clear Primer	24	15	078864-190106
019020-12	16 Oz	Clear Primer	12	15	078864-190205
019030-12	32 Oz	Clear Primer	12	28	078864-190304
019040	1 Gal	Clear Primer	6	51	078864-190403



Purple Primer
For PVC & CPVC pipe and fittings

- Purple-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- For use in areas where plumbing code calls for verification that a primer has been used.
- NSF and IAPMO Listed.
- Meets ASTM F656.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
019050-24	4 Oz	Purple Primer	24	8	078864-190502
019060-24	8 Oz	Purple Primer	24	15	078864-190601
019070-12	16 Oz	Purple Primer	12	15	078864-190700
019080-12	32 Oz	Purple Primer	12	28	078864-190809
019090	1 Gal	Purple Primer	6	51	078864-190908



Pipe Cleaner
For ABS, PVC & CPVC pipe and fittings

- Cleaner for ABS, PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1171/M24 or BAAQMD Method 40 and various environmental requirements.
- All schedules and all diameters.
- Fast acting cleaner removes surface dirt, grease and grime.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
019100-24	4 Oz	Pipe Cleaner	24	8	078864-191004
019110-24	8 Oz	Pipe Cleaner	24	15	078864-191103
019130-12	16 Oz	Pipe Cleaner	12	15	078864-191301
019120-12	32 Oz	Pipe Cleaner	12	28	078864-191202
019140	1 Gal	Pipe Cleaner	6	51	078864-191400



PIPE THREAD COMPOUNDS



TFE Paste
White thread compound

- Lubricates and seals all threaded joints.
- White, non-hardening, non-separating, non-toxic paste.
- Withstands up to 3,000 PSI on gases from -50 to +400°F, and 10,000 PSI on liquids from -50 to +500°F.
- For use with water, steam, caustics or dilute acid lines.
- Can be used with plastic and metal threads.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
023030	4 Oz	TFE Paste Jar Brush Top	12	6	078864-230307
023045	8 Oz	TFE Paste Jar Brush Top	12	12	078864-230451



HarveySeal
Multi-purpose yellow thread compound

- Multi-purpose yellow thread compound.
- Paste lubricates all threaded joints.
- Non-hardening, non-separating.
- Withstands up to 3,000 psi on gases from -50 to +400°F, and 6,000 psi on liquids from -50 to +400°F.
- For use with plastic or metal threaded pipe carrying water, steam, caustics or dilute acid.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
025020	4 Oz	Seal Jar B/T	12	6	078864-250206
025050	8 Oz	Seal Jar B/T	12	12	078864-250503
025080	16 Oz	Seal BR/Top Jar	12	23	078864-250800



PTFE TAPE



Yellow Gas Line PTFE Thread Seal Tape

- Full density PTFE tape designed for gas lines.
- Nonflammable.
- Meets Federal Specification T-27730A.
- UL listed.

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
017065	Yellow Gas Line PTFE Thread Seal Tape 1/2" x 260" spool in a header card bag	12	1	078864-170658



PTFE Blue Thread Seal Tape

- Made of virgin white PTFE.
- Economy grade, low density tape.
- Multi-purpose for use on a wide range of threaded pipe.
- Nonflammable.
- Meets Federal Specification T-27730A.

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
017072-144	PTFE Thread Seal Tape 1/2" x 260" blue spool in bulk pack	144	4	078864-170726
017072-500	PTFE Thread Seal Tape 1/2" x 260" blue spool in bulk pack	500	14	078864-170726
017252-144	PTFE Thread Seal Tape 3/4" x 520" blue spool in bulk pack	144	6	078864-172522
017400-24	PTFE Thread Seal Tape 1" x 520" blue spool	24	2	078864-174007
017400-144	PTFE Thread Seal Tape 1" x 520" blue spool in bulk pack	144	8	078864-174007



PTFE TAPE



PTFE Red Thread Seal Tape

- Made of virgin white PTFE.
- Economy grade, low density tape.
- Multi-purpose for use on a wide range of threaded pipe.
- Nonflammable.
- Meets Federal Specification T-27730A.

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
017117-144	PTFE Thread Seal Tape 1/2" x 520" red spool in bulk pack	144	5	078864-171174
017117-500	PTFE Thread Seal Tape 1/2" x 520" red spool in bulk pack	500	14	078864-171174



PTFE White Thread Seal Tape

- Made of virgin white PTFE.
- Economy grade, low density tape.
- Multi-purpose for use on a wide range of threaded pipe.
- Nonflammable.
- Meets Federal Specification T-27730A.

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
017508-144	PTFE Thread Seal Tape 1/2" x 260" white spool in bulk pack	144	5	078864-175080
017524-144	PTFE Thread Seal Tape 1/2" x 520" white spool in bulk pack	144	8	078864-175240
017540-144	PTFE Thread Seal Tape 1/2" x 1296" white spool in bulk pack	144	15	078864-175400
017564-144	PTFE Thread Seal Tape 3/4" x 520" white spool in bulk pack	144	11	078864-175646
017572-144	PTFE Thread Seal Tape 3/4" x 1296" white spool in bulk pack	144	21	078864-175721

PLUMBER'S PUTTY



Plumber's Putty
Professional grade

- Fixture setting compound for setting frames, faucets, strainer baskets, etc.
- Stays flexible, will not crack or shrink.
- Easily workable, soft, pliable material.
- Not for use on marble, granite, plastic or any other dimensional stone.
- Meets Military Spec TTP-1536A.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
043010	14 Oz	Plumber's Putty	24	23	078864-430103
043050	3 Lb	Plumber's Putty	6	20	078864-430509
043105	5 Lb	Plumber's Putty	6	33	078864-431056



SILICONIZED SEALANTS AND CAULK



Siliconized Tub Seal Latex

Available in clear, bone, white or biscuit

- Water based acrylic caulk with silicone.
- Fills and seals cracks and joints.
- For caulking around showers, tubs, lavatories and sinks.
- Can be painted when dry with either oil base or latex paint.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
032005	5.5 Oz	Tub Caulk – Clear	12	7	078864-320053
032106	5.5 Oz	Tub Caulk – Bone	12	7	078864-321067
032010	5.5 Oz	Tub Caulk – White	12	7	078864-320107
032150	5.5 Oz	Tub Caulk – Biscuit	12	7	078864-321500
031050	10 Oz	Tub Seal – White	12	15	078864-310504

100% RTV Silicone Rubber Sealants

Available in clear or white

- Creates a flexible, durable, weather resistant seal.
- Adheres to tile, glass, porcelain, ceramic and more.
- Withstands temperature extremes -60°F – 450°F.
- Dries in one hour.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
031305	2.8 Oz	Silicone Sealant – Clear	12	3.27	078864-313055
031310	10.3 Oz	Silicone Sealant – Clear	12	10	078864-313109
031345	2.8 Oz	Silicone Sealant – White	12	3.27	078864-313451
031350	10.3 Oz	Silicone Sealant – White	12	10	078864-313505

Siliconized Acrylic Caulk

Exceptional all-purpose caulk for indoor/outdoor use

- White sealants for high performance sealing.
- Water based acrylic caulk with silicone.
- Adheres to brick, ceramic, vinyl, aluminum and more.
- Tack free in 30 minutes.
- Paintable in 2 hours with latex or oil-based paints.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
036010	10 Oz	Acrylic Latex Caulk – White	12	15	078864-360103

Economy Caulking Gun

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
040010		Economy Caulking Gun	12	12	078864-400106



LUBRICANTS



Thread Cutting Oil

Clear or dark

- Specially formulated to give sharp, clean threads and to extend die life.
- A superior quality cutting oil that can be used on most metals.
- Use for heavy duty cutting, threading, tapping and broaching of steel.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
016100	1 Qt	Thread Cutting Oil – Clear	12	24	078864-161007
016265	1 Qt	Thread Cutting Oil – Dark	12	24	078864-162653
016150	1 Gal	Thread Cutting Oil – Clear	6	46	078864-161502
016325	1 Gal	Thread Cutting Oil – Dark	6	46	078864-163254

ADHESIVE & GROUT



All-in-One Adhesive and Grout

- All-in-One Adhesive and Grout is a unique acrylic-based product that makes repairing and replacing cracked or loose tiles and grout easy. Completely waterproof when cured.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
031700		All-In-One Adhesive and Grout	12	5	078864-317008

FAUCET & VALVE GREASE



Heat Proof Faucet and Valve Grease

- Faucet and Valve Grease is a waterproof grease that resists high temperatures. Apply to metal parts of faucets and valves. Use on hot water or steam to 350F.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
050050-12		All-In-One Adhesive & Valve Grease	12	1	078864-500509

FORCE CUP PLUNGERS



Force Cup Plunger*

- Standard red 6" rubber force cup plunger with 18" wood handle and barcode label.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
090330	6 In	Plunger with Red Cup	12	10	078864-903300



All-Angle Power Plunger*

- Accordion action design flexes at any angle and the double size cup works great regardless of style, shape or angle of the toilet trap.
- Clears most any problem easily!

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
090300	21 In	Power Plunger Black with Yellow Handle	6	9	078864-903003

*All plungers ship pre-assembled to save you time!

ANTI-FREEZE



Harvey Heat Anti-freeze – 100

- Concentrated.
- Burst protection to -100°F.
- Non toxic, Propylene Glycol-based hydronic fluid and anti-freeze.
- Inhibited for use in hydronic heating, cooling, potable water and closed looped solar systems.
- Also for non-drainable fire hydrants and sprinkler systems.
- May be diluted with water. Contains 70% actives.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
016850	1 Gal	Harvey Heat - 100	6	54.84	078864-168501
016860	5 Gal	Harvey Heat - 100	1	46	078864-168600
016870	100 Gal	Harvey Heat - 100	1	505	078864-168709



Harvey Heat Anti-freeze – 100A

- Concentrated.
- Burst protection to -100°F.
- Specially inhibited for aluminum hydronic heating systems/boilers and solar systems.
- Protects against freeze damage and corrosion.
- Compatible with aluminum, brass, copper, cast iron, steel, stainless steel, solder, silver and cobalt.
- The ideal premium all-purpose hydronic fluid.
- May be diluted with water. Contains 70% actives.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
016760	5 Gal	Harvey Heat - 100A	1	46.83	078864-167603
016770	55 Gal	Harvey Heat - 100A	1	505	078864-167702



Harvey Heat Anti-freeze – Arctic Grade

- Inhibited pure concentrate version of Harvey Heat-100A for aluminum.
- Contains over 98% actives.
- Contains 94% to 96% pure Propylene Glycol with built-in inhibitor package to prevent corrosion.
- Safe for all systems containing plastic, vinyl or rubber components.
- Freight and space saver.
- Dilutes with water.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
016905	5 Gal	Harvey Heat - Arctic Grade	1	45.1	078864-169058
016900	55 Gal	Harvey Heat - Arctic Grade	1	500	078864-169003



Harvey 100% Propylene Glycol

- Special clear.
- No inhibitor, 100% propylene.
- May be diluted with water, depending on the application.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
016907	5 Gal	Harvey Heat - 100% Propylene	1	45.1	078864-169072
016906	55 Gal	Harvey Heat - 100% Propylene	1	500	078864-169065



NO-SEEP® WAX TOILET FLANGE GASKETS

*All bolt kits include 1/4" x 2 1/4" bolt sets, unless stated otherwise.



No-Seep® No. 1 Wax Gaskets

With Plastic Flange fits 3" and 4" lines, for FLOOR CLOSET BOWLS ONLY

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
001005-24	No-Seep No. 1	24	9	078864-010053
001025	No-Seep No. 1 Brass Bolt Set with Plastic Retainers	24	13.99	078864-010251
001025-N	No-Seep No. 1 Brass Bolt Set with Double Nuts & Washers	24	15.5	078864-010251
001045	No-Seep No. 1 Plated Bolt Set with Plastic Retainers	24	15.5	078864-010459
001045-N	No-Seep No. 1 Plated Bolt Set with Double Nuts & Washers	24	15	078864-010459



No-Seep® No. 3 Reinforced Wax Gaskets

With Plastic Flange fits 3" & 4" lines, for FLOOR & most WALL BOWLS

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
004305-24	No-Seep No. 3	24	14	078864-043051



No-Seep® No. 5 Wax Gaskets

With Plastic Flange fits 4" lines only, for FLOOR CLOSET BOWLS ONLY

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
006005	No-Seep No. 5	24	12	078864-060058
006030-N	No-Seep No. 5 Brass Bolt Set with Plastic Retainers	24	16.5	078864-060300
006050	No-Seep No. 5 Wax Gasket with plated bolt set with plastic retainers	24	17	078864-060508



No-Seep® No. 10 Extra Thick Wax Gaskets

With Plastic Flange fits 3" and 4" lines, 40% more wax than standard wax gasket for more positive seal, for FLOOR CLOSET BOWLS ONLY

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
001115-12	No-Seep No. 10	12	8.5	078864-011159
001115-24	No-Seep No. 10	24	15	078864-011159
001119	No-Seep No. 10 Plated Bolt Kit with Plastic Retainers	24	16	078864-011197
001109-N	No-Seep No. 10 Brass Bolt Set with Double Nuts & Washers	24	19	078864-011098



Reinforced Wax Extender Kit No. 35B

With Plastic Flange fits 3" & 4" lines, extra thick reinforced gasket with 1/4" x 3-1/2" brass bolt kit

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
004375	Wax Extender Kit No 35B	12	10.5	078864-043754

NO-SEEP® WAX TOILET FLANGE GASKETS



No-Seep® No. 50 Extra Thick Wax Gaskets

With Plastic Flange fits 4" lines only, 40% more wax than standard wax gasket for more positive seal, for FLOOR CLOSET BOWLS ONLY

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
001090	No-Seep No. 50	24	15	078864-010909
001095-N	No Seep No. 50 Brass Bolt Set with Double Nuts & Washers	24	18.5	078864-010954



No-Seep® Specialty Reinforced Gaskets

With Plastic Flange

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
004005	No. 2 Urethane Wall Gasket	24	12.86	078864-040050
004605	No. 4 Urethane Gasket/4 Sleeve	24	12	078864-046052

BOL-WAX® GASKETS



Bol-Wax® No. 1 Standard Wax Gaskets

For FLOOR CLOSET BOWLS ONLY

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
007005-48	Bol-Wax No. 1	48	20	078864-070057
007020	Bol-Wax No. 1 Brass Bolt Set with Plastic Retainers	48	28.8	078864-070200
007020-N	Bol-Wax No. 1 Brass Bolt Set with Double Nuts & Washers	48	26.97	078864-070200
007035	Bol-Wax No. 1 Plated Bolt Set with Plastic Retainers	48	28.46	078864-070354
007035-N	Bol-Wax No. 1 Plated Bolt Set with Double Nuts & Washers	48	26.5	078864-070354



Bol-Wax® No. 2 Economy Wax Gaskets

For FLOOR CLOSET BOWLS ONLY

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
009005	Bol-Wax No. 2	48	21.02	078864-090055



Bol-Wax® No. 10 Extra Thick Standard Wax Gasket

40% more wax than standard wax gasket for more positive seal, for FLOOR CLOSET BOWLS ONLY

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
007400	Bol-Wax No. 10	24	18	078864-074000



Bol-Wax® Specialty Reinforced Wax Gaskets

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
011005	Bol-Wax No. 5 Reinforced Wax Gasket Fits 3" & 4" Lines, for Floor and Some Wall Bowls	24	11.5	078864-110050
011305	Bol-Wax No. 6 Reinforced Wax Urinal Gasket Fits 2" Outlet	24	8	078864-113051



E-Z-SNAP TOILET BOLT SETS



Brass E-Z Snap Toilet Bolt Sets

With nickel plated brass nuts—except where noted otherwise

* Each package contains: 2 E-Z-Snap Toilet Flange Bolts, 2 (or 4)* Open-End Acorn Nuts 2 (or 4)* Heavy Plated Washers, 2 Plastic Retainer Washers.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
051075	1/4" X 2-1/4"	Brass E-Z Snap Bolt in Clear Plastic Bag	50	5	078864-510751
051100	1/4" X 2-1/4"	Brass E-Z Snap Bolt in Plastic Hanging Bag in Blister Card	50	4.95	078864-511000
051150	5/16" X 2-1/4"	Brass E-Z Snap Bolt in Plastic Hanging Bag	50	7.15	078864-511505
051175	5/16" X 2-1/4"	Brass E-Z Snap Bolt in Clear Plastic Bag	50	5	078864-511758

TOILET FLANGE BOLT AND SCREW SETS



Brass Toilet Flange Bolt Sets

With round washers

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
053008	1/4" X 2-1/4"	Brass Bolt Kit with Double Brass Nuts & Brass Washers in Clear Bag	50	7	078864-530087
053045	1/4" X 2-1/4"	Brass Bolt Kit with Retainer Washers in Clear Plastic Bag	50	5	078864-530452
053065-N	1/4" X 2-1/4"	Brass Bolt Kit with Double Nuts & Washers in Clear Plastic Bag	50	6	078864-530650
053125	1/4" X 3-1/2"	Brass Bolt Kit in Clear Plastic Bag	50	8	078864-531251
053125-N	1/4" X 3-1/2"	Brass Bolt Kit with Double Nuts & Washers in Clear Plastic Bag	50	8	078864-531251
053140-N	1/4" X 3-1/2"	Brass Bolt Kit with Double Brass Nuts & Brass Washers in Clear Bag	50	8	078864-531404
054315	1/4" X 3-1/2"	Bulk Brass Toilet Flange Bolt Sets with Oval Washers	1	6	078864-531954
053195	5/16" X 2-1/4"	Brass Bolt Kit with Retainer Washers in Clear Plastic Bag	50	6	078864-543155



Plated Toilet Flange Bolt Sets

With round washers

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
056045	1/4" X 2-1/4"	Plated Bolt Kit with Retainer Washers in Clear Plastic Bag	50	4	078864-560459
056055-N	1/4" X 2-1/4"	Plated Bolt Kit in Clear Plastic Bag	50	4	078864-560558
056065	1/4" X 3-1/2"	Plated Toilet Flange Bolt Sets in a Clear Plastic Bag	50	6	078864-560657
056205	5/16" X 2-1/4"	Plated Toilet Flange Bolt Sets in a Clear Plastic Bag	50	7	078864-562057
056245	5/16" X 3-1/2"	Plated Toilet Flange Bolt Sets in a Clear Plastic Bag	50	9	078864-562453

TANK-TO-BOWL KITS



Tank-to-Bowl Bolt Kits

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
068025	Tank-to-Bowl Bolt Kit with hex nuts in Clear Plastic Bag	25	6	078864-680256
068035	Tank-to-Bowl Bolt Kit with hex and wing nuts in Clear Plastic Bag	25	6	078864-680355




Tank-to-Bowl Sponge Rubber Gasket Kits

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
072025	Standard size sponge rubber gasket & fiber washer with bolt kit in Clear Plastic Bag	25	7	078864-720259
070031-12	Double Thick Sponge Rubber Gasket 3-1/2" O.D. x 2-1/8" I.D. x 1-1/8" with hex recess in Plastic Hanging Bag	12	2	078864-700312
072034-12	Double Thick Sponge Rubber Gasket & Bolt Kits 3-1/2" O.D. x 2-1/8" I.D. x 1-1/8" with hex recess in Plastic Hanging Bag	12	4	078864-720341
072035	Double Thick Sponge Rubber Gasket & Bolt Kits 3-1/2" O.D. x 2-1/8" I.D. x 1-1/8" with hex recess in Clear Plastic Bag	25	9	078864-720358



TOILET INSTALLATION ACCESSORIES



Toilet Flange Repair Ring
Stainless steel

- Sturdy, professional way to replace a damaged or broken toilet flange.
- Designed to fit all closet hubs.
- 1/4" anchor holes are provided for mounting to floor for added stabilization.

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
014710	Toilet Mounting Ring	6	2.5	078864-147100

SPACERS



Big Red Plastic Closet Bend Spacer

- Eliminates the need to chip out concrete.
- Fits 3" & 4" waste lines.
- Allows easy fitting installation after cement pour.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
012005	14 In	Big Red Plastic Closet Bend Spacer	18	7	078864-120059



Closet Bend Spacers

- Used to keep cement away from pipe penetrations during rough-in.
- Allows easy fitting installation after cement pour.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
012130	3 In	Styrofoam Spacer	50	6	078864-121308
012140	4 In	Styrofoam Spacer	32	3	078864-121407
013305	6 OD X 4 HGT	Corrugated Fiber Spacer	18	3	078864-133059
013205	6 OD X 6 HGT	Corrugated Fiber Spacer	18	3.888	078864-132052

SHOWER PAN LINER



Shower Pan Liner

- Shower Pan Liner is constructed of heavy duty 40 mil gray PVC.
- Complies with International Plumbing Code. Meets ASTM D 4551.
- Use with Oatey X-15™ shower pan liner adhesive.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
098225	6 X 50	40 Mil Shower Liner	1	79.5	078864-982251
098215	5 X 50	40 Mil Shower Liner	1	67.25	078864-982152
098255	6 X 100	40 Mil Shower Liner	1	159	078864-982558
098245	5 X 100	40 Mil Shower Liner	1	131	078864-982459

SUPPLY HOSES



Dishwasher Discharge Hoses

- EPDM tubes and covers with double-ply spiraled polyester reinforcements.
- Burst pressure rating of 280 PSI. (The safe working pressure is 80 PSI at 100°F).
- * We do not recommend any use with PSI/temperature conditions beyond the safe working pressure.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
093150	5/8	ID X 50 FT Reinforced	1	11	078864-931501
093175	7/8	ID X 50 FT Reinforced	1	19	078864-931754



Washing Machine Inlet Hose

- EPDM rubber hose.
- 3/4" female fittings on both ends connect to washer and water supply.
- Fitting washers included.
- Use with both hot and cold water lines.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
093250	3/8 X 5 FT	Washing Machine Inlet Hose	12	9	078864-932508
093260	3/8 X 6 FT	Washing Machine Inlet Hose	12	10	078864-932607



Washing Machine Gooseneck Inlet Hose

- EPDM rubber hose with a 90° formed bend in one end with 3/4" female fittings on both ends.
- Fitting washers included.
- Designed for high pressure use as a fill hose.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
093265	3/8 X 6 FT	90 degree gooseneck	12	0.917	078864-932652

PIPE SUPPORT



HarveyStake Ground Stakes

- Steel Ground Stakes prevent pipe from floating or moving during concrete pours.
- Hold pipe from 1-1/2" to 6" in diameter.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
012150	14"	Stake Steel	25	17	078864-121506



WATER HEATER STANDS



Water Heater Stand

- Allows placement of water heater tanks 18" above the ground as required by most model plumbing and fuel codes.
- Constructed of 18 gauge spangled galvanized sheet metal.
- Holds up to 50 gallon water heaters.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
013900	21" Square x 18" High	Water Heater Stand	4	62	078864-139006

TAPE



Duct Tape

- Repairs HVAC systems, mends pool liners, vinyl upholstery, hose breaks, stops minor plumbing leaks and seals windows.
- Polycloth has a rubber resin adhesive that offers superior laminate strength.
- Ideal where adhesion to many kinds of surfaces is necessary.
- Straight tear and minimum curl make it easy to apply.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
014398	2" x 60 YD	Duct Tape – Silver	24	33	078864-143980
014390	2" x 60 YD	Duct Tape – Black	24	39.456	078864-143904

BATHTUB PROTECTOR



Tub Boxes

- Cover bathtub drains.
- Allow space for easy installation of waste and overflow lines.

Product No.	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
013825	Large Plastic Tub Box	12	0.75	078864-138252
013805	Corrugated Tub Box	25	11	078864-138054



Bathtub Protector

- Offers protection against tub damage during home construction.
- A semi-flexible, heavy, high-impact plastic with deep-fluted sidewalls.
- Includes a non-skid foam pad to absorb shock and prevent scratched and dented tub finish.
- Nests for space-saving storage.

Product No.	Size	Description	Carton Qty.	Carton Wt. (Lbs)	UPC Number
013800	30 X 60 X 15	Bathtub Protector	35	60	078864-138009

Product No.	Size	Description	Ctn. Qty.	UPC	Category	Page Number
001005-24		No Seep No. 1 Wax Ring with Sleeve	24	078864-010053	Bowl Setting Wax Gaskets and Bolts	12
001025		No Seep No. 1 Brass Bolt Bag 053045	24	078864-010251	Bowl Setting Wax Gaskets and Bolts	12
001025-N		Ns-1 with 2 Brass Bolt 4-Rw 4-SN	24	078864-010251	Bowl Setting Wax Gaskets and Bolts	12
001045		Ns-1 056045 Bps Bolt Bag	24	078864-010459	Bowl Setting Wax Gaskets and Bolts	12
001045-N		NS-1 with 1/4 X 2 1/4 BPS	24	078864-010459	Bowl Setting Wax Gaskets and Bolts	12
001090		No Seep No. 50 4 Inch Thick Gasket	24	078864-010909	Bowl Setting Wax Gaskets and Bolts	13
001095-N		No Seep No. 50 with Brass Bolt Dnuts	24	078864-010954	Bowl Setting Wax Gaskets and Bolts	13
001109-N		No Seep No. 10 with Brass Bolt Kit	24	078864-011098	Bowl Setting Wax Gaskets and Bolts	12
001115-12		No Seep No. 10 Extra Thick with Slv	12	078864-011159	Bowl Setting Wax Gaskets and Bolts	12
001115-24		No Seep No. 10 Extra Thick with Slv	24	078864-011159	Bowl Setting Wax Gaskets and Bolts	12
001119		No Seep No. 10 with 1/4 Bps Bolt Kit	24	078864-011197	Bowl Setting Wax Gaskets and Bolts	12
004005		Ns No. 2 Urethane Wall Gasket	24	078864-040050	Bowl Setting Wax Gaskets and Bolts	13
004305-24		Ns No. 3 Urethane Gasket/Sleeve	24	078864-043051	Bowl Setting Wax Gaskets and Bolts	12
004375		Wax Extender Kit No 35B	12	078864-043754	Bowl Setting Wax Gaskets and Bolts	12
004605		Ns No. 4 Urethane Gasket/4 Sleeve	24	078864-046052	Bowl Setting Wax Gaskets and Bolts	13
006005		Ns No. 5 4 In Wax Gasket	24	078864-060058	Bowl Setting Wax Gaskets and Bolts	12
006030-N		Ns No. 5 with 2-Brass Bolts 4-Rw 4Sn	24	078864-060300	Bowl Setting Wax Gaskets and Bolts	12
006050		Ns No. 5 w/ Plated Bolts and Retainers	24	078864-060508	Bowl Setting Wax Gaskets and Bolts	12
007005-48		Bol-Wax Standard Wax Ring	48	078864-070057	Bowl Setting Wax Gaskets and Bolts	13
007020		Bol-Wax with Brass Bolt Bag 053045	48	078864-070200	Bowl Setting Wax Gaskets and Bolts	13
007020-N		Bol-Wax with 2-Brass Bolt 4-RW	48	078864-070200	Bowl Setting Wax Gaskets and Bolts	13
007035		Bol-Wax 056045 with Bps Bolts	48	078864-070354	Bowl Setting Wax Gaskets and Bolts	13
007035-N		Bol-Wax with 2 Bps Bolt 4RW4SN	48	078864-070354	Bowl Setting Wax Gaskets and Bolts	13
007400		Bol Wax 10 Extra Thick Wax	24	078864-074000	Bowl Setting Wax Gaskets and Bolts	13
009005		Bol-Wax Economy Wax Ring	48	078864-090055	Bowl Setting Wax Gaskets and Bolts	13
011005		Bol-Wax No. 5 Urethane Gasket	24	078864-110050	Bowl Setting Wax Gaskets and Bolts	13
011305		Bol-Wax 6 Urethane Urinal	24	078864-113051	Bowl Setting Wax Gaskets and Bolts	13
012005	14 In	Big Red Plastic Closet Bend Spacer	18	078864-120059	Drains and Closet Flanges	16
012130	3 In	Styrofoam Spacer	50	078864-121308	Drains and Closet Flanges	16
012140	4 In	Styrofoam Spacer	32	078864-121407	Drains and Closet Flanges	16
012150		HarveyStake Steel	25	078864-121506	Pipe Support	17
013205	6 OD X 6 HGT	Fiber Spacer	18	078864-132052	Drains and Closet Flanges	16
013305	6 OD X 4 HGT	Fiber Spacer	18	078864-133059	Drains and Closet Flanges	16
013800	30 X 60 X 15	Bathtub Protector	35	078864-138009	Rough-In Products	18
013805		Corrugated Tub Box Stone	25	078864-138054	Rough-In Products	18
013825		Large Plastic Tub Box	12	078864-138252	Rough-In Products	18
013900	21" Sq x 18"H	Water Heater Stand	4	078864-139006	Pans and Stands	18
014390	2" x 60 YD	Black Duct Tape	24	078864-143904	Rough-In Products	18
014398	2" x 60 YD	Duct Tape Silver	24	078864-143980	Rough-In Products	18
014710		Toilet Mounting Ring	6	078864-147100	Drains and Closet Flanges	16
016100	1 Qt	Thread Cutting Oil – Clear	12	078864-161007	Oils, Lubricants and Hand Cleaner	10
016150	1 Gal	Thread Cutting Oil – Clear	6	078864-161502	Oils, Lubricants and Hand Cleaner	10
016265	1 Qt	Thread Cutting Oil – Dark	12	078864-162653	Oils, Lubricants and Hand Cleaner	10
016325	1 Gal	Thread Cutting Oil – Dark	6	078864-163254	Oils, Lubricants and Hand Cleaner	10
016760	5 Gal	Harvey Heat - 100A	1	078864-167603	Heating Chemicals and Anti-Freeze	11
016770	55 Gal	Harvey Heat - 100A	1	078864-167702	Heating Chemicals and Anti-Freeze	11
016850	1 Gal	Harvey Heat - 100	6	078864-168501	Heating Chemicals and Anti-Freeze	11
016860	5 Gal	Harvey Heat - 100	1	078864-168600	Heating Chemicals and Anti-Freeze	11
016870	100 Gal	Harvey Heat - 100	1	078864-168709	Heating Chemicals and Anti-Freeze	11
016900	55 Gal	Harvey Heat - Arctic Grade	1	078864-169003	Heating Chemicals and Anti-Freeze	11
016905	5 Gal	Harvey Heat - Arctic Grade	1	078864-169058	Heating Chemicals and Anti-Freeze	11
016906	55 Gal	Harvey Heat - 100% Propylene	1	078864-169065	Heating Chemicals and Anti-Freeze	11
016907	5 Gal	Harvey Heat - 100% Propylene	1	078864-169072	Heating Chemicals and Anti-Freeze	11
017065	1/2" x 260"	PTFE Yellow Gas Line Thread Seal Tape	12	078864-170658	Thread Sealants	7
017072-144	1/2" x 260"	PTFE Blue Thread Seal Tape	144	078864-170726	Thread Sealants	7
017072-500	1/2" x 260"	PTFE Blue Thread Seal Tape	500	078864-170726	Thread Sealants	7
017117-144	1/2" x 520"	PTFE Red Thread Seal Tape	144	078864-171174	Thread Sealants	8
017117-500	1/2" x 520"	PTFE Red Thread Seal Tape	500	078864-171174	Thread Sealants	8
017252-144	3/4" x 520"	PTFE Blue Thread Seal Tape	144	078864-172522	Thread Sealants	7



The Oatey® Network

Through seven manufacturing and distribution facilities located throughout North America and China, Oatey designs, manufactures and sources over 10,000 plumbing related products. Nearly 80% of our products are manufactured in the United States, and distributed in more than 70 countries worldwide.



© 2016 Oatey. All Rights Reserved.

® Oatey is a registered trademark of Oatey Co.

This information is based on data believed to be reliable but Oatey makes no warranties, express or implied, as to its accuracy and assumes no liability arising out of its use. The data listed falls within the normal range of product properties but should not be used to establish specification limits or used alone as the basis of design. Oatey's liability to purchasers is expressly limited to the terms and conditions of sale.

LCS1008B