



BRUSHES





Natural fibers:

Horsehair — Imported tail and mane horsehair is soft, durable and resilient. It is often blended with other materials such as synthetics. Horsehair has naturally split tips, and is not for use on wet or oily surfaces. It is excellent for removing dust and light dirt from smooth surfaces.



Tampico — Produced from the stem of the Mexican agave plant. The natural color is off-white, but is often dyed black. Tampico's texture is soft to medium with good durability. It is resistant to heat, acid and alkali. Effectively cleans medium debris from smooth and semi-smooth surfaces.



Palmyra — Obtained from the Palmyra Palm grown in Africa and India. Palmyra is stiffer than Tampico and more economical. It is brown in color. Ideal for wet or dry applications. Palmyra sweeps medium to heavy debris from semi-smooth and rough surfaces.

Synthetic fibers:



Polystyrene — Extremely durable with excellent bristle bend recovery and break strength. Very good chemical resistance. Available in a variety of diameters, stiffness and colors. Fibers are often mechanically split, forming multiple "feathered" tips to pick up fine dust and dirt. These split fibers are not recommended for use on wet surfaces.



Polypropylene — Very durable and versatile synthetic material that can be used for wet or dry applications. Available in a variety of diameters, stiffness and colors. Polypropylene has a long life expectancy and has excellent chemical resistance.



PET — Durable polyester material that has excellent chemical resistance and bristle bend recovery. Very good abrasion resistance and break strength. A smooth, pliable material with excellent moisture resistance.



Nylon — Very durable, long-wearing material that has a very good resistance to chemicals. Excellent abrasion resistance, break strength and bristle bend recovery. Ideal for scrubbing and cleaning application. Retains water well during use.

Wire fibers:



Stainless Steel — Excellent chemical resistance, rust-proof and offers a high degree of abrasion.



Carbon Steel — High degree of abrasion and wear resistance. Excellent for aggressive cleaning.



Brass — Rust resistant. Provides a high degree of abrasion, but is softer than stainless steel and carbon steel.



Page

Counter brushes 2

Utility brushes 3-4

Scrub brushes 5

Deck and wall brushes 6

Building materials brushes

Head and handle 7

Cut case displayers 7-8

Cement finishing 9

Wire brushes 9

Miscellaneous brushes 10

Handles and accessories

Handles 11-13

Accessories 13

Counter brushes



453

- Wood block.
- 8" sweeping face.
- For fine debris.

Fiber: natural horsehair
Trim Length: 2 1/4"

14" – #453



454

- Wood block.
- 8" sweeping face.
- For fine debris.

**Fiber: natural horsehair/
synthetic blend**
Trim Length: 2 1/4"

14" – #454



455

- Wood block.
- 8" sweeping face.
- For fine debris.

**Fiber: natural tampico
blend**
Trim Length: 2 1/4"

14" – #455



456

- Wood block.
- 8" sweeping face.
- For medium debris.

**Fiber: medium-stiff
synthetic**
Trim Length: 2 1/4"

14" – #456



457-1

- Wood block.
- 8" sweeping face.
- For fine debris.

Fiber: split-tip synthetic
Trim Length: 2 1/4"

14" – #457-1



457-4

- Wood block.
- 8" sweeping face.
- For fine debris.

Fiber: split-tip synthetic
Trim Length: 2 1/4"

14" – #457-4



471

- Wood block.
- 8" sweeping face.
- For medium debris.

**Fiber: synthetic, stiff
center and fine
border**
Trim Length: 2 1/4"

14" – #471



667

- Plastic block.
- 8" sweeping face.
- For fine debris.

Fiber: plyer, blue
Trim Length: 2 1/4"

14" – #667



144

- 8 1/2" plastic block with finger grooves.
- 5" x 5 1/2" face.
- For light scrubbing.

Fiber: nylon

8 1/2" – #144



137

- 20" wood block.
- 5" x 5 1/2" face.
- For heavy scrubbing.

Fiber: natural palmyra

20" – #137



128

- 8 1/2" wood block.
- 5" x 5 1/2" face.
- For medium scrubbing.

**Fiber: acid-resistant
tampico**

8 1/2" – #128



138

- 20" wood block.
- 5" x 5 1/2" face.
- For medium scrubbing.

**Fiber: acid-resistant
tampico**

20" – #138



221

- 8 1/2" plastic block.
- Raised handle with finger grooves.
- For light scrubbing.

Fiber: soft synthetic

8 1/2" – #221



231

- 20" plastic block.
- Raised handle with finger grooves.
- For light scrubbing.

Fiber: soft synthetic

20" – #231



224

- 8 1/2" plastic block.
- Raised handle with finger grooves.
- For medium scrubbing.

Fiber: crimped nylon

8 1/2" – #224



234

- 20" plastic block.
- Raised handle with finger grooves.
- For medium scrubbing.

Fiber: crimped nylon

20" – #234



226

- 8 1/2" plastic block.
- Raised handle with finger grooves.
- For heavy scrubbing.

Fiber: stiff synthetic

8 1/2" – #226



236

- 20" plastic block.
- Raised handle with finger grooves.
- For heavy scrubbing.

Fiber: stiff synthetic

20" – #236

Utility brushes



281

- 8 1/2" plastic block.
- Raised handle with finger gooves.
- For medium scrubbing.

Fiber: acid-resistant tampyl

8 1/2" – #281



291

- 20" plastic block.
- Raised handle with finger gooves.
- For medium scrubbing.

Fiber: acid-resistant tampyl

20" – #291



282

- 8 1/2" plastic block.
- Raised handle with finger gooves.
- For heavy scrubbing.

Fiber: natural palmyra

8 1/2" – #282



292

- 20" plastic block.
- Raised handle with finger gooves.
- For heavy scrubbing.

Fiber: natural palmyra

20" – #292



283

- 8 1/2" plastic block.
- Raised handle with finger gooves.
- For medium scrubbing.

Fiber: natural acid-resistant tampico

8 1/2" – #283



293

- 20" plastic block.
- Raised handle with finger gooves.
- For medium scrubbing.

Fiber: natural acid-resistant tampico

20" – #293





132

- 3 pack tile and grout brushes.
- Plastic block and handle.
- For hard-to-reach areas.

Fiber: synthetic
Trim Length: 1/2"

7 1/2" – #132



163

- 8" scrub brush.
- Wood block, one threaded 45° handle hole.
- For cleaning decks, concrete and masonry.

**Fiber: acid-resistant
tampico**
Trim Length: 1 1/4"

8" – #163



166

- 6" scrub brush.
- Plastic, curved block.
- Stiff fiber for tough scrubbing.

Fiber: crimped synthetic
Trim Length: 1 1/2"

6" – #166



171

- Raised handle brush.
- Plastic block and handle.
- Protects hands while cleaning.

Fiber: synthetic
Trim Length: 1"

6" – #171



175

- 8" scrub brush.
- Wood block.
- Grooved edges for secure grip.

**Fiber: acid-resistant
tampico**
Trim Length: 1 1/4"

8" – #175



179

- 8" scrub brush.
- Wood block, one threaded 45° handle hole.
- For rough surfaces.

Fiber: natural palmyra
Trim Length: 1 1/4"

8" palmyra – #179



180

- 9" pointed-end scrub brush.
- Plastic block with finger grooves.
- Hanging hole.

Fiber: synthetic
Trim Length: 1"

9" synthetic – #180



182

- 9" pointed-end scrub brush.
- Wood block.
- Grooved edges for secure grip.

**Fiber: acid-resistant
tampico**
Trim Length: 1"

9" – #182



601

- Hand and nail brush.
- Wood block.
- 4 1/2" x 1" scrubbing face.

Fiber: synthetic
Trim Length: 1"

4 3/4" – #601

Deck/wall brushes



325

- 8" deck brush with handle, assembled.
- Plastic block, threaded hole.
- 7/8" x 48" metal handle.

Fiber: synthetic, blue
Trim Length: 1"

8" – #325



561912A

- 12" deck brush with handle, assembled.
- Hardwood block, slotted for bolt-on connector.
- 1 1/8" x 60" wood bolt-on handle.

Fiber: stiff synthetic
Trim Length: 2"

12" – #561912A



690210A

- 10" deck brush with handle, assembled.
- Plastic block, threaded hole.
- 15/16" x 54" metal handle with foam grip.

Fiber: synthetic, blue
Trim Length: 1"

10" – #690210A



NBHW-0024

- 8" scrub brush, assembled.
- Molded plastic block, threaded handle hole.
- Includes 48" plastic handle.

Fiber: crimped synthetic
Trim Length: 1"

8" – #NBHW-0024



**NBID-0005,
NBID-0055**

- Hardwood block, one tapered and one threaded handle hole.
- Ideal for heavy-duty scrubbing on rough surfaces.

Fiber: natural palmyra
Trim Length: 2"

10" – #NBID-0005
12" – #NBID-0055



**NBID-0006,
NBID-0026**

- Wood block, one tapered and one threaded handle hole.
- Synthetic bristles are impervious to most solvents.

Fiber: crimped synthetic
Trim Length: 2"

10" – #NBID-0006
12" – #NBID-0026



NBID-0025

- Wood block, one tapered and one threaded handle hole.
- Squeegee secured by staples within groove of block.

Fiber: natural palmyra
Trim Length: 2"

10" – #NBID-0025



897510

- Tri-level plastic block, threaded handle hole.
- Block and fiber design allow for three distinct washing angles.
- Ideal for scrubbing concrete/tile floors and walls.

Fiber: stiff crimped synthetic
Trim Length: 2 1/2"

10" – #897510



Items below are shipped in a cut case carton (19" x 9" x 7 1/4") with product description label unless otherwise noted. **Handles sold separately (pages 11–13).**



157-14, 157SC-08

- 7" tampico roof coat brush.
- Wood block with threaded handle hole.
- Ideal for applying roof coatings and sealants.

Fiber: acid-resistant tampico
Trim Length: 2"

7" – #157-14
14 count in cut case

Also available side clipped with a 15/16" x 54" metal handle with threaded dura tip. 8 pieces per standard shipper box.
7" – #157SC-08



163-21

- 8" tampico scrub brush.
- Heavy-duty wood block with threaded handle hole.
- For scrubbing masonry, decks and concrete.

Fiber: acid-resistant tampico
Trim Length: 1 1/4"

#163-21
21 count in cut case



426-18, 426SC-08

- 18" Driveway sealant brush with squeegee.
- Heavy duty wood block with threaded handle hole.
- Rubber squeegee.

Fiber: natural palmyra
Trim Length: 2 1/8"

18" – #426-18
18 count in cut case

Also available side clipped with a 15/16" x 54" metal handle with threaded dura tip. 8 pieces per standard pack box.
18" – #426SC-08



501T-14, 501TSC-08

- 3-Knot roof brush.
- Natural tampico in sturdy steel ferrules.
- Heavy duty wood block with threaded handle hole.

Fiber: acid-resistant tampico
Trim Length: 4"

6" – #501T-14
14 count in cut case

Also available side clipped with a 15/16" x 54" metal handle with threaded dura tip. 8 pieces per standard pack box.
6" – #501TSC-08



547-8

- Natural tampico masonry brush.
- Heavy-duty wood block with red handle.
- Ideal for applying solutions and coatings.

Fiber: acid-resistant tampico
Trim Length: 4"

#547-8
8 count in cut case



557-12

- 9" tampico roof coat brush.
- Wood block with threaded handle hole.
- Fits 5-gallon buckets and pails.

Fiber: acid-resistant tampico
Trim Length: 2"

9" – #557-12
12 count in cut case

Building material brushes



Items below are shipped in a cut case carton (19" x 9" x 7 1/4") with product description label. **Handles sold separately (pages 11–13).**



348CC

- Round plastic block, 5" diameter.
- Accepts threaded or tapered end handle.
- Ideal for texture and stippling effects.

**Fiber: natural horsehair/
synthetic blend**
Trim Length: 2 1/2"

5" – #348CC



502CC

- 4-knot roof brush.
- Heavy-duty wood block with tapered handle hole.
- Used to apply roof tar and heavy coatings.

**Fiber: acid-resistant
tampico**
Trim Length: 4"

8" – #502CC



544CC

- Masonry brush.
- Wood block with 6" handle, hang-up hole.
- Ideal for applying coatings.

Fiber: synthetic
Trim Length: 3"

10 1/4" – #544CC



548CC

- Masonry brush.
- Plastic block with hang-up hole.
- Ideal for applying coatings.

**Fiber: acid-resistant
tampico**
Trim Length: 4"

6 1/2" – #548CC



549CC

- Masonry brush.
- Plastic block with hang-up hole.
- Ideal for texture and stippling effects.

Fiber: crimped synthetic
Trim Length: 2 1/2" to 3"

4 3/4" – #549CC



Cement finishing brushes



36724, 36736

- Cement finishing brush.
- Wood block, threaded handle hole.
- Rinses quickly and easily.

Fiber: soft nylon
Trim Length: 2 1/2"

24" – #36724
36" – #36736



36624, 36630

- Cement finishing brush.
- Wood block, two threaded handle holes.
- Rinses quickly and easily.

Fiber: soft nylon
Trim Length: 2 1/2"

24" – #36624
30" – #36630

Wire brushes



516, 523

- Wire scratch brush.
- Wood block, shoe handle style.
- 4 x 17 rows.

Fiber: stainless steel wire or wire
Trim Length: 1"

10" stainless steel – #516
10" wire – #523



523S

- Wire scratch brush with scraper.
- Wood block, shoe handle style.
- 4 x 17 rows.

Fiber: stainless steel wire
Trim Length: 1"

10" – #523S



5230

- Wire brush with scraper.
- Wood block.
- 4 x 10 rows.

Fiber: wire
Trim Length: 1 1/2"

11" – #5230



524, 5240

- Wire scratch brush.
- Curved wood block.
- 3 x 19 rows, 4 x 18 rows.

Fiber: wire
Trim Length: 1"

14" – #524, 3 x 19 rows
14" – #5240, 4 x 18 rows



NBID-0009

- Wire scratch brush with scraper.
- Wood block.
- 3 x 19 rows.

Fiber: wire
Trim Length: 1"

14" – #NBID-0009



5242

- Wire brush.
- Wood block.
- 6 x 19 rows.

Fiber: wire
Trim Length: 1 1/2"

7" – #5242

Miscellaneous



340

- Window brush.
- Wood block with threaded handle hole.
- Ideal for any glass surface.

Fiber: tampyl
Trim Length: 2 1/2"

8" - #340



595

- Boot brush.
- Designed to clean front, back and side of shoe and boots.
- Brushes flip over to expose steel scraper bar.

Fiber: synthetic
Trim Length: 2 1/2"

#595



576

- 12" BBQ brush with metal scraper.
- Stiff crimped brass bristles.
- Plastic block and handle with hang-up hole.

Fiber: crimped brass
Trim Length: 3/8"

12" - #576



579

- BBQ brush with metal scraper.
- Metal scraper fused in block.
- Plastic block and handle with hang-up hole.

Fiber: crimped brass
Trim Length: 3/8"

9" - #579



582

- Deluxe BBQ brush with scraper.
- Scour pad for scrubbing.
- Plastic block and handle with hang-up hole.

Fiber: crimped brass
Trim Length: 3/8"

15" - #582



Tapered



248H

- Wood.
- Red-tipped, lacquered.
- 1 1/8" diameter.

60" – #248H



253H

- Wood.
- Red-tipped, lacquered.
- 15/16" diameter.

60" – #253H



2204H-12

- Wood.
- Sanded, no lacquer.
- 15/16" diameter.

60" – #2204H-12



3302, 3303, 3304

- Wood.
- Lacquered.
- 15/16" diameter.

48" – #3302
54" – #3303
60" – #3304



3306, 9760H-12

- Wood.
- Lacquered.
- 1 1/8" diameter.

54" – #3306
60" – #9760H-12



9760HP

- Wood.
- Sanded, no lacquer.
- 1 1/8" diameter.

60" – #9760HP



46909-7

- Fiberglass.
- Hollow core.
- 1" diameter.

72" – #46909-7 black



90360H-4

- Fiberglass.
- 6" solid fiberglass tip.
- 1" diameter.

60" – #90360H-4 yellow

Threaded — wood tip



20720H

- Wood.
- Painted red.
- 15/16" diameter.

20" – #20720H



4402H-12, 4403H-12, 4404

- Wood.
- Sanded, no lacquer.
- 15/16" diameter.

48" – #4402H-12
54" – #4403H-12
60" – #4404



5506, 5507, 5508

- Wood.
- Lacquered.
- 1 1/8" diameter.

54" – #5506
60" – #5507
72" – #5508



90048H, 90054H, 90060H

- Wood.
- Lacquered.
- 15/16" diameter.

48" – #90048H
54" – #90054H
60" – #90060H

Handles

Threaded — plastic tip



11754H-7

- Metal, black.
- Plastic, threaded dura-tip
- 15/16" diameter.

54" – #11754H-7



90148, 90154H, 90160H, 90172H

- Lacquered wood.
- 15/16" diameter.

48" – #90148
54" – #90154H
60" – #90160H
72" – #90172H

Also available with ring cap.
48" – #90148H



46908-7

- Fiberglass.
- 1" diameter.

60" – #46908-7



90460H, 90472H, 90496H

- Lacquered wood.
- 1 1/8" diameter.

60" – #90460H
72" – #90472H
96" – #90496H

Threaded — acid resistant tip



91060H, 91072H

- Lacquered wood.
- Acid-resistant tip.
- 15/16" diameter.

60" – #91060H
72" – #91072H



91160H, 91172H, 91196H

- Lacquered wood.
- Acid-resistant tip.
- 1 1/8" diameter.

60" – #91160H
72" – #91172H
96" – #91196H

Threaded — metal tip



11660MBH-12

- Metal.
- Plastic hang-up cap.
- 15/16" diameter.

60" – #11660MBH-12

60" Also available with
Comfort Grip on handle.
60" – #11660H-1



6606, 6607, 6608

- Wood.
- Lacquered.
- 1 1/8" diameter.

54" – #6606
60" – #6607
72" – #6608



90260H, 90272H, 90296H, 902120H

- Wood.
- Sanded, no lacquer.
- 1 1/8" diameter.

60" – #90260H
72" – #90272H
96" – #90296H
120" – #902120H



91248H, 91254H, 91260H, 91272H

- Wood.
- Lacquered.
- 15/16" diameter.

48" – #91248H
54" – #91254H
60" – #91260H
72" – #91272H

Extension handles



379144H

- Aluminum.
- Pin-lock.
- Threaded metal tip.

Extends:
6' to 12' – #379144H



38072H, 380144H, 380216H, 380288H

- Aluminum.
- Twist-lock.
- Plastic threaded tip.

Extends:
3' to 6' – #38072H
6' to 12' – #380144H
9' to 18' – #380216H
7' to 24' – #380288H



381144H, 381192H

- Fiberglass.
- Cam-lock.
- Threaded metal tip.

Extends:
6' to 12' – #381144H
8' to 16' – #381192H

Accessories



86-88

- Powder-coated metal.
- For 88 series tri-level wash brushes and 46110.

#86-88

Product #	Page	Product #	Page
11660H-1	12	175	5
11660MBH-12 ..	12	179	5
11754H-7	12	180	5
128	3	182	5
132	5		
137	3	20720H	11
138	3	2204H	11
144	3	221	3
157-14	7	224	3
157SC-08	7	226	3
163	5	231	3
163-21	7	234	3
166	5	236	3
171	5	248H	11

Product #	Page	Product #	Page
253H	11	5506	11
281	4	5507	11
282	4	5508	11
283	4	557-12	7
291	4	561912A	6
292	4	576	10
293	4	579	10
		582	10
		595	10
325	6		
3302	11	601	5
3303	11	6606	12
3304	11	6607	12
3306	11	6608	12
340	10	667	2
348CC	8	690210A	6
36624	9		
36630	9	86-88	13
36724	9	897510	6
36736	9		
379144H	13	90048H	11
380144H	13	90054H	11
380216H	13	90060H	11
380288H	13	90148	12
38072H	13	90148H	12
381144H	13	90154H	12
381192H	13	90160H	12
		90172H	12
426-18	7	90260H	12
426SC-08	7	90296H	12
4402H-12	1	902120H	12
4403H-12	1	90360H-4	11
4404	11	90460H	12
453	2	90472H	12
454	2	90496H	12
455	2	91060H	12
456	2	91072H	12
457-1	2	91160H	12
457-4	2	91172H	12
46908-7	12	91196H	12
46909-7	11	91248H	12
471	2	91254H	12
		91260H	12
501T-14	7	91272H	12
501TSC-08	7	9760H-12	11
502CC	8	9760HP	11
516	9		
523	9	NBHW-0024	6
5230	9	NBID-0005	6
523S	9	NBID-0006	6
524	9	NBID-0009	9
5240	9	NBID-0025	6
5242	9	NBID-0026	6
544CC	8	NBID-0055	6
547-8	7		
548CC	8		
549CC	8		



*Quality Cleaning Tools
Since 1900*

**Harper Brush Works, Inc.
Corporate Headquarters:
400 North Second Street
Fairfield, IA 52556-2416 USA**

**Phone: 800.223.7894
Fax: 641.472.3187
www.harperbrush.com**

**Customer Service:
Phone: 800.500.9351
Fax: 877.894.4591**