

HOLMES
GARAGE DOOR COMPANY®
Excellence Since 1920™

WINDCODE®



Artistry® Collection AR2SP in Standard White
with Long Rectangle Grille Windows



Leaders in

— STYLE ■ SELECTION ■ CRAFTSMANSHIP —



Settlers® Collection
Design 13 with SQ24 Windows

STYLE, SELECTION & CRAFTSMANSHIP

Holmes Garage Door Company® offers a complete line of top quality doors including traditional raised panel doors, carriage house style doors, contemporary styles and commercial. With thousands of garage door designs to choose from, Holmes is Making it Easy to find and purchase the right door for your style!

3 THINGS TO CONSIDER WHEN CHOOSING YOUR NEXT GARAGE DOOR

1 CURB APPEAL
A garage door can represent as much as 30% of your home's front façade. Homes with forward-facing garages see immediate curb appeal.

2 VALUE
A new door can increase the value of your home by up to 4%.

3 ENERGY EFFICIENCY & DURABILITY
If your garage is attached to your home, an energy-efficient door can do more than lower energy costs; insulated doors are also quieter and more durable.



SAFETY, QUALITY & INNOVATION




Deep Embossed Panels

Natural woodgrain texture and detailed raised panel design enhance door's beauty.



Coped Edges

Custom crafted steel doors are designed with stylish beveled coped edges and decorative center grooves.



Ultra-Grain® Finish

Ultra-Grain® delivers the best of both worlds—the realism of natural wood with the low maintenance and energy-efficient benefits of insulated steel.



Decorative Windows

Inspired by current architectural trends, our windows add a new look to garage doors while complementing your home.



Rust-Prevention System

Unsurpassed rust-prevention system creates a virtually maintenance-free surface.



EZ-SET® Torsion Springs

Patented springs for easier, faster and safer installation. Eliminates the labor intensive and dangerous manual winding process.



WARMER

Industry-leading R-values of up to 20.4 provide year-round comfort and energy savings.



QUIETER

Just open a non-insulated garage door and then an Intellicore door, and you'll hear a huge difference.



STRONGER

A Holmes garage door featuring Intellicore is nearly twice as strong as a polystyrene door of the same thickness, so it will look better, longer.



Look for this symbol on select products that feature Intellicore®.



Silver Series 5500 with Short Plain Windows

3 EASY STEPS TO CHOOSING YOUR NEW DOOR

1 CHOOSE YOUR DOOR STYLE

SPECIALTY

OR

STANDARD STEEL

See page 5 for examples of each door style.

2 CHOOSE YOUR CONSTRUCTION

DOOR CONSTRUCTION

| | 2" Polyurethane | 1-3/8" Polyurethane | 2" Polystyrene | 1-3/8" Polystyrene | 1-5/16" Polystyrene | Steel |
|---|------------------|---------------------|------------------|--------------------|--------------------------|--------------------------|
| FEATURES | | | | | | |
| intellicoRE | | | | | | |
| Insulation Rating (R-value)/ Energy Efficiency | 18.4–20.4 | 12.9 | 9.0 | 6.5 | 6.3 | N/A |
| Security | | | | | | |
| Noise Control | | | | | | |
| Dent Resistance | | | | | | |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime 25-year | Limited Lifetime 15-year |

NOTE: Higher R-values mean increased energy efficiency, reduced noise, improved security and durability. Calculated door section R-value is in accordance with DASMA TDS-163.

3 CUSTOMIZE YOUR DOOR



Colors



Windows



Hardware

RESIDENTIAL GARAGE DOOR COLLECTIONS

SPECIALTY



**Glenmoor™
Collection**
LIMITED EDITION SERIES

Wood Look
without
the Wood
Maintenance
pgs. 8–9



**Glenmoor™
Collection**
ULTRA-GRAIN® SERIES

Ultra-Grain®
Beauty Meets
Durability
pgs. 10–11




**Settlers®
Collection**

Carriage House
Designs in Low
Maintenance Steel
and Composite
pgs. 12–13



**Artistry®
Collection**

Steel Carriage
House Designs
with Ultra-Grain®
Finish Option
pgs. 14–15



**Contemporary
Collection**
STEEL SERIES

Flush and Grooved
Insulated Steel
with Ultra-Grain®
Finish Options
pgs. 16–17



**Contemporary
Collection**
ALUMINUM SERIES

Glass and
Aluminum Design
with Durable
Construction
pg. 18

SPECIALTY

STANDARD STEEL




**Lodgewood®
Collection**

Wood
Carriage
House
pg. 19



**Decorative
Hardware**

Authentic
Carriage House
Accents
pgs. 20–21



**Gold
Series**

Insulated Steel
Three-Layer
Construction
pgs. 22–23



**Silver
Series**

Insulated Steel
Two-Layer
Construction
pg. 24



**Bronze
Series**

Non-Insulated Steel
One-Layer
Construction
pg. 24



Windows

Designer
Classics
and Snap-In
pgs. 26–27

COMMERCIAL GARAGE DOOR COLLECTIONS

OTHER INFORMATION TO KNOW



Sectional Doors
Commercial
Sectional Steel
pgs. 28–29



Roll-Up Doors
Steel Roll-Up
pg. 30

Safety, Quality & Innovationpg. 3
 WindCode Information & Mappg. 6-7
 Residential Track Optionspg. 25
 Commercial Track Optionspg. 31
 How-To-Measure Information.....pg. 32


DETERMINE YOUR WINDCODE® RATING

Holmes Garage Door Company assigns a WINDCODE® “W” rating to doors based on code requirements determined by wind speed in miles per hour (MPH), home exposure and home structural type.

STEP 1:

- Determine the minimum wind speed (MPH) your door must meet or exceed from the map below, or go to www.atccouncil.org/windspeed.

This map is to help determine your “W” rating, and should be used as a guideline only. Contact your local building code official to determine the proper wind load requirements in your area.




STEP 2:

- Determine if your home is in an Exposure B or Exposure C region.
 - Exposure B** typically urban or suburban setting or wooded terrain.
 - Exposure C** open terrain with scattered obstructions, flat open ground, grasslands or shorelines in hurricane-prone regions.

STEP 3:

- Determine the structural type of your home.



- Using wind speed (MPH), exposure and structural type, find your WINDCODE® “W” rating in the charts below.

Due to the complexity of installing WINDCODE® garage doors, meeting codes and pulling permits, we highly recommend professional installation.

Exposure B Typical suburban or urban area or wooded terrain.

| Structural Type | 100 MPH | 110 MPH | 120 MPH | 130 MPH | 140 MPH | 150 MPH |
|-----------------|---------|---------|---------|---------|---------|---------|
| One story | W3 | W3 | W4 | W5 | W6 | W7 |
| Two story | W3 | W3 | W4 | W5 | W6 | W7 |

Exposure C Open terrain and hurricane shorelines. All of Miami-Dade and Broward Counties are Exposure C.

| Structural Type | 100 MPH | 110 MPH | 120 MPH | 130 MPH | 140 MPH* | 146 MPH* | 150 MPH |
|-----------------|---------|---------|---------|---------|----------|----------|---------|
| One story | W3/ W4 | W4 | W5 | W6 | W7 | W7 | W8 |
| Two story | W4 | W5 | W6 | W7 | W7 | W8 | W8/W9 |

*Miami-Dade County

STORM READY® – NO POSTS, PINS OR EXTRA SETUP. JUST CLOSE AND LOCK YOUR DOOR.


WINDCODE® BENEFITS

- No attachments to the floor or structure required
- No extra posts, pins, parts or setup necessary
- Storm ready, simply close and lock your door

STANDARD GARAGE DOOR



WINDCODE® GARAGE DOORS



- A** Patented T-Strut design strengthens door.
- B** Heavy-duty commercial grade track provides additional strength and durability.
- C** Commercial-duty steel rollers and hardware withstand more severe wind pressures.

HOLMES WINDCODE® GARAGE DOORS

Holmes WINDCODE® garage doors are designed to help withstand high winds resulting from tropical storms and other strong wind-related weather events. This user-friendly system assists you in selecting the right garage door for your area and building structure.

DESIGN OPTIONS

Holmes WINDCODE® product offering has the widest range of panel styles, colors and window designs available today. Accent the design of your home while providing the protection you need against strong winds. Choose from various panel designs and designer or decorative windows for that extra curb appeal. Impact-resistant windows are available in many different colors and wind load levels.

DESIGNED AND TESTED TO WITHSTAND STRONG WINDS

All Holmes WINDCODE® doors have been designed and tested to meet various code requirements. Additional interior horizontal steel reinforcement along with increased hardware and springing components are installed so your door is ready when a storm hits. No posts or pins are required to secure your door if you are not there. Just lock your door.


Glenmoor™

COLLECTION

LIMITED EDITION SERIES

The Limited Edition Series provides the natural beauty of wood with the durability and energy-efficient benefits of composite and steel.

FIVE-LAYER CONSTRUCTION



**WOOD LOOK...
WITHOUT THE WOOD MAINTENANCE**

Glenmoor™ Collection Limited Edition Series Design 12 with SQ23 Windows

CONSTRUCTION AND FINISH

- 5-layer **intellicores** polyurethane insulated composite faux wood doors (20.4 R-value). Swing-out appearance – modern operation.
- Available in 15 door designs and 13 window or top sections for multiple door design options.
- Composite cladding options include Clear Cypress, Mahogany and Pecky Cypress. Composite overlay options include Clear Cypress and Mahogany.
- Windows are standard with 1/8" DSB glass. Frosted, seeded, obscure, rain and insulated glass options are also available.
- Attractive beveled edge clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- Comes factory finished in Walnut, Dark or Medium Finish; door can also be ordered in Whitewash Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES




DECORATIVE HARDWARE

INCLUDED



OPTIONAL




Additional hardware options are available; see pages 20–21.

SIZE/WINDCODE® AVAILABILITY

| Width | 2" Models |
|------------|--------------------------|
| Up to 9' | W1, W4*, W5*, W6*†, W8*† |
| 10' to 16' | W1, W4*, W5*, W6*†, W8*† |
| 18' | W1, W4*, W6*† |


For W6/W8 doors over 9' wide, add 2" to the door opening. *Florida approved. †Miami-Dade approved.

DOOR DESIGNS




Doors shown in Dark Finish with Clear Cypress composite cladding and Clear Cypress composite overlay. Design 01 does not have an overlay.

WINDOWS/TOP SECTION OPTIONS




Design 01 and Series 3 are not available with windows. Double door designs available. *Impact rated glass available.

MATERIAL DESIGN OPTIONS



Cladding and overlay material options may be mixed and matched.

COLORS



Cladding and overlays are finished in the same color.

Whitewash Finish available only on Mahogany cladding and overlays.

Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Door stain color will vary slightly within a door due to finishing process.

Due to the printing process, colors may vary.

Glenmoor™

COLLECTION

ULTRA-GRAIN® SERIES

Features a 2" Intellicore® polyurethane insulated steel base door with Ultra-Grain®, a durable and natural-looking woodgrain paint finish.

FOUR-LAYER CONSTRUCTION



**ULTRA-GRAIN® ...
BEAUTY MEETS DURABILITY**

Glenmoor™ Collection Ultra-Grain® Series Design 13 with ARCH3 Windows

CONSTRUCTION AND FINISH

- 4-layer **intellicore** polyurethane insulated faux wood doors (18.4 R-value). Swing-out appearance – modern operation.
- Available in 14 door designs and 13 window or top sections for multiple door design options.
- Base steel options include Ultra-Grain® Cypress Walnut and Medium Finishes. Composite overlay available in Clear Cypress, stained to match base finish.
- Windows are standard with 1/8" DSB glass. Frosted, seeded, obscure, rain and insulated glass options are also available.
- Attractive beveled edge clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.

WARRANTIES




DECORATIVE HARDWARE

INCLUDED



OPTIONAL




Additional hardware options are available; see pages 20–21.

SIZE/WINDCODE® AVAILABILITY


| Width | 2" Models |
|------------|----------------------------|
| Up to 9' | W1, W4*, W5*, W6**†, W8**† |
| 10' to 16' | W1, W4*, W5*, W6**†, W8**† |
| 18' | W1, W4*, W6**† |

For W6/W8 doors over 9' wide, add 2" to the door opening. *Florida approved. †Miami-Dade approved.

DOOR DESIGNS



WINDOWS/TOP SECTION OPTIONS



MATERIAL DESIGN OPTIONS

OVERLAY



Note: Cladding is not present on Ultra-Grain® Series Models.

ULTRA-GRAIN® STEEL COLORS



Cypress Walnut Finish



Cypress Medium Finish


Overlays and Window Grilles are finished in the same color as the Ultra-Grain® base door. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, colors may vary.

Settlers®

COLLECTION

Settlers® Collection doors provide a traditional carriage house appearance with upward-acting functionality and durable construction.

FOUR-LAYER CONSTRUCTION




**CARRIAGE HOUSE DESIGNS...
DURABLE, RELIABLE CONSTRUCTION**

Settlers® Collection SF22 with SQ23 Windows

CONSTRUCTION AND FINISH

- Base door has a natural woodgrain texture, painted with a baked-on primer and polyester top coat.
- Detailed beveled, coped-edge overlay.
- Windows with complete overlay and true arch designs are available in double strength, frosted, seeded, rain and insulated glass. Grilles are removable for ease of cleaning.
- Includes automatic opener reinforcement.
- EZ-SET® torsion springs standard on most sizes.
- SXU models have 2" **intellioCore** polyurethane insulation (18.4 R-value).
- SX models have 2" polystyrene insulation (9.0 R-value).
- SF models have 1-3/8" polystyrene insulation (6.5 R-value).

WARRANTIES




DECORATIVE HARDWARE

INCLUDED



OPTIONAL




Additional hardware options are available; see pages 20–21.

SIZE/WINDCODE® AVAILABILITY


| Width | SF | SX | SXU |
|------------|----------|-------------|------------------------|
| Up to 9' | W1, W5*† | W6*†, W8*† | W1, W6**‡, W8**‡ |
| 10' to 16' | W1, W4*† | W6*†, W8*†‡ | W1, W5*†, W6**‡, W8**‡ |
| 18' | W1 | W6*†, W8*†‡ | W1, W6**‡ |

For W6/W8 doors over 9' wide, add 2" to the door opening.
 *Florida approved. †Texas approved. ‡Miami-Dade approved.

DOOR DESIGNS




WINDOWS/TOP SECTION OPTIONS



Series 3 and Series 4 are not available with windows.
 Double door designs available.
 *Impact rated glass available.

BASE DOOR/OVERLAY COLOR OPTIONS




Note: Door and overlay colors can be mixed and matched.
 Due to the printing process, colors may vary.

Artistry® COLLECTION

Artistry® Collection doors create an authentic carriage house look at an affordable price.

THREE, TWO & ONE-LAYER CONSTRUCTION



CARRIAGE HOUSE DESIGNS... DURABLE STEEL CONSTRUCTION

Artistry® Collection AR2LP in Standard White with ARCH1 Grille Windows

CONSTRUCTION AND FINISH

- Deep embossed stamped steel carriage house designs in short and long panel styles.
- Six construction types to choose from:
 - 2" thick three-layer **intellicore** polyurethane insulation (18.4 R-value)
 - 1-3/8" thick three-layer **intellicore** polyurethane insulation (12.9 R-value)
 - 2" thick three-layer polystyrene insulation (9.0 R-value)
 - 1-3/8" thick three-layer polystyrene insulation (6.5 R-value)
 - 24 or 25 gauge 1-5/16" thick two-layer polystyrene insulation (6.3 R-value)
 - 24 or 25 gauge one-layer non-insulated

Note: 25 gauge available only in short panel.
- Many window options available.
- Ultra-Grain® Finish available on select three-layer models.
- All models can be painted to match your home's exterior. Please visit <http://info.garagedoors.com/lrv> for paint instructions on Intellicore® models.

WARRANTIES



AR2SU/AR2LU/AR1SU/AR1LU
AR2SP/AR2LP/AR1SP/AR1LP
AR4SV/AR4LV/AR4S/AR4L

AR5SV/AR5S

ALL MODELS


ALL MODELS

DECORATIVE HARDWARE

INCLUDED



OPTIONAL



Additional hardware options are available; see pages 20–21.


SIZE/WINDCODE® AVAILABILITY

| Width | AR2SU/LU | AR1SU/LU | AR2SP/LP | AR1SP/LP | AR4SV | AR4LV | AR4S | AR4L |
|--------------|------------|----------|--------------------|------------|-------------------|----------|-----------------------|--------------|
| Up to 9' | W1, W6, W8 | W1 | W1, W4, W6, W8 | W1, W3, W5 | W1, W4†, W5†, W6† | W4†, W5† | W1, W4†, W5†, W6†, W8 | W1, W4†, W6† |
| 9'2" to 16' | W1, W6, W8 | W1 | W1, W4, W5, W6, W8 | W1, W3, W5 | W1, W4†, W5†, W6† | N/A | W1, W4†, W5†, W6†, W8 | W1, W4†, W6† |
| 16'2" to 18' | W1, W6, W8 | W1 | W1, W4, W6 | W1 | W1, W4†, W6 | N/A | W1, W4†, W6 | W1, W4† |

For W6/W8 doors over 9' wide, add 2" to the door opening. All doors W3–W8 are Florida approved. †Texas approved. AR2SP/LP and AR4S are Miami-Dade approved.

DOOR DESIGNS


Single door width shown



Three-Layer
AR2SU, AR1SU,
AR2SP, AR1SP

Two-Layer
AR4SV, AR5SV

One-Layer
AR4S, AR5S




Three-Layer
AR2LU, AR1LU,
AR2LP, AR1LP

Two-Layer
AR4LV

One-Layer
AR4L

WINDOWS/TOP SECTION OPTIONS



Double door designs available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

*Impact rated glass available.

COLOR OPTIONS



Due to the printing process, colors may vary.

*Not available on all models; contact customer service for availability.
† Popular in select markets, Glacier White is a brighter white.

CONTEMPORARY COLLECTION

STEEL SERIES

Contemporary Collection Steel Series garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves.

THREE-LAYER CONSTRUCTION



**MODERN BEAUTY...
SIMPLE UPKEEP**

Contemporary Collection Steel Series Modern Flush panel in Ultra-Grain® Cypress Medium Finish


CONSTRUCTION AND FINISH

- Four construction types to choose from:
 - 7202, 7201, 7208, 7205 and 7209 have 2" thick three-layer **intellicores** polyurethane insulation (18.4 R-value)
 - 7132 and 7131 have 1-3/8" thick three-layer **intellicores** polyurethane insulation (12.9 R-value)
 - 6202, 6201 and 6205 have 2" thick three-layer polystyrene insulation (9.0 R-value)
 - 6131 has 1-3/8" thick three-layer polystyrene insulation (6.5 R-value)
- Many window options available.
- Ultra-Grain® Finish available on select three-layer models.

WARRANTIES




WINDOWS



Additional window designs available; see pages 26–27.
Impact resistant windows available.

DOOR STYLES




Modern Flush Panel – Models 7202, 7201, 7208, 7132, 7131, 6202, 6201 and 6131



Modern Grooved Panel – Models 7209, 7205 and 6205

CONTEMPORARY WINDOW OPTIONS



Short Plain Windows
down right side

Long Plain Windows
in all panel locations

Contemporary window configurations are available in many design options, including windows in each section and down one side, short and long windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section.

Door models offering these configurations utilize 24" and 21" section heights.

Note: Contemporary window configurations are described from inside the garage looking out.

COLOR OPTIONS



Due to the printing process, colors may vary.

* Not available on all models; contact customer service for availability.

† Popular in select markets, Glacier White is a brighter white.

SIZE/WINDCODE® AVAILABILITY

| Width | 7202, 7205 | 7208, 7209 | 7201 | 7132, 7131 | 6202, 6205 | 6201 | 6131 |
|------------|------------|------------|------------------|------------|------------|---------------|--------|
| Up to 9' | W6*, W8 | W6, W8 | W4, W5, W6*, W8* | W3, W4, W5 | W6*, W8† | W4, W6*, W8*† | W3, W6 |
| 10' to 16' | W6*, W8 | W6, W8 | W4, W6*, W8* | W3, W4, W5 | W6*†, W8† | W4, W6*, W8*† | W3, W5 |
| 18' | W6*, W8 | W6 | W4, W6*, W8* | W4 | W6* | W4, W6*, W8*† | W3, W5 |


For W6/W8 doors over 9' wide, add 2" to the door opening. All doors are Florida approved. *Texas approved. †Miami-Dade approved.

CONTEMPORARY COLLECTION

ALUMINUM SERIES

Contemporary Collection Aluminum Series garage doors combine aluminum and glass to create a sleek, modern look. Many glass and panel combinations are available for varying degrees of privacy.

DURABLE CONSTRUCTION



MODERN DESIGN... VIRTUALLY MAINTENANCE-FREE

Contemporary Collection Aluminum Series Model AVI with Ultra-Grain® Cherry Dark Frame and Insulated Frosted Glass

CONSTRUCTION AND FINISH

- 2-1/8" thick, virtually maintenance-free, long-lasting aluminum frame.
- Most glass is acrylic or tempered. Available in single pane (Model AV) or insulated (Model AVI). NOTE: Non-insulated 1/4" mirrored or white laminate is available on Model AVI only.
- Model AV available with acrylic or non-insulated 1/8" tempered clear or frosted glass, or solid aluminum panel options.
- Model AVI available with insulated tempered, non-insulated 1/4" mirrored or white laminate glass options.
- Tongue-and-groove joints and bottom weatherseal in a rust-resistant aluminum retainer helps seal out the elements.
- Frames come standard in clear anodized or painted White, Bronze or Chocolate. Optional anodized Bronze, Black, Dark Bronze, Ultra-Grain® finishes or powder coated available (additional cost).

LodgeWood® COLLECTION

The LodgeWood® Collection combines authentic wood designs with the functionality of an upward-acting sectional door.

HANDCRAFTED TWO-LAYER CONSTRUCTION



EXTRAORDINARY CRAFTSMANSHIP... IMPRESSIVE APPEARANCE

LodgeWood® Collection Design 2 with SQ24 windows

CONSTRUCTION AND FINISH

- Handcrafted two-layer non-insulated wood doors in authentic carriage house designs. Swing-out appearance – modern operation.
- Available in three wood species. All stain grade wood rails, stiles and panels are made from Redwood, Cedar or Hemlock. Hemlock (paint grade and grooved) doors have Hemlock stiles and rails with exterior grade MDO plywood panels.
- 1/4" thick imported Luan interior backer glued to stiles and rails.
- True divided windows are standard with 1/8" DSB glass. Specialty glass options available.
- All doors can be factory primed or finish painted white. Factory stain available for stained grade wood species (additional cost).





| Hardware Description <i>Numbers below correspond with images on page 21</i> | | Collection Availability | | | | |
|--|---------------------------------|-------------------------|-------------------------|-------------------------|--|--------------------------|
| | | GLENMOOR™ COLLECTION | SETTLERS® COLLECTION | ARTISTRY® COLLECTION | CONTEMPORARY COLLECTION ALUMINIUM SERIES | LODGEWOOD® COLLECTION |
| INCLUDED | | | | | | |
| 1 | Spade Lift Handles | ✓ | ✓ | ✓ | | ✓ |
| 2 | Spade Step Plate | ✓ | ✓ | ✓ | | ✓ |
| OPTIONAL | | | | | | |
| 3 | Spade Strap Hinge* | ✓ | ✓ | ✓ | | ✓ |
| 4 | Twisted "L" Handles | ✓ | ✓ | ✓ | | ✓ |
| 5 | Twisted "T" Handle | | | ✓ | | |
| 6 | Escutcheon Plate(s) | ✓ | ✓ | ✓ | | ✓ |
| 7 | Diamond Resin Clavos* | ✓ | ✓ | ✓ | | ✓ |
| 8 | Round Resin Clavos* | ✓ | ✓ | ✓ | | ✓ |
| 9 | Ring Door Knocker | ✓ | ✓ | | | ✓ |
| 10 | Ring Knocker with Plate | ✓ | ✓ | | | ✓ |
| 11 | Lion's Head Door Knocker | ✓ | ✓ | | | ✓ |
| 12 | Decorative Handles with Keyhole | ✓ | ✓ | | | ✓ |
| 13 | Sliding Bolt | ✓ | ✓ | | | ✓ |
| 14 | Spear Lift Handles | ✓ | ✓ | ✓ | | ✓ |
| 15 | Spear Step Plate | ✓ | ✓ | ✓ | | ✓ |
| 16 | Spear Strap Hinge* | ✓ | ✓ | ✓ | | ✓ |
| 17 | Fleur de Lis Handles | ✓ | ✓ | | | ✓ |
| 18 | Fleur de Lis Step Plate | ✓ | ✓ | | | ✓ |
| 19 | Fleur de Lis Strap Hinge**† | ✓ | ✓ | | | ✓ |
| 20 | Colonial Lift Handles | ✓ | ✓ | ✓ | | ✓ |
| 21 | Colonial Step Plate | ✓ | ✓ | ✓ | | ✓ |
| 22 | Colonial Strap Hinge* | ✓ | ✓ | ✓ | | ✓ |
| 23 | Olde Door Pull Handles | ✓ | ✓ | ✓ | | ✓ |
| 24 | Gate Latch Handles | ✓ | ✓ | ✓ | | ✓ |
| 25 | Mediterranean Strap Hinge**† | ✓ | | | | |
| 26 | Tuscan Strap Hinge**† | ✓ | | | | |
| 27 | Aluminium Grip Handles | | | | ✓ | |

* Door may not open properly if installed near the top depending on opening dimensions and lift type.



† Hardware may not fit on all door designs.

DECORATIVE HARDWARE

Attractive black powder coated handles and step plates are provided standard to further enhance the design of the door. Optional decorative hardware, including handles, operable L-keylocks, strap hinges, door knockers and studs, are also available.



**Complements Spade Lift Handles and Spade Step Plate.*



Ⓔ = Steel Construction
 Ⓡ = Cast Iron Construction
 Ⓐ = Aluminium Construction
 Ⓡ = Resin Construction

GOLD SERIES

Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability.

THREE-LAYER CONSTRUCTION



STEEL + INSULATION + STEEL

Gold Series 7200 in Desert Tan with Colonial 509 Windows

CONSTRUCTION AND FINISH

- Elegant raised and long panel designs for improved curb appeal.
- Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability.
- Prefinished, stucco textured flush interior for beauty inside and out.
- 7200 and 7203 have 2" thick **intellico^{re}** polyurethane insulation (18.4 R-value).
- 7130 and 7133 have 1-3/8" thick **intellico^{re}** polyurethane insulation (12.9 R-value).
- 6200 and 6203 have 2" thick polystyrene insulation (9.0 R-value).
- 6130 and 6133 have 1-3/8" thick polystyrene insulation (6.5 R-value).
- All models can be painted to match your home's exterior. Please visit <http://info.garagedoors.com/lrv> for paint instructions on Intellicore® models.

DOOR STYLES



Elegant Raised Panel – Models 7200, 7130, 6200 and 6130



Elegant Long Panel – Models 7203, 7133, 6203 and 6133



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

WARRANTIES



WINDOWS



Plain



Designer Inserts



Designer Classics



Contemporary/Architectural Series

Additional window designs available; see pages 26–27.
Impact resistant windows available.

COLOR OPTIONS



Due to the printing process, colors may vary.

* Not available on all models; contact customer service for availability.
† Popular in select markets, Glacier White is a brighter white.

SIZE/WINDCODE® AVAILABILITY

| Width | 7200, 7203 | 7130, 7133 | 6200, 6203* | 6130, 6133* |
|--------------|--------------------|------------|-------------------|-------------|
| Up to 9' | W1, W4, W5, W6, W8 | W1, W3, W6 | W1, W4†, W6†, W8† | W1, W3, W6 |
| 9'2" to 16' | W1, W4, W6, W8 | W1, W3, W5 | W1, W4†, W6†, W8† | W1, W3, W5 |
| 16'2" to 18' | W1, W4, W6, W8 | W1 | W1, W4†, W6†, W8† | W1 |

For W6/W8 doors over 9' wide, add 2" to the door opening. All doors W3–W8 are Florida approved. *Miami-Dade approved. † Texas approved.


SILVER SERIES BRONZE SERIES

Residential garage doors are available with or without insulation.



CONSTRUCTION AND FINISH

- Two-layer construction for energy efficiency and enhanced durability.
- Thick vinyl-backed polystyrene insulation for added energy efficiency.
- 1-5/16" thick polystyrene insulation (6.3 R-value).



CONSTRUCTION AND FINISH

- One-layer steel construction is durable and economical.
- Traditional raised and long panel designs for improved curb appeal.
- Woodgrain textured short and long raised panel designs complement traditional home styles.

SIZE/WINDCODE® AVAILABILITY

| Width | 5500 | 555 | 4200 | 42S/46 |
|--------------|------|-----------------|------|--------------------|
| Up to 9' | W1 | W4*†, W5*† | W1 | W4, W5, W6, W7, W8 |
| 9'2" to 16' | W1 | W3*, W4*†, W5*† | W1 | W3, W4, W5, W6, W7 |
| 16'2" to 18' | W1 | W4*† | W1 | W4, W5, W6, W7, W8 |

*Florida and Texas approved † Miami-Dade approved

DOOR STYLES



Traditional Raised Panel – Models 5500, 555, 4200, 42S



Traditional Long Panel – Models 5503, 4203, 46



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

COLOR OPTIONS



Standard White Almond Desert Tan Sandtone Chocolate

Due to the printing process, colors may vary.

WINDOWS



Plain



Designer Inserts



Designer Classics

Additional window designs available; see pages 26–27. Impact resistant windows available.

WARRANTIES




5500/5503/555 4200/4203 42S/46 ALL MODELS ALL MODELS


RESIDENTIAL TRACK OPTIONS

Determine the right track option for your new residential garage door from the options below.


STANDARD RADIUS




LOW HEADROOM FRONT MOUNT



HIGH LIFT



LOW HEADROOM REAR MOUNT



Headroom = Top of door to nearest obstruction (truss, ceiling or light fixture).
 Up to 3" of additional headroom may be required for a trolley door opener.

WINDOW SELECTION GUIDE

Add a personal touch with designer window lites. Available on Contemporary Collection Steel Series, GOLD, SILVER & BRONZE Series.

IMPACT RATED GLASS

- Meets Florida Building Code requirements for high-velocity hurricane zones and wind-borne debris regions.
- Structurally enhanced window frames with UV protected glazing.


PUT TO THE TEST



PLAIN

Single pane, double strength glass.

*Impact rated glass available.



Short*



Long

DESIGNER INSERTS

Dress up our plain windows with our UV-protected, color-matched Designer Inserts. They simply snap in over our plain window.



Charleston 508*



Charleston 608



Colonial 509*



Stockton 612



Sunset 502* (7', 7'6", 12' widths only)



Prairie 510*



Prairie 610



Sunset 501* (8', 9', 12', 16', 17', 18', 20' widths only)



Madison 611



Sunset 503* (8', 9', 16', 17', 18' widths only)



Madison Arch 613



Sunset 504* (14', 15', 15'6" widths only)



Sunset 601



Sunset 505* (16', 17', 18' widths only)



Sunset 603



Sunset 506* (10', 20' widths only)



Sunset 605 (15', 16', 17', 18' widths, Long Panel doors only)

*Impact rated glass available.

DESIGNER CLASSICS

For a touch of elegance, choose our Designer Classics options.



Trenton® Short




Kristin® Short



Roselle® Short



Trenton® Long



Kristin® Long



Roselle® Long



Carlisle® Short



Tuscany Short



Orleans Short



Carlisle® Long



Tuscany Long



Orleans Long

Wrought Iron acrylic windows not available insulated.

CONTEMPORARY/ARCHITECTURAL SERIES

For a larger viewing area, choose our Contemporary/Architectural Series options.



Plain Short*



Short with Rectangular Grilles



Short with Square Grilles*



Plain Long*



Long with Rectangular Grilles



Long with Square Grilles*



ARCH1 Plain



ARCH1 with Vertical Grilles



ARCH1 with Grilles



ARCH2 Plain



ARCH2 with Vertical Grilles



ARCH2 with Grilles



Trenton® Short



Trenton® Long



Wrought Iron Short



Kristin® Short



Kristin® Long



Wrought Iron Long



Clayton™ Short



Clayton™ Long



Wrought Iron ARCH

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

Wrought Iron acrylic windows not available insulated.


*Impact rated glass available.

GOLD SERIES

Three-layer construction provides a durable, quiet and energy-efficient door for your commercial applications.



DOOR STYLES



Holmes 240U, 240 Shallow Ribbed Panel

CONSTRUCTION AND FINISH

- 2" or 1-3/8" thick **intellicores** polyurethane insulation (18.4, 12.9 R-values, respectively).
- 2" or 1-3/8" thick polystyrene insulation (9.0, 6.5 R-values, respectively).
- Insulation is pressure bonded between two layers of steel.
- Superior strength and durability.
- Maximum energy efficiency and quietest operation.
- Two panel styles and nine colors available.
- Commercial-duty rollers.
- Heavy-duty commercial track, hardware and springs.

SIZE/WINDCODE® AVAILABILITY

| Width | 240U | 240 |
|------------|--------------------|--------------------|
| Up to 8' | W1, W4, W5, W6, W8 | W1, W4, W5, W6, W8 |
| 10' to 16' | W1, W4, W5, W6, W8 | W1, W4, W5, W6, W8 |
| Over 18' | W1, W4, W5, W6, W8 | W1, W4, W5, W6, W8 |

COLOR OPTIONS



Due to the printing process, colors may vary. Colors not available on all models; contact customer service for availability.

WINDOWS



See pages 26–27 for additional window availability.

SILVER SERIES BRONZE SERIES

Commercial ribbed doors are available with or without insulation.



CONSTRUCTION AND FINISH

- 1-3/8" thick steel-backed polystyrene insulation (6.6 R-value) is behind an exterior steel skin.
- Added energy efficiency.
- Commercial-duty rollers.
- Heavy-duty commercial track, hardware and springs.



CONSTRUCTION AND FINISH

- Durable and economical steel construction.
- Commercial-duty rollers.
- Heavy-duty commercial track, hardware and springs.

SIZE/WINDCODE® AVAILABILITY

| Width | 224V/224S/225V/225S | 225/224 |
|------------|---------------------|--------------------|
| Up to 8' | W1, W4, W5, W6 | W1, W4, W5, W6, W8 |
| 10' to 16' | W1, W4, W5, W6 | W1, W4, W5, W6, W8 |
| Over 18' | W1, W4, W5, W6 | W1, W4, W5, W6, W8 |



DOOR STYLES



Holmes 224V, 224S, 225V, 225S Ribbed Panel



Holmes 224, 225 Ribbed Panel

COLOR OPTIONS



Standard White Chocolate

Due to the printing process, colors may vary.

WINDOWS



24" x 6"



24" x 12"



Full Vision Section



Model 270H

GOLD SERIES

- Trucking Terminals
- Post Frame Buildings
- Light Industrial Warehousing
- Job Site Trailers
- Farm Machinery Storage Sheds
- Available in sizes 2' wide x 2' high through 18' wide x 18' high



Model 260H

BRONZE SERIES

- Yard Barns
- Mini-Warehouses
- Storage Sheds
- Boat Houses
- Other Light-Duty Applications
- Available in sizes 2' wide x 2' high through 12' wide x 14' high

SILICONIZED POLYESTER PAINT*

16 finishes complement any building


| | | | |
|-------------------|--------------|-----------------|---------------|
| Glossy White | White | Silhouette Gray | Desert Tan |
| Continental Brown | Bronze | Cedar Red | Valentine Red |
| Sunset Orange | Teal | Dark Teal | Fern Green |
| Evergreen | Forest Green | Royal Blue | Polar Blue |

*Due to the printing process, colors may vary.

COMMERCIAL TRACK OPTIONS

Determine the right track option for your new commercial garage door from the options below.


STANDARD RADIUS



2" TRACK
 Headroom:
 12" Radius = 14-1/2" Required
 15" Radius = 16" Required
 Sideroom = 4-1/2" Required
 Backroom = Door Height plus 23" Required

3" TRACK
 Headroom = 18" Required
 Sideroom = 4-1/2" Required
 Backroom = Door Height plus 25" Required


LOW HEADROOM FRONT MOUNT



2" TRACK
 Headroom = 10" Required
 Sideroom = 6" Required
 Backroom = Door Height plus 23" Required

3" TRACK
 Headroom = 13" Required
 Sideroom = 6-1/2" Required
 Backroom = Door Height plus 25" Required
(1,200 lb. limit on door weight)


LOW HEADROOM REAR MOUNT



2" TRACK
 Headroom = 7" Required
 Sideroom = 6" Required
 Backroom = Door Height plus 30" Required

3" TRACK
 Headroom = 10" Required
 Sideroom = 6-1/2" Required
 Backroom = Door Height plus 32" Required
(800 lb. limit on door weight)


VERTICAL LIFT



2" TRACK
 Headroom = Door Height plus 12" Required
 Sideroom = 4-1/2" Required
 Backroom = 23" Required

3" TRACK
 Headroom = Door Height plus 12" Required
 Sideroom = 5-1/2" Required
 Backroom = 23" Required

HIGH LIFT




High lift equals distance from top of door to bottom of horizontal track.

2" TRACK
 Maximum high lift equals headroom available minus 14"
 Sideroom = 4-1/2" Required

3" TRACK
 Maximum high lift equals headroom available minus 15"
 Sideroom = 5-1/2" Required
(Minimum high lift = 12" Required)

ROOF PITCH



2" TRACK
 Headroom = 16" Required
 Sideroom = 4-1/2" Required
 Backroom = Door Height plus 23" Required

3" TRACK
 Headroom = 18" Required
 Sideroom = 5-1/2" Required
 Backroom = Door Height plus 25" Required

Headroom = Top of door to nearest obstruction (truss)

NOTE: Up to 4" of additional headroom may be required for a trolley door opener.

HOW TO MEASURE YOUR DOOR

1. Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

Width: _____

Height: _____

2. Measure for sideroom: 3-3/4" is required on each side for installation of the vertical track for standard extension or torsion springs, or EZ-SET® torsion spring. 5-1/2" is required for EZ-SET® extension spring.

Sideroom: _____

3. Measure area labeled "headroom" – distance between the top of the door opening (jamb header) and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard installation of extension springs and EZ-SET® extension spring; 12" on standard torsion springs and EZ-SET® torsion spring. 14" of headroom required for carriage house doors. If you have restricted headroom, special hardware is available. Low headroom hardware is available to reduce requirement to as low as 4-1/2" (minimum with standard extension spring or EZ-SET® extension spring). EZ-SET® torsion spring low headroom requirement is 9-1/2". Note: If door height extends above the opening, the headroom measurement should be adjusted accordingly.


Existing headroom: _____

Headroom needed: _____

4. Measure area labeled "backroom" – distance is measured from the garage door opening toward the back wall of the garage.

Backroom: _____

Common garage door sizes include 8' wide x 7' high, 9' wide x 7' high, and 16' wide x 7' high. Holmes manufactures most doors in nearly any size you require.



HOW TO MEASURE DIAGRAM



For answers about choosing, installing and maintaining Holmes Garage Doors, visit us at www.holmesgaragedoor.com or call the Holmes Helpline® at 800-557-0488.



In the interest of better quality and value, we are continually improving and updating our products. Consequently, photos, illustrations and available options may sometimes differ from present models.