


STYLE • SELECTION • CRAFTSMANSHIP

HOLMES GARAGE DOOR COMPANY



Holmes Garage Door Company® offers a complete line of top quality doors including traditional raised panel doors, carriage house style doors, contemporary styles and commercial. With thousands of garage door designs to choose from, Holmes is Making it Easy to find and purchase the right door for your style!

www.holmesgaragedoor.com MADE IN USA





Contemporary **Aluminum**

pgs. 6-7



Contemporary **Aluminum Sleek**

pgs. 8-9



Contemporary Steel

pgs. 10-11



Glenmoor™ **Carriage House** 5-LAYER CONSTRUCTION

pgs. 12-13



Glenmoor™ **Carriage House**

4-LAYER CONSTRUCTION

pgs. 14-15



Glenmoor™ Chevron pgs. 16-17



Glenmoor™ Louver pgs. 18-19



Glenmoor™ Modern pgs. 20-21



Settlers®

pgs. 22-23



Artistry® Steel

pgs. 24-25



Westport™ Steel pgs. 26-27



Lodgewood® Semi-Custom pgs. 28-29



Decorative Hardware pgs. 30-31



Standard Steel Gold

pgs. 32-33



Standard Steel Silver pg. 34



Standard Steel Bronze pg. 34



Residential Windows

pgs. 36 - 37



Residential Glass pg. 39



Commercial **Sectional Doors**

pgs. 40-41



Commercial **Roll-Up Doors** pg. 43

OTHER INFORMATION TO KNOW

Safety, Quality & Innovationpg. 4 How-To-Measure Information.....pg. 44



WARMER. QUIETER. STRONGER.

Garage doors featuring Intellicore® insulation technology represent the ultimate smart choice for homeowners. Intellicore® insulation by Holmes Garage Door Company® is a proprietary polyurethane foam that is injected into a garage door, expanding to fill the entire structure. The result is a door with incredible strength and durability. Its dense insulation also produces a quieter door while its industry-leading R-values (up to 20.4) provide year-round comfort and improved energy efficiency.



Look for the Intellicore® insulation icon throughout this brochure on select door models.



WARMER

Energy efficiency provides year-round comfort

QUIETER

Dense insulation reduces noise by up to 16 decibels

STRONGER

Enhanced strength resists everyday wear and tear



HEAVY HARDWARE UPGRADE

- · Nylon ball bearing rollers for quiet, long-lasting operation
- · Heavy-duty 14 gauge hinges for smooth worry-free operation



SAFETY, QUALITY & INNOVATION



Deep Embossed Panels

Natural woodgrain texture and detailed raised panel design enhance door's beauty.



Coped Edges

Custom crafted steel doors are designed with stylish beveled, coped edges and decorative center grooves.



Decorative Windows

Inspired by current architectural trends, our windows add a new look to garage doors while complementing your home.



Ultra-Grain® Finish

Ultra-Grain® finish delivers the best of both worlds—the realism of natural wood with the low maintenance and energy-efficient benefits of insulated steel.



Rust-Prevention System

Unsurpassed rust-prevention system creates a virtually maintenance-free surface.



EZ-SET® Torsion Springs

Patented springs for easier, faster and safer installation. Eliminates the labor intensive and dangerous manual winding process.



3 EASY STEPS TO CHOOSING YOUR NEW DOOR

1 CHOOSE YOUR DOOR STYLE

SPECIALTY

OR

STANDARD STEEL

See page 3 for examples of each door style.

2 CHOOSE YOUR CONSTRUCTION

DOOR CONSTRUCTION

	2" Polyurethane	1-3/8" Polyurethane	2" Polystyrene	1-3/8" Polystyrene	1-5/16" Polystyrene	Steel	
FEATURES	***			7			
intellic@re [*]							
Insulation Rating (R-value)/ Energy Efficiency	18.4*	12.9	9.0	6.5	6.3	N/A	
Security					€	€	
Noise Control	4	4	4	4)	4))	4))	
Dent Resistance	6	6	K	6	6	6	
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime 25-year	Limited Lifetime 15-year	

*Glenmoor™ R-values range from 6.3 to 20.4. See pages 13, 15, 17, 19 and 21 for more information.


NOTE: Higher R-values mean increased energy efficiency, reduced noise, improved security and durability. Calculated door section R-value is in accordance with DASMATDS-163.

3 CUSTOMIZE YOUR DOOR











Contemporary Aluminum Model AX with Black Anodized Frame and Insulated Frosted Glass


- · Durable, low-maintenance 2-1/8" commercial grade aluminum frame with many glazing options.
- · Intellicore® polyurethane insulated rails and stiles (Model AXU).
- R-value 3.8/U-factor 0.86 (Model AXU when glazed with clear insulated glass).
- · Tempered full-view glass, acrylic or solid aluminum panel options. Insulated glass garage door panels are available for increased energy efficiency.
- · Frame and solid aluminum panels available in choice of anodized and powder-coated finishes.
- Choose from our selection of aluminum garage door panel colors: White, Bronze, Chocolate, Clear Anodized, Bronze Anodized, Black Anodized and Dark Bronze Anodized.
- · Color-matched aluminum grip handle.
- · WindCode® product available.

WARRANTIES






MODELS



FRAME/SOLID PANEL COLOR OPTIONS



*Colors available at an additional cost.

Due to the anodizing process, slight color variation may occur.

The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color. Powder coated custom colors available upon request; contact customer service for pricing.

GLASS/PANEL OPTIONS





Frosted Acrylic







Black Laminate Glass

Mirrored Glass



Acrylic

Clear Polygal

Frosted Glass*







Acrylic

Bronze Polygal"



Acrylic



*Available in single pane or insulated glass.

† 5/16" clear laminate impact rated glass is available only on AXW8/AXUW8.

White laminated, black laminated and mirrored glass not available insulated. Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum

panels. Custom glass and

colors available.





Clear Anodized

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.



CONTEMPORARY ALUMINUM SLEEK garage doors are the perfect choice to modernize any home. Not only can they transform garages, they can also be used as an indoor loft partition or as versatile solarium doors.

Glass/Panel Option Heavy-Duty Aluminum Frame Models AZ5U, AZ6U Models AZ5, AZ6





Contemporary Aluminum Sleek Model AZ5 with Black Anodized Frame and Gray Acrylic


- Durable, low-maintenance 2-1/8" commercial grade aluminum frame with many glazing options.
- · Intellicore® polyurethane insulated rails and stiles (Models AZ5U and AZ6U).
- · Tempered full-view glass, acrylic or solid aluminum panel options. Insulated glass garage door panels are available for increased energy efficiency.
- · Frame and solid aluminum panels available in choice of anodized and powder-coated finishes.
- · Choose from our selection of aluminum garage door panel colors: White, Bronze, Chocolate, Clear Anodized, Bronze Anodized, Black Anodized and Dark Bronze Anodized.
- · Color-matched aluminum grip handle.
- · WindCode® product available.

WARRANTIES






MODELS



AZ5/AZ5U/AZ6/AZ6U (Single car door)

AZ5/AZ5U/AZ6/AZ6U (Double car door)

FRAME/SOLID PANEL COLOR OPTIONS



*Colors available at an additional cost.

Due to the anodizing process, slight color variation may occur.

The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color. Powder coated custom colors available upon request; contact customer service for pricing.

GLASS/PANEL OPTIONS

MODELS AZ5, AZ5U



Clear Acrylic



Gray Acrylic





White Acrylic



Black Acrylic



Frosted Acrylic



Clear Anodized

MODELS AZ6, AZ6U



Clear Glass*



Gray Tinted Glass*



Bronze Tinted Glass*



Mirrored Glass*



Obscure Glass*



Frosted Glass*



Clear Anodized

Glass available in single pane or insulated. Mirrored glass not available insulated. Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

^{*}Glass is tempered.



DOOR STYLES

Modern Flush Panel

FLUSH SERIES - Models 7201, 7131, 6201 and 6131

DESIGNER SERIES - Models 7202, 7132, 6202 and 6132

MODERN SERIES - Models 7208, 7138, 6208 and 6138



Modern Grooved Panel

DESIGNER SERIES - Models 7205 and 6205

MODERN SERIES - Models 7209, 7139 and 6209

WARRANTIES







WINDOWS



Additional window designs available.
See pages 36 and 37 for Flush Series window options.
See page 37 for Designer and Modern Series window options.

CONSTRUCTION AND FINISH

- Four 3-layer construction types to choose from:
 - 7202, 7201, 7208, 7205 and 7209 have 2" thick Intellicore® polyurethane insulation (18.4 R-value)
 - 7132, 7131, 7138 and 7139 have 1-3/8" thick Intellicore® polyurethane insulation (12.9 R-value)
 - 6202, 6201, 6208, 6205 and 6209 have 2" thick polystyrene insulation (9.0 R-value)
 - 6132, 6131 and 6138 have 1-3/8" thick polystyrene insulation (6.5 R-value)
- · Many window options available.
- Ultra-Grain® and Lustra[™] finishes available on select three-layer models.


COLOR OPTIONS



*Not available on all models; contact customer service for availability.

Due to the printing process, colors may vary.

CONTEMPORARY WINDOW OPTIONS



Available only on Modern Series models.

Contemporary window configurations are available in many design options, including windows in each section and down one side, short, long and slim windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section.

Door models offering these configurations utilize 24" and 21" section heights.

NOTE: Contemporary window configurations are described from inside the garage looking out.

ULTRA-GRAIN® PLANK



Not available on all models; contact customer service for availability.

Due to the printing process, colors may vary.

Available in Kona or Coastal Gray finishes that complement mid-century, farmhouse, coastal cottage and transitional home styles.

Exterior steel surface has a wood-look plank design that runs horizontal, with clear and simple lines.

Optional windows available in color matched frames or as a standout in Silver and Black accent colors.

GLENMOOR™ CARRIAGE HOUSE 5-LAYER CONSTRUCTION

The natural beauty of wood with the durability and energy-efficient benefits of composite and steel.




- Five-layer construction with Intellicore® polyurethane insulated, composite faux wood doors (20.4 R-value). Swing-out appearance — modern operation.
- · Available in 15 door designs and 13 window or top sections for multiple door design options.
- · Composite cladding options include Clear Cypress, Mahogany and Pecky Cypress. Composite overlay options include Clear Cypress and Mahogany.
- · Insulated glass options include clear, frosted, seeded, rain and obscure. See page 39 for specialty glass options.
- · Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- · Factory finished in Walnut, Dark, Medium, Slate, Bronze, Charcoal or Black Finish; doors can also be ordered in White Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES







Additional hardware options are available; see pages 30-31.

COLORS




Primed

Black White

Finish* Finish*


only on Mahogany cladding and overlays. Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, colors may vary. (No Finish)

DOOR DESIGNS



Doors shown in Dark Finish with Clear Cypress composite cladding and Clear Cypress composite overlay. Design 01 does not have an overlay.

WINDOWS/TOP SECTION OPTIONS



MATERIAL DESIGN OPTIONS



GLENMOOR™ CARRIAGE HOUSE 4-LAYER CONSTRUCTION


Insulated carriage house garage doors with faux wood-look overlays on a steel base.





- Four-layer construction with Intellicore® polyurethane insulated, faux wood doors (18.4 R-value).
 Swing-out appearance — modern operation.
- Available in 14 door designs and 13 window or top sections for multiple door design options.
- Base steel options include Ultra-Grain® finish in Clear Cypress or solid color steel. Composite overlay available in Clear Cypress or Mahogany.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 39 for specialty glass options.
- Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.

DOOR DESIGNS




WARRANTIES









DECORATIVE HARDWARE




WINDOWS/TOP SECTION OPTIONS







(No Finish) Due to the printing process, above colors may vary.



GLENMOOR™ CHEVRON

Charming and elegant, the exceptional style of Glenmoor™
Chevron garage doors makes an exquisite addition to any
homeowner's exterior. With its unique cladding design options,
it will give your home that extra charm it was longing for.

FIVE-LAYER CONSTRUCTION






- Five-layer construction with Intellicore® polyurethane insulated, composite faux wood doors (20.4 R-value). Swing-out appearance — modern operation.
- · Available in 8 door designs and 13 window or top sections for multiple door design options.
- · Composite cladding options include Clear Cypress, Mahogany and Pecky Cypress. Composite overlay options include Clear Cypress and Mahogany.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 39 for specialty glass options.
- · Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- · Factory finished in Walnut, Dark, Medium, Slate, Bronze, Charcoal or Black Finish; doors can also be ordered in White Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES








Additional hardware options are available; see pages 30-31.

DOOR DESIGNS




Doors shown in Bronze Finish with Mahogany composite cladding and Mahogany composite overlay.

CLADDING DESIGN OPTIONS



WINDOWS/TOP SECTION OPTIONS



COLORS





White Finish* Finish*

(No Finish)

only on Mahogany cladding and overlays. Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, colors may vary.

MATERIAL DESIGN OPTIONS



GLENMOOR™ LOUVER

Insulated garage doors with composite louver overlays adding charm with plantation shutter style.



Steel Insulation

Steel Cladding Overlay



- Five-layer construction with Intellicore® polyurethane insulated, composite faux wood doors.
 R-values range from 18.4 to 20.4. Swing-out appearance — modern operation.
- Available in 12 door designs and 6 window or top sections for multiple door design options.
- Cladding/base steel options include Louver Mahogany, Ultra-Grain® finish in Clear Cypress or solid color steel. Composite overlay available in Clear Cypress or Mahogany.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 39 for specialty glass options.
- Attractive beveled-edge, clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- Factory finished in Walnut, Dark, Medium, Slate, Bronze, Charcoal or Black Finish; door can also be ordered in White Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES






DECORATIVE HARDWARE






 $Additional\ hardware\ options\ are\ available;\ see\ pages\ 30-31.$

DOOR DESIGNS



WINDOWS/TOP SECTION OPTIONS



Window grilles are Mahogany texture. Windows available only on Louver Design 52. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".

MATERIAL DESIGN OPTIONS



COLORS



* Dark Finish not available as a base steel color on Designs 41, 42, 43, 44, 45, 46 and 47.


[†] Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Steel surfaces have woodgrain texture. Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

GLENMOOR™ MODERN

A perfect complement to the natural materials and textures on your home's exterior.

FOUR-LAYER CONSTRUCTION






- · Three 4-layer designs to choose from:
 - Plank design steel faux wood doors with Intellicore® polyurethane insulation (20.4 R-value)
 - Steel faux wood doors combined with a Metal Inlay design and Intellicore® polyurethane insulation (18.4 R-value)
 - Full-View design steel faux wood doors with Intellicore® polyurethane insulation (6.3 R-value)
- Cladding and overlay options include Mahogany and Clear Cypress.
- Many glass options available including clear, frosted, rain and obscure as well as insulated.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- Factory finished in Walnut, Dark, Medium, Slate, Bronze, Charcoal or Black Finish; door can also be ordered in White Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES






DECORATIVE HARDWARE



Due to the anodizing process, color variation may occur.
The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color. Custom colors available.
Clear Aluminum complements the color of the Metal Inlay doors.
Other colors are designed to complement design aspects of the home.

DOOR DESIGNS



WINDOWS OPTIONS

Available only on Plank door designs.



Both window sizes are available on single car and double car doors.

PLANK WINDOW CONFIGURATIONS



NOTE: Configurations are illustrated from outside garage. When ordering, window locations are identified from inside garage looking out. Please keep in mind to avoid windows ordered in incorrect location.

MATERIAL DESIGN OPTIONS



COLORS



Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors.

Door stain color will vary slightly within a door due to finishing process.



- Base door has a natural woodgrain texture, painted with a baked-on primer and polyester top coat.
- · Detailed beveled, coped-edge overlay.
- Windows with complete overlay and true arch designs are available in double strength, frosted, seeded, obscure, rain and insulated glass.
 Grilles are removable for ease of cleaning.
- · Includes automatic opener reinforcement.
- EZ-Set® torsion springs standard on most sizes.
- SXU models have 2" Intellicore® polyurethane insulation (18.4 R-value).
- SX models have 2" polystyrene insulation (9.0 R-value).
- SF models have 1-3/8" polystyrene insulation (6.5 R-value).
- For doors being painted black and very dark colors (having an LRV of 12 or less) contact Holmes for special product. For colors having an LRV of 13 to 38 we require the use of tested and approved paints.
 For more information call our Consumer Services Hotline at 1-800-557-0488.

WARRANTIES











DECORATIVE HARDWARE




Additional hardware options are available; see pages 30-31.

DOOR DESIGNS



WINDOWS/TOP SECTION OPTIONS



BASE DOOR/OVERLAY COLOR OPTIONS



Note: Door and overlay colors can be mixed and matched. Due to the printing process, colors may vary.



- · Grooved-panel steel carriage house designs available in short and long-panel options.
- · Available in 3, 2 or 1-layer construction options.
- Insulation options include 2" or 1-3/8" Intellicore® polyurethane, 2" or 1-3/8" polystyrene or 1-5/16" vinyl backed polystyrene.
- Insulated door R-values range from 6.3 to 18.4.
- · 13 factory finish paint colors available, including Almond, Black, Ultra-Grain® Oak Walnut Finish and more.
- · Multiple glass options available including acrylic, insulated, frosted, seeded, rain and obscure options.
- The steel skins are protected by the use of a tough, layered coating system, which includes a hot-dipped galvanized layer and baked-on primer and top coat.
- · Window grilles for easy cleaning.
- · WindCode® reinforcement product available for high wind load applications.
- · All models can be painted to match your home's exterior. Please visit http://info.garagedoors.com/Irv for paint instructions on Intellicore® insulation models.

WARRANTIES



AR2SU/AR2LU AR1SU/AR1IU AR2SP/AR2LP AR1SP/AR1LP AR4SV/AR4LV AR4S/AR4L



AR5SV/AR5S AR5IV/AR5I



ALL MODELS

ALL MODELS

DOOR DESIGNS




Three-Layer AR2SU, AR1SU, AR2SP, AR1SP Two-Laver AR4SV, AR5SV One-Layer AR4S, AR5S



Single door width shown

Three-Layer AR2LU, AR1LU, AR2LP, AR1LP Two-Layer AR4LV, AR5LV One-Layer AR4L, AR5L


WINDOWS/TOP SECTION OPTIONS




Double door designs available

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

DECORATIVE HARDWARE



COLOR OPTIONS





WESTPORT™ STEEL doors combine the traditional symmetry of wood stile and rail door designs with the proven durability of steel construction.

Steel Insulation Steel — Steel — Steel — Polyurethane or Polystyrene Insulation



- Recessed-panel steel designs available in narrow and extended-panel options.
- Available in 3, 2 or 1-layer construction options.
- Insulation options include 2" or 1-3/8"
 Intellicore® polyurethane or 1-5/16" vinyl backed polystyrene.
- Insulated door R-values range from 6.3 to 18.4.
- 13 factory finish paint colors available, including Almond, Black, Ultra-Grain® Oak Walnut Finish and more.
- Multiple glass options available including acrylic, insulated, frosted, seeded, rain and obscure options.
- The steel skins are protected by the use of a tough, layered coating system, which includes a hot-dipped galvanized layer and baked-on primer and top coat.
- · Window grilles for easy cleaning.
- WindCode® reinforcement product available for high wind load applications.
- All models can be painted to match your home's exterior. Please visit http://info.garagedoors.com/lrv for paint instructions on Intellicore® insulation models.

WARRANTIES



PR2NU, PR2EU, PR1NU, PR1EU, PR4NV, PR4EV, PR4N, PR4E

INCLUDED



PR5NV, PR5EV, PR5N, PR5E




ALL MODELS

3 YEAR


IMITED WARRANTY

ALL MODELS

DOOR DESIGNS




Narrow Panel
Three-Layer
PR2NU, PR1NU
Two-Layer
PR4NV, PR5NV
One-Layer
PR4N, PR5N



Single door width shown

Extended Panel
Three-Layer
PR2EU, PR1EU
Two-Layer
PR4EV, PR5EV
One-Layer
PR4E, PR5E


WINDOWS/TOP SECTION OPTIONS



Double door designs available


Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

DECORATIVE HARDWARE



Additional hardware options are available; see pages 30-31.

COLOR OPTIONS





- · Handcrafted, two-layer, non-insulated wood doors in authentic carriage house designs. Swing-out appearance — modern operation.
- · Available in three wood species. All stain-grade wood rails, stiles and panels are made from Redwood, Cedar or Hemlock. Hemlock (paint grade and grooved) doors have Hemlock stiles and rails with exterior grade Extira® panels.
- · 1/4" thick imported Luan interior backer glued to stiles and rails.
- True divided windows are standard with 1/8" DSB glass. Specialty glass options available.
- · All doors can be factory primed or finish painted White. Factory stain available for stain-grade wood species (additional cost).

WARRANTIES





DECORATIVE HARDWARE





Spade Lift



OPTIONAL



Handles with Kevholes



Ring Door Knocker

Additional hardware options are available; see pages 30-31.

OPTIONAL FACTORY STAINING*



Not all wood types stain equally and all stain colors will vary in appearance on all wood types. Variations in color will occur from printed material to actual doors, or even from door to door. *Additional cost.

Proper care and maintenance are imperative to the appearance, longevity and performance of all wood doors. Doors must be painted or stained on all six sides prior to installation. Failure to follow the installation and maintenance instructions will void the warranty. Please refer to the installation and maintenance manual for additional information about caring for a wood door.

DOOR DESIGNS



Design 1



Design 2





Design 4

REC13



Design 5





Design 6

WINDOWS/TOP SECTION OPTIONS

SINGLE CAR DOOR WIDTHS



REC14




ARCH3

ARCH4



DOUBLE CAR DOOR OPTIONS



MATERIAL OPTIONS





Paint grade and grooved doors





	Availability									
Hardware Description Numbers below correspond with images on page 31		CONTEMPORARY ALUMINUM / CONTEMPORARY ALUMINUM SLEEK	GLENMOOR" CARRIAGE HOUSE 5-LAYER / 4-LAYER	GLENMOOR" CHEVRON	GLENMOOR" LOUVER	GLENMOOR" MODERN	SETTLERS'	ARTISTRY" STEEL	WESTPORT" STEEL	LODGEWOOD' SEMI-CUSTOM
1	Spade Lift Handles		~	V	V	V	V	~	~	~
2	2 Spade Step Plate		~	~	V	~	/	~	~	~
3	3 Spade Strap Hinge*		~	v	~		~	~	~	~
4	4 Twisted "L" Handles		~	~	~		~	~	~	V
5	5 Twisted "T" Handle							~	~	
6	6 Escutcheon Plate(s)		~	~	~		~	~	~	V
7	7 Spear Lift Handles		~	V	~		~	~	~	~
8	8 Spear Step Plate		~	~	~		~	~	~	~
9	9 Spear Strap Hinge*		~	V	~		~	~	~	~
10	10 Colonial Lift Handles		~	~	~		~	~	~	~
11	11 Colonial Step Plate		~	V	~		~	~	~	~
12	12 Colonial Strap Hinge*		~	V	~		~	~	~	~
13	13 Decorative Handles with Keyhole		~	V	V		>			~
14	14 Ring Door Knocker		~	V	~		~			V
15	15 Aluminum Grip Handles					~				
16	16 Color-matched Lift Handles								~	

 $[\]hbox{^*Door may not open properly if installed near the top depending on opening dimensions and lift type.}$

DECORATIVE HARDWARE


Attractive black powder coated handles and step plates are provided standard on select Holmes garage doors to further enhance the design of the door. Optional decorative hardware, including handles, operable L-keylocks and strap hinges, is also available.





Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability.

THREE-LAYER CONSTRUCTION



- Elegant raised and long panel designs for improved curb appeal.
- Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability.
- Prefinished, stucco textured flush interior for beauty inside and out.
- 7200 and 7203 have 2" thick Intellicore® polyurethane insulation (18.4 R-value).
- 7130 and 7133 have 1-3/8" thick Intellicore® polyurethane insulation (12.9 R-value).
- 6200 and 6203 have 2" thick polystyrene insulation (9.0 R-value).
- 6130 and 6133 have 1-3/8" thick polystyrene insulation (6.5 R-value).
- All models can be painted to match your home's exterior. Please visit http://info.garagedoors.com/lrv for paint instructions on Intellicore® insulation models.

DOOR DESIGNS



Elegant Raised Panel – Models 7200, 7130, 6200 and 6130



Elegant Long Panel - Models 7203, 7133, 6203 and 6133



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

WARRANTIES







COLOR OPTIONS



* Not available on all models; contact customer service for availability.

Due to the printing process, colors may vary.

WINDOWS







*Not available on Models 6130 and 6133. Additional window designs available; see pages 36–37.

SILVER & BRONZE

Residential garage doors are available with or without insulation.



CONSTRUCTION AND FINISH

- Two-layer construction for energy efficiency and enhanced durability.
- Thick vinyl-backed polystyrene insulation for added energy efficiency.
- 5500 and 5503 have 1-5/16" thick polystyrene insulation (6.3 R-value).



CONSTRUCTION AND FINISH

- One-layer steel construction is durable and economical.
- Traditional raised and long panel designs for improved curb appeal.
- Woodgrain textured short and long raised panel designs complement traditional home styles.

DOOR STYLES



Traditional Raised Panel - Models 5500, 4200



Traditional Long Panel - Models 5503, 4203



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

COLOR OPTIONS



Due to the printing process, colors may vary.

WINDOWS



Additional window designs available; see pages 36-37.

WARRANTIES










34


RESIDENTIAL TRACK OPTIONS

Determine the right track option for your new residential garage door from the options below.


STANDARD RADIUS




LOW HEADROOM FRONT MOUNT



HIGH LIFT



LOW HEADROOM REAR MOUNT



Headroom = Top of door to nearest obstruction (truss, ceiling or light fixture). Up to 3" of additional headroom may be required for a trolley door opener.

NOTE: Dimensions listed cover the most common applications on doors up to 8'0" high using 2" track.

WINDOW SELECTION GUIDE

Add a personal touch with designer window lites.

Available on Contemporary Steel, Standard Steel GOLD, SILVER and BRONZE.



DESIGNER INSERTS

Dress up our clear windows with our UV-protected, color-matched Designer Inserts. They simply snap in over our clear window.





Charleston 608

Madison 611



Sunset 502 (7', 7'6", 12' widths only)



Colonial 509





Sunset 501 (8', 9', 12', 16', 17', 18', 20' widths only)



Sunset 503 (8', 9', 16', 17', 18' widths only)



Sunset 504 (14', 15', 15'6" widths only)



Sunset 505 (16', 17', 18' widths only)

Sunset 506 (10', 20' widths only)










Sunset 605 (15', 16', 17', 18' widths, long panel doors only)

Designer Insert Series Windows are available on Contemporary Steel Models 7201, 7131, 6201, 6131 and all Standard Steel Gold, Silver and Bronze models.

ARCHITECTURAL SERIES

For a larger viewing area, choose our Architectural Series options.



^{*}Available non-insulated only.

Architectural Series Windows are not available on Contemporary Steel Model 6131, Standard Steel Gold Models 6130 and 6133, Standard Steel Silver or Bronze models.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

CONTEMPORARY SLIM

Contemporary Slim windows are designed to further enhance the clean aesthetic common to modern architecture. Contemporary Slim windows are 37" × 8" with aluminum frames available in anodized silver or powder coated black.








378BK – Black

 $\label{eq:continuous} Available only on Contemporary Steel \\ Models 7208, 7209, 6208 and 6209.$



RESIDENTIAL GLASS OPTIONS

Glass is available in different designs depending on door model. Options include acrylic, clear, frosted, seeded, obscure, narrow reed and rain, as well as insulated versions for a more energy efficient door.



GLENMOOR™, SETTLERS®, ARTISTRY® STEEL AND WESTPORT™ STEEL









Frosted

Seeded

Obscure

Rain

STANDARD STEEL GOLD, SILVER AND BRONZE









Frosted

Seeded

Obscure

Rain

CONTEMPORARY STEEL









Tempered Frosted

Tempered Obscure

Tempered Narrow Reed

Tempered Rain

LODGEWOOD® SEMI-CUSTOM









Frosted






Rain

Frosted Gluechip Delta Frost

COMMERCIAL STEEL GOLD

Three-layer construction provides a durable, quiet and energy-efficient door for your commercial applications.





DOOR STYLES



Holmes 240U, 240, 210U, 210 Shallow Ribbed Panel

CONSTRUCTION AND FINISH

- 2" or 1-3/8" thick Intellicore® polyurethane insulation (18.4, 12.9 R-values, respectively).
- 2" or 1-3/8" thick polystyrene insulation (9.0, 6.5 R-values, respectively).
- Insulation is pressure bonded between two layers of steel.
- · Superior strength and durability.
- · Maximum energy efficiency and quietest operation.
- · Ribbed panel style and nine colors available.
- · Commercial-duty rollers.
- Heavy-duty commercial track, hardware and springs.

COLOR OPTIONS



Due to the printing process, colors may vary.

Colors not available on all models; contact customer service for availability.

WINDOWS



COMMERCIAL STEEL SILVER & BRONZE

Commercial ribbed doors are available with or without insulation.



CONSTRUCTION AND FINISH

- 1-3/8" thick polystyrene insulation (6.6 R-value) is behind an exterior steel skin.
- · Added energy efficiency.
- · Commercial-duty rollers.
- · Heavy-duty commercial track, hardware and springs.




CONSTRUCTION AND FINISH


- · Durable and economical steel construction.
- · Commercial-duty rollers.
- · Heavy-duty commercial track, hardware and springs.



DOOR STYLES



Holmes 224V, 224S, 225V, 225S Deep Ribbed Panel



Holmes 224, 225 Deep Ribbed Panel

COLOR OPTIONS



Due to the printing process, colors may vary. Colors not available on all models; contact customer service for availability.


WINDOWS



COMMERCIAL TRACK OPTIONS

Determine the right track option for your new commercial garage door from the options below.


STANDARD RADIUS



3" TRACK

Headroom=16-1/2" Required
Sideroom = 5-1/2" Required
Backroom = Door Height
Plus 25" Required


LOW HEADROOM FRONT MOUNT



Sideroom = 6-1/2" Required
Backroom = Door Height
Plus 25" Required

(1,200 lb. limit on door weight)


LOW HEADROOM REAR MOUNT




(800 lb. limit on door weight)

Plus 32" Required

VERTICAL LIFT



HIGH LIFT




(Minimum high lift = 12" Required)

Headroom = Top of door to nearest obstruction (truss).

Dimensions listed cover the most common applications using standard hardware.

NOTE: Up to 4" of additional headroom may be required for a trolley door opener.

ROOF PITCH





GOLD

- Trucking Terminals
- · Post Frame Buildings
- · Light Industrial Warehousing
- · Job Site Trailers
- · Farm Machinery Storage Sheds
- · Available in sizes 2'6" wide × 3'0" high through 12' wide × 14' high
- Door size should match rough opening*

*Door will arrive 7" – 8" wider than opening



Model 260H

BRONZE

- · Yard Barns
- · Mini-Warehouses
- · Storage Sheds
- · Boat Houses
- · Other light-duty applications
- Available in sizes 2'6" wide × 3'0" high through 12' wide × 14' high
- Door size should match rough opening*

*Door will arrive 2" – 4" wider than opening

SILICONIZED POLYESTER PAINT*

20 finishes complement any building



^{*}Due to the printing process, colors may vary.

MEASURING FOR YOUR NEW DOOR


Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

WIDTH: HEIGHT:


Common garage door widths include 8', 9', 10' and 16'. Common garage door heights include 7' and 8'.

Measure headroom as the distance between the top of the door and the ceiling (or first obstruction, e.g., light fixture).

HEADROOM:



VISIT OUR WEBSITE



Visit today to order color samples, guidance on selecting the right door, installation instructions and information on maintaining your new Holmes garage door! Visit us at

www.holmesgaragedoor.com

or call the Holmes Helpline® at 800-557-0488

