


canplas

PVC SOLVENT WELD SEWER & DRAIN FITTINGS



APRIL 1, 2020 SUPERSEDES C41-0219 (FEBRUARY 1, 2019)

Our website pricing is the current list price and may vary from our printed price list. Please visit our website for up-to-date information.

PRICE LIST C41-0420 APRIL 1, 2020

TERMS AND CONDITIONS OF SALE

1 General

Except where otherwise agreed to in writing by Canplas all sales are subject to the following terms and conditions. Canplas reserves the right to modify these terms and conditions at its discretion and without notice.

2.Prices

All prices quoted or published are F.O.B. Canplas' factory or authorized warehouse. Published prices are subject to change without notice until orders are accepted by the issuance of an order confirmation. Canplas may agree in writing to protect prices for an extended period of time for specific projects or quotations. Orders may be shipped in whole or in part at Canplas' discretion and will be immediately invoiced upon shipment. Any and all sales, manufacturers' taxes and/or other charges levied or imposed by any governmental authority, foreign or domestic, upon any merchandise sold or contracted to be sold shall be paid by the purchaser and added to the purchase price unless satisfactory and appropriate tax exception certificates are supplied to the Seller.

3. Payment Terms

Unless other terms of payment are agreed to in writing by Canplas or otherwise indicated on specific published price lists, payment is due upon delivery of the products. If applicable, cash discounts, expressed as a percentage, are calculated on the net invoiced prices before any taxes, freight or other charges and can only be deducted from payment if Canplas receives payment from the purchaser on or prior to the due date. Interest shall be charged at a rate of 1.5% per month equating to an annual rate of 18% on all overdue accounts. The granting of credit by Canplas is based on its evaluation of the purchaser's financial condition. If such financial condition does not justify continuance of shipment on credit, Canplas may require full or partial payment in advance.

4. Orders

Purchaser's orders are conditional upon satisfactory credit approval by Canplas. Minimum order values shall be as published in the applicable price list or as agreed to in writing by Canplas. Once confirmed by Canplas, orders for custom made products manufactured to the Purchaser's specifications and orders for large quantities of non-inventoried products cannot be cancelled, modified or returned, without the written consent of Canplas.

5. Shipments

All shipments are F.O.B. Canplas' factory or authorized warehouse. Quoted delivery schedules or those contained in an order acknowledgement are approximate only. Shipment will be made within reasonable proximity to the quoted delivery schedule. Prepaid orders will be shipped via the most economical method at the discretion of Canplas. Should the customer select an alternative method with a higher rate, the difference will be charged to the customer

6. Shipping Responsibility

Canplas' responsibility ceases when the carrier signs for the shipment in good order. Under no circumstances will Canplas be responsible for any damage caused by delays in shipment, whether resulting from causes within or beyond the control of Canplas. Canplas shall bear no liability for products lost or damaged during transit. Canplas is not responsible for loss or damage to goods in transit, or delays or carriers in delivering shipments or for damages resulting from such delays as those caused by fire, explosion, act of God, strike or other difference with workmen, shortage of material or labor, delays in transportation, government restrictions, war, riot, civil commotion or cause beyond our control. Where shortage or damage is apparent, details should be noted by the carrier on the freight bill at the time of delivery. In case of concealed damage, carrier should be called at once to inspect the damaged shipment. Do not return damaged goods.

7. Returned Goods

Prior to returning any products for any reason the purchaser must obtain a Returned Goods Authorization (RGA) form from Canplas which must accompany the goods being returned. For returned goods that are acceptable for credit, a restocking charge of twenty-five percent (25%) will be assessed against the credit to cover handling, inspection and/or repackaging. Products must be returned freight prepaid, unless otherwise authorized by Canplas. Products must be received in good saleable condition and, if required, in full carton quantities and in their original packaging. Canplas reserves the right to refuse the return of certain products, such as custom-made configurations, obsolete products, excessive quantities or other specialty products. Canplas may, at its discretion, direct that products be destroyed for credit rather than returned.

8. Product Modifications

Canplas reserves the right to make changes or improvements to its products in its sole discretion and without assuming any further obligation.

9. Force Maieure

Canplas shall not be responsible or liable for any non-performance or delay in performance hereunder or any loss or damage of any kind whatsoever, direct or indirect, suffered by the purchaser, subsequent purchasers, ultimate users of the goods or any other person, as a result of any causes beyond the reasonable control of Canplas including, without limitation, price alterations, delay in shipments, strikes, lock-outs, fires, floods, civil commotion, riots, wars, acts of God, embargos, labor shortages, walk-outs, work slowdowns, accidents, breakdowns, delays in manufacture, transportation or delivery of goods or materials, shortages of materials or supplies or government acts or regulations.

10. Miscellaneous

Product names used in Canplas published documents, electronic or printed, are for identification purposes only. All trademarks registered or otherwise, are the property of their respective owners.

11. Governing Law

This agreement and all associated rights and obligations shall be governed by the laws of the province of Ontario and all actions commenced pursuant hereto shall be brought in a court of jurisdiction residing in the province of Ontario.

12. Warranty


Camplas products are carefully inspected for manufacturing defects, however, it is not always possible to detect hidden defects. Unless otherwise specifically stated in writing, Camplas products are warranted only to the extent that Camplas will replace without charge, products proven to have manufacturing defects within 6 months of the date of delivery thereof and provided Camplas has been given an opportunity to inspect the product alleged to be defective and the installation or use thereof. NO WARRANTY IS INCLUDED AGAINST ANY EXPENSE FOR REMOVAL, REINSTALLATION OR OTHER CONSEQUENTIAL DAMAGES ARISING FROM ANY DEFECT. THE WARRANTIES SET OUT ABOVE ARE THE ONLY WARRANTIES MADE BY SELLER AND ARE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

TABLE OF CONTENTS	Page
Tees	3
Cleanouts	3
Cleanout Plugs	3
Adapters	3
Cleanout Adapters	3
Downspout Adapters	4
90° Elbows	4
45° Elbows	4
22-1/2° Elbows	4
Wyes	5
Adapter Bushings	5
Reducing Bushings	5
Couplings	5
Cast Iron Adapters	6
P Traps	6
One Piece Closet Flanges	6
Saddles	6
Grates	6
Caps	6
Clamps	6
Index	7

PRICE LIST C41-0420 APRIL 1, 2020

DESC. PART # SKID CTN. QTY. SIZE PRICE EACH

TEES



SANITARY TEE - H x H x H								
	414123BC	450	25	3	16.69			
	414124BC	216	12	4	21.66			
	414125BC	90	5	6 x 6 x 4	92.01			
	414126BC	72	3	6	139.38			
	414127BC	18	1	8	409.39			
	414128BC	36	2	8 x 8 x 4	189.40			

SANITARY TEE, Street - Spg x H x H							
	414120BC	216	12	4	21.66		

STREET TEE - Spg x H x H							
	414114BC	360	20	4	18.63		

CROSS - HxHxHxH							
	414450BC	180	10	4	31.74		
40							

DESC. PART # SKID CTN. QTY. SIZE PRICE EACH

CLEANOUT PLUGS Continued

COUNTERSUNK PLUG - MPT							
	414240BC	4320	60	4	9.62		



ADAPTERS

MALE ADA	PTER - H x MI	PT			
	414343BC	1920	40	3	14.69
	414344BC	1080	15	4	15.71

FEMALE ADAPTER - H x FPT							
	414333BC	1680	35	3	15.46		
	414334BC	960	20	4	16.69		
	414336BC	270	15	6	49.03		
	414338BC	72	1	8	97.56		

DWV ADAPTER SLEEVE - Spg x H								
	412841BC	3600	50	3 x 3	4.43			
<i>/ //)</i>)	412842BC	1600	50	4 x 4	5.04			
	412846BC	450	25	6 x 6	19.49			

CORRUGATED PIPE ADAPTER - Corrugated Hub x Sewer Hub							
	414444BC	1152	24	4	66.23		
(((((/ / / / / / / / / / / / / / / / /							

CLEANOUTS

CLEANOUT TEE - H x H x FPT								
	414105BC	270	15	4	24	l.51		

CLEANOUT PLUGS

CLEANOUT PLUG - MPT								
	414243BC	5400	75	3	6.59			
	414244BC	2880	60	4	9.38			
	414286BC	1200	25	6	38.18			
	414288BC	144	1	8	55.83			

CLEANOUT ADAPTERS

FITTING CLEANOUT ADAPTER, with Plug - Spg x FPT									
	414273BC	1680	35	3	20.50				
	414274BC	960	30	4	25.43				
	414276BC	192	6	6	166.84				

FITTING CL	EANOUT ADA	PTER -	Spg x	FPT	
	414233BC	2160	45	3	10.45
	414234BC	1440	60	4	11.83
	414236BC	360	20	6	100.87
	414238BC	144	8	8	239.77

PRICE LIST C41-0420 **APRIL 1, 2020**

DESC. PART # SKID CTN. QTY. SIZE PRICE EACH

CLEANOUT ADAPTERS Continued

2-WAY CLEANOUT - SEWER									
	414155BC	180	10	4	57.69				

2-WAY CLEANOUT - SEWER x SEWER x DWV								
	414150BC	180	10	4	55.30			

DOWNSPOUT ADAPTERS

DOWNSPOUT ADAPTER - Downspout x Sewer Hub, H x H									
	414431BC	1280	40	2 x 3 x 3	11.79				
	414432BC	1200	25	2 x 3 x 4	12.83				
	414433BC	1170	65	3 x 4 x 3	38.49				
	414434BC	540	30	3 x 4 x 4	44.88				

DOWNSPOUT ADAPTER FOR CORRUGATED PIPE - Downspout x Corrugated, H x Spg 414471BC 1024 32 2 x 3 x 4 18.68 414473BC 768 24 3 x 4 x 4 43.53 414474BC 192 82.05 4 x 6 x 6

HxH					
	414461BC	1728	36	2 x 3 x 3	11.61
	414462BC	960	20	2 x 3 x 4	12.64
	414463BC	768	24	3 x 4 x 4	26.90
	414464BC	256	8	4 x 6 x 6	76.90

FLUSH DOWNSPOUT ADAPTER - Downspout x Sewer Hub,

EXTENDED REDUCER BUSHING - Spg x H								
	414494BC	1440	45	4 (2 x 3)	8.06			


90° ELBOWS

1/4 BEND (90°) - H x H									
	414153BC	800	25	3	13.44				
	414154BC	450	25	4	14.15				
	414156BC	126	7	6	44.24				
	414158BC	32	1	8	99.59				

1/4 BEND, Street (90°) - Spg x H								
	414152BC	480	20	4	16.51			
	414157BC	90	5	6	47.30			
	414159BC	36	2	8	216.29			


DESC.	PART#	SKID QTY.	CTN.	SIZE	PRICE EACH
		QII.	UII.		EACH

90°ELBOWS Continued



1/4 BEND, Street (90°), LONG SWEEP - Spg x H								
	414173BC	640	20	3	14.06			
/ LU	414174BC	360	20	4	16.51			

45° ELBOWS



1/8 BEND, Street (45°) - Spg x H									
	414193BC	1080	60	3	8.33				
	414194BC	630	35	4	9.98				
	414196BC	180	10	6	36.98				
	414198BC	48	1	8	74.05				

22-1/2° ELBOWS

1/16 BEND (22½°) - HxH							
	414203BC	1200	25	3	13.59		
	414204BC	630	35	4	11.61		
	414206BC	216	12	6	45.71		
	414208BC	48	1	8	142.05		

1/16 BEND, Street (22½°) - Spg x H							
	414293BC	936	13	3	29.34		
	414294BC	540	30	4	13.07		
	414296BC	180	10	6	45.23		
	414298BC	72	4	8	156.55		

PRICE LIST C41-0420 **APRIL 1, 2020**

DESC. PART # SKID CTN. QTY. SIZE PRICE EACH

WYES

WYE - HxHxH								
	414133BC	450	25	3	16.69			
	414131BC 1.	480	15	3 x 3 x 2	24.27			
	414134BC	216	12	4	17.37			
	414141BC ^{2.}	216	12	4 x 4 x 2	34.33			
	414132BC	216	12	4 x 4 x 3	35.87			
	414136BC	72	4	6	64.94			
	414135BC	90	5	6 x 6 x 4	57.98			
	414137BC	18	1	8	142.66			
	414138BC	48	1	8 x 8 x 4	131.48			
	414139BC	18	1	8 x 8 x 6	136.98			

^{1.} Part Number consists of 414133BC (3" 45 sewer wye) with a 414220BC (3" sewer x 2" sewer reducer bushing) solvent welded in side socket.

² Part Number consists of 414134BC (4"45 sewer wye) with a 414222BC (4"sewer x 2"DWV reducer bushing) solvent welded in side socket.

WYE, Street - Spg x H x H							
90	414144BC	216	12	4	19.94		

DOUBLE WYE - H x H x H x H							
	414130BC	54	3	6 x 4	211.51		

ADAPTER BUSHINGS

414229BC 3600 50 3 x 2	7.22 7.73 2.10
414221BC 1920 40 4 x 1½ 12	2.10
414222BC 1920 40 4x2	5.51
414224BC 1920 60 4 x 3	7.66
414230BC 960 20 4 x 4 18	3.21
414231BC 216 12 6 x 4 31	1.74
414232BC 216 12 6x6 74	4.49





REDUCING BUSHINGS


REDUCING BUSHING - Spg x H							
	414220BC	2880	40	3 x 2	9.19		
	414223BC	1920	40	4 x 3	11.93		


EXTENDED REDUCER BUSHING - Spg x H							
	414226BC	360	20	6 x 4	31.87		
1 11 /1/ 11	414302BC	144	8	8 x 4	125.62		
	414303BC	144	8	8 x 6	128.20		

COUPLINGS










PRICE LIST C41-0420 **APRIL 1, 2020**

PART # EACH

COUPLINGS Continued



CAST IRON ADAPTERS

NO HUB ADAPTER, Cast Iron (Adapts No Hub Elastomer Coupling to DWV Spigot) - H x Spg						
	414246BC	640	20	4	17.57	

PTRAPS

P TRAP, with Solvent Weld Joint - H x H							
$\overline{\mathcal{O}}$	414260BC	192	6	3	51.64		
9	414270BC	108	6	4	64.11		



GRATES

DRAIN GRATE - Spg							
	414253BC	3600	25	3	13.00		
	414254BC	2400	50	4	13.80		
	414256BC	480	15	6	19.40		
	414258BC	144	3	8	374.44		

CAPS

CAP - Hub					
	414263BC	2880	60	3	5.74
	414264BC	1600	50	4	6.87
	414266BC	540	30	6	32.89
	414268BC	128	4	8	65.82

STAINLESS STEEL CLAMP

Stainless Steel Clamp								
	414906BC	-	100	6	22.90			
	414908BC	7200	100	8	32.02			

ONE PIECE CLOSET FLANGES

CLOSET FLANGE, One Piece Plastic - Hub End								
Sup-	414252BC	800	25	4 x 4	24.04			

SADDLES

SADDLE TEE - Solvent Skirt x Solvent Hub								
	414746BC	270	15	4 on 6	92.47			
	414748BC	192	6	4 on 8	135.86			
	414768BC	180	10	6 on 8	140.01			

SADDLE WYE - Solvent Skirt x Solvent Hub								
	414846BC	120	15	4 on 6	98.28			
	414848BC	120	5	4 on 8	152.00			
	414868BC	108	6	6 on 8	167.45			

APPROVALS:

Unless otherwise noted, products are approved / listed by CSA International, NSF and IAPMO to standards that include:

CSA B181.2



IAPMO IS5, IGC 166-2001



ASTM D1784, D2729, D3034



INDEX

PRICE LIST C41-0420 **APRIL 1, 2020**

PART#	Weight (Kgs.)	CARTON BARCODE	PG. #	PART#	Weight (Kgs.)	CARTON BARCODE	PG.#	PART#	Weight (Kgs.)	CARTON BARCODE	PG.#
412841BC	0.054	20662671410010	3	414215BC	1.369	20662671411628	5	414474BC	0.539	20662671412526	4
412842BC	0.086	20662671410027	3	414216BC	0.647	20662671410331	5	414494BC	0.078	20662671412564	4
412846BC	0.317	20662671410744	3	414217BC	0.151	20662671410348	5	414746BC	0.372	20662671412359	6
414103BC	0.219	20662671410034	3	414218BC	0.233	20662671410355	5	414748BC	0.502	20662671412366	6
414104BC	0.372	20662671410041	3	414219BC	0.490	20662671410362	5	414768BC	0.776	20662671412373	6
414105BC	0.444	20662671411758	3	414220BC	0.086	20662671411901	5	414846BC	0.619	20662671410676	6
414106BC 414107BC	1.325	20662671410058	3	414221BC	0.163	20662671410379 20662671410386	5 5	414848BC	0.750	20662671412403	6
414107BC 414108BC	0.523 1.151	20662671410706 20662671410614	3	414222BC 414223BC	0.139 0.151	20662671410386	5	414868BC 414906BC	1.193 0.040	20662671412410 20662671412427	6 6
414109BC	3.548	20662671411888	3	414224BC	0.131	20662671410409	5	414908BC	0.040	20662671412434	6
414110BC	2.873	20662671411819	3	414225BC	0.084	20662671411703	5	41430000	0.030	20002071412454	Ū
414111BC	3.172	20662671411956	3	414226BC	0.462	20662671410416	5				
414114BC	0.383	20662671410065	3	414227BC	0.609	20662671411611	5				
414120BC	0.580	20662671411963	3	414228BC	0.820	20662671024231	5				
414123BC	0.257	20662671410072	3	414229BC	0.078	20662671411666	5				
414124BC	0.531	20662671410089	3	414230BC	0.281	20662671412137	5				
414125BC	1.421	20662671411833	3	414231BC	0.680	20662671410683	5				
414126BC	2.092	20662671411499	3	414232BC	0.830	20662671412144	5				
414127BC 414128BC	4.345 2.948	20662671411970	3	414233BC 414234BC	0.095 0.154	20662671410423	3 3				
414130BC	2.948	20662671411987 20662671411826	5	414234BC 414236BC	0.134	20662671410430 20662671411949	3				
414131BC	0.353	20662671412533	5	414238BC	0.487	20662671412151	3				
414132BC	0.472	20662671410096	5	414240BC	0.157	20662671410447	3				
414133BC	0.267	20662671410102	5	414243BC	0.095	20662671410454	3				
414134BC	0.377	20662671410119	5	414244BC	0.199	20662671410461	3				
414135BC	1.223	20662671410126	5	414246BC	0.261	20662671410478	6				
414136BC	1.871	20662671410133	5	414252BC	0.230	20662671410492	6				
414137BC	4.299	20662671410645	5	414253BC	0.074	20662671410805	6				
414138BC	2.528	20662671411925	5	414254BC	0.144	20662671410508	6				
414139BC	3.360	20662671410737	5	414256BC	0.619	20662671410751	6				
414141BC	0.516	20662671410140	5	414258BC	1.663	20662671411697	6				
414144BC 414150BC	0.581 0.642	20662671410157 20662671412083	5 4	414260BC 414263BC	0.632 0.058	20662671410515 20662671410522	6 6				
414152BC	0.326	20662671411765	4	414264BC	0.038	20662671410539	6				
414153BC	0.016	20662671410164	4	414266BC	0.133	20662671410546	6				
414154BC	0.306	20662671410171	4	414268BC	1.080	20662671411567	6				
414155BC	0.653	20662671411598	4	414270BC	0.708	20662671410553	6				
414156BC	1.080	20662671410188	4	414273BC	0.190	20662671410560	3				
414157BC	0.981	20662671410621	4	414274BC	0.314	20662671410577	3				
414158BC	2.814	20662671411642	4	414276BC	0.843	20662671412496	3				
414159BC	2.609	20662671412090	4	414286BC	0.356	20662671410584	3				
414163BC	0.204	20662671410195	4	414288BC	0.562	20662671412502	3				
414164BC 414166BC	0.463 1.268	20662671410201 20662671411659	4	414293BC	0.093	20662671412441	4 4				
414168BC	3.038	20662671411039	4	414294BC 414296BC	0.224 0.674	20662671410652 20662671411734	4				
414173BC	0.214	20662671410218	4	414298BC	1.537	2066267141175	4				
414174BC	0.468	20662671410225	4	414302BC	1.088	20662671410690	5				
414182BC	0.123	20662671412120	4	414303BC	1.180	20662671411635					
414183BC	0.123	20662671410232	4	414314BC	0.147	20662671411871	5				
414184BC	0.231	20662671410249	4	414316BC	0.589	20662671411864	5				
414186BC	0.848	20662671410256	4	414333BC	0.110	20662671410591	3				
414188BC	1.962	20662671410638	4	414334BC	0.187	20662671410607	3				
414193BC	0.144	20662671410263	4	414336BC	0.503	20662671410775	3				
414194BC 414196BC	0.239 0.838	20662671410270 20662671411536	4	414338BC 414343BC	0.945 0.110	20662671412205 20662671412212	3 3				
414198BC	2.065	20662671412007	4	414344BC	0.116	20662671410669	3				
414201BC	0.096	20662671412595	5	414431BC	0.100	20662671410799					
414202BC	0.098	20662671412588	5	414432BC	0.225	20662671410720	4				
414203BC	0.114	20662671410287	4	414433BC	0.195	20662671411710	4				
414204BC	0.225	20662671410294	4	414434BC	0.186	20662671410713	4				
414206BC	0.749	20662671410300	4	414444BC	0.189	20662671411727	3				
414208BC	1.642	20662671412038	4	414450BC	0.552	20662671411512	3				
414209BC	1.139	20662671411680	5	414461BC	0.102	20662671412236					
414210BC 414211BC	0.278 1.216	20662671411604 20662671412045	5 6	414462BC 414463BC	0.180	20662671412243	4				
414211BC 414212BC	0.079	20662671412625	5	414463BC 414464BC	0.205 0.567	20662671412250 20662671412267	4 4				
414213BC	0.079	20662671410317	5	414471BC	0.367	20662671412274					
414214BC	0.155	20662671410324	5 I	414473BC	0.183	20662671412519				l	



canplas

Head Office, Manufacturing Location and Customer Service Centre **500 VETERANS DRIVE, BOX 1800** BARRIE, ON L4M 4V3 **CANADA**

TELEPHONE: (705) 726-3361

FAX: **EMAIL:** plumbing@canplas.com

(705) 726-2186 **TELEPHONE:** (604) 455-0432 FAX: (604) 455-0452

CANADA

Customer Service Centre and Sales Office 11408-163rd STREET **EDMONTON, AB T5M 3T3 CANADA**

TELEPHONE: (780) 451-3206 FAX: (780) 452-0536

www.canplasplumbing.com 1-800-461-5300



Customer Service Centre

LANGLEY, B.C. V1M 3A7

9489 - 200 STREET, UNIT 201

and Sales Office