



HVAC INDUSTRY SOLUTIONS



i build



HVAC INDUSTRY SOLUTIONS

Intertape Polymer Group® offers a complete line of products specifically engineered to meet the most stringent requirements of the HVAC industry. From our dead soft aluminum foil tapes and metallized film tapes to our extensive industrial tapes and films product offering, IPG® has your solution!

MEMBER



FEATURES & BENEFITS

- Products engineered for a wide range of applications and environments
- UL-listed products to meet building and construction codes
- Water, smoke and mold-resistant products
- Moisture barrier products for use on foil jacketing insulation
- IPG HVAC products can help increase efficiency and meet sustainability goals by minimizing air distribution loss



888.898.7834 | itape.com



UL-LISTED TAPES

UL181 ALUMINUM 2-MIL UL 181A-P/B-FX LISTED FOIL TAPE



ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
5010-B	2.5in x 60yds	63.5mm x 54.8m	0-87143-00222-1	99607	1	12
5011	3in x 60yds	76.2mm x 54.8m	0-77922-00115-6	84127	1	16

- Designed to be used on duct board and flexible duct systems where UL181A-P and UL181B-FX standards are required
- Cold weather adhesive that works great in extreme temperatures
- Printed in red for easy identification



TUCK TAPE® FLEXPRO® UL181B-FX LISTED & CAN/ULC-S102 LISTED



ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
AC698 BLK	1.88in x 120.29yds	48mm x 110m	0-67735-20148-5	202-01	1	24
AC698 MET	1.88in x 120.29yds	48mm x 110m	0-67735-20224-6	202-21	1	24

- Acrylic-based BOPP designed for seaming, closing and repairing flexible ducts
- Superior flexibility allows conformability to a variety of shapes
- Excellent adhesion in a wide range of temperatures, up to 210°F
- UL markings printed on the tape for easy identification
- Hand tears, no dispenser needed
- UV resistant
- Mold resistant



FOIL TAPES

ALF175L



ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
5010-B	2in x 50yds	50.8mm x 45.7m	0-87143-00222-1	84304	1	24
5011	3in x 60yds	76.2mm x 54.8m	0-77922-00115-6	ALF201LUL360HR	1	16

- Cold weather acrylic tape for seaming, patching, sealing in Industrial and HVAC applications
- Vapor barrier integrity, flame retardance, high shear adhesion, UV resistance, and superior bonding in subzero or elevated temperatures
- Tested in accordance with UL-723 (ASTM E-84)

ALF150L GENERAL PURPOSE ALUMINUM FOIL TAPE



ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
9202-B	2.0in x 50yds	50.8mm x 45.7m	0-77922-76193-7	84303	1	24
9203	3.0in x 50yds	76.2mm x 45.7m	0-77922-77113-4	77113	1	16
5677	4.0in x 50yds	101.6mm x 45.7m	0-77922-85677-0	5677	1	12

- Dead soft aluminum foil tape for seaming and sealing fiberglass duct board and duct wrap
- High tack rubber based adhesive with shiny aluminum backing for excellent reflective properties
- Recommended minimum application temperature 40°F (4°C)
- Tested in accordance with UL-723 (ASTM E-84)



FOIL TAPES



FSK JACKETING TAPE

FOIL-SCRIM INSULATION TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
FSK3-HC	2.95in x 50yds	75mm x 45.72m	0-77922-99712-1	99712	1	12

- Engineered to seam/seal FSK duct board and insulation to enhance appearance and maintain vapor barrier integrity
- Aggressive acrylic pressure-sensitive adhesive provides long-lasting adhesion to clean/dry surfaces
- Full bond within 24 hours
- Resistant to mold and mildew, flexible to resist cracking and lifting
- Release coated kraft liner
- Tested in accordance with UL-723 (ASTM E-84)



ALF MASTIC

SPECIALTY BUTYL MASTIC FOIL TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
MF2100	1.88in x 100ft	48mm x 30.4m	0-77922-99631-5	99631	1	12
MF3100	2.88in x 100ft	73mm x 30.4m	0-77922-99632-2	99632	1	12

- High tack, low VOC 17 mil aluminum 'mastic' foil tape coated with a pressure-sensitive, modified butyl rubber adhesive
- Provides an instant waterproof grip to a variety of surfaces and providing full bond within 24 hours
- Excellent flexibility, no cracking, highly resistant to the effects of weather, UV, temperature, mold and mildew
- LEED points contributor
- Easy release liner
- Tested in accordance with UL-723 (ASTM E-84)



FAN & VENT TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
VF210UL	2.5in x 10yd	63.5mm x 9.1m	0-77922-99829-6	99829	1	12

- Heat resistant
- Seals to prevent air leakage
- Blocks odors and moisture
- Aggressive adhesive
- Conforms to UL specifications



HIGH TEMPERATURE FLUE TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
FT210	2in x 15ft	50.8in x 4.57ft	0-77922-99679-7	99679	1	12

- Stops leaks from hot air ducts
- For use in temperatures from -60°F to +600°F (-51°C to +315°C)

DUCT/CLOTH TAPES



JOBSITE DUCTape®

9 MIL DUCT TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE	COLOR
6700	1.88in x 60yd	48mm x 54.8m	0-77922-72982-1	91410	1	24	Silver
20C-BK 2	1.88in x 60yd	48mm x 54.8m	0-77922-85746-3	91407	1	24	Black

- Polyethylene (PE) coated cloth tape designed to meet the needs of the general contractor
- Ideal for indoor/outdoor repairs, and HVAC duct sealing
- Low VOC prevents out-gassing during use
- Stands up to all weather conditions

DUCT/CLOTH TAPES



AC49 MEDIUM 11-MIL METALIZED DUCT TAPE (UL-723 RATED)

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
AC4948	1.88in × 60yds	48mm × 54.8m	0-77922-82764-0	82764	1	24

- Metalized PE film on high tensile cloth with an aggressive pressure-sensitive natural rubber adhesive
- Designed for applications where a high quality grade of cloth tape is required and the appearance of metalized backing is preferred
- Meets HUD, BOCA and LA County codes; Tested in accordance with UL 723 (ASTM E-84)



AC36 MEDIUM 11-MIL DUCT TAPE (UL-723 RATED)

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
4137 (silver)	1.88in × 60yds	48mm × 54.8m	0-77922-84137-0	4137	1	24
4382 (black)	1.88in × 60yds	48mm × 54.8m	0-77922-84382-4	4382	1	24
4335	1.88in × 60yds	48mm × 54.8m	0-77922-84335-0	4335	1	24

- PE coated cloth tape with an aggressive system designed to provide exceptional shear strength for demanding applications such as HVAC, abatement, weatherproofing, extermination, flex duct connections and all general maintenance needs
- The general contractor's duct tape of choice
- Meets HUD, BOCA and LA County codes; Tested in accordance with UL 723 (ASTM E-84)



AC45 MEDIUM 12-MIL DUCT TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
4138	1.88in × 60yds	48mm × 54.8m	0-77922-84138-7	4138	1	24

- PE coated cloth film with an aggressive adhesive
- Wide temperature range
- Recommended for use where high adhesion and conformability are required
- Meets HUD and BOCA Codes and LA County codes; Tested in accordance with UL 723 (ASTM E-84)



AC50 PREMIUM 14-MIL DUCT TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
4139	1.88in × 60yds	48mm × 54.8m	0-77922-84139-4	84139	1	24

- High tensile and tear strength
- Maximum performance for sealing heating and air ventilation systems
- Meets HUD, BOCA, and LA County codes; Tested in accordance with UL 723 (ASTM E-84)



IRON GRIP® PREMIUM 17-MIL DUCT TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
IG235	1.88in × 35yds	48mm × 32m	0-77922-99580-6	99580	1	12
IG2PK-A	1.88in × 35yds	48mm × 32m	0-77922-99558-13	99634	2	12

- Professional quality, ultra-tough black duct tape for temporary patching of utility holes, taping of ductwork, and a variety of heavy-duty demanding applications requiring high strength
- All-weather, easy unwind, high adhesion; Tested in accordance with UL 723 (ASTM E-84)

SPECIALTY TAPES & PRODUCTS



AC50 SPRAY ADHESIVE

ITEM NUMBER	NET WEIGHT	UNIT UPC	RESOURCE NUMBER	UNITS/PACK	UNITS/CASE
AC 50	12 fluid oz. (.50 liters)	0-77922-82758-9	82758	1	12

- Designed to assist bonding to several surfaces, which include wood, concrete and sheet metal
- Fast tack pressure sensitive adhesive; Contains no methyl chloride or CFCs
- 41 PSI shear strength
- Not intended for use in California



AC778 PREMIUM BOPP HVAC TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
AC778	1.88in x 60yds	48mm x 54.8m	87789	1	36

- BOPP metalized film tape with acrylic adhesive for superior sealing, protecting and ease of handling
- Designed for splicing and repairing insulation



GAFFERS TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/CASE	COLOR
5638BLK	1.87in x 54.7yds	48mm x 50m	0-77922-85638-1	5638	24	Black

- Cloth tape for bundling and holding wires and cables in place
- Non-reflective matte finish; weather and abrasion resistant
- Hand tearable and conforms to irregular surfaces
- Special adhesive for clean removal



HAND WRAP STRETCH FILM

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	GAUGE	ROLLS/PACK	ROLLS/CASE
4349	20in x 1000ft	508mm x 304.8m	0-77922-84349-7	HG2032000-RT	80	1	4
SF1515MA	15in x 1500ft	381mm x 457m	0-77394-91205-5	SF1515MA	80	1	4
SF1815MA	18in x 1500ft	457mm x 457m	0-77394-91168-4	SF1815MA	80	1	4
4349DIS	20in x 1000ft	508mm x 304.8m	5-00779-22994-194	99419	80	9	9
With Brake Handle							
2010BH	20in x 1000ft	508mm x 304.8m	0-77922-99583-7	99583	80	1	4

- Great for wrapping items in groupings
- Sticks only to itself



PRO-MASK BLUE® 14-DAY PAINTER'S TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
PMD48	1.88in x 60yds	48mm x 54.8m	0-77922-99557-8	99557	1	16

- Provides 14-day UV resistance
- Removes cleanly from painted walls, trim, glass and metal

SPECIALTY TAPES & PRODUCTS



RG300 REINFORCED STRAPPING TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
9716	.94in X 60 yds	24mm x 54.8m	0-77922-76192-0	91404	33

- BOPP metalized film tape with acrylic adhesive for superior sealing, protecting and ease of handling
- Designed for splicing and repairing insulation
- Tested in accordance to UL-723/ASTM E-84



SHEATHING TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE	COLOR
5518USW	1.88in x 54.6yds	48mm x 50m	0-77922-85518-6	85518	1	24	White
5561USR	1.88in x 54.6yds	48mm x 50m	0-77922-85561-2	85561	1	24	Red
5563USR	2.83in x 54.6yds	72mm x 50m	0-77922-85563-6	85563	1	16	Red
ST3PK	1.88in x 54.6yds	48mm x 50m	0-77922-99653-7	99653	3	24	Red

- Designed for permanent seaming and sealing of joints in foam insulation & housewrap
- Secures lap edges on house wraps and other vapor barriers, repairs rips and tears in roll and batt insulation, construction films and membranes
- Available in white and red



THREADSEAL TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
11 1/2X260	0.5in x 260in	12.7mm x 6.6m	0-77922-85740-1	11 1/2X260	200/6	1200
11 1/2X520	0.5in x 520in	12.7mm x 13.2m	0-77922-85738-8	11 1/2X520	200/6	1200

- Made of chemically inert material; withstands alkalis, acids, oils and solvents
- Use on iron, stainless steel, copper, brass, plastic, glass or rubber pipes
- Has a temperature resistance of -400°F to 700°F



VINYL ELECTRICAL TAPE 7-MIL MEDIUM GRADE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
607	0.75in x 66ft	19mm x 20.1m	0-77922-85515-5	85835	10/20	120

- Black vinyl electrical insulating tape consisting of a soft "plasticized" stabilized PVC film coated with a non-corrosive rubber based adhesive for general maintenance and repair
- Good dielectric strength; Lead free; Temperature range 0°C to 80°C



8100 CARTON SEALING TAPE

ITEM NUMBER	IMPERIAL SIZE	METRIC SIZE	UNIT UPC	RESOURCE NUMBER	ROLLS/PACK	ROLLS/CASE
607	0.75in x 66ft	19mm x 20.1m	0-77922-85515-5	85835	10/20	120


- Hot melt BOPP carton sealing tape for medium to heavy weight usage, manual or automatic box sealing, package repair, bundling, and packages exposed to normal shipping hazards and stress.

i build



CORPORATE PROFILE

Intertape Polymer Group® Inc. (IPG®) is a recognized leader in the development, manufacture and sale of a variety of paper- and film-based pressure sensitive and water-activated tapes, polyethylene and specialized polyolefin films, protective packaging, woven coated fabrics and complementary packaging systems for industrial and retail use. Headquartered in Montreal, Quebec and Sarasota, Florida, the Company employs approximately 3,600 employees with operations in 30 locations, including 21 manufacturing facilities in North America, two in Asia and one in Europe.



- NORTH AMERICA**
- 1. Ansonia, CT ■
 - 2. Atlanta, GA ●
 - 3. Bardstown, KY (2) ●
 - 5. Blythewood, SC ●
 - 6. Brighton, CO ●
 - 7. Carbondale, IL ●
 - 8. Carlstadt, NJ ●
 - 9. Carrollton, TX ●
 - 10. Chicago, IL ●
 - 11. Corona, CA ●
 - 12. Cornwall, ON ●

- NORTH AMERICA**
- 13. Danville, VA ●▲
 - 14. Delta, BC ●
 - 15. Marysville, MI ●
 - 16. Menasha, WI ●
 - 17. Midland, NC ●
 - 18. Montreal, QC ★
 - 19. Salisbury, NC ●
 - 20. Sarasota, FL ☆
 - 21. Springfield, OH ●
 - 22. Toronto, ON ●
 - 23. Tremonton, UT ●
 - 24. Truro, NS ●

- EUROPE**
- 25. Flensburg, Germany ▲
 - 26. Porto, Portugal ●
- ASIA**
- 27. Chopanki, India ●
 - 28. Daman, India ●
 - 29. Dahej, India ●
 - 30. Karoli, India ●

- Manufacturing
- Machine Assembly
- ▲ Distribution
- ★ Corporate Headquarters
- ☆ Executive Headquarters



888.898.7834 | itape.com

