Safety Data Sheet

SCOTCH CORPORATION

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Instant Power® Slow Drain Build-Up Remover

Product Code ■ MSDS No: 1906, 1907

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Drain Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer • Scotch Corporation

1255 Viceroy Dallas, TX 75247 United States

www.scotchcorp.com mail@scotchcorp.com

Telephone (General) • 1-800-334-2077

EU Supplier • Robimatic Ltd.

Sandall Stones Road

Kirk Sandall Industrial Estate Doncaster, England DN3 1QR

United Kingdom

robimatic@polypipe.com

Telephone (General) • +44 (0) 1302-790-790

Fax • +44 (0) 1302-790-088

1.4 Emergency telephone number

- 1-800-424-9300 CHEMTREC (USA)
- 1-703-527-3887 CHEMTREC (International)

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Not classifiedDSD/DPD • Not classified

2.2 Label Elements

CLP

Hazard statements • No label element(s) required

DSD/DPD

Risk phrases • No label element(s) required

2.3 Other Hazards

CLP • According to Regulation (EC) No. 1272/2008 (CLP) this material is not considered hazardous.

• According to European Directive 1999/45/EC this preparation is not considered dangerous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 • Not classified

2.2 Label elements

OSHA HCS 2012

Hazard • No label element(s) required

statements

2.3 Other hazards

• This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS . Not classified

2.2 Label elements

WHMIS • No label element(s) required

2.3 Other hazards

WHMIS • In Canada, the product mentioned above is not considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

• Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Proprietary	Proprietary	2.25%	Ingestion/Oral-Rat LD50 • 1378 mg/kg Skin-Rabbit LD50 • >2 g/kg	EU DSD/DPD: Self Classified: Xi R36; Xn R22 EU CLP: Self Classified: Eye Irrit. 2, H319; Acute Tox. 4, H302 OSHA HCS 2012: Eye Irrit 2; Acute Tox 4: Oral	NDA
Proprietary	Proprietary	1.3% TO 1.365%	NDA	EU DSD/DPD: Self Classified: Xi R36/37/38 EU CLP: Self Classification: Eye Irrit. 2, H319; Skin Irrit. 2, H315; STOT SE 3: Resp. Irrit., H335	NDA

				OSHA HCS 2012: Eye Irrit. 2; Skin Irrit 2; STOT SE 3: Resp. Irrit.	
Proprietary	Proprietary	0% TO 3.5%	Ingestion/Oral-Rat LD50 • 10 g/kg	EU DSD/DPD: EU CLP: Annex VI: Acute Tox. 4, H302; Eye Dam. 1, H318 OSHA HCS 2012: Eye Irrit. 2; Skin Irrit. 2 (RTECS)	NDA
Bacterial cultures	NDA	2-8%	NDA	EU DSD/DPD: Xi R36/37 EU CLP: Eye Irrit 2, H319; STOT SE 3: Resp. Irrit., H335 OSHA HCS 2012: Eye Irrit. 2; STOT SE 3: Resp. Irrit.	NDA

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

• Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if discomfort occurs.

Skin

• In case of contact with substance, immediately flush skin with running water and soap for several minutes. Get medical attention immediately if discomfort occurs.

Eye

• Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

• If large quantities have been ingested, give 3 to 4 glasses of water. Do NOT induce vomiting. Seek medical attention if discomfort occurs.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician All treatments should be based on observed signs and symptoms of distress in the patient.
 Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

• Foam, CO2, dry chemical, water spray, alcohol foam - chosen based on nature of the surrounding fire.

Unsuitable

• None known.

Extinguishing Media

5.2 Special hazards arising from the substance or mixture

Unusual Fire and

• None known.

Explosion Hazards

• None known.

Hazardous
Combustion Products

5.3 Advice for firefighters

Structural firefighters' protective clothing will only provide limited protection.
 Wear positive pressure self-contained breathing apparatus (SCBA).
 Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

 Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

• Keep unauthorized personnel away.

6.2 Environmental precautions

• Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

• Dike and control spill. Absorb with an inert material and transfer all material into a properly labeled container for disposal. Wear appropriate protective clothing.

6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling • Read the entire label before using the product. Keep out of reach of children.

7.2 Conditions for safe storage, including any incompatibilities

• Storage • Store at moderate temperatures. Storage Temperature: 120F Max, 35F Min, Indoor. Always store material in its original container. Keep container tightly closed.

7.3 Specific end use(s)

Drain Cleaner

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines					
	Result Canada Ontario		United Kingdom		
1,2-Propanediol (57-55-6)	STELs	Not established	450 ppm STEL (calculated, total particulate and vapour); 1422 mg/m3 STEL (calculated, total particulate and vapour); 30 mg/m3 STEL (calculated, particulate)		
	TWAs	10 mg/m3 TWA (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present, aerosol only); 50 ppm TWA (aerosol and vapor); 155 mg/m3 TWA (aerosol and vapor)	150 ppm TWA (total particulate and vapour); 474 mg/m3 TWA (total particulate and vapour); 10 mg/m3 TWA (particulate)		

8.2 Exposure controls

Engineering Measures/Controls

 Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

• In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face

Skin/Body

- Wear protective eyewear (goggles, face shield, or safety glasses).
- Wear appropriate gloves.

General Industrial Hygiene Considerations

- Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes or on skin or clothing.
 Handle in accordance with good industrial hygiene and safety practice.
- **Environmental Exposure Controls**
- Follow best practice for site management and disposal of waste.

Key to abbreviations

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description				
Physical Form	Liquid	Appearance/Description	Clear green/blue liquid with fresh scent	
Color	Clear green/blue	Odor	Fresh scent.	
Odor Threshold	Data not determined			
General Properties			-	
Boiling Point	Data not determined	Melting Point	Data not determined	
Decomposition Temperature	Data not determined	рН	9.1 to 9.5	
Specific Gravity/Relative Density	1.004 Water=1	Water Solubility	Soluble	
Viscosity	cosity Non-viscous Explosive Properties No		Not explosive.	
Oxidizing Properties:	Not an oxidizer.			
Volatility		•		
Vapor Pressure	Data not determined	Vapor Density	Data not determined	
Evaporation Rate	Data not determined			
Flammability		•		
Flash Point	Not flammable	UEL	Data not determined	
LEL	Data not determined	Autoignition	Data not determined	
Flammability (solid, gas)	Not Flammable.			
Environmental				
Octanol/Water Partition coefficient	Data not determined			

9.2 Other Information

• No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

• Hazardous polymerization will not occur.

10.4 Conditions to avoid

• Incompatible materials.

10.5 Incompatible materials

• Strong acids, alkali, and halogen compounds. Oxidizing agents such as chlorine bleach and hydrogen peroxide and disinfectants.

10.6 Hazardous decomposition products

Oxides of carbon.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components				
Proprietary (0% TO 3.5%)	Proprietary	Acute Toxicity: Ingestion/Oral-Rat LD50 • 10 g/kg; Irritation: Eye-Rabbit • 100 mg 24 Hour(s) • Moderate irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation		

GHS Properties	Classification		
Acute toxicity	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
Aspiration Hazard	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
Carcinogenicity	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
Germ Cell Mutagenicity	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
Skin corrosion/Irritation	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
Skin sensitization	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
STOT-RE	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
STOT-SE	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
Toxicity for Reproduction	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
Respiratory sensitization	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		
Serious eye damage/Irritation	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met		

Route(s) of entry/exposure

• Inhalation, Skin, Eye, and Ingestion

Potential Health Effects

Inhalation

Acute (Immediate)

- Under normal conditions of use, no health effects are expected.
- **Chronic (Delayed)**
- Repeated and prolonged exposure may cause sensitization of the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin

Acute (Immediate)

• Under normal conditions of use, no health effects are expected. May cause allergenic skin reaction.

Chronic (Delayed)

 Prolonged skin contact may cause reddening of skin with irritation leading potentially to dermatitis.

Eye

Acute (Immediate)

• Direct contact with eyes may cause irritation.

Chronic (Delayed)

• Direct contact with eyes for a prolonged period of time can cause irritation.

Ingestion

Acute (Immediate)

• Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

• No data available.

Carcinogenic Effects

 The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP and IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Key to abbreviations

LD = Lethal Dose MOD = Moderate

Section 12 - Ecological Information

12.1 Toxicity

• Material data lacking.

12.2 Persistence and degradability

Material data lacking.

12.3 Bioaccumulative potential

Material data lacking.

12.4 Mobility in Soil

• Material data lacking.

12.5 Results of PBT and vPvB assessment

• No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not regulated	NDA	NDA	NDA
TDG	NDA	Not regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not regulated	NDA	NDA	NDA
ADR/RID	NDA	Not regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not regulated	NDA	NDA	NDA

14.6 Special precautions for user

- None known.
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

Not classified

15.2 Chemical Safety Assessment

• No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Relevant Phrases (code & full text)

• H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H315 - May cause skin irritation

H317 - May cause an allergic skin reaction

H318 - May cause serious eye damage

H319 - May cause serious eye irritation

H335 - May cause respiratory irritation

R10 - Flammable.

R22 - Harmful if swallowed.

R36 - Irritating to eyes.

R36/37 - Irritating to eyes and respiratory system.

R36/37/38 - Irritating to eyes, respiratory system and skin.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitization by skin contact.

Last Revision Date
Preparation Date
Disclaimer/Statemer

• 1/March/2020

• 18/January/2013

Disclaimer/Statement of Liability

• The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. It is the responsibility of the end user to determine the applicability and end use of this material prior to its use. Consult with your HSE officer prior to use of this or any other product. Always wear the proper PPE when handling chemicals.

Instant Power® Slow Drain Build-Up Remover

Key to abbreviations

NDA = No data available