

FULL LINE CATALOG

60TH ANNIVERSARY EDITION



since
1961



TECHNICAL CHEMICAL COMPANY

WE'VE SPENT THE PAST 60 YEARS PERFECTING
AUTOMOTIVE AND HOUSEHOLD PRODUCTS

Technical Chemical Company formulates and markets some of the most effective car and home care products in America and around the world. Starting with brake and transmission fluids in 1961, the Company has expanded into a broad range of automotive, appearance, and performance chemicals.



TCC has grown into a powerhouse with a comprehensive product line of established brands, including Blue Magic®, QuikSteel®, Pure Citrus®, Turbo 108®, and Spray-X®. We are focused on growth — for your company and ours. We invite you to join us on the journey to grow your categories as we build consumer demand.

JOHNSEN'S®**6 - 23**

BRAKE CLEANERS	6
BRAKE FLUIDS	7
CARB & INTAKE CLEANERS	8
CLEANERS	9
POWER STEERING FLUIDS	10
AUTOMATIC TRANSMISSION FLUIDS	11
RADIATOR PRODUCTS	12
BATTERY PRODUCTS	12
LUBRICANTS	13
FUEL ADDITIVES	14
OIL ADDITIVES	15
WINTER PRODUCTS	16-17
REFRIGERANTS	18
REFRIGERANT ACCESSORIES	19
PREMIUM REFRIGERANTS	20-21
A/C LUBRICANTS	22
A/C TREATMENTS	23

BLUE MAGIC®**24-30**

INTERIOR PRODUCTS	24
LEATHER PRODUCTS	25
TOWELETTES	26
AUTOMOTIVE, WHEEL, TIRE	27
METAL POLISH	28-29
REPAIR PRODUCTS	30

TURBO 108®**31**

OCTANE BOOSTERS	31
DIESEL ADDITIVES	31
FUEL ADDITIVES	31

QUIKSTEEL®**32-33**

EPOXY PUTTY	32
EPOXY PASTE	32
REPAIR KITS	33
THERMOSTEEL	33

PURE CITRUS®**34**

AIR FRESHENERS	34
ODOR REMOVERS	34
ORANGE CLEANER	34

SPRAY-X®**35**

FOAMING GLASS CLEANER	35
-----------------------	----

Part No.	Pg. No.	Part No.	Pg. No.	Part No.	Pg. No.	Part No.	Pg. No.	Part No.	Pg. No.
100-12	28	2962	16	4918	12	6816-6	22	NA1119	26
1008-24	30	2962-55	16	500-06	28	6816UV-6	22	NA1127	26
1116-24	30	2965	16	5000	17	6817-6	22	NA1128	26
12A-6	30	300-12	28	5012	7	6817UV-6	22	NA115	26
16001-6	32	3282	16	5032	7	6818	22	NA116	26
16002TRI	32	400-06	28	5034	7	6822-6	22	NA117	26
16502TRI	32	4600	9	5055	7	6822UV-6	22	NA118	26
16532TRI	32	4602	13	5100	17	6823-6	22	NA119	26
16552TRI	32	4603	13	5101	17	6823UV-6	22	NA127	26
16562TRI	32	4604	13	5215-12	30	6824	22	NA128	26
17002TRI	32	4605	12	550-02	28	6830	23	NA200	34
17502TRI	32	4606	12	550-06	28	6846	20	NA228-6	34
18003TRI	32	4607	9	5593	13	6848	18	NA229-6	34
18022KTRI	32	4608	15	5594	13	6849	18	NA230-6	34
200-06	29	4609	15	6002ADTRI	32	685-06	27	NA250	24
2212	7	4609-55	15	6002TRI-12	32	6855	22	NA30	31
2224	7	4610	10	6002TRI-24	32	6856	22	NA301	31
2232	7	4611	10	6004TRI	32	6857	22	NA302	31
2234	7	4612	13	6022KTRI	32	6912-6	23	NA31	31
2241	7	4617	11	6123	18	6913	23	NA32	31
2255	7	4617-55	11	6312	18	6915	23	NA33-06	31
230-06	29	4618	12	6313	18	6955	23	NA34-06	31
2300	7	4618-55	12	6315	18	7012-6	7	NA35	31
2301	7	4624	15	6330	18	7032	7	NA37	31
2413	6	4624-55	15	6331	18	7055	7	NA647	27
2413-55	6	4625	15	6335	18	707-06	27	NA90-6	34
2415	6	4626	15	6344	18	725-06	27	NA91-6	34
2415C	6	4628	15	6400	20	750-06	27	NA92-6	34
2417	6	4641	8	6401	20	778-06	27	NA93-6	34
2417C	6	4641C	8	6402	20	800-06	25	SPX19GC	35
2417C-55	6	4641C-55	8	6407	20	8013	19		
2418	6	4641NC	8	6425	23	8015	19		
2418C	6	4642	8	6434	23	8323	19		
2418NC	6	4642-55	8	6502ADTRI	32	8325	19		
2420	6	4642C	8	6502TRI-12	32	8326	19		
2420-55	6	4642NC	8	6502TRI-24	32	841-06	24		
2421	6	4644	9	6522KTRI	32	850-06	25		
2421-55	6	4644-55	9	6540	20	855-06	25		
2424	9	4645	9	6544	23	860-06	25		
2435	6	4656	14	6564	20	875-06	27		
2456	6	4679	14	6574	20	8939	19		
2512	11	4679-8	14	6614	18	900-06	24		
2512-55	11	4684	14	6645-6	23	90051	19		
2532	11	4684-55	14	6708-6	22	90081	19		
2612	10	4684-8	14	6710-6	22	909-06	24		
2612-55	10	4685-6	14	6710UV-6	22	910-06R	24		
2812	10	4688	14	6711	22	912-06	24		
2813	10	4688-55	14	6725	23	914-06	24		
2855	10	4688-8	14	6732	17	BOT55TRI	30		
2912	10	4690	14	6752	17	BOT58TRI	30		
2912-55	10	4695	14	6755	22	BOT59TRI	30		
2932	10	4695-6	14	6762	17	EZF-1	21		
2940	16	4720	8	680-06	27	EZF-2	21		
2941	16	4721	9	6808-6	22	NA110	26		
2942	16	4723	13	6812-6	22	NA1110	26		
2943	16	4724	8	6812UV-6	22	NA1115	26		
2944	16	4750	9	6813-6	22	NA1116	26		
2952	16	4917	12	6813UV-6	22	NA1117	26		
2955	16	4917-55	12	6814	22	NA1118	26		



BRAKE CLEANER

ORIGINAL FORMULA

NON-COMPLIANT
VOC
NON-COMPLIANT

Non-Chlorinated. Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

For sale in areas that do not regulate the VOC content of consumer products.

2418NC	10 OZ.	12 PER CASE
2413	14 OZ.	12 PER CASE
2435	5 GALLON	ONE EACH
2413-55	55 GALLON	ONE EACH



OTC (45%)
VOC
COMPLIANT

OTC 45% COMPLIANT

BRAKE CLEANER

Non-Chlorinated. Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

For sale in areas that restrict the VOC content of consumer products to 45%.

2418	10 OZ.	12 PER CASE
2417	14 OZ.	12 PER CASE
2415	5 GALLON	ONE EACH
2456	55 GALLON	ONE EACH

BRAKE CLEANER

50 STATE COMPLIANT

50 STATE
FORMULA

Non-Chlorinated. Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

Formulated to meet VOC requirements in all 50 states.

2418C	10 OZ.	12 PER CASE
2417C	13 OZ.	12 PER CASE
2415C	5 GALLON	ONE EACH
2417C-55	55 GALLON	ONE EACH



NON-FLAMMABLE
VOC
COMPLIANT

NON-FLAMMABLE

BRAKE CLEANER

Fast-drying, non-flammable formula evaporates quickly and leaves no residue. For use on all ABS, disc and drum brakes.

Not for sale or use in California or New Jersey.

2420	16 OZ.	12/CASE
2420-55	55 GAL.	1 EACH

SCAQMD
VOC
COMPLIANT

SCAQMD 3%

BRAKE CLEANER

Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

Formulated to meet South Coast Air Quality Management District Rule 1171.

2421	13 OZ.	12/CASE
2421-55	55 GAL.	1 EACH

BRAKE FLUID

SYNTHETIC DOT 3

Synthetic DOT 3 Brake Fluid has a minimum boiling point of 450°F. Meets and exceeds DOT 3 and all other Federal and SAE specifications and standards for motor vehicle brake fluids. Mixes with all DOT 3 approved brake fluids. Designed for use in disc, drum and ABS brake systems.

2212	12 FL. OZ.	12 PER CASE
2224	12 FL. OZ.	24 PER CASE
2232	32 FL. OZ.	12 PER CASE
2234	1 GALLON	4 PER CASE
2241	5 GALLON	ONE EACH
2255	55 GALLON	ONE EACH



2232

2234

2212



5012

5034

5032

PREMIUM SYNTHETIC DOT 4

BRAKE FLUID

A premium, synthetic quality brake fluid that contains special ingredients to guard against vapor lock and moisture absorption. Exceeds requirements for both DOT 3 and DOT 4 brake fluids. Specially formulated for DOT 4 brake fluid applications. Designed for use in disc, drum and ABS brake systems.

5012	12 FL. OZ.	12 PER CASE
5032	32 FL. OZ.	12 PER CASE
5034	1 GALLON	4 PER CASE
5055	55 GALLON	ONE EACH

BRAKE FLUID

SILICONE DOT 5

Specially formulated hydraulic brake fluid that provides superior benefits. Johnsen's Silicone DOT 5 Brake Fluid is essentially non-hygroscopic compared to conventional DOT 3 or DOT 4 brake fluids, absorbing less than one percent by weight of water. Not to be used in ABS system.

7012-6	12 FL. OZ.	6 PER CASE
7032	32 FL. OZ.	6 PER CASE
7055	55 GALLON	ONE EACH



7012-6

7032



2300



2301

BRAKE CALIPER GREASE

BRAKE PRODUCTS

Wide operating temperature range. Not affected by salt or water. Prevents rust and corrosion. Reduces noise.

2300	SYNTHETIC	8 FL. OZ.	12 PER CASE
2301	CERAMIC	8 FL. OZ.	12 PER CASE



CARB & AIR INTAKE CLEANER

ORIGINAL FORMULA

NON-COMPLIANT
VOC
NON-COMPLIANT

Removes varnish, sludge, and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

For sale in areas that do not regulate the VOC content of consumer products.

4641NC	10 OZ.	12 PER CASE
4642NC	16.25 OZ.	12 PER CASE



4642

4641



4641NC

4642NC

OTC (45%)
VOC
COMPLIANT

OTC 45% COMPLIANT

CARB & AIR INTAKE CLEANER

Removes varnish, sludge, and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

For sale in areas that restrict the VOC content of consumer products to 45%.

4641	10 OZ.	12 PER CASE
4642	16.25 OZ.	12 PER CASE
4642-55	55 GALLON	ONE EACH

CARB & AIR INTAKE CLEANER

50 STATE COMPLIANT

50 STATE
FORMULA

Removes varnish, sludge, and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

Formulated to meet VOC requirements in all 50 states.

4641C	10 OZ.	12 PER CASE
4642C	16.25 OZ.	12 PER CASE
4641C-55	55 GALLON	ONE EACH



4724

4720



4641C

4642C

OTC (45%)
VOC
COMPLIANT

OTC 45%

THROTTLE BODY & AIR INTAKE

Formulated for modern fuel injected engines. Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance. 360° valve ensures product sprays in any position.

For sale in areas that restrict the VOC content of to 45%.

4724	10 OZ.	12/CASE
------	--------	---------

50 STATE
FORMULA

50 STATE

THROTTLE BODY & AIR INTAKE

Formulated for modern fuel injected engines. Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance. 360° valve ensures product sprays in any position.

Formulated to meet VOC requirements in all 50 states.

4720	10 OZ.	12/CASE
------	--------	---------

Helps improve performance and fuel economy, dissolves grease, removes dirt and flux and helps to restore engine performance. Fast acting and drying formula, safe for plastics, leaves no residue. Can be used at every air filter change. 360° valve ensures product sprays in any position.

4721 10 OZ. 12 PER CASE



4721



4644

4645

50 STATE
FORMULA

FOAMING ENGINE DEGREASER

CLEANERS

A premium, foaming, water-based, degreaser which is self-emulsifying. Two active ingredients mix with both oil and water. When sprayed on and washed off, the water actually pulls oil and grease off the surface of the engine.

Formulated to meet VOC requirements in all 50 states.

4645	10 OZ.	12 PER CASE
4644	16 OZ.	12 PER CASE
4644-55	55 GALLON	ONE EACH

CLEANERS

ALL PURPOSE PARTS CLEANER

NON-FLAMMABLE
VOC
COMPLIANT

High power spray cleans surfaces including engine parts, tools, heavy equipment and more. Removes grease and oil, dries fast and leaves no residue. Non-flammable formula. VOC Compliant.

Not for sale or use in California or New Jersey.

2424 18 OZ. 12 PER CASE



2424

CLEANERS

ELECTRONICS CLEANER

50 STATE
FORMULA

Instantly removes oil, grease and dirt from a wide range of electrical components without leaving a residue. VOC compliant.

4600 10 OZ. 6 PER CASE

CLEANERS

HIGH POWER DUSTER

50 STATE
FORMULA

Use for cleaning dashboards, automotive electronics and engine components. Also great for home and office use.

4607 10 OZ. 12 PER CASE

CLEANERS

PRECISION DETAIL AIR

50 STATE
FORMULA

Removes dirt, debris, and more from cracks and crevices. Great for vehicle interiors. VOC compliant.

4750 10 OZ. 12 PER CASE



4600



4607



4750





POWER STEERING FLUID

ORIGINAL FORMULA

A high quality power steering fluid and conditioner. Mixes with most factory power steering fluids. Helps stop pump squealing, protects seals and helps prevent unusual wear.

2812	12 FL. OZ.	12 PER CASE
4610	32 FL. OZ.	12 PER CASE
4611	1 GALLON	4 PER CASE
2855	55 GALLON	ONE EACH



UNIVERSAL

POWER STEERING FLUID

Meets domestic and import vehicle specifications including Ford®, GM®, Chrysler®, Honda®, Toyota®, and Nissan®. Helps stop pumps squealing, protects seals and helps prevent unusual wear.

2912	12 FL. OZ.	12 PER CASE
2932	32 FL. OZ.	12 PER CASE
2912-55	55 GALLON	ONE EACH

POWER STEERING FLUID

LEAK SEALER & CONDITIONER

A high quality power steering fluid with conditioner and leak stop additives. Mixes with most factory power steering fluids. Helps maintain seals and o-rings soft and pliable to provide maximum sealing of the power steering system.

2813	12 FL. OZ.	12 PER CASE
2813-55	55 GAL.	ONE EACH

POWER STEERING FLUID

HONDA® & ACURA®

A specifically formulated power steering fluid for Honda® and Acura® vehicles. Specially designed to provide maximum performance for Honda® and Acura® power steering systems.

2612	12 FL. OZ.	12 PER CASE
2612-55	55 GALLON	ONE EACH



2612

2813

A multi-purpose automatic transmission fluid used for top-off applications. Formulated to provide superior resistance to oxidation and excellent friction retention for smoother shifting. Johnsen's® Automatic Transmission Fluid protects against rust and corrosion while resisting foaming and aeration. Viscosity enhancer provides proper fluid under a wide range of operating conditions. Can be mixed with most domestic & import transmission fluids.

2512	12 FL. OZ.	12 PER CASE
2532	32 FL. OZ.	12 PER CASE
2512-55	55 GALLON	ONE EACH

SEALER & CONDITIONER

AUTOMATIC TRANSMISSION FLUID

Stops leaks due to dried or cracked transmission seals. Blended with proprietary additives to help recondition and revitalize seals and o-rings. Compatible with all automatic transmissions.

4617	12 FL. OZ.	12 PER CASE
4617-55	55 GALLON	ONE EACH



2532

2512

4617



RADIATOR PRODUCTS

RADIATOR & WATER PUMP TREATMENT

Formulated to help in the prevention of rust and corrosion in automotive cooling systems. This product may be used in all cooling systems. Designed to protect aluminum, copper, iron and other parts of the cooling system.

4618 12 FL. OZ. 12 PER CASE



4917



4618

RADIATOR FLUSH

RADIATOR PRODUCTS

Removes sludge, rust, scale and corrosion deposits. Formulated for today's cooling systems and helps prevent engine overheating. Fast, easy, safe, convenient and one bottle treatment.

4917 12 FL. OZ. 12 PER CASE

RADIATOR PRODUCTS

RADIATOR STOP LEAK

Quickly finds and seals leaks. Mix directly in vehicle's coolant. It is a non-clogging formula when used as directed.

4918 12 FL. OZ. 12 PER CASE



4918

CLEANER WITH ACID INDICATOR

BATTERY

A specially formulated product to help remove corrosion, neutralize acid spills and ensure maximum battery current flow.

4606 10 OZ. 12 PER CASE



4606

4605

TERMINAL PROTECTOR

BATTERY

Provides a lead-free protective coating, which protects terminals from corrosion. Improves starting and promotes longer battery life.

4605 7.5 OZ. 12 PER CASE

LUBRICANTS

CHAIN & CABLE LUBE

50 STATE
FORMULA

A special blend of lubricants and solvents designed to keep chains and cables in peak operating condition; helps in preventing rust corrosion. Can be used on low speed conveyors, drive chains, hoists, pulleys, rollers, garage doors, bushings, seals, o-rings and other surfaces requiring lubrication. VOC Compliant.

4723 10 OZ. 12 PER CASE

LUBRICANTS

WHITE LITHIUM GREASE

NON-COMPLIANT
VOC
NON-COMPLIANT

All-purpose lubricant that protects against rust and makes surfaces friction resistant. Withstands moisture, freezing, and high heat. For use on various automobile parts, process equipment and hand tools, as well as many items in the home.

For sale in areas that do not regulate the VOC content of consumer products.

4604 11 OZ. 12 PER CASE

LUBRICANTS

SILICONE LUBRICANT

50 STATE
FORMULA

Specifically formulated to provide superior all-purpose lubrication and protection. Prolongs life, prevents squeaks and lubricates. Use on door hinges, seat racks, wiper linkage, carburetor linkage, window channels, and more. Safe to use on food processing equipment where there is no direct contact to food. NSF & VOC compliant.

4603 10 OZ. 12 PER CASE



4723

4604

4603



4612

4602

50 STATE
FORMULA

PREMIUM PENETRATING LUBRICANT

LUBRICANTS

Heavy duty, multi-use formula. Loosens stuck bolts, nuts and locks. Cuts through rust & protects against further rusting. Contains no Barium or other heavy metals. Synthetic anti-wear additive. Dissolves grease, displaces water. High refined lubricant oil, stops squeaks. VOC Compliant.

4612 15 OZ. 12 PER CASE

50 STATE
FORMULA

PENETRATING OIL

LUBRICANTS

A lubricant and penetrant with special additives that loosen rust and soak into subsurface areas. VOC compliant.

4602 10 OZ. 12 PER CASE

LUBRICANTS

HYDRAULIC JACK OIL

Formulated to perform at a wide range of temperatures. Contains anti-foam additives and rust inhibitors. Use in hydraulic jacks, refillable shock absorbers, and light to medium duty hydraulics. Mixes with other standard hydraulic jack oils.

5594 32 FL. OZ. 12 PER CASE

LUBRICANTS

2 CYCLE ENGINE OIL

Multi-purpose oil for all air cooled engines. Designed to reduce smoking, spark plug fouling and reduce deposits.

5593 8 FL. OZ. 24/CASE



5593

5594

EASY POUR FOR STANDARD AND
CAPLESS FUEL TANKS

FUEL INJECTOR & CARBURETOR CLEANER

FUEL ADDITIVES



4695

4695-6

4684

4684-8

Cleans fuel injectors and carburetors to help improve fuel economy and performance. Helps reduce exhaust emissions.

4695	12 FL. OZ.	12 PER CASE
*4695-6	6 FL. OZ.	12 PER CASE

*(CONCENTRATED)

FUEL INJECTOR CLEANER

FUEL ADDITIVES

Super concentrated formula to improve engine performance. Cleans fuel injectors, allows vehicles to start easier, idle smoother and accelerate without hesitation.

4684	12 FL. OZ.	12 PER CASE
*4684-8	6 FL. OZ.	12 PER CASE

*(CONCENTRATED)

FUEL ADDITIVES

GAS TREATMENT

Dissolves sludge that accumulates in the carburetor, intake valves, and manifold.

4679	12 FL. OZ.	12 PER CASE
4679-8*	6 FL. OZ.	12 PER CASE

*(CONCENTRATED)

FUEL ADDITIVES

OCTANE BOOSTER

Formulated to help stop knocking caused by low octane fuels.

4688	12 FL. OZ.	12 PER CASE
4688-8*	6 FL. OZ.	12 PER CASE

*(CONCENTRATED)

EASY POUR FOR STANDARD AND
CAPLESS FUEL TANKS



4679

4679-8

4688

4688-8

FUEL ADDITIVES

ETHANOL FUEL TREATMENT & STABILIZER

Super concentrated fuel additive formulated to counteract the harmful effects of Ethanol in fuel. It will stabilize fuel, prevent corrosion in the fuel system caused by ethanol, help to remove moisture to prevent phase separation and will clean injectors and other fuel system components.

4685-6*	6 FL. OZ.	12 PER CASE
---------	-----------	-------------

*(CONCENTRATED)

FUEL ADDITIVES

FUEL STABILIZER

Specially formulated to keep fuel fresh and clean during storage periods. It will aid in quick and easy starts after storage. Safe for use in all gasoline.

4690	16 FL. OZ.	12 PER CASE
------	------------	-------------



4685-6

4690

OIL ADDITIVES

HIGH VISCOSITY OIL TREATMENT

Improves Viscosity Index of oil in gasoline and diesel engines. Helps worn engines run smoother and quieter. Coats moving parts with a tough film that decreases friction and increases power.

4624 12 FL. OZ. 12 PER CASE

OIL ADDITIVES

ENGINE OIL STOP LEAK

Formulated oil additive designed to reduce or eliminate oil leaks from old worn out seals and gaskets that have shrunk due to temperature wear.

4625 12 FL. OZ. 12 PER CASE



4624



4625



4626



4628

SMOKE ELIMINATOR

OIL ADDITIVES

Formulated to help reduce exhaust smoke, quiet lifters, restore compression and improve performance in oil burning engines. Reduces oil consumption caused by blow-by in the combustion chamber.

4626 14.5 FL. OZ. 12 PER CASE

SMOKE ELIMINATOR WITH LEAK STOP

OIL ADDITIVES

Formulated to help reduce exhaust smoke, quiet lifters, restore compression and improve performance in oil burning engines. An additional oil additive is included to reduce or eliminate oil leaks from worn out seals and gaskets. Reduces oil consumption caused by blow-by in the combustion chamber.

4628 14.5 FL. OZ. 12 PER CASE

OIL ADDITIVES

ENGINE FLUSH

A premium crankcase cleaner. While some products are only a solvent, Johnsen's Engine Flush also contains a special residue solubilizer and high quality oil. Use prior to changing oil. Engine flushing provides better oil flow and helps maintain engine power.

4609* 12 FL. OZ. 12 PER CASE

4608 32 FL. OZ. 12 PER CASE

*(CONCENTRATED)



4609



4608



WINTER PRODUCTS

WINDSHIELD WASH + ANTIFREEZE

50 STATE
FORMULA

Cleans windshield and prevents freezing to 28°F. Formulated to meet VOC requirements in all 50 states.

2943	12 FL. OZ.	12 PER CASE
2940	1 GALLON	6 PER CASE



WINTER PRODUCTS

WINDSHIELD WASH SOLVENT

Cleans windshields for better visibility. Concentrated blend with ammonia. Streak and film free finish.

2941	6 FL. OZ.	24 PER CASE
------	-----------	-------------



2944

2942

WINDSHIELD WASH + ANTIFREEZE

WINTER PRODUCTS

Concentrated. Cleans windshield and prevents freezing to -58°F.

2942	12 FL. OZ.	12 PER CASE
2944	16 FL. OZ.	24 PER CASE

CONCENTRATE (FL OZ)	WATER (FL OZ)	FREEZING POINT (DEG F)	VOC (WEIGHT %)
8	12	-25°	35%
8	21	-4°	23.50%
2	160	33	1%

WINTER PRODUCTS

PREMIUM ISOPROPYL GAS LINE ANTIFREEZE

Recommended for fuel-injected vehicles. Isopropyl alcohol combines with fuel system moisture to form a combustible mixture and reduce the risk of ice formation.

2962	12 FL. OZ.	12 PER CASE
------	------------	-------------

WINTER PRODUCTS

GAS LINE ANTIFREEZE

Prevents frozen gas lines and carburetor icing. Aids in quick starting. Eliminates moisture in gasoline.

2952	12 FL. OZ.	12 PER CASE
------	------------	-------------



3282



2952

2962

DE-ICER

WINTER PRODUCTS

For frozen windshields, locks, and doors. Removes frost and ice from windshields, locks, doors, and mirrors.

3282	10 OZ.	12 PER CASE
------	--------	-------------

50% ether blend. Helps start stubborn engines fast in cold weather, saves batteries, contains upper cylinder lubricant. Performs to -65°F. Works great in passenger cars, diesel engines, lawn mowers, chain saws, outboard motors and fractional horse power engines. This diesel fuel additives complies with federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

6732 fits injector systems found in heavy duty engines.

6732	7.2 OZ.	12 PER CASE
6752	10.7 OZ.	12 PER CASE



6762



6732

6752

STARTING FLUID

WINTER PRODUCTS

Helps start stubborn engines fast in cold weather, saves batteries, contains upper cylinder lubricant. Performs to -65°F. Works great in passenger cars, diesel engines, lawn mowers, chain saws, outboard motors and fractional horse power engines. This diesel fuel additives complies with federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

6762	10.7 OZ.	12 PER CASE
------	----------	-------------

Everything you need in a diesel additive blend to clean injectors, disperse moisture, prevent sludge and freezing, lower pour point, prohibit rust and corrosion. Contains no harmful methanol. Regular use will help maintain clean injectors. Use year round for performance improvements in all seasons.

5000	12 FL. OZ.	12 PER CASE
------	------------	-------------



5100

5101



5000

AIR BRAKE ANTIFREEZE

WINTER PRODUCTS

Heavy duty blend that removes moisture and dissolves ice on contact. Provides year round air brake system protection.

5100	32 FL. OZ.	12 PER CASE
5101	1 GALLON	4 PER CASE





REFRIGERANTS

R-134A

For use in factory installed and/or retrofitted R-134a auto A/C systems. Comes standard with self-sealing valve. Meets AHRI 700-2006 and SAE J 2276 purity standards.

6312	12 OZ.	12 PER CASE
6315	12 OZ. (TEC CAN)	12 PER CASE
6330	30 LB. CYLINDER	ONE EACH
6335*	30 LB. CYLINDER	ONE EACH

*(MADE IN THE USA)



6335



6330



6312



6315

REFRIGERANTS

R-134A CA COMPLIANT

For use in factory installed and/or retrofitted R-134a auto A/C systems. Comes standard self-sealing valve. Meets AHRI 700-2006 and SAE J 2276 purity standards. Compliant for sale and use in California.

6344	12 OZ.	12 PER CASE
------	--------	-------------

REFRIGERANTS

HIGH MILEAGE R-134A

High mileage R-134a refrigerant. Extra protection for older cars. With leaks stop and lubricant.

6542	13 OZ.	12 PER CASE
------	--------	-------------



6344



6542

R-134A WITH UV DYE GLOW CHARGE

REFRIGERANTS

A fast and easy method to recharge an A/C system and detect leaks using UV dye. May be used in any vehicle that uses R-134a refrigerant, including systems that were originally equipped with R-134a and those that have been retrofitted from R-12 to R-134a.

6313	12 OZ.	12 PER CASE
*6614	12 OZ.	12 PER CASE
6331	30 LB. CYLINDER	ONE EACH

*(FOR CALIFORNIA)



6331



6613

1234yf refrigerant is a low GWP, zero ODP refrigerant which meets EU F-gas regulations. Thermally stable under extreme use conditions, similar operating conditions as R-134a. Comparable energy efficiency and capacity to R-134a.

8 OZ. CAN	6848	8 OZ.	4 PER CASE
10 LB. CYLINDER	6123	10 LB.	ONE EACH
BRASS DISPENSING VALVE	6849	CLAM SHELL	4 PER CASE

1234YF

REFRIGERANTS

ACCESSORIES

R-134a RECHARGE KIT

Designed for easy recharging of R-134a A/C systems using 12 OZ. cans. Contains dispensing valve, hose and low side quick coupler.

8323	BRASS	RETAIL PACKAGED	12 PER CASE
8325*	PLASTIC	RETAIL PACKAGED	12 PER CASE
8326*	BRASS	RETAIL PACKAGED	12 PER CASE

*(FOR SELF-SEALING VALVES)



8323



8325

ACCESSORIES

PROFESSIONAL DISPENSING VALVE

For use with R-134a 12 OZ. cans with self-sealing valves. Includes large handle for easy operation.

8939	RETAIL PACKAGED	12 PER CASE
------	-----------------	-------------



8939



8013



8015

EZ TAPPER*

ACCESSORIES

The unique design makes servicing A/C systems with 12 OZ. cans of refrigerant fast and easy. EZ Tappers include an adapter for 4 OZ. can of oil charge and #8015 includes an additional adapter and fitting for R-12 cans.

8013	R-134a	RETAIL PACKAGED	6/CASE
8015	R-12 & R-134a	RETAIL PACKAGED	6/CASE
90051	R-134a		1/CASE
90081	R-12 & R-134a		1/CASE

* (U.S. patent #6,041,0810 and #6,655,407)



REFRIGERANTS

R-134A WITH LEAK SEALER

R-134a with Leak Sealer helps to recharge a low R-134a A/C system and detect/seal most common A/C leak in o-rings or gaskets. For use in factory installed and/or retrofitted R-134a auto A/C systems. Comes with standard self-sealing valve.

6540 12 OZ. 12 PER CASE



6540



6407

FREEZE™ R-134A PLUS

REFRIGERANTS

Johnsen's FREEZE R-134a Plus products make it easy to add refrigerant, lubricant and a performance booster to any R-134a mobile A/C system. These uniquely blended products produce cold air fast by including R-134a refrigerant, a premium synthetic A/C lubricant/conditioner and a leak sealer. Complete A/C recharging just got easier!

6407 18 OZ. W/ PREMIUM CHARGING HOSE 6 PER CASE

REFRIGERANTS

FREEZE™ R-134A PLUS

Johnsen's FREEZE R-134a Plus products make it easy to add refrigerant, lubricant and a performance booster to any R-134a mobile A/C system. These uniquely blended products produce cold air fast by including R-134a refrigerant, a premium synthetic A/C lubricant/conditioner and a leak sealer. Complete A/C recharging just got easier!

6400 12 OZ. 12 PER CASE
6401 14 OZ. W/ CHARGING HOSE 12 PER CASE
6402 (2) 14 OZ. W/ CHARGING HOSE 6 PER CASE



6400

6401

A/C QUICK CHARGE KIT

REFRIGERANTS

Quick charge for today's A/C systems. Restore A/C system performance to like new by replacing lost refrigerant and lubricant.

6434 3 OZ. 6 PER CASE

MAXI CHARGE

REFRIGERANTS

R-134a refrigerant with a performance booster, leak sealer, and conditioner. Good for all R-134a A/C systems.

6574 14 OZ. 12 PER CASE

LEAK STOP

REFRIGERANTS

Helps to seal and detect most common A/C leaks in R-134a systems. For use in factory installed and/or retrofitted R-134a auto A/C systems.

Comes with standard ACME threaded cap.

6564 3 OZ. 12 PER CASE



6574

6564

6434



Premium R-134a refrigerant plus A/C performance boosters. Includes trigger and high pressure gauge assembly with wireless AccuFill® technology. Synthetic A/C lubricant, conditioner and leak sealer. AccuFill® is the most advanced A/C recharge system that allows instant, wireless reading of the A/C's output temperature using RFID technology. Prevent overfilling with a more accurate and reliable read than traditional wired A/C recharge systems. No additional tools or accessories needed. Includes new self-sealing valve to ensure safe storage of remaining refrigerant for future use.

EZF-2 18 OZ. 6 PER CASE



* (AccuFill® US Patent No. US 9,981,637 B2. Additional patents pending.)



EZF-1




EZF-2

EZ FREEZE

REFRIGERANTS

R-134a refrigerant plus A/C performance boosters. Synthetic A/C lubricant and conditioner. Seals leaks. No Tools needed! Includes trigger and high pressure gauge assembly.

EZF-1 20 OZ. 6 PER CASE





A/C LUBRICANTS

ESTER LUBRICANTS

A synthetic polyolester (POE) lubricant formulated with a proprietary additive package. Its unique chemistry allows it to be used in R-12 or R-134a A/C systems.

6808-6	8 FL. OZ.	6 PER CASE
6708-6	12 FL. OZ.	6 PER CASE
6710-6	32 FL. OZ.	6 PER CASE
6711	1 GALLON	4 PER CASE



ESTER LUBRICANT WITH UV DYE

A/C LUBRICANTS

A premium synthetic polyolester (POE) lubricant formulated with a proprietary additive package and SAE-approved UV dye for fast and efficient A/C leak detection.

6710UV-6	32 FL. OZ.	6 PER CASE
----------	------------	------------

1234YF PAG

A/C LUBRICANTS

Synthetic Low viscosity PAG lubricant for 1234yf Auto A/C systems. Specifically formulated for optimum performance in 1234yf A/C systems.

6846	8 FL. OZ.	6 PER CASE
------	-----------	------------

A/C LUBRICANTS

PAG LUBRICANTS

Premium polyalkylene glycol (PAG) in three viscosity grades for R-134a systems, provides superior protection against compressor wear and prevents lubricant breakdown even under extreme conditions.

6812-6	ISO 46	8 FL. OZ.	6 PER CASE
6813-6	ISO 46	32 FL. OZ.	6 PER CASE
6814	ISO 46	1 GALLON	4 PER CASE
6816-6	ISO 100	8 FL. OZ.	6 PER CASE
6817-6	ISO 100	32 FL. OZ.	6 PER CASE
6818	ISO 100	1 GALLON	4 PER CASE
6822-6	ISO 150	8 FL. OZ.	6 PER CASE
6823-6	ISO 150	32 FL. OZ.	6 PER CASE
6824	ISO 150	1 GALLON	4 PER CASE



PAG LUBRICANTS WITH UV DYE

A/C LUBRICANTS

Three different viscosity grades of premium polyalkylene glycol (PAG) lubricants formulated for R-134a A/C systems. An SAE-approved UV dye is included to make A/C leak detection fast and efficient.

6812UV-6	ISO 46	8 FL. OZ.	6 PER CASE
6813UV-6	ISO 46	32 FL. OZ.	6 PER CASE
6816UV-6	ISO 100	8 FL. OZ.	6 PER CASE
6817UV-6	ISO 100	32 FL. OZ.	6 PER CASE
6822UV-6	ISO 150	8 FL. OZ.	6 PER CASE
6823UV-6	ISO 150	32 FL. OZ.	6 PER CASE



6830

6913

6912-6

MINERAL LUBRICANTS

A/C LUBRICANTS

A premium mineral lubricant made specifically for R-12 A/C systems.

6912-6	32 FL. OZ.	6 PER CASE
6913	1 GALLON	4 PER CASE

HYBRID ELECTRIC

A/C LUBRICANTS

A premium synthetic lubricant designed specifically for electrically-driven R-134a compressors on hybrid vehicles.

6830	8 FL. OZ.	2 CANS PER CASE
------	-----------	-----------------

A/C LUBRICANTS

VACUUM PUMP OIL

Johnsen's vacuum pump oil improves cold start performance, maintains maximum viscosity at high operating temperatures and promotes internal sealing for good vacuum. It also absorbs unwanted vapors from evacuated units. *Not Pictured

6915	12 FL. OZ.	12 PER CASE
------	------------	-------------

A/C TREATMENTS

ESTER OIL CHARGE

Ester oil charge contains a universal Ester oil for use in all retrofitted R-134a auto A/C systems.

6725	3 OZ.	12 PER CASE
------	-------	-------------

A/C TREATMENTS

PAG OIL CHARGE

PAG oil charge contains a universal PAG oil for use in all R-134a auto A/C systems.

6425	3 OZ.	12 PER CASE
------	-------	-------------



6725

6425



6645-6

6544

A/C FLUSH

A/C TREATMENTS

A/C Flush is a fast and effective way to remove debris and sludge from A/C systems. Use with standard flush gun and shop air. A/C Flush is compatible with R12, R-134a, mineral, ester and PAG oils.

6544	1 GALLON	4 PER CASE
------	----------	------------

COMPLETE A/C FLUSH

A/C TREATMENTS

Non-flammable and non-ozone depleting replacement for R-141b. Strong cleaning action. Evaporates quickly. Safe for machines. Strong cleaning action, removes mineral oil, residue refrigerant and contaminants.

6645-6	32 FL. OZ.	6 PER CASE
--------	------------	------------



INTERIOR PRODUCTS

CARPET STAIN & SPOT LIFTER

50 STATE FORMULA

Instant – No vacuuming. Works when others fail. Lifts coffee, grease, pet stains & dozens more. VOC compliant.

900-06 22 OZ. AEROSOL 6 PER CASE

INTERIOR PRODUCTS

INTERIOR DETAILER

Cleans and protects interior surfaces. Repels dust.

841-06 16 FL. OZ. SPRAY 6 PER CASE



NA250



910-06R



841-06

900-06

50 STATE FORMULA

FOAMING GLASS CLEANER

INTERIOR PRODUCTS

Streak free formula. Safe for tinted windows. 100% ammonia free. VOC Compliant.

910-06R 19 OZ. 6 PER CASE

GLASS WIPES

INTERIOR PRODUCTS

Streak free formula. Safe for tinted windows. 100% ammonia free.

NA250 25 CT 6 PER CASE

HEAVY FOAM UPHOLSTERY CLEANER

INTERIOR PRODUCTS

Cleaner with Stain Guard. Removes stubborn stains. Cleans & brightens upholstery. Prevents spills from penetrating. VOC Compliant.

914-06 22 OZ. 6 PER CASE



914-06



909-06



912-06

MULTI-PURPOSE CLEANER

INTERIOR PRODUCTS

Great for high traffic areas, including on carpet & upholstery. Foaming & deep cleaning. VOC Compliant.

909-06 22 OZ. 6 PER CASE

HEAVY FOAM CARPET CLEANER

INTERIOR PRODUCTS

Cleaner with Stain Guard. Penetrates deep into fibers and lifts out tough stains. Seals carpet against spills. VOC Compliant.

912-06 22 OZ. 6 PER CASE

LEATHER & VINYL CLEANER

LEATHER PRODUCTS

Lifts ground-in dirt and removes stains. Unique pH balance safely cleans all leather and vinyl surfaces. For use on auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

800-06

16 FL. OZ.

6 PER CASE



800-06

850-06

LEATHER CREAM CONDITIONER

LEATHER PRODUCTS

Restores leather & vinyl. Prevents cracking, moisturizes and softens. Contains a natural sunblock to help prevent fading and cracking. Keeps leather and vinyl soft and supple. Great for cars, trucks, furniture, saddlery, luggage, apparel, boots, and more.

850-06

16 FL. OZ.

6 PER CASE

LEATHER PRODUCTS

LEATHER CLEANER & CONDITIONER

Deep cleans, conditions, and protects auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

855-06

8 FL. OZ.

6 PER CASE

LEATHER PRODUCTS

LEATHER CARE GEL

Deep cleans, conditions, and protects. Advanced gel formula. Superior UV inhibitors and protection. Rich, new leather scent. For use on auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

860-06

23 FL. OZ.

6 PER CASE



855-06



860-06

TOWELETTES

VINYL 'N MORE CLEANER

Ready-to-use towelette. Deep cleans. Safe for all leather and vinyl surfaces.

NA116 24 PER CASE NA1116 100 PER CASE

TOWELETTES

VINYL 'N MORE PROTECTANT

Ready-to-use towelette. Restores, preserves, and moisturizes. Safe for all leather & vinyl surfaces.

NA115 24 PER CASE NA1115 100 PER CASE



NA118



NA117

TOWELETTES

NEVER FOG

Ready-to-use towelette. Prevents interior glass & mirrors from fogging.

NA128 24 PER CASE NA1128 100 PER CASE

TOWELETTES

GLASS CLEANER

Ready-to-use towelette. Keep in your car, truck, boat or RV to keep windows & mirrors sparkling clean & clear.

NA110 24 PER CASE NA1110 100 PER CASE



NA119



NA127



NA116



NA115

JUST FOR LEATHER CLEANER

TOWELETTES

Ready-to-use towelette. Deep cleans all leather. Safe for all leather and vinyl surfaces.

NA118 24 PER CASE NA1118 100 PER CASE

LEATHER CONDITIONER

TOWELETTES

Ready-to-use towelette. Restores, preserves, and moisturizes. Safe for all leather & vinyl surfaces.

NA117 24 PER CASE NA1117 100 PER CASE



NA128



NA110

BUG & TAR REMOVER

TOWELETTES

Ready-to-use towelette. Safe for all finishes. Quickly removes tar & bugs.

NA119 24 PER CASE NA1119 100 PER CASE

BLACK JACK™ TIRE SHINE SPONGE

TOWELETTES

Easy to use sponge. Makes tires & trim look like new.

NA127 24 PER CASE NA1127 100 PER CASE

AUTOMOTIVE

CONVERTIBLE TOP CLEANER & PROTECTANT

Cleans, brightens, and protects. Great for convertible tops, vinyl tops, and canvas. Great for boat curtains and truck bed covers.

707-06 16 FL. OZ. 6 PER CASE

AUTOMOTIVE

PLASTIC/PLEXI CLEANER & POLISH

Cleans and protects. Removes scratches & hazing. Restores optical clarity.

750-06 8 OZ. BOTTLE 6 PER CASE



707-06



750-06



680-06



685-06

50 STATE FORMULA

SUPREME TIRE SHINE AEROSOL

AUTOMOTIVE

Instant high gloss shine. Long lasting, fast drying, no sling. VOC Compliant.

680-06 15 OZ. 6 PER CASE

SUPREME TIRE SHINE SPRAY

AUTOMOTIVE

Instant high gloss shine. Long lasting. Premium silicone formula.

685-06 23 FL. OZ. 6 PER CASE

AUTOMOTIVE

SUPER WHEEL CLEANER

Super strength. Safe for all wheels and tires. Dissolves grease, grime, and brake dust.

778-06 32 OZ. 6 PER CASE

AUTOMOTIVE

BLACK JACK® BLACK AGAIN

Cleans, renews, protects all color exterior trim.

NA647 8 FL. OZ. 6 PER CASE



NA647



778-06



725-06



875-06

BUG & TAR REMOVER

AUTOMOTIVE

Special gel formula safely removes road tar, bugs, bird droppings and tree sap. Thick gel will not run.

875-06 8 FL. OZ. BOTTLE 6 PER CASE

HEADLIGHT LENS RESTORER

AUTOMOTIVE

Removes yellowing. Restores optical clarity. Eliminates haze. Improves visibility & safety.

725-06 8 FL. OZ. 6 PER CASE

METAL POLISH

METAL POLISH CREAM

For all metal surfaces. Non-abrasive. Great on brass, copper, sterling silver, aluminum, stainless steel, or gold. Removes tarnish & oxidation. Can be used with buffers and polishers. Provides lasting protective coating.

400-06	7 OZ. JAR	6 PER CASE
500-06	19.38 OZ. JAR	6 PER CASE
550-02	4.5 LB. JAR	2 PER CASE
550-06	4.5 LB. JAR	6 PER CASE



500-06



400-06



550

METAL POLISH

METAL POLISH CREAM

Convenient retail packaging. For all metal surfaces. Non-abrasive. Great on brass, copper, sterling silver, aluminum, stainless steel, or gold. Removes tarnish & oxidation. Can be used with buffers and polishers. Provides lasting protective coating.

300-12	3.5 OZ. TUBE	BLISTER CARD	12 PER CASE
100-12	3.5 OZ TUBE	12 CT DISPLAY	12 PER CASE



100-12



300

LIQUID METAL POLISH

METAL POLISH

For all metal surfaces, chrome, or alloy wheels.
Great on brass, copper, sterling silver, aluminum, stainless steel or gold. Non-abrasive. Also recommended for plastic and fiberglass.

Leaves a sealant that bonds to the surface.

200-06

8 FL OZ. BOTTLE

6 PER CASE



200-06

METAL POLISH

QUICK SHINE METAL POLISH

For all metal surfaces, chrome, or alloy wheels. Spray on. Buff off.
Instantly renews shine. Removes tarnish & oxidation.

230-06

10 OZ. AEROSOL

6 PER CASE



230-06

METAL POLISH



REPAIR

BRUSH-ON® ELECTRICAL TAPE

Use anywhere a dependable weatherproof connection is required. Great for hard to tape places. Quick drying formula.

BOT55TRI	4 FL. OZ.	BLACK	12 PER CASE
BOT58TRI	4 FL. OZ.	RED	12 PER CASE
BOT59TRI	4 FL. OZ.	WHITE	12 PER CASE



BOT58TRI



BOT59TRI



BOT55TRI



1116-24

1008-24

REPAIR

TR-3® RESIN GLAZE POLISH

World's best selling resin glaze. Restores old, faded, and oxidized finishes to new in one easy application. Cleans, shines, protects. Can be used with buffers and polishers.

12A-6	16 FL. OZ.	6/CASE
-------	------------	--------

REPAIR

INVISIBLE GLOVE®

Protects hands from grease, oil, dirt, paint, chemicals, and inks. Thin film protects pores, cracks, and fingernails. Non-greasy – Improves grip on tools. Easy clean up with just soap and water. Contains no harsh or dangerous chemicals.

5215-12	5 OZ.	12/CASE
---------	-------	---------

SEAL-UP® LIQUID GLASS

REPAIR

Permanent cooling system sealer. Liquid glass and copper formula. Forms permanent copper-ceramic seal. Seal withstands up to 2000°F/1093°C and 3000 PSI. 11.4 OZ. bottle is for use in systems up to 6 gallons. 22.8 OZ. bottle is for use in systems up to 12 gallons.

1008-24	11.4 OZ.	24/CASE
---------	----------	---------

1116-24	22.8 OZ.	24/CASE
---------	----------	---------



12A-6



5215-12

TURBO 108®

OCTANE BOOST

Increases octane level and “anti-knock” effectiveness.

NA30	16 FL. OZ.	12 PER CASE
NA31	32 FL. OZ.	12 PER CASE



NA35

NA37



NA31

NA30

RACING FUEL

TURBO 108®

Increases octane by 7 points. Contains MMT, the most effective octane booster known. For off-road and racing use only.

NA35	16 FL. OZ.	6 PER CASE
NA37	32 FL. OZ.	12 PER CASE

TURBO 108®

8 IN 1 DIESEL POWERCLEAN



NA301

NA302

Complete diesel performance additive addresses eight key areas to improve fuel and fuel system.

NA302	32 FL. OZ.	6/CASE
NA301	1 GAL.	4/CASE

TURBO 108®

FUEL INJECTOR CLEANER

Specially formulated to provide maximum engine performance in F/I gasoline engines. Unclogs dirty injectors. Eliminates hard starting and poor acceleration.



NA32

NA32	16 FL. OZ.	12/CASE
------	------------	---------

TURBO 108®

TURBO ENHANCER

Formulated to improve performance. Restores engine performance, lost power and acceleration. Helps reduce hesitation and rough idle.

NA33-06	16 FL. OZ.	6 PER CASE
---------	------------	------------

TURBO 108®

MEGA MILEAGE IMPROVER

Specially formulated to improve fuel economy by up to 5.7%. Treats up to 18 gallons of gasoline.

NA34-06	16 FL. OZ.	6 PER CASE
---------	------------	------------

TURBO 108®

EMISSIONS REDUCER

Formulated to help reduce Hydrocarbon and Carbon Monoxide emissions. Helps clean fuel injectors, intake valves, and combustion chambers, prior to emissions testing.

NA43-06	16 FL. OZ.	6 PER CASE
---------	------------	------------



NA33-06

NA34-06

NA43-06

QUIKSTEEL®

EPOXY PUTTY



16002TRI

16001

- Withstands up to 500°F/260°C temperature
- Can be drilled, tapped, filed, machined, sanded, & painted
- Bonds to all metals, fiberglass, plastics, glass wood, ceramics, brick – almost anything except rubber
- Sets in 5 minutes, steel hard in 15 minutes, full cure in 1 hour

METAL REPAIR

QUIKSTEEL®

16001	GRAY	1.75 OZ. SINGLES	48 PER CASE
16002TRI	GRAY	2 OZ. PUTTY	48 PER CASE

QUIKSTEEL®

XTREME HEAT

16562TRI	GRAY	2 OZ. PUTTY	48/CASE
----------	------	-------------	---------

QUIKSTEEL®

FUEL TANK REPAIR

16552TRI	GRAY	2 OZ. PUTTY	48/CASE
----------	------	-------------	---------

QUIKSTEEL®

PLASTIC REPAIR

16502TRI	WHITE	2 OZ. PUTTY	48/CASE
----------	-------	-------------	---------

QUIKSTEEL®

AQUASTEEL®

16532TRI	WHITE	2 OZ. PUTTY	48/CASE
----------	-------	-------------	---------



16562TRI



16552TRI



16532TRI



16502TRI

QUIKSTEEL®

EPOXY PASTE



17002TRI

17502TRI

METAL REPAIR

QUIKSTEEL®

17002TRI	GRAY	2 OZ. PASTE	48 PER CASE
----------	------	-------------	-------------

PLASTIC REPAIR

QUIKSTEEL®

17502TRI	WHITE	2 OZ. PASTE	48 PER CASE
----------	-------	-------------	-------------

- Withstands up to 500°F/260°C temperature
- Sets in 5 minutes, steel hard in 15 minutes, full cure in 1 hour
- Can be drilled, tapped, filed, machined, sanded, & painted
- Bonds to all metals, fiberglass, plastics, glass, wood, ceramics, brick – almost anything except rubber

QUIKSTEEL®

TANK REPAIR KITS



6022KTRI



6522KTRI

- Includes everything needed to repair larger leaks in tanks or housings
- Impervious to gasoline, diesel fuel, oil, automotive fluids, water, coolant, and solvents
- Can be drilled, tapped, filed, machined, sanded & painted

METAL TANK REPAIR

QUIKSTEEL®

6022KTRI GRAY 2 OZ. KIT 48 PER CASE

PLASTIC TANK REPAIR

QUIKSTEEL®

6522KTRI WHITE 2 OZ. KIT 48 PER CASE

THERMOSTEEL HIGH TEMPERATURE METAL REPAIR

QUIKSTEEL®

- High temperature metal repair withstands up to 2400°F/1300°C
- Welds holes and cracks in iron and steel. Works great on exhaust manifolds, catalytic converters, crossovers, mufflers, exhaust pipes, home, office, farm and industrial furnace, fire boxes, heat exchange, and much more
- Can be drilled, tapped, filed, machined, sanded and painted
- Thermosteel repair kit (18022ktri) contains everything needed for larger repairs

18003TRI 3 OZ. 48 PER CASE

18022KTRI 2 OZ. KIT 48 PER CASE



18003TRI



18022KTRI

QUIKSTEEL®

ACRYLIC & COUNTER DISPLAYS



6002ADTRI



6502ADTRI



6002TRI



6502TRI

METAL REPAIR

QUIKSTEEL®

6002TRI GRAY 2 OZ. PUTTY COUNTER DISPLAY 96/CASE

6002ADTRI GRAY 2.OZ. PUTTY ACRYLIC DISPLAY 96/CASE

6004TRI GRAY 4 OZ. PUTTY COUNTER DISPLAY 48/CASE

PLASTIC REPAIR

QUIKSTEEL®

6502TRI WHITE 2 OZ. PUTTY COUNTER DISPLAY 96/CASE

6502ADTRI WHITE 2 OZ. PUTTY ACRYLIC DISPLAY 96/CASE

PURE CITRUS®

AIR FRESHENERS

All natural non-aerosol air freshener. The strongest and most effective odor eliminator available. No man-made chemicals, heavy perfumes, or artificial ingredients.

NA228-6	4 OZ.	ORANGE	6/CASE
NA229-6	4 OZ.	CITRUS BLEND	6/CASE
NA230-6	4 OZ.	LEMON	6/CASE



NA228-6



NA229-6



NA230-6



NA93-6



NA90-6



NA91-6



NA92-6

ODOR REMOVERS

PURE CITRUS®

Eliminates odors for 30 days. Perfect for vehicles or anywhere in the home or office.

NA90-6	8 OZ.	ORANGE	6/CASE
NA91-6	8 OZ.	CITRUS BLEND	6/CASE
NA92-6	8 OZ.	LEMON	6/CASE
NA93-6	8 OZ.	FRESH LINEN	6/CASE

PURE CITRUS®

ORANGE CLEANER

All natural – All purpose cleaner. Cleans everything inside and outside your home and office. Citrus powered for deep cleaning. Pleasant orange scent.

NA200	32 FL. OZ. SPRAY	6 PER CASE
-------	------------------	------------



NA200

Heavy-duty foam clings to vertical surfaces. Sprays in any position. Streak free formula, guaranteed to leave no film. Great on windshields, mirrors, chrome, windows, glass, tile, granite, stone, glass stove tops, porcelain and more. Safe for use on plastics, plexiglass, carbon fiber, fiberglass and other non-porous surfaces. Ammonia free.

SPX19GC

19 OZ.

12 PER CASE



PROFESSIONAL STRENGTH FORMULA

Our superior, streak free glass cleaner uses clinging foam to break up grime and hold it - even on vertical surfaces. There's no dripping, no running and no streaking. Our proprietary industrial strength formula cleans thoroughly, dries quickly, requires no rinsing and leaves a pleasant, fresh scent.



MULTI-PURPOSE CLEANING SOLUTION

Spray-X® is a multi-purpose solution for residential, commercial, and automotive cleaning. Our non-ammoniated, alcohol-based formula contains less water and more cleaning power than our leading competitors. Safe for use on auto tint, plastics, chrome, mirrors and other nonporous materials.



PREMIUM PACKAGING AND DESIGN

Spray-X® Foaming Glass Cleaner utilizes a two-piece steel can, anti-fatigue finger pad and fast-action 360° valve. Spray in any direction, even upside down! Our packaging is not only designed for ease of use, but is also 100% recyclable and offers more cleaning coverage than a trigger glass cleaner.



SPX19GC


It's Pro Time!®



SPRAY-X®

VOC LIMITS OF BRAKE AND CARB CLEANERS BY STATE

EFFECTIVE JANUARY 2023



* Virginia restrictions include the following counties and independent cities:

Alexandria City, Arlington County, Botetourt County, Charles City County, Chesapeake City, Chesterfield County, Colonial Heights City, Fairfax City, Fairfax County, Falls Church City, Frederick County, Fredericksburg City, Gloucester County, Hampton City, Hanover County, Henrico County, Hopewell City, Isle of Wight County, James City County, Loudoun County, Manassas City, Manassas Park City, Newport News City, Norfolk City, Petersburg City, Poquoson City, Prince George County, Prince William County, Richmond City, Roanoke City, Roanoke County, Salem City, Spotsylvania County, Stafford County, Suffolk City, Virginia Beach City, Williamsburg City, Winchester City, York County

THIS INFOGRAPHIC IS FOR REFERENCE AND INFORMATIONAL PURPOSES ONLY.
CONTACT YOUR CSR FOR MOST CURRENT REGULATIONS AND PRODUCT REFERRAL.

V1.07.07.22

Safety Data Sheets (SDS) available online at
TECHNICALCHEMICAL.COM or contact your representative.

TECHNICAL CHEMICAL COMPANY
3327 Pipeline Road, Cleburne, TX 76033
800.598.6582 | 817.645.6088

