


MATERIAL SAFETY DATA SHEET

Turpentine

Page: 1



Printed: 10/14/2009
Revision: 11/13/2008
Supersedes Revision: 06/05/2008
Date Created: 06/05/2008

1. Product and Company Identification

Product Code: 1683.1
Product Name: Turpentine
Manufacturer Information
Company Name: W. M. Barr
2105 Channel Avenue
Memphis, TN 38113
Phone Number: (901)775-0100
Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346
Information: W.M. Barr Customer Service (800)398-3892
Web site address: www.wmbarr.com
Preparer Name: W.M. Barr EHS Dept (901)775-0100
Synonyms
QGT69, QGT69L

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration	OSHA PEL	ACGIH TLV
1. Turpentine {Gumspirits; Supfate wood turpentine}	8006-64-2	100.0 %	100 ppm	20 ppm

3. Hazards Identification

Emergency Overview

Danger! Flammable. Harmful or fatal if swallowed. Skin and Eye Irritant. Vapor Harmful.

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic)

INHALATION ACUTE EXPOSURE EFFECTS:

May cause dizziness, headache, watering of the eyes, irritation of the respiratory tract, nausea, depression of the central nervous system, and serious irritation to the kidneys. Severe overexposure may cause unconsciousness.

SKIN CONTACT ACUTE EXPOSURE EFFECTS:

This material is a skin irritant.

EYE CONTACT ACUTE EXPOSURE EFFECTS:

This material is a severe eye irritant.

INGESTION ACUTE EXPOSURE EFFECTS:

Harmful or fatal if swallowed. May cause nausea, vomiting, gastrointestinal irritation, and diarrhea.

CHRONIC EXPOSURE EFFECTS:

Reports have associated repeated and prolonged overexposure to solvents with neurological and other physiological damage. May cause jaundice, bone marrow damage, liver damage, anemia, nausea, skin irritation, headache, dizziness, some loss of memory, heart palpitations, and kidney damage, central nervous system damage, mental confusion, convulsions, coma, and death.

Signs and Symptoms Of Exposure

See Potential Health Effects.

Medical Conditions Generally Aggravated By Exposure

None known.

4. First Aid Measures

Emergency and First Aid Procedures

INHALATION:

If user experiences breathing difficulty, move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

SKIN CONTACT:

Wash with soap and water. If irritation persists, get medical attention.

EYE CONTACT:

Flush eyes with water for at least 15 minutes. Get immediate medical attention.

INGESTION:

Do not induce vomiting. Immediately call your poison control center, hospital emergency room, or physician immediately for instructions. Drink large quantities of water to dilute substance. Never give anything by mouth to an unconscious person.

5. Fire Fighting Measures

Flammability Classification:

IC

Flash Pt:

97.00 F Method Used: TAG Closed Cup

Explosive Limits:

LEL: No data.

UEL: No data.

Fire Fighting Instructions

Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame.

Flammable Properties and Hazards

Danger! Flammable! Keep away from heat, sparks, flame, and all other sources of ignition. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and all other sources of ignition during use and until all vapors are gone. Beware of static electricity that may be generated by synthetic clothing and other sources.

Material floats on water.

Excessive temperatures and/or contact with air may cause decomposition or oxidation.

Hazardous Combustion Products

Carbon monoxide and carbon dioxide.

Extinguishing Media

Use carbon dioxide, dry powder, or foam.

Unsuitable Extinguishing Media

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled

Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Shut off ignition sources; keep flares, smoking or flames out of hazard area.

Small Spills: take up liquid with sand, earth or other noncombustible absorbent material and place in a plastic container where applicable.

Large Spills: dike far ahead of spill for later disposal.

7. Handling and Storage

Precautions To Be Taken in Handling

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in Storing

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

8. Exposure Controls/Personal Protection

Respiratory Equipment (Specify Type)

For occasional consumer use - Use with adequate ventilation to prevent a build-up of vapors in confined areas. Open windows or position fans to provide cross ventilation. If a mild to strong odor is noticeable, ventilation is not adequate.

For OSHA controlled workplace and other regular users - Use only with adequate ventilation under engineered air control systems designed to prevent exceeding appropriate TLVs.

For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirators. A dust mask does not provide protection against vapors.

Eye Protection

Safety glasses, chemical goggles, or face shields are recommended to safeguard against potential eye contact, irritation, or injury. Contact lenses should not be worn while working with chemicals.

Protective Gloves

Wear impermeable gloves. Gloves contaminated with product should be discarded.

Other Protective Clothing

Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.

Engineering Controls (Ventilation etc.)

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately and move to fresh air.

Work/Hygienic/Maintenance Practices

Wash hands thoroughly after use and before eating, drinking, or smoking.

Clothing that becomes soiled with product should be removed as soon as possible and laundered separately.

A source of clean water should be available in the work area for flushing of eyes and skin.

MATERIAL SAFETY DATA SHEET

Turpentine

Page: 4

Printed: 10/14/2009

Revision: 11/13/2008

Supercedes Revision: 06/05/2008

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid
Melting Point: No data.
Boiling Point: 315.00 F - 338.00 F
Autoignition Pt: No data.
Flash Pt: 97.00 F Method Used: TAG Closed Cup
Explosive Limits: LEL: No data. UEL: No data.
Specific Gravity (Water = 1): 0.86 at 25.0 C
Density: 7.189 LB/GL at 75.0 F
Bulk density: No data.
Vapor Pressure (vs. Air or mm Hg): <=4 MM HG at 20.0 C
Vapor Density (vs. Air = 1): > 1
Evaporation Rate (vs Butyl Acetate=1): < 1
Solubility in Water: No data.
Solubility Notes
less than 0.1% -- Floats on water.
Percent Volatile: 100.0 %
Heat Value: No data.
Particle Size: No data.
Corrosion Rate: No data.
pH: No data.

Appearance and Odor

Colorless.
Typical pine terpene.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability
No data available.
Incompatibility - Materials To Avoid
Incompatible with strong oxidizing agents, strong bases, and strong acids
Hazardous Decomposition Or Byproducts
carbon monoxide and carbon dioxide
Hazardous Polymerization: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Polymerization
No data available.

11. Toxicological Information

No data available.

Carcinogenicity/Other Information

No data available.

Hazardous Components (Chemical Name)	CAS #	NTP	IARC	ACGIH	OSHA
1. Turpentine {Gumspirits; Supfate wood turpentine}	8006-64-2	n.a.	n.a.	A4	n.a.

MATERIAL SAFETY DATA SHEET

Turpentine

Page: 5

Printed: 10/14/2009

Revision: 11/13/2008

Supersedes Revision: 06/05/2008

12. Ecological Information

Related chemicals are known to be biodegradable and non-accumulating in the environment.

13. Disposal Considerations

Waste Disposal Method

Dispose in accordance with applicable local, state, and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name

UN1299, Turpentine, 3, PGIII, LTD. QTY.

Additional Transport Information

For D.O.T. information, contact W.M. Barr Technical Services at 1-800-398-3892.

The supplier may apply one of the following exceptions: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)

1. Turpentine {Gumspirits; Supfate wood turpentine}

CAS

8006-64-2

Sec.302 (EHS)

No

Sec.304 RQ

No

Sec.313 (TRI)

No

Sec.110

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)

1. Turpentine {Gumspirits; Supfate wood turpentine}

CAS

8006-64-2

EPA CAA

No

EPA CWA NPDES

EPA TSCA

Inventory

CA PROP 65

SARA (Superfund Amendments and Reauthorization Act of 1986) Lists:

Sec.302:

EPA SARA Title III Section 302 Extremely Hazardous Chemical with TPQ. * indicates 10000 LB TPQ if not volatile.

Sec.304:

EPA SARA Title III Section 304: CERCLA Reportable + Sec.302 with Reportable Quantity. ** indicates statutory RQ.

Sec.313:

EPA SARA Title III Section 313 Toxic Release Inventory. Note: -Cat indicates a member of a chemical category.

Sec.110:

EPA SARA 110 Superfund Site Priority Contaminant List

TSCA (Toxic Substances Control Act) Lists:

Inventory:

Chemical Listed in the TSCA Inventory.

5A(2):

Chemical Subject to Significant New Rules (SNURS)

6A:

Commercial Chemical Control Rules

8A:

Toxic Substances Subject To Information Rules on Production

8A CAIR:

Comprehensive Assessment Information Rules - (CAIR)

8A PAIR:

Preliminary Assessment Information Rules - (PAIR)

8C:

Records of Allegations of Significant Adverse Reactions

8D:

Health and Safety Data Reporting Rules

8D TERM:

Health and Safety Data Reporting Rule Terminations

12(b):

Notice of Export

Other Important Lists:

CWA NPDES:

EPA Clean Water Act NPDES Permit Chemical

MATERIAL SAFETY DATA SHEET

Turpentine

Page: 6

Printed: 10/14/2009

Revision: 11/13/2008

Supersedes Revision: 06/05/2008

CAA HAP: EPA Clean Air Act Hazardous Air Pollutant
CAA ODC: EPA Clean Air Act Ozone Depleting Chemical (1=CFC, 2=HCFC)
CA PROP 65: California Proposition 65

International Regulatory Lists:

EPA Hazard Categories:

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

- Yes No Acute (immediate) Health Hazard
- Yes No Chronic (delayed) Health Hazard
- Yes No Fire Hazard
- Yes No Sudden Release of Pressure Hazard
- Yes No Reactive Hazard

16. Other Information

Company Policy or Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.