



**OUTDOOR BUILDING  
SOLUTIONS®**

# SO MUCH MORE THAN A SHED







## Pioneers in Innovation


LP Building Products, one of the world's largest producers of oriented strand board (OSB) panels, was founded in 1973. It's a company that has pioneered innovations like the treated engineered wood used in LP® SmartSide® Trim and Siding.

LP proudly offers a complete line of products to help you manufacture better outdoor structures with outstanding durability, value, beauty and flexibility for your business.

# How Treated Engineered Wood Trim And Siding Are Made


## Treated Engineered Wood Strand

LP incorporates continuous quality control and testing measures during the manufacturing process.



# Treated Engineered Wood Fiber

LP incorporates continuous quality control and testing measures during the manufacturing process.







## Treated to the Core with the SmartGuard® Process

Every LP® SmartSide® product is manufactured with our proprietary SmartGuard process to help resist damage from harsh environments, fungal decay and termites.

### Four Components of Protection




#### Waxes

Special water-resistant waxes coat each strand or fiber of wood for enhanced durability in rainy, humid environments

#### Resin-Saturated Overlay

Resin-saturated overlay resists moisture intrusion while providing a durable base for quality paint adhesion and beauty



#### Zinc Borate

Effectively resists damage from termites and fungal decay for decades, helping to preserve the integrity of LP SmartSide Trim and Siding. Zinc borates have been used safely for decades in common household items such as paper, carpet and paint

#### Advanced Binders

Provide strength to help resist impact damage from everyday airborne debris such as sticks and golf balls







## Tested to the Extreme in Hilo, Hawaii Since 1996

LP SmartSide products have proven their toughness after 20 years of being subjected to the harsh tropical environment.

Intense Humidity

---

170" Annual Rainfall

---

High Formosan Termite Population

---

Ideal Conditions For Fungal Decay

## Engineered for Extreme Workability

All LP SmartSide products are made with treated engineered wood and can be cut with standard woodworking tools. You'll get the workability of using a lightweight building material with the added benefits of exceptional strength and durability.



# GROWN WITH RESPONSIBILITY



SUSTAINABLE  
FORESTRY  
INITIATIVE

SFI-00003

LP believes in protecting the environment and embracing the challenges to build sustainable economic prosperity. That's why we actively invest in managing renewable resources.

LP uses SFI-certified forest management and fiber sourcing systems to help ensure that our wood comes from well-managed forests. We invite you to learn more about LP's comprehensive environmental programs by visiting [LPCorp.com](https://www.LPCorp.com).





A photograph of a workshop interior. The wall is made of light-colored wood framing with reddish-brown panels. Various tools are hanging on the wall: a shovel, a red rake, a pair of pliers, and two coiled cables (one red, one yellow). A red fire extinguisher is visible at the bottom. The text "QUALITY YOU CAN SEE INSIDE AND OUT" is overlaid in large white letters.

# QUALITY YOU CAN SEE INSIDE AND OUT

## Give Your Customers More with Innovative LP® Products

LP® Outdoor Building Solutions® treated engineered wood products feature innovations that help your sheds last longer and offer additional benefits. With innovations like LP® SmartSide® Panel with SilverTech® for a brighter and cooler interior and LP® ProStruct® Floor with SmartFinish® for a tough, attractive appearance, LP Outdoor Building Solutions products give your customers quality they can see inside and out.



## Roof

- LP® ProStruct® Roof Sheathing with SilverTech®



## Walls & Trim

- LP SmartSide Panel
- LP SmartSide Panel with SilverTech\*
- LP SmartSide Panel with SmartFinish\*
- LP SmartSide Lap
- LP SmartSide Trim and Fascia



## Floor

- LP ProStruct Floor with SmartFinish®



*\*LP SmartSide Panel with SilverTech and LP ProStruct Floor with SmartFinish are for non-residential use only.*



# ROOF





Featured: LP ProStruct Roof Sheathing with SilverTech and LP SmartSide Panel with SmartFinish



Featured: LP ProStruct Roof Sheathing with SilverTech, LP SmartSide Panel with SmartFinish and LP® ProStruct® Floor with SmartFinish®



Featured: LP ProStruct Roof Sheathing with SilverTech and LP SmartSide Panel with SmartFinish



The image shows the interior of a shed's roof structure. Light-colored wooden rafters are visible, supporting a series of silver, metallic-looking panels that form the roof sheathing. The panels are installed in a staggered pattern, creating a grid-like appearance. The lighting is bright, highlighting the texture of the wood and the reflective surface of the metal.

# THE LOOK OF A BRIGHTER, COOLER SHED

## LP® ProStruct® Roof Sheathing With SilverTech®

LP ProStruct Roof Sheathing with SilverTech\* features a durable radiant barrier that helps keep sheds or other outdoor structures cooler in the summer heat. With its highly reflective, professional-grade appearance, LP ProStruct Roof Sheathing with SilverTech helps brighten the inside for better visibility.

- Helps keep the shed cooler inside
- Highly reflective surface brightens the interior
- Premium finish resists peeling and flaking
- Uniquely designed for use in outdoor structures

20-year prorated, limited warranty on substrate\*\*



*\*LP ProStruct Roof Sheathing with SilverTech is for non-residential use only.*


*\*\*See LPShed.com for complete warranty details.*

# Roof Sheathing

## Radiant Barrier Helps Reflect the Sun’s Heat

- Reduces the sun’s radiant energy through the shed roof panel
- Helps keep the shed cooler for storing items or working inside
- Highly reflective surface helps enhance lighting
- Label-free, professional-grade finish resists peeling and flaking
- Cuts with standard woodworking tools for easier installation


### LP ProStruct Roof Sheathing with SilverTech




Interior  
SilverTech

DESCRIPTION	LENGTH	EDGE PROFILE	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
Roof Sheathing with SilverTech	8ft. (96 in.)(2438 mm)	Square Edge	47.875 in. (1216 mm)	0.418 in. (11 mm)	29592	80	3733





# PANEL







Featured: LP SmartSide Panel and Trim



Featured: LP SmartSide Panel and Trim



Featured: LP SmartSide Panel and Trim




Featured: LP SmartSide Panel and Trim

# REDEFINING THE LOOK OF PANEL







Featured: LP SmartSide Panel and LP® ProStruct® Floor with SmartFinish®

## LP® SmartSide® Panel Siding

LP SmartSide Panels offer the workability, durability and beauty you would expect from LP. It's a smart choice when you want a shed product that comes backed with an outstanding warranty.


- Desirable upgrade from T1-11
- Treated engineered wood technology for long-lasting performance in tough climates
- SmartGuard® treatment for protection against fungal decay and termites
- Resistance to warping, splitting and cupping
- Free of knots, patches and face voids
- Offers superior impact resistance

5-year, 100% labor and replacement feature\*


50-year prorated, limited warranty on substrate\*



\*See LPShed.com for complete warranty details.







Featured: LP SmartSide Panel with SilverTech and LP ProStruct Floor with SmartFinish®

## LP® SmartSide® Panel Siding With SilverTech®

Innovative LP SmartSide Panels with SilverTech\* feature all of the benefits of LP SmartSide Panel Siding plus a radiant barrier for a finished look that resists flaking and peeling. It's an ideal material choice when you want cooler, brighter interiors when building sheds to be used as workshops or playhouses.

- Uniquely designed for use in outdoor structures
- Highly reflective surface helps brighten the interior
- Label-free, professional-grade finish resists peeling and flaking
- Offers a premium appearance on the inside
- Treated engineered wood technology for long-lasting performance in tough climates
- SmartGuard® treatment for protection against fungal decay and termites

5-year, 100% labor and replacement feature\*\*


50-year prorated, limited warranty on substrate\*\*



\*LP SmartSide Panel with SilverTech is for non-residential use only.

\*\*See LPShed.com for complete warranty details.

# UPGRADE THE LOOK OF YOUR SHEDS







Featured: LP SmartSide Panel with SmartFinish

## LP® SmartSide® Panel Siding with SmartFinish®

We know homeowners want the inside of their shed to look just as nice as the outside. That's why we designed LP SmartSide Panels with SmartFinish\* to include a durable overlay that gives the inside of shed walls a premium appearance. You'll get a panel that offers a finished look on the inside and installs just as quickly as traditional paneling.

- Uniquely designed for use in outdoor structures
- Innovative SmartFinish adds a durable, attractive appearance
- Offers a premium appearance on the inside
- Treated engineered wood technology for long-lasting performance in tough climates
- SmartGuard® treatment for protection against fungal decay and termites


5-year, 100% labor and replacement feature\*\*

50-year prorated, limited warranty on substrate\*\*



\*LP SmartSide Panel Siding with SmartFinish is for non-residential use only.

\*\*See LPShed.com for complete warranty details.



# INNOVATIVE PRODUCTS YOU CAN STAND BEHIND



## LP® SmartSide® Treated Engineered Wood vs. the Competition

	LP SmartSide Siding	Commodity OSB	Untreated T1-11 Plywood
Treated with Zinc Borate	Yes	No	No
Code Approval for Exterior Applications	Yes	No	Yes
5/50-Year Warranty*	Yes	No	No
Exterior Grade Resin Used	Yes	No	No
Edge Primed	Yes	No	No
Primed Face of Product	Yes	No	No
Moisture Resistant	Yes	Somewhat	No
Termite Resistant	Yes	No	No

\*See LPShed.com for complete warranty details.

# Cedar Texture Panel

## Rated For Structural Use By APA

Shiplap edges with advanced bead system for easier alignment

- Pre-primed for exceptional paint adhesion
- Strong enough to be nailed directly to stud, making additional sheathing unnecessary in many applications
- Eliminates need for additional bracing on load-bearing walls
- Ideal exterior for outdoor buildings in areas of high winds or seismic activity
- Treated engineered wood strand substrate


Also available in fiber substrate.

- Not rated for structural use
- Treated engineered wood fiber substrate




Cedar texture


### 38 Series Cedar Texture Panel 8" o.c. (strand)




### 38 Series Cedar Texture Panel - No Groove (strand)




### 76 Series Cedar Texture Panel 4" & 8" o.c. (strand)




### 76 Series Cedar Texture Panel - No Groove (strand)




### 190 Series Cedar Texture Panel 8" o.c. (strand)




### 190 Series Cedar Texture Panel - No Groove (strand)



### 76 Series Cedar Texture Panel 8" o.c. (fiber)




### 76 Series Cedar Texture Panel - Square Edge (fiber)





DESCRIPTION	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
38 Series Cedar Texture Panel 8" o.c. (strand)	6 ft. (72 in.)(1829 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	27805	90	2757
	7 ft. (84 in.)(2134 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	27806	90	3214
	8 ft. (96 in.)(2438 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	25840	90	3830
	9 ft. (108 in.)(2743 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	25843	90	4128
	10 ft. (120 in.)(3048 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	25844	90	4584
38 Series Cedar Texture Panel – No Groove (strand)	8 ft. (96 in.)(2438 mm)	No Groove	N/A	48.56 in. (1234 mm)	0.315 in. (8 mm)	25855	90	3739
76 Series Cedar Texture Panel 4" and 8" o.c. (strand)	8 ft. (96 in.)(2438 mm)	4 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25831	80	3771
	9 ft. (108 in.)(2743 mm)	4 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25832	80	4241
	10 ft. (120 in.)(3048 mm)	4 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25833	80	4710
	8 ft. (96 in.)(2438 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25848	80	3826
	9 ft. (108 in.)(2743 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25850	80	4302
	10 ft. (120 in.)(3048 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25851	80	4779
76 Series Cedar Texture Panel – No Groove (strand)	8 ft. (96 in.)(2438 mm)	No Groove	N/A	48.56 in. (1234 mm)	0.375 in. (10 mm)	25856	80	3881
	9 ft. (108 in.)(2743 mm)	No Groove	N/A	48.56 in. (1234 mm)	0.375 in. (10 mm)	25857	80	4364
	10 ft. (120 in.)(3048 mm)	No Groove	N/A	48.56 in. (1234 mm)	0.375 in. (10 mm)	25858	80	4847
190 Series Cedar Texture Panel 8" o.c. (strand)	8 ft. (96 in.)(2438 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.530 in. (13 mm)	25852	60	3824
	9 ft. (108 in.)(2743 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.530 in. (13 mm)	25853	60	4300
	10 ft. (120 in.)(3048 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.530 in. (13 mm)	25854	60	4777
190 Series Cedar Texture Panel – No Groove (strand)	8 ft. (96 in.)(2438 mm)	No Groove	N/A	48.56 in. (1234 mm)	0.530 in. (13 mm)	25859	60	3899
	9 ft. (108 in.)(2743 mm)	No Groove	N/A	48.56 in. (1234 mm)	0.530 in. (13 mm)	25860	60	4385
	10 ft. (120 in.)(3048 mm)	No Groove	N/A	48.56 in. (1234 mm)	0.530 in. (13 mm)	25861	60	4870
76 Series Cedar Siding and Soffit Texture Panel 8" o.c. (fiber)	8 ft. (96 in.)(2438 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25934	48	2637
	9 ft. (108 in.)(2743 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25935	48	2964
76 Series Cedar Texture Siding Panel and Soffit - Square Edge (fiber)	8 ft. (96 in.)(2438 mm)	No Groove	N/A	47.94 in. (1218 mm)	0.375 in. (10 mm)	25926	48	2620
	9 ft. (108 in.)(2743 mm)	No Groove	N/A	47.94 in. (1218 mm)	0.375 in. (10 mm)	25927	48	2945

#### Groove Detail



Metric units are rounded to the nearest millimeter.

# Cedar Texture Panel with SmartFinish®

## Rated For Structural Use By APA

- Innovative SmartFinish adds a durable, attractive appearance on the inside
- Shiplap edges with advanced bead system for easier alignment
- Pre-primed for exceptional paint adhesion
- Strong enough to be nailed directly to stud, making additional sheathing unnecessary in many applications
- Eliminates need for additional bracing on load-bearing walls
- Treated engineered wood strand substrate




Cedar texture




SmartFinish

### 38 Series Cedar Texture Panel 8" o.c. (strand)



### 76 Series Cedar Texture Panel 8" o.c. (strand)



DESCRIPTION	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
38 Series Cedar Texture Panel with SmartFinish 8" o.c. (strand)	7 ft. (84 in.)(2134 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	30956	90	3221
	8 ft. (96 in.)(2438 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	30922	90	3679
	10 ft. (120 in.)(3048 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	31246	90	4596
76 Series Cedar Texture Panel with SmartFinish 8" o.c. (strand)	8 ft. (96 in.)(2438 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	30898	80	3845
	10 ft. (120 in.)(3048 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	31002	80	4802



## Specifications: LP SmartSide Panel Siding

# Cedar Texture Panel with SilverTech®

## Rated For Structural Use By APA

- Highly reflective surface helps brighten the interior
- Label-free, professional-grade finish resists peeling and flaking
- Shiplap edges with advanced bead system for easier alignment
- Pre-primed for exceptional paint adhesion
- Strong enough to be nailed directly to stud, making additional sheathing unnecessary in many applications
- Eliminates need for additional bracing on load-bearing walls
- Treated engineered wood strand substrate




Cedar texture




SilverTech

### 38 Series Cedar Texture Panel 8" o.c. (strand)



### 76 Series Cedar Texture Panel 8" o.c. (strand)



DESCRIPTION	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
38 Series Cedar Texture Panel with SilverTech 8" o.c. (strand)	7 ft. (84 in.)(2134 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	29805	90	3221
	8 ft. (96 in.)(2438 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.315 in. (8 mm)	29633	90	3679
76 Series Cedar Texture Panel with SilverTech 8" o.c. (strand)	7 ft. (84 in.)(2134 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	29631	80	3366
	8 ft. (96 in.)(2438 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	29524	80	3845
	10 ft. (120 in.)(3048 mm)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	29629	80	4802


# Smooth Finish Panel

## Designed for Ease and Performance


- The shiplap edge makes it easier to install
- Pre-primed for exceptional paint adhesion
- Not rated for structural use
- Smooth finish
- Treated engineered wood fiber substrate




### 76 Series Smooth Finish Panel 8" o.c. (fiber)



### Groove Detail



### 76 Series Smooth Finish Siding Panel and Soffit - Square Edge (fiber)



Smooth finish

DESCRIPTION	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
76 Series Smooth Finish Panel 8" o.c. (fiber)	8 ft. (96 in.)(2438 mm)	8 in. o.c.	1/4 in. (6 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25932	48	2637
76 Series Smooth Finish Panel 8" o.c. (fiber) with slip sheets	8 ft. (96 in.)(2438 mm)	8 in. o.c.	1/4 in. (6 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	39051	48	2637
76 Series Smooth Finish Siding Panel and Soffit - Square Edge (fiber)	8 ft. (96 in.)(2438 mm)	No Groove	N/A	47.94 in. (1218 mm)	0.375 in. (10 mm)	25930	48	2620
	9 ft. (108 in.)(2743 mm)	No Groove	N/A	47.94 in. (1218 mm)	0.375 in. (10 mm)	25931	48	2945



# Reverse Board & Batten


## Cedar Texture Ideal for Rustic Sheds

- Available in 8' and 9' lengths
- Shiplap edges make it easier to level and apply
- Pre-primed for exceptional paint adhesion
- Not rated for structural use
- Treated engineered wood fiber substrate




Cedar texture

### Reverse Board and Batten Cedar Texture Panel 12" o.c. (fiber)



DESCRIPTION	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
Reverse Board and Batten Cedar Texture Panel 12" o.c. (fiber)	8 ft. (96 in.) (2438 mm)	12 in. o.c.	1 in. (25 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25915	48	2637
	9 ft. (108 in.) (2743 mm)	12 in. o.c.	1 in. (25 mm)	48.56 in. (1234 mm)	0.375 in. (10 mm)	25917	48	2964







Featured: LP SmartSide Lap Siding (smooth) and Cedar Shakes



Featured: LP SmartSide Lap Siding (colonial beaded, smooth) and Cedar Shakes



Featured: LP SmartSide Lap Siding



Featured: LP SmartSide Smooth Lap Siding and Cedar Shakes

A close-up photograph of two types of lap siding. The upper portion shows dark brown, smooth-textured lap siding. The lower portion shows reddish-brown, wood-grain textured lap siding. A white trim piece is visible in the top right corner. The text "STAND OUT WITH THE RICH LOOK OF WOOD" is overlaid in large, white, bold, sans-serif capital letters on the dark brown siding.

**STAND OUT  
WITH THE  
RICH LOOK  
OF WOOD**



## LP® SmartSide® Lap Siding

With its beautiful wood-texture finish, LP SmartSide Lap Siding is an attractive option for building premium sheds that complement customers' homes. You'll have the versatility to create a wide range of looks and put your craftsmanship on display.

- Gives the look of real craftsmanship
- Free of knots, patches and face voids
- Excellent resistance to warping, splitting and cupping
- Offers superior impact resistance
- Treated engineered wood technology for long-lasting performance in tough climates
- SmartGuard® treatment for protection against fungal decay and termites

5-year, 100% labor and replacement feature\*

50-year prorated, limited warranty on substrate\*



\*See [LPShed.com](http://LPShed.com) for complete warranty details.

# Cedar Texture Lap

## The Bold Look Of Cedar Without Many Of The Worries

- One of the most durable lap siding options in the market today
- 16' length can result in faster installation
- Fewer seams than traditional 12' siding
- Pre-primed for exceptional paint adhesion
- Self-aligning SmartLock™ option installs faster and more efficiently
- Treated engineered wood strand substrate
- APA-certified lap siding


Also available in fiber substrate.

- CPA-certified lap siding
- Treated engineered wood fiber substrate




Cedar texture


### 38 Series Cedar Texture Lap (strand)




### 76 Series Cedar Texture Lap (strand)




### 76 Series SmartLock Cedar Texture Lap (strand)



### 76 Series Cedar Texture Lap (fiber)



### 120 Series Self-Aligning Cedar Texture Lap (fiber)



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
38 Series Cedar Texture Lap (strand)	16 ft. (192 in.)(4877 mm)	5.84 in. (148 mm)	0.315 in. (8 mm)	25796	360	3569
	16 ft. (192 in.)(4877 mm)	7.84 in. (199 mm)	0.315 in. (8 mm)	25797	270	3614
	16 ft. (192 in.)(4877 mm)	11.84 in. (301 mm)	0.315 in. (8 mm)	25799	180	3655
76 Series Cedar Texture Lap (strand)	16 ft. (192 in.)(4877 mm)	5.84 in. (148 mm)	0.375 in. (10 mm)	25785	320	3694
	16 ft. (192 in.)(4877 mm)	7.84 in. (199 mm)	0.375 in. (10 mm)	25786	240	3740
	16 ft. (192 in.)(4877 mm)	11.84 in. (301 mm)	0.375 in. (10 mm)	25787	160	3787
76 Series Cedar Texture Lap (fiber)	16 ft. (192 in.)(4877 mm)	5.84 in. (148 mm)	0.375 in. (10 mm)	25922	336	4479
	16 ft. (192 in.)(4877 mm)	7.84 in. (199 mm)	0.375 in. (10 mm)	25923	252	4502
	16 ft. (192 in.)(4877 mm)	9.47 in. (241 mm)	0.375 in. (10 mm)	25924	210	4496
	16 ft. (192 in.)(4877 mm)	11.84 in. (301 mm)	0.375 in. (10 mm)	25925	168	4526
76 Series SmartLock Cedar Texture Lap (strand)	16 ft. (192 in.)(4877 mm)	7.84 in. (199 mm)	0.375 in. (10 mm)	30317	240	3652
120 Series Self-Aligning Cedar Texture Lap (fiber)	16 ft. (192 in.)(4877 mm)	7.84 in. (199 mm)	0.450 in. (11 mm)	25905	180	3820




# Cedar Texture Shakes

## The Luxurious Appeal Of Cedar

- The look of real cedar with easier installation and maintenance over time
- Staggered edges offer a lively, textured effect
- Can be used on all exterior walls or as a decorative accent with any substrate
- Shiplap ends for seamless appearance
- Treated engineered wood fiber substrate
- Reversible staggered or straight edge offers exceptional design versatility

### Cedar Texture Shakes (fiber)



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
Cedar Texture Shakes (fiber)	48.56 in. (1218 mm)	11.69 in. (297 mm)	0.375 in. (10 mm)	28541	400	2810



Cedar texture



Staggered




Straight

# 12" Bold Profiles


## Genuine Detail

- Distinctive Triple 4" and Double 5" profiles
- Shiplap edges make it easier to level and apply
- Pre-primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated engineered wood fiber substrate

Triple 4" Bold Profile Cedar Texture Lap (fiber)



Double 5" Bold Profile Cedar Texture Lap (fiber)



Cedar texture

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
Triple 4" Bold Profile Cedar Texture Lap (fiber)	16 ft. (192 in.)(4877 mm)	11.968 in. (304 mm)	0.450 in. (11 mm)	25906	120	3748
Double 5" Bold Profile Cedar Texture Lap (fiber)	16 ft. (192 in.)(4877 mm)	11.86 in. (301 mm)	0.450 in. (11 mm)	25907	120	3831




# 16" Bold Profiles

## Choices That Make A Statement


- This extra-wide 16" siding comes in three profiles: Quad 4", Triple 5" and Double 8"
- Pre-primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated engineered wood fiber substrate




### Quad 4" Bold Profile Cedar Texture Lap (fiber)



### Triple 5" Bold Profile Cedar Texture Lap (fiber)



### Double 8" Bold Profile Cedar Texture Lap (fiber)



Cedar texture


DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
Quad 4" Bold Profile Cedar Texture Lap (fiber)	16 ft. (192 in.)(4877 mm)	15.94 in. (405 mm)	0.450 in. (11 mm)	25908	90	3700
Triple 5" Bold Profile Cedar Texture Lap (fiber)	16 ft. (192 in.)(4877 mm)	15.94 in. (405 mm)	0.450 in. (11 mm)	25910	90	3762
Double 8" Bold Profile Cedar Texture Lap (fiber)	16 ft. (192 in.)(4877 mm)	15.94 in. (405 mm)	0.450 in. (11 mm)	25911	90	3823

# Colonial Beaded Lap


## Cutting Edge Meets Classical

- Colonial Beaded Lap siding adds authentic American style
- Drip lines cast crisp shadows for maximum beauty
- Pre-primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated engineered wood fiber substrate

### Colonial Beaded Sequoia Texture Lap (fiber)



### Colonial Beaded Smooth Finish Lap (fiber)



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
Colonial Beaded Sequoia Texture Lap (fiber)	16 ft. (192 in.) (4877mm)	7.94 in. (202 mm)	0.375 in. (10 mm)	25904	252	4473
Colonial Beaded Smooth Finish Lap (fiber)	16 ft. (192 in.) (4877mm)	7.94 in. (202 mm)	0.375 in. (10 mm)	25903	252	4542
	16 ft. (192 in.) (4877 mm)	8.94 in. (227 mm)	0.375 in. (10 mm)	25909	210	4267



Sequoia texture




Smooth finish



# Smooth Finish Lap


## A Traditional, Subtle Look

- Traditional look that accentuates architectural features
- Smooth finish for a clean appearance
- Pre-primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated engineered wood fiber substrate



Smooth finish

### 76 Series Smooth Finish Lap (fiber)



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
76 Series Smooth Finish Lap (fiber)	16 ft. (192 in.)(4877 mm)	5.84 in. (148 mm)	0.375 in. (10 mm)	25919	336	4479
	16 ft. (192 in.)(4877 mm)	7.84 in. (199 mm)	0.375 in. (10 mm)	25920	252	4502
	16 ft. (192 in.)(4877 mm)	11.84 in. (301 mm)	0.375 in. (10 mm)	25921	168	4526

# TRIM







Featured: LP® SmartSide® Panel and Trim



Featured: LP SmartSide Panel and Trim



Featured: LP SmartSide Panel Siding and Trim



Featured: LP SmartSide Panel and Trim





# CREATE YOUR SIGNATURE LOOK





Featured: LP SmartSide Trim

## LP® SmartSide® Trim

LP SmartSide Trim can help give your shed the look of real craftsmanship. With trim available in wide and narrow widths, and smooth and textured finishes, you can create the style you want to help your shed stand out from the rest.

- Ideal for corner boards, fascia and trim around windows and doors
- Smooth or cedar texture trim to achieve the style you want
- Free of knots, patches and face voids
- Excellent resistance to warping, splitting and cupping
- Treated engineered wood technology for long-lasting performance in tough climates
- SmartGuard® treatment for protection against rot and termites

5-year, 100% labor and replacement feature\*

50-year prorated, limited warranty on substrate\*



\*See LPShed.com for complete warranty details.


# Cedar Texture Trim

## The Classic Appearance Of Cedar


- Interior or exterior use, including corner boards, windows and doors
- Narrow widths save cutting time with no ripped edges to reprime
- Pre-primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated engineered wood strand substrate




### 190 Series Cedar Texture Trim (strand)




### 440 Series Cedar Texture Trim (strand)



### 540 Series Cedar Texture Trim (strand)



### 440 Series Cedar Texture Ploughed Fascia (strand)




Cedar texture

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
190 Series Cedar Texture Trim (strand)	16 ft. (192 in.)(4877 mm)	2.469 in. (63 mm)	0.530 in. (13 mm)	28448	270	1699
	16 ft. (192 in.)(4877 mm)	3.469 in. (88 mm)	0.530 in. (13 mm)	28450	420	3682
	16 ft. (192 in.)(4877 mm)	5.469 in. (140 mm)	0.530 in. (13 mm)	28452	240	3308
440 Series Cedar Texture Trim (strand)	16 ft. (192 in.)(4877 mm)	1.469 in. (37 mm)	0.625 in. (16 mm)	25877	384	1710
	16 ft. (192 in.)(4877 mm)	2.469 in. (63 mm)	0.625 in. (16 mm)	25878	216	1604
	16 ft. (192 in.)(4877 mm)	3.469 in. (88 mm)	0.625 in. (16 mm)	25880	350	3620
	16 ft. (192 in.)(4877 mm)	5.469 in. (140 mm)	0.625 in. (16 mm)	25882	192	3122
	16 ft. (192 in.)(4877 mm)	7.219 in. (183 mm)	0.625 in. (16 mm)	25883	144	3087
	16 ft. (192 in.)(4877 mm)	9.219 in. (234 mm)	0.625 in. (16 mm)	25884	120	3281
	16 ft. (192 in.)(4877 mm)	11.219 in. (285 mm)	0.625 in. (16 mm)	25885	96	3193
540 Series Cedar Texture Trim (strand)	16 ft. (192 in.)(4877 mm)	1.469 in. (37 mm)	0.910 in. (23 mm)	25886	256	1619
	16 ft. (192 in.)(4877 mm)	2.469 in. (63 mm)	0.910 in. (23 mm)	25887	162	1707
	16 ft. (192 in.)(4877 mm)	3.469 in. (88 mm)	0.910 in. (23 mm)	25888	252	3699
	16 ft. (192 in.)(4877 mm)	4.469 in. (114 mm)	0.910 in. (23 mm)	25889	180	3399
	16 ft. (192 in.)(4877 mm)	5.469 in. (140 mm)	0.910 in. (23 mm)	25890	144	3323
	16 ft. (192 in.)(4877 mm)	7.219 in. (183 mm)	0.910 in. (23 mm)	25891	108	3286
	16 ft. (192 in.)(4877 mm)	9.219 in. (234 mm)	0.910 in. (23 mm)	25892	90	3493
	16 ft. (192 in.)(4877 mm)	11.219 in. (285 mm)	0.910 in. (23 mm)	25893	72	3399
440 Series Cedar Texture Ploughed Fascia (strand)	16 ft. (192 in.)(4877 mm)	5.469 in. (140 mm)	0.625 in. (16 mm)	27240	192	2998
	16 ft. (192 in.)(4877 mm)	7.219 in. (183 mm)	0.625 in. (16 mm)	27819	144	2994




# Reversible Trim





## Two Great Looks In One

- The natural look of cedar on one side and smooth on the other
- Interior or exterior use, including corner boards, windows and doors
- Pre-primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated engineered wood fiber substrate
- Reversible trim has a 1/8" bevel cut on its cedar texture side and is square cut on the smooth finish side

### 440 Series Reversible Trim (fiber)



### 540 Series Reversible Trim (fiber)




Smooth finish



Cedar texture

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
440 Series Reversible Trim (fiber)	16 ft. (192 in.)(4877 mm)	2.719 in. (69 mm)	0.625 in. (16 mm)	25940*	384	4480
	16 ft. (192 in.)(4877 mm)	3.469 in. (88 mm)	0.625 in. (16 mm)	25941	288	4283
	16 ft. (192 in.)(4877 mm)	5.469 in. (140 mm)	0.625 in. (16 mm)	25942	160	3760
	16 ft. (192 in.)(4877 mm)	7.219 in. (183 mm)	0.625 in. (16 mm)	25943	120	3719
	16 ft. (192 in.)(4877 mm)	9.219 in. (234 mm)	0.625 in. (16 mm)	25944	100	3944
	16 ft. (192 in.)(4877 mm)	11.219 in. (285 mm)	0.625 in. (16 mm)	25945	80	3841
	16 ft. (192 in.)(4877 mm)	15.44 in. (392 mm)	0.625 in. (16 mm)	38445	60	3841
540 Series Reversible Trim (fiber)	16 ft. (192 in.)(4877 mm)	3.469 in. (88 mm)	0.910 in.(23 mm)	25946	192	3964
	16 ft. (192 in.)(4877 mm)	4.469 in. (114 mm)	0.910 in.(23 mm)	25947	160	4235
	16 ft. (192 in.)(4877 mm)	5.469 in. (140 mm)	0.910 in.(23 mm)	25948	128	4145
	16 ft. (192 in.)(4877 mm)	7.219 in. (183 mm)	0.910 in.(23 mm)	25949	96	4100
	16 ft. (192 in.)(4877 mm)	9.219 in. (234 mm)	0.910 in.(23 mm)	25950	80	4348
	16 ft. (192 in.)(4877 mm)	11.219 in. (285 mm)	0.910 in.(23 mm)	25951	64	4236



# FLOOR



Featured: LP ProStruct Floor with SmartFinish and LP® SmartSide® Panel



Featured: LP ProStruct Floor with SmartFinish® and LP® SmartSide® Panel with SilverTech®



Featured: LP ProStruct Floor with SmartFinish and LP SmartSide Panel with SmartFinish





# PUTTING YOUR BEST FOOT FORWARD

## LP ProStruct Floor with SmartFinish

LP ProStruct Flooring with SmartFinish\* features a durable overlay for a beautiful, professional-grade appearance on sheds and other outdoor structures. With no knots or voids, it's a welcome change from building with traditional plywood flooring. Plus, unlike plywood shed floors, LP ProStruct Floors with SmartFinish are treated with the SmartGuard® process for longer-lasting performance in tough climates.

- Treated engineered wood technology for enhanced substrate durability
- SmartGuard treatment for protection against fungal decay and termites
- Beautiful, tough overlay for a premium appearance
- Free of knots, patches and face voids
- Excellent resistance to warping, splitting and cupping

1-year, 100% labor and replacement feature\*\*

10-year prorated, limited warranty on substrate\*\*



NEW!

\*LP ProStruct Floor with SmartFinish is for non-residential use only.



\*\*See LPShed.com for complete warranty details.

# Floor

## Treated Floor for a Professional Finish

- Tough overlay for a premium appearance
- Installs like conventional floor panels
- Specialized for non-residential use only

### Shed Floor with SmartFinish



Interior  
SmartFinish

DESCRIPTION	LENGTH	EDGE PROFILE	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	PIECE COUNT	WEIGHT PER UNIT (LBS.)
Shed Floor with SmartFinish	8 ft. (96 in.)(2438 mm)	Square Edge	47.875 in. (1216 mm)	0.578 in. (15 mm)	30631	60	3797
	8 ft. (96 in.)(2438 mm)	Square Edge	47.875 in. (1216 mm)	0.703 in. (18 mm)	30632	50	3540
	8 ft. (96 in.)(2438 mm)	Reverse T&G	47.875 in. (1216 mm)	0.578 in. (15 mm)	30633	60	3797
	8 ft. (96 in.)(2438 mm)	Reverse T&G	47.875 in. (1216 mm)	0.703 in. (18mm)	30628	50	3540





# Your Team for Success

The LP Outdoor Building Solutions team is always looking for ways to help make building and selling sheds easier for you. With Field Marketing Representatives across the country, we look for opportunities to provide one-on-one support that makes a meaningful difference to your business.

## Marketing Support and Merchandising

LP is committed to helping builders and dealers who sell sheds built with LP products to grow their business. We provide in-depth marketing and merchandising assistance to help you attract customers and close more sales.

### LP Outdoor Building Solutions support includes:

- Cooperative demand creation campaigns
- Engaging point-of-sale merchandising material

### Local Marketing That Targets Your Customers' Concerns

- Support keeps the message relevant to your customers' questions
- Creates differentiation by emphasizing that LP products are not oriented strand board (OSB)

### Connecting with Customers

- LP Outdoor Building Solutions point-of-sale items highlight key features inside and out
- Provide useful information to customers who say they are just looking
- Supports events to help increase sales
- Offered to dealers free of charge




If you have any questions, please contact an LP Outdoor Building Solutions team member by calling **844.5LP.SHED (844.557.7433)**.



## Help Your Customers Find the Right Shed at LPShed.com

LPShed.com offers valuable tools to help make the shed-buying process easier for your customers. Visitors to the website can determine how big a shed they need based on its intended use, customize the look of different sheds with our new Shed Visualizer and learn how to prep their yard for a new shed.

GET INSPIRED BY VISUALIZING DIFFERENT  
SHED STYLES AND SELECTING LP PRODUCTS



LEARN TIPS TO MAKE PREPARING  
A SITE FOR A NEW SHED EASY

FIND THE RIGHT SIZE SHED WITH A  
FUN AND INTERACTIVE SIZE SELECTOR TOOL



# Engineered for Building It Better

For more than 40 years, LP has pioneered innovative building materials that look great and stand up to the elements. With a broad portfolio of products, LP is committed to delivering unparalleled quality, service and value.



## LP® Oriented Strand Board

Uniform, strong, dense and easy to work with, LP OSB takes nails, screws and fasteners with confidence.



## LP SolidStart® LSL

Engineered to outperform traditional lumber, LP SolidStart LSL offers superior strength for greater load-bearing capacity.

For more information on LP Engineered Wood Products, visit [LPCorp.com](http://LPCorp.com).

To purchase LP® Outdoor Building Solutions® products, contact your local sales rep or connect with us at [LPShed.com](http://LPShed.com).



For non-residential use only.

The images in this sample are for illustrative purposes only.

Please refer regularly to LPShed.com for correct and up-to-date product installation instructions.

Cal. Prop 65 Warning: Use of this product may result in exposure to wood dust, known to the State of California to cause cancer.

©2017 Louisiana-Pacific Corporation. All rights reserved. SFI and associated logos are registered trademarks of Sustainable Forestry Initiative Inc.

All other trademarks are owned by Louisiana-Pacific Corporation.