

2026

HVAC PRODUCT CATALOG

DISTRIBUTOR EDITION

LAMBRO ABOUT US



Lambro Industries specializes in ventilation accessories tailored for both residential and commercial sectors. Based in Amityville, New York, the company continues to uphold its legacy by delivering high-quality products, exceptional customer service, and prompt shipping times following the placement of purchase orders. All products are proudly manufactured in the USA.

The product range includes flexible ducts (foil flex, semi-rigid, vinyl), exhaust vents for walls, roofs, and soffits (available in aluminum, galvanized, and plastic), as well as fresh air intakes, rigid ductwork, pipes, and elbows (in aluminum and galvanized options), complete venting kits, various accessories, and washer overflow trays.



Edwin L. Berger

The establishment of the company took place in 1967, initiated by Mr. Edwin L. Berger in collaboration with his brother Stanley, focusing on distribution to the HVAC, Electrical Wholesalers, and Lumber Yard sectors. During the mid-1970s, Lambro broadened its scope by venturing into the manufacturing and assembly of metal and plastic goods. In 1986, Mr. Berger became the sole owner of Lambro Industries.

In Memory of the Founders of Lambro Industries, Inc. -
Edwin & Stanley Berger.

HVAC

RNC & MULT-FAMILY



Lambro offers a diverse range of products that are extensively used in RNC and multi-family projects throughout the country. Contact us today to learn about products suitable for your upcoming projects.

RNC

RESIDENTIAL NEW CONSTRUCTION

MULTI-FAMILY

26 GAUGE - PAINT GRADE

CONTRACTOR SERIES



2026

NEW PRODUCTS

Lambro continues to enhance its HVAC product lineup by providing our distributors and contractors with the appropriate products that meet the current industry standards.



PLASTIC J-CHANNEL

FEATURES:

- Made with UV-stabilized polymer resin
- J-Channel design - multiple locking depths
- Contractor friendly packaging



Pages: 23-24

PLASTIC FLAT FLANGE

FEATURES:

- Made with UV-stabilized polymer resin
- Flat perimeter mounting plate
- Mount flat against the sidewall



Pages: 25 and 26

PLASTIC SOFFIT VENTS

FEATURES:

- Made with UV-stabilized polymer resin
- Opening and closing damper
- Screened opening



Pages: 42

ABS PLASTIC ROOF VENTS

FEATURES:

- Durable ABS Plastic
- Snap-in collar
- Removable screen



Pages: 14

TABLE OF CONTENTS



Flexible Ducts
FOIL FLEX
Page 5-7



Flexible Ducts
PVC
Page 11



Roof Exhaust Vents
ABS PLASTIC
Pages 14



Wall Exhaust Vents
GALVANIZED
Pages 18-20



Wall J-Channel Vents
PLASTIC
Page 23-24



Wall Louvered Vents
PLASTIC
Pages 29-30



Wall Air Intake Vents
ALUMINUM
Page 32-34



Wall Air Intake Vents
PAINT GRADE
Page 39-40



Soffit Round Vents
PLASTIC
Page 44



Air Intake Mini Louver Vents
PLASTIC
Page 47-48



Snap Lock Pipe
Aluminum
Page 50



Flexible Ducts
SEMI-RIGID
Page 8-10



Roof Exhaust Vents
ALUMINUM
Page 13



Wall Exhaust Vents
ALUMINUM
Page 15-17



Wall Exhaust Vents
PAINT GRADE
Pages 21-22



Wall Hood Vents
PLASTIC
Page 25-28



Wall Single Flap Vents
PLASTIC
Pages 31



Wall Air Intake Vents
GALVANIZED
Page 35-37



Soffit Exhaust Vents
PLASTIC
Page 41-43



Air Intake Rain Guard Vents
PLASTIC
Page 45-46



Air Intake Hood Vents
PLASTIC
Page 49



(AC-SERIES) AIR CONNECTORS

FOIL FLEX



The Lambro air connectors are intended for bath fans and are suitable for installations up to 14 feet in length. They are certified under UL 181 Class 1, ensuring safe venting for fan systems. These connectors are available in either a 3-ply or 5-ply construction and incorporate a high-density, corrosion-resistant wire helix, providing an airtight seal and facilitating straightforward installation for exhaust ducts.

OVERALL FEATURES:

- UL 181 Class 1 certified & labeled
- Multi-ply construction air connectors
- Maximum operating temperature of 257°F
- For use with exhausting bath fans
- Installation lengths of 14’ or less as per UL
- Not for use with clothes dryer venting installs



UL 181 Class 1 Air Connectors - 3-Ply

ITEM #	DIA.	LENGTH	TYPE	QTY
613UL-12	3"	25'	Bulk	12
614UL-12	4"	25'	Bulk	12
650UL	4"	50'	Single	1
616UL-6	6"	25'	Bulk	6



UL 181 Class 1 Air Connectors - 5-Ply

ITEM #	DIA.	LENGTH	TYPE	QTY
413UL-12	3"	25'	Bulk	12
414UL-12	4"	25'	Bulk	12
450UL	4"	50'	Single	1
415UL	5"	25'	Single	1
416UL-6	6"	25'	Bulk	6
478UL	8"	25'	Single	1
420UL	10"	25'	Single	1

(FD-SERIES) FLEXIBLE DUCTS

FOIL FLEX



The Lambro flexible foil duct series is not UL listed and is suitable for bath fan exhaust as well as general venting purposes. Made from a fire-resistant, 3-ply or 5-ply aluminum foil laminate, it incorporates a high-density steel wire helix. This construction guarantees an airtight seal and simplifies the installation process of the duct.

OVERALL FEATURES:

- 3-ply or 5-ply construction aluminum foil laminate
- Maximum operating temperature of 257°F
- Ideal for bath fan exhaust and general air movement
- Not for use with clothes dryer venting installs



Foil Flex Ducts - 3-Ply

ITEM #	DIA.	LENGTH	TYPE	QTY
613-12	3"	25'	Bulk	12
614-12	4"	25'	Bulk	12

Foil Flex Ducts - 5-Ply

ITEM #	DIA.	LENGTH	TYPE	QTY
413-12	3"	25'	Bulk	12
414	4"	25'	Single	1
450	4"	50'	Single	1
415	5"	25'	Single	1
416-6	6"	25'	Bulk	6

(TD-SERIES) TRANSITION DUCTS

FOIL FLEX



The Lambro transition duct for clothes dryers is compatible with both gas and electric dryer systems. It holds certification under UL 2158A, for safe venting for dryers as per the UL standard. Constructed from a fire-resistant, 5-ply aluminum foil laminate, it features a high-density, corrosion-resistant wire helix. This design ensures an airtight seal and facilitates easy installation of the exhaust duct.

OVERALL FEATURES:

- UL 2158A certified & labeled
- 5-ply construction aluminum foil laminate
- Maximum operating temperature of 257° F
- For use with electric & gas clothes dryers
- Installation lengths of 8’ or less as per UL



UL 2158A Clothes Dryer Transition Ducts

ITEM #	DIA.	LENGTH	TYPE	QTY
495	4"	8'	Bulk	12
498	4"	8'	Bulk	12
498-25	4"	25'	Bulk	6
498-50	4"	50'	Single	1

(TD-SERIES) TRANSITION DUCTS

SEMI-RIGID



The Lambro transition duct for clothes dryers is compatible with both gas and electric dryer systems. It holds certification under UL 2158A, safe venting for dryers. Constructed from fire-resistant, all-aluminum material, it features double-lock seams that provide exceptional strength and durability. This design ensures an airtight connection and is user-friendly for installation.

OVERALL FEATURES:

- Excellent compression - saves space
- UL 2158A certified & labeled
- All aluminum construction
- Air-tight continuous double-lock seams
- Maximum operating temperature of 600° F
- For use with electric & gas clothes dryers
- Installation lengths of 8’ or less as per UL



UL 2158A Clothes Dryer Transition Duct

ITEM #	DIA.	LENGTH	TYPE	QTY
302UL	4"	8'	Bulk	15

Submittal sheets and additional information are available on our website www.lambro.net

(AD-SERIES) AIR DUCTS

SEMI-RIGID



The Lambro air ducts for HVAC systems are designed for installations of any length. They are certified under UL 181 Class 0, guaranteeing safe air transport for supply, return, or exhaust applications. Constructed with a fire-resistant, air tight lock design, these air ducts feature an all-aluminum composition.

OVERALL FEATURES:

- Excellent compression - saves space
- UL 181 Class 0 certified & labeled
- Air tight lock seams
- Maximum operating temperature of 600°F
- For use as supply, return or exhaust duct
- Rated for in wall use
- Unlimited installation lengths as per UL



UL 181 Class 0 Air Ducts - Crimped End

ITEM #	DIA.	LENGTH	TYPE	QTY
293FUL	3"	8'	Bulk	24
294FUL	4"	8'	Bulk	15
295FUL	5"	8'	Bulk	8
296FUL	6"	8'	Bulk	6
298FUL	8"	8'	Bulk	4
299FUL	10"	8'	Bulk	2



UL 181 Class 0 Air Ducts - Plain Ends

ITEM #	DIA.	LENGTH	TYPE	QTY
301FUL	3"	8'	Bulk	24
302FUL	4"	8'	Bulk	15
306FUL	6"	8'	Bulk	6
310FUL	8"	8'	Bulk	4

(DL-SERIES) DOUBLE LOCK DUCTS

SEMI-RIGID



The Lambro flexible aluminum semi-rigid duct is suited for various HVAC venting needs that involve the expulsion of air from residential spaces. Constructed with fire-resistant materials and featuring air-tight continuous double-lock seams, this duct boasts a fully aluminum design.

OVERALL FEATURES:

- Excellent compression - saves space
- Non-combustible corrugated aluminum
- Air-tight continuous double-lock seams
- Maximum operating temperature of 430°F
- For use as supply, return or exhaust duct
- Not for clothes dryer venting installations



Double-Lock Ducts - Crimped End

ITEM #	DIA.	LENGTH	TYPE	QTY
293DL	3"	8'	Bulk	24
294DL	4"	8'	Bulk	15
296DL	6"	8'	Bulk	6
297DL	7"	8'	Bulk	4
298DL	8"	8'	Bulk	4
299DL	10"	8'	Bulk	2



Double-Lock Ducts - Plain Ends

ITEM #	DIA.	LENGTH	TYPE	QTY
301DL	3"	8'	Bulk	24
3301DL	3"	10'	Bulk	24
333DL	3"	25'	Bulk	10
302DL	4"	8'	Bulk	15
3302DL	4"	10'	Bulk	15
334DL	4"	25'	Bulk	6
304DL	5"	8'	Bulk	8
306DL	6"	8'	Bulk	6
3306DL	6"	10'	Bulk	6
336DL	6"	25'	Bulk	2
308DL	7"	8'	Bulk	4
310DL	8"	8'	Bulk	4
317DL	10"	8'	Bulk	2

Submittal sheets and additional information are available on our website www.lambro.net

(PVC-SERIES) VINYL DUCTS

PVC



The Lambro flexible PVC (vinyl) ducts are suited for bath fan exhaust and various general venting needs that involve the removal of moist air and humidity from residential spaces. Meanwhile, the marine bilge blower hose effectively regulates airflow in the limited areas of a boat, including the engine room and cabin. It plays a crucial role in eliminating fumes, excess heat, and moisture, thereby enhancing safety and comfort for passengers on the vessel.

OVERALL FEATURES:

- 3 mil thickness PVC (vinyl) material
- Wire helix frame to prevent collapsing of the duct
- Maximum operating temperature of 158°F
- Not for use with clothes dryer venting installs



CALIFORNIA PROPOSITION
65 WARNING

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information: www.P65Warnings.ca.gov

White Vinyl Ducts

ITEM #	DIA.	LENGTH	TYPE	QTY
215L	3"	50'	Single	1
219L	4"	50'	Single	1



(ABC-SERIES) NEW PRODUCT SERIES

WWW.LAMBRO.NET



As Lambro progresses in the HVAC industry, the variety of products can be quite extensive. To streamline the Lambro product range, we are launching new series names to categorize similar products. The Lambro catalog, website, and pricing sheets will all adhere to the same series organization and the products designated to each series. This will facilitate the search for supplementary information, submittal sheets, and media.

Contact Us: (631) 842-8088 or sales@lambro.net

Home About Products Find a Dealer Contact Catalog

- HVAC Product Series
- All HVAC Components
- Bathroom Venting
- Dryer Venting
- Kitchen Venting
- Washing Machine Pans
- New Products
- Retail Packaging
- (FD-SERIES) Foil Flex Ducts
- (AC-SERIES) Air Connectors
- (TD-SERIES) Transition Ducts
- (AD-SERIES) Air Ducts
- (DL-SERIES) Semi-Rigid Ducts
- (PVC-SERIES) Vinyl Ducts
- (ARV-SERIES) Aluminum Roof Vents
- (PRV-SERIES) Plastic Roof Vents
- (AWV-SERIES) Aluminum Wall Vents
- (GWV-SERIES) Galvanized Wall Vents
- (PGWV-SERIES) Paint Grade Wall Vents
- (JC-SERIES) J-Channel Hood Vents
- (FF-SERIES) Flat Flange Hood Vents
- (HWV-SERIES) Plastic Hood Wall Vents



SEE PRODUCTS

In the top menu of each webpage, hover over
Products > HVAC Product Series > Select a series to view

(ARV-SERIES) ROOF EXHAUST VENTS

ALUMINUM



The Lambro aluminum roof vents available in several configurations. Each vent is equipped with a damper that opens and closes, along with a screen designed to deter birds from nesting within the vent. These vents are suitable for various installation applications, including the exhaust of clothes dryers, bathroom fans, kitchen ranges, and other general ventilation needs.

OVERALL FEATURES:

- Made with 22 gauge aluminum
- Opening and closing damper prevents outside elements from entering the vent
- Designed to prevent leaks with proper installation
- Do not use screen with clothes dryer venting installs



0.125" expanded metal
screen openings



* No screen ** Flush mount - no collar *** Flush mount - no collar & no screen

4" Roof Vent

FEATURES:

- Multiple connection options



up to 7" Round Roof Vent

FEATURES:

- Multiple connection options



up to 10" Round Roof Vent

FEATURES:

- Multiple connection options



ITEM #	TYPE	QTY
109R	Single	1
109NS*	Single	1
109NC**	Single	1
109NS-NC***	Single	1

ITEM #	TYPE	QTY
116**	Single	1

ITEM #	TYPE	QTY
107**	Single	1

Galvanized Roof Vent Jack

- 4" crimped collar length



ITEM #	DIA.	TYPE	QTY
1313-5	5"	Bulk	10
1313-6	6"	Bulk	10
1313-7	7"	Bulk	10

(PRV-SERIES) ROOF EXHAUST VENTS

ABS PLASTIC



The Lambro black ABS plastic roof vents are to be installed on shingled roofs only. The vents feature an opening and closing damper that stays closed when the vent is not in use. Also featured is a screen that prevents birds from nesting inside the vent. These vents are suitable for various installation applications, including the exhaust of clothes dryers, bathroom fans, kitchen ranges, and other general ventilation needs.

OVERALL FEATURES:

- Roof Vent is for Shingle Roof Installations Only
- ABS material supports higher temperatures than traditional polymers
- Opening and closing damper prevents outside elements from entering the vent
- Designed to prevent leaks with proper installation
- Do not use screen with clothes dryer venting installations



4" Roof Vent

FEATURES:

- Removable screen
- Snap-In Collar



ITEM #	TYPE	QTY
3540RCS	Bulk	10

3" or 4" Roof Vent - Snap-In Collar

FEATURES:

- Fixed screen



ITEM #	DIA.	TYPE	QTY
3540RC	3" or 4"	Bulk	10

4" Roof Vent - Fixed Collar

FEATURES:

- Removable screen



ITEM #	DIA.	TYPE	QTY
3540	4"	Bulk	10

5" - 10" Roof Vent - Snap-In Collar

FEATURES:

- Fixed screen

*** Fixed collar*



ITEM #	DIA.	TYPE	QTY
355	5"	Single	1
356-6	6"	Bulk	6
357	7"	Single	1
358**	8"	Single	1
359**	10"	Single	1

(AWV-SERIES) WALL EXHAUST VENTS

ALUMINUM




The Lambro 26 gauge aluminum exhaust hood is designed for wall venting. It features a damper that effectively seals the vent opening when the appliances are not in use, preventing any exhaust air from escaping. When the appliance is in operation, the pressure from the exhaust air causes the damper to open, allowing the exhaust to exit through the vent.

OVERALL FEATURES:

- Made with 26 gauge aluminum
- Opening and closing damper prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



** Spring-controlled damper

4" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
3440NT	4"	24
3440MSNT*	4"	24
3440SPGNT**	4"	24

4" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
3440SPG-6**	4"	10

3" & 4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
3430	3"	10
3440	4"	10
3440MS*	4"	10

(AWV-SERIES) WALL EXHAUST VENTS

ALUMINUM



The Lambro 22 gauge aluminum exhaust hood is designed for wall venting. It features a damper that effectively seals the vent opening when the appliances are not in use, preventing any exhaust air from escaping. When the appliance is in operation, the pressure from the exhaust air causes the damper to open, allowing the exhaust to exit through the vent.

OVERALL FEATURES:

- Made with 22 gauge aluminum
- Opening and closing spring-controlled damper prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



NOTE: Spring-controlled dampers are standard for items on this page

4" & 6" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
34400MSNT*	4"	12
3460MSNT*	6"	12

6" - 8" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
3460-6	6"	6
3460MS-6*	6"	6
3470MS-6*	7"	6
3480-6	8"	6
3480MS-6*	8"	6

6" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
3460MS-11*	6"	6

(AWV-SERIES) WALL EXHAUST VENTS

ALUMINUM



The Lambro 20 gauge aluminum exhaust hood is designed for wall venting. It features a damper that effectively seals the vent opening when the appliances are not in use, preventing any exhaust air from escaping. When the appliance is in operation, the pressure from the exhaust air causes the damper to open, allowing the exhaust to exit through the vent.

OVERALL FEATURES:

- Made with 20 gauge aluminum
- Opening and closing spring-controlled damper prevents outside elements from entering the vent
- Damper features a gasket for reduced noise and a better seal when closed



* 0.125" expanded metal screen openings



NOTE: Spring-controlled dampers are standard for items on this page

10" & 12" Wall Vent - 3" Pipe

FEATURES:

- 3" length installs through the wall



ITEM #	DIA.	QTY
587	10"	1
587S*	10"	1
588	12"	1
588S*	12"	1

3.25" x 10" Wall Vent - 5" Tai

FEATURES:

- 5" length installs through the wall



ITEM #	DIA.	QTY
1060	3.25" x 10"	6
1060S*	3.25" x 10"	6

(GWV-SERIES) WALL EXHAUST VENTS

GALVANIZED



The Lambro 26 gauge galvanized steel exhaust hood is designed for wall venting. It features a damper that effectively seals the vent opening when the appliances are not in use, preventing any exhaust air from escaping. When the appliance is in operation, the pressure from the exhaust air causes the damper to open, allowing the exhaust to exit through the vent.

OVERALL FEATURES:

- Made with 26 gauge galvanized steel
- Opening and closing damper prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



** 0.125" wire mesh screen openings



*** Spring-controlled damper
**** Spring-controlled damper and 0.25" wire mesh screen

4" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
34400GNT	4"	24
34400GMSNT*	4"	24
34400GBSNT**	4"	24

4" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
34400GMS-6*	4"	10

4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
34400G	4"	10
34400GMS*	4"	10
34400GSPG***	4"	10
34400GSPGMS****	4"	10

(GWV-SERIES) WALL EXHAUST VENTS

GALVANIZED




The Lambro 26 gauge galvanized steel exhaust hood is designed for wall venting. It features a damper that effectively seals the vent opening when the appliances are not in use, preventing any exhaust air from escaping. When the appliance is in operation, the pressure from the exhaust air causes the damper to open, allowing the exhaust to exit through the vent.

OVERALL FEATURES:

- Made with 26 gauge galvanized steel
- Opening and closing spring-controlled damper prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



** 0.125" wire mesh screen openings



NOTE: Spring-controlled dampers are standard for items on this page

4" - 8" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
3440GBSNT**	4"	12
3450GNT	5"	12
3460GBSNT**	6"	12
3460GMSNT*	6"	12
3470GMSNT*	7"	12
3480GBSNT**	8"	12
3480GMSNT*	8"	12

6" & 8" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
3460G-6	6"	6
3460GFDMS-6*+	6"	6
3460GMS-6*	6"	6
3480GMS-6*	8"	6

+ Gasketed damper

5" - 8" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
3450GMS-11*	5"	6
3460G-11	6"	6
3460GMS-11*	6"	6
3470GMS-11*	7"	6
3480GMS-11*	8"	6

(GWV-SERIES) WALL EXHAUST VENTS

GALVANIZED



The Lambro 26 gauge galvanized steel exhaust hood is designed for wall venting. It features a damper that effectively seals the vent opening when the appliances are not in use, preventing any exhaust air from escaping. When the appliance is in operation, the pressure from the exhaust air causes the damper to open, allowing the exhaust to exit through the vent.

OVERALL FEATURES:

- Made with 26 gauge galvanized steel
- Opening and closing spring-controlled damper prevents outside elements from entering the vent



* 0.125" expanded metal screen openings



** 0.125" wire mesh screen openings



NOTE: Spring-controlled dampers are standard for items on this page

10" & 12" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
587NT	10"	1
587GSNT*	10"	1
587GBSNT**	10"	1
588GSNT*	12"	1

10" & 12" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
587GS-6*	10"	1
588GS-6*	12"	1

10" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
587GS-11*	10"	1

(PGWV-SERIES) WALL EXHAUST VENTS

PAINT GRADE




The Lambro 26 gauge paint grade steel exhaust hood is designed for wall venting. It features a damper that effectively seals the vent opening when the appliances are not in use, preventing any exhaust air from escaping. When the appliance is in operation, the pressure from the exhaust air causes the damper to open, allowing the exhaust to exit through the vent.

OVERALL FEATURES:


- Made with 26 gauge steel
- Gray matte steel - no prep needed to paint
- Opening and closing damper prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



** 0.125" wire mesh screen openings



*** Spring-controlled damper
**** Spring-controlled damper and 0.25" wire mesh screen

4" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



4" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
34400GNT-PG	4"	24
34400GFDNT-PG+	4"	24
34400GSPGNT-PG***	4"	24
34400GFDSPGNT-PG++	4"	24
34400GBSNT-PG**	4"	24
34400GMSNT-PG*	4"	24
34400GMSSPGNT-PG****	4"	24
34400GFDMSPGNT-PG*+++	4"	24

ITEM #	DIA.	QTY
34400G-6-PG	4"	10
34400GSPG-6-PG***	4"	10
34400GSPGMS-6-PG+++	4"	10
34400GMS-6-PG*	4"	10

+ Gasketed damper
++ Gasketed spring damper
+++ Gasketed spring damper and 0.25" wire mesh screen openings

ITEM #	DIA.	QTY
34400G-PG	4"	10
34400GSPG-PG***	4"	10
34400GMS-PG*	4"	10

(PGWV-SERIES) WALL EXHAUST VENTS

PAINT GRADE




The Lambro 26 gauge paint grade steel exhaust hood is designed for wall venting. It features a damper that effectively seals the vent opening when the appliances are not in use, preventing any exhaust air from escaping. When the appliance is in operation, the pressure from the exhaust air causes the damper to open, allowing the exhaust to exit through the vent.

OVERALL FEATURES:

- Made with 26 gauge steel
- Gray matte steel - no prep needed to paint
- Opening and closing spring-controlled damper prevents outside elements from entering the vent



* 0.25" wire mesh
screen openings



** 0.125" wire mesh
screen openings



NOTE: Spring-controlled dampers
are standard for items on this page

4" - 7" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
3440GMSNT-PG*	4"	12
3450GMSNT-PG*	5"	12
3460GNT-PG	6"	12
3460GFDNT-PG+	6"	12
3460GBSNT-PG**	6"	12
3460GMSNT-PG*	6"	12
3460GFDMSNT-PG+*	6"	12
3470GMSNT-PG*	7"	12
3480GNT-PG	8"	12

5" - 8" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
3450GMS-6-PG*	5"	6
3460GMS-6-PG*	6"	6
3470MS-6*	7"	6
3480-6	8"	6
3480MS-6*	8"	6

+ Gasketed damper

6" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
3460GMS-11-PG*	6"	6

Submittal sheets and additional information
are available on our website www.lambro.net

(JC-SERIES) J-CHANNEL VENTS

PLASTIC



The Lambro J-Channel plastic exhaust wall hood vent features a damper and a removable screen, effectively blocking outside elements and air from entering the vent when it is not in operation. The damper opens to permit exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with UV polymer resin
- J-Channel design – multiple locking positions: .75-inch, 1.00-inch, 1.25-inch
- Opening and closing spring-controlled damper prevents outside elements from entering the vent
- Removable screen



4" Wall Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	QTY
1471W-JC	4"	24

4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
224W-JC	4"	24

(JC-SERIES) J-CHANNEL VENTS


PLASTIC



The Lambro J-Channel plastic exhaust wall hood vent features a damper and a removable screen, effectively blocking outside elements and air from entering the vent when it is not in operation. The damper opens to permit exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with UV polymer resin
- J-Channel design – multiple locking positions: .75-inch, 1.00-inch, 1.25-inch
- Opening and closing spring-controlled damper prevents outside elements from entering the vent
- Removable screen



AVAILABLE 2026 Q2

6" Wall Vent - Collar

FEATURES:

- 1.5" collar length



ITEM #	DIA.	QTY
3510W-JC	6"	TBD

6" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
3510WTP-JC	6"	TBD

(FF-SERIES) WALL EXHAUST VENTS

PLASTIC



The Lambro flat flange plastic exhaust wall hood vent features a damper and a removable screen, effectively blocking outside elements and air from entering the vent when it is not in operation. The damper opens to permit exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with UV polymer resin
- Opening and closing damper prevents outside elements from entering the vent
- Removable damper for fresh air applications
- Removable screen



* Spring Damper
no screen

** Spring damper

*** No screen

AVAILABLE COLORS



4" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



4" Wall Vent - Collar

FEATURES:

- 1" collar length



3" & 4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	COLOR	QTY
1471B-FF-NC	4"	Brown	16
1471B-FF-NC-SPG**	4"	Brown	16
1471BL-FF-NC-SPG**	4"	Black	16
1471W-FF-NC	4"	White	16
1471W-FF-NC-SPG**	4"	White	16
1471WNS-FF-NC-SPG*	4"	White	16

ITEM #	DIA.	COLOR	QTY
1471B-FF	4"	Brown	12
1471B-FF-SPG**	4"	Brown	12
1471BNS-FF***	4"	Brown	12
1471BL-FF-SPG**	4"	Black	12
1471G-FF-SPG**	4"	Gray	12
1471W-FF	4"	White	12
1471WNS-FF***	4"	White	12
1471W-FF-SPG**	4"	White	12

ITEM #	DIA.	COLOR	QTY
222B-FF	3"	Brown	10
222W-FF	3"	White	10
224B-FF	4"	Brown	10
224B-FF-SPG**	4"	Brown	10
224BNS-FF***	4"	Brown	10
224BL-FF	4"	Black	10
224BL-FF-SP	4"	Black	10
224G-FF-SPG**	4"	Gray	10
224W-FF	4"	White	10
224WNS-FF***	4"	White	10
224W-FF-SPG**	4"	White	10

(FF-SERIES) WALL EXHAUST VENTS

PLASTIC



The Lambro flat flange plastic exhaust wall hood vent features a spring controlled damper and a removable screen, effectively blocking outside elements and air from entering the vent when it is not in operation. The damper opens to permit exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with UV polymer resin
- Opening and closing spring-controlled damper prevents outside elements from entering the vent
- Removable damper for fresh air applications
- Removable screen



NOTE: Spring-controlled dampers are standard for items on this page

AVAILABLE COLORS



6" Wall Vent - Collar

FEATURES:

- 1.5" collar length



ITEM #	DIA.	COLOR	QTY
3510B-FF	6"	Brown	6
3510BL-FF	6"	Black	6
3510G-FF	6"	Gray	6
3510W-FF	6"	White	6

Submittal sheets and additional information are available on our website www.lambro.net

(HWV-SERIES) WALL EXHAUST VENTS

PLASTIC



The Lambro plastic exhaust wall hood vent features a damper and a removable screen, effectively blocking outside elements and air from entering the vent when it is not in operation. The damper opens to permit exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with UV polymer resin
- Opening and closing damper prevents outside elements from entering the vent
- Removable damper for fresh air applications
- Removable hinged screen



AVAILABLE COLORS



4" Wall Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	COLOR	QTY
1471B	4"	Brown	12
1471BL	4"	Black	12
1471W	4"	White	12

3" & 4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	COLOR	QTY
222B	3"	Brown	12
222W	3"	White	12
224B-B	4"	Brown	12
224BL-B	4"	Black	12
224W-B	4"	White	12
224WKD*	4"	White	18

* Unassembled

(HWV-SERIES) WALL EXHAUST VENTS

PLASTIC



The Lambro plastic exhaust wall hood vent features a damper and a removable screen, effectively blocking outside elements and air from entering the vent when it is not in operation. The damper opens to permit exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with HIPS (High Impact Polystyrene)
- Opening and closing spring-loaded damper prevents outside elements from entering the vent
- Removable damper for fresh air applications
- Removable hinged screen



NOTE: Spring-controlled dampers are standard for items on this page

AVAILABLE COLORS



6" Wall Vent - Collar

FEATURES:

- 1.25" collar length



ITEM #	DIA.	COLOR	QTY
3510B	6"	Brown	7
3510BL	6"	Black	7
3510G	6"	Gray	7
3510W	6"	White	7

7" & 8" Wall Vent - 11" Pipe

FEATURES:

- 1.15" collar length



ITEM #	DIA.	COLOR	QTY
352W	7"	White	1
389B	8"	Brown	1
389BL	8"	Black	1
389G	8"	Gray	1
389W	8"	White	1

(LWV-SERIES) WALL EXHAUST VENTS

PLASTIC



The Lambro plastic exhaust wall louvered vent features flaps that effectively block outside elements and air from entering the vent when it is not in operation. When in use, the flaps open to permit the exhaust air to flow out of the vent.

OVERALL FEATURES:

- Made with UV polymer resin
- Opening and closing dampers prevents outside elements from entering the vent



* 0.125" expanded metal screen openings



** Unassembled

AVAILABLE COLORS



4" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



3" & 4" Wall Vent - Collar

FEATURES:

- 1" collar length



3" & 4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	COLOR	QTY	ITEM #	DIA.	COLOR	QTY	ITEM #	DIA.	COLOR	QTY
1423B-NC	4"	Brown	18	1475W	3"	White	12	290W	3"	White	12
1423BS-NC*	4"	Brown	18	1423B	4"	Brown	12	267B-B	4"	Brown	12
1423BLS-NC*	4"	Black	18	1423BS*	4"	Brown	12	267BL-B	4"	Black	12
1423W-NC	4"	White	18	1423BL	4"	Black	12	267W-B	4"	White	12
1423WS-NC*	4"	White	18	1423BLS*	4"	Black	12	267WKD**	4"	White	18
				1423W	4"	White	12				
				1423WS*	4"	White	12				

(LWV-SERIES) WALL EXHAUST VENTS

PLASTIC




The Lambro plastic exhaust wall louvered vent features flaps that effectively block outside elements and air from entering the vent when it is not in operation. When in use, the flaps open to permit the exhaust air to flow out of the vent.

OVERALL FEATURES:

- Made with UV polymer resin
- Opening and closing dampers prevents outside elements from entering the vent



* 0.125" expanded metal screen openings



AVAILABLE COLORS



6" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



5" - 8" Wall Vent - Collar

FEATURES:

- 1" collar length



6" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	COLOR	QTY	ITEM #	DIA.	COLOR	QTY	ITEM #	DIA.	COLOR	QTY
361B-NC	6"	Brown	18	360B	5"	Brown	12	361WTP	6"	White	5
361BS-NC*	6"	Brown	18	360W	5"	White	12				
361W-NC	6"	White	18	361B	6"	Brown	12				
				361BS*	6"	Brown	12				
				361BL	6"	Black	12				
				361W	6"	White	12				
				361WS*	6"	White	12				
				362W	7"	White	12				
				363B	8"	Brown	12				
				363W	8"	White	12				

(SFWV-SERIES) WALL EXHAUST VENTS

PLASTIC




The Lambro plastic exhaust wall single louvered vent features a single flap that effectively blocks outside elements and air from entering the vent when it is not in operation. When in use, the flap opens to permit the exhaust air to flow out of the vent.

OVERALL FEATURES:

- Low profile design
- Made with UV polymer resin
- Opening and closing damper prevents outside elements from entering the vent



* 0.125" expanded metal screen openings



AVAILABLE COLORS



4" Wall Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	COLOR	QTY
1422BS*	4"	Brown	16
1422BLS*	4"	Black	16
1422WS*	4"	White	16

4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	COLOR	QTY
1422BTP	4"	Brown	15
1422BLTP	4"	Black	15
1422WTP	4"	White	15

(AFA-SERIES) WALL INTAKE VENTS

ALUMINUM




The Lambro 26 gauge aluminum fresh air intake hood is specifically engineered for wall-mounted installations. It includes a wire mesh screen that efficiently blocks external elements from infiltrating the vent.

OVERALL FEATURES:

- Made with 26 gauge aluminum
- No damper
- Wire mesh screen prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
3440NDMS*	4"	10

(AFA-SERIES) WALL INTAKE VENTS

ALUMINUM




The Lambro 22 gauge aluminum fresh air intake hood is specifically engineered for wall-mounted installations. It includes a wire mesh screen that efficiently blocks external elements from infiltrating the vent.

OVERALL FEATURES:

- Made with 22 gauge aluminum
- No damper
- Wire mesh screen prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



6" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
3460NDMSNT*	6"	12

6" & 8" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
3460NDMS-6*	6"	6
3480NDMS-6*	8"	6

(AFA-SERIES) WALL INTAKE VENTS

ALUMINUM




The Lambro 20 gauge aluminum fresh air intake hood is specifically engineered for wall-mounted installations. It includes a screen that efficiently blocks external elements from infiltrating the vent.

OVERALL FEATURES:

- Made with 20 gauge aluminum
- No damper
- Wire mesh screen prevents outside elements from entering the vent



* aluminum expanded metal screen



12" Wall Vent - 3" Pipe

FEATURES:

- 3" length installs through the wall



ITEM #	DIA.	QTY
588NDS*	12"	1

(GFA-SERIES) WALL INTAKE VENTS

GALVANIZED




The Lambro 26 gauge galvanized steel fresh air intake hood is specifically engineered for wall-mounted installations. It includes a wire mesh screen that efficiently blocks external elements from infiltrating the vent.

OVERALL FEATURES:

- Made with 26 gauge galvanized steel
- No damper
- Wire mesh screen prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



4" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	QTY
34400GNDMS*	4"	10

(GFA-SERIES) WALL INTAKE VENTS

GALVANIZED




The Lambro 26 gauge galvanized steel fresh air intake hood is specifically engineered for wall-mounted installations. It includes a wire mesh screen that efficiently blocks external elements from infiltrating the vent.

OVERALL FEATURES:

- Made with 26 gauge galvanized steel
- No damper
- Wire mesh screen prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



8" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
3480GNDMSNT*	8"	12

6" & 8" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
3460GNDMS-6*	6"	6
3480GNDMS-6*	8"	6

6" & 8" Wall Vent - 11" Pipe

FEATURES:

- 11" length installs through the wa



ITEM #	DIA.	QTY
3460GNDMS-11*	6"	6
3480GNDMS-11*	8"	6

(GFA-SERIES) WALL INTAKE VENTS

GALVANIZED



The Lambro 26 gauge galvanized steel fresh air intake hood is specifically engineered for wall-mounted installations. It includes a wire mesh screen that efficiently blocks external elements from infiltrating the vent.

OVERALL FEATURES:

- Made with 26 gauge galvanized steel
- No damper
- Expanded aluminum screen prevents outside elements from entering the vent



* 0.125" expanded metal screen openings



10" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
587GNDSNT*	10"	1

10" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
587GNDS-6*	10"	1


(FILTER) NEW PRODUCT SEARCH

WWW.LAMBRO.NET




Frustrated with searching for a product that suits your needs? Are you overwhelmed by the numerous choices available or struggling to identify the right one? We present a simpler solution for product discovery: the Lambro product filter. By choosing product attributes from the filter, your search results will start to become more focused. After entering the essential attributes, selecting the required product becomes significantly easier.

Access the product attributes filter on any product category page



Clicking the FILTERS opens up to select your product attributes



(PGFA-SERIES) WALL INTAKE VENTS

PAINT GRADE




The Lambro 26 gauge paint grade steel fresh air intake hood is specifically engineered for wall-mounted installations. It includes a wire mesh screen that efficiently blocks external elements from infiltrating the vent.

OVERALL FEATURES:

- Made with 26 gauge paint grade steel
- No damper
- Wire mesh screen prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



4" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
34400GNDMSNT-PG*	4"	24

4" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
34400GNDMS-6-PG*	4"	10

(PGFA-SERIES) WALL INTAKE VENTS

PAINT GRADE




The Lambro 26 gauge paint grade steel fresh air intake hood is specifically engineered for wall-mounted installations. It includes a wire mesh screen that efficiently blocks external elements from infiltrating the vent.

OVERALL FEATURES:

- Made with 26 gauge paint grade steel
- No damper
- Wire mesh screen prevents outside elements from entering the vent



* 0.25" wire mesh screen openings



5" - 8" Wall Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	QTY
3450GNDMSNT-PG*	5"	12
3460GNDBSNT-PG**	6"	12
3460GNDMSNT-PG*	6"	12
3470GNDMSNT-PG*	7"	12

5" - 8" Wall Vent - 6" Pipe

FEATURES:

- 6" length installs through the wall



ITEM #	DIA.	QTY
3450GNDMS-6-PG*	5"	6
3460GNDMS-6-PG*	6"	6
3470GNDMS-6-PG*	7"	6
3480GNDMS-6-PG*	8"	6

(SV-SERIES) SOFFIT EXHAUST VENTS

PLASTIC



The Lambro plastic soffit exhaust vent features a damper that effectively blocks outside air and elements from entering the vent when it is not in operation. When in use, the damper opens to permit the exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with UV polymer resin
- Opening and closing damper prevents outside elements from entering the vent



AVAILABLE COLORS



3" - 6" Soffit Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	COLOR	QTY
153W	3"	White	12
143B	4"	Brown	12
143BL	4"	Black	12
143W	4"	White	12
146W	6"	White	8

3" & 4" Soffit Vent - 3" Pipe

FEATURES:

- 3" length installs through the soffit



ITEM #	DIA.	COLOR	QTY
153WTP	3"	White	12
143BTP	4"	Brown	12
143BLTP	4"	Black	12
143WTP	4"	White	12

(SV-SERIES) SOFFIT EXHAUST VENTS

PLASTIC



The Lambro plastic soffit exhaust vent features a damper with screen that effectively blocks outside air and elements from entering the vent when it is not in operation. When in use, the damper opens to permit the exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with UV polymer resin
- Opening and closing damper prevents outside elements from entering the vent
- Removable screen



AVAILABLE COLORS



4" & 6" Soffit Vent - Collar

FEATURES:

- 1" collar length



4" Soffit Vent - 3" Pipe

FEATURES:

- 3" length installs through the soffit



ITEM #	DIA.	COLOR	QTY
143BS	4"	Brown	12
143BLS	4"	Black	12
143WS	4"	White	12
146BS	6"	Brown	8
146BLS	6"	Black	8
146WS	6"	White	8

ITEM #	DIA.	COLOR	QTY
143WSTP	4"	White	12

(SV-SERIES) SOFFIT VENT

PLASTIC



The Lambro plastic soffit exhaust vent features a dual dampers that effectively blocks outside air and elements from entering the vent when it is not in operation. When in use, the dampers open to permit the exhaust air to flow out through the adequately sized opening.

OVERALL FEATURES:

- Made with UV polymer resin
- Opening and closing dampers prevent outside elements from entering the vent
- Removable screens
- 6" to 4" adaptor



* Shown without 4" to 6" adaptor

4" - 6" Soffit Vent

FEATURES:

- 1.5" collar length



ITEM #	DIA.	COLOR	QTY
164W	4" - 6"	White	8

(RSV-SERIES) ROUND VENTS

PLASTIC



The Lambro plastic round soffit exhaust or air intake vents are designed with a sleek, low-profile appearance that eliminates visible screws. These versatile vents serve multiple purposes and are suitable for installation in soffits or walls.

OVERALL FEATURES:

- Use for exhaust and fresh air intake
- Made with UV polymer resin
- Friction fit or screw holes
- Low profile design



* Predrilled screw holes for mounting

AVAILABLE COLORS



4" & 6" Round Vents - Collar

FEATURES:

- 1.5" collar length



ITEM #	DIA.	COLOR	QTY
174B	4"	Brown	36
174BL	4"	Black	36
174W	4"	White	36
174W-SH*	4"	White	36
176B	6"	Brown	10
176BL	6"	Black	10
176W	6"	White	10

4" & 6" Round Vents - 3" Pipe

FEATURES:

- 1.5" length collar



ITEM #	DIA.	COLOR	QTY
174BTP-SH*	4"	Brown	12
174WTP-SH*	4"	White	12
176BTP-SH*	6"	Brown	8
176WTP-SH*	6"	White	8

(RG-SERIES) INTAKE VENTS

PLASTIC




The Lambro plastic fresh air intake vent (rain guard) features a low-profile design that integrates seamlessly into soffit or wall installations. Its removable rain guard facilitates straightforward cleaning as needed, so it is advisable to inspect the vent regularly.

OVERALL FEATURES:

- Made with UV polymer resin
- Rain guard style
- Removable fixed louvers for easy cleaning



* 0.125" expanded metal screen openings



AVAILABLE COLORS



4" Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	COLOR	QTY
603W	3"	White	8
604B	4"	Brown	8
604BL	4"	Black	8
604BLS*	4"	Black	8
604W	4"	White	8
604WS*	4"	White	8

4" Vent - 3" Pipe

FEATURES:

- 3" length installs through the wall



ITEM #	DIA.	COLOR	QTY
674B	4"	Brown	8
674BL	4"	Black	8
674W	4"	White	8

4" Vent - 11" Pipe

FEATURES:

- 11" length installs through the wall



ITEM #	DIA.	COLOR	QTY
604WTP	4"	White	12

(RG-SERIES) INTAKE VENTS

PLASTIC




The Lambro plastic fresh air intake vent (rain guard) features a low-profile design that integrates seamlessly into soffit or wall installations. Its removable rain guard facilitates straightforward cleaning as needed, so it is advisable to inspect the vent regularly.

OVERALL FEATURES:

- Made with UV polymer resin
- Rain guard style
- Removable fixed louvers for easy cleaning



* 0.125" expanded metal screen openings



AVAILABLE COLORS



6" & 8" Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	COLOR	QTY
606B	6"	Brown	6
606BS*	6"	Brown	6
604BL	6"	Black	6
606W	6"	White	6
606WS*	6"	White	6
608B	8"	Brown	6
608BL	8"	Black	6
608W	8"	White	6

6" Vent - 11" Pipe

FEATURES:

- 11" length installs through the soffit



ITEM #	DIA.	COLOR	QTY
606WTP	6"	White	5

(ML-SERIES) INTAKE VENTS

PLASTIC




The Lambro plastic fresh air intake vent (mini louver) serves as a modern alternative to conventional “rain guard” intakes available in the market. Additionally, the removable mini fixed louvers facilitate straightforward cleaning as needed, so it is advisable to inspect the vent regularly.

OVERALL FEATURES:

- Made with UV polymer resin
- Mini louver style
- Removable fixed louvers for easy cleaning



* 0.125" expanded metal screen openings



AVAILABLE COLORS



4" Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	COLOR	QTY
604B-ML-NC	4"	Brown	18
604BL-ML-NC	4"	Black	18
604W-ML-NC	4"	White	18

4" Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	COLOR	QTY
604B-ML	3"	Brown	16
604W-ML	4"	White	16
604W-MLS*	4"	White	16

3" & 4" Vent - 3" Pipe

FEATURES:

- 3" length installs through the wall



ITEM #	DIA.	COLOR	QTY
673B-ML	3"	Brown	14
674B-ML	4"	Brown	14
674B-ML	4"	Black	14
674W-ML	4"	White	14
674W-MLS*	4"	White	14

(ML-SERIES) INTAKE VENTS

PLASTIC




The Lambro plastic fresh air intake vent (mini louver) serves as a modern alternative to conventional "rain guard" intakes available in the market. Additionally, the removable mini fixed louvers facilitate straightforward cleaning as needed, so it is advisable to inspect the vent regularly.

OVERALL FEATURES:

- Made with UV polymer resin
- Mini louver style
- Removable fixed louvers for easy cleaning



* 0.125" expanded metal screen openings



AVAILABLE COLORS



6" & 8" Vent - Flush Mount

FEATURES:

- Flat mounting back - no collar



ITEM #	DIA.	COLOR	QTY
606B-ML-NC	6"	Brown	12
606W-ML-NC	6"	White	12
606W-MLS-NC*	6"	White	12
608B-ML-NC	8"	Brown	18
608W-ML-NC	8"	White	18

6" & 8" Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	COLOR	QTY
606B-ML	6"	Brown	12
606W-ML	6"	White	12
606W-MLS*	6"	White	12
608B-ML	8"	Brown	8
608BL-ML	8"	Black	8
608W-ML	8"	White	8

6" Vent - 3" Pipe

FEATURES:

- 3" length installs through the wall



ITEM #	DIA.	COLOR	QTY
676B-ML	6"	Brown	8
676B-MLS*	6"	Brown	8
676BL-MLS*	6"	Black	8
676W-ML	6"	White	8
676W-MLS*	6"	White	8

(HD-SERIES) INTAKE VENTS

PLASTIC



The Lambro plastic fresh air intake vent (hood) serves as a modern alternative to conventional “rain guard” intakes available in the market. Additionally, the removable screen facilitates straightforward cleaning as needed, so it is advisable to inspect the vent regularly.

OVERALL FEATURES:

- Made with UV polymer resin
- Hood style
- Removable fixed louvers for easy cleaning



AVAILABLE COLORS



4" Vent - Collar

FEATURES:

- 1" collar length



ITEM #	DIA.	COLOR	QTY
604B-16	4"	Brown	16
604W-16	4"	White	16

6" Vent - Collar

FEATURES:

- 1.25" collar length



ITEM #	DIA.	COLOR	QTY
606W-7	6"	White	7

(SL-SERIES) SNAP LOCK PIPES

ALUMINUM



Lambro offers a selection of snap lock pipes in aluminum and in various gauges. Installation applications consist of exhausting clothes dryers, bath fans, kitchen ranges and other general venting.

OVERALL FEATURES:

- All aluminum construction
- Snap-lock design

4" Pipe

FEATURES:

- Snap-lock closure

ITEM #	DIA.	LENGTH	GAUGE	QTY
229	4"	2'	30	25
427	4"	5'	28	10
427-016	4"	5'	26	10



(AE-SERIES) ADJUSTABLE ELBOWS

ALUMINUM

Lambro offers a selection of adjustable elbows in aluminum and in various gauges. Installation applications consist of exhausting clothes dryers, bath fans, kitchen ranges and other general venting.

OVERALL FEATURES:

- All aluminum construction
- Adjustable configurations

4" Elbow

FEATURES:

- 0 - 90° configurations

ITEM #	DIA.	GAUGE	QTY
2310	4"	26	12



Submittal sheets and additional information are available on our website www.lambro.net



HEADQUARTERS
AMITYVILLE, NY

(631) 842-8088
SALES@LAMBRO.NET
WWW.LAMBRO.NET