

STORM DOORS



home

[we make front doors better]



[www.LARSONdoors.com](http://www.LARSONdoors.com)



**Adding a LARSON® storm door improves energy efficiency of the entryway by up to 80%, reduces maintenance needs, and helps the entry door perform better.**

## Storm Doors for Every Home

LARSON® storm doors are available in styles and ventilating options to make your home more comfortable. Choose from Screen Away® retractable screens that disappear when not in use or convenient built-in screen options.

## Consider Low-E

Several storm doors are available with Low-E glass. Low-E (low emissivity) glass contains an extremely durable coating that minimizes the amount of infrared energy that passes through without compromising the amount of visible light that shines in. Low-E glass reduces interior fading and has a dramatic impact on the comfort of your home.

### The Low-E Advantage



Keep rooms warmer in the winter by minimizing heat loss.



Keep rooms cooler in the summer by reflecting the sun's heat.



U.S. Department of Energy recommends Low-E to improve energy efficiency.

## Protection

Storm doors protect your entry door and provide an additional layer of security between your home and unwelcome guests.

## Installation

LARSON storm doors are available with two installation methods that require no cutting. EasyHang® includes one-step hanging with pre-drilled placement holes and adjustable height for an exact fit. The Platinum Collection is pre-assembled for effortless installation. Out of box and on your home in minutes.

## Learn more


Visit us at [LARSONdoors.com](http://LARSONdoors.com) for a comprehensive list of products available to make your home more comfortable.

# Platinum COLLECTION

## Relax, you got this!

No experience necessary to install these doors.

The Platinum Collection Dominator™ Secure Glass and Dominator Secure Screen are designed to keep intruders out. Plus, they are backed by a Break-In Protection Warranty against forced entry.



White Linen

Black

Graphite

Pebblestone

Woodland




## Easy to install. Tough to break through.

No installation experience necessary with our pre-assembled security doors. Simply add your QuickFit™ handle, place frame on the opening, and secure in minutes.



Factory assembled for effortless installation. Out of box and on your home in minutes!



Multi-point locking system secures door in three places for ultimate protection.




Sleek built-in hidden closer with Click&Hold™ keeps the door open.



Dominator™ shield between laminated glass keeps intruders out

Platinum SG  
449-04




Dominator .032 stainless steel wire mesh screen is built to withstand more than 1,000 lbs/in of force

Platinum SCR  
450-18

MODEL	STANDARD SIZE	CUSTOM
Platinum SG 449-04	32" x 81"	✓
Platinum SCR 450-18	36" x 81"	✓



### Curved Handle Finishes



Brushed Nickel

Aged Bronze

Antique Brass

Brass


White

Brown

Sandstone



### Straight Handle Finishes



Brushed Nickel

Aged Bronze

Matte Black




**QuickFit™**  
HANDLE SET

**Choose Your Handle**  
Matching handles inside and out with built-in deadbolt. SOLD SEPARATELY



## Seasonal Venting

Maximize your view with our beautiful fullview storm doors. Interchangeable screen included for seasonal venting.




**QuickFit™**  
HANDLE SET  
**Choose Your Handle**  
Matching handles inside and out with built-in deadbolt. **SOLD SEPARATELY**

Elegant Selection	MODEL	STANDARD SIZE	CUSTOM
159 Series with Hidden Closer	159FVE Low-E*	32" x 81"	✓
	159FV Clear	36" x 81"	✓
149 Series with 2-closer system	149FVE Low-E*	32" x 81"	✓
	149FV Clear**		✓
	149PV Pet Door	36" x 81"	
	149BV Double Bevel		
	149EBV Elegant Bevel	36" x 81"	

**Low E** \* 159FVE, 149FVE feature Low-E glass for improved insulation and less fading.  
\*\* 149FV also available in 30" & 34" widths, white only.

### FEATURE UPGRADES 159 Models



**Innovation** Built-in closer with Click&Hold™ keeps the door open

**BetterVue®** screen with up to 20% improved clarity, light, and increased airflow

### STANDARD FEATURES



**Ventilation** Window and screen interchange for seasonal venting

**Durability** Premium frame construction with 1-5/8" thick aluminum

**Protection** Overlapping frame and two closers provide a tight seal

**Convenience** Hold-open closer keeps the door open with a touch of a button **149 models**

**Finish** Installation screw covers conceal exterior screws

Enjoy it all!


Screen Away® technology for both venting and clear views



156FVE Low-E 146FVE Low-E Midview Pet Door Highview Bevel  
156FV Clear 146FV Clear 146MV 146PV 146HV 146BV


**Graphite**

156FV/FVE only



Colors vary by model

Curved Handle Finishes




Straight Handle Finishes



**QuickFit™**  
HANDLE SET

**Choose Your Handle**  
Matching handles inside and out with built-in deadbolt. SOLD SEPARATELY

EasyVent® Selection	MODEL	STANDARD SIZE	CUSTOM
156 Series with Hidden Closer	156FVE Low-E*	32" x 81"	✓
	156FV Clear	36" x 81"	✓
146 Series with 2-closer system	146FVE Low-E*	32" x 81"	✓
	146FV Clear	34" x 81"***	✓
	146MV Midview	36" x 81"	✓
	149PV Pet Door	32" x 81"	
	146HV Highview	36" x 81"	
	146BV Bevel	36" x 81"	

 \* 156FVE, 146FVE feature Low-E glass for improved insulation and less fading.  
\*\* 34" widths: 146FVE – white only; 146FV, 146MV – white, sandstone only.




**FEATURE UPGRADES**  
156 Models




**Innovation Retractable Screen**  
Built-in closer with Click&Hold™ keeps the door open provides improved strength, better insect protection, enhanced solar protection and privacy

**STANDARD FEATURES**




**Ventilation**  
Convenient retractable screen provides any time venting



**Durability**  
Premium frame construction with 1-7/8" thick aluminum



**Protection**  
Overlapping frame and two closers provide a tight seal



**Convenience**  
Hold-open closer keeps the door open with a touch of a button



**Finish**  
Installation screw covers conceal exterior screws


**146 models**

## Your Pet Door Headquarters!

Adding a pet door just got easier. We designed a wide selection of storm doors that feature a factory-installed pet door. Guaranteed to keep your pet happy and make your life easier. The inside pet door security panel keeps intruders out.




**Elegant Selection™  
Fullview Pet Door  
149PV**  
8W x 12H Opening  
Fits pets up to 40 lbs.  
Handle sold separately  
Screen not available




**EasyVent® Selection  
Retractable Screen  
Pet Door  
146PV**  
8W x 12H Opening  
Fits pets up to 40 lbs.  
Handle sold separately




**Pet View  
360-79**  
10W x 17H Opening  
Fits pets up to 100 lbs.



**Pet Door  
370-79**  
10W x 17H Opening  
Fits pets up to 100 lbs.



**Pet Door XL  
370-78**  
14W x 23H Opening  
Fits pets up to 220 lbs.




MODEL	SIZE	CUSTOM	COLORS
Fullview 149PV	32" x 81" 36" x 81"		All colors
Retractable Screen 146PV			
Pet View 360-79			White, Brown
Pet Door 370-79		✓	White, Almond
Pet Door 370-78		✓	





3-point locking system secures door in three places

**Secure Elegance®**  
You'll know this door is secure by the quality features built in, like engineered glass with a security inner layer, UV protection, and multi-point locking. It is backed by a \$1000 break-in protection warranty.



Secure Elegance  
349-17  
349-15  
349-20



**Bottom Vent** 360-NV  
**Double Bevel** 350-14, 350-13  
**Clear** 350-17, 350-04  
**Wood Core** 274-FL

Bring natural light into your home to let kids and pets see out. These durable aluminum and wood core doors are available with a bottom vent panel (360-NV) or interchangeable glass and screen (350 series, 274-FL). Handle styles and finishes vary by model.



MODEL	SIZE	CUSTOM	COLOR
349-17 Brushed Nickel	32" x 81" 36" x 81"	✓	All Colors
349-15 Aged Bronze			
349-20 Brass			



MODEL	SIZE	CUSTOM	COLOR
360-NV	32" x 81" 36" x 81"		White, Sandstone, Brown
350-14 Brushed Nickel 350-13 Brass	32" x 81" 36" x 81"		White, Almond, Sandstone, Brown, Black
350-17 Brushed Nickel 350-04 Brass	32" x 81" 36" x 81"	✓	White, Almond, Sandstone, Brown, Black
274-FL	32" x 81" 36" x 81"	✓	White, Almond, Sandstone, Brown



## The Convenience of Screen Away®

Our top performing wood core retractable screen storm doors include features like magnetic weatherstrip that seals tight like a refrigerator for increased energy efficiency (830, 691 series). Most doors include your choice of handle finish.



830-82  
830-85  
830-80

691-52  
691-55  
691-90

370-81



356-52  
356-60

## Durable Aluminum Frame

1-3/8" thick frame is maintenance free and includes heavy-duty weatherstrip. Includes designer screw covers that conceal exterior screws. Available with a brushed nickel or brass lever.



MODEL	SIZE	CUSTOM	COLOR
830-82 Brushed Nickel	32" x 81"		White, Almond, Sandstone, Brown
830-85 Aged Bronze	36" x 81"	✓	
830-80 Brass	34" x 81"		
691-52 Brushed Nickel	32" x 81"		White, Sandstone, Brown
691-55 Aged Bronze	36" x 81"	✓	
691-90 Brass	36" x 81"		
370-81 Color-Match Lever	32" x 81" 36" x 81" 30" x 81"		White, Almond
356-52 Brushed Nickel	32" x 81"		White
356-60 Brass	36" x 81"		



## Top or Bottom Venting

Storm doors at a great value with built-in glass and screen combinations for convenient venting.

### ALL-METAL FRAME



**Pet Door**  
360-79

**Push Button Handle**  
660-16 Midview  
660-18 Highview

**Lever Handle**  
360-16 Midview  
360-18 Highview

### WOOD CORE



**DuraTech**  
370-50

**DuraTech**  
237-17 Midview Brushed Nickel  
237-07 Midview Brass  
233-17 Highview Brushed Nickel  
233-07 Highview Brass



MODEL	SIZE	COLOR
360-79 Pet Door	32" x 81"	White, Brown
360-18, 660-18	36" x 81"	White, Brown
360-16, 660-16	30" X 81" 32" x 81"	White, Brown
370-50	34" x 81** 36" x 81"	White, Brown
237-17 Brushed Nickel 237-07 Brass	32" x 81"	White, Almond, Sandstone, Brown
233-17 Brushed Nickel 233-07 Brass	36" x 81"	White, Almond, Sandstone, Brown

\* 34" widths: 360-16, 660-16 White only





## Built to Perform

These insulating storm doors feature a solid core with a weather-resistant DuraTech®, durable aluminum or vinyl surface.

Choose from two traditional venting options: multi-vent with full screen or bottom vent screen.



Single-Vent  
Pet Door  
DuraTech  
370-79  
370-78 XL



Multi-Vent  
DuraTech  
271-TT



Multi-Vent  
DuraTech  
830-46



Single-Vent  
DuraTech  
830-14



Single-Vent  
DuraTech  
278-SS




Single-Vent  
288-SS Aluminum



Single-Vent  
283-ST Aluminum



Single-Vent  
Aluminum  
286-SX



Single-Vent  
DuraTech  
380-05



MODEL	SIZE	SPECIAL STANDARD	CUSTOM	COLOR
370-79 Regular Flap 370-78 XL Flap	32" x 81" 36" x 81"		✓	White, Almond
271-TT Multi-Vent		30" x 81" 34" x 81" 36" x 85" White only	✓	White, Almond, Sandstone, Brown
830-46 Multi-Vent				White, Brown
830-14 Single-Vent			✓	White, Brown

MODEL	SIZE	SPECIAL STANDARD	CUSTOM	COLOR
278-SS DuraTech	32" x 81" 36" x 81"	30" x 81" 34" x 81" 32" x 85" 36" x 85" White only	✓	White, Almond, Sandstone, Brown
288-SS Aluminum		30" x 81" 34" x 81"		White, Brown
298-SS Vinyl		30" x 81" 34" x 81"		White
283-ST Aluminum 286-SX		30" x 81"		White, Brown
293-ST Vinyl				White
380-05* Mobile Home Door		32" x 75" 30" x 75"		

\* 380-05 additional sizes available




This is no ordinary screen door! The durable frame and WearTuff™ screen are built to withstand up to 300 lbs. of static force and includes handle, closer, and hinges.

Screen Door  
360-48



MODEL	SIZE	CUSTOM	COLOR
360-48 Screen Door	32" x 81" 36" x 81"	✓	White, Brown

## screen upgrades



**SunTex® 80**  
Shading fabric in 3 colors




**Petscreen®**  
7X stronger




**No-See-Um**  
tight mesh





RECORD YOUR MEASUREMENTS

<b>A</b>	WIDTH
<b>B</b>	WIDTH
<b>C</b>	WIDTH
<b>D</b>	HEIGHT



Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29 7/8" to 30 3/8"	80" to 81"
32" x 81"	31 7/8" to 32 3/8"	
34" x 81"	33 7/8" to 34 3/8"	
36" x 81"	35 7/8" to 36 3/8"	




Size availability varies by model.  
CUSTOM SIZES available in select models.

## MOUNTING GUIDE


### PLATINUM COLLECTION (Surface Mount)

The rails mount directly to the face of the exterior brickmold and require a 3/4" wide mounting surface. Determine hinge side as viewed from outside.



### STORM DOORS (Recess Mount)

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.





**Habitat**  
for Humanity®

Proud partner with Habitat for  
Humanity International.

™ Trademark, LARSON Manufacturing Company, Brookings, SD, U.S.A. © 2020  
Larson Manufacturing Company. Printed in the U.S.A. LARSON reserves the right  
to alter or discontinue any model, specification, warranty or price without notice.  
Door colors shown are approximate; actual color may vary. 09502100

[www.LARSONdoors.com](http://www.LARSONdoors.com)