

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 Revision Date: 04-09-2020

Replaces:

1. Identification

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Two Cycle Engine Oil

Restrictions on use:Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

importer, or other responsible party:

Warren Distribution, Inc.

950 S. 10th St., Suite 300

Omaha, NE 68108-3296

Phone number: +01 (800) 825-1235 +01 (402) 341-9397

E-mail address: sds@wd-wpp.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:







GHS Classification: Germ Cell Mutagenicity Category 1B

Carcinogenicity Category 1A

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure

Category 1

Hazardous to the aquatic environment - Acute Category 1 Hazardous to the aquatic environment - Chronic Category 1

Skin Corrosion/Irritation Category 2 Reproductive Toxicity Category 2

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category

3

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 **Revision Date:** 04-09-2020

Replaces:

Acute Toxicity - Inhalation Dust / Mist Category 4

Signal Word: Danger

Hazard Statements: Causes skin irritation; Harmful if inhaled; May cause respiratory irritation;

May cause drowsiness or dizziness; May cause genetic defects; May cause cancer.; Suspected of damaging fertility or the unborn child.; Causes damage to organs through prolonged or repeated exposure; Very toxic to

aquatic life; Very toxic to aquatic life with long lasting effects

Precautionary Statements:

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

Response: If on skin: Wash with plenty of water. If inhaled: Remove person to fresh

air and keep comfortable for breathing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor/.../if you feel unwell. Specific treatment (see Sections 4 - 8 of Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. Take off contaminated

clothing and wash it before reuse. Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store

locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazards not otherwise classified:No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Distillates, petroleum, straight- run middle	No data available	64741-44-2	10 - 30
Distillates, petroleum, hydrodesulfurized middle	No data available	64742-80-9	10 - 30
Distillates, petroleum, hydrodesulfurized light catalytic cracked	No data available	68333-25-5	10 - 30
Highly refined synthetic base	No data available	64742-54-7	10 - 30

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 Revision Date: 04-09-2020

Replaces:

stocks			
Kerosene	No data available	8008-20-6	10 - 30
Kerosine, petroleum, hydrodesulfurized	No data available	64742-81-0	7 - 13
Light hydrocracked distillate	No data available	64741-77-1	5 - 10
Naphthalene	No data available	91-20-3	0.1 - 1
Petroleum distillates,	No data available	64742-54-7	0.1 - 1
hydrotreated heavy paraffinic			
Toluene	No data available	108-88-3	0.1 - 1
Ethylbenzene	No data available	100-41-4	0.1 - 1
Benzene	No data available	71-43-2	0.1 - 1
Biphenyl	No data available	92-52-4	0.1 - 1

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: If inhaled: Remove person to fresh air and keep comfortable for

breathing.

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

Skin Contact: If on skin: Wash with plenty of water. If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before

reuse.

Ingestion: Seek medical attention immediately or call the Poison control center. Do

not induce vomiting. If patient is fully conscious, give up to two glasses

of water. Provide medical care provider with this SDS.

Most important symptoms/effects,

acute and delayed:

Causes skin irritation. Harmful if inhaled May cause respiratory irritation.

May cause drowsiness or dizziness. Causes damage to organs through

prolonged or repeated exposure.

Indication of immediate medical attention and special treatment

needed, if necessary:

Call a poison center/doctor/.../if you feel unwell. Specific treatment (see Sections 4 - 8 of Safety Data Sheet). If exposed or concerned: Get medical

advice/attention.

5. Fire-fighting measures

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 Revision Date: 04-09-2020

Replaces:

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Hazardous combustion products: Carbon dioxide, Carbon monoxide

Special protective equipment and

precautions for fire-fighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6. Accidental release measures

Personal precautions, protective

equipment and emergency procedures:

Methods and materials for containment

and cleaning up:

Avoid release to the environment.

Collect spillage.

7. Handling and storage

Precautions for safe handling:Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood.

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions: Store locked up. Store in a well-ventilated place. Keep container tightly

closed.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

8. Exposure controls/personal protection

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 **Revision Date:** 04-09-2020

Replaces:

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Distillates, petroleum,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
hydrodesulfurized middle				
Highly refined synthetic	5 mg/m3	5 mg/m3	10 mg/m3	No data available
base stocks				
Kerosene	No PEL	200 mg/m3 TWA	No STEL	No data available
		(application		
		restricted to		
		conditions in which		
		there are negligible		
		aerosol exposures,		
		total hydrocarbon		
	N. 85	vapor)	N. OTEI	
Kerosine, petroleum,	No PEL	200 mg/m3 TWA	No STEL	No data available
hydrodesulfurized		(application		
		restricted to		
		conditions in which		
		there are negligible		
		aerosol exposures, total hydrocarbon		
		vapor)		
Naphthalene	10 ppm TWA; 50	10 ppm TWA	No STEL	250 ppm IDLH
Napritilaterie	mg/m3 TWA	Ιο ρριτί τνιλ	NO STEE	230 ρριτισείτ
Petroleum distillates,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
hydrotreated heavy			3	
paraffinic				
Toluene	200 ppm TWA	20 ppm TWA	No STEL	500 ppm IDLH
Benzene	10 ppm TWA	0.5 ppm TWA	2.5 ppm STEL	500 ppm IDLH
	(applies to industry			
	segments exempt			
	from the benzene			
	standard at 29 CFR			
	1910.1028); 1 ppm			
	TWA			
Ethylbenzene	100 ppm TWA; 435	20 ppm TWA	No STEL	800 ppm IDLH (10%
	mg/m3 TWA			LEL)
Biphenyl	0.2 ppm TWA; 1	0.2 ppm TWA	No STEL	100 mg/m3 IDLH
	mg/m3 TWA			

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 **Revision Date: 04-09-2020**

Replaces:

Use only outdoors or in a well-ventilated area. Local exhaust ventilation Appropriate engineering controls:

or other engineering controls are normally required when handling or

using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Do not breathe dust/fume/gas/mist/vapors/spray.

Respirator Type(s): If airborne concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection. A respiratory protection

program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2

requirements must be followed whenever workplace conditions warrant

a respirator's use.

Eye protection: Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and

> replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Gloves: Nitrile, Neoprene

General hygiene conditions: Do not eat, drink or smoke when using this product. Wash hands

thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid Color: Blue Odor: Mild

Odor Threshold: Not determined No data available pH:

Melting point/freezing point:

Melting Point: No data available No data available Freezing point: No data available

Initial boiling point and boiling range

(°C):

125 Flash Point (°C):

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 **Revision Date:** 04-09-2020

Replaces:

Evaporation Rate: No data available Flammability (solid, gas): No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

Not established

Lower flammability or explosive

limits:

Not established

Vapor pressure: = 10 - 210 MMHG > 3 MMHG

Vapor density: 5.32 3.66 Relative density: 0.85

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Negligible; 0-1%

3.118 2.65 3.3

No data available

Decomposition Temperature:

Not determined

Viscosity: 38.47

10. Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid (e.g., static discharge, shock, or vibration):

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products: No data available

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Skin contact Inhalation

Symptoms related to the physical,

chemical and toxicological

Causes skin irritation. Harmful if inhaled May cause respiratory irritation. May cause drowsiness or dizziness. Causes damage to organs through

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 **Revision Date:** 04-09-2020

Replaces:

characteristics: prolonged or repeated exposure.

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion: No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

Skin Contact: Causes skin irritation.

Absorption: Estimated to be > 5.0 g/kg; practically non-toxic **Inhalation:** Harmful if inhaled May cause respiratory irritation.

Eye Contact: The material is likely to be moderately irritating to eyes based on animal

data. Can cause moderate irritation, tearing and reddening, but not likely

to permanently injure eye tissue.

Sensitization: Non-hazardous under Respiratory Sensitization category.

Mutagenicity: Mutagenic affects in humans may occur.

Carcinogenicity: Contains a known human carcinogen.

STOT-single exposure: Classification has been based on toxicological information of the

components in Section 3.

STOT-repeated exposure: Classification has been based on toxicological information of the

components in Section 3.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: None known.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Biphenyl	Oral LD50 Rat > 1900 mg/kg	Dermal LD50 Rabbit > 2500 mg/kg	Inhalation LC50 (4h) Mouse > 0.275 mg/L
Toluene	Oral LD50 Rat 2600 mg/kg	Dermal I D50 Rahhit 12000	
Ethylbenzene	Oral LD50 Rat 3500 mg/kg	Dermal LD50 Rabbit 15400 mg/kg	Inhalation LC50 (4h) Rat 17.4 mg/L
Benzene	Oral LD50 Rat > 930 mg/kg	Dermal LD50 Rabbit > 8200 mg/kg	Inhalation LC50 (4h) Rat 13050 - 14380 ppm
Petroleum distillates, hydrotreated heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	
Naphthalene	Oral LD50 Rat 490 mg/kg	Dermal LD50 Rabbit 1120 mg/kg	
Light hydrocracked		Dermal LD50 Rabbit > 2000	

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 **Revision Date:** 04-09-2020

Replaces:

distillate		mg/kg	
Kerosine, petroleum,	Oral LD50 Rat > 5000	Dermal LD50 Rabbit > 2000	Inhalation LC50 (4h) Rat >
hydrodesulfurized	mg/kg	mg/kg	5200 MG/M3
Kerosene	Oral LD50 Rat > 5000	Dermal LD50 Rabbit > 2000	Inhalation LC50 (4h) Rat >
Keroserie	mg/kg	mg/kg	5.28 mg/L
Highly refined synthetic	Oral LD50 Rat > 15000	Dermal LD50 Rabbit > 5000	
base stocks	mg/kg	mg/kg	
Distillates, petroleum,	Oral LD50 Rat > 5000	Dermal LD50 Rabbit > 2000	Inhalation LC50 (4h) Rat
straight-run middle	mg/kg	mg/kg	1.78 mg/L
Distillates, petroleum,	Oral LD50 Rat > 5000	Dermal LD50 Rabbit > 2000	Inhalation LC50 (4h) Rat
hydrodesulfurized middle	mg/kg	mg/kg	4.6 mg/L
Distillates, petroleum,		Dermal LD50 Rabbit > 2000	Inhalation LCEO (4b) Dat
hydrodesulfurized light	Oral LD50 Rat 3200 mg/kg		Inhalation LC50 (4h) Rat 4.65 mg/L
catalytic cracked		mg/kg	4.05 Mg/L

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
Benzene	Υ	Υ	Υ
Ethylbenzene	Υ	Υ	N
Naphthalene	Υ	Υ	Υ

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Toluene	108-88-3	LC50 (48h) Daphnia magna 5.46 - 9.83 mg/L	Aquatic ERC50 (96h) > 433 mg/L	LC50 (96h) 15.22 - 19.05 mg/L
Benzene	71-43-2	EC50 (48h) Daphnia magna 8.76 - 15.6 mg/L	Aquatic ERC50 (72h) 29 mg/L	LC50 (96h) Rainbow Trout 5.3 mg/L
Ethylbenzene	100-41-4	EC50 (48h) Daphnia magna 1.8 - 2.4 mg/L	Aquatic ERC50 (72h) 4.6 mg/L	LC50 (96h) Rainbow Trout 11 - 18 mg/L
Petroleum distillates, hydrotreated heavy	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout >

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 **Revision Date: 04-09-2020**

Replaces:

paraffinic				5000 mg/L
Naphthalene	91-20-3	EC50 (48h) Daphnia magna 2.16 mg/L	No data available	LC50 (96h) Rainbow Trout 1.6 mg/L
Light hydrocracked distillate	64741-77-1	No data available	No data available	LC50 (96h) 7.3 mg/L
Kerosine, petroleum, hydrodesulfurized	64742-81-0	EC50 (48h) 4720 mg/L	No data available	LC50 (96h) 45 mg/L
Highly refined synthetic base stocks	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No data available	No data available	LC50 (96h) 7.3 mg/L
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No data available	No data available	LC50 (96h) 35 mg/L

Persistence and degradability: Biodegrades quickly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have high mobility in soil. It absorbs weakly

to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

None known.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Dispose of contents and container in accordance with local/regional/national/international regulations.

Contaminated packaging:

Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

International carriage of dangerous goods by sea (IMDG/IMO):

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 Revision Date: 04-09-2020

Replaces:

UN number: Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

UN number:Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

Yes

Transport in bulk (according to Annex II

of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs to be aware of or needs to comply with

in connection with transport or conveyance either within or outside

their premises:

No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the Active US TSCA Inventory or

are exempt.

Regulated Components:

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Distillates,					
petroleum, straight-	64741-44-2	N	N	N	N
run middle					
Distillates,					
petroleum,	68333-25-5	N	N	N	N
hydrodesulfurized	00333-23-3	IN IN	IN	IN IN	IN IN
light catalytic cracked					
Distillates,	64742-80-9	N	N	N	N
petroleum,	04/42-00-9	I IV	I IN	I IN	I IV

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 Revision Date: 04-09-2020

Replaces:

hydrodesulfurized					
middle					
Highly refined synthetic base stocks	64742-54-7	N	N	N	N
Kerosene	8008-20-6	N	N	N	N
Kerosine, petroleum, hydrodesulfurized	64742-81-0	N	N	N	N
Light hydrocracked distillate	64741-77-1	N	N	N	N
Naphthalene	91-20-3	Υ	N	Υ	Υ
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N
Toluene	108-88-3	Υ	N	Υ	Υ
Benzene	71-43-2	Υ	N	Υ	Υ
Ethylbenzene	100-41-4	Υ	N	Υ	Υ
Biphenyl	92-52-4	Υ	N	Υ	Υ

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Distillates, petroleum, straight- run middle	64741-44-2	N	N	N	N
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	N	N	N	N
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	N	N	N	N
Highly refined synthetic base stocks	64742-54-7	N	N	N	N
Kerosene	8008-20-6	Ν	N	N	N
Kerosine, petroleum, hydrodesulfurized	64742-81-0	N	N	N	N
Light hydrocracked distillate	64741-77-1	N	N	N	N
Naphthalene	91-20-3	Υ	N	N	N
Petroleum distillates,	64742-54-7	N	N	N	N

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 Revision Date: 04-09-2020

Replaces:

hydrotreated heavy paraffinic					
Toluene	108-88-3	N	Υ	N	N
Benzene	71-43-2	Υ	Υ	N	Υ
Ethylbenzene	100-41-4	Υ	N	N	N
Biphenyl	92-52-4	N	N	N	N

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Distillates, petroleum, straight- run middle	64741-44-2	N	N	N	N	N
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	N	N	N	N	N
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	N	N	N	N	N
Highly refined synthetic base stocks	64742-54-7	N	N	N	N	N
Kerosene	8008-20-6	Υ	Υ	Υ	N	N
Kerosine, petroleum, hydrodesulfurized	64742-81-0	N	N	N	N	N
Light hydrocracked distillate	64741-77-1	N	N	N	N	N
Naphthalene	91-20-3	Υ	Υ	Υ	N	Υ
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N	N
Toluene	108-88-3	Υ	Υ	Υ	N	Υ
Benzene	71-43-2	Υ	Υ	Υ	N	Υ
Ethylbenzene	100-41-4	Υ	Υ	Υ	N	Υ
Biphenyl	92-52-4	Υ	Υ	Υ	N	Υ

16. Other information, including date of preparation or last revision.

Product identifier used on the label: MAG SYN 2CYC 63119 12/2.6

Stock Number: MAG63119 **Revision Date:** 04-09-2020

Replaces:

SDS Prepared by: MCHONGOOFAFA

Revision Date: 04-09-2020

Revision Number: 14

Reason for revision: Activated by Document Formulation Generation

References: No data available
Other Info: No data available

Disclaimer: This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.