



Beeman®



 **MARKSMAN®**
Master the Skill

HOME OF BEEMAN PRECISION AIRGUNS AND MARKSMAN PRODUCTS



It has always been the policy of Beeman Precision Airguns/Marksman Products to produce and supply quality products capable of performing above and beyond our customers' expectations. Beeman/Marksman is dedicated to the application of safety engineering, quality assurance and human factor evaluation in the research, development, manufacturing, sales and distribution of our products. All our products are thoroughly evaluated to ensure they meet or exceed all recognized standards and specifications.

We hope you'll enjoy this year's catalog featuring Beeman Precision Airguns and Marksman Products, and experience the excitement of "Shooting: A Sport for Life!"

WARNING: THIS AIRGUN IS RECOMMENDED FOR ADULT USE ONLY. CARELESS USE MAY RESULT IN SERIOUS INJURY OR DEATH. DANGEROUS WITHIN 450 YARDS (410 METERS).

WARNING: THE FOLLOWING PRODUCTS CONTAIN ONE OR MORE CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.



Beeman PCP Air Rifles

This quality air rifle is an amazingly affordable alternative to other high-cost PCP air rifles. Using compressed air as its power source, our pre-charged pneumatic air rifle uses no springs making it practically recoilless which makes the air rifle more accurate and much easier to use. There is no breaking of the barrel, you need only to pull back the bolt, load the pellet and shoot. The Chief PCP air rifles are very versatile, they are a light weight, shorter air rifle, which makes the air rifle much easier to carry around. Beeman is sure you will enjoy the unique shooting experience with our PCP air rifles.

COMMANDER

On page 4.

Model 1517 - .177 Cal.
Model 1518 - .22 Cal.



Magazine sold separately on page 18.



Pump sold separately on page 19.



PCP AIR PISTOL

NEW!

Model 2027



- Caliber 4.5/.177
- 3,000 psi – 50cc
- Velocity adjustable
- 60 shots at 600 fps
- Weight 1.7 kg
- 12 shot magazine
- Adjustable trigger

COMPETITION AIR RIFLE

NEW!

Model 1380



- Single shot
- Caliber 4.5/.177
- 3,000PSI
- Adjustable trigger with dry fire option
- Weight 4.0 kg
- 200 shots at 550 fps
- Adjustable wood stock

PCP UNDER LEVER AIR RIFLE

NEW!

UP TO 1000 fps in .177 Cal. • 830 fps in .22 Cal.

Model 1357 - .177 Cal.
Model 1358 - .22 Cal.



- 10 shot magazine
- 2,000 psi
- Fiber optic
- Unique front underlever cocking
- European wood
- Noise suppressor
- Scope and mounts included

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
2027	Pre-charged Pneumatic	Pellets	.177 Caliber	18"	1.7 kg	600 fps
1380	Pre-charged Pneumatic	Pellets	.177 Caliber	41.7"	4.0 kg	550 fps
1357/1358	Pre-charged Pneumatic	Pellets	.177 Caliber/.22 Caliber	32"	3.3 kg	1,000 fps/830 fps



Commander

Model 1517 - .177 Cal.
Model 1518 - .22 Cal.

UP TO 1100 fps in .177 Cal. • 1000 fps in .22 Cal.



Pre-Charged Bolt Action



Lead Pellet

- 10 shot magazine
- Velocity: 1,100 fps in .177 Cal. & 1,000 fps in .22 Cal.
- European hardwood stock
- Manual safety
- Up to 100 shots per fill
- Caliber .177 or .22
- 3000 psi
- Noise suppressor

Chief II

Model 1327 - .177 Cal.
Model 1328 - .22 Cal.

UP TO 1000 fps in .177 Cal. • 830 fps in .22 Cal.



Pre-Charged Bolt Action



Lead Pellet

- 10 shot magazine
- Velocity: 1,000 fps in .177 Cal. & 830 fps in .22 Cal.
- European hardwood stock
- Fiber optic sights
- Manual safety
- Caliber .177 or .22
- 2000 psi
- Noise suppressor

Chief

Model 1317 Chief - .177 Cal.
Model 1322 Chief - .22 Cal.

UP TO 1000 fps in .177 Cal. • 830 fps in .22 Cal.



Pre-Charged Bolt Action



Lead Pellet

- 2,000 psi
- Up to 50 shots per fill in .177 Cal., 35 in .22 Cal.
- Single-shot bolt action
- European hardwood stock
- Rifled steel barrel
- Adjustable trigger
- Built in pressure gauge
- Front and rear sights
- Scopeable dovetail mounts

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
1517/1518	Pre-charged Pneumatic	Pellets	.177 Caliber/.22 Caliber	43"	8 lbs	1,100 fps/1,000 fps
1327/1328	Pre-charged Pneumatic	Pellets	.177 Caliber/.22 Caliber	39"	6.8 lbs	1,000 fps/830 fps
1317/1322	Pre-charged Pneumatic	Pellets	.177 Caliber/.22 Caliber	39"	6.8 lbs	1,000 fps/830 fps

Beeman CO₂ Air Rifles

The Beeman Precision CO₂ bolt-action rifles have become a staple in the air gun industry. Because of the CO₂ propulsion, there is no need to cock a spring or compress a gas ram. The simple, yet effective, design makes these highly accurate, recoilless rifles very easy for the novice as well as the expert to shoot.

QB II

Model 1085 - .177 Cal.
Model 1085-22 - .22 Cal.

UP TO 650 fps in .177 Cal. • 500 fps in .22 Cal.



 CO₂ Power Bolt Action  Lead Pellet

- 10 shot magazine
- Velocity: 650 fps in .177 Cal. & 500 fps .22 Cal.
- Synthetic stock
- Fiber optic sights
- Manual safety
- Bolt action

QB78S

Model QB78S

UP TO 650 fps in .177 Cal. • 500 fps in .22 Cal.



 CO₂ Power Bolt Action  Lead Pellet

- Velocity: 650 fps in .177 Cal. & 500 fps in .22 Cal.
- CO₂ single shot bolt-action
- Adjustable rear sight
- Adjustable trigger with safety
- Picatinny rail for accessories
- Synthetic stock

QB78D

Model QB78D

UP TO 650 fps in .177 Cal. • 500 fps in .22 Cal.



 CO₂ Power Bolt Action  Lead Pellet

- Available in .177 or .22 calibers
- CO₂ Bolt-Action single shot
- Filled by two standard 12 gram cartridges
- Adjustable trigger with manual safety
- European Beech wood stock with raised cheek piece and soft rubber butt plate
- TRUGLO fiber optic sight

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
1085/1085-22	Bolt Action, CO ₂ powered	Pellets	.177 Caliber/.22 Caliber	38.6"	6.2 lbs	650 fps/500 fps
QB78S-177/QB78S-22	Bolt Action, CO ₂ powered	Pellets	.177 Caliber/.22 Caliber	38.6"	6.2 lbs	650 fps/500 fps
QB78D-177/QB78D-22	Bolt Action, CO ₂ powered	Pellets	.177 Caliber/.22 Caliber	39.75"	6.5 lbs	650 fps/500 fps

QB78

Model QB78

UP TO 650 fps in .177 Cal. • **500 fps** in .22 Cal.



CO2 Power Bolt Action



Lead Pellet

- Available in .177 or .22 calibers
- CO₂ Bolt-Action single shot
- Filled by two standard 12 gram cartridges
- Adjustable trigger with manual safety
- Front and rear sights
- European hardwood stock

QB79

Model QB79

UP TO 650 fps in .177 Cal. • **500 fps** in .22 Cal.



CO2 Power Bolt Action



Lead Pellet

- Available in .177 or .22 calibers
- CO₂ Bolt-Action single shot
- Filled from tank by standard G 1/2 tank-connecting device which can be connected with the tank of the paintball marker
- Adjustable trigger with manual safety
- Front and rear sights
- European hardwood stock
- Does not include CO₂ cylinder

AR2078A

Model AR2078A

UP TO 650 fps in .177 Cal. • **500 fps** in .22 Cal.



CO2 Power Bolt Action



Lead Pellet

- Available in .177 or .22 calibers
- Competition Diopter Peep Sight and interchangeable front sight insert
- Filled by two standard 12 gram CO₂ cartridges or from tank adapter and connector
- Adjustable trigger for both pull and travel
- Sleek competition style European Beech wood stock with ventilated rubber butt plate
- Manual safety

AR2079A

Model AR2079A

UP TO 650 fps in .177 Cal. • **500 fps** in .22 Cal.



CO2 Power Bolt Action



Lead Pellet

- Available in .177 or .22 calibers
- Competition Diopter Peep Sight and interchangeable front sight insert
- Filled from tank by standard G 1/2 tank connecting device
- Adjustable trigger for both pull and travel
- Sleek competition style European Beech wood stock with ventilated rubber butt plate
- Manual safety
- Does not include CO₂ cylinder


SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
QB78-177/QB78-22	Bolt Action, CO ₂ powered	Pellets	.177 Caliber/.22 Caliber	39.75"	6.5 lbs	650 fps/500 fps
QB79-177/QB79-22	Bolt Action, CO ₂ powered	Pellets	.177 Caliber/.22 Caliber	39.75"	6.5 lbs	650 fps/500 fps
AR2078A-177/AR2078A-22	Bolt Action, CO ₂ powered	Pellets	.177 Caliber/.22 Caliber	38"	7.5 lbs	650 fps/500 fps
AR2079A-177 / AR2079A-22	Bolt Action, CO ₂ powered	Pellets	.177 Caliber/.22 Caliber	38"	6.8 lbs	650 fps/500 fps




Gas Ram Powered Air Rifles from Beaman Precision Airguns

The advanced technology of the gas ram system uses compressed gas in a sealed, self-contained unit that is designed to replace the mainspring in a conventional air rifle. The air rifles cock like any other barrel-cocking airgun, but the single cocking stroke compresses a cylinder of gas instead of a mainspring. When the trigger is pulled, the compressed gas expands and drives the piston forward. The main advantage in a gas ram air rifle and a real advantage to hunters is the tireless gas ram power plant that, unlike a steel mainspring, can never take a set or tire with age. Another advantage is the shorter lock time, which aids in field accuracy, as there is less time for the shooter to "pull" off target. The air rifle's reliable performance in any weather, smoother cocking effort, and more consistent power and velocities make for a truly exceptional airgun.


10616GP
NEW!
UP TO 1200 fps in .177 Cal. • 950 fps in .22 Cal. with Alloy Pellets

Model 10616GP



Break Barrel



Lead Pellet

- Gas ram powered
- Synthetic stock
- Noise suppressor
- Fiber optic sights
- 4x32 scope with mounts
- Velocity: 1,200 fps in .177 Cal. & 950 fps in .22 Cal. with alloy pellets
- Automatic safety

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
10616GP	Break-barrel, gas ram powered	Pellets	.177 Caliber/.22 Caliber	49"	8.5 lbs	1,200 fps/950 fps



GAS RAM dual caliber


UP TO 1200 fps in .177 Cal. • 950 fps in .22 Cal. with Alloy Pellets

Model 1073GP



2 Airguns in 1

- Interchangeable barrels
- Gas ram power plant
- Includes 4 x 32 scope and mounts
- European hardwood stock
- Hooded front sight
- Adjustable trigger



Break Barrel



Lead Pellet

SILVER Kodiak x2 gas ram


UP TO 1200 fps in .177 Cal. • 950 fps in .22 Cal. with Alloy Pellets

Model 10774GP



2 Airguns in 1

- Interchangeable barrels
- Gas ram power plant
- Includes 4 x 32 scope and mounts
- European hardwood stock
- Hooded front sight
- Adjustable trigger
- Satin nickel plated barrel and receiver



Break Barrel



Lead Pellet


QUIET TEK

UP TO 1100 fps in .177 Cal. with Alloy Pellets

Model 1151QT



- Includes 4 x 32 scope and mounts
- All-weather synthetic stock
- Quiet Tek noise suppression system
- Adjustable trigger



Break Barrel



Lead Pellet

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
1073GP	Break-barrel, gas ram powered	Pellets	.177 Caliber/.22 Caliber	45.5"	9 lbs	1,200 fps/950 fps
10774GP	Break-barrel, gas ram powered	Pellets	.177 Caliber/.22 Caliber	45.5"	9 lbs	1,200 fps/950 fps
1151QT	Break-barrel, spring piston powered	Pellets	.177 Caliber	47.125"	6.6 lbs	1,100 fps




10615GP

UP TO 1200 fps in .177 Cal.

Model 10615GP



- Velocity: 1,200 fps in .177 Cal. with alloy pellets
- Synthetic stock
- Fiber optic sights
- Auto safety.
- .177 Cal.
- 4 x 32 scope with mounts



Break Barrel




Lead Pellet

10616


NEW!

UP TO 1200 fps in .177 Cal. • 950 fps in .22 Cal. with Alloy Pellets

Model 10616



- New Synthetic stock
- Noise suppressor
- Fiber optic sights
- 4x32 scope with mounts
- Velocity: 1,200 fps in .177 Cal. & 950 fps in .22 Cal. with alloy pellets
- Automatic safety



Break Barrel



Lead Pellet


10613

UP TO 1200 fps in .177 Cal. • 950 fps in .22 Cal. with Alloy Pellets

Model 10613



- Velocity: 1,200 fps in .177 Cal. & 950 fps in .22 Cal. with alloy pellets
- Synthetic stock
- Fiber optic sights / 4x32 with mounts
- Auto safety.
- .177 Cal. or .22 Cal.
- Spring piston powered
- Available in gas ram



Break Barrel



Lead Pellet

SPECIFICATIONS


MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
10615GP	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	49"	7.6 lbs	1,200 fps
10616	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	49"	8.5 lbs	1,200 fps/950 fps
10613/10613-22	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	46.3"	7.2 lbs	1,200 fps/950 fps

Black Bear**UP TO 1000 fps** in .177 Cal.

Model 1032



- Velocity: 1,000 fps in .177 Cal.
- Synthetic stock
- Fiber optic sights
- Auto safety
- .177 Cal.
- 4 x 32 scope with mounts



Break Barrel




Lead Pellet

Black Cub**UP TO 1000 fps** in .177 Cal. • **750 fps** in .22 Cal. with Alloy Pellets

Model 1022

**2 Airguns in 1**

- Dual Caliber
- Break Barrel
- Synthetic stock
- Fiber optic sights
- Auto safety
- 4 x 32 scope with mounts



Break Barrel




Lead Pellet

10456**UP TO 650 fps** in .177 Cal.

Model 10456



- Velocity: 650 fps in .177 Cal.
- Wood stock
- Fiber optic sights
- Auto safety.
- .177 Cal.
- 4 x 32 scope with mounts




Break Barrel



Lead Pellet

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
1032	Break-barrel, spring piston powered	Pellets	.177 Caliber	46.3"	7.2 lbs	1,000 fps
1022	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	42.7"	6.3 lbs	1,000 fps/750 fps
10456	Break-barrel, spring piston powered	Pellets	.177 Caliber	39"	6.3 lbs	650 fps




10610

UP TO 1200 fps in .177 Cal. • 950 fps in .22 Cal. with Alloy Pellets

Model 10610



- Dual caliber break barrel air rifle
- Adjustable trigger
- Synthetic stock
- Fiber optic sights
- 4 x 32 scope with mounts
- Spring piston powered
- Available in gas ram
- Satin nickel plated barrel and receiver



Break Barrel



Lead Pellet


Black Kodiak

UP TO 1200 fps in .177 Cal. • 950 fps in .22 Cal. with Alloy Pellets

Model 10776



- Dual caliber break barrel air rifle
- Synthetic stock
- Fiber optic sights
- 4 x 32 scope with mounts



Break Barrel



Lead Pellet


Longhorn II

UP TO 1200 fps in .177 Cal. • 950 fps in .22 Cal. with Alloy Pellets

Model 10611



- Dual caliber break barrel air rifle
- 4 x 32 scope & mounts
- New Black synthetic stock with pistol grip
- Metal front & rear sights with fiber optics
- Spring piston powered
- Available in gas ram



Break Barrel



Lead Pellet

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
10610	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	45.5"	8.5 lbs	1,200 fps/950 fps
10776	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	44"	10 lbs	1,200 fps/950 fps
10611	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	45.5"	8.5 lbs	1,200 fps/950 fps

Grizzly X2


UP TO 1000 fps in .177 Cal. • 830 fps in .22 Cal. with Alloy Pellets

Model 1073



2 Airguns in 1

- Interchangeable barrels
- Includes 4 x 32 scope and mounts
- European hardwood stock
- Fiber optic front and rear sights
- Adjustable trigger



Break Barrel



Lead Pellet

Kodiak X2


UP TO 1000 fps in .177 Cal. • 830 fps in .22 Cal. with Alloy Pellets

Model 1074



2 Airguns in 1

- Interchangeable barrels
- Includes 4 x 32 scope and mounts
- All-weather synthetic stock
- Ported muzzle brake
- Adjustable trigger



Break Barrel



Lead Pellet

Silver Kodiak X2


UP TO 1000 fps in .177 Cal. • 830 fps in .22 Cal. with Alloy Pellets

Model 1077

★ Also available with 4 x 32 Scope and Case – Model 1077sc



- Interchangeable barrels
- Includes 3-9 x 32 scope and mounts
- All-weather synthetic stock
- Satin nickel plated barrel and receiver
- Ported muzzle brake
- Adjustable trigger




Break Barrel



Lead Pellet

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
1073	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	45.5"	8.5 lbs	1,000 fps/830 fps
1074	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	47.5"	8.75 lbs	1,000 fps/830 fps
1077/1077sc	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	47.5"	8.75 lbs	1,000 fps/830 fps




Teton

Model 1051

UP TO 1000 fps in .177 Cal. • **830 fps** in .22 Cal. with Alloy Pellets

★ Also available in .22 cal. – **Model 10512**

- Includes 4 x 32 scope and mounts
- European hardwood stock
- Fiber optic front and rear sights
- Adjustable trigger



Break Barrel



Lead Pellet




Longhorn

Model 10617

UP TO 1200 fps in .177 Cal. with Alloy Pellets

- Available in .177 caliber
- 4 x 32 scope & mounts
- New Black synthetic stock with pistol grip
- Metal front & rear sights with fiber optics
- Velocity: 1,200 fps in .177 Cal.



Break Barrel



Lead Pellet




Wolverine Carbine

Model 1071

UP TO 1000 fps in .177 Cal. • **830 fps** in .22 Cal. with Alloy Pellets

★ Also available in .22 cal. – **Model 10712**

- Includes 4 x 32 scope and mounts
- All-weather synthetic stock
- Fiber optic front and rear sights
- Adjustable trigger



Break Barrel



Lead Pellet



SPECIFICATIONS


MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
1051/10512	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	45.5"	8.5 lbs	1,000 fps/830 fps
10617	Break-barrel, spring piston powered	Pellets	.177 Caliber	45.5"	8.5 lbs	1,200 fps
1071/10712	Break-barrel, spring piston powered	Pellets	.177 Caliber/.22 Caliber	45.5"	8.75 lbs	1,000 fps/830 fps

Rebel

Model 1787



- Lightweight skeletonized composite stock
- Sporter trigger with automatic safety
- Mounted 4 x 20 wide angle scope
- Precision rifled steel barrel



Break Barrel



Lead Pellet



550 fps in .177 Cal.

.177 Single-Stroke Pneumatic Pistol

Model 2004



- Fiber optic sights
- Maximum velocity with just one stroke
- Maximum accuracy – totally recoilless
- No CO₂ required
- German engineered and designed



Lead Pellet



410 fps in .177 Cal.

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
1787	Break-barrel, spring piston powered	Pellets	.177 Caliber	39"	5.85 lbs	550 fps
2004	Single-Stroke Pneumatic	Pellets	.177 Caliber	9.25"	1.7 lbs	410 fps



Hollow Point Coated Pellets

Model 1222



- .177 Caliber
- 250 count

Pointed Pellets

Model 1225



- .177 Caliber
- 250 count

Hollow Point Coated Pellets

Model 1230



- .177 Caliber
- 500 count

Wadcutter Coated Pellets

Model 1235



- .177 Caliber
- 500 count

Pointed Pellets

Model 1239



- .177 Caliber
- 500 count

Round Pellets

Model 1245



- .22 Caliber
- 175 count

Pointed Pellets

Model 1249



- .22 Caliber
- 175 count

Wadcutter Coated Pellets

Model 1261



- .177 Caliber
- 250 count

WARNING: THIS PRODUCT CONTAINS LEAD, A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS AND OTHER REPRODUCTIVE HARM. WASH HANDS AFTER HANDLING. DO NOT INHALE PELLET DUST OR PUT PELLET IN MOUTH. ALWAYS WEAR PROTECTIVE EYEWEAR.



Pellet Trap

Model 2085



- Sturdy all steel construction
- Accepts NRA and other paper targets
- Four interchangeable silhouette animals for varying degrees of difficulty
- Comes complete with pellet trap, 4 silhouette animals, several paper targets and all necessary hardware
- For use with lead pellets only

Paper Target

Model 2099

- 25 count
- For use with 2085 and 2086 pellet traps



SCOPES

Model 1512

- 4 x 32
- 2 piece mounts



Model 1521

- 3-9 x 40
- 2 piece mounts



Model 1513

- 2-7 x 32



Model 1516

Crossbow scope

- 4 x 32



Model 1514

- 3-9 x 32



Model 5007

- 4 x 32
- 2 piece mounts



SPECIFICATIONS

MODEL	POWER MAGNIFICATION	MOUNTS
1512	4 x 32	Included
1521	3-9 x 40	Included
1513	2-7 x 32	Not Included
1516	4 x 30 Crossbow Scope	Not Included
1514	3-9 x 32	Not Included
5007	4 x 32	Included

The Beeman 4 x 32 air rifle scope, has a full 4 power magnification; with bright and crisp optics, the hallmark of this model. The turret knobs adjust in 1/4" click for both windage and elevation. The parallax is adjustable from 10 yards to infinity.



Model 3325
Bipod



Model 3326/3327
Bipod



Model 3324
Bipod



Model 3320
Gun Lock

Model 3317 - .177 Cal.
Model 3318 - .22 Cal.

- 10 shot magazine
- PCP
- CO₂



Model 3321
Truncheon



Model 3322
Truncheon



Model 3323
Truncheon



- Main Material: Extended part of truncheon is made of high-strength alloy steel, other parts are made of aviation aluminum.
- Color: Black
- Size: Handle diameter 26.5±0.15mm, closed length: 224±1.5mm, open length: 508±2mm
- Weight: Less than 340g
- Anti-shedding performance: In the closed state, when a 5N axial tensile force applied to the stick head, the stick body will open.
- Locking Impact Resistance: In the fully extended state, the stick head can bear the impact of a 300g steel ball, free fall at a height of 1m. The stick body will not close.
- Reliability (stretch out and draw back): The stick can stretch and draw back normally after 30000 times open and close.
- Corrosion Resistance: Be able to withstand 8h salt spray test. Corrosion resistance level is not lower than the 9 level specified in QB / T 3832-1999.
- Axial Tensile Performance: Apply an axial tensile force of 1000N to the stick head. After being held for 1 minute, the stick can stretch and retract normally.
- Bending Resistance: In the fully extended state, 5000N lateral pressure is applied to the middle tube, and after being held for 1 minute, the stick can be normally extended and retracted.

Beeman PCP Air Rifles

Beeman hand pumps are designed to fill PCP Airguns and are designed to compress a maximum amount of air in each stroke. The Beeman pumps allow you to reach a maximum of 4500 psi for Airguns. These accessories are great when going on shooting or hunting trips. Each pump comes with the high pressure air hose with a female foster style fitting, and a liquid filled pressure gauge.



Model 6600

- 630mmx270mm
- Working pressure: 400 bar/5,800 psi
- Chrome



Model 6600B

- 630mmx270mm
- Working pressure: 400 bar/5,800 psi
- Black



Model 6601

- 630mmx270mm
- Working pressure: 400 bar/5,800 psi
- Camo



Model 6620

- 590mmx165mm
- Working pressure: 4,500 psi
- Black



Model 6600C

- 630mmx270mm
- Working pressure: 400 bar/5,800 psi
- Camo



Model 3390

- 4,500 psi
- 110 volts
- Water cooled



Model 3391

- Portable
- 4,500 psi
- 12v DC for car use
- Air cooled



Model 3392

- Portable
- 4,500 psi
- 12 volts
- Air cooled
- With 110 AC to 12 volt DC converter



Introducing the Pocket Hunter, an innovative, all-new patent pending product. The Pocket Hunter's revolutionary design converts our standard Marksman folding slingshot into a unique compact hunting tool.

It was designed to provide a lightweight and efficient hunting unit that can be folded and easily carried in a backpack, bugout bag, or even in your belt.

This ground-breaking product is capable of propelling the included arrow at 115 fps on beefed-up bands that have a pull weight of 42 lbs.


The exclusive pocket and paracord combination allows you to easily nock the arrow, and the patent pending adapter provides a distinct siting location that allows the hunter to hold the Pocket Hunter and accurately launch the arrow at the intended target.

Pocket Hunter Slingshot

Model 3075



Patent pending adapter allows accurate launching of arrow.



Pocket and paracord combination allows you to easily nock the arrow.

Pocket Hunter Slingshot Replacement Band Kit

Model 3375



Pocket Hunter 31" Carbon Fiber Arrows Kit

Model 3368



Model 1609



- Electropneumatic
- Metal Gear Box
- Folding Stock
- 300 Magazine Capacity
- Velocity: 330-370 fps

Model 1019



- Spring Piston Powered
- 8 Rounds Magazine Capacity
- Velocity: 130-180 fps

Model 1601



- Electropneumatic
- Metal Gear Box
- Folding Stock
- 300 Magazine Capacity
- Velocity: 330-380 fps

Model 1602



- Electropneumatic
- Metal Gear Box
- Folding Stock
- 300 Magazine Capacity
- Velocity: 340-370 fps

Model 1647



- Electropneumatic
- Metal Gear Box
- Folding Stock
- 600 Magazine Capacity
- Velocity: 410-440 fps

SPECIFICATIONS

MODEL	WEIGHT	LENGTH	BARREL LENGTH	OUTER BARREL	SHOT MODE	SHOT RATE	BATTERY
1609	250g	720/810mm	300mm	305.5mm	Single + Auto	700-850r/min	9.6v-1100mah
1019	230g	173/110mm			Single		
1601	2138/3059g (including Battery)	767/851mm	357mm	374mm	Single + Auto	700-850r/min	8.4v-1100mah
1602	2600/2824g (including Battery)	760/843mm	357mm	374mm	Single + Auto	700-850r/min	8.4v-1100mah
1647	3800g (including Battery)	937/1035mm	455mm	408.6mm	Single + Auto	700-850r/min	8.4v-1100mah

MARKSMAN AIR RIFLES


2066

NEW!

UP TO 800 fps in .177 Cal. • **600 fps** in .22 Cal.

Model 2066

- Noise suppressor
- Fiber optic sights
- 4x32 scope with mounts
- Velocity: 800 fps in .177 Cal. & 600 fps in .22 Cal.
- Cross bolt safety



Break Barrel



Lead Pellet




2096

UP TO 850 fps in .177 Cal./22 Cal.

Model 2096

- Velocity: 850 fps in .177 Cal.
- Wood stock
- Fiber optic sights / 4x32 3006
- Auto safety.
- .177 or .22 Calibers



Break Barrel



Lead Pellet




2063

UP TO 800 fps in .177 Cal./22 Cal.

Model 2063

- Velocity: 800 fps in .177 Cal.
- Synthetic stock
- Fiber optic sights / 4x32 3003
- Auto safety.
- .177 or .22 Calibers



Break Barrel



Lead Pellet




2070

UP TO 830 fps in .177 Cal.

Model 2070

- Rifled steel barrel
- Grooved receiver with scope stop
- Automatic cross bolt safety
- Synthetic stock with raised cheek piece and soft rubber butt plate
- Adjustable rear sight
- TRUGLO fiber optic front and rear sights
- 4 x 32mm scope and mounts



Break Barrel



Lead Pellet



SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
2066	Break-barrel, spring piston powered	Pellets	.177 Caliber	43.25"	6.3 lbs	800 fps/600 fps
2096/2096-22	Break-barrel, spring piston powered	Pellets	.177 Caliber	43.25"	6.3 lbs	850 fps
2063/2063-22	Break-barrel, spring piston powered	Pellets	.177 Caliber	43.25"	6.3 lbs	800 fps
2070	Break-barrel, spring piston powered	Pellets	.177 Caliber	43.25"	6.3 lbs	830 fps

NEW! Model 1018



- BB repeater shoots BBs through 18 shot reservoir
- Also shoots .177 cal pellets and bolts single shot
- With 200 BB speed loader

 Spring Piston  Steel BBs  200 FPS



BB Speed Loader

Model 1510

- Refillable speed loader
- 1,000 .177 cal steel BBs

Model 3601



- Silver color
- 300 pieces

Model 3603



- Golden color
- 500 pieces

Model 3615



- Golden color
- 1500 pieces

Model 3630



- Silver color
- 3000 pieces

SPECIFICATIONS

MODEL	ACTION	AMMO	CALIBER	LENGTH	WEIGHT	VELOCITY
1018	Single-stroke spring piston	BBs	.177 Caliber	9"	1 lb	200 fps with BBs



Folding Slingshot

Model 3040

- Tempered steel yoke
- Hinged arm support folds for storage
- Durable surgical tubing for power shots
- Shoots ¼ or ⅜ and ½ glass shots
- Leather pouch
- Great for survival trips



Classic II Slingshot

Model 3027

- Tempered steel yoke
- Durable surgical tubing for power shots
- Shoots ¼ or ⅜ and ½ glass shots
- Leather pouch
- Great for survival trips



Slingshot Hyper-Velocity Band Replacement Kit

Model 3355

- Includes: Hyper-velocity band, Rubber yoke tips



Slingshot Band Replacement Kit

Model 3330

- Includes new band with pouch and rubber yoke tips

Traditional Slingshot

Model 3030

- Hyper-velocity tapered bands



Folding Slingshot

Model 3055


- Hyper-velocity tapered bands
- Hinged arm support folds for storage



Adjustable Slingshot

Model 3060LF

- Fully adjustable yoke
- Hyper-velocity tapered bands





Traditional Slingshot Kit

Model 3030K

- Hyper-velocity tapered bands
- Includes: .30 cal steel shot



Folding Slingshot Kit

Model 3055K

- Hyper-velocity tapered bands
- Includes: .30 cal steel shot
- Hinged arm support folds for storage



Adjustable Slingshot Kit

Model 3060K

- Fully adjustable yoke
- Hyper-velocity tapered bands
- Includes: Replacement band, .177 cal steel shot and .30 cal steel shot






1/4" Steel Shot
 Model 3100
 • 250 count



3/8" Steel Shot
 Model 3138
 • 75 count



.30 Caliber Steel Shot
 Model 3130
 • 150 count



Airguns are not toys.

Here at Beeman/Marksman, we want you to have a good time with your airgun. But, more important, we want you to be safe. Airguns should be treated with the same respect as you would with any firearm. Failure to use caution with your airgun may result in serious injury or even death.

You must ALWAYS follow the rules of safe airgun handling. Always be aware of your surroundings, and those people around you.

ALWAYS treat an airgun as if it were loaded.

ALWAYS aim an airgun in a safe direction and ALWAYS keep the muzzle pointed in a safe direction.

ALWAYS keep an airgun "on safe" until you are ready to shoot.

ALWAYS wear shooting glasses and make sure those with you wear them also.

ALWAYS use the proper caliber ammunition and NEVER reuse ammunition.

ALWAYS be sure of your target and ALWAYS be sure your target has a safe backstop.

ALWAYS place your backstop in a location that will be safe should the backstop fail.

ALWAYS check to see if an airgun is "on safe" and unloaded when getting it from another person or from storage.

ALWAYS read and follow the Owner's Manual and all instructions and know how the airgun works before using it.

ALWAYS keep your finger off the trigger and out of the trigger guard until you are aiming at your target and are ready to shoot.

ALWAYS store an airgun in a safe place so that it cannot be used by anyone who is unauthorized to use it.

NEVER point an airgun at any person.

NEVER load an airgun until you are ready to shoot.

NEVER point an airgun at anything you do not intend to shoot.

NEVER shoot at hard surfaces, water, or anything that could cause a ricochet.

NEVER put an airgun away loaded.

You must also follow all state and local laws about the purchase, ownership, and use of airguns. Most airguns are intended for use by those only of certain age, therefore, adult supervision is required.

And remember, misuse or careless use of airguns may cause serious injury or death.

Be safe, have fun, and happy airgunning.

Follow these 12 steps recommended by Beeman for improved results.

1. Spring piston airguns take 500-1000 shots to break in. Groups may be erratic for the first 100 shots or so.
2. "Do not" bench rest your air rifle on ANY solid object! Rest your hand and place the airgun in your hand. Even better, buy an inexpensive sand bag and fill with sand.
3. Rest the forend of the stock on the sand bag, "Never" the barrel.
4. Do not pull the trigger if the barrel is bent down. The barrel will fly up, bend and could cause injury. A cracked and/or broken stock will occur. Guaranteed! This will always void any warranty!
5. Whether your air rifle is a break barrel or underlever, you should always keep one hand on the cocking lever.
6. Hold the airgun "loosely" at the forend, at the grip, and in the shoulder. Spring airguns become "inaccurate" if held tightly.
7. Changing your shooting position or grip can and will change your point of impact.
8. Scopes should be mounted 2.75" to 3" away from your eye.
9. Squeeze the trigger, don't jerk or pull it.
10. After squeezing the trigger, stay on target for a couple of seconds. Follow through is very critical!
11. Remember each air rifle is an individual and has its own characteristics. To achieve the best performance, you should try a selection of pellets to see which pellet your airgun shoots the best.
12. Your air rifle, your pellet, and your scope don't know where the target is. It's up to you to point it straight.

Good luck and shoot straight!



Beeman[®]



MARKSMAN[®]
Master the Skill

**BEEMAN PRECISION AIRGUNS
MARKSMAN PRODUCTS**
10652 Bloomfield Avenue
Santa Fe Springs, CA 90670

BEEMAN
Phone (562) 968-5891
ORDERS (800) 227-2744

MARKSMAN
Phone (562) 968-5892
ORDERS (800) 822-8005

FAX (562) 968-5823

www.beeman.com
www.marksmanship.com