

Largest Manufacturer of Specialty Nails



**100%
MADE IN
USA**

2020 List Price Guide



Helping to Build America Since 1848

1.800.435.5949 | mazenails.com



MAZE NAILS CELEBRATES 172 YEARS OF MANUFACTURING

When it comes to running not just a family business, but a family-oriented business, Maze Nails in Peru, Illinois is second to none – and it's been that way for 172 years now.

Founded in 1848 by Irish immigrant Samuel Nesbitt Maze, Maze Nails began out of a need for a better solution.

"My great-great-grandfather came to America and started working as a masonry contractor," said Roelif Loveland, President of Maze Nails. "When the Illinois and Michigan Canal opened up and gave a direct route to Chicago from Peru, he opened Maze Lumber right along the river so that he could sell brick and lumber to local residents."

Samuel had a small barge (named "The Elk") built for the lumberyard – and used it to take the 100-mile long trip to and from Chicago. The trip up was with his barge full of local farmers' grain for the commodity markets – and the backhaul was a bargeload of white pine lumber for his little yard.

In the late 1800's, Maze Lumber was selling market-standard nails with their lumber. But when customers came back complaining that the nails were rusting and the cedar shingle roofs of their homes were blowing off, Samuel's son Walter purchased a single nail machine and the yard began making their own. Instead of making them out of steel, which quickly rusted, Walter used pure zinc for the nails. The LaSalle Peru area was a huge smelter of zinc at the time (since they had lots of coal needed for the process) so accessing the raw zinc for the nails was easy. The result was rust-proof nails that dependably kept Maze Lumber's cedar shingles on the roofs of their customers' homes.

It wasn't long before the nails made at Maze Lumber became known to other local lumberyards – and they asked Maze to sell them some of their production. And so the small, used nail machine purchased for a part-time solution started running full-time. And soon, more machines were added.

There was a small problem, though. Because Maze Lumber was situated so close to the Illinois River, any time the river rose and water came into the plant, production of nails had to be shut down. So, in 1922, the third-generation Maze boys – Hamilton and James – purchased an empty plot of land on higher ground, and Maze Nails was born.

"We started very small and built from there," Roelif said. "We had just a handful of employees at the time, and made only one or two types of nails."

Things have changed since then – the company now employs over 80 people and makes over 2,800 types of nails, claiming the title of America's Premier Specialty Nail Maker.

"We are basically the last man standing in the specialty nail business," Roelif said. "Many other companies thought they could compete by matching the import prices, which was their downfall. You have to drive your business with the quality of your products, speedy delivery times, and with a good variety."

And though much has changed in the scope of nail making, the business has stayed within the community and in the family. Roelif works alongside his two brothers, Pete and Jim, two of his three sons, and four of his nephews. He is the fifth generation to own and operate the Maze operation - and the sixth generation is soon to take over.



Maze Nails President Roelif Loveland shows off a bundle of copper wire, which will be made into solid copper slating and flashing nails.

The level of community involvement at Maze Nails is more than just charming – it's for a reason. Maze Nails is a part of the Certified Production Technician Program at the local Illinois Valley Community College (IVCC), which provides skills to students coming out of high school who are looking for a technical degree.

"If a student takes classes at IVCC and comes to work for us for at least a year, we will reimburse them the full cost for that course," plant manager Jim Loveland said. "We have been involved in the program for about three years."

Jim believes that if the skills gap in manufacturing is going to close, it will have to be with the help of manufacturers investing their time and resources into younger generations.

"Manufacturers need to make it happen. We can't operate without people who know what they're doing. One way or another, we're going to continue making our nails in the state of Illinois," Jim said.

It's this kind of attitude that has kept Maze Nails around for so long... a genuine excitement about the products Maze Nails produces and the top notch people hired to help make and sell them.



Three generations of Maze family all currently working for the company are pictured here: L-R: David Loveland, Chadd Kreofsky, Barrett Kreofsky, Roelif Loveland, Andrew Kreofsky, Jim Loveland, Pete Loveland, Kyle Loveland, David Kreofsky, Sam Loveland.

ORDERING INFORMATION

How Do I Get Maze Nails?

Simple . . . just call our Customer Service Department at **1-800-435-5949**. We will assist you with information and direct you to your closest Maze Nail Dealer!

E-mail us at **info@mazenails.com** with your request. Even check out our website at **www.mazenails.com** for up-to-date Maze information!

Top-notch lumberyards, home centers and hardware stores nationwide insist on stocking and promoting quality Maze Nails. Please support those retailers – and let them know that it PAYS TO STOCK MAZE.

How to Place Orders



E-mail to: orders@mazenails.com



Call: 800-435-5949



Fax to: 815-223-7585

Payment terms: 1%-10; net 30 days except for credit card payments. No COD shipments. Prices subject to change without notice.

UPS Shipments

Recommended for small rush shipments. Generally faster and more economical than LTL for fewer than 300 lbs. UPS Ground Freight, Next Day Air and Second Day Air service also available.

Broken Carton Shipments

An extra **\$10.00** will be charged whenever a standard carton of any type packing must be broken open before shipment. Does not apply to Painted Stainless Steel and Aluminum Trim Nails on page 23.



HAMMER CAPS - Offered to reduce chipping on painted nails during application. Packaged two caps per peg-holed bag. Twenty-five bags in a master carton. May also be ordered in individual packs. Will fit 16 or 20 oz. round hammers. List price is \$5.60 per bag.

Backorder Policy

We strive to ship every order promptly and complete. However, with the customer's prior approval, we will ship all available and backorder the balance for shipment when available. The customer is responsible for all freight charges if the backorder quantity does not meet prepaid freight minimums.

Returned Goods

Full bulk cartons, full master cartons of packaged nails or full cartons of collated Maze Nails still offered in our current catalog may be returned **freight prepaid** for credit only – but not without prior authorization. **Painted nails** are handled on a special basis and may not be accepted for return. A 30% restocking charge typically applies. However, **additional restocking charges may apply** after receipt and inspection of nails at our Peru, IL warehouse. Maze Nails, at their discretion, may opt not to accept a return of nails. Credit is based on original purchase price and subject to our count. **No credit will be issued for field-destroyed or "buy-back" nails.**

Painting Extra

Applicable to most nails in this catalog. For Gutter Spikes see page 24. Prices subject to change without notice.

MINIMUM PAINTED NAIL ORDER - 200 POUNDS OF A SIZE AND COLOR AND PACKAGING & 50 POUND INCREMENTS BEYOND.

However, some sizes and colors of Split-Less® Nails, Rubber Washer Nails and Trim Nails are kept in stock. Call for availability.

PAINTED NAIL PRICING GUIDE

For bulk, hand-driven nails:

50# boxes - Add \$36.00
25# boxes - Add \$18.00
5# boxes - Add \$3.60
1# boxes - Add \$0.72

For collated stick & coil nails:

Add \$28.50
per carton



**Color Matched Nails
save BIG \$\$\$ in
time and labor on
prestained and
prefinished jobs!**

**Maze Nails has over
200 colors available.**

*Here are the 101 most
popular colors*



**REMEMBER TO USE HAMMER CAPS
WHEN HAND DRIVING PAINTED NAILS!**

For paint pricing, see above.

M-61	M-58	M-2537	M-181	M-38	M-54	M-160	M-2	M-101	M-148	M-107	M-52
M-227	M-28	M-190	M-39	M-2633	M-158	M-180	M-34	M-245	M-232	M-53	M-159
M-63	M-32	M-154	M-127	M-116	M-9614	M-3611	M-31	M-47	M-3601	M-50	M-224
M-22	M-503	M-37	M-3634	M-40	M-3637	M-139	M-97	M-186	M-77	M-239	M-173
M-46	M-130	M-223	M-1057	M-196	M-121	M-197	M-9	M-42	M-8	M-67	M-500
M-12	M-233	M-194	M-132	M-1	M-115	M-29	M-231	M-237	M-189	M-249	M-240
M-2516	M-220	M-244	M-5	M-64	M-165	M-6	M-109	M-55	M-206	M-43	M-155
M-167	M-953	M-9551	M-51	M-150	M-21	M-238	M-45	M-30	M-26	M-41	M-7
M-236	M-174	M-241	M-215	M-20							

NOTE: Actual paint colors may vary from the representations on this chart. For stainless steel trim nail info see page 23.

MAZE NAIL COLOR REFERENCE KEY

(Easy color reference to help you find the "right nail" for your building projects!)

- **COLLATED NAILS**
- **SIDING NAILS**
- **DECK, GUTTER & TRIM NAILS**
- **ROOFING NAILS**
- **SPECIALTY NAILS**

COLLATED PAPER TAPE NAILS

Clipped Head 28° and 31° 10, 11

COLLATED 20° STICK NAILS

Composite Decking Nails - Stainless Steel 304 & 316 7
 Composite Decking Nails - *STORMGUARD*® 7
 Fiber Cement Siding Nails - Hot-Dipped 9
 Fiber Cement Siding Nails - Stainless Steel 304 9
 Fiber Cement Siding Nails - Stainless Steel 316 9
 Framing Nails - Bright 7
 Post & Timber Frame 10
 PTL Decking Nails - Hot-Dipped 7, 10
 PTL Decking Nails - Stainless Steel 304 7
 PTL Decking Nails - Stainless Steel 316 7
 Wood Siding Nails - Hot-Dipped 8
 Wood Siding Nails - Stainless Steel 304 8
 Wood Siding Nails - Stainless Steel 316 8

COIL-ATED® 15° COIL NAILS

Aluminum Fencing & Siding Nails 13
 Cedar & Redwood Split-Less® Siding Nails 11
 Cedar Shake Nails 13
 Fencing Nails 13
 Fiber Cement Siding Nails - Hot-Dipped 12, 13, 14
 Fiber Cement Siding Nails - Stainless Steel 13
 PVC Molding & Trim Nails - Stainless Steel 12
 Roofing Nails - Electro-Galvanized 14
 Roofing Nails - Stainless Steel 14
 Roofing Nails - *STORMGUARD*® 14
 Slim-Jim® Wood Siding Nails - Stainless Steel 12

COIL-ATED® 0° COIL NAILS

Aluminum Fencing Nails 15
 Bright Nails 15
 Decking Nails 15
 Fiber Cement Siding 15

FOR SIDING

Aluminum and Steel - Hot-Dipped 17
 Aluminum Nails for Siding 17, 18
 Box Nails for Wood, Engineered Wood
 Siding & Trim 17
 Cedar Shake Siding 16
 Coil-ated® Nails in Coils 11-14
 Collated 20° Stick - Hot-Dipped 8, 9
 Collated 20° Stick - Stainless Steel 8, 9
 Engineered Wood 17, 18, 19
 Fiber Cement - Hot-Dipped 18, 19
 Hammer Caps (for painted nails) 3
 Original Small Head Siding Nails 18
 Slim-Jim® Wood Siding - Stainless Steel 16
 Split-Less® Wood Siding 16
 Vinyl (Large Head) - Aluminum 17
 Vinyl (Large Head) - Hot-Dipped 17
 Vinyl (Large Head) - Stainless Steel 17

FOR DECKS, GUTTERS AND TRIM

Casing 22
 Collated 20° Stick Nails 7
 Common Nails - Stainless Steel 20
 Connector Nails 21
 Downspout Gutter Strap Nails - Hot-Dipped 24
 Finishing - Hot-Dipped 22
 Finishing - Stainless Steel 22
 Garage Door Jamb Seal Nails - Hot-Dipped 22
 General Purpose Ring Shank Nails 24
 Gutter Ferrules 24
 Gutter Hanger Nails 24
 Gutter Spikes - Hot-Dipped 24
 Joist Hanger - Hot-Dipped 21
 Joist Hanger - Stainless Steel 21
 Painted Trim Nails - Aluminum 23
 Painted Trim Nails - Hot-Dipped 22
 Painted Trim Nails - Stainless Steel 23
 Pressure Treated Lumber PTL® - Hot-Dipped 20
 PTL® Stainless Steel 304, 316 20
 PVC Molding & Trim Nails - Stainless Steel 22
 Treated Lumber 20

FOR ROOFING

Asphalt & Fiberglass Shingle 25
 Cedar Shingle and Shake Nails - Hot-Dipped 27
 Cedar Shingle and Shake Nails - Stainless Steel 316 27
 Copper Slating & Flashing 26
 Insulation Roof Deck 25
 Ridge Vent Nails 25
 Roofing Nails - Aluminum 17, 18
 Roofing Nails - Electro-Galvanized 25
 Roofing Nails - Stainless Steel 26

METAL ROOFING NAILS

Rubber Washer 28
 Silicone Fat-Head® Washer 28

SPECIALTY NAILS

Ardox® Spikes 32
 Bridge Spikes 32
 Common Nails 34
 Common Nails - Hot-Dipped 34
 Copper Slating 26
 Cut Masonry 34
 Duplex Nails 34
 Fence Staples - One Legged 33
 Fiberglass Liner Panel Nails - Stainless Steel 30
 Flooring 35
 Foundry Nails 32
 Hardened Metal Lath 35
 Hardwood Trim 34
 Log Home Spikes 31
 Masonry - Fluted 35
 Masonry - Heavy Duty Plated 31
 Pallet 32
 Pan Nails 32
 Plastic-Hed® Cap 33
 Plywood 35
 Post-Frame - Bright & Hardened 29
 Post-Frame - Hot-Dipped 30
 Post-Frame - Stainless Steel 30
 Post & Truss - Bright & Hardened 29
 Post & Truss - Hot-Dipped 30
 Round-Cap® 34
 Sill Plate Nails - Hot-Dipped 34
 Sinker Nails 34
 Spikes 31, 32
 Square-Cap® 33
 Tile Backerboard Nails 33
 Underlayment 35

★ **FOR A SELECTION OF SCREWS, ★**
SEE PAGES 40-43

NAIL INDEX BY ITEM NUMBER

MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page
200HD.....	15	CLCEM116A.....	13, 27	CS207A.....	8, 9	H521A.....	29	R112M22.....	22	S259S.....	18	T449A.....	20
225HD.....	15	CLCEM117.....	13, 27	CS207S.....	8	H521S.....	29	R112M61.....	22	S2590.....	18	T449S.....	20
250HD.....	15	CLCEM117A.....	13, 27	CS209.....	8	H523A.....	29	R113.....	27	S2590S.....	18	T4490.....	20
521A.....	29	CLCEM119.....	13, 27	CS209A.....	8, 9	H523S.....	29	R113A.....	27	S2591.....	18	T4490A.....	20
523A.....	29	CLCEM119A.....	13, 27	CS209S.....	8	H524A.....	29	R113M22.....	22	S2591S.....	18	T4490S.....	20
523S.....	29	CLD500148.....	15	CS2091.....	8	H524S.....	29	R113M61.....	22	S2592.....	18	T4491.....	20
525A.....	29	CLHD115.....	12	CS2091A.....	8	H525A.....	29	R114.....	27	S2592S.....	18	T4491A.....	20
525S.....	29	CLHD116.....	12	CS2091S.....	8	H525S.....	29	R114A.....	27	S263.....	17	T4491S.....	20
526A.....	29	CLHD117.....	12	CSS5WS.....	16	H526A.....	29	R115.....	27	S265.....	17	T4492.....	20
526S.....	29	CLHD117.....	12	CSS8WS.....	16	H526S.....	29	R115A.....	27	SF4.....	33	T4492A.....	20
527A.....	29	CLHD119.....	12	CSS10WS.....	16	H527A.....	29	R116.....	27	SINK6.....	34	T4492S.....	20
527S.....	29	CLS222A.....	11	CSS16WS.....	16	H527S.....	29	R116A.....	27	SINK8.....	34	T4493.....	20
528A.....	29	CLS223A.....	11	CST2.....	23	H528A.....	29	R117.....	27	SINK10.....	34	T4493A.....	20
528S.....	29	CLS224A.....	11	CST2A.....	23	H528S.....	29	R159.....	25	SINK12.....	34	T4493S.....	20
530A.....	29	CLS225A.....	11	CST3.....	23	H530A.....	29	R159A.....	25	SINK16.....	34	T4494.....	20
530S.....	29	CLS226A.....	11	CST3A.....	23	H530S.....	29	R1591.....	25	SS5WS.....	16	T4494A.....	20
532A.....	29	CLS227A.....	11	CT350148AZ.....	7, 10	H532A.....	29	R1591A.....	25	SS5WS316.....	16	T4494S.....	20
534A.....	29	CLS229A.....	11	CT445.....	7	H534A.....	29	R1592.....	25	SS6WS.....	16	T4496.....	20
853A.....	33	CLS229A.....	11	CT445A.....	7	H534A.....	29	R1593.....	25	SS6WS316.....	16	T4496A.....	20
854A.....	33	CLSS6WS.....	12	CT445S.....	7	H678A.....	29	R1593A.....	25	SS8WS.....	16	T4496S.....	20
854AR.....	33	CLSS8WS.....	12	CT447.....	7	H680A.....	29	R1595A.....	25	SS8WS316.....	16	TH447A.....	30
855A.....	33	CLSSCEM113A316.....	13, 27	CT447A.....	7	HD6.....	18	R163AF.....	28	SS10WS.....	16	TH449A.....	30
855AR.....	33	CLSSCEM115A.....	13	CT447S.....	7	HD8.....	18	R163FH.....	28	SS10WS316.....	16	TH449S.....	30
855ARZ.....	33	CLSSCEM115A316.....	13, 27	CT449.....	7	HD10.....	18	R164AF.....	28	SS16WS.....	16	TH4490S.....	30
855AZ.....	33	CLSSCEM117A.....	13	CT449A.....	7	HD16.....	18	R164FH.....	28	SS16WS316.....	16	TH4491A.....	30
856A.....	33	CLSSCEM117A316.....	13, 27	CT449S.....	7	HD103S.....	33	R165AF.....	28	SS175135A.....	30	TH4491S.....	30
856AR.....	33	CLSSHD115.....	13	CT4490.....	7	HF167.....	35	R165FH.....	28	SS315.....	22	TH4492A.....	30
856ARZ.....	33	CLSSHD117.....	13	CT4490A.....	7	HML50.....	35	R166AF.....	28	SS319.....	22	TH4492S.....	30
856AZ.....	33	CLSSPVC6.....	12	CT4490S.....	7	HS16.....	32	R166FH.....	28	SS321.....	22	TH4493A.....	30
857A.....	33	CLSSPVC8.....	12	CT4491.....	7	HS18.....	32	R167AF.....	28	SS321.....	22	TH4495A.....	30
857AR.....	33	CLSSPVC10.....	12	CT4491A.....	7, 10	HT100.....	34	R167FH.....	28	SSJ131.....	21	TH4495S.....	30
857ARZ.....	33	CLWHD115.....	14	CT4491S.....	7	HT125.....	34	R169AF.....	28	SSJ131316.....	21	TH497A.....	30
857AZ.....	33	CLWHD115A.....	14	CT400148AZ.....	10	HT150.....	34	R169FH.....	28	SSJ148.....	21	TH498A.....	30
858A.....	33	CLWHD116.....	14	CT450148AZ.....	10	HT200.....	34	R1691FH.....	28	SSJ148316.....	21	VSS3WS.....	16
858AR.....	33	CLWHD117.....	14	CT500148AZ.....	10	HT250.....	34	R1693AF.....	28	SSR112A.....	27	VTRGG6P.....	31
859A.....	33	CLWHD117A.....	14	CU100.....	26	J131.....	21	S103.....	17	SSR113A.....	27	VTRGG8P.....	31
859AR.....	33	CLWHD119.....	14	CU125.....	26	J148.....	21	S104.....	17	SSR114A.....	27	VTRGG16P.....	31
859ARZ.....	33	CLWR101.....	14	CU150.....	26	J148A.....	21	S105.....	17	SSR115A.....	27	X150148A.....	32
859AZ.....	33	CLWR102.....	14	CU175.....	26	L8.....	31	S107.....	17	SSRFG3A.....	26	X225133CC.....	35
861A.....	33	CLWR102A.....	14	CU200.....	26	L10.....	31	S109.....	17	SSRFG4A.....	26	X700313.....	32
863A.....	33	CLWR103.....	14	CU250.....	26	L12.....	31	S14.....	32	SSRFG5A.....	26	X700313A.....	32
863AR.....	33	CLWR103A.....	14	CU300.....	26	L368A.....	31	S16.....	32	SSRFG6A.....	26	X800313.....	32
863ARZ.....	33	CLWR104.....	14	CU100A.....	26	L369A.....	31	S17.....	32	SSRFG6.....	26	X800313A.....	32
865A.....	33	CLWR104A.....	14	CU125A.....	26	LP8.....	18	S18.....	32	SSRFG8A.....	26	XCOM8Z.....	34
AF5.....	24	CLWSSRFG4A.....	14	CU150A.....	26	PCP28238113AZ.....	10	S202A.....	17	SSRFG8.....	26	XCOM10Z.....	34
ARD7.....	32	CLWZPR102.....	14	CU175A.....	26	PCP28238120.....	10	S203.....	17	SST2.....	23	XCOM16Z.....	34
ARD8.....	32	CLZAWS188.....	15	CU200A.....	26	PCP28325120AZ.....	10	S203A.....	17	SST2A.....	23	XFN300135.....	32
ARD8Z.....	32	CMH4.....	34	CU250A.....	26	PCP31238113AZ.....	11	S205.....	17, 18	SST3.....	23	XFN400135.....	32
ARD10.....	32	CMH6.....	34	CU300A.....	26	PCP31238120.....	11	S206A.....	17	SST3A.....	23	XFN500135.....	32
ARD10Z.....	32	CMH8.....	34	CXSS6.....	8	PCP31325120AZ.....	11	S207.....	17	SST5.....	23	XFN600135.....	32
ARD12.....	32	CMH8Z.....	34	CXSS6316.....	8	PCP31325131.....	11	S207A.....	17, 18	SST5A.....	23	XFN800135.....	32
ARD200148Z.....	24	CMH10.....	34	CXSS8.....	8	PH03.....	33	S207S.....	17	SSV4.....	17	XH53SZ.....	35
ARD250148Z.....	24	CMH10Z.....	34	CXSS8316.....	8	PH05.....	33	S209.....	17	SSV5.....	17	XH61SZ.....	35
AS3.....	18	CMH10Z.....	34	CXSS10.....	8	PH06.....	33	S209A.....	17, 18	SSXR162A.....	21	XR109A.....	25
AS4.....	18	CMH10Z.....	34	CXSS16316.....	8	PH08.....	33	S209S.....	17	SSXR163A.....	21	XR162A.....	21
AS5.....	18	CMH16.....	34	CXSSDK8.....	7	PVC68252.....	22	S2091.....	17	T305.....	22	XR163A.....	21
AS6.....	18	CN150131.....	21	CXSSDK8316.....	7	PVC6A8252.....	22	S212A.....	24	T307.....	22	XR164A.....	21
AT31177.....	23	CN250131.....	21	DUP8.....	34	PVC8A8252.....	22	S213A.....	22, 24	T309.....	22	XR165A.....	21
AT38252.....	23	CN250148.....	21	DUP8Z.....	34	PVC8B8252.....	22	S214A.....	22, 24	T3091.....	22	XR167A.....	21
AV4.....	17	CN250162.....	21	DUP16.....	34	PVC8A8252.....	22	S225.....	16	T3092.....	22	XR175S.....	24
AV4SC.....	17	CN300148.....	21	DUP16Z.....	34	R100.....	25	S225A.....	16	T315.....	22	XSST443A.....	20
AV5SC.....	17	CN350162.....	21	F141.....	35	R100A.....	25	S226.....	16	T317.....	22	XSST445A316.....	20
AV6.....	17	COM4.....	34	F142.....	35	R101.....	25	S226A.....	16	T319.....	22	XSST447A.....	20, 30
AV8SC.....	17	COM6.....	34	F143.....	35	R101A.....	25	S227.....	16	T364.....	24	XSST447A316.....	20
CCEM6.....	9	COM8.....	34	F145.....	35	R102.....	25	S227A.....	16	T365.....	24	XSST449A.....	20, 30
CCEM8.....	9	COM10.....	34	F147.....	35	R102A.....	25	S228A.....	16	T366.....	24	XSST449A316.....	20
CCEM10.....	9	COM12.....	34	F3.....	33	R102ZP.....	25	S228A.....	16	T366A.....	24	XSST449A316.....	20
CEM6.....	18	COM16.....	34	F4.....	33	R103.....	25	S229.....	16	T366A.....	24	XSST449A316.....	20
CEM8.....	18	COM20.....	34	GH6S.....	24	R103A.....	25	S229A.....	16	T368A.....	24, 31	XSST449A316.....	20
CEM10.....	18	COM30.....	34	GH8S.....	24	R103S.....	25	S2290A.....	16	T369.....	24	XSST449A316.....	20
CF447.....	7	COM50.....	34	HAMMERCAPS.....	3	R104.....	25	S2291A.....	16	T369A.....	24, 31	XSST449A316.....	20
CF4490.....	7	COM60.....	34	H52S.....	35	R104A.....	25	S2292.....	16	T445.....	20	XSST449A316.....	20
CHD6.....	9	CPVC68252.....	22	H53S.....	35	R105.....	25	S2292A.....	16	T445A.....	20	XSST449A316.....	20
CHD8.....	9	CPVC6A8252.....	22	H54S.....	35	R105A.....	25	S234A.....	16	T455.....	20	XT650A.....	24
CHD10.....	9	CPVC88252.....	22	H55S.....	35	R107.....	25	S235A.....	16	T477.....	20	XT658A.....	24
CHDSS6.....	9	CPVC8A8252.....	22	H56S.....	35	R107A.....	25	S255.....	18	T477A.....	20	XT700313AZ.....	32
CHDSS8.....	9	CS205.....	8	H57S.....	35	R112.....	27	S255S.....	18	T477S.....	20	XT700313Z.....	32
CHDSS10.....	9	CS205A.....	8, 9	H59S.....	35			S257.....	18	T477S.....	20	XT750A.....	24
CHDSS6316.....	9	CS205S.....	8	H60S.....	35			S257S.....	18	T477S.....	20	XT800313AZ.....	32
CL400148Z.....	15	CS207.....	8	H61S.....	35			S259.....	18	T477S.....	20	XT800313Z.....	32
CL500148AZ.....	15			H63S.....	35					T477S.....	20	Z18.....	31
CL500148Z.....	15									T477S.....	20	Z18A.....	31
CLAWS188.....	13									T477S.....	20	Z110.....	31
CLCEM113A.....	13, 27									T477S.....	20	Z110A.....	31
CLCEM115.....	13, 27									T477S.....	20	Z112.....	31
CLCEM115A.....	13, 27									T477S.....	20	Z112A.....	31
CLCEM116.....	13, 27									T477S.....	20	Z13691A.....	24, 31
										T477S.....	20	Z13692A.....	24, 31

Out with the Old – In with the New

Let Maze Give You a Nail Makeover!

Stock your shelves with the bright yellow boxes of quality nails offered exclusively by Maze Nails.

Trends come and go, but our nails stand the test of time!



ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

20 DEGREE COLLATED STICK NAILS

DESIGNED TO FIT THE FOLLOWING:

AIRY ABL-8290
 ATRO RHS 921
 BERRY FAST 3000
 BERRY FAST 3500
 BERRY FAST 4100
 BERRY FAST 4500
 BOSTITCH N79RH
 BOSTITCH N88RH
 BOSTITCH F21PL
 BOSTITCH N90RHN

BOSTITCH N95162
 BOSTITCH N95RHN
 BOSTITCH KN85PP-1
 CAMPBELL HAUSFELD NS2090
 CRAFTSMAN 18365
 CRAFTSMAN 18465
 DEPOAN 6C50/RN2290
 DEWALT D51844
 DEWALT D51845
 DUO-FAST CN 350B-SH

DUO-FAST CN 350B
 DUO-FAST SNP 83
 EASY FAST SRN 90
 EASY FAST SRN 83
 FASCO F5C-RHN20-83
 FASCO F6C-RHN20-90
 FASCO R45C RHN20-90
 GREX SF9021
 HALSTEAD HNS-24
 HALSTEAD HNS-32

HALSTEAD HNS-39
 HALSTEAD HN-212
 HALSTEAD RN-90
 HAUBOLD RN 90 PII
 HILTI RHN 9020
 HITACHI NR-83A
 HITACHI NR-90AC
 HITACHI NR-90AE
 HOLZ-ER 3540
 HOLZ-ER 3542
 HOLZ-ER 3544

HOLZ-ER 3546
 HOLZ-ER 3547
 INTERCHANGE ICB-FN88
 ISM ISM-921
 JAMERCO JTNFH-90
 JAMERCO JTNFHC-90
 JOE POAN DPN-6C50
 JOE POAN DPN-6C54
 MAKITA AN922
 MAKITA AN-8300
 MAX GS683RH-EX

MAX SN89RH
 MAX SN883RH
 MAX SN890RH
 MAX SN90
 MILWAUKEE 7200-20
 PASLODE 5350 SRH
 PORTER CABLE FR350
 PORTER CABLE FR350A
 RIDGID R350RHA
 Senco SN 60
 Senco SN 65

SENCO 600 FRH
 Senco 602 FRH
 Senco 702 FRH
 Senco 752 FRH
 Senco 700XL FRH
 Senco 750XL FRH
 SPOTNAIL NPR 90
 STAN-TECH SDN 11
 STAN-TECH SDN11B-1
 UNICATCH UNS 350 PL
 ZNEX FM-90

(Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED P.T.L.® NAILS

IBC CODE APPROVED
SECTION 2304.9.5.1



PTL nails are the type of galvanized nails recommended by wood treaters - and will last far longer and look much better than cheap "galv." nails that rust soon after application. **LIFETIME WARRANTY!**

For The New Treated Lumber



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT445	2"	.120"	9/32"	1,700	14	\$65.04
CT447	2 1/2"	.120"	9/32"	1,400	14	\$61.59
CT449	3"	.131"	9/32"	1,100	15	\$58.84
CT4490	3 1/4"	.131"	9/32"	1,000	15	\$55.96
CT4491	3 1/2"	.131"	9/32"	1,000	16	\$58.38

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT445A	2"	.120"	9/32"	1,700	14	\$68.49
CT447A	2 1/2"	.120"	9/32"	1,400	14	\$64.46
CT449A	3"	.131"	9/32"	1,100	15	\$61.14
CT4490A	3 1/4"	.131"	9/32"	1,000	15	\$59.69
CT4491A	3 1/2"	.131"	9/32"	1,000	16	\$61.55
CT350148AZ	3 1/2"	.148"	5/16"	1,000	18	\$97.87

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT445S	2"	.120"	9/32"	1,700	14	\$68.49
CT447S	2 1/2"	.120"	9/32"	1,400	14	\$63.89
CT449S	3"	.131"	9/32"	1,100	15	\$61.71
CT4490S	3 1/4"	.131"	9/32"	1,000	15	\$59.69
CT4491S	3 1/2"	.131"	9/32"	1,000	16	\$61.55

STAINLESS STEEL (304) SPIRAL SHANK DECKING NAILS

IBC CODE APPROVED
SECTION 2304.9.5.1



Great for cedar, redwood and pressure treated lumber decks. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 304 Stainless. Discontinued item ... while supplies last.



LIFETIME WARRANTY!
SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CXSSDK8	2 1/2"	.113"	9/32"	1,500	13	\$174.03

STAINLESS STEEL (316) SPIRAL SHANK DECKING NAILS

IBC CODE APPROVED
SECTION 2304.9.5.1



Great for cedar, redwood and pressure treated lumber decks. Ideal for coastal applications. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 316 Stainless. Discontinued item ... while supplies last. **LIFETIME WARRANTY!**



STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CXSSDK8316	2 1/2"	.113"	9/32"	1,500	13	\$187.68

DOUBLE HOT-DIPPED GALVANIZED COMPOSITE DECKING NAILS

IBC CODE APPROVED
SECTION 2304.9.5.1



Ideal for the popular composite decking such as Trex®, ChoiceDek®, TimberTech®, Fiberon® etc. The manufacturers of these deck products recommend and specify Hot-Dipped Galvanized or stainless steel fasteners. **LIFETIME WARRANTY!**



STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT449S	3"	.131"	9/32"	1,100	15	\$61.71
CT4490S	3 1/4"	.131"	9/32"	1,000	15	\$59.69
CT4491S	3 1/2"	.131"	9/32"	1,000	16	\$61.55

STICK NAILS PACKED 140 BOXES PER SKID.

FOR FRAMING



BRIGHT FRAMING NAILS

These bright, full round head nails fit popular 20 degree tools. Plain shank. Made in the USA.

PLAIN SHANK

Handy "Job Pack" — 140 Cartons per Skid

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CF447	2 1/2"	.120"	9/32"	1,400	12	\$46.85
CF4490	3 1/4"	.131"	9/32"	1,000	13	\$45.76

20 DEGREE COLLATED STICK NAILS

FULL ROUND HEAD - **DOUBLE HOT-DIPPED GALVANIZED** & **STAINLESS STEEL**

The full round head gives excellent bearing on the nailing surface – and ring and screw shanks give outstanding holding power. Maze collated nails use a carefully engineered plastic to greatly reduce the “flagging” of plastic pieces under the nail head that can occur with other collated fasteners. **100% MADE IN THE USA!**

DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR SIDING

Fine nails for applying wood, engineered wood, and fiber cement siding. The full, round head gives excellent bearing surface.



LIFETIME WARRANTY!
PLAIN SHANK

STORMGUARD® Double Hot-Dipped Zinc-Coated.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CS205	2"	.113"	9/32"	1,800	13	\$68.94
CS207	2 1/2"	.113"	9/32"	1,500	13	\$64.63
CS209	3"	.113"	9/32"	1,200	13	\$56.86
CS2091	3 1/2"	.120"	9/32"	1,100	15	\$63.44



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CS205A	2"	.113"	9/32"	1,800	14	\$77.11
CS207A	2 1/2"	.113"	9/32"	1,500	14	\$71.36
CS209A	3"	.113"	9/32"	1,200	13	\$62.04
CS2091A	3 1/2"	.120"	9/32"	1,100	15	\$69.76



LIFETIME WARRANTY!
SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CS205S	2"	.113"	9/32"	1,800	14	\$77.41
CS207S	2 1/2"	.113"	9/32"	1,500	14	\$71.36
CS209S	3"	.113"	9/32"	1,200	13	\$64.91
CS2091S	3 1/2"	.120"	9/32"	1,100	15	\$70.63



PAINTED NAILS - Simply add \$28.50 per case for pre-painted sticks!

STAINLESS STEEL (304) RING SHANK SIDING NAILS

Popular for cedar, redwood and fiber cement sidings. The ring shanks hold tighter than smooth nails, and the textured head holds paint and stain. Made from Type 304 Stainless Steel.

Note: Use Type 316 Stainless Steel Fasteners for the highest degree of corrosion-resistance in environments such as sea-coastal areas.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CXSS6	2"	.113"	9/32"	1,800	13	\$125.06
CXSS8	2 1/2"	.113"	9/32"	1,500	13	\$124.31
CXSS10	3"	.113"	9/32"	1,200	12	\$120.88
CXSS16	3 1/2"	.131"	9/32"	1,000	15	\$131.28

STICK NAILS PACKED 140 BOXES PER SKID.

STAINLESS STEEL (316) RING SHANK SIDING NAILS

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CXSS6316	2"	.113"	9/32"	1,800	13	\$198.70
CXSS8316	2 1/2"	.113"	9/32"	1,500	13	\$182.43
CXSS16316	3 1/2"	.135"	9/32"	1,000	15	\$197.00



20-DEGREE STICK NAILS

- CONVENIENT JOB PACKS
- QUALITY-MADE IN USA
- HIGHLY CORROSION-RESISTANT



20 DEGREE COLLATED STICK NAILS

DOUBLE HOT-DIPPED GALVANIZED NAILS FOR FIBER CEMENT SIDING

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura™ and HardiPlank®. The **STORMGUARD®** Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust protection. For stainless steel fiber cement siding nails, see category at right.



(Labeled for HardiPlank® Lap Siding)

Plain Shank - Hot-Dipped Galvanized



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CHD6	2"	.113"	9/32"	1,800	13	\$68.94
CHD8	2 1/2"	.113"	9/32"	1,500	13	\$64.63
CHD10	3"	.113"	9/32"	1,200	13	\$56.86

(Labeled for Fiber Cement Siding)



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CCEM6	2"	.113"	9/32"	1,800	13	\$68.94
CCEM8	2 1/2"	.113"	9/32"	1,500	13	\$64.63
CCEM10	3"	.113"	9/32"	1,200	13	\$56.86

Ring Shank - Hot-Dipped Galvanized



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CS205A	2"	.113"	9/32"	1,800	14	\$77.11
CS207A	2 1/2"	.113"	9/32"	1,500	14	\$71.36
CS209A	3"	.113"	9/32"	1,200	13	\$62.04



All Collated Nails available painted. Simply add \$28.50 per carton!

140 BOXES/SKID



STAINLESS STEEL (304) NAILS FOR FIBER CEMENT SIDING

Type 304 Stainless Steel Nails provide a high degree of corrosion-resistance. (Labeled for HardiPlank® Lap Siding)



LIFETIME WARRANTY!
(Type 304)
Plain Shank - Stainless Steel

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CHDSS6	2"	.113"	9/32"	1,800	13	\$110.03
CHDSS8	2 1/2"	.113"	9/32"	1,500	13	\$106.32
CHDSS10	3"	.113"	9/32"	1,200	13	\$112.84

140 BOXES/SKID

STAINLESS STEEL (316) NAILS FOR FIBER CEMENT SIDING

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.



LIFETIME WARRANTY!
(Type 316)
Siding nail for HardiPlank®

STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CHDSS6316	2"	.113"	9/32"	1,800	13	\$204.98

140 BOXES/SKID



100%
made in the
USA

BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS


Call Toll-Free: 1-800-435-5949

FOR TIMBER & POST FRAME CONSTRUCTION

20 DEGREE COLLATED STICK NAILS

MAZE **STORMGUARD®** DOUBLE HOT-DIPPED GALVANIZED NAILS

Great for Post Frame and Timber Frame Construction, Bridge Building, Heavy Duty Crating and much more... The sharp ring shanks hold tight and resist pullout. These nails are specifically designed for use in the MAX HS 130 High Pressure PowerLite™ Tool and Bostitch BRT 130.



LIFETIME WARRANTY!

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CT4491A	3 1/2"	.131"	9/32"	1,000	16	\$61.55
CT350148AZ	3 1/2"	.148"	5/16"	1,000	18	\$97.87
CT400148AZ	4"	.148"	5/16"	700	16	\$86.49
CT450148AZ	4 1/2"	.148"	5/16"	900	22	\$104.37
CT500148AZ	5"	.148"	5/16"	900	25	\$109.95

Similar Maze Nails are available for hand driving.
Call 1-800-435-5949 for details.

DESIGNED TO FIT

MAX HS130 High Pressure PowerLite

Bostitch BRT 130


FOR FRAMING & DECKING

28 DEGREE CLIPPED HEAD PAPER TAPE NAILS

28° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. Made in the U.S.A.

For The New Treated Lumber



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	NAILS/CTN	LBS/CTN	PRICE PER CARTON
PCP28238113AZ	2 3/8"	.113"	3,200	23	\$160.55
PCP28325120AZ	3 1/4"	.120"	1,800	24	\$106.35



**Handy "Job Pack" — 140
Cartons per Skid**

BRIGHT FRAMING NAILS

These bright, clipped head nails fit popular 28 degree paper tape stick framing tools. Smooth shank. Packed in handy "job packs". Made in the U.S.A.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	NAILS/CTN	LBS/CTN	PRICE PER CARTON
PCP28238120	2 3/8"	.120"	3,200	26	\$83.10
PCP28325131	3 1/4"	.131"	1,820	23	\$66.60

DESIGNED TO FIT ALL 28° NAILERS

AIRY ANB2883C	CAMPBELL HAUSFELD NS289000	GREX SF 9028
ALFIT SF9028S	CRAFTSMAN 18320	GRIP RITE..... GRPWCH350
ATRO Helen 90	CRAFTSMAN 18430	MAX SN883CH
ATRO CHS900	CRAFTSMAN 18420X	MAX SN890CH/28
ATRO CHS928	DEPOAN DPN-6C51/CN2890	PRIME AIR PWCH350
BASSO N90SB	DEVILBISS SFN 6	RELIANT DD231
BOSTITCH..... N80 SB	EZ-FASTEN SRN 90/28	TECH FORGE..... 1526B
BOSTITCH..... N100S	FASCO R5 CHHN28-90SSCT	ULTRA APACHE..... AN-9028 AC
	FASCO F5 HHN28-83	UNICATCH..... UNS 350PB
	FASCO F6 HHN28-90	


(Pneumatic tool names may be trademarks of their respective companies.)

Call Toll-Free: 1-800-435-5949

30-34 DEGREE CLIPPED HEAD PAPER TAPE NAILS

33° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. Made in the U.S.A.



CLIPPED HEAD

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	NAILS/CTN	LBS/CTN	PRICE PER CARTON
PCP31238113AZ	2 3/8"	.120"	3,000	25	\$150.44
PCP31325120AZ	3 1/4"	.120"	2,010	23	\$113.04



Handy "Job Pack"
140 Cartons per Skid

BRIGHT FRAMING NAILS

These bright, clipped head nails fit popular 30-34 degree paper tape stick framing tools. Smooth shank. Packed in handy "job packs". Made in the U.S.A.



CLIPPED HEAD

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	NAILS/CTN	LBS/CTN	PRICE PER CARTON
PCP31238120	2 3/8"	.120"	3,400	27	\$86.50
PCP31325131	3 1/4"	.131"	2,100	27	\$76.30

DESIGNED TO FIT ALL 30° TO 34° NAILERS (INCLUDING Senco and Paslode)

AIRY.....	AMB0546C	GRIP RITE.....	GRPCH 350	PRIME AIR.....	PCH 350
ALFIT.....	BN3490S	HILTI.....	CHN-9033	SENC0.....	SN325, SN325+
A-PLUS.....	S-90E	HITACHI.....	NR83AA, NR83AA2	SENC0.....	SN2, SN2+, SN3, SN4
ATRO.....	933CH	HITACHI.....	NR83AA3, NR90AA	SENC0.....	SN70, Framepro 600E
BOSTITCH.....	N90PT, F33PT	HITACHI.....	NR90AD	SENC0.....	650E, 700XL, 700E-XL
CRAFTSMAN.....	18422	MAX.....	SN890/CH34	SENC0.....	750XL, 750E-XL
DEPOAN.....	DPN-6C52/CN	MAX.....	GS683CH-EX	STAN TECH.....	SDN 11PT-1
DEWALT.....	D51823	MAKITA.....	AN942	SUPCO.....	SNR90A, SDF-88
EZ-FASTEN.....	SCN-100	PASLODE.....	5300S, 5325S	TECH FORGE.....	1521, 1524
FASCO.....	F5CHHU31-90A SS(CT)	PASLODE.....	5350S, SK312	ULTRA APACH.....	AN-9034AC
FASCO.....	F5CHHN31-90A SS(CT)	PASLODE.....	Impulse IM325	UNICATCH.....	UN 350 P4
GREX.....	SF9034	PASLODE.....	Impulse IM350	WOODTECH.....	958-336
		PORTER CABLE.....	FC350		

(Pneumatic tool names may be trademarks of their respective companies.)

FOR CEDAR SIDING & PVC TRIM

15 DEGREE PLASTIC COIL-ATED® NAILS

DESIGNED TO FIT THE FOLLOWING:

BOSTITCH #N63CP*	MAKITA #AN611
BOSTITCH #N64CP*1	MAX #CN565
BOSTITCH #N65CP*	MAX #CN565S
BOSTITCH #N66C-1	MAX #CN565S3
BOSTITCH #N75C-1	MAX #HN65
DEWALT DW66C-1	PORTER CABLE #COIL200
FASCO #F45C	SENC0 #SCN561
HITACHI #NV65AH	SENC0 #SCN55S*
HITACHI #NV75AG	STANTECH #SDCN14B*
HITACHI #NV75AN	



(Pneumatic tool names may be trademarks of their respective companies.)

*These tools have "switch pins" which enable conversion from wire to plastic collation. *Must have conversion kit.

DOUBLE HOT-DIPPED SPLIT-LESS® WOOD SIDING NAILS

Blunt points and slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for cedar, redwood and other split-prone wood sidings. **STORMGUARD® Double Hot-Dipped** Galvanized. For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our stainless steel **Slim-Jim®** nails on page 12. Compatible with most 15-degree plastic sheet coil siding tools. These very popular nails are "the right nails for the job"! 200 nails per coil. Available painted, add \$28.50 per carton.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	SIZE	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLS222A	3d	1 1/4"	.095"	.219"	3,200	12	\$121.80
CLS223A	4d	1 1/2"	.095"	.219"	3,200	13	\$124.10
CLS224A	5d	1 3/4"	.095"	.219"	3,200	14	\$126.20
CLS225A	6d	2"	.095"	.219"	3,200	15	\$128.75
CLS226A	7d	2 1/4"	.095"	.219"	3,200	16	\$133.10
CLS227A	8d	2 1/2"	.095"	.219"	3,200	17	\$136.53
CLS229A*	10d	3"	.095"	.219"	2,400	16	\$135.24

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

FOR CEDAR SIDING & PVC TRIM

15 DEGREE PLASTIC COIL-ATED® NAILS

STAINLESS STEEL SLIM-JIM® (304) WOOD SIDING NAILS

Slim-Jim® Wood Siding Nails are the Type 304 **Stainless Steel** version of our very popular Split-Less® nails and fit most 15-degree plastic sheet coil siding tools. Blunt points and slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for jobs that will be left natural or treated with clear or semi-transparent finishes. **200 nails per coil. 16 coils per carton.**



Available painted.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSS6WS	2"	.099"	.219"	3,200	15	\$252.43
CLSS8WS	2 1/2"	.099"	.219"	3,200	17	\$276.02

64 CARTONS/SKID



100%
made in the
USA

BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS


The California Redwood Association and the Western Red Cedar Lumber Association recommend stainless steel and domestic Hot-Dipped Galvanized nails for the application of their fine wood sidings. Both types of nails can react with the natural extractives in these species under some circumstances, resulting in unsightly staining. For sidings left natural or with transparent or semi-transparent finishes, stainless steel nails are recommended. Type 316 stainless is recommended in sea-coastal applications. Available on page 16.

STAINLESS STEEL (304) CELLULAR PVC TRIMBOARD NAILS

Ideal for applying the popular cellular PVC trim such as KLEER™, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. In sea-coastal areas, Type 316 stainless steel nails are recommended.



LIFETIME WARRANTY!
PLAIN SHANK



**Maze coil nails are available painted – just add \$28.50 per case.*

*** AVAILABLE PAINTED ***

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSSPVC6	2"	.099"	.219"	3,200	15	\$240.69
CLSSPVC8	2 1/2"	.099"	.219"	3,200	17	\$264.18
CLSSPVC10*	3"	.099"	.219"	2,400	16	\$220.40

**3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.*



FOR FIBER CEMENT & LP SMARTSIDE® SIDING

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

(Labeled for HardiPlank® and HardiPanel®)

Maze **STORMGUARD®** nails are specially made for applying HardiPlank®, HardiPanel®, HardiSoffit® and HardiTrim® fiber cement products. Double Hot-Dipped Galvanized with a **LIFETIME WARRANTY**, these nails are **"the right nails for the job"**! 200 nails per coil.



PLAIN SHANK



**3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.*



Available in **prefinished colors** to match **ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE®** Siding and Trim.

15 DEGREE PLASTIC COIL-ATED® NAILS

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

(Labeled for Fiber Cement and untreated Cedar Shakes & Shingles)
MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau for untreated shakes and shingles. These coil nails, along with Maze bulk & collated stick nails are **"the right nails for the job"!** 200 nails per coil.



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLCEM115	2"	.095"	.219"	3,200	15	\$116.80
CLCEM116	2 1/4"	.095"	.219"	3,200	16	\$120.70
CLCEM117	2 1/2"	.095"	.219"	3,200	17	\$123.53
CLCEM119*	3"	.095"	.219"	2,400	16	\$119.10

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLCEM113A	1 1/2"	.095"	.219"	3,200	13	\$124.10
CLCEM115A	2"	.095"	.219"	3,200	15	\$128.75
CLCEM116A	2 1/4"	.095"	.219"	3,200	16	\$133.10
CLCEM117A	2 1/2"	.095"	.219"	3,200	17	\$136.53
CLCEM119A*	3"	.095"	.219"	2,400	16	\$135.24

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

Available in **prefinished colors** to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.

STAINLESS STEEL TYPE 304 15° COIL-ATED® FIBER CEMENT NAILS

Long-lasting fiber cement siding deserves great nails. Maze Nails now has Stainless Steel Fiber Cement Siding Nails in coils to fit 14 popular coil nailers! Customers can have the excellent, long-term rust protection of Maze Stainless Steel nails . . . and the speed and convenience of pneumatic application! These, along with Maze bulk & collated stick nails, are **"the right nails for the job"!**



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSSHD115	2"	.099"	.219"	3,200	15	\$240.69
CLSSHD117	2 1/2"	.099"	.219"	3,200	17	\$264.18



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSSCEM115A	2"	.099"	.219"	3,200	15	\$252.43
CLSSCEM117A	2 1/2"	.099"	.219"	3,200	17	\$276.02



Available in **prefinished colors** to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.

FOR CEDAR SHAKES & SHINGLES



FOR FENCING

ALUMINUM 15° COIL-ATED® FENCING & SIDING NAILS

Ideal for the quality application of cedar and redwood fencing.
Spiral shank for good holding power!



LIFETIME WARRANTY!
SPIRAL SHANK

STOCK NUMBER SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLAWS188	1 7/8"	.099"	.219"	3,200	5	\$164.00

64 CARTONS/SKID

**Toll-Free:
1-800-435-5949**



STAINLESS STEEL (316) 15° COIL-ATED® CEDAR SHAKE AND SHINGLE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service.



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLSSCEM113A316	1 1/2"	.099"	.219"	3,200	13	\$258.00
CLSSCEM115A316	2"	.099"	.219"	3,200	15	\$285.99
CLSSCEM117A316	2 1/2"	.099"	.219"	3,200	17	\$299.00



Available in **prefinished colors** to match ALLURA™, JAMES HARDIE COLOR-PLUS® and LP SMARTSIDE® Siding and Trim.

FOR ROOFING AND BLIND NAILING FIBER CEMENT SIDING

15 DEGREE WIRE COIL-ATED® ROOFING NAILS

DESIGNED TO FIT THESE
POPULAR NAILERS:

BOSTITCH #N12B
BOSTITCH #RN45B
BOSTITCH #RN46
CAMPBELL HAUSFELD #RN154S

DUOFAST #RN-175A
DUOFAST #DRN-45
GRIP RITE GRTCR175

HILTI #RFC-134B
HITACHI #NV45AB
MAKITA #AN451

MAX #CN450R
MAX #CN445R3
PORTER CABLE #134R

PORTER CABLE #RN175
RIDGID #R175RNA
SENCO #SCN40R

(Pneumatic tool names
may be trademarks
of their respective
companies.)

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® ROOFING NAILS



Ideal for the quality application of Asphalt and Fiberglass Shingles, for blind-nailing Fiber Cement Siding, for attaching Backerboard, for nailing felt. Packed in convenient job packs of 3,600 nails – in plain shank and ring shank. Wire weld collation. **120 nails per coil. 30 coils per carton. 40 cartons per pallet. LIFETIME WARRANTY!**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWR101	1"	.120"	3/8"	3,600	16	\$115.77
CLWR102	1 1/4"	.120"	3/8"	3,600	19	\$115.77
CLWR103	1 1/2"	.120"	3/8"	3,600	22	\$121.87
CLWR104*	1 3/4"	.120"	3/8"	3,600	24	\$130.87
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWR102A	1 1/4"	.120"	3/8"	3,600	19	\$135.37
CLWR103A	1 1/2"	.120"	3/8"	3,600	22	\$139.85
CLWR104A*	1 3/4"	.120"	3/8"	3,600	24	\$144.70

*1 3/4" length not able to be driven in all tools listed. Please refer to your Owners Manual.

E.G. (ELECTRO-GALVANIZED) COIL-ATED® ROOFING NAILS




Due to popular demand, Maze now makes e.g. (electro-galvanized) coil roofing nails. These roofing nails are 100% Made in the USA, and meet the criteria of the "Buy American Act." Plain shank. **120 nails per coil. 30 coils per carton.**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWZPR102	1 1/4"	.120"	3/8"	3,600	18	\$78.64

STAINLESS STEEL (304) 15° COIL-ATED® ROOFING NAILS



These ring shank nails are made from Type 304 stainless steel for excellent rust protection. Wire weld collation. **120 nails per coil. 30 coils per carton. LIFETIME WARRANTY!**



40 CARTONS/SKID

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWSSRF3A	1 1/4"	.120"	3/8"	3,600	19	\$291.13
CLWSSRF4A	1 1/2"	.120"	3/8"	3,600	22	\$329.19



FOR FIBER CEMENT SIDING

15 DEGREE WIRE COIL-ATED® SIDING NAILS

DESIGNED TO FIT THESE
POPULAR NAILERS:

BOSTITCH #N63CP*
BOSTITCH #N64CP*
BOSTITCH #N65CP*
BOSTITCH #N66C

BOSTITCH #N75C-1
BOSTITCH #N80CB
DEWALT #DWE6C-1
FASCO #F45C

HITACHI #NV65AH
HITACHI #NV75AG
HITACHI #NV83A2
MAKITA AN621

MAX #CN565
MAX #CN565S
MAX #HN65
PORTER CABLE #COIL200

SENCO #SCN56
SENCO #SCN55S*
STANTECH #SDCN14B*

*These tools have "switch pins" which enable conversion from wire to plastic collation. (Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT SIDING NAILS

MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are **"the right nails for the job!" 200 nails per coil.**



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWHD115	2"	.095"	.219"	3,200	15	\$116.80
CLWHD116	2 1/4"	.095"	.219"	3,200	16	\$120.70
CLWHD117	2 1/2"	.095"	.219"	3,200	17	\$123.53
CLWHD119*	3"	.095"	.219"	3,000	19	\$138.06

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWHD115A	2"	.095"	.219"	3,200	15	\$128.75
CLWHD117A	2 1/2"	.095"	.219"	3,200	17	\$136.53

0 DEGREE PLASTIC COIL-ATED® NAILS

DOUBLE HOT-DIPPED GALVANIZED 0° COIL-ATED® SIDING NAILS

These nails are specially made for applying HardiPlank®, HardiPanel®, HardiSoffit® and HardiTrim® fiber cement products. Double Hot-Dipped Galvanized with a **LIFETIME WARRANTY**, these nails are "the right nails for the job"! **300 nails per coil. 12 coils per carton.**



PLAIN SHANK

Designed to fit Duo-Fast®
#RCN60/225 ADJ, CNP65Y SF
and RCN70/275A tools

(DUO-FAST® is a registered trademark of Illinois Tool Works, Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
200HD	2"	.095"	.219"	3,600	18	\$142.84
225HD	2 1/4"	.095"	.219"	3,600	22	\$147.74
250HD*	2 1/2"	.095"	.219"	3,600	24	\$149.86

*2-1/2" length can only be driven with RCN70/275A tool.



Order your coil nails painted to match your siding.
Only one carton minimum. \$28.50 per carton.

64 CARTONS/SKID

FOR BRIDGEWORK & DECKING

DOUBLE HOT-DIPPED GALVANIZED 0° COIL-ATED® DECKING & BRIDGE NAILS

These top-quality double Hot-Dipped Galvanized nails are designed for use in the popular multi-impact nailers by Max Tools. Great for special applications such as bridgework, decks, etc. where using a hand-driven nail is too difficult. Discontinued item ... while supplies last. **50 nails per coil. 18 coils per carton. LIFETIME WARRANTY!**



Designed to fit MAX CNV400 &
CNV400A MULTI-IMPACT NAILERS



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CL400148Z	4"	.148"	5/16"	900	21	\$136.68
CL500148Z	5"	.148"	5/16"	900	27	\$148.93



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CL500148AZ	5"	.148"	5/16"	900	27	\$172.23

64 BOXES/SKID

ALUMINUM FENCING NAILS 0° COIL-ATED®

Ideal for the quality application of cedar and redwood fencing . . . and for many other applications! Packed in convenient job packs — in spiral shank for good holding power! **300 nails per coil. 12 coils per carton.**



SPIRAL SHANK

STOCK NUMBER SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLZAWS188	1 7/8"	.099"	.219"	3,600	6	\$184.65

BRIGHT 0° COIL NAILS

Ideal for the packaging industry and for fastening large timbers together. Yellow coating improves holding power. **150 nails per coil. 12 coils per carton.**



Designed to fit
Duo-Fast® N500A



(DUO-FAST® is a registered trademark of Illinois Tool Works Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLD500148	5"	.148"	5/16"	1,800	50	\$184.13

24 CARTONS/SKID



Toll-Free: 1-800-435-5949

HAND-DRIVEN NAILS FOR SIDING

SPLIT-LESS® WOOD SIDING NAILS

Specially designed for split-prone woods such as cedar and redwood. Slim, sturdy shank and special blunt point virtually eliminate splits. **STORMGUARD®** double-dipped in molten zinc. Checkered head enhances paint adhesion on color-matched nails. High count greatly reduces per-nail cost. Especially popular for sidings scheduled for finishing with paints or pigmented stains. For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our Type 304 Stainless Steel Slim-Jim® Nails. **For Split-Less® Nails in coils for coil siding nailers, see page 11. LIFETIME WARRANTY!**

NOTE: Use Type 316 Stainless Steel Fasteners for the highest degree of corrosion-resistance in environments such as sea-coastal areas.

PLAIN SHANK								
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 LB	1 LB
S225	2"	14	3/16"	283	\$195.21	\$100.17	\$21.81	\$4.91
S226	2 1/4"	14	3/16"	248	\$194.02	\$98.89	\$21.55	\$4.86
S227	2 1/2"	13	7/32"	189	\$188.69	\$95.73	\$21.08	\$4.73
S228	2 3/4"	13	7/32"	171	\$193.47	—	—	—
S229	3"	13	7/32"	153	\$191.16	\$97.27	\$21.27	\$4.79
S2292	4"	12	1/4"	89	\$191.62	—	—	—

RING SHANK								
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 LB	1 LB
S225A	2"	14	3/16"	283	\$230.46	\$119.49	\$25.28	\$5.65
S226A	2 1/4"	14	3/16"	248	\$228.12	\$119.19	\$24.99	\$5.59
S227A	2 1/2"	13	7/32"	189	\$221.46	\$114.41	\$24.28	\$5.44
S228A	2 3/4"	13	7/32"	171	\$223.75	—	\$24.26	—
S229A	3"	13	7/32"	153	\$222.64	\$115.08	\$24.46	\$5.48
S2290A	3 1/4"	12	1/4"	113	\$213.53	—	\$23.34	—
S2291A	3 1/2"	12	1/4"	104	\$213.10	—	\$23.47	\$5.27
S2292A	4"	12	1/4"	89	\$232.68	—	\$25.55	—

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

CEDAR SHAKE SIDING FACE NAILS

Ideally suited for untreated shake shingle sidewall applications. Slim shank, blunt point, small checkered brad head. **STORMGUARD®** double-dipped in molten zinc.

RING SHANK								
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	5 LB	1 LB	
S234A	1 3/4"	14	1/8"	346	\$214.08	\$22.25	\$5.02	
S235A	2"	14	1/8"	310	\$196.04	\$22.03	\$4.96	



STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (304)

These slender, blunt-pointed wood siding nails are made from high tensile Type 304 **Stainless Steel** to minimize bending and reduce splitting. Excellent for redwood and cedar siding, especially on wood to be left natural or to receive treatment with semi-transparent coatings or clear finishes (to give the "natural" look). Small checkered head can be countersunk. **Also available from stock-painted in cedar/redwood color in 25-lb bulk cartons only . . . simply add \$18.00 per 25-lb carton.*

RING SHANK								
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB	1 LB	
VSS3WS**	1 1/4"	.083"	3/16"	257	\$194.79	—	—	
SS5WS	1 3/4"	.099"	7/32"	276	\$217.81	\$48.45	\$10.39	
SS6WS*	2"	.099"	7/32"	250	\$219.51	\$47.21	\$10.22	
SS8WS*	2 1/2"	.099"	7/32"	171	\$212.28	\$46.39	\$10.04	
SS10WS*	3"	.115"	7/32"	128	\$211.04	\$46.21	\$9.97	
SS16WS	3 1/2"	.120"	7/32"	104	\$209.28	\$45.05	—	

Stocked in 25-lb Bulk Cartons. \$10.00 broken carton charge applies to any increment of less than a full carton.

(6) 5-lb boxes per master. (12) 1-lb boxes per master.

**Available while quantities last.

STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (316)

Made from Type 316 **Stainless Steel** for ultimate corrosion-resistance. Perfect for coastal applications. Excellent for cedar and redwood sidings where wood is to be left natural or coated with a semi-transparent finish.

RING SHANK					
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SS5WS 316	1 3/4"	.099"	7/32"	276	\$252.64
SS6WS 316	2"	.099"	7/32"	250	\$258.47
SS8WS 316	2 1/2"	.099"	7/32"	171	\$249.30
SS10WS 316	3"	.115"	7/32"	128	\$241.01
SS16WS 316	3 1/2"	.120"	7/32"	104	\$233.57

STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (204Cu)

Made from Type 204Cu **Stainless Steel**. Popular for cedar and redwood sidings where wood is left natural or coated with a semi-transparent finish. Not recommended for coastal applications.

**Available while quantities last.

RING SHANK					
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
CSS5WS**	1 3/4"	.099"	7/32"	276	\$187.37
CSS8WS**	2 1/2"	.099"	7/32"	171	\$174.36
CSS10WS**	3"	.115"	7/32"	128	\$170.53
CSS16WS**	3 1/2"	.120"	7/32"	104	\$169.16

HAND-DRIVEN NAILS FOR SIDING

DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR WOOD & ENGINEERED WOOD SIDING

Dependable **STORMGUARD®** Double Hot-Dipped Galvanized Nails with our **LIFETIME WARRANTY** provide long-term corrosion-resistance for these long-lasting sidings. Checkered heads enhance paint adhesion. 1½" penetration into framing is recommended. Meets the specifications of the American Hardboard Association and Composite Panel Association. See page 8 for Collated Box Nails. **LIFETIME WARRANTY!**



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
S203	1½"	14	7/32"	392	\$170.26	\$18.89	\$4.26
S205	2"	12½	17/64"	194	\$154.06	\$17.48	\$4.20
S207	2½"	11½	9/32"	123	\$154.20	\$17.63	—
S209	3"	11½	9/32"	103	\$161.96	\$18.25	—
S2091	3½"	11	9/32"	80	\$163.29	—	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
S202A	1¼"	14	7/32"	442	\$231.42	—	—
S203A	1½"	14	7/32"	392	\$201.12	\$22.51	\$5.51
S205A	2"	12½	17/64"	194	\$173.57	\$19.63	\$4.85
S206A	2¼"	12½	17/64"	180	\$167.45	—	—
S207A	2½"	11½	9/32"	123	\$174.71	\$19.60	\$4.41
S209A	3"	11½	9/32"	103	\$177.94	\$20.46	\$4.37

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.



SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
S207S	2½"	11½	9/32"	123	\$176.60	\$19.97
S209S	3"	11½	9/32"	103	\$183.18	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED NAILS FOR ALUMINUM & STEEL SIDING

Dependable **STORMGUARD®** Double Hot-Dipped Galvanized Nails are compatible with both types of siding and drive far better than aluminum nails.




PLAIN SHANK
LIFETIME WARRANTY!

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
S263	1½"	12	5/16"	228	\$154.32	\$17.63
S265	2"	12	5/16"	178	\$151.10	\$17.31

ALUMINUM NAILS FOR VINYL SIDING

DRIVE-RITE® Aluminum nails are used for applying vinyl siding. Large, flat head allows proper "hanging" of siding. Diamond point makes driving the nail easy and true. Ring shank provides maximum holding power; also suitable for application of asphalt shingles.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	APPROXIMATE NAILS / LB.	PRICE 50 LB	1 LB
AV4	1½"	9	7/16"	360	\$467.08	\$12.73
AV6	2"	9	7/16"	284	\$454.05	\$12.27

(25) 1-lb. boxes per master.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
AV4SC	1½"	9	7/16"	360	\$644.10
AV5SC	1¾"	9	7/16"	326	\$626.04
AV8SC**	2½"	9	7/16"	234	\$603.90

**2½" nails packed/priced in 40 lb. bulk boxes.

HOT-DIPPED NAILS FOR VINYL SIDING

Larger 3/8" heads are preferred by many applicators.

STORMGUARD® Double Hot-Dipped Galvanized.



PLAIN SHANK
LIFETIME WARRANTY!

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB
S103	1½"	11	3/8"	180	\$158.25	\$84.13	\$17.98
S104	1¾"	11	3/8"	156	\$157.98	\$82.60	\$17.66
S105	2"	11	3/8"	136	\$155.78	\$82.38	\$17.65
S107	2½"	11	3/8"	112	\$152.73	\$80.83	\$17.26
S109	3"	10	3/8"	72	\$149.57	—	\$17.28

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

STAINLESS STEEL NAILS FOR VINYL SIDING (304)

Made from high-quality Type 304 Stainless Steel. Ring shanks provide maximum holding power.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	APPROXIMATE NAILS / LB.	PRICE 25 LB
SSV4	1½"	9	27/64"	120	\$218.08
SSV5	1¾"	9	27/64"	108	\$215.46



100%
made in the
USA

BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

Call Toll-Free: 1-800-435-5949

HAND-DRIVEN NAILS FOR SIDING

DOUBLE HOT-DIPPED GALVANIZED FIBER CEMENT/ENGINEERED WOOD

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura™ or HardiPlank®. The **STORMGUARD®** Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust protection. These nails meet the blind and face nail specification for lap siding 8¼" or less. Wider width sidings require blind (roofing) nails. See pages 9, 12, 13 and 14 for fiber cement nails in coils and 20 degree sticks. **2½" lengths (stock numbers HD-8 and CEM-8) available painted in 5-lb. boxes in all James Hardie Colorplus® colors and Allura™ colors.**



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB
HD6	2"	.113"	9/32"	147	\$152.33	\$80.53	\$17.48
HD8*	2½"	.113"	9/32"	129	\$154.20	\$82.09	\$17.63
HD10	3"	.113"	9/32"	108	\$161.96	—	\$18.25
HD16	3½"	.120"	9/32"	80	\$163.29	—	\$18.57

*For painted nails with hammer caps pricing/program, see page 19.



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB
CEM6	2"	.113"	9/32"	147	\$152.33	\$80.53	\$17.48
CEM8*	2½"	.113"	9/32"	129	\$154.20	\$82.09	\$17.63
CEM10	3"	.113"	9/32"	108	\$161.96	—	\$18.25

*For painted nails with hammer caps pricing/program, see page 19.



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB
LP8*	2½"	.113"	9/32"	129	\$154.20	\$82.09	\$17.63

*For painted nails with hammer caps pricing/program, see page 19.

**THESE NAILS ALSO AVAILABLE IN 20 DEGREE STICKS
(SEE PAGES 8 & 9).**



LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
S205A	2"	.099"	17/64"	194	\$173.57	\$19.63	\$4.85
S207A	2½"	.113"	9/32"	123	\$174.71	\$19.60	\$4.41
S209A	3"	.113"	9/32"	103	\$177.94	\$20.46	\$4.37

**THESE NAILS ALSO AVAILABLE IN 20 DEGREE STICKS
(SEE PAGES 8 & 9).**

DOUBLE HOT-DIPPED GALVANIZED "ORIGINAL" SMALL HEAD SIDING NAILS

These nails, made originally to the specifications of the early producers of hardboard siding, now have a multitude of other uses with other types of siding, trim, fencing, decking, etc. They are great all-around nails. Extra stiff shank for easy driving. Self-seating heads. **STORMGUARD®** Double-dipped in molten zinc. Refer to Wood Siding Box Nails for specifications requiring a larger diameter head (page 17).



LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB	5 LB	1 LB
S255	2"	12	3/16"	181	\$156.54	—	—	—
S257	2½"	12	3/16"	146	\$156.26	\$79.96	\$17.71	\$4.04
S259	3"	11	7/32"	98	\$153.65	—	—	—
S2590	3¼"	11	7/32"	90	\$154.82	—	—	—
S2591	3½"	11	7/32"	82	\$153.85	—	—	—
S2592	4"	11	7/32"	73	\$154.36	—	—	—



LIFETIME WARRANTY!
SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 LB	1 LB
S255S	2"	12	3/16"	181	\$186.91	\$97.77	\$21.90	\$4.62
S257S	2½"	12	3/16"	146	\$179.82	\$94.34	\$20.20	\$4.56
S259S	3"	11	7/32"	98	\$174.17	\$92.04	\$18.41	\$4.29
S2590S	3¼"	11	7/32"	90	\$173.74	—	\$19.32	—
S2591S	3½"	11	7/32"	82	\$172.14	\$90.58	\$19.33	\$4.35
S2592S	4"	11	7/32"	73	\$168.44	—	—	—

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

ALUMINUM SIDING NAILS

DRIVE-RITE® nails are made from high tensile aluminum alloy. Compatible with aluminum sidings. Provide ultimate protection from red rust.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	1 LB
AS3	1¼"	11	3/8"	640	—	\$15.91
AS4	1½"	11	3/8"	536	—	\$13.79
AS5	1¾"	11	3/8"	500	\$487.95	—
AS6	2"	11	3/8"	420	—	\$13.26

Shipped in 50-lb Bulk Cartons or 1-lb boxes, 25 per master.



100%
made in the
USA

BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

PREFINISHED HAND-DRIVEN NAILS FOR SIDING



Due to the popularity of prefinished fiber cement and engineered sidings, Maze Nails has committed to stock many colors of 8d smooth shank Double Hot-Dipped Galvanized Maze nails for various brands. These nails are packed in 5-lb. boxes – 6 per master case – and each 5-lb. box includes two hammer caps to greatly reduce the amount of paint chipping when the nails are driven.



JamesHardie™



SMARTSIDE™
TRIM & SIDING



\$27.81 LIST PRICE

(per 5-lb. box – packed 6 per master)

Designed for:



SMARTSIDE™
TRIM & SIDING

Prefinished Color	MAZE Color#
LP Almond.....	M-058
LP Blue.....	M-256
LP Country Red.....	M-026
LP Cream.....	M-245
LP Harbor Gray.....	M-294
LP Khaki.....	M-251
LP Mist Gray.....	M-313
LP Sage.....	M-196
LP Sand.....	M-158
LP Walnut.....	M-040
LP Wheat.....	M-034
LP White.....	M-061

Designed for:



Prefinished Stains

Prefinished Stains	MAZE Color#
Cedar.....	M-206
Emerald.....	M-12
Mahogany.....	M-150
Maple.....	M-155
Redwood.....	M-238
Slate.....	M-192

Prefinished Solid Color

Prefinished Solid Color	MAZE Color#
Autumn Red.....	M-26
Coastal Blue.....	M-212
Cypress.....	M-9
Desert Tan.....	M-190
Flagstone.....	M-354
Forest.....	M-300
Granite Gray.....	M-107

Prefinished Solid Color

Prefinished Solid Color	MAZE Color#
Hearthstone.....	M-356
Light Maple.....	M-158
Linen.....	M-293
Marigold.....	M-245
Nantucket Gray.....	M-296
Natural Clay.....	M-297
Olive.....	M-121
Pacific Blue.....	M-353
Pewter.....	M-294
Sable Brown.....	M-146
Savannah Wicker.....	M-57
Snow.....	M-61
Sterling Gray.....	M-76
Suede.....	M-355
Taupe.....	M-116



Designed for:



JamesHardie™

Prefinished Color	MAZE Color#
Aged Pewter.....	M-289
Alpine Frost.....	M-357
Arctic White.....	M-61
Autumn Tan.....	M-32
Boothbay Blue.....	M-29
Chestnut Brown.....	M-346
Cobblestone.....	M-38
Countrylane Red.....	M-169
Deep Ocean.....	M-318
Evening Blue.....	M-177
Forest Pine.....	M-364
Frosted Green.....	M-120

Prefinished Color	MAZE Color#
Gray Slate.....	M-52
Harris Cream.....	M-141
Heathered Moss.....	M-196
Iron Gray.....	M-175
Khaki Brown.....	M-77
Light Mist.....	M-2
Monterey Taupe.....	M-37
Mountain Sage.....	M-172
Mulberry Wine.....	M-365
Navajo Beige.....	M-190
Night Gray.....	M-24
Parkside Pine.....	M-338

Prefinished Color	MAZE Color#
Pearl Gray.....	M-279
Pebble Brown.....	M-22
Rich Espresso.....	M-503
Sail Cloth.....	M-181
Sandstone Beige.....	M-190
Soft Green.....	M-176
Timber Bark.....	M-111
Traditional Red.....	M-26
Tuscan Gold.....	M-171
Winslow Taupe.....	M-269
Woodland Cream.....	M-245
Woodstock Brown.....	M-186



Color Matched Nails save BIG \$\$\$ in time and labor on prestained and prefinished jobs!

HAND-DRIVEN NAILS FOR DECKING & TRIM

DOUBLE HOT-DIPPED GALVANIZED P.T.L.® NAILS FOR THE NEW TREATED LUMBER

These nails are made from stiffer stock steel so the shanks can be smaller in diameter to help reduce wood splitting without bending. Ring and spiral shanks provide exceptional holding power. Producers of treated lumber and many building codes specify Hot-Dipped Galvanized or stainless steel nails because they have a life expectancy comparable to that of the treated lumber. Maze **STORMGUARD®** P.T.L.® Nails are Double Hot-Dipped Galvanized. See page 7 for Collated P.T.L.® Nails.

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

LIFETIME WARRANTY!
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 LB	1 LB
T445	2"	11	9/32"	137	\$148.11	—	\$17.14	\$3.95
T447	2 1/2"	11	9/32"	111	\$149.10	—	\$17.16	\$3.94
T449	3"	10	19/64"	75	\$152.30	\$80.99	\$17.40	\$3.98
T4490	3 1/4"	10	19/64"	69	\$156.90	—	\$17.96	—
T4491	3 1/2"	9	5/16"	54	\$155.76	\$83.97	\$17.95	\$4.08
T4492	4"	7	3/8"	33	\$150.36	—	\$17.46	\$3.98
T4493	4 1/2"	7	3/8"	29	\$150.77	—	—	—
T4494	5"	5 1/2	15/32"	20	\$146.71	—	—	—
T4496	6"	5 1/2	15/32"	18	\$148.43	—	—	—

LIFETIME WARRANTY!
RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 LB	1 LB
T445A	2"	11	9/32"	137	\$171.17	\$89.27	\$19.32	\$4.41
T447A	2 1/2"	11	9/32"	111	\$170.91	\$90.99	\$19.34	\$4.39
T449A	3"	10	19/64"	75	\$167.59	\$89.15	\$18.83	\$4.27
T4490A	3 1/4"	10	19/64"	69	\$166.20	\$87.14	\$18.79	\$4.24
T4491A	3 1/2"	9	5/16"	54	\$166.24	\$87.90	\$18.87	\$4.27
T4492A	4"	7	3/8"	33	\$162.96	\$85.98	\$18.48	\$4.20
T4493A	4 1/2"	7	3/8"	29	\$165.94	—	\$18.89	—
T4494A	5"	5 1/2	15/32"	20	\$162.99	\$87.40	\$18.66	—
T4496A	6"	5 1/2	15/32"	18	\$162.65	—	\$18.57	—

LIFETIME WARRANTY!
SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 LB	1 LB
T445S	2"	11	9/32"	137	\$176.52	—	\$19.94	\$4.47
T447S	2 1/2"	11	9/32"	111	\$172.72	\$90.49	\$19.51	\$4.42
T449S	3"	10	19/64"	75	\$168.26	\$89.29	\$19.02	\$4.32
T4490S	3 1/4"	10	19/64"	69	\$168.26	—	\$18.81	\$4.30
T4491S	3 1/2"	9	5/16"	54	\$165.83	\$88.72	\$18.97	\$4.29
T4492S	4"	7	3/8"	33	\$165.84	—	\$18.83	\$4.32
T4493S	4 1/2"	7	3/8"	29	\$165.34	—	\$18.61	—
T4494S	5"	5 1/2	15/32"	20	\$164.96	\$86.75	\$18.63	—
T4496S	6"	5 1/2	15/32"	18	\$160.91	—	\$18.27	—

STAINLESS STEEL (304) NAILS FOR THE NEW TREATED LUMBER

Type 304 STAINLESS STEEL P.T.L.® NAILS are for applications requiring even higher corrosion-resistance than offered by Double Hot-Dipped Galvanized nails.

RING SHANK




STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
XSST443A	1 1/2"	11 1/2	9/32"	206	\$311.59	—
XSST445A	2"	11 1/2	9/32"	158	\$277.30	—
XSST447A	2 1/2"	11	9/32"	119	\$228.98	\$56.52
XSST449A	3"	10	9/32"	83	\$220.59	\$55.74
XSST4491A	3 1/2"	9	5/16"	58	\$224.22	\$55.00
XSST4492A	4"	7	3/8"	35	\$214.65	\$54.52
XSST4494A	5"	5 1/2	15/32"	23	\$224.62	\$54.94
XSST4496A	6"	5 1/2	15/32"	19	\$225.88	\$55.27

* (6) 5-Lb boxes per master.

STAINLESS STEEL (316) NAILS FOR THE NEW TREATED LUMBER

Made from Type 316 STAINLESS STEEL for ultimate corrosion-resistance. Recommended for the application of skirt boards treated with corrosive preservatives.

RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
XSST445A316	2"	11 1/2	9/32"	158	\$326.77
XSST447A316	2 1/2"	11	9/32"	119	\$301.43
XSST449A316	3"	10	9/32"	83	\$299.37
XSST4491A316	3 1/2"	9	5/16"	58	\$297.43
XSST4492A316	4"	8	3/8"	42	\$301.76
XSST4496A316	6"	5 1/2	15/32"	19	\$283.90

STAINLESS STEEL DECKING NAILS

These Screw-Down® nails hold tight on a wide variety of outdoor applications. Ideal for use on cedar & redwood decks where a durable nail is needed to drive into the pressure treated lumber joists. Textured head holds paint and stain. Manufactured from top-grade, Type 304 Stainless Steel. See page 7 for Collated Stainless Steel Nails.



STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSDK6	2"	11 1/2	13/64"	172	\$215.11



The 2018 International Residential Code – Section R317.3.1 and the 2018 International Building Code – Section 2304.10.5.1 both state: "Fasteners in contact with preservative-treated wood shall be of Hot-Dipped zinc-coated galvanized steel, stainless steel, silicon bronze or copper." Our coating weights for zinc-coated fasteners shall be in accordance with ASTM A-153. Stainless steel fasteners shall be in accordance with the material requirements of ASTM F1667. Maze **STORMGUARD®** Double Hot-Dipped, Zinc-Coated Galvanized Nails and Type 304 and Type 316 Stainless Steel Nails meet and exceed those criteria.

DECKING, TRIM & CONNECTOR FASTENERS



STAINLESS STEEL (304) JOIST HANGER NAILS

Maze Nails is a domestic manufacturer of top-quality 304 STAINLESS STEEL Joist Hanger Nails - to attach hangers to the new treated lumber. Note: For maximum protection, use Type 316 Stainless Steel nails. See below.



Stainless Steel 304 PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
SSJ131	1 1/2"	.135"	9/32"	153	\$205.71	\$46.45
SSJ148	1 1/2"	.148"	5/16"	120	\$211.62	\$47.32

(6) 5-lb boxes per master.



Stainless Steel 304 RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSXR162A	1 1/4"	.135"	3/8"	170	\$166.18
SSXR163A	1 1/2"	.135"	3/8"	146	\$207.87

CAUTION: ALWAYS WEAR SAFETY GLASSES WHEN DRIVING ANY NAILS.

STAINLESS STEEL (316) JOIST HANGER NAILS

Made from STAINLESS STEEL Type 316 for ultimate corrosion-resistance. Recommended for coastal/marine applications.



Stainless Steel 316 PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSJ131316	1 1/2"	.135"	9/32"	153	\$262.16
SSJ148316	1 1/2"	.148"	5/16"	120	\$260.58

DOUBLE HOT-DIPPED GALVANIZED JOIST HANGER NAILS

These well-threaded nails are **STORMGUARD®** Double Hot-Dipped Galvanized to ensure superior holding power and long-term rust-protection. The Hot-Dipped coating is the type of galvanized coating which is recommended by the makers of treated lumber to use with their products.



LIFETIME WARRANTY! RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
XR162A	1 1/4"	.135"	3/8"	155	\$173.52	\$19.40	\$4.40
XR163A	1 1/2"	.135"	3/8"	128	\$165.10	\$18.63	\$4.26
J148A	1 1/2"	.148"	5/16"	120	\$213.94	\$22.25	—
XR164A	1 3/4"	.135"	3/8"	114	\$164.98	—	—
XR165A	2"	.135"	3/8"	103	\$161.69	—	—
XR167A	2 1/2"	.135"	3/8"	85	\$165.08	—	—

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED JOIST HANGER NAILS

These Joist Hanger Nails are manufactured to the specifications of several of the large joist hanger makers. Stock number J-131 crosses-over to the Kant-Sag® "NA11" and Simpson® "N8", while the stock number J-148 crosses-over to Kant-Sag® "NA9D" and Simpson® "N10". The Maze advantage is that our nails are **STORMGUARD® Double Hot-Dipped Galvanized** - for superior corrosion-resistance. And, you can order these top-quality nails along with your other Maze products - in bulk and packaged. **LIFETIME WARRANTY!**



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
J131	1 1/2"	.135"	9/32"	153	\$167.29	\$18.77	\$4.23
J148	1 1/2"	.148"	5/16"	120	\$159.69	\$17.97	\$4.11

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.



DOUBLE HOT-DIPPED GALVANIZED CONNECTOR NAILS



These nails are made from top-grade steel - and are then Double Hot-Dipped Galvanized for use in both bright and galvanized connectors. The MAZE **STORMGUARD®** Hot-Dipped coating meets the specifications of the 2018 International Building Code for nails to be driven into pressure treated lumber. Check with your connector supplier to determine the correct size nails for installing their products - to make certain that structural minimums are met. **LIFETIME WARRANTY!**



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
CN150131	1 1/2"	.131"	9/32"	153	\$169.83	\$19.15	\$4.33
CN250131	2 1/2"	.131"	9/32"	99	\$175.39	—	—
CN250148	2 1/2"	.148"	5/16"	74	\$182.62	—	—
CN250162	2 1/2"	.162"	11/32"	61	\$203.79	—	—
CN300148	3"	.148"	5/16"	64	\$175.19	—	—
CN350162	3 1/2"	.162"	11/32"	43	\$163.14	—	—

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.

PAINTED DOUBLE HOT-DIPPED GALVANIZED TRIM NAILS FOR SOFFIT AND FASCIA

Maze **STORMGUARD®** Trim Nails are ideal for applying painted aluminum trim coil, soffit and fascia. The thick, uniform zinc-coating is compatible with aluminum, and the strong steel shank drives much better than aluminum nails. White and Brown trim nails are stock items – in 1-lb boxes, 12 per master carton. Double Hot-Dipped Galvanized. **LIFETIME WARRANTY!** For stainless steel trim nails, see page 23.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 1 LB
R112M61 (WHITE)	1 1/4"	14	7/32"	450	\$6.90
R112M22 (BROWN)	1 1/4"	14	7/32"	450	\$6.90
R113M61 (WHITE)	1 1/2"	14	7/32"	396	\$6.78
R113M22 (BROWN)	1 1/2"	14	7/32"	396	\$6.78



(12) 1-lb boxes per master.
AVAILABLE IN ADDITIONAL PAINT COLORS

STAINLESS STEEL (304) NAILS FOR CELLULAR PVC TRIMBOARDS

Ideal for applying the popular cellular PVC trim such as KLEER™, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. For "gun-driven" nails, see page 12. In sea-coastal areas, Type 316 stainless steel nails are recommended.



**PLAIN SHANK
PAINTED WHITE**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 5 LB BOX	PRICE 1 LB BOX
PVC68252 (WHITE)	2"	12 1/2	7/32"	225	\$46.72	\$10.51
PVC88252 (WHITE)	2 1/2"	12 1/2	7/32"	190	\$46.42	\$10.42

(6) 5-lb boxes per master. (12) 1-lb boxes per master.



**RING SHANK
PAINTED WHITE**

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 5 LB BOX	PRICE 1 LB BOX
PVC6A8252 (WHITE)	2"	12 1/2	7/32"	225	\$49.40	\$11.05
PVC8A8252 (WHITE)	2 1/2"	12 1/2	7/32"	190	\$48.26	\$10.86

(6) 5-lb boxes per master. (12) 1-lb boxes per master.

STAINLESS STEEL (204Cu) NAILS FOR CELLULAR PVC TRIMBOARDS

Economical 204Cu Stainless Steel for applying the popular cellular PVC trim such as KLEER™, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. For "gun-driven" nails, see page 12. In sea-coastal areas, Type 316 stainless steel nails are recommended.



**PLAIN SHANK
PAINTED WHITE**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 5 LB BOX	PRICE 1 LB BOX
CPVC88252 (WHITE)	2 1/2"	12 1/2	7/32"	190	\$40.61	\$9.35

(6) 5-lb boxes per master. (12) 1-lb boxes per master.



**RING SHANK
PAINTED WHITE**

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 5 LB BOX	PRICE 1 LB BOX
CPVC6A8252 (WHITE)	2"	12 1/2	7/32"	225	\$42.39	\$9.93
CPVC8A8252 (WHITE)	2 1/2"	12 1/2	7/32"	190	\$44.61	\$9.96

(6) 5-lb boxes per master. (12) 1-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED FINISHING NAILS

Designed for exterior trim applications. Brad head sets easily and ensures neat finished appearance. **STORMGUARD®** Double Hot-Dipped Galvanized. **LIFETIME WARRANTY!**



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
T315	2"	14	1/8"	310	\$165.15	\$18.35	\$4.22
T317	2 1/2"	13	9/64"	196	\$149.34	\$17.43	\$3.94
T319	3"	11 1/2	5/32"	109	\$153.36	\$17.78	\$4.05

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.

STAINLESS STEEL FINISHING NAILS

Made from top-quality Type 304 STAINLESS STEEL.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SS315	2"	13	0.135"	247	\$173.46
SS319	3"	11	0.165"	102	\$160.06
SS321	3 1/2"	11	0.165"	86	\$172.36

Stocked in 25 lb Bulk Cartons.

DOUBLE HOT-DIPPED GALVANIZED CASING NAILS

Designed for the secure application of window and door frames, cornices and exterior molding. Eliminate need for counter-sinking and puttying. **STORMGUARD®** Double Hot-Dipped Galvanized.



**LIFETIME WARRANTY!
PLAIN SHANK**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
T305	2"	12 1/2	9/64"	212	\$152.97	\$17.57
T307	2 1/2"	11 1/2	9/64"	131	\$146.80	\$16.99
T309	3"	10	11/64"	85	\$148.72	—
T3091	3 1/2"	10	11/64"	67	\$147.55	\$16.74
T3092	4"	9	3/16"	48	\$152.16	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED GARAGE DOOR JAMB SEAL NAILS

These painted, Hot-Dipped Galvanized nails are perfect for applying jamb seals on garage doors. Available in a variety of colors to match manufacturers' colors.



Pricing includes paint charges. LIFETIME WARRANTY!



**AVAILABLE IN LIMITED PAINT COLORS
PLAIN SHANK**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
R112	1 1/4"	14	7/32"	450	\$211.93	\$23.28	\$6.90
R113	1 1/2"	14	7/32"	392	\$203.79	\$22.62	\$6.78
R114	1 3/4"	14	7/32"	344	\$200.38	\$22.30	\$6.34



**AVAILABLE IN LIMITED PAINT COLORS
RING SHANK**

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
S213A	1 7/16"	12 1/2	3/16"	262	\$213.23	\$23.95	—
S214A	1 3/4"	12 1/2	3/16"	220	\$214.56	\$22.71	\$7.40

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

STAINLESS STEEL PAINTED TRIM NAILS (304)



Hammercaps reduce paint chipping!



High quality painted trim nails for use with trim coil, soffit and fascia. Available painted in many different colors – pre-matched to coil manufacturers' colors. These nails have a checkered head – Specially designed to hold more paint than a flat head. See Hammercaps on page 3.

PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB BOX
SST2*	1"	2d	.072"	3/16"	760	Call for pricing
SST3	1 1/4"	3d	.072"	3/16"	615	Call for pricing
SST5**	1 3/4"	5d	.080"	3/16"	340	Call for pricing

*8252 white only

**8252, 9514, 9572 only

RING SHANK - PAINTED

STOCK NUMBERS RING SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB BOX
SST2A*	1"	2d	.072"	3/16"	760	Call for pricing
SST3A	1 1/4"	3d	.072"	3/16"	615	Call for pricing
SST5A**	1 3/4"	5d	.080"	3/16"	340	Call for pricing

*8252 white only

**10 popular colors

(25) 1-lb boxes per master.

Note: A \$.50 per pound up-charge applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.

TYPE 304 STAINLESS STEEL SPECIFICATIONS FOR NON-CORROSIVE ENVIRONMENTS

- An austenitic steel possessing a minimum of 18% chromium and 8% nickel, combined with a maximum of 0.08% carbon.
- Nonmagnetic steel which cannot be hardened by heat treatment, but instead must be cold worked to obtain higher tensile strengths.
- The 18% minimum chromium content provides corrosion and oxidation resistance.
- The nickel content (8% min.) extends resistance to corrosion caused by reducing chemicals.
- Carbon is held at a level (0.08% max.) that is satisfactory for most service applications.
- The stainless alloy resists most oxidizing acids and can withstand all ordinary rusting.
- It will tarnish or show red rust when exposed to a salt water or coastal environment. (Type 316 Stainless Steel is recommended for exposed fasteners within 5 miles of a coastal salt water environment.)

Analysis of Stainless Type 304:

Carbon: 0.08% max.; Silicon: 1.00% max.; Manganese: 2.00% max.; Chromium: 18.00-20.00%; Phosphorus: 0.045% max.; Nickel: 8.00-10.50%; Sulfur: 0.030% max.

PAINTED Trim Nails
Color Guide

Call us for a helpful color chart! This makes color matches easy... 800.435.5949!

We match virtually all leading brands of painted trim coil!

STAINLESS STEEL PAINTED TRIM NAILS (204Cu)



Hammercaps reduce paint chipping!



High quality painted trim nails for use with trim coil, soffit and fascia. Available painted in many different colors – pre-matched to coil manufacturers' colors. These nails have a striated head – Specially designed to hold more paint than a flat head. See Hammercaps on page 3. Less expensive and less corrosion-resistant than Type 304 stainless steel. Not recommended for coastal applications.

PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB BOX
CST2*	1"	2d	.072"	3/16"	760	Call for pricing
CST3	1 1/4"	3d	.072"	3/16"	615	Call for pricing

*8252 white only

RING SHANK - PAINTED

STOCK NUMBERS RING SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB BOX
CST2A*	1"	2d	.072"	3/16"	760	Call for pricing
CST3A	1 1/4"	3d	.072"	3/16"	615	Call for pricing

(25) 1-lb boxes per master.

*8252 white only

Note: A \$.50 per pound up-charge after discount applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.

See www.mazenails.com/resources/painted-nail-colors for details on color matches and painted color availability by nail type.



TYPE 204Cu STAINLESS STEEL SPECIFICATIONS FOR NON-CORROSIVE ENVIRONMENTS

- A copper-containing, low-nickel, nitrogen-strengthened, austenitic stainless steel.
- The nitrogen addition results in higher annealed strength than Type 304;
- The copper addition reduces the work hardening rate to provide cold worked properties similar to Type 304.
- The alloy is nonmagnetic in the annealed condition and remains nonmagnetic after cold working.
- Cold forming characteristics are superior to the 200 series stainless steels and similar to Type 304.
- Consider for applications where Type 304 has been previously used — including wire products such as spring, fence, rope, belt, nail, electropolished, pole-line, buttress screw and windshield wiper arms.
- The stainless alloy resists most oxidizing acids and can withstand all ordinary rusting.
- It will tarnish or show red rust when exposed to a salt water or coastal environment. (Type 316 Stainless Steel is recommended for exposed fasteners within 5 miles of a coastal salt water environment.)

Analysis of Stainless Type 204Cu:

Carbon: 0.10% max.; Silicon: 1.00% max.; Manganese: 9.00% max.; Chromium: 6.00-17.00%; Phosphorus: 0.035% max.; Nickel: 2.00-3.00%; Sulfur: 0.010% max.; Copper: 3-3.5%

ALUMINUM PAINTED TRIM NAILS

Our quality paint finish is a special baking enamel – for fine durability. Made from .101" wire, with 3/16" flat heads. Available in white and brown finish only.

PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 1 LB
AT38252 (WHITE)	1 1/4"	.101"	3/16"	1040	\$15.48
AT31177 (BROWN)	1 1/4"	.101"	3/16"	1040	\$15.48

(25) 1-lb boxes per master.

Note: A \$.50 per pound up-charge applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.


HAND-DRIVEN NAILS FOR GUTTERS AND TRIM

DOUBLE HOT-DIPPED GALVANIZED GUTTER SPIKES

Ideal for aluminum, galvanized & vinyl gutters. The extra-thick **STORMGUARD®** zinc-coating will not react with aluminum. Strong, steel-core spikes drive better than aluminum spikes. For best results, spikes should be driven into rafters or trusses, not only into fascia. Minimum 1 spike every 24". Checkered heads enhance paint adhesion. Add \$49.00 per 50-lbs. for painting. *These items available from stock in WHITE.

LIFETIME WARRANTY!


PLAIN SHANK



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
T364	7"	3/16"	7/16"	16	\$172.72
T365	8"	3/16"	7/16"	14	\$170.37
T366	8"	1/4"	9/16"	8	\$175.12
T368	9"	1/4"	9/16"	7	\$175.26
T369	10"	1/4"	9/16"	6.5	\$172.75

LIFETIME WARRANTY!

RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
XT650A	6 1/2"	3/16"	7/16"	18	\$203.38
XT658A	6 5/8"	3/16"	7/16"	17	\$203.29
T364A*	7"	3/16"	7/16"	16	\$183.92
XT750A	7 1/2"	3/16"	7/16"	15	\$189.06
T365A*	8"	3/16"	7/16"	14	\$188.51
T366A	8"	1/4"	9/16"	8	\$188.45
T368A	9"	1/4"	9/16"	7	\$184.54
T369A	10"	1/4"	9/16"	6.5	\$188.15
ZL3691A	11"	1/4"	9/16"	6.2	\$236.69
ZL3692A	12"	1/4"	9/16"	5.8	\$254.66

Stocked in 50-lb Bulk Cartons.

DOUBLE HOT-DIPPED GALVANIZED GENERAL PURPOSE RING SHANK NAILS

These **STORMGUARD®** Double Hot-Dipped Galvanized Nails that were originally designed for asbestos siding should be obsolete! However, our customers have found many other applications where extra holding power and dependable corrosion-resistance are desired. Checkered heads enhance paint adhesion. *These two lengths are stocked in 50-lb cartons in the M-61 White color. See "Garage Door Jamb Seal Nails" on page 22 for painted prices. Also available in other colors. **LIFETIME WARRANTY!**



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
S212A	1 1/4"	12 1/2	3/16"	304	\$195.97	—
S213A*	1 7/16"	12 1/2	3/16"	262	\$177.23	—
S214A*	1 3/4"	12 1/2	3/16"	220	\$178.56	\$19.11

DOUBLE HOT-DIPPED GALVANIZED DOWNSPOUT GUTTER STRAP NAILS

These **STORMGUARD®** hardened, Hot-Dipped Galvanized masonry nails are recommended for attaching downspout gutter straps firmly to the building. Hot-Dipping ensures excellent corrosion-resistance.



LIFETIME WARRANTY!

STOCK NUMBER FLUTED SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
XH54SZ	1 1/4"	9	5/16"	150	\$217.13

Stocked in 50-lb Bulk Cartons.

ALUMINUM GUTTER FERRULES

Packed 500 pieces per box, these quality ferrules are made from .013" gauge aluminum. The 5" ferrules are commonly used with 7" spikes.



STOCK NUMBERS	LENGTH	GAUGE	WEIGHT PER BOX	PRICE PER BOX
AF5	5"	.013"	5 LBS.	\$47.46

DOUBLE HOT-DIPPED GALVANIZED GUTTER HANGER NAILS

These spiral shank nails are specially threaded so they drive well and hold tight. Their **STORMGUARD®** Double Hot-Dipped Zinc-Coating ensures excellent long-term rust protection.



LIFETIME WARRANTY!

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
GH6S	2"	.120"	9/32"	137	\$176.04	—
XR175S	2"	.135"	5/16"	109	\$179.74	—
ARD200148Z	2"	.148"	9/32"	104	\$217.23	—
ARD250148Z	2 1/2"	.148"	9/32"	74	\$198.64	—
GH8S	2 1/2"	.120"	9/32"	111	\$174.94	\$19.75

*Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master.*



ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN NAILS FOR ROOFING

DOUBLE HOT-DIPPED GALVANIZED ASPHALT & FIBERGLASS SHINGLE NAILS



Designed for the secure application of asphalt and fiberglass shingles on new construction and re-roofing jobs. Ring and spiral shanks provide extra holding power, especially in high wind/hurricane areas. **STORMGUARD®** Double Hot-Dipped Zinc-Coating provides extra corrosion-resistance. Manufactured to meet ASTM spec. F1667 and ASTM spec. A-153 for Hot-Dipped Zinc-coating. Nails should be long enough to penetrate $\frac{3}{4}$ " into the wood deck lumber, or completely through plywood decking. Type 304 Stainless Steel Roofing Nails also available. **All Maze Nails are 100% Made in the U.S.A.** For Coil-ated® Shingle Nails see page 14. **LIFETIME WARRANTY!**



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
R100	$\frac{7}{8}$ "	11	$\frac{3}{8}$ "	272	\$164.46	\$18.88
R101	1"	11	$\frac{3}{8}$ "	250	\$163.72	—
R102	$1\frac{1}{4}$ "	11	$\frac{3}{8}$ "	202	\$161.94	\$18.12
R103	$1\frac{1}{2}$ "	11	$\frac{3}{8}$ "	180	\$158.25	\$17.98
R104	$1\frac{3}{4}$ "	11	$\frac{3}{8}$ "	156	\$157.98	\$17.66
R105	2"	11	$\frac{3}{8}$ "	136	\$155.78	\$17.65
R107	$2\frac{1}{2}$ "	11	$\frac{3}{8}$ "	106	\$152.73	\$17.26

Many Maze **STORMGUARD®** Double Hot-Dipped Galvanized Ring Shank Roofing Nails are Miami Dade County Approved!



LIFETIME WARRANTY!



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
R100A	$\frac{7}{8}$ "	11	$\frac{3}{8}$ "	272	\$188.29	—
R101A	1"	11	$\frac{3}{8}$ "	250	\$182.82	\$20.38
R102A	$1\frac{1}{4}$ "	11	$\frac{3}{8}$ "	202	\$172.51	\$20.33
R103A	$1\frac{1}{2}$ "	11	$\frac{3}{8}$ "	180	\$174.09	\$19.63
R104A	$1\frac{3}{4}$ "	11	$\frac{3}{8}$ "	156	\$172.09	\$19.14
R105A	2"	11	$\frac{3}{8}$ "	136	\$169.38	\$19.20
R107A	$2\frac{1}{2}$ "	11	$\frac{3}{8}$ "	106	\$169.04	\$19.04



LIFETIME WARRANTY!

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
R103S	$1\frac{1}{2}$ "	11	$\frac{3}{8}$ "	180	\$188.23
R104S	$1\frac{3}{4}$ "	11	$\frac{3}{8}$ "	156	\$181.39
R105S	2"	11	$\frac{3}{8}$ "	136	\$176.70

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

E.G. (ELECTRO-GALVANIZED) ROOFING NAILS

Due to popular demand, Maze now makes e.g (electro-galvanized) roofing nails. These roofing nails are 100% Made in the USA, and meet the criteria of the "Buy American Act." Plain shank. For Coil-ated® shingle nails, see page 14.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	NAILS/LB	LBS/CTN	PRICE PER CARTON
R102ZP	$1\frac{1}{4}$ "	.120"	212	50	\$146.82

INSULATION ROOF DECK/RIDGE VENT NAILS

These extra-long "Asphalt Shingle Nails" are designed for the application of structural roof deck to wood trusses or rafters. Also great for application of shingles over rigid foam insulation into roof decking and for the installation of "ridge vents". Large heads prevent pull-through. Ring shanks provide exceptional holding power. **STORMGUARD®** Double Hot-Dipped Galvanized.



**PLAIN SHANK
LIFETIME WARRANTY!**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
R159	3"	10	$\frac{3}{8}$ "	72	\$149.57
R1591	$3\frac{1}{2}$ "	10	$\frac{3}{8}$ "	62	\$143.85
R1592	4"	9	$\frac{13}{32}$ "	46	\$149.58
R1593	$4\frac{1}{2}$ "	9	$\frac{13}{32}$ "	40	\$142.31



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
XR109A	3"	11	$\frac{3}{8}$ "	89	\$179.47	—
R159A	3"	10	$\frac{3}{8}$ "	72	\$164.62	\$18.79
R1591A	$3\frac{1}{2}$ "	10	$\frac{3}{8}$ "	62	\$160.96	—
R1593A	$4\frac{1}{2}$ "	9	$\frac{13}{32}$ "	40	\$193.26	—
R1595A	$5\frac{1}{2}$ "	7	$\frac{13}{32}$ "	23	\$197.24	—

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

***NOTE: For aluminum ring shank asphalt shingle nails, see aluminum nails on page 17.



APPROVED

- Maze **STORMGUARD®** Double Hot-Dipped Galvanized Smooth & Ring Shank Roofing Nails are "Miami Dade County Product Control Approved."
- Maze **STORMGUARD®** Nails withstood and exceeded the ASTM G85 test protocol required for Miami Dade County.
- Maze **STORMGUARD®** Ring Shank Nails provide more than twice the holding power of plain shank nails.
- Maze **STORMGUARD®** Roofing Nails meet the 2018 International Building Code 1507.2.6 and comply with ASTM F1667.

Miami Dade County, Florida NOA (Notice of Acceptance) No: 16-0712.06 Expiration Date: 08.17.21

HAND-DRIVEN NAILS FOR ROOFING

STAINLESS STEEL (304) PLAIN SHANK NAILS FOR ROOFING

These nails are made from highly corrosion-resistant Type 304 Stainless Steel for outstanding rust-protection. The strong shanks drive with ease.




PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSRFG5	1 3/4"	11	3/8"	167	\$250.67
SSRFG6	2"	11	3/8"	148	\$252.58
SSRFG8	2 1/2"	11	3/8"	120	\$251.26

Stocked in 25-lb Bulk Cartons.

STAINLESS STEEL (304) RING SHANK NAILS FOR ROOFING

These nails are made from highly corrosion-resistant Type 304 Stainless Steel for outstanding rust-protection. The strong shanks drive with ease and the ring shanks ensure excellent holding power. For coil nails, see page 14.



RING SHANK


STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSRFG3A	1 1/4"	11	3/8"	226	\$269.37
SSRFG4A	1 1/2"	11	3/8"	194	\$267.67
SSRFG5A	1 3/4"	11	3/8"	167	\$271.03
SSRFG6A	2"	11	3/8"	148	\$260.96
SSRFG8A	2 1/2"	11	3/8"	120	\$262.56

Stocked in 25-lb Bulk Cartons.



COPPER SLATING & FLASHING NAILS

These solid copper nails are the type recommended for use with many major brands of tile and slate roofing – and are the most compatible nails for use with copper flashing. The full 3/8" head gives good bearing pressure on roofing and flashing material. Diamond point and smooth shank make driving easy.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
CU100	1"	10	3/8"	194	—	Call for pricing
CU125	1 1/4"	10	3/8"	158	Call for pricing	Call for pricing
CU150	1 1/2"	10	3/8"	133	Call for pricing	Call for pricing
CU175	1 3/4"	10	3/8"	115	Call for pricing	Call for pricing
CU200	2"	10	3/8"	102	Call for pricing	Call for pricing
CU250	2 1/2"	10	3/8"	83	Call for pricing	Call for pricing
CU300	3"	10	3/8"	70	Call for pricing	Call for pricing

Stocked in 25-lb Bulk Cartons (6) 5-lb boxes per master.

COPPER SLATING & FLASHING NAILS

These solid copper nails are the type recommended for use with many major brands of tile and slate roofing – and are the most compatible nails for use with copper flashing. The full 3/8" head gives good bearing pressure on roofing and flashing material. Diamond point makes driving easy. Ring shank holds tight.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
CU100A	1"	10	3/8"	194	Call for pricing	Call for pricing
CU125A	1 1/4"	10	3/8"	158	Call for pricing	Call for pricing
CU150A	1 1/2"	10	3/8"	133	Call for pricing	Call for pricing
CU175A	1 3/4"	10	3/8"	115	Call for pricing	Call for pricing
CU200A	2"	10	3/8"	102	Call for pricing	Call for pricing
CU250A	2 1/2"	10	3/8"	83	Call for pricing	Call for pricing
CU300A	3"	10	3/8"	70	Call for pricing	Call for pricing

Stocked in 25-lb Bulk Cartons (6) 5-lb boxes per master.



CEDAR SHAKE & SHINGLE ROOFING NAILS

DOUBLE HOT-DIPPED GALVANIZED CEDAR SHINGLE AND SHAKE NAILS

Maze **STORMGUARD®** Plain and Ring Shank Cedar Shake and Shingle Nails are Double Hot-Dipped Galvanized – which conform to ASTM Standard A153, Class D and conform to the nail specifications of the Cedar Shake and Shingle Bureau for non-saltwater areas. These slender, stiff nails resist splitting, bending and effectively resist rust. Nails should be long enough to penetrate sheathing at least $\frac{3}{4}$ ". Use only two nails per shake or shingle approximately $\frac{3}{4}$ " from edge and $1\frac{1}{2}$ " above the butt line of the next course. Nails should be driven flush, but not so far that the nail head crushes the wood. Excellent for typical, non-coastal (over 15 miles from salt-water) residential applications **not** utilizing pressure-impregnated preservative or fire-retardant treatments. Check with treater for current, specific fastener requirements. Type 316 Stainless Steel nails (below) must be used in those severe conditions.

PLAIN SHANK LIFETIME WARRANTY!

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
R112	1 $\frac{1}{4}$ "	14	$\frac{7}{32}$ "	470	\$175.93	\$19.68	\$4.54
R113	1 $\frac{1}{2}$ "	14	$\frac{7}{32}$ "	396	\$167.79	\$19.02	\$4.32
R114	1 $\frac{3}{4}$ "	14	$\frac{7}{32}$ "	342	\$164.38	\$18.60	\$4.23
R115	2"	13	$\frac{1}{4}$ "	232	\$155.65	\$17.77	\$4.08
R116	2 $\frac{1}{4}$ "	13	$\frac{1}{4}$ "	211	\$167.66	\$18.87	—
R117	2 $\frac{1}{2}$ "	13	$\frac{1}{4}$ "	163	\$192.63	—	—

RING SHANK LIFETIME WARRANTY!

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
R113A	1 $\frac{1}{2}$ "	14	$\frac{7}{32}$ "	396	\$240.42	\$28.25
R114A	1 $\frac{3}{4}$ "	14	$\frac{7}{32}$ "	342	\$232.82	—
R115A	2"	13	$\frac{1}{4}$ "	232	\$209.98	—
R116A	2 $\frac{1}{4}$ "	13	$\frac{1}{4}$ "	211	\$203.22	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

STAINLESS STEEL (316) CEDAR SHINGLE AND SHAKE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service.

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
SSR112A	1 $\frac{1}{4}$ "	14	$\frac{7}{32}$ "	470	\$316.42
SSR113A	1 $\frac{1}{2}$ "	14	$\frac{7}{32}$ "	394	\$323.71
SSR114A	1 $\frac{3}{4}$ "	14	$\frac{7}{32}$ "	337	\$315.92
SSR115A	2"	13	$\frac{7}{32}$ "	237	\$318.30

Shipped in Standard 25-lb Bulk Cartons.

STAINLESS STEEL (316) 15° COIL-ATED® NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service. **200 nails per coil. 16 coils per carton.** Compatible tools listed on page 11.



RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN.	LBS/CTN.	PRICE PER CARTON
CLSSCEM113A316	1 $\frac{1}{2}$ "	.099"	.219"	3,200	13	\$258.00
CLSSCEM115A316	2"	.099"	.219"	3,200	15	\$285.99
CLSSCEM117A316	2 $\frac{1}{2}$ "	.099"	.219"	3,200	17	\$299.00

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® NAILS

(15° Coil-ated® Nails for Cedar Shakes & Shingles)

MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are **"the right nails for the job"**! **200 nails per coil.**



PLAIN SHANK



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN.	LBS/CTN.	PRICE PER CARTON
CLCEM115	2"	.095"	.219"	3,200	15	\$116.80
CLCEM116	2 $\frac{1}{4}$ "	.095"	.219"	3,200	16	\$120.70
CLCEM117	2 $\frac{1}{2}$ "	.095"	.219"	3,200	17	\$123.53
CLCEM119*	3"	.095"	.219"	2,400	16	\$119.10

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are **"the right nails for the job"**! **200 nails per coil.**



RING SHANK



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN.	LBS/CTN.	PRICE PER CARTON
CLCEM113A	1 $\frac{1}{2}$ "	.095"	.219"	3,200	13	\$124.10
CLCEM115A	2"	.095"	.219"	3,200	15	\$128.75
CLCEM116A	2 $\frac{1}{4}$ "	.095"	.219"	3,200	16	\$133.10
CLCEM117A	2 $\frac{1}{2}$ "	.095"	.219"	3,200	17	\$136.53
CLCEM119A*	3"	.095"	.219"	2,400	16	\$135.24

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.
For Stainless Steel Coils, see page 13.

WASHER NAILS FOR METAL ROOFING



Photo courtesy of Jack Walters & Sons Corporation

DOUBLE HOT-DIPPED GALVANIZED FLAT RUBBER WASHER NAILS

Widely used for fastening corrugated metal roofing and siding. Also popular for aluminum and fiberglass products. These **STORMGUARD®** Nails are double dipped in molten zinc after threading so no raw steel is exposed. EPDM rubber washers seal nail holes. Ring shanks hold tight. Available from stock in many popular colors. Call for availability. For painted nails, add \$36.00 per 50-lbs., \$3.60 per 5-lbs., \$0.72 per 1-lb. Non-stocked colors require a minimum order of 200-lbs. per size and color and 50-lb. increments beyond. Most manufacturers recommend minimum nail penetration of 1" into purlin or girt. **LIFETIME WARRANTY!**



Washer size: .375" OD x .135" ID x .090" THICK

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
R163AF	1 1/2"	10	3/8"	126	\$220.05	\$24.32	—
R164AF	1 3/4"	10	3/8"	111	\$213.61	\$23.55	\$5.28
R165AF	2"	10	3/8"	100	\$208.19	\$23.03	—
R166AF	2 1/4"	10	3/8"	91	\$205.17	—	—
R167AF	2 1/2"	10	3/8"	82	\$218.01	\$22.12	—
R169AF	3"	10	3/8"	70	\$202.11	—	—
R1693AF	4 1/2"	9	13/32"	39	\$242.17	—	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.



Photo courtesy of Wick Buildings

DOUBLE HOT-DIPPED GALVANIZED "FAT-HEAD"® GRAY SILICONE WASHER NAILS

These gray silicone washers are twice as thick as our black EPDM washers. The extra resiliency allows them to seal the nail hole even if not driven at a right angle to the sheet. Do not overdrive! Washer should just begin to "balloon" under the nail head, but not bulge over nail head. Most Metal Roofing manufacturers recommend minimum nail penetration of at least 1" into purlin. These **STORMGUARD®** nails are double-dipped in molten zinc. **LIFETIME WARRANTY!**



Washer size: .300" OD x .145" ID x .200" THICK

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
R163FH	1 1/2"	10	13/32"	119	\$262.28	—
R164FH	1 3/4"	10	13/32"	107	\$249.62	—
R165FH	2"	10	13/32"	96	\$240.15	\$26.45
R166FH	2 1/4"	10	13/32"	89	\$233.58	—
R167FH	2 1/2"	10	13/32"	79	\$227.15	\$25.13
R169FH	3"	10	13/32"	69	\$231.02	—
R1691FH	3 1/2"	10	13/32"	60	\$245.84	—

QUANTITIES COMMONLY USED - 100 nails per square

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.



**PAINTED NAILS AVAILABLE TO MATCH MANY INDUSTRY
MANUFACTURERS OF METAL ROOFING AND SIDING!**



Photo courtesy of Morton Buildings, Inc.

HAND-DRIVEN POST AND FRAMING NAILS ("POLE BARN" NAILS)

100% American-made "Pole Barn" Nails are strong & dependable. Sharp ring and spiral shanks provide excellent holding power in fastening posts, timbers, trusses, girts, purlins, etc. Oil-quench hardened nails drive well without breaking. Most sizes of stiff stock nails available in **STORMGUARD®** Double Hot-Dipped Zinc-Coated finish. See "PTL" Nails on page 20 for hand-driven and page 7 for collated. Most sizes of oil-quench hardened nails are also available Double Hot-Dipped Galvanized. See page 30.



Photo courtesy of Thomsen Construction

POST-FRAME RING SHANK NAILS

These stiff-stock and oil-quench hardened nails comply with the **ASTM Standard Specification F1667** Table 45, Type 1, Style 30 Post-Frame Ring Shank Nails. Sharp ring shanks provide excellent holding power in posts, trusses and timbers. **Safety glasses are required when driving hardened nails.**



RING SHANK

STOCK NUMBERS STIFF - RING	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
521A	2 1/2"	11	9/32"	115	\$135.74
523A	3"	10	19/64"	78	\$130.22
525A	3 1/2"	9	5/16"	57	\$130.00
526A	4"	7	3/8"	35	\$126.45
527A	4 1/2"	7	3/8"	30	\$126.63
528A	5"	5 1/2	15/32"	23	\$117.80
530A	6"	5 1/2	15/32"	17	\$118.82
532A	7"	5 1/2	15/32"	16	\$118.14
534A	8"	5 1/2	15/32"	14	\$117.44

STOCK NUMBERS HARDENED - RING	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
H521A	2 1/2"	11	9/32"	115	\$152.34	—
H523A	3"	10	19/64"	78	\$151.50	\$18.03
H524A	3 1/4"	10	19/64"	73	\$149.12	—
H525A	3 1/2"	9	5/16"	57	\$150.08	\$17.76
H526A	4"	7	3/8"	35	\$147.63	\$17.60
H527A	4 1/2"	7	3/8"	30	\$147.37	\$17.65
H528A	5"	5 1/2	15/32"	23	\$134.24	\$16.36
H678A	5"	7	3/8"	26	\$146.99	—
H530A	6"	5 1/2	15/32"	17	\$137.43	\$16.62
H680A	6"	7	3/8"	22	\$146.49	\$16.68
H532A	7"	5 1/2	15/32"	16	\$204.21	—
H534A	8"	5 1/2	15/32"	14	\$203.82	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

POST-FRAME SPIRAL SHANK NAILS

Spiral shanks hold well and greatly assist in preventing racking of nailed truss and post members. Stiff stock or hardened. **Safety glasses required when driving hardened nails.** Also excellent for common nail applications.



SPIRAL SHANK

STOCK NUMBERS STIFF - SPIRAL	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
523S	3"	10	19/64"	78	\$132.54
525S	3 1/2"	9	5/16"	57	\$128.19
526S	4"	7	3/8"	35	\$127.98
527S	4 1/2"	7	3/8"	30	\$131.09
528S	5"	5 1/2	15/32"	23	\$121.10
530S	6"	5 1/2	15/32"	17	\$122.45

STOCK NUMBERS HARDENED - SPIRAL	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
H521S	2 1/2"	11	9/32"	115	\$161.17	\$19.24
H523S	3"	10	19/64"	78	\$159.01	\$18.74
H524S	3 1/4"	10	19/64"	73	\$153.17	—
H525S	3 1/2"	9	5/16"	57	\$157.22	\$18.64
H526S	4"	7	3/8"	35	\$149.77	—
H527S	4 1/2"	7	3/8"	30	\$151.12	—
H528S	5"	5 1/2	15/32"	23	\$137.87	—
H530S	6"	5 1/2	15/32"	17	\$138.82	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.



Maze-Sponsored Nail Pounding Contest at the Annual NFBA Expo. Experienced builders only want to use the best nails at a pounding contest — MAZE!

ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN POST AND FRAMING NAILS



Photo courtesy of Cleary Building Corporation

STAINLESS STEEL (304) POST-FRAME NAILS FOR THE NEW TREATED LUMBER

These Type 304 stainless steel post-frame ring shank nails are recommended for the application of preservative-treated skirtboards. They are also excellent for other applications in severely corrosive environments. (Note: For maximum protection, Type 316 stainless steel nails are available on page 20.)



RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB	5 LB
XSST447A	2 1/2"	11	9/32"	119	\$228.98	\$56.52
XSST449A	3"	10	19/64"	83	\$220.59	\$55.74
XSST4491A	3 1/2"	9	5/16"	58	\$224.22	\$55.00
XSST4492A	4"	7	3/8"	35	\$214.65	\$54.52
XSST4494A	5"	5 1/2	15/32"	23	\$224.62	\$54.94
XSST4496A	6"	5 1/2	15/32"	17	\$225.88	—

Shipped in Standard 25-lb Bulk Cartons. (6) 5-lb boxes per master.

STAINLESS STEEL (304) FIBERGLASS LINER PANEL NAILS

For applying fiberglass reinforced plastic laminated panels for walls, ceilings, dividers and floors. These Type 304 stainless steel nails are ideal for corrosive environments such as agricultural confinement buildings, warehouses, swimming pools and dairy operations.



RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
SS175135A	1 3/4"	.135"	9/32"	136	\$438.37

Stocked in 50-lb Bulk Cartons. \$10.00 broken carton charge applies to any increment of less than a full 50 lb carton.

STORMGUARD® HOT-DIPPED AND HARDENED POST & TRUSS NAILS

These spiral shank nails are **STORMGUARD®** Double Hot-Dipped Galvanized after threading and hardening - and drive much better than regular commons with fewer wood splits. The superior Hot-Dipped Zinc-coating, recommended for pressure treated lumber, is especially popular in post-frame construction. Spiral shank is preferred by many builders.

Safety glasses required when driving hardened nails.



SPIRAL SHANK

STOCK NUMBERS HOT-DIPPED/HARD	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
TH449S	3"	10	19/64"	75	\$227.38	—
TH4490S	3 1/4"	10	19/64"	70	\$219.76	—
TH4491S	3 1/2"	9	5/16"	54	\$221.16	—
TH4492S	4"	7	3/8"	33	\$208.55	\$25.37
TH4495S*	5"	7	3/8"	24	\$221.34	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

*Available while quantities last

STORMGUARD® HOT-DIPPED AND HARDENED POST-FRAME NAILS

These ring shank nails are **STORMGUARD®** Double Hot-Dipped Galvanized after threading and hardening. They are recommended for the application of skirtboards and other components treated with the new wood preservatives. They comply with the **ASTM Standard Specification F1667** for Post-Frame Ring Shank nails. Safety glasses required when driving hardened nails.



RING SHANK

STOCK NUMBERS HOT-DIPPED/HARD	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
TH447A	2 1/2"	11	9/32"	111	\$237.24	—
TH449A	3"	10	19/64"	75	\$198.40	\$22.12
TH4491A	3 1/2"	9	5/16"	54	\$188.73	\$21.08
TH4492A	4"	7	3/8"	33	\$186.62	\$20.81
TH4493A	4 1/2"	7	3/8"	29	\$186.10	—
TH4495A	5"	7	3/8"	24	\$185.08	—
TH4497A	6"	7	3/8"	21	\$184.90	—
TH4498A	8"	5 1/2	15/32"	14	\$254.32	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

WARNING: WEAR SAFETY GLASSES WHEN DRIVING NAILS – ESPECIALLY HARDENED NAILS!

ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN SPECIALTY NAILS & SPIKES



LOG HOME SPIKES – PLAIN SHANK

Heavy gauge plain shank spikes are ideal for log home construction, securing landscape timbers, or wherever a sturdy, long spike is required. Available bright or **STORMGUARD®** (Double Hot-Dipped Galvanized).



PLAIN SHANK

STOCK NUMBERS BRIGHT - PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
L8	8"	3/8"	1 1/16"	4.1	\$126.59
L10	10"	3/8"	1 1/16"	3.2	\$138.12
L12	12"	3/8"	1 1/16"	2.7	\$117.09

STOCK NUMBERS STORMGUARD® - PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
ZL8	8"	3/8"	1 1/16"	3.7	\$183.51
ZL10	10"	3/8"	1 1/16"	2.9	\$190.18
ZL12	12"	3/8"	1 1/16"	2.5	\$195.05

Shipped in Standard 50-lb Bulk Cartons.

LOG HOME SPIKES – RING SHANK

These spikes are the same style as those above, but with ring shanks, which increase holding power. **STORMGUARD®** (Double Hot-Dipped Galvanized).



RING SHANK

STOCK NUMBERS STORMGUARD® - RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
ZL8A	8"	3/8"	1 1/16"	3.7	\$199.02
ZL10A	10"	3/8"	1 1/16"	2.9	\$203.26
ZL12A	12"	3/8"	1 1/16"	2.5	\$216.15

Shipped in Standard 50-lb Bulk Cartons.

"SKINNY SPIKES®" – RING SHANK

These 1/4" diameter ring shank spikes give a higher nail count per pound than 3/8" spikes. The thinner diameter drives easier and helps to reduce wood splits. Available bright or **STORMGUARD®** (Double Hot-Dipped Galvanized).

RING SHANK



STOCK NUMBERS BRIGHT - RING	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
L368A	9"	1/4"	9/16"	7.9	\$136.41
L369A	10"	1/4"	9/16"	7.2	\$149.38

STOCK NUMBERS STORMGUARD® - RING	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
T368A	9"	1/4"	9/16"	7.2	\$184.54
T369A	10"	1/4"	9/16"	6.5	\$188.15
ZL3691A	11"	1/4"	9/16"	6.0	\$236.69
ZL3692A	12"	1/4"	9/16"	5.4	\$254.66

Shipped in Standard 50-lb Bulk Cartons.



MASONRY NAILS – HEAVY DUTY - PLATED

These heavy-duty, fluted masonry nails are made from hardened steel - and are zinc plated. Widely used for nailing down various traffic products into asphalt and gravel ... or wherever a highly durable, rust-resistant nail is needed for a tough application. The fluted shank holds tight and the strong, hardened nails drive well.



FLUTED SHANK

STOCK NUMBERS PLATED - FLUTED SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
VTRGG6P	2"	.250"	9/16"	35	\$266.20
VTRGG8P	2 1/2"	.250"	9/16"	28	\$254.30
VTRGG16P	3 1/2"	.250"	9/16"	19	\$254.45

Shipped in Standard 50-lb Bulk Cartons.

ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN SPECIALTY NAILS & SPIKES


5/16" BRIDGE SPIKES

These heavy duty spikes are designed for tough jobs, such as landscape timbers, railroad ties & bridge construction. Available in **STORMGUARD®** Double Hot-Dipped Galvanized if they will be exposed to weather or driven into pressure-treated lumber.



PLAIN SHANK

STOCK NUMBERS BRIGHT - PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB BOX
*X700313 Bright	7"	5/16"	9/16"	6.7	\$141.77
*X800313 Bright	8"	5/16"	9/16"	5.8	\$139.46
STOCK NUMBERS STORMGUARD® - PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB BOX
XT700313Z Hot-Dipped	7"	5/16"	9/16"	6.1	\$185.90
XT800313Z Hot-Dipped	8"	5/16"	9/16"	5.3	\$190.99



RING SHANK

STOCK NUMBERS BRIGHT - RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB BOX
*X700313A Bright	7"	5/16"	9/16"	6.7	\$166.67
*X800313A Bright	8"	5/16"	9/16"	5.8	\$152.68
STOCK NUMBERS STORMGUARD® - RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB BOX
XT700313AZ Hot-Dipped	7"	5/16"	9/16"	6.1	\$201.43
XT800313AZ Hot-Dipped	8"	5/16"	9/16"	5.3	\$201.41

*Not galvanized

Stocked in 50-lb Bulk Cartons.

ARDOX® SPIRAL SPIKES

These are ideal for landscape timbers and log home construction. Ardox® shanks hold tight. Available in **STORMGUARD®** Double Hot-Dipped Galvanized and Bright finish.



STOCK NUMBERS BRIGHT - SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
*ARD7	7"	5/16"	9/16"	7	\$189.91
*ARD8	8"	5/16"	9/16"	6.1	\$204.03
*ARD10	10"	5/16"	9/16"	5.0	\$232.18
*ARD12	12"	5/16"	9/16"	4.1	\$261.18
STOCK NUMBERS STORMGUARD® - SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
ARD8Z	8"	5/16"	9/16"	5.6	\$258.88
ARD10Z	10"	5/16"	9/16"	4.5	\$300.00
ARD11Z	11"	5/16"	9/16"	4.1	\$297.74
ARD12Z	12"	5/16"	9/16"	3.7	\$334.89

Ardox® is a registered trademark of Stelwire Ltd.

*Not galvanized

Stocked in 50-lb Bulk Cartons.

PALLET NAILS - SPIRAL SHANK

Designed for the construction and repair of wood pallets. These spiral shank nails are also good for re-nailing wagon beds and trailers.



SPIRAL SHANK

STOCK NUMBERS STIFF - SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
S14	1 1/2"	11	9/32"	188	\$152.53
S16	2"	11	9/32"	144	\$143.95
S17	2 1/4"	11	9/32"	130	\$143.71
S18	2 1/2"	11	9/32"	115	\$139.23
STOCK NUMBERS HARDENED - SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
HS16	2"	11	9/32"	144	\$163.48
HS18	2 1/2"	11	9/32"	115	\$161.17

Stocked in 50-lb Bulk Cartons.

FOUNDRY NAILS

These slim shank nails are widely used in foundries for fastening forms. They are also handy nails for other construction purposes.



Bright finish
PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
XFN300135	3"	10	3/8"	77	\$131.50
XFN400135	4"	10	3/8"	58	\$135.48

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
XFN500135	5"	10	3/8"	47	\$69.94
XFN600135	6"	10	3/8"	40	\$68.76
XFN800135	8"	10	3/8"	35	\$67.13

PAN NAILS

Ideal for securing metal pans in place for poured concrete structures. Ring Shanks hold tight; large head ensures reliable hold.



RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
X150148A	1 1/2"	.148"	7/16"	118	\$160.77

Stocked in 50-lb Bulk Cartons.



BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS


ORDER AND PRICING INFORMATION • Fax: 1-815-223-7585 • Toll-Free: 1-800-435-5949

HAND-DRIVEN SPECIALTY NAILS

SQUARE-CAP® NAILS – STEEL HEAD

Originally designed for the application of roofing felt, these nails are also widely used for built-up roofing, rigid foam insulation, attaching sidewall curtains in poultry buildings and for general packaging and crating.

Many contractors prefer driving these sturdy all-steel nails over plastic cap nails. Large $\frac{15}{16}$ " domed caps are securely joined to sturdy ring shanks. Excellent holding power. Please note sizes available in Zinclad® (Hot-Dipped Galvanized) for dependable corrosion-resistance.



RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
853A	$\frac{3}{4}$ "	11	$\frac{15}{16}$ "	91	\$119.78
854A	$\frac{7}{8}$ "	11	$\frac{15}{16}$ "	89	\$118.67
855A	1"	11	$\frac{15}{16}$ "	86	\$118.64
856A	$1\frac{1}{4}$ "	11	$\frac{15}{16}$ "	82	\$117.92
857A	$1\frac{1}{2}$ "	11	$\frac{15}{16}$ "	78	\$114.34
858A	$1\frac{3}{4}$ "	11	$\frac{15}{16}$ "	68	\$114.55
859A	2"	11	$\frac{15}{16}$ "	64	\$111.69
STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 20 LB
861A	$2\frac{1}{2}$ "	11	$\frac{15}{16}$ "	58	\$85.43
863A	3"	11	$\frac{15}{16}$ "	53	\$84.36

MANY SIZES AVAILABLE WITH A ROUND METAL CAP – CALL FOR DETAILS.


Zinclad® (Hot-Dipped Galvanized)

STOCK NUMBERS ZINCLAD®-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
855AZ	1"	11	$\frac{15}{16}$ "	78	\$144.51
856AZ	$1\frac{1}{4}$ "	11	$\frac{15}{16}$ "	75	\$143.39
857AZ	$1\frac{1}{2}$ "	11	$\frac{15}{16}$ "	64	\$142.06
859AZ	2"	11	$\frac{15}{16}$ "	57	\$141.19
STOCK NUMBERS ZINCLAD®-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 20 LB
865AZ	$3\frac{1}{2}$ "	9	$\frac{15}{16}$ "	45	\$110.00

Stocked in 25-lb or 20-lb Bulk Cartons only.

ONE-LEGGED FENCE STAPLES

These ring shank staples have excellent holding power, and are offered in bright steel or **STORMGUARD®** (Double Hot-Dipped Galvanized) finish.



The single leg makes it possible to start the staple in the post and then slip the wire into position with the other hand before driving the staple home.

RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
F3	$1\frac{1}{2}$ "	9	$\frac{1}{2}$ " crown	72	\$194.65
F4	$1\frac{3}{4}$ "	9	$\frac{1}{2}$ " crown	61	\$180.98
STOCK NUMBER STORMGUARD®-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
SF4	$1\frac{3}{4}$ "	9	$\frac{1}{2}$ " crown	58	\$219.14

TILE BACKERBOARD NAILS

These **STORMGUARD®** Double Hot-Dipped Galvanized spiral shank nails are recommended for installing backerboard in areas with high moisture content. (6) 5-lb. boxes per master.




SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	PRICE 5 LB
HD103S	$1\frac{1}{2}$ "	11	$\frac{3}{8}$ "	\$20.99

ROUND-CAP® NAILS – STEEL HEAD

Originally designed for the application of roofing felt, these nails are also widely used for built-up roofing, rigid foam insulation, attaching sidewall curtains in poultry buildings and for general packaging and crating. Many contractors prefer driving these sturdy all-steel nails over plastic cap nails.



Large $\frac{15}{16}$ " round caps are securely joined to sturdy ring shanks. Excellent holding power. Please note sizes available in Zinclad® (Hot-Dipped Galvanized) for dependable corrosion-resistance.

RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
854AR	$\frac{7}{8}$ "	11	$\frac{15}{16}$ "	89	\$118.67
855AR	1"	11	$\frac{15}{16}$ "	86	\$118.64
856AR	$1\frac{1}{4}$ "	11	$\frac{15}{16}$ "	82	\$117.92
857AR	$1\frac{1}{2}$ "	11	$\frac{15}{16}$ "	78	\$114.34
858AR	$1\frac{3}{4}$ "	11	$\frac{15}{16}$ "	68	\$114.55
859AR	2"	11	$\frac{15}{16}$ "	64	\$111.69
STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 20 LB
863AR	3"	11	$\frac{15}{16}$ "	53	\$84.36

MANY SIZES AVAILABLE WITH A ROUND METAL CAP – CALL FOR DETAILS.

Zinclad® (Hot-Dipped Galvanized)

STOCK NUMBERS ZINCLAD®-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 25 LB
855ARZ	1"	11	$\frac{15}{16}$ "	78	\$144.51
856ARZ	$1\frac{1}{4}$ "	11	$\frac{15}{16}$ "	75	\$143.39
857ARZ	$1\frac{1}{2}$ "	11	$\frac{15}{16}$ "	64	\$142.06
859ARZ	2"	11	$\frac{15}{16}$ "	57	\$141.19
STOCK NUMBERS ZINCLAD®-RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 20 LB
863ARZ	3"	11	$\frac{15}{16}$ "	53	\$110.00

Stocked in 25-lb or 20-lb Bulk Cartons only.

PLASTIC-HED® YELLOW CAP NAILS

Stocked in Handy 2,000-Count Cartons

Maze Yellow Plastic-Hed® Cap Nails allow for more nails per pound than metal cap nails. Siding nails drive right through the Plastic-Hed® nail caps to eliminate bending problems often encountered when a skinny siding nail strikes a metal cap. The annular ring shank holds tight, and the plastic head eliminates damage to roofing felt, housewraps and foam insulation. $1\frac{1}{2}$ " Size also available in 304 stainless steel. SSPH06 - 2,000-ct. box. Call for pricing.



200-ct.

80 BOXES/SKID
2,000-ct.



3,000-ct. Bucket
48 BUCKETS/SKID


STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	LBS/ CTN	LBS/ BCKT	PRICE 200 CT	2000 CT	BUCKET 3000 CT
PH03	1"	12	$\frac{15}{16}$ "	9	13	\$7.07	\$48.10	\$78.41
PH05	$1\frac{1}{4}$ "	12	$\frac{15}{16}$ "	10	14	\$7.21	\$49.90	\$80.98
PH06	$1\frac{1}{2}$ "	12	$\frac{15}{16}$ "	10	14	\$7.46	\$52.85	\$75.18**
PH08	2"	12	$\frac{15}{16}$ "	12	—	—	\$58.90	—

*200-ct. boxes packed 6 per master. **These nails packed in 2500-count buckets.

HAND-DRIVEN SPECIALTY NAILS

CUT MASONRY NAILS - HARDENED STEEL

These Hardened Steel Cut Masonry nails, manufactured by Tremont Nail Co. in Massachusetts, established 1819, are ideal for attaching wood members to cinder block walls as well as to fresh concrete. The blunt point and tapered shank cause minimal spalling during penetration and offer even greater pull-out resistance than wire masonry nails. $\frac{3}{4}$ " penetration is recommended for satisfactory holding power. Also recommended for face-nailing hardwood flooring. **Use safety glasses when driving any**



hardened nails.

STOCK NUMBERS HARDENED	LENGTH	NAILS/LB	PRICE 50 LB	5 LB	1 LB
CMH4	1½"	125	\$205.73	\$24.33	\$5.66
CMH6	2"	85	\$198.32	\$23.67	\$5.50
CMH8	2½"	64	\$178.49	\$21.62	\$5.10
CMH10	3"	48	\$183.70	\$22.10	\$5.20
CMH16	3½"	34	\$180.57	\$22.06	\$5.18

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

CUT MASONRY HOT-DIPPED GALVANIZED SILL PLATE NAILS

These nails are designed to attach treated wood sill plates to newly poured concrete. Please note: True Hot-Dipped Galvanizing reduces the temper of hardened square cut nails, so it is important that the nails are applied to "green" uncured concrete. Hot-Dipped Galvanized to specification ASTM A-153 to comply with building code requirements. **For best results, a drilling hammer is recommended.**



STOCK NUMBERS HOT-DIPPED GALVANIZED	LENGTH	NAILS/LB	PRICE 50 LB	5 LB	1 LB
CMH8Z	2½"	64	\$277.97	\$32.34	\$7.29
CMH10Z	3"	48	\$284.52	\$32.25	\$7.29

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.



HARDWOOD TRIM NAILS

These slim diameter high performance Trim Nails are made from a high carbon steel wire to ensure good driving into Oak, Birch, Walnut and other Hardwoods. There are many more nails per pound than with ordinary finish nails - so they cost less to use. And, there are fewer wood splits!



Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
HT100	1"	.072"	7/64"	810	\$249.42	—	—
HT125	1¼"	.072"	7/64"	743	\$240.01	\$26.62	\$5.65
HT150	1½"	.072"	7/64"	613	\$238.04	\$26.32	\$5.64
HT200	2"	.072"	7/64"	454	\$229.23	\$25.55	\$5.50
HT250	2½"	.083"	1/8"	272	\$214.37	\$23.98	\$5.23

SINKER NAILS - COATED

Counter-sunk head sinks flush with surface; holds fast in framing permanent construction. Vinyl coated. Checkered countersunk head and diamond point.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
SINK6	1⅞"	13	15/64"	293	\$122.78	\$16.46	\$3.61
SINK8	2⅜"	11½	17/64"	153	\$108.78	\$15.00	\$3.32
SINK10	2⅞"	11	9/32"	111	\$113.90	\$15.62	\$3.44
SINK12	3⅞"	10	5/16"	81	\$114.83	\$15.57	\$3.41
SINK16	3¼"	9	11/32"	64	\$108.59	\$15.08	\$3.32

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

COMMON NAILS

Ideal for general construction, carpentry and framing. Bright finish. Flat head and diamond point.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
COM4	1½"	12½	1/4"	285	\$127.79	\$16.66	—
COM6	2"	11½	17/64"	167	\$120.90	\$16.38	\$3.55
COM8	2½"	10¼	9/32"	101	\$112.88	\$15.46	\$3.36
COM10	3"	9	5/16"	66	\$116.28	\$15.89	\$3.46
COM12	3¼"	9	5/16"	61	\$116.04	\$15.88	\$3.47
COM16	3½"	8	11/32"	47	\$110.82	\$15.36	\$3.33
COM20	4"	6	13/32"	29	\$115.20	—	—
COM30	4½"	5	7/16"	23	\$118.70	—	—
COM50	5½"	3	1/2"	13	\$110.32	—	—
COM60	6"	2	17/32"	10	\$117.16	—	—

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

COMMON NAILS HOT-DIPPED GALVANIZED


Ideal for general construction, carpentry and framing. Flat head and diamond point.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
XCOM8Z	2½"	10¼	9/32"	98	\$173.78
XCOM10Z	3"	9	5/16"	60	\$162.77
XCOM16Z	3½"	8	11/32"	43	\$163.08

DUPLEX NAILS

Double-headed nail driven into the wood up to the lower head. The second head remains exposed to allow easy pulling when temporary nailing project is completed.



*Length under lower head.

**Distance between heads.

STOCK NUMBERS BRIGHT	SIZE	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
DUP8	8d	2¼"	10¼	1/4"	90	\$117.81	\$16.01
DUP16	16d	3"	8	3/8"	45	\$119.61	\$16.10

Double Hot-Dipped Galvanized Duplex Nails

STOCK NUMBERS HOT-DIPPED GALVANIZED	SIZE	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
DUP8Z	8d	2¼"	10¼	1/4"	87	\$172.24
DUP16Z	16d	3"	8	3/8"	42	\$173.76

HAND-DRIVEN SPECIALTY NAILS

MASONRY NAILS - HARDENED — FLUTED ROUND WIRE TYPE

Designed for fastening furring strips, floor plates, partition walls to "green" (uncured) concrete. Hardened steel. For best results, drive nails 3" or more from edge of masonry or block allowing $\frac{3}{4}$ " penetration. **Safety glasses required when driving hardened nails.** For shorter sizes, see Hardened Metal Lath Nails.



STOCK NUMBERS HARDENED - FLUTED	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
H52S	$\frac{3}{4}$ "	9	$\frac{5}{16}$ "	230	\$166.02	\$18.85	\$4.30
H53S	1"	9	$\frac{5}{16}$ "	176	\$162.92	\$18.62	\$4.23
XH53SZP**	1"	9	$\frac{5}{16}$ "	176	—	\$25.80	—
H54S	$1\frac{1}{4}$ "	9	$\frac{5}{16}$ "	150	\$160.23	\$18.05	\$4.11
XH54SZ*	$1\frac{1}{4}$ "	9	$\frac{5}{16}$ "	142	\$217.13	—	—
H55S	$1\frac{1}{2}$ "	9	$\frac{5}{16}$ "	129	\$158.66	\$18.03	\$4.12
H56S	$1\frac{3}{4}$ "	9	$\frac{5}{16}$ "	108	\$154.92	\$17.62	\$4.05
H57S	2"	9	$\frac{5}{16}$ "	95	\$151.83	\$17.46	\$4.02
H59S	$2\frac{1}{2}$ "	9	$\frac{5}{16}$ "	77	\$149.69	\$17.17	\$3.95
H60S	$2\frac{3}{4}$ "	9	$\frac{5}{16}$ "	70	—	\$17.23	—
H61S	3"	9	$\frac{5}{16}$ "	62	\$147.52	\$16.98	\$3.92
XH61SZ*	3"	9	$\frac{5}{16}$ "	56	\$223.32	—	—
H63S	$3\frac{1}{2}$ "	8	$\frac{3}{8}$ "	41	\$142.47	\$16.61	\$3.81

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.
*Hot-Dipped Galvanized. **Zinc plated.



HARDENED METAL LATH NAILS

These Hardened Metal Lath nails are ideal for attaching metal lath to masonry surfaces. The head is larger than standard masonry nails to ensure that the lath doesn't pull through. The strong shanks drive well without bending.



STOCK NUMBERS PLAIN SHANK HARDENED	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 LB
HML50	$\frac{1}{2}$ "	9	$\frac{3}{8}$ "	324	\$187.00	\$99.85

PLYWOOD NAILS

Type recommended by plywood producers for underlayment, sheathing, and sub-floor applications. Sharp ring-shanks ensure extra holding power.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
F143	$1\frac{1}{2}$ "	$12\frac{1}{2}$	$\frac{1}{4}$ "	285	\$146.93	\$16.94
F145	2"	12	$\frac{1}{4}$ "	190	\$142.47	\$16.52
F147	$2\frac{1}{2}$ "	11	$\frac{9}{32}$ "	118	\$134.42	\$15.48

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master.

UNDERLAYMENT NAILS - FLAT HEAD

Sharp ring-shanks ensure extra holding power. Regular steel shank drives easily.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 LB
F141	1"	14	$\frac{3}{16}$ "	640	\$218.64	—	\$5.44
F142	$1\frac{1}{4}$ "	14	$\frac{3}{16}$ "	528	\$198.95	\$22.26	\$5.01

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.

FLOORING NAILS - CASING HEAD

Sharp spiral thread ensures maximum holding power. Hardened. Casing-type head. Recommended for hand driving. **Safety glasses should be used when driving hardened nails.**



SPIRAL SHANK

STOCK NUMBERS HARDENED - SPIRAL	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	1 LB
HF167	$2\frac{1}{4}$ "	$11\frac{1}{2}$	$\frac{11}{64}$ "	152	\$165.81	\$4.33

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(12) 1-lb boxes per master.

FLOORING NAILS - CEMENT COATED

Ideal for face-nailing $\frac{3}{4}$ " tongue and groove hardwood flooring. Higher carbon steel allows for ease of driving. Dimpled head.



PLAIN SHANK

STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
X225113CC	$2\frac{1}{4}$ "	.113"	.150"	158	\$178.89

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.



ALWAYS USE SAFETY GLASSES!



100%
made in the
USA

NAILING TIPS AND APPLICATION GUIDELINES


How many nails will I need? (approximate count)



SIDING



PLYWOOD



DECKING



SHINGLES

BOX NAILS FOR HARDBOARD SIDING

12" Horizontal Siding	2" - 3 1/2"	1,200 nails per 1,000 Sq. Feet
4' x 8' Panel Siding	2" - 3 1/2"	3,300 nails per 1,000 Sq. Feet

NAILS FOR CEDAR AND REDWOOD WOOD SIDING

1/2" X 4" Siding	2" - 2 1/2"	2,280 nails per 1,000 Lineal Feet
1/2" X 6" Siding	2 1/4" - 2 1/2"	1,520 nails per 1,000 Lineal Feet
3/4" x 8" Siding	2 1/2" - 3"	1,140 nails per 1,000 Lineal Feet
3/4" x 10" Siding	2 1/2" - 3"	912 nails per 1,000 Lineal Feet
3/4" x 12" Siding	3"	760 nails per 1,000 Lineal Feet

FIBER CEMENT SIDING NAILS

Lap Siding	2" - 3 1/2"	9 nails per 12' piece
4' x 8' Panel Siding	2" - 3 1/2"	16" on Center - 55 Nails per Panel
4' x 8' Panel Siding	2" - 3 1/2"	24" on Center - 49 Nails per Panel

VINYL SIDING NAILS

1 1/2", 2" and 2 1/2"	115 nails per Square
-----------------------	----------------------

CEDAR SHAKE SIDING FACE NAILS

16" Shakes	2"	360 nails per Square
18" Shakes	2"	310 nails per Square

CEDAR SHINGLE NAILS

16" & 18" - New Roof Over an old Roof	1 1/4" 1 3/4"	860 nails per Square
24" - New Roof Over an old Roof	1 1/2" 2"	570 nails per Square

Please be advised that the counts above are approximate and may vary significantly due to the different amount of exposure desired in each job. Shakes and shingles also come in a variety of widths that may also affect the number of nails used per Square.

ASPHALT & FIBERGLASS SHINGLE NAILS

On a New Roof	1 1/4"	320 nails per Square
Over an Old Roof	1 3/4"	320 nails per Square

DECKING NAILS

5/4" x 6" Decking Joists spaced 16" O.C.	2 1/2" - 3"	460 nails per 100 Square Feet
2" x 4" Decking Joists spaced 16" O.C.	3" - 3 1/2"	580 nails per 100 Square Feet
2" x 6" Decking Joists spaced 16" O.C.	3" - 3 1/2"	460 nails per 100 Square Feet

UNDERLAYMENT & PLYWOOD NAILS

1/4" Pressed and Plywood Underlayment	1 1/4"	500 nails per 100 Square Feet
3/8" Pressed and Plywood Underlayment	1 1/2"	500 nails per 100 Square Feet
1/2", 5/8" 3/4" Plywood and Sheathing	2" & 2 1/2"	150 nails per 100 Square Feet
1" Plywood Subfloor	3"	150 nails per 100 Square Feet

WARNING: SAFETY GLASSES SHOULD BE WORN WHENEVER DRIVING ANY NAILS!

When should I use a nail with a ring or screw shank?

Smooth shank nails are easy to drive – but they don't offer much holding power. For that reason, Maze Nail and Independent Nail engineers set out to design nails that would hold tighter in all sorts of construction applications.

The Maze mill designed and produced the world's first **spiral shank** nails - also called screw thread, Screw-Down® or "drive" nails. These nails have a spiral thread which causes them to turn when they are driven – much like wood screws – and they actually form their own thread in the wood fibers. They offer good holding power and are specifically designed for use with hardwoods and dense materials. Flooring, siding, decking, pallets and truss rafters are typical applications. 

Independent Nail, a Div. of W.H. Maze Company, developed an annular (or ring) thread on their nails that provided even better holding power in many applications. Referred to as **ring shank** (or Anchor-Down® nails), the threads on these nails separate the wood fibers – which then lock back into the rings – thus resisting removal. These are widely used in plywood, underlayment, decking, siding and roofing applications. 

A third type of threading, typical on masonry nails, is a **fluted shank**. This shank style gives those nails excellent holding power in concrete block and masonry applications. The horizontal threads cut the masonry to minimize cracking and provide excellent holding power. 

THREADED NAILS HOLD TIGHTER!

When should I use Stainless Steel instead of Galvanized?

While many associations specify Hot-Dipped Galvanized Nails, there are certain applications where stainless steel nails are preferable to even Double Hot-Dipped Maze **STORMGUARD®** Nails.

- Marine Environments (within 5 miles of the seacoast) – Type 316.
- Cedar & Redwood products (siding and decking), where the wood is left natural or treated with a clear wood finish.
- Severe or Corrosive Conditions, such as fertilizer storage buildings, salt storage buildings, livestock confinement buildings, etc.
- For Fire Treated and CCA Treated Cedar Shakes and Shingles



WARNING - Milled face hammers are not recommended for driving Hot-Dipped Galvanized nails. The highly abrasive surface of the hammer-face may compromise the integrity of the zinc-coating on the nail head . . . reducing its corrosion-resistance. **Smooth face hammers are recommended.**

Is salt spray testing used by MAZE?

No. Lab tests are great ... for some things. But not when it comes to evaluating the superior rust-resistance of Maze Double Hot-Dipped Galvanized **STORMGUARD®** nails compared to other types of so-called "corrosion-resistant" nails. Some lab tests, especially "salt spray", just don't accurately simulate true weathering conditions for nail applications of roofing, siding and trim.

Under the abnormal lab conditions encountered in the salt spray test, the typical "reaction product barrier" or "zinc patina" that protects Hot-Dipped Galvanized hardware is not allowed to form – as it would in the "real world". It is this oxidation barrier that allows Hot-Dipped products to resist nature's attacks – and ensures long-term corrosion protection. Salt spray testing doesn't allow this important layer to form – resulting in misleading results.

So, before you buy nails or screws based on lab tests, find out more about the true test – actual field experience! After all, that's what really counts. And remember that Maze has the best record of any zinc-coated nail producer – over 100 years of providing dependable Hot-Dipped nails to the building industry!

YOUR GUIDE TO GALVANIZED NAILS

All galvanized nails are coated with zinc – but **HOW** the coating is applied makes all the difference in the performance of the nail. What you need to know:



Hot-Dipped Galvanized (HDG)



The most reliable and preferred way to coat steel nails with zinc is "hot-dipping". Those nails are immersed in a bath of molten zinc like french fries in a pot of oil. The intense heat of the zinc bath causes the zinc and steel to bind together and forms multiple alloy layers that act as a base for a heavy zinc coating. This provides the nails with long term protection against rust. Hot dipping meets the all-important ASTM A153 specification. Double Hot-Dipped nails are dipped twice in molten zinc which fills any pinholes and adds thickness to the outer layer of zinc. Dependable corrosion-resistant steel nails rely on two critical zinc factors – thickness and uniformity. **This method of Double Hot-Dipped Galvanizing is used exclusively by Maze Nails.** The Double Hot-Dipped process is marketed under our tradename **STORMGUARD®**.

Electroplating/Electro-Galvanizing (E.G.)

Steel nails are electroplated by placing them in an electrolytic solution. The electric current in the bath deposits a very thin layer of zinc onto the nail surface. Although they look beautiful and shiny when they're brand new, the thin coating oxidizes away rapidly and the nails begin to prematurely rust. Electro-galvanized nails are not intended for exterior applications. Many building product manufacturers warn against using E.G. nails to apply their siding, trim and decking materials.

BEWARE



Hot-Galvanizing (HG)

Hot-Galvanized "HG" nails are NOT Hot-Dipped Galvanized and do not offer the same corrosion resistance or performance as Hot-Dipped nails.

Hot-galvanized nails are coated by sprinkling zinc chips onto cold steel nails in a barrel, then rotating the barrel in a furnace to melt and distribute the zinc. The melting zinc washes off on the nails – somewhat like buttering popcorn. Some of the nails get excess zinc and some nails get very little zinc. **Because these "HG" nails are labelled so similarly to Hot-Dipped nails "HDG", many times builders are sold hot-galvanized nails instead of genuine Hot-Dipped Galvanized nails.** The downside to this is that there is a significant difference in the coating on the nails. Actual rust can often be seen on these "HG" nails in their shipping cartons....long before the nails are even used on a building project.

WARNING!
BUYER
BEWARE



RUSTY HG NAILS ON THE TRIM OF A HOME IN GALVESTON, TX.

Maze Nail Advantages



Lifetime Warranty on MAZE Double Hot-Dipped Nails!

We stand behind our products! Details on the Maze LIFETIME WARRANTY are available from the toll free number below or from our website.



Maze High Carbon Steel Nails Allow Easier Driving!

High carbon steel is more expensive for Maze Nails to buy – but it makes much better nails! They don't bend or snap during driving. And, we can make the nails skinnier – so there are fewer wood splits ... and more nails per box! A much better value for the consumer!!



Wide Variety of Nails for One-Stop Shopping!

- Collated sticks and coils • Bulk and packaged hand drive nails
- Copper, stainless steel, aluminum • Double Hot-Dipped Galvanized
- Plain, ring and spiral shank • and many other varieties!



Made in the USA – Supporting the American Economy!

100% of Maze Nails are made in the U.S.! We do not import any nails!



Huge Inventories for Fast Shipment!



Expert Advice is Just a Phone Call Away!

Our inside sales team has over 100 years of combined experience.
Contact us today for nail recommendations!

800-435-5949

Maze Nail Chat Line: www.mazenails.com
Contact Area Sales Rep: www.mazenails.com/where-to-buy/rep-locator



NAIL TERMINOLOGY

HEAD

Round metal piece formed at the top of the nail.

SHANK

The length of the nail between the head and the point.

POINT

Sharpened end opposite the head for ease in driving.

GAUGE

Referencing the thickness of a nail. Lower numbers indicate greater thickness.

1" = 2d	4	.225"	7/32"
1 1/4" = 3d	5 1/2	.200"	13/64"
1 1/2" = 4d	7	.177"	11/64"
1 3/4" = 5d	8	.162"	5/32"
2" = 6d	9	.148"	5/32"
2 1/4" = 7d	10	.135"	9/64"
2 1/2" = 8d	10 1/4	.131"	1/8"
2 3/4" = 9d	11	.1205"	1/8"
3" = 10d	11 1/2	.113"	7/64"
3 1/4" = 12d	12	.1055"	7/64"
3 1/2" = 16d	12 1/2	.099"	3/32"
	13	.0915"	3/32"
4" = 20d	14	.080"	5/64"
	15	.072"	1/32"

LENGTH

Distance from the bottom of the head to the point of a nail.

RIGIDITY

The bending and shear resistance of a nail.

Regular Steel Stock
Low to medium carbon content - standard type of wire rod used in fastener manufacturing.

Stiff Stock
Higher carbon content steel - harder and stiffer than regular stock to prevent bending when driven into hardwoods.

Tempered Hardened Steel
Higher carbon content steel is used to make the nail and then the nail is heat treated, which provides even better resistance to bending.

Nail Heads



Flat head - Most common nail head. Provides large surface area for greater holding power.



Large flat head - Larger than standard head, usually more than 3 to 3-1/2 times the shank diameter. Provides greatest surface area for ultimate holding power. For applications such as sheathing and insulation.



Checkered flat head - Helps to stop slippage of the hammer on the head with applications such as framing, where excessive hammering may take place. Improves paint adhesion.



Countersunk head - Conically shaped bearing surface, which compresses the surface of the material under it as it is driven. Aids in concealment of the fastener head.



Deep countersunk head - Reduced holding power, but increased concealment of the fastener head. Used primarily on casing nails.



Brad head - Deep, circular, barrel-shaped head. Reduced holding power, but increased concealment of the fastener head. Used primarily with finish and trim work.



Duplex head - For temporary nailing jobs, such as scaffolding and concrete framing.



Cupped head - Concave or recessed top surface to accommodate material to aid with concealment. Used primarily with drywall fasteners.



Oval head - Used in certain geographic areas primarily with siding to avoid contact between the hammer and the siding.

Nail Shanks

Smooth - Most common for everyday projects. Provides the least amount of holding power.



Ring/Annular thread - A series of closely spaced concentric rings around the shank. Nail does not turn when driven; instead, the wood fibers are forced over the ring shoulders into their annular grooves like wedges. Gives the greatest holding power in soft or medium woods.



Screw/Spiral - Designed to drive into hard woods and dense materials. Nail actually turns when driven, much like wood screws. Very good holding power.



Ardox® - Designed to drive into hard woods and dense materials. Square wire is twisted to form the spiral shank, which results in the threads reaching all the way to the head of the nail. In comparison, most nails are made from round steel wire and the spiral or ring shanks are actually cut into the wire.



Barbed - Horizontal or herring-bone indentations in the shank. Relatively better hold than smooth shank, but far less than a comparable threaded nail.



Fluted - Vertical thread for driving into cinder block, mortar joints, or other relatively soft masonry to minimize cracking and provide high holding power.



Nail Points



Diamond point - Most common nail point. To avoid splitting wood, best for medium to soft wood.



Long diamond point - For use with drywall. Eases driving into harder materials.



Blunt point - Reduces splitting, but not as easy to drive as a diamond point.

Origin of "PENNY-WISE" Nail Designations

There are two explanations for the English "penny" system for designating nail lengths. One thought is that one-hundred eight penny nails cost eight pence, one-hundred six penny nails cost six pence...etc. The other theory is that 1,000 eight penny (8d) nails weighed 8 pounds, 1,000 six penny (6d) nails weighed six pounds...etc.

The "d" abbreviation for penny (8d for example) has its roots in the "denarius" - the popular coin of ancient Rome.

Nails used for wood-to-wood applications (such as wood siding, cedar shingles, cedar shakes, etc.) are traditionally referred to by the "penny" designation, i.e. 5d, 6d, 8d... However, nails for non-wood applications, such as fiber cement siding, metal roofing, asphalt shingles, cellular PVC trim, etc. are often specified by their length in inches.

The Dynamic Duo

**STAR DRIVE SCREWS
& U-BITS™**

Provided by:
U² FASTENERS™

Available from:
MAZE NAILS!

While all Maze Nails are
100% American-Made in the USA –
we've now committed to stocking
a line of top-quality
building code compliant screws

for the convenience of our customers.
These screws are provided by
U² Fasteners – made in Taiwan and
beautifully packaged in Thunder Bay,
Ontario Canada.


UNIVERSAL SCREWS - BULK PAILS



- **AC233 Code compliant Case Hardened Steel ER-454**
- **U-Gold Coating is AC257 ACQ treated lumber code compliant ER-454**
- **Tapper Point for easy piercing and alleviating strain on the materials**
- **Tight Star Recess grasps the U-Bit tightly - for one hand installation**
- **Burrow pockets under the head - to help countersink screw if desired**

Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Pail	Approx. Screws/Pail	UPC-A 6-96244-...
U09102000B	2"	#9	.328"	T-25	28.19	3,700	10003-5
U09102500B	2-1/2"	#9	.328"	T-25	25.01	2,600	10004-2
U09103125B	3-1/8"	#9	.328"	T-25	17.34	1,500	10111-7
U10103125B	3-1/8"	#10	.372"	T-25	22.2	1,500	10126-1
U10103500B	3-1/2"	#10	.372"	T-25	19.82	1,200	10010-3
U10104000B	4"	#10	.372"	T-25	18.81	1,000	10011-0
U12105000B	5"	#12	.439"	T-25	16.62	500	10058-5
U12106000B	6"	#12	.439"	T-25	19.86	500	10013-4

UNIVERSAL SCREWS - PLASTIC RETAIL BOXES




1" bit included



Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Box	Approx. Screws/Box	UPC-A 6-96244-...
U09102000H	2"*	#9	.328"	T-25	0.77	100	10030-1
U09102500H	2-1/2"*	#9	.328"	T-25	0.97	100	10031-8
U09103125P	3-1/8"*	#9	.328"	T-25	3.82	330/Pail	10115-5

*(6) Plastic 100-count boxes per master. **(2) Plastic 330-count pails per master.

UNIVERSAL SCREWS - STAINLESS STEEL 316



- **Stainless Steel Type 316**
- **Will withstand the most corrosive environments**

Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Pail	Approx. Screws/Pail	UPC-A 6-96244-...
H10103000B	3"	#10	.372"	T-25	22.83	1,500	10045-5

2" U-BITS™ DRIVER BITS

The U-Bits™ are specifically designed to fit snug on the Tight Star Recess of the U2 fasteners™ screw assortment. However, U2 fasteners also fit the traditional star drive. U-Bits™ are impact driver ready and are made of the hardest steel to prevent wear and tear.

Item Number	Driver Size	Description	UPC-A 6-96244-...
B00210020X	T10 (2")	U-bit T10 - 2 Bits/Card	60016-0
B00215020X	T15 (2")	U-bit T15 - 2 Bits/Card	60019-1
B00225020X	T25 (2")	U-bit T25 - 2 Bits/Card	60022-1
B00230020X	T30 (2")	U-bit T30 - 2 Bits/Card	60025-2
B00240020X	T40 (2")	U-bit T40 - 2 Bits/Card	60028-3

Item Number	Bit Size	Description	UPC-A 6-96244-...
B00210020W	T10 (2")	U-bit T10 - 25 Bits/Box	60001-6
B00215020W	T15 (2")	U-bit T15 - 25 Bits/Box	60004-7
B00225020W	T25 (2")	U-bit T25 - 25 Bits/Box	60007-8
B00230020W	T30 (2")	U-bit T30 - 25 Bits/Box	60010-8
B00240020W	T40 (2")	U-bit T40 - 25 Bits/Box	60013-9


Call for Pricing on Screws



CONSTRUCTION SCREWS – BULK PAILS




- **AC233 Code compliant Case Hardened Steel ER-454**
- **U-Gold Coating is AC257 ACQ treated lumber code compliant ER-454**
- **Tapper Point for easy piercing and alleviating strain on the materials**
- **Tight Star Recess grasps the U-Bit tightly - for one hand installation**
- **Burrow pockets under the head - to help countersink screw if desired**



Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Pail	Approx. Screws/Pail	UPC-A 6-96244-...
S20103125B	3-1/8"	5/16"	.626"	T-30	16.95	500	20139-8
S20104000B	4"	5/16"	.626"	T-30	16.16	400	20003-2
S20105000B	5"	5/16"	.626"	T-30	14.70	300	20004-9
S20106000B	6"	5/16"	.626"	T-30	17.28	300	20005-6
S22106000B	6"	3/8"	.699"	T-40	22.88	300	20006-3
S22108000B	8"	3/8"	.699"	T-40	29.88	300	20008-7
S22110000B	10"	3/8"	.699"	T-40	36.44	300	20009-4
S22112000B	12"	3/8"	.699"	T-40	43.07	300	20010-0

CONSTRUCTION SCREWS – PLASTIC RETAIL BOXES



Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Box	Approx. Screws/Box	UPC-A 6-96244-...
S20104000H	4"*	5/16"	.626"	T-30	1.63	40	20015-5
S20105000H	5"*	5/16"	.626"	T-30	1.97	40	20016-2
S20106000H	6"*	5/16"	.626"	T-30	2.32	40	20017-9
S22106000H	6"*	3/8"	.699"	T-40	3.06	40	20018-6
S22108000H	8"*	3/8"	.699"	T-40	4.25	40	20020-9

**(6) Plastic 40-count boxes per master. **(4) Plastic 40-count boxes per master.*

CONSTRUCTION SCREWS – STAINLESS STEEL 316 BULK PAILS




- **Stainless Steel Type 316**
- **Will withstand the most corrosive environments**



Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Pail	Approx. Screws/Pail	UPC-A 6-96244-...
I20102500B	2-1/2"	5/16"	.626"	T-30	16.8	600	20033-9
I20104000B	4"	5/16"	.626"	T-30	17.76	400	20035-3
I20106000B	6"	5/16"	.626"	T-30	18.74	300	20037-7

Call for Pricing on Screws

FINE SCREWS - PLASTIC RETAIL BOXES



PAINTED WHITE



1" bit included

- **AC233 Code compliant Case Hardened Steel ER-454**
- **U-Gold Coating is AC257 ACQ treated lumber code compliant ER-454**
- **Tight Star Recess grasps the U-Bit tightly - for one hand installation**
- **Burrow pockets under the head - to help countersink screw if desired**

Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Box	Approx. Screws/Box	UPC-A 6-96244-...
F08101250H	1-1/4"	#8	.196"	T-10	0.46	100	40219-1
F08101500H	1-1/2"	#8	.196"	T-10	0.54	100	40012-8
F08102000H	2"	#8	.196"	T-10	0.68	100	40013-5
F08102500H	2-1/2"	#8	.196"	T-10	0.83	100	40014-2
E08102500H	2-1/2"*	#8	.196"	T-10	0.83	100	40237-5
F08103125H	3-1/8"	#8	.196"	T-10	0.98	100	40057-9


*WHITE

(6) Plastic 100-count boxes per master.

FINE SCREWS - STAINLESS 316 - PLASTIC BOXES



- **Stainless Steel Type 316**
- **Will withstand the most corrosive environments**



1" bit included



Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Box	Approx. Screws/Box	UPC-A 6-96244-...
K08101500H	1-1/2"	#8	.196"	T-10	0.57	100	40027-2
K08102000H	2"	#8	.196"	T-10	0.72	100	40028-9
K08102500H	2-1/2"	#8	.196"	T-10	0.86	100	40029-6

(6) Plastic 100-count boxes per master.

CAP SCREW - PLASTIC RETAIL BOXES



- **Case hardened Steel**
- **Ideal for attaching cabinets**
- **Tapper Point for easy piercing and alleviating strain on the materials**
- **Tight Star Recess grasps the U-Bit tightly - for one hand installation**
- **Burrow pockets under the head - to help countersink screw if desired**
- **Reamer Thread enlarges hole to draw materials together**



1" bit included



Item Number	Length	Shank Diameter	Head Diameter	Drive Size	Net Weight Lbs./Box	Approx. Screws/Box	UPC-A 6-96244-...
C08102500H	2-1/2"	#8	0.423"	T-15	0.89	100	30010-7

(6) Plastic 100-count boxes per master.

Call for Pricing on Screws



MAZE 172ND ANNIVERSARY 1848-2020

Six Generations of Innovation and Change.
A lot has changed in 172 years, but some things remain the same.



Maze Nails have always been 100% Made in the USA.



Back, L-R: LISA MARTIN, Asst. Sales Manager • KYLE LOVELAND, Asst. Sales Manager • JAMIE KREISER, Asst. Sales Manager
Front, L-R: LEN KASPERSKI, Asst. Sales Manager • ROELIF LOVELAND, President / GM • KIM POHL, Marketing Director

• Toll-Free: **1-800-435-5949** • Fax: **1-815-223-7585** • Website: **www.mazenails.com**