MATERIAL SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Date of Prep: 5/6/96

SECTION 1

SUNNYSIDE CORPORATION

FOR INFORMATION:

(847) 541-5700

225 CARPENTER AVENUE WHEELING, ILLINOIS 60090

(847) 541-5700

SUNNYSIDE CORPORATION

EMERGENCY TELEPHONE

(800) 424-9300

CHEM TREC

Manufacturer's Code:

702

Product Class: Trade Name:

Aliphatic Glycol Ether/ Surfactant/Water Mixture LATEX PAINT THINNER

NPCA HMIS:

Health: O Flammability: O Reactivity: 0

Product Appearance and Odor: Transparent, foamy liquid; characteristic, lightly ammoniacal odor.

SECTION 2 -- HAZARDOUS INGREDIENTS

OCCUPATIONAL EXPOSURE LIMITS

INGREDIENT

CAS#

PERCENT

ACGIH TLV (TWA)

ACGIH TLV (STEL) **OSHA** PEL (TWA) **OSHA** PEL (STEL)

VAPOR PRESSURE

Dipropylene Glycol

Methyl Ether

34590-94-8

100 PPM (SKIN)

150 PPM (SKIN)

100 PPM (SKIN)

150 PPM (SKIN)

0.4 MM Hq @ 770 F.

SECTION 3 -- EMERGENCY AND FIRST AID PROCEDURES

Eye Contact:

Move victim away from exposure and into fresh air. Flush eyes with plenty of water at least 15 minutes while holding eyelids open. Get prompt medical attention preferably from an ophthalmologist.

Skin Contact:

Remove contaminated clothing and shoes. Flush skin with water. Follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. Discard footwear which cannot be decontaminated.

Inhalation:

Not a significant inhalation hazard under normal conditions of use. However, if overcome by exposure, remove victim to fresh air, and get medical attention.

Ingestion: Do not induce vomiting. Get immediate medical attention.

SECTION 4 -- PHYSICAL DATA

The following data represent approximate or typical values. They do not constitute product specifications.

2120 (F) - I.B.P. Boiling Range:

Evaporation Rate: Slower than ether

Weight Per Gallon: 8.31 lbs.

% Volatile By Volume:

Vapor Density:

Approx. 5%

Heavier than air

Solubility in Water: Complete pH: 8.5

SECTION 5 -- FIRE AND EXPLOSION DATA

Flammability Classification: Flash Point: Lower Explosive Limit:

Extinguishing Media:

Not Flammable None - Not Flammable Not Flammable Not Applicable None Know

Unusual Fire and Explosion Hazards: Special Fire Fighting Procedures:

None Know

Trade Name: LATEX PAINT THINNER Page 2 of 2

SECTION 6 -- HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: Not established for mixture; see Section 2

EFFECTS OF OVEREXPOSURE

Inhalation:

No significant effects as a result of inhalation exposure are expected.

Eye Contact: May cause minor eye irritation.

Skin Contact: No significant effects are expected as a result of skin contact.

Ingestion: No significant health effects are expected as a result of ingestion.

SECTION 7 -- REACTIVITY DATA

Stability: Stable
Conditions to Avoid: None Known
Incompatibility (Materials to Avoid): None Known
Hazardous Decomposition Products: None
Hazardous Polymerization: Will not occur

SECTION 8 -- SPILL OR LEAK PROCEDURES

Steps to be taken in case material is spilled or released: Depending on quantity of spill:

1.Add solid absorbent, shovel, or scoop into disposal container and hose or wash down area.

2. Squeegee into pick up container and wash area.

Waste disposal method: Dispose of in accordance with local, state and federal regulations.

SECTION 9 -- SAFE HANDLING AND USE INFORMATION

Respiratory Protection:

Ventilation:

Not normally required.

Protective Gloves:

Not normally required.

Eye Protection: Avoid eye contact. Safety glasses should be worn.

Other Protective Equipment: Provide eyewash stations.

SECTION 10 -- SPECIAL PRECAUTIONS

Dept. of Labor Storage Category:

Hygienic Practices:

Prevent eye contact

Additional Precautions:

Not Applicable

SECTION 11 -- ADDITIONAL INFORMATION

This product contains the following toxic chemical(s) which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

APPROXIMATE

TOXIC CHEMICAL CAS # % BY WEIGHT

NONE NONE NONE

TRANSPORTATION

U.S. D.O.T. Proper Shipping Name: Not Applicable - Not a D.O.T. Hazard