



DEMOLITION HAMMER BITS CHART


1-1/8" Hex Shank



Makita Large Shank




Makita Small Shank




SDS Plus Shank



SDS Max Shank




3/4" Hex Shank




ROTARY HAMMER BITS CHART

SDS PLUS SHANK


R8 IS ADAPTER WHICH ALLOWS OLDER TOOLS TO USE DEMOLITION BITS



SDS MAX SHANK



SPLINE SHANK & 3/4" HEX SHANK 21/32" Round Shank



DEMOLITION HAMMER BITS CHART

Demolition Hammer Bits Chart

Demolition Hammer Bits Chart																	
Model		HM1810C, HM1304B				HM1500		HK1810		HR3210C/FCT, HR3000C, HR2811F, HR2455, HR2432, HR2470F/FT, HK1820, HK0500				HM1202C, HM1100C, HM0860C, HR5210C, HR5211C, HR4510C, HR4511C, HR4500C, HR4010C, HR4011C, HR4002			
Ref. No.	Description	1-1/8" Hex		3/4" Hex		Makita Large		Makita Small		SDS Plus		3/4" Hex, 21/32" Round		SDS Max		Hex Shank	
		Size	Part No.	Size	Part No.	Size	Part No.	Size	Part No.	Size	Part No.	Size	Part No.	Size	Part No.	Size	Part No.
D1	Bull Point	20"	751420-A	12" 18"	751421-A 751422-A	16-1/8"	A-80466	8-3/4"	B-06921	10"	D-08713	12" 12" 18"	D-20074 798146-1 D-19196	12" 18"	751423-A 751424-A	21/32" x 11" 21/32" x 17-23/32"	D-08682 D-16863
D2	Flat Chisel	15/16" X 20"	751220-A	7/8" X 12"	751224-A	1-13/32" X 16-1/8"	A-80597			1-5/8" X 10"	A-87046	1" X 12" 1" X 12" 1" X 18"	D-20080 798139-8 D-19205	1" x 18" 1" x 12" 1" x 18"	751231-A 751228-A 751231-A	3/4" x 17-3/4" 21/32" x 11" 3/4" x 17-3/4"	D-16879 D-08707 D-16879
D3	Scaling Chisel	3" X 20"	751221-A	1-1/2" X 12" 3" X 12"	751302-C 751226-A	3" X 12-1/4"	D-23868	13/16" X 5-7/8" 25/32" x 8-21/32" 2" x 5-7/8" 2" X 8-21/32"	B-07331 B-07004 B-07347 B-07010	1-9/16" X 10" 1-9/16" X 10" 1-1/2" X 10"	A-87052 A-87068 751309-C	2" X 12" 2" X 12" 3" X 12"	D-20096 798141-1 751233-A	2" x 12" 3" x 12"	751229-A 751230-A	2" x 11"	A-80606
D4	Clay Spade	5-1/2" X 23-1/2"	751622-A	4-1/2" X 17"	751623-A	4-3/4" X 19-5/8"	B-10300					4-1/2" X 17"	798148-7	4-1/2" x 16-1/2"	751626-A		
D5	Tamper Shank	15" Long	751103-A	8" Long	751713-A							12" Long	751716-A	12" Long	751304-C		
D5	Tamper Plate	6" x 6" 8" X 8"	751710-A 751711-A	5" Square	751712-A	1 Pc Tamper	A-31485					5" X 5"	751712-A				
D6	Bushing Tool			2" Square	751714-A							1-3/4" Square	798144-5	1-3/4" Square	751715-A		
D7	Ground Rod Driver	1" X 15"	751102-A	10"	751105-A	3/4" x 12-1/4"	751704-A					13/16" x 6"	798132-2	13/16" x 10"	751108-A		
D8	Grooving Chisel							1/2" X 6-11/16" 5/16" X 6-11/16" 25/32" X 6-11/16"	A-21559 798277-6 798297-0			7/8" x 12" 1" x 12"	798142-9 798143-7				
D9	Asphalt Cutter	5" X 17"	751620-A	5" X 16-1/4"	751624-A			4" Blade Assembly 4" Blade Only	A-43022 343411-9					4-1/2" x 16"	751625-A		
D10	Scraper Assembly									4" x 6-5/16"	A-30106						
D11	Scraping Chisel			2" X 12"	751227-A							2" x 12"	751234-A	1-1/2" x 11-3/4" 2" x 12"	751305-C 751230-C		
D12	Keenkut Chisel	1-3/8" X 20"	751222-A														
D13	Digging Chisel	3" X 22-1/2"	751621-A														
D14	Frost Wedge	1-3/4" X 24-1/2"	751223-A														
D15	Spike / Pin Driver	1-3/4" X 18" 2-1/2" X 5-1/2"	751101-A 751106-A														
D16	Pointed Spade			4-1/2" X 17"	751107-A							4-1/2" x 16"	751303-C				
D17	Seam Tool											1-1/8" x 15"	751310-C	1-1/8" x 15"	751306-C		
D18	Slotting Tool									1-1/16" x 10"	A-87096	1-1/8" x 15"	751311-C	1-1/8" x 15"	751307-C		

**D1** Bull Point; For demolishing**D2** Flat Chisel; For breaking away large chunks of concrete, chipping, channeling**D3** Scaling Chisel; Wide chisel for chipping away scale or dried concrete splatter**D4** Clay Spade; For digging in clay, shale and more**D5** Tamper Shank; For tamping operations (use with corresponding Plate)**D6** Bushing Tool; For concrete and stucco removal and flattening bulged concrete**D7** Ground Rod Driver; For driving electrical ground rods into the earth**D8** Grooving Chisel; For removal of scale in tight or narrow areas**D9** Asphalt Cutter; For cutting through asphalt**D10** Scraper Assembly; For scraping and removal of linoleum tile flooring**D11** Scraping Chisel; For scraping and chipping away excess concrete and trimming**D12** Keenkut Chisel; Similar to flat chisel but with thicker blade for longer life**D13** Digging Chisel; For digging in confined areas, channeling and more**D14** Frost Wedge; For digging and breaking up frozen ground**D15** Spike / Pin; For driving spikes and pins such as guide anchors, tent stakes**D16** Pointed Spades; For breaking clay, packed gravel and dirt**D17** Seam Tool; For removal of mortar between bricks or cutting narrow channels**D18** Slotting Tool; For removal of mortar between bricks or cutting narrow channels

SDS PLUS DELTAGON BITS - Best

SDS PLUS Shank

Wide Flute Design (3 Flutes) to remove debris from hole quickly

3 Cutter Head Design

Hole drilled with Deltagon Bit

Hole drilled with Thruster Bit

DELTAGON

R1



SDS Plus, 3-Flute Deltagon Bits				
Diameter	Overall Length	Useable Length	Part #	
5/32"	4-1/2"	2"	B-06535	
3/16"	4-1/2"	2"	B-06563	
3/16"	6-1/2"	4"	B-06579	
3/16"	8-1/2"	6"	B-06585	
1/4"	4-1/2"	2"	B-06622	
1/4"	6-1/2"	4"	B-06638	
1/4"	8-1/2"	6"	B-06644	
1/4"	10-1/2"	8"	B-07098	
5/16"	4-1/2"	2"	B-07107	
5/16"	6-1/2"	4"	B-06666	
5/16"	8-1/2"	6"	B-06650	
5/16"	10-1/2"	8"	B-07113	
5/16"	12-1/2"	10"	B-06672	
3/8"	4-1/2"	2"	B-07129	
3/8"	6-1/2"	4"	B-06688	
3/8"	8-1/2"	6"	B-07135	
3/8"	10-1/2"	8"	B-06694	
3/8"	12-1/2"	10"	B-06703	
3/8"	18"	16"	B-06719	
7/16"	6-1/2"	4"	B-06725	
1/2"	6-1/2"	4"	B-06747	
1/2"	8-1/2"	6"	B-07141	
1/2"	10-1/2"	8"	B-06753	
1/2"	12-1/2"	10"	B-06769	
1/2"	18"	16"	B-06775	
9/16"	6-1/2"	4"	B-06781	
9/16"	8-1/2"	6"	B-07157	
9/16"	10-1/2"	8"	B-07163	
9/16"	12-1/2"	10"	B-06797	
9/16"	18"	16"	B-06806	
5/8"	6-1/2"	4"	B-07179	
5/8"	8-1/2"	6"	B-06812	
5/8"	10-1/2"	8"	B-07185	
5/8"	12-1/2"	10"	B-06828	
5/8"	18"	16"	B-06834	
11/16"	6-1/2"	4"	B-07191	
11/16"	8-1/2"	6"	B-06840	
11/16"	10-1/2"	8"	B-07200	
11/16"	12-1/2"	10"	B-07216	
11/16"	18"	16"	B-07222	
3/4"	6-1/2"	4"	B-07238	
3/4"	8-1/2"	6"	B-06856	
3/4"	10-1/2"	8"	B-07244	
3/4"	12-1/2"	10"	B-06862	
3/4"	18"	16"	B-06878	

3 Piece Bit Set (Incl. 1 ea: 3/16", 1/4", 1/2" x 6-1/2")

B-06884


SDS MAX THRUSTER BITS

Wide flutes remove debris from hole

SDS Max Shank

Available from 13"-36" in length to suit a variety of applications

4 Cutter head design drills holes quickly and precisely



R1a



SDS Max Bits			
Diameter	Overall Length	Usable Length	Part #
1/2"	13"	7-1/2"	711499-A
1/2"	21"	15-1/2"	711500-A
9/16"	21"	15-1/2"	711501-A
5/8"	13"	7-1/2"	711502-A
5/8"	21"	15-1/2"	711503-A
5/8"	36"	31"	711504-A
3/4"	13"	7-1/2"	711505-A
3/4"	21"	15-1/2"	711506-A
3/4"	36"	31"	711507-A
27/32"	21"	15-1/2"	711508-A
7/8"	13"	7-1/2"	711509-A
7/8"	21"	15-1/2"	711510-A
1"	13"	7-1/2"	711511-A
1"	21"	15-1/2"	711512-A
1"	36"	31"	711513-A
1-1/8"	17"	12"	711514-A
1-1/8"	21"	15-1/2"	711515-A
1-1/4"	15"	10"	711516-A
1-1/4"	23"	18"	711517-A
1-1/4"	36"	31"	711518-A
1-3/8"	23"	18"	711519-A
1-7/16"	23"	18"	711520-A
1-1/2"	23"	18"	711521-A

SDS PLUS THRUSTER BITS - Better

SDS + Shank

Wide Flute Design to remove debris quickly

2 Cutter Head Design

Single point

R1



SDS+ 2 Flute / Cutter Thruster Bits				
Diameter	Useable Length	Overall Length	1 / Pkg	5 / Pkg
5/32"	2"	4-1/2"	711226-A	
5/32"	4"	6-1/4"	711227-A	
3/16"	2"	4-1/2"	711228-A	
3/16"	4"	6-1/4"	711229-A	711229-A-5
3/16"	6"	8-1/4"	711230-A	
3/16"	8"	10"	711231-A	
3/16"	10"	12"	711232-A	
3/16"	12"	14"	711233-A	
7/32"	4"	6-1/4"	711234-A	
1/4"	2"	4-1/2"	711235-A	711235-A-5
1/4"	4"	6-1/4"	711236-A	711236-A-5
1/4"	6"	8-1/4"	711237-A	
1/4"	9"	11"	711238-A	
1/4"	12"	14"	711239-A	
5/16"	4"	6-1/4"	711240-A	
5/16"	10"	12"	711241-A	
3/8"	4"	6-1/4"	711242-A	
3/8"	10"	12"	711243-A	
3/8"	22"	24"	711244-A	
7/16"	4"	6-1/4"	711245-A	
7/16"	10"	12"	711246-A	
7/16"	16"	18"	711247-A	
1/2"	4"	6-1/4"	711248-A	711248-A-5
1/2"	10"	12"	711249-A	
1/2"	16"	18"	711250-A	
1/2"	22"	24"	711251-A	
9/16"	4"	6-1/4"	711252-A	
9/16"	10"	12"	711253-A	
9/16"	16"	18"	711254-A	
5/8"	6"	8-1/4"	711255-A	
5/8"	10"	12"	711256-A	
5/8"	16"	18"	711257-A	
5/8"	22"	24"	711258-A	
11/16**	6"	8-1/4"	711172-A	
3/4**	6"	8-1/4"	711173-A	
3/4**	10"	12"	711174-A	
7/8**	6"	8-1/4"	711176-A	
5 Piece Assortment (Includes 1 ea: 3/16", 3/8", 1/2" & 2 ea. 1/4")				711259-A-A

* Not Thruster Style

R1b



Splined Shank Bits			
Diameter	Overall Length	Usable Length	Part #
3/8"	10"	5"	711191-A
1/2"	10"	5"	711192-A
1/2"	16"	11"	711193-A
1/2"	22"	16"	711194-A
1/2"	29"	22"	711195-A
1/2"	36"	29"	711196-A
9/16"	10"	5"	711197-A
5/8"	10"	5"	711198-A
5/8"	16"	11"	711199-A
5/8"	22"	16"	711200-A
5/8"	29"	22"	711201-A
5/8"	36"	29"	711202-A
11/16"	16"	11"	711203-A
3/4"	10"	5"	711204-A
3/4"	16"	11"	711205-A
3/4"	22"	16"	711206-A
3/4"	29"	22"	711207-A
3/4"	36"	29"	711208-A
7/8"	16"	11"	711209-A
7/8"	22"	16"	711210-A
1"	16"	11"	711211-A
1"	22"	16"	711212-A
1"	29"	22"	711213-A
1"	36"	29"	711214-A
1-1/8"	16"	11"	711215-A
1-1/8"	22"	16"	711216-A
1-1/4"	16"	11"	711217-A
1-1/4"	22"	16"	711218-A
1-1/4"	29"	22"	711219-A
1-1/4"	36"	29"	711220-A
1-3/8"	16"	11"	711221-A
1-1/2"	22"	16"	711222-A
1-3/4"	22"	16"	711223-A
2"	22"	16"	711224-A

HAMMERS

Hammer Drill Accessories - Rotary Percussion Bits					
Diameter	Shank	Overall Length	Useable Length	Part No.	Tools
3/16"	3/16"	4"	2-1/2"	711120-A	HP2010N HP2050 NHP1310 HP1631K BHP451 BHP452 BHP454 BHP440 8444DWFE 8391DWPE
1/4"	1/4"	4"	2-1/2"	711121-A	
1/4"	1/4"	6"	4"	711122-A	
1/4"	1/4"	13"	10"	711128-A	
5/16"	5/16"	6"	4"	711123-A	
3/8"	3/8"	6"	4"	711124-A	
3/8"	3/8"	13"	10"	711129-A	
1/2"	3/8"	13"	10"	711130-A	
1/2"	3/8"	6"	4"	711125-A	
5/8"	3/8"	6"	4"	711126-A	
5/8"	3/8"	13"	10"	711131-A	
3/4"	3/8"	6"	4"	711127-A	
3/4"	3/8"	13"	10"	711132-A	

- Suitable for use in Medium and Hard Masonry (Mortar, Block and Brick)
- Carbide Tipped for long life
- Wide flutes for rapid dust removal

Rotary Hammer Accessories		
Part No.	Description	For Models
188049-1	Hammer Service Kit	HR4010C, HR4011C, HR4002
188392-8	Hammer Service Kit	HR5210C, HR5211C
188414-4	Hammer Service Kit	HR2470F, HR2470FT, HR2811F
188500-1	Hammer Service Kit	HK1820, HK1820L
188501-9	Hammer Service Kit	HR3210C, HR3210FCT
188580-7	Hammer Service Kit	BHR162
188581-5	Hammer Service Kit	HR4510C, HR4511C
443122-7	Cleaning Cloth	All Models
A-90582	Rotary Hammer Grease 30cc / 1 oz.	All Models
181573-3 / 183126-4	Rotary Hammer Bit Grease	All Models
181118-7	Rotary Hammer Oil 100cc	All Models
182749-5	Oil Bottle (Empty) 30cc / 1 oz.	All Models
122010-A	Hammer Cart	HM1810

Rotary Hammer Parts

Bit Type	Size	Part #
R2 Chuck Adapter Attaches the drill chuck (below) to S.D.S. Rotary Hammers for drilling only	Complete Kit including 1/2" Chuck For 1/2" chuck For 1/2" chuck For 1/2" chuck	122574-2 swivel chuck 122331-8 slide chuck 122573-4 321637-3
R3 For drilling in wood and metal with straight round shank bits (use with above adapter)	Regular	3/8" 763067-6 1/2" 763047-2
R4 Chuck Key used to tighten and loosen the drill chuck	Regular	3/8" 763415-9 1/2" 798341-3
R5 Spline to A-Taper Adapter Allows use of A-Taper bits in Spline Drive hammers		798135-6
R6 Dust Cap Used to prevent dust from falling over the tool and on yourself when performing overhead drilling operations. For bits to 9/16" diameter		421342-3

Dust Collector A flexible boot-shaped device that surrounds the bit and catches dust and debris when drilling overhead	
	122376-6

R8 Chisel Adapter Assembly	
	122547-5



R23a Core Bit Shanks with SDS Plus For thin wall core bits	R23 Thin Wall Core Bit To be used with SDS-PLUS Hammers Core body length: 4-1/4" Usable drilling depth: 3-1/4"	R23c Replacement Guide Plates For thin wall core bits	R23b Centre Pins For thin wall core bits
--	--	---	--

Thin Wall Core Bits (SDS PLUS)											
Core Bit Diameter	1"	1-1/8"	1-1/4"	1-3/8"	1-1/2"	1-3/4"	2"	2-1/2"	3"	3-1/2"	4"
Part No.	752165-A	752166-A	752167-A	752168-A	752169-A	752170-A	752171-A	752172-A	752173-A	752174-A	752175-A
Thread Number	1					2					
Shank (R23a)	4" (752178-A) or 12" (752179-A)					4" (752180-A) or 12" (752181-A)					
Center Pin (R23b)	752176-A					752177-A					
Guide Plates (R23c)	n/a	n/a	752182-A	752183-A	752184-A	752185-A	752186-A	752187-A	752188-A	752189-A	752190-A

R24a Core Bit Shanks For heavy-duty Core bits	R24 Heavy-Duty Core Bits with Replaceable Shanks Core body length 6" Usable drilling depths: 4-3/8"	R24c Replacement Guide Plates For heavy-duty Core bits	R24b Center Pins For heavy-duty Core bits
---	---	--	---

Heavy Duty Core Bits (Spline & SDS Max)											
Core Bit Diameter	1"	1-1/8"	1-1/4"	1-3/8"	1-1/2"	1-3/4"	2"	2-1/2"	3"	3-1/2"	4"
Part No.	752119-A	752120-A	752121-A	752122-A	752123-A	752124-A	752125-A	752126-A	752127-A	752128-A	752129-A
Thread Number	1				2						
Shank (R24a)	12" Spline (752133-A) or 18" Spline (752134-A) 12" SDS Max (752191-A)				12" Spline (752135-A) or 18" Spline (752136-A) 12" SDS Max (752192-A)						
Center Pin (R24b)	752131-A				752132-A						
Guide Plates (R24c)	n/a	n/a	752137-A	752138-A	752139-A	752140-A	752141-A	752142-A	752143-A	752144-A	752145-A