

**Master  
Lock®**

**TOUGH  
UNDER  
FIRE** 

## **Commercial Security Products Catalog**

**Custom Built.  
Commercial Quality.  
Complete Security.**

**Electronic Update July, 2014**





Page	Section
2	About Master Lock
3	The Latest Innovations
4 - 5	Padlock Keying Security
6	ProSeries® High Security
7	ProSeries® All Weather Padlocks
8	ProSeries® Specialty
9	General Security – Rekeyables
10	General Security – Non-Rekeyables
11	General Security
12	Key-In-Knob and Interchangeable Core Padlocks
13	Grade 2 Door Hardware
14	Locker Locks – Portables
15 - 16	Locker Locks – Built-Ins
17 - 18	Safety Lockout Products
19	Flexible Security
20	Hasps
21	Fleet Security
22	Specialty Products
23 - 24	Product Displays
27	Online Services

Recognized as the authentic, enduring name in padlocks and security products, Master Lock® has set the standard for quality and selection for more than 90 years.

Building on this tradition, Master Lock has greatly expanded its commercial product line, especially for safety lockout and high security applications. Today, there are many good reasons to specify Master Lock padlocks for your applications:

**The broadest line:** Master Lock offers a full line of products for virtually any commercial, institutional and industrial security and safety application.

**Superior product quality:** All Master Lock products are built with the unmatched strength and durability that you've come to know and trust. Each lock is individually tested to ensure years of trouble-free operation, dependable performance and peace of mind.

**Controlled key security:** Allows you to establish a safe, secure and convenient locking system. Master Lock stands alone among padlock suppliers in (a) designing security into the padlock's cylinder and operating key, and (b) providing key and installation database security management services as needed to assure the utmost in system integrity.

**Unmatched sales support:** Service and consultation is available to you both through our broad network of distributors as well as Master Lock's experienced sales organization.

**Personal service:** Our inside customer service group stands ready to provide assistance to your call.

Prompt delivery to you: Direct from our stocking distributors, or alternatively, through one of Master Lock's ISO-9001 certified facilities; our stock product distribution center or special product 'Make-to-Order' factory.

You can trust Master Lock for the products, security, support and service you need.

**For more information, call us today at 1-800-308-9242 (1-800-227-9599 in Canada), or visit our web site at [www.masterlock.com](http://www.masterlock.com)**

# The Latest Innovations from Master Lock Commercial Security



## Expanded Resettable Combination Lock Family

See pages 8 and 11



## Multi-User Combination Locks

See page 15



## Merchandising Spinners

See page 23




## Lock Lubricant with PTFE

See page 22



## Advanced Cylinder Technology



## BumpStop® Advanced Cylinder Technology

See page 5



## Edge® Key Control

See page 5





## Keying Security is Equally Important to Physical Security in Commercial Security Applications.


Keying security includes both (a) the security designed into the padlock's cylinder and operating key, and (b) the way in which the product is supplied to the marketplace. Master Lock stands alone among padlock suppliers in both categories of keying security:



Master Lock provides the largest range of tight-tolerance cylinders and keys that vastly eliminate unwanted key interchange. This will better ensure that one employee's key will not be able to inadvertently open a second lock.



Master Lock offers key control services, charted and reserved systems all of which assure that your company's padlocking system maintains the utmost in key integrity, even as you reorder padlocks year-after-year. This means that additional padlocks ordered can all be specified to operate by distinct keys, if that is your requirement.



Keyed Different

## Establishing an Optimal Padlock Security System

### Evaluate Your Present & Future Needs:



Do you want each padlock to have a different operating key? Specify Keyed-Different (KD) padlocks.



Do you want groups of padlocks to be opened by a single key? If so, order Keyed-Alike (KA) padlocks. For example, it is often desirable for each employee to have his own set of keyed-alike locks.



Do you want a supervisor to be able to open a range of keyed-different padlocks? Order Master Keyed (MK) locks. See "Master Keying" section for more information.



How many padlocks will you need? If you require thousands of distinct operating keys, with no repeats, you will want to specify a Master Lock commercial security padlock with a 5-pin or 6-pin cylinder. See "Key System Capacity" for more information.



Do you want your padlock to be opened by the same key that opens your door lock? You can!



Keyed Alike Systems One Key Opens All Locks




Master Key

## Master Keying

Master Keyed (MK) locks have to be ordered as such initially. Locks are not automatically pre-set so that a master key can later operate them. When you initiate a master keyed lock system, you should also identify how large and complex the system might eventually become.

This chart illustrates a simple MK system, wherein a single master key will open any of several keyed-different change keys (CK).



Many MK systems provide additional levels of control, as diagrammed here. The Level 3 grand master key (GMK), held by the Security Director, would open all locks throughout the system.




## Lock Bumping Solution

Lock bumping has become a recognized method of violating most in-line pin tumbler cylinders. In response, Master Lock Company stepped forward to create a revolutionary new lock cylinder that provides unsurpassed protection against lock bumping, exceeding the highest Grade 6 criteria for bump resistance established in the ASTM Standard F883-09. Our BumpStop® solution employs an innovative, patent pending design which utilizes a unique reserve rake tapered driver pin, high performance springs, and precision tolerance chambers. During a bump attempt, this solution prevents the transfer of force from the bump key to the pins and blocks rotation of the cylinder – so the lock stays locked. This feature is available in a broad range of Master Lock padlocks and door hardware and can be ordered by adding an “N” to the product number. Example: 6121N (vs. 6121), 3N (vs. 3).




**Advanced Cylinder Technology**



**Master Lock Cylinder Cross-section**

## Key Control Options

Cylinder Cross-Section



**Edge® Key Control System** This patented system provides absolute key control, eliminating the risk of unauthorized key duplication. The innovative and exclusive cylinder design has an additional locking feature to increase security. The Edge® System is available in the full range of Master Lock Commercial Laminated and ProSeries® padlocks.

**Restricted Keyways** Key blanks are not sold. Cut keys are only available from the factory for charted systems. Master Lock maintains Restricted Key Systems specifically for Safety Lockout Padlocks, where safeguarding employee safety is the absolute priority.

**Reserved Keyways** The factory limits key blank distribution to specific customers. Cut keys are not readily available. Master Lock offers Reserved Key Systems (RSV) for its complete ProSeries® and Laminated product lines for commercial applications.



**Charting Services** Master Lock will keep a complete record of the progressive key codes assigned and manufactured into a customer's padlocks for each order. Request this special service to receive a Commercial User ID number to reference on all subsequent orders. Any order submitted with the Commercial User ID will be manufactured to comply with the facility's key system requirements.

## Matching Your Security Door Lock Keys

The versatile ProSeries® line can also be ordered to operate with the same keys used in your current door security system. This can greatly increase convenience (fewer keys to carry) and security (padlocks operate with the same high security, controlled keys). ProSeries® can integrate with door security systems from Schlage®, Yale®, Kwikset®, Corbin®, Weiser®, Sargent®, Russwin® and Weslock®; even Interchangeable Core keyways by Best®, Arrow™ and Falcon®...many popular keyways available!



## Key System Capacity

All cylinders have limits to the number of change keys that can be provided. Be aware that whenever KD padlocks are supplied from open stock, the possibility exists that two or more locks provided will have the same operating key. This possibility of overlap increases as additional non-charted (see Charting Service) stock orders are received. It is important to know the key change limits of the padlocks you are considering for your security system. If the supplier does not, or can not, provide this information, the integrity of your keying system may be suspect.

## Consulting & Support

Master Lock's customer service staff and field sales representatives are qualified and ready to help you establish a safe and convenient padlock security system for your company. Call or visit the Master Lock web site to get started on the path to effective keying security.

This chart identifies the change key ranges of standard BumpStop® technology padlock cylinders.

Padlock Series	Model Numbers	# of Key Changes in KD system	# of Key Changes in MK system
Edge® 6 Pin	WP6 in Master Lock	90,000	6,000
Edge® 4 Pin	WP4 in Master Lock	1,200	140
ProSeries® 6 Pin	6100's, 6300's, 6800's, 7000's	90,000	10,100
ProSeries® 5 Pin	6100's, 6300's, 6800's, 7000's	14,200	1,300
Safety Lockout	410, 411	40,000	140
5 Pin Laminated Pin Tumbler	15, 17, 21, 24, 31, 81 & others	14,200	1,300
4 Pin Laminated Pin Tumbler	1, 2, 3, 4, 5, 6 & others	1,200	248
Small 4 Pin Laminated Pin Tumbler	7, 8 & others	800	160

Quantities listed in the last two columns are actual quantities of keys available. Mathematically there are many more keys that can be calculated but may have been eliminated because they are undesirable or create a mechanical limitation. For additional models and key change information, contact Master Lock Company Customer Care.

## ProSeries® High Security

- Greatest physical security available:
  - Heavy steel bodies
  - Hardened steel and boron alloy shackles for superior cut resistance
  - Dual deadbolt locking for extreme resistance to prying
- High key security:
  - 5-pin tumbler ProSeries® cylinders provide tens of thousands of key changes
  - Special spool pins are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle




## Solid Iron Shroud


- Greatest security against bolt cutters
- Proprietary rustproofing for longer life
- Defeats attempts to pry and cut

Master Lock Model#	Laminated Steel Description	Vertical Shackle Clearance (B)
6321	2-1/8 in. (54mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 7/8 in. (22mm)	3/4 in. (19mm)
6325	2-3/8 in. (60mm) w. Body. Shackle Dim.: A: 3/8 in. (10mm) C: 7/8 in. (22mm)	3/4 in. (19mm)
6327	2-5/8 in. (67mm) w. Body. Shackle Dim.: A: 7/16 in. (11mm) C: 7/8 in. (22mm)	3/4 in. (19mm)

<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge® Key Control 4-pin and WP6-Edge® Key Control 6-pin cylinders
------------------------	---



6321




7035  
7045


## Solid Steel

- Outstanding protection against physical attacks
- Chrome rustproofing provides longer life
- Shrouded & hidden shackle models defy bolt cutters and prying



Master Lock Model#	Solid Steel Description	Vertical Shackle Clearance (B)
7030	1-9/16 in. (40mm) w. Body. Shackle Dim.: A: 1/4 in. (6mm) C: 25/32 in. (20mm)	1-1/16 in. (27mm)
7035	1-9/16 in. (40mm) w. Body, Shrouded. Shackle Dim.: A: 1/4 in. (6mm) C: 25/32 in. (20mm)	1-1/16 in. (27mm)
7040	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 29/32 in. (23mm)	1-3/16 in. (30mm)
7045	1-3/4 in. (44mm) w. Body, Shrouded. Shackle Dim.: A: 5/16 in. (8mm) C: 29/32 in. (23mm)	1-3/16 in. (30mm)
7050	2 in. (51mm) w. Body. Shackle Dim.: A: 3/8 in. (10mm) C: 29/32 in. (23mm)	1-1/2 in. (38mm)
6230	2-1/2 in. (63mm) w. Body. Shackle Dim.: A: 7/16 in. (11mm) C: 7/8 in. (22mm)	1-1/8 in. (29mm)
6270	2-7/8 in. (73mm) w. Body. Hidden 3/8 in. (10mm) Diameter Shackle: Stepped Back	n/a
6271	2-7/8 in. (73mm) w. Reinforced Die Cast Body. Hidden 3/8 in. (10mm) Diameter Shackle: Stepped Back	n/a
770	9 in. (23mm) w. x 4-1/2 in. (11.4cm) High Solid Steel Hasp. Use With 6270 and 6271 Locks	n/a




7030  
7040  
7050



6230



770



6270, 6271

<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge® Key Control 4-pin and WP6-Edge® Key Control 6-pin cylinders
------------------------	---

<b>Shackle Options:</b>	LF = 1-9/16 in. (40mm) - Lock Model 7030 LH = 2 in. (51mm) - Lock Model 6230 LJ = 2-1/2 in. (63mm) - Lock Models 7040, 7050 LT = 3 in. (72mm) - Lock Model 7030
-------------------------	--





## ProSeries® All Weather

- For extreme conditions and corrosive environments
- Hardened steel and boron alloy shackles for superior cut resistance
- Dual deadbolt locking for extreme resistance to prying
- High key security:
  - 5-pin tumbler ProSeries® cylinders provide tens of thousands of key changes
  - Special spool pins are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle


## Weather Tough®

- Exclusive cover protects lock from water, ice, dirt and grime
- Heavy steel bodies withstand physical attacks
- Keyway cover keeps out dust and dirt

Master Lock Model#	Laminated Steel Description	Vertical Shackle Clearance (B)
6121	2-1/8 in. (54mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 7/8 in. (22mm)	1-1/8 in. (29mm)
6125	2-3/8 in. (61mm) w. Body. Shackle Dim.: A: 3/8 in. (10mm) C: 7/8 in. (22mm)	1-3/8 in. (35mm)
6127	2-5/8 in. (67mm) w. Body. Shackle Dim.: A: 7/16 in. (11mm) C: 7/8 in. (22mm)	1-3/8 in. (35mm)

<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge® Key Control 4-pin and WP6-Edge® Key Control 6-pin cylinders
------------------------	---

<b>Shackle Options:</b>	LH = 2 in. (51mm) - Lock Model 6127 LJ = 2-1/2 in. (63mm) - Lock Models 6121, 6125, 6127
-------------------------	---




## Solid Brass

- Solid Brass Body Provides Extra Corrosion Resistance
- Optional brass shackles available for 100% corrosion resistance

Master Lock Model#	Solid Brass Description	Vertical Shackle Clearance (B)
6830	1-9/16 in. (40mm) w. Body. Shackle Dim.: A: 1/4 in. (6mm) C: 25/32 in. (20mm)	1-1/16 in. (27mm)
6840	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 29/32 in. (23mm)	1-3/16 in. (30mm)
6850	2 in. (51mm) w. Body. Shackle Dim.: A: 3/8 in. (10mm) C: 29/32 in. (23mm)	1-1/2 in. (38mm)

<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge® Key Control 4-pin and WP6-Edge® Key Control 6-pin cylinders
------------------------	---

<b>Shackle Options:</b>	LF = 1-9/16 in. (40mm) - Lock Model 6830 LJ = 2-1/2 in. (63mm) - Lock Models 6840, 6850 LT = 3 in. (72mm) - Lock Models 6830
-------------------------	--




## Resettable Combination Locks

- Octagonal boron-carbide shackle for superior cut resistance
- Dead locking mechanism protects against prying, shimming & rap attacks
- Shackle seal and dial dust cover protect internal components and dials for trouble-free operation
- Durable brass, stainless or die cast bodies withstand the elements
- Stainless steel shackle available for ultimate corrosion resistance



Master Lock Model#	Resettable Description	Vertical Shackle Clearance (B)
1174	2-1/4 in. (57mm) w. stainless steel body. Stainless Steel Shackle Dim.: A: 5/16 in. (8mm) C: 1 in. (25mm)	1-1/16 in. (28mm)
1175	2-1/4 in. (57mm) w. brass body. Shackle Dim.: A: 3/8 in. (10mm) C: 15/16 in. (24mm)	1-1/16 in. (28mm)
1177	2-1/4 in. (57mm) w. shrouded brass body. Shackle Dim.: A: 3/8 in. (10mm) C: 15/16 in. (24mm)	1-1/16 in. (28mm)
1178	2-1/4 in. (57mm) w. diecast body. Shackle Dim.: A: 3/8 in. (10mm) C: 15/16 in. (24mm)	1-1/16 in. (28mm)

<b>1175 Shackle Options:</b>	LH = 2-1/16 in. (53mm)
	LHRS = 2-1/16 in. (53mm) Round A: 5/16 in. (8mm)
	LHSS = 2-1/16 in. (53mm) Round, Stainless Steel A: 5/16 in. (8mm)
	RS = 1-1/16 in. (28mm) Round A: 5/16 in. (8mm)




1174  
1175  
1178



1178



1174



1177



1177




1175LH

## Recodable Locks

- Rekey locks in seconds, as often as needed
- Match your recodable padlock to your Master Lock Grade 3 Residential, Master Lock Recodable door hardware, or door hardware with Kwikset® keyway for security and convenience – carry just one key

Master Lock Model#	Description	Vertical Shackle Clearance (B)
7053	2 in. (50mm) w. Solid Steel Body, Recodable. Shackle Dim.: A: 3/8 in. (10mm) C: 1 in. (25mm)	1-1/2 in. (38mm)

<b>Shackle Options:</b>	LJ = 2-1/2 in. (63mm)
-------------------------	-----------------------



7053







## Rekeyable Products

- Rekeyable padlocks allow you to quickly remove old cylinder and either change the pins or replace the cylinder
- 5-pin cylinder standard for all rekeyable padlocks
- Save money and replace cylinders instead of locks
- Rekeying kit contains an extensive assortment of the most frequently used components to replace or rekey cylinders (including ProSeries® locks)
- Extra reach lock (no. 101) is ideal for wide-span applications; e.g. commercial refrigerators



Master Lock Model #	Laminated Steel Description	Vertical Shackle Clearance (B)
21	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 3/4 in. (19mm)	15/16 in. (24mm)
25	2 in. (51mm) w. Body. Shackle Dim.: A: 3/8 in. (10mm) C: 15/16 in. (24mm)	1 in. (25mm)
27	2 in. (51mm) w. Body. Shackle Dim.: A: 7/16 in. (11mm) C: 3/4 in. (19mm)	1 in. (25mm)
101	3-1/4 in. (83mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 2-1/4 in. (57mm)	3 in. (76mm)




Master Lock Model #	Laminated Brass Description	Vertical Shackle Clearance (B)
24	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 3/4 in. (19mm)	1-1/4 in. (32mm)

Master Lock Model #	Solid Zinc, Die-Cast Description	Vertical Shackle Clearance (B)
220	2 in. (51mm) w. Body. Shackle Dim.: A: 7/16 in. (11mm) C: 3/4 in. (19mm)	1 in. (25mm)
230	2-1/2 in. (63mm) w. Body. Shackle Dim.: A: 7/16 in. (11mm) C: 15/16 in. (24mm)	1 in. (25mm)

<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge® Key Control 4-pin cylinder
------------------------	--

<b>Shackle Options:</b>	LF = 1-1/2 in. (38mm) - Lock Model 21 LH = 2 in. (51mm) - Lock Models 220, 230 LJ = 2-1/2 in. (63mm) - Lock Model 21
-------------------------	--

291	Pin Tumbler Rekeying Parts Kit	n/a
-----	--------------------------------	-----



291



# General Security Non-Rekeyables

## General Security

- Reinforced laminated lock bodies
- Double locking mechanisms provide extra pry resistance (1-1/8 in. bodies are single-locking)
- Pin tumbler key security: 4 and 5-pin cylinders
  - Master keyed and reserved systems available
  - Thousands of key changes



## Laminated Steel

- For perimeter & storefront gates, tool cribs, construction equipment, vending & truck doors, general use
- Hardened steel and alloy shackles for extra cut resistance (1-1/8 in. body shackles are not hardened)
- Proprietary rustproofing for longer life
- Full range of sizes to best secure your applications




## Laminated Brass


- Excellent for outdoor use and marine environments
  - Brass bodies and cylinders provide excellent corrosion resistance
  - Available brass shackles for maximum corrosion resistance
- Hardened chrome plated steel shackles for extra cut resistance



Master Lock Model#	Laminated Steel Description	Vertical Shackle Clearance (B)
7	1-1/8 in. (28mm) w. Body. Shackle Dim.: A: 3/16 in. (5mm) C: 1/2 in. (13mm)	9/16 in. (14mm)
3	1-9/16 in. (40mm) w. Body. Shackle Dim.: A: 9/32 in. (7mm) C: 5/8 in. (16mm)	3/4 in. (19mm)
1	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 3/4 in. (19mm)	15/16 in. (24mm)
5	2 in. (51mm) w. Body. Shackle Dim.: A: 3/8 in. (10mm) C: 15/16 in. (24mm)	1 in. (25mm)
17	2 in. (51mm) w. Body. 5-Pin Cylinder. Shackle Dim.: A: 7/16 in. (11mm) C: 3/4 in. (19mm)	1 in. (25mm)
15	2-1/2 in. (63mm) w. Body. 5-Pin Cylinder. Shackle Dim.: A: 7/16 in. (11mm) C: 1-3/16 in. (30mm)	1-1/4 in. (32mm)



Master Lock Model#	Laminated Brass Description	Vertical Shackle Clearance (B)
8	1-1/8 in. (28mm) w. Body. Shackle Dim.: A: 3/16 in. (5mm) C: 1/2 in. (13mm)	9/16 in. (14mm)
4	1-9/16 in. (40mm) w. Body. Shackle Dim.: A: 9/32 in. (7mm) C: 5/8 in. (16mm)	3/4 in. (19mm)
2	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 5/16 in. (8mm) C: 3/4 in. (19mm)	15/16 in. (24mm)
6	2 in. (51mm) w. Body. Shackle Dim.: A: 3/8 in. (10mm) C: 15/16 in. (24mm)	1 in. (25mm)



<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge® Key Control 4-pin cylinder
------------------------	--

<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge® Key Control 4-pin cylinder
------------------------	--

<b>Shackle Options:</b>	LF = 1-1/2 in. (38mm) - Lock Models 7, 3, 1, 5 LH = 2 in. (51mm) - Lock Models 3, 17, 15 LJ = 2-1/2 in. (63mm) - Lock Models 7, 1, 5 LN = 5-3/4 in. (15cm) - Lock Model 1 B = Brass Shackle - Lock Models 7, 3, 1, 5, 17
-------------------------	--


<b>Shackle Options:</b>	LF = 1-1/2 in. (38mm) - Lock Models 8, 4, 2, 6 LH = 2 in. (51mm) - Lock Models 4 LJ = 2-1/2 in. (63mm) - Lock Models 8, 2, 6 B = Brass Shackle - Lock Models 8, 2, 6
-------------------------	---





## Resettable Combination

- Use combination reset feature to restrict/change allowed access
- 4-digit direct dial operation – reset to any of 10,000 combinations (Nos. 878 & 975 require no reset tool)
- Solid case for strength and weatherability
- Heavy hardened shackle provides high resistance to cutting and prying
- No. 176 with key override feature for supervisory access
- No. 878 & 975 feature dead locking mechanism to protect against prying, shimmying & rap attacks



Master Lock Model #	Resettable Description	Vertical Shackle Clearance (B)
175	2 in. (51mm) w. Solid Brass Case. Shackle Dim.: A: 5/16 in. (8mm) C: 1 in. (25mm)	1 in. (25mm)
175DWD	175 w/4-Digit Letter Combination Padlock	1 in. (25mm)
176	Key Override, 2 in. (51mm) w. Solid Brass Case. Shackle Dim.: A: 5/16 in. (8mm) C: 1 in. (25mm)	7/8 in. (22mm)
178BLK	Die-Cast Black, 2 in. (51mm) w. Solid Brass Case. Shackle Dim.: A: 5/16 in. (8mm) C: 1 in. (25mm)	1 in. (25mm)
878	Powder Coated Black, 2 in. (51mm) w. Solid Zinc Case. Shackle Dim.: A: 5/16 in. (8mm) C: 1 in. (25mm)	1 in. (25mm)
975	2 in. (51mm) w. Solid Brass Case. Shackle Dim.: A: 5/16 in. (8mm) C: 1 in. (25mm)	1 in. (25mm)


**Shackle Options:** LH = 2 in. (51mm) - Lock Model 975; 2-1/4 in. (57mm) - Lock Models 175, 176

## Economy Steel Series

- For applications requiring basic tamper resistance; well covers, dumpsters and low-valued property
- Laminated steel body withstands physical abuse
- Warded locking mechanism minimizes binding from dirt and grime
- Rustproofed for extended wear
- Nos. 510D and 517D feature removable adjustable shackles
- No. 500KABRK shackle can be shattered by a hammer in emergencies

Master Lock Model #	Laminated Steel Description	Vertical Shackle Clearance (B)
10D	1 in. (25mm) w. Body. Shackle Dim.: A: 5/32 in. (4mm) C: 13/32 in. (10mm)	7/16 in. (11mm)
105D	1-1/8 in. (28mm) w. Body. Shackle Dim.: A: 3/16 in. (5mm) C: 1/2 in. (13mm)	1/2 in. (13mm)
22	1-1/2 in. (38mm) w. Body. Shackle Dim.: A: 1/4 in. (6mm) C: 9/16 in. (14mm)	5/8 in. (16mm)
500	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 9/32 in. (7mm) C: 13/16 in. (21mm)	13/16 in. (21mm)
500KABRK	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 9/32 in. (7mm) C: 13/16 in. (21mm) Breakaway Shackle	5/8 in. – 2 in. (16mm-51mm)
510D	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 9/32 in. (7mm) C: 13/16 in. (21mm)	2-3/4 in. – 5-3/8 in. (7cm – 14cm)
517D	1-3/4 in. (44mm) w. Body. Shackle Dim.: A: 9/32 in. (7mm) C: 13/16 in. (21mm)	

**Shackle Options:** LF = 1-1/2 in. (38mm) - Lock Model 22




## Economy Brass Series

- Brass bodies and cylinders provide extra corrosion-resistance
- Pin tumbler cylinders provide greater pick-resistance


Master Lock Model #	Solid Brass Description	Vertical Shackle Clearance (B)
4120	3/4 in. (19mm) w. Body. Shackle Dim.: A: 5/32 in. (4mm) C: 3/8 in. (10mm)	7/16 in. (11mm)
4130	1-1/8 in. (28mm) w. Body. Shackle Dim.: A: 3/16 in. (5mm) C: 9/16 in. (14mm)	9/16 in. (14mm)
4140	1-1/2 in. (38mm) w. Body. Shackle Dim.: A: 1/4 in. (6mm) C: 13/16 in. (20mm)	13/16 in. (20mm)
4150	1-7/8 in. (47mm) w. Body. Shackle Dim.: A: 9/32 in. (7mm) C: 1 in. (25mm)	15/16 in. (24mm)

**Keying Options:** KA-Keyed Alike - Lock Models 4140 and 4150

**Shackle Options:** LH = 2 in. (51mm) - Lock Model 4140; LJ = 2-1/2 in. (63mm) - Lock Model 4150



# Key-In-Knob and Interchangeable Core Padlocks



## Key-In-Knob and Interchangeable Core Padlocks

- With your existing records, Master Lock can re-create and expand your current key system
- Cylinders may be ordered both separately, keyed up and ready to plug into your system or as part of a complete Master Lock Door Key Compatible padlock assembly



## Key-In-Knob Padlocks

- Use the same key that opens your door
- Match your Door Security System-26 keyways available
- Padlock bodies accept the following OEM cylinders: Medeco® #20W20000 6-pin cylinder, Schlage® (6-pin Key-in-Knob), Assa® (65611), Loric® #1539, Schlage® Primus® and GMS® cylinders

Master Lock Model#	Key-In-Knob Padlocks Description	Vertical Shackle Clearance (B)
6727	2-5/8 in. (67mm) w. Solid Iron Shroud Body. Shackle Dim.: A: 7/16 in. (11mm) C: 7/8 in. (22mm)	3/4 in. (19mm)
6721	2-1/8 in. (54mm) w. Solid Iron Shroud Body. Shackle Dim.: A: 5/16 in. (8mm) C: 7/8 in. (22mm)	3/4 in. (19mm)
7052	2 in. (51mm) w. Solid Steel Body. Shackle Dim.: A: 3/8 in. (9mm) C: 29/32 in. (23mm)	1-1/2 in. (37mm)
7042	1-3/4 in. (44mm) w. Solid Steel Body. Shackle Dim.: A: 5/16 in. (8mm) C: 29/32 in. (23mm)	1-3/16 in. (30mm)
7047	2-1/8 in. (54mm) w. Solid Steel Shrouded Body. Shackle Dim.: A: 5/16 in. (8mm) C: 29/32 in. (23mm)	1-3/16 in. (30mm)
6627	2-5/8 in. (67mm) w. Weather Tough® Body. Shackle Dim.: A: 7/16 in. (11mm) C: 7/8 in. (22mm)	1-3/8 in. (35mm)
6621	2-1/8 in. (54mm) w. Weather Tough® Body. Shackle Dim.: A: 5/16 in. (8mm) C: 7/8 in. (22mm)	1-1/8 in. (29mm)
6852	2 in. (51mm) w. Solid Brass Body. Shackle Dim.: A: 3/8 in. (9mm) C: 29/32 in. (23mm)	1-1/2 in. (37mm)
6842	1-3/4 in. (44mm) w. Solid Brass Body. Shackle Dim.: A: 5/16 in. (8mm) C: 25/32 in. (20mm)	1-3/16 in. (30mm)



6721



6621



6842



7052




7047


## Interchangeable Core Padlocks

- Match your door security system – 16 small format interchangeable core keyways from Best® and Arrow®
- Padlock bodies accept the following standard size OEM cores: Best®, Best® PKS®, Arrow®, Falcon®, Kaba®, Peaks®, KSP®, and Loric®


Master Lock Model#	Interchangeable Core Padlocks Description	Vertical Shackle Clearance (B)
6527	2-5/8 in. (67mm) w. Solid Iron Shroud Body. Shackle Dim.: A: 7/16 in. (11mm) C: 7/8 in. (22mm)	3/4 in. (19mm)
6521	2-1/8 in. (54mm) w. Solid Iron Shroud Body. Shackle Dim.: A: 5/16 in. (8mm) C: 7/8 in. (22mm)	3/4 in. (19mm)
7051	2 in. (51mm) w. Solid Steel Body. Shackle Dim.: A: 3/8 in. (9mm) C: 29/32 in. (23mm)	1-1/2 in. (37mm)
7041	1-3/4 in. (44mm) w. Solid Steel Body. Shackle Dim.: A: 5/16 in. (8mm) C: 29/32 in. (23mm)	1-3/16 in. (30mm)
7031	1-9/16 in. (40mm) w. Solid Steel Body. Shackle Dim.: A: 1/4 in. (8mm) C: 25/32 in. (20mm)	1-1/16 in. (27mm)
7046	1-3/4 in. (44mm) w. Shrouded Steel Body. Shackle Dim.: A: 5/16 in. (8mm) C: 29/32 in. (23mm)	1-3/16 in. (30mm)
7036	1-9/16 in. (40mm) w. Shrouded Steel Body. Shackle Dim.: A: 1/4 in. (8mm) C: 25/32 in. (20mm)	1-1/16 in. (27mm)
6427	2-5/8 in. (67mm) w. Weather Tough® Body. Shackle Dim.: A: 7/16 in. (11mm) C: 7/8 in. (22mm)	1-3/8 in. (35mm)
6421	2-1/8 in. (54mm) w. Weather Tough® Body. Shackle Dim.: A: 5/16 in. (8mm) C: 7/8 in. (22mm)	1-1/8 in. (29mm)
6851	2 in. (51mm) w. Solid Brass Body. Shackle Dim.: A: 3/8 in. (9mm) C: 29/32 in. (23mm)	1-1/2 in. (37mm)
6841	1-3/4 in. (44mm) w. Solid Brass Body. Shackle Dim.: A: 5/16 in. (8mm) C: 25/32 in. (20mm)	1-3/16 in. (30mm)
6831	1-9/16 in. (40mm) w. Solid Brass Body. Shackle Dim.: A: 1/4 in. (8mm) C: 25/32 in. (20mm)	1-1/16 in. (27mm)




6727, 6721  
6527, 6521



6627, 6621  
6427, 6421



7052, 7042  
6852, 6842  
7051, 7041  
7031, 6851  
6841, 6831



7047  
7046  
7036

<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, KAMK-Keyed Alike and Master Keyed
------------------------	---







## Combination Security

- World's best selling combination lock
  - Reinforced stainless steel outer case
  - Hardened steel shackle for cut and saw resistance
  - BlockGuard® Anti-Shim Technology deters shimming
  - Available in numerical or letter combinations
- High security combination lock
  - Double armored stainless steel case
  - Dual ball locking and Boron alloy shackle for superior pull, pry, rap and cut resistance
- 1525, 1585 and 2010 have key control override for supervisory access (key ordered separately)

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1500, 1573	1-7/8 in. (48mm) w. Stainless Steel Body. Shackle Dim.: A: 9/32 in. (7mm) C: 13/16 in. (21mm)	3/4 in. (19mm)
1502, 1572	1-7/8 in. (48mm) w. Stainless Steel Body. Shackle Dim.: A: 9/32 in. (7mm) C: 13/16 in. (21mm) Control Chart Included.	3/4 in. (19mm)
1525, 1585	1-7/8 in. (48mm) w. Stainless Steel Body. Shackle Dim.: A: 9/32 in. (7mm) C: 13/16 in. (21mm) Control Chart Included.	3/4 in. (19mm)
2001	2-3/16 in. (55mm) w. High Security. Shackle Dim.: A: 5/16 in. (8mm) C: 15/16 in. (24mm)	1 in. (25mm)
2002	2-3/16 in. (55mm) w. High Security. Shackle Dim.: A: 5/16 in. (8mm) C: 15/16 in. (24mm) Control Chart Included.	1 in. (25mm)
2010	2-3/16 in. (55mm) w. High Security. Shackle Dim.: A: 5/16 in. (8mm) C: 15/16 in. (24mm) Extra Length Shackle, Control Chart Included.	1 in. (25mm)

<b>CNTLKEY</b>	Control Key for 1525, 1585 and 2010	n/a
----------------	-------------------------------------	-----


<b>Shackle Options:</b>	LF = 1-1/2 in. (38mm) - Lock Model 1500, 1502, 1525, 1585, 1572, 1573 LH = 2 in. (51mm) - Lock Model 1500, 1502, 1525, 1585, 1572, 1573 S = 1/2 in. (13mm) - Lock Model 2002, 2010
-------------------------	--

<b>Options:</b>	KA-Combination Alike - Lock Model 1500
-----------------	--

Models 1502, 1525, 1572, 1585, 2002 and 2010 are charted products.




**Now Featuring BlockGuard® Anti-Shim Technology**



1500, 1502

1525

1585



2001, 2002

2010

## Set Your Own Speed Dial Combination Lock

- The world's first combination lock that opens on up/down/left/right directional movement
- High security with anti-shim technology
- Combination can be reset to any number of movements in any sequence
- Hardened steel shackle for increased bolt cutter protection
- Letters, numbers, colors, shapes, symbols are included for added customization – simply apply over arrows

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1500iD	2 in. (51mm) wide metal body. Shackle Dim.: A: 1/4 in. (6mm), C: 3/4 in. (19mm)	1 in. (25mm)



1500iD




## Multi-User Series Built-In Mechanical Lock

- Intuitive, easy-to-use design
- Set-your-own 3-digit combination
- Retains current combination until re-set
- Sleek design with satin finish
- Designed for multiple use in a day for high customer turnover facilities
- Eliminates distribution, tracking and management of keys, combination or locks
- Concealed mounting and rugged zinc case
- Override key allows quick supervisory access

Master Lock Model #	Description
3630	Set-Your-Own combination lock - For standard lift handle lockers - manual deadbolt locking, right-hand hinged door - override key sold separately
3631	Set-Your-Own combination lock - For standard lift handle lockers - manual deadbolt locking, left-hand hinged door - override key sold separately
3670	Set-Your-Own combination lock - For lift handle, turn handle and single point latch/box horizontal latch lockers - manual deadbolt locking, right-hand or left-hand hinged door - Override Key sold separately
K3630	Supervisory override key

### How It Works

1. Spin the Dials to Personalized 3-Digit Combination
2. Turn the Knob to the  Icon
3. Scramble the Dials



3630




3670

[www.masterlock.com/multiuser](http://www.masterlock.com/multiuser)

## Wrap-Around-Latch™ Built-In Combination and Key Operated Locks

- Uses the same technology as an automotive door lock system, utilizing slam shut operation combined with a rotating latch that wraps around the latch plate
- Designed for single point latch lockers
- Provides the most robust design and requires the least adjustment for proper operation

Master Lock Model #	Description
1690	Automatic deadbolt locking for single point latch lockers. For doors with door hinges on the right.
1790	High Security Cylinder and Manual Deadbolt Locking
CNTLKEYBI	Control Key



1690

Patent no. 7.984.630



1790



Locked



Unlocked

# Locker Locks – Built-Ins



## Built-In Combination

- For lift handle, turn handle, single point latch, and box lockers
- End user registration and control charts provided to secure and simplify administration
- Longer useful life with five different combinations-easily changed with the touch of a button, which maintains security for new students or employees
- Concealed mounting and rugged steel case deter vandalism
- Standard key control allows quick supervisory access
- Secure, three digit combination is easy to dial

Master Lock Model #	Description
<b>Automatic Deadbolt Locking Mechanism for Lift Handle Lockers</b>	
1630	For Lockers with Door Hinges on Right
1631	For Lockers with Door Hinges on Left
<b>Automatic Springbolt Locking Mechanism for Single Point Latch Lockers</b>	
1652	For Lockers with Door Hinges on Right
1653	For Lockers with Door Hinges on Left
<b>Automatic Springbolt Locking Mechanism for Box Type Lockers</b>	
1654	For Lockers with Door Hinges on Right
1655	For Lockers with Door Hinges on Left
<b>Manual Deadbolt Locking Mechanism for All Types of Lockers</b>	
1670	For Lockers with Door Hinges on Right
1671	For Lockers with Door Hinges on Left
CNTLKEYBI	Control Key



1630/1631

1652/1653



1654/1655

1670/1671

## All Purpose Key Operated

- Built-in locks for all locker applications
- High security, 5-pin tumbler cylinder for superior pick resistance
- Concealed mounting and rugged steel case deter vandalism
- Each model fits both left handed and right handed doors
- Appropriate for lockers with multiple users who are assigned access for short time periods
- Two keys provided for each lock

Master Lock Model #	Description
1710	High Security Cylinder and Manual Locking Deadbolt
1714	High Security Cylinder and Automatic Locking Springbolt



1710



1714

<b>Keying Options:</b>	KA-Keyed Alike, MK-Master Keyed, GK-Group Keyed
------------------------	---



**ADA Compliant options available. Visit our website for details:**  
[www.masterlock.com/ada](http://www.masterlock.com/ada)






## Zenex™ Thermoplastic Safety Lockout Padlocks

- Designed by Safety Directors specifically for OSHA lockout compliance
- Durable, lightweight, non-conductive Thermoplastic lock body is easy to carry
- Customize on-site with permanent, write-on “Danger” and “Property of” labels
- High security, reserved-for-safety cylinder – up to 100,000 key changes
- Compliance with OSHA “one employee, one lock, one key” directive
- Laser engraving service available for an additional charge
- Key retaining - ensures that padlocks are not left unlocked; S33 model only

Master Lock Model#	Thermoplastic Description	Vertical Shackle Clearance (B)
406	1-1/2 in. (38mm) w., 1-3/4 in. (44mm) Tall Body. Nylon Shackle Dim.: A: 1/4 in. (6mm) C: 25/32 in. (20mm)	1-1/2 in. (38mm)
410	1-1/2 in. (38mm) w., 1-3/4 in. (44mm) Tall Body. Shackle Dim.: A: 1/4 in. (6mm) C: 25/32 in. (20mm)	1-1/2 in. (38mm)
411	1-1/2 in. (38mm) w., 3 in. (72mm) Tall Body. Shackle Dim.: A: 1/4 in. (6mm) C: 25/32 in. (20mm)	1-1/2 in. (38mm)
0411-5705	Six #411 Laminated Photo I.D. Labels	n/a
S31	1-3/8 in. (35mm) w., 1-7/8 in. (48mm) Tall Body. Shackle Dim.: A: 3/16 in. (5mm) C: 5/8 in. (16mm)	1-1/2 in. (38mm)
S33	1-3/8 in. (35mm) w., 1-7/8 in. (48mm) Tall Body. Shackle Dim.: A: 3/16 in. (5mm) C: 5/8 in. (16mm)	1-1/2 in. (38mm)
S142	Photo ID labels - 406, 410, S31, S33	n/a

<b>Shackle Options:</b>	LT = 3 in. (72mm) - Lock Model 410, 411, S31, S33
-------------------------	---

<b>Color Options:</b>	Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, TEAL, PRP, BLK, WHT (S31 and S33 only)
-----------------------	---



S31RED



S142



410




0411-5705

411


Personalize 411 Safety Padlocks with an Employee Photo Order #0411-5705 contains six photo I.D. labels for 411. Key charting available, see page 5.

## Safety Lockout Hasps

- Lockout by up to six workers at each lockout point
- Keep equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Traditional, scissor-action hasps
  - Available in two jaw diameters to fit all applications
  - Durable heavy gauge steel construction
  - Insulated with bright vinyl coating
- Snap-On Hasp
  - Quick, one-handed attachment to energy switches and controls
  - Aluminum and stainless steel construction
  - Write-on, erase-off labels included for worker identification



420




427

Master Lock Model#	Description
420	1 in. (25mm) Inside Diameter, Scissor Hasp
421	1-1/2 in. (38mm) Inside Diameter, Scissor Hasp
427	1-3/8 in. (35mm) Inside Diameter, Snap-on Hasp

## Powder Coated Aluminum

- Baked-on powder-coated finish stays bright
- Ideal for corrosive and tough environments
- Tens of thousands of key changes available
- Rekeyable bodies for easy key system maintenance
- Hardened shackles for superior resistance to cutting
- Laser engraving service available for an additional charge
- Available in six vibrant colors for easy lockout customization



6835

Master Lock Model#	Powder Coated Aluminum Description	Vertical Shackle Clearance (B)
6835	1-1/2 in. (38mm) w. Body. Shackle Dim.: A: 1/4 in. (6mm) C: 3/4 in. (19mm)	1 in. (25mm)
6835-5700	Six #6835 Laminated Photo ID Labels	n/a

<b>Shackle Options:</b>	LF = 1-1/2 in. (38mm) LT = 3 in. (72mm)
-------------------------	--

<b>Color Options:</b>	Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK
-----------------------	--

## Steel Body

- Reinforced laminated steel construction
- Ideal when locks may be subjected to physical abuse
- Six bumper colors for segmentation by department, etc.
- 1,400 key changes available


Master Lock Model#	Laminated Steel Description	Vertical Shackle Clearance (B)
3	1-9/16 in. (40mm) w. Body. Shackle Dim.: A: 9/32 in. (7mm) C: 5/8 in. (16mm)	3/4 in. (19mm)

<b>Shackle Options:</b>	LF = 1-1/2 in. (38mm) - Lock Model 3 LH = 2 in. (51mm) - Lock Model 3
-------------------------	--

<b>Color Options:</b>	Add Desired Color Suffix: RED, YLW, BLU, WHT, GRN, BLK
-----------------------	--



3



## Key Charting Services Available on All Safety Padlock Models

Large users of padlocks may wish to track key codes used in their facility to ensure no key is duplicated. See page 5 for details.



S806

480-485

491B/493B

S3068

## Other Master Lock Safety Lockout Products

For more information on the most innovative Safety Products available, please see the Master Lock Safety Solutions product catalog (7000-0193) or visit [www.masterlocksafety.com](http://www.masterlocksafety.com)



## Python® Adjustable Locking Cable

- Patented cinch locking mechanism holds the cable tight for infinite locking positions
- Weather tough aluminum alloy body, cylinder shutter, and vinyl coated cable resist rust and operate in extreme conditions
- Keyed alike convenience with the removable, rekeyable cylinder—key to other Python™ locking cables, Master Lock padlocks or systems with the W1 cylinder
- Increased pick resistance with the patented, modified wafer cylinder
- Cut resistant, 3/8 in. (10mm) 100% steel, braided cable
- Interchangeable cables in 4 ft. (1.2m) to 30 ft. (9.1m) for application flexibility
- Order any cable length from 2 ft. to 30 ft. in 1 foot increments

Master Lock Model #	Description
<b>Python™ Adjustable Locking Cable</b>	
<b>8413</b>	6 ft. (1.8m) x 3/8 in. (10mm)
<b>8413CBL4</b>	4 ft. (1.2m) x 3/8 in. (10mm)
<b>8413CBL8</b>	8 ft. (2.4m) x 3/8 in. (10mm)
<b>8413CBL15</b>	15 ft. (4.6m) x 3/8 in. (10mm)
<b>8413CBL30</b>	30 ft. (9.1m) x 3/8 in. (10mm)
<b>Rekeying Parts Kit</b>	
<b>8491</b>	Disc Tumbler Rekeying Parts Kit

**Keying Options:** KD-Keyed Different and KA-Keyed Alike

## Cables, Cable Locks & Chains

- Keep trailers, generators, power tools and ladders securely locked
- All cables feature vinyl-coated braided steel wires for strength with flexibility
- High security chain with nylon sleeves protects high value property

Master Lock Model #	Description
<b>Cable Locks</b>	
<b>8119DPF</b>	3/8 in. (10mm) Diameter, 5 ft. (1.5m) Long Resettable Combination Cable Lock
<b>8154DPF</b>	3/8 in. (10mm) Diameter, 6 ft. (1.8m) Long Integrated Keyed Cable Lock
<b>8155DPF</b>	5/8 in. (15mm) Diameter, 6 ft. (1.8m) Long Integrated Keyed Cable Lock
<b>Braided Security Cables</b>	
<b>72DPF</b>	3/8 in. (10mm) Diameter, 15 ft. (4.6m) Long Braided Steel Cable w/Loops
<b>78DPF</b>	3/8 in. (10mm) Diameter, 6 ft. (1.8m) Long Braided Steel Cable w/Loops
<b>85DPF</b>	3/8 in. (10mm) Diameter, 4 ft. (1.2m) Long Braided Steel Cable w/Loops
<b>Chains</b>	
<b>8291DPS</b>	3/8 in. (10mm) Diameter, 3 ft. (91cm) Long Hardened Steel Chain




## U-Locks

- U-Locks provide maximum protection against prying, cutting, and sawing
- Double locking shackles for maximum pry resistance
- 7-pin tumbler for extreme pick resistance

Master Lock Model #	Description
<b>U-Locks</b>	
<b>8118DPF</b>	3-11/16 in. (9cm) w. Vinyl-Coated U-Lock; Works Great With Looped Cables
<b>8174DLWPF</b>	8-1/4 in. (21cm) w. Vinyl-Coated U-Lock







731

## Commercial Grade Hasps

- Solid steel body resists cutting, hammering and prying
- Hardened alloy locking eye withstands bolt cutters
- Hardened hinge pins


Master Lock Model #	Description	Accepts Shackle Dia. Up To:
730	7-1/4 in. (18cm) Straight Bar	7/16 in. (11mm)
731	90° Angle Bracket, Hasp Length: 5-3/16 in. (13cm)	
732	90° Angle Bar, Hasp Length: 4-3/4 in. (12cm)	
770	Hasp used w/6270 Padlock, Length: 9 in. (23cm)	n/a



730




732



770


See page 6 for 6270 hidden shackle padlock used with 770 hasp.



## Standard Security

- Ribbed steel body with rolled edges protects against prying
- Tamper-proof hinge protects against forcible attacks
- Hardened steel locking eye resists cutting

Master Lock Model #	Description	Accepts Shackle Dia. Up To:
720DPF	6-1/4 in. (16cm) Single-Hinge	7/16 in. (11mm)
722DPF	7-3/4 in. (20cm) Double-Hinge	



720DPF



720DPF




722DPF

## Hasplocks

- Integral locking mechanisms for convenient locking
  - Hardened steel hasps with locking eyes and laminated steel lock bodies
  - Choose from high security pin tumbler and standard security warded locking mechanisms

Master Lock Model #	Description	Hasp Length	Lock Body Width
475	Keyed Different, 4-Pin Tumbler	4-1/2 in. (11cm)	1-3/4 in. (44mm)
475KA	Keyed Alike, 4-Pin Tumbler		
450D	Keyed Different, Warded		



475



450D



## Auto, Truck and Trailer Protection

- Prevent theft and deter break-ins
- Steering wheel lock (no. 252) adjusts to fit all wheel types
- Protect unattended trailers with (no. 377) universal coupler lock; "1-size-fits-all" design securely encloses coupler socket
- Nos. 374 & 375 receiver hitch locks feature "snap-on" bodies, weather-protected cylinders

Master Lock Model #	Description
<b>Steering Wheel Locks</b>	
252DAT	Advanced Security Steering Wheel Lock; Quad Hook
<b>Coupler Locks</b>	
377DAT	Universal Coupler Lock
2847DAT	Adjustable Coupler Latch Lock; 6 locking positions from 9/16 in. (14mm) to 2-3/4 in. (56 mm)
37D	1-9/16 in. (40mm) Armored Coupler/Trigger Lock
605DAT	2 in. (51mm) Solid Brass Coupler/Trigger Lock
1471DAT	Coupler Latch Lock; 9/32 in. (7mm) Diameter x 3-1/2 in. (85mm) Long Shackle; Fits Surge-Brake and UFP Brand Coupler Latches
1475DAT	Coupler Latch Lock; 9/32 in. (7mm) Diameter x 7/8 in. (22mm) Long Shackle; Fits Surge-Brake and UFP Brand Coupler Latches
2999DAT	5/8 in. Chrome Plated Swivel Head, King Pin Coupler Lock
<b>Receiver Locks &amp; Pins</b>	
2866DAT	Receiver Lock; Fits both 1/2 in. (13mm) and 5/8 in. (16mm) Receiver Holes; Class I/II for 1/2 in. Pin and Class III/IV for 5/8 in. Pin
2848DAT	Receiver and Latch Lock; Stainless Steel Nos. 2847DAT and 2866DAT
1479DAT	Receiver Lock; 5/8 in. (16mm) Diameter x 2-1/2 in. (63mm) Long Shackle
1480DAT	Stainless Steel Receiver Lock; Removable Stainless Steel Shackle Sleeve; Fits Both 5/8 in. (16mm) and 1/2 in. (13mm) Receiver Holes
370DAT	Class II 1/2 in. (13mm) Diameter Hitch Pin and Clip
371DAT	Class III/IV 5/8 in. (16mm) Diameter Hitch Pin and Clip
<b>Semi-Trailer Lock</b>	
387	Keyed Different; High Security King Pin Lock
387KA	Keyed Alike; High Security King Pin Lock
<b>Spare Tire &amp; Lug Nut Locks</b>	
613DAT	6 ft. (1.8m) Self-Coiling Steel Cable & No. 311 Weather Tough Steel Lock
614DAT	6 ft. (1.8m) Self-Coiling Steel Cable & No. 141 Covered Brass Padlock
262DAT	Spare Tire Lock, Lug Nut Style



## Specialty Locks

- Titanium Series™ padlocks feature protected shackles and sleek design:
  - Easy to remove and apply; even in tight spaces
  - Front access keyway is convenient to use with sliding cover to keep dirt out
- Single post and discus-style locks are ideal for valves, vending machines and self-storage facilities
- TSA-Accepted Set-Your-Own Combination Lock (no. 4687)
  - Allows TSA screeners to inspect and relock baggage, without damaging the lock
  - Instant alert indicator signals when lock has been opened by the TSA
  - Great for tool boxes, cabinets, luggage and sport bags
- Key Safe Set-Your-Own Combination Lock (no. 5400 & 5401)
  - The safest place for your key
  - Storage compartments hold up to five house, car or padlock keys

Master Lock Model #	Description
<b>Titanium Series Padlocks</b>	
185D	1-15/16 in. (49mm) Wide; Keyed Different
187XD	2-5/16 in. (59mm) Wide; Keyed Different
<b>Shrouded and Protected Shackle Padlocks</b>	
40DPF	Keyed Different
443	Keyed Different 5/8 in. (16mm) Post
<b>TSA-Accepted Padlocks</b>	
4687DNKL	1-3/16 in. (30mm) TSA-Accepted Set-Your-Own Combination Lock with Indicator, Nickel Finish
<b>Key Safes</b>	
5400D	3-1/4 in. (83mm) Wide; Portable Set-Your-Own
5401D	3-1/4 in. (83mm) Wide; Wall-Mounted Set-Your-Own Combination Lock
<b>Keying Options:</b>	KD-Keyed Different (default option), KA-Keyed Alike



## Lock Lubricant with PTFE

- The ideal lubricant for multiple lock applications including: padlocks, door locks, automotive, marine and multipurpose applications
- PTFE formulation cleans the lock components while lubricating and leaves behind a protective shield against dust, dirt, salt, moisture and other corrosive materials
- Excellent for locks used within a wide temperature range and will help de-ice pre-lubricated locks
- Lubricant helps maintain lock performance and increases the life of your security products

Master Lock Model #	Description
2305	5.25 oz. Aerosol Can, PTFE Dry Formula
2311	11 oz. Aerosol Can, PTFE Dry Formula
2300D	0.25 oz. Pen, PTFE Oiler, Retail Carded Package





## Product Displays

- Attractive displays generate impulse sales
- Customers are able to handle real products
- Illustrations and product feature copy to help make selection easier

Master Lock Model #	Description
<b>Two-Sided Spinners</b>	
1219DSPL	17.5 in. Tall Rotating Counter Display – Display Only
1222DSPL	15 in. Tall Rotating Counter Display – Display Only
2038AFE	Product Kit with Graphic Insert and 410RED Safety Lockout Padlocks
2038ALSS	Product Kit with Graphic Insert and American Lock A5400 Stainless Steel locks
2038LUBE	Product Kit with Graphic Insert and 2300D Oiler Pens
2038RES	Product Kit with Graphic Insert and 1175D Resettable Combination locks
2038SPE	Product Kit with Graphic Insert and 1573 Letter Lock™ and 1500iD Speed Dial™ Combination Locks
2038TRC	Product Kit with Graphic Insert and 975D Resettable Padlocks
2038TSA	Product Kit with Graphic Insert and 4688D Combination Luggage Locks
2038WTP	Product Kit with Graphic Insert and 6121D ProSeries® WeatherTough® Padlocks
2040KSF	Product Kit with Graphic Insert and 5422D and 5423D Push Button Lock Boxes
2040PYT	Product Kit with Graphic Insert and 8418D Python® Adjustable Locking Cable
<b>Showroom Signage</b>	
MLLOCKSIGN	Master Lock “Security and Safety Sold Here” 24 in. x 10 in. Header Sign
<b>Counter Displays</b>	
1224BMP1	Display Tray with 3 each of Nos. 3NDLHCOM, 5NTCOM and 1NDLJ
1286LUBE	Display Tray with 24 No. 2300D Oiler Pens
2300DCLP	Clip Strip with 12 No. 2300D Oiler Pens



2038LUBE



2038SPE



2038RES



2038ALSS



2038TRC



2038WTP



2038SAFE



2038TSA



2300DCLP



1286LUBE



1224BMP1



MLLOCKSIGN



2040KSF



2040PYT



Master Lock Model #	Description
<b>Commercial Product Wall Displays</b>	
1314	Commercial Security Product Assortment (Small) Product Kit; (2) of each of the following products - Master Lock 1DLJCOM 2 1/2" laminated steel padlock - hardened steel shackle, 175D Four Digit Combination brass case padlock, 6121D Weather Tough® padlock; American Lock A21D Solid Brass High Security padlock. 8" (20.3 cm) x 15" (38.1 cm), individual product header cards and (4) product hooks included.
1315	Commercial Security Product Assortment (Medium) Product Kit; (2) of each of the following products - Master Lock 1DLJCOM 2 1/2" laminated steel padlock - hardened steel shackle, 5DCOM 2" laminated steel padlock - boron shackle, 175D Four Digit Combination brass case padlock, 6121D Weather Tough® padlock; American Lock A875D Straight Bar Single Hinge hasp, A21D Solid Brass High Security padlock, A700D Solid Steel High Security padlock - 1 1/16" Boron Alloy Steel Shackle. 18" (45.7 cm) x 23" (58.4 cm), individual product header cards and (8) product hooks included.
1316	Commercial Security Product Assortment (Large) Product Kit; (2) of each of the following products - Master Lock 1DLJCOM 2 1/2" laminated steel padlock - hardened steel shackle, 5DCOM 2" laminated steel padlock - boron shackle, 175D Four Digit Combination brass case padlock, 1175D Pro Series® resettable combination padlock, 6121D Weather Tough® padlock, 6321D Pro Series® Rekeyable High Security padlock, 5422D Portable Lock Box; American Lock A875D Straight Bar Single Hinge hasp, A21D Solid Brass High Security padlock, A700D Solid Steel High Security padlock - 1 1/16" Boron Alloy Steel Shackle, A5260D Solid Steel High Security Rekeyable padlock - 1 1/8" Boron Alloy Steel Shackle, A800LHCD Hidden Shackle Padlock and Hasp. 19" (48.3 cm) x 34" (86.4 cm), individual product header cards and (15) product hooks included.
2039DSPL	Automotive Towing Security Wall Display Product Kit; (2) of each of the following products – Master Lock: 379DAT Universal Coupler Lock, 2847DAT Coupler Latch Lock, 1469DAT Extended Length Barbell Receiver Lock, 2848DAT Keyed Alike Receiver Lock and Coupler Latch Lock 18 in. x 21.5 in. (457mm x 546mm) Graphic and (7) product hooks included



1314



1315



1316



2039DSPL







# Online Services

## **masterlock.com**

The official website for all Master Lock padlocks and security products. Right from the home page, find your recommended security product in 3 easy steps, view our latest innovations, connect with us for service and support, and much more!



## **masterdoorlock.com**

The official website for residential, commercial, and multi-family recodable door hardware offers a variety of resources ranging from product information to customer support. Learn about Master Lock exclusive features such as NightWatch®, BumpStop®, and Antibacterial Silver Bonded finish in one easy click of the mouse.



## **americanlock.com**

The official website for all American Lock padlocks and security products. With 100 years of precision machining and quality manufacturing, American Lock products exceed commercial industry standards.



## **masterlocksafety.com**

Master Lock Safety Solutions offers a complete line of Safety Lockout/Tagout products, to complement our full range of safety padlocks. View our full line of LO/TO products; electrical, ball and gate valve, and cable lockouts; individual or group kits and stations; and Guardian Extreme™ signs and tags.



**More support at [www.masterlock.com](http://www.masterlock.com)**



[www.masterlock.com](http://www.masterlock.com)

Master Lock Company LLC, Milwaukee, WI 53154 U.S.A. | 800-308-9242  
Master Lock Canada, Oakville, Ontario L6H 5S7 Canada | 800-227-9599  
© 2014 Master Lock Company LLC | All Rights Reserved

**Master  
Lock®**