



NEWBORN

Shaping the Future of Caulking Tools

TABLE OF CONTENTS

HYBRIDTECH GUNS



ACCESSORIES



BULK/ SAUSAGE



- 01 SINGLE COMPONENT**
012-DC, 77/035, 101/105, 102D-CB, 109D, 111-CB/125, 112D-CB, 114D, 115D, 188/215, 189D/217D, U-LITE
- 04 SINGLE COMPONENT - HYBRIDTECH**
211-HTS, 212-HTD, 288-HTR
- 05 SINGLE COMPONENT - ZINC CHROMATE**
301, 307/315, 330
- 06 SINGLE COMPONENT - GATOR TRIGGER™**
910-GTR/915-GTR, 920-GTS, 930-GTD, 940-GTD, 950-GTS, 960-GTR, 980-GTD
- 08 SINGLE COMPONENT - HIGH THRUST**
150, 250/255, 301-XSP, 373-XSP, 375-XSP
- 10 BULK/SAUSAGE**
224/232, 224-LITE/232-LITE, 316/324/332, 416/424, 490-GTR, 532, 624-GTS/632-GTS, 610AL/620AL
- 13 DUAL COMPONENT**
DR100N, DR100VT, VR200-XSP/VR400-XSP, VR210-DF, 435-XSP, 510/515-SP, 520/530, 535-XSP, 655-XSP, 750-XSP/751-XSP, 755-XSP
- 16 PNEUMATIC MODELS**
710AL-12/710AL-20/710AL-30, 725AL-12/725AL-30, 724/732
- 17 DUAL COMPONENT - PNEUMATIC**
830A15/830A30, 850A30/850A75, 860A75, VR200A83, VR400A83, VR400A85, EPOXY APPLICATOR ACCESSORIES
- 19 SPECIALTY MODELS**
408N, 377, X-TENDER ACCESSORIES
- 20 ACCESSORIES**
BRUTE BOND, CASE KITS, ALL OTHER ACCESSORIES
- 23 OUR STAFF**



Newborn has been providing quality sealant and adhesive dispensers and accessories since 1974. Our mission is simple: To provide innovative products engineered to last and that make dispensing and applying sealants and adhesives easier.

We accomplish our mission by continuously listening to the feedback of everyone including end-users, distributors and manufacturers in multiple industries such as waterproofing, restoration, concrete repair, painting, hardware, glazing, automotive, aerospace, military, solid surface, firestop, DIY... the list goes on.

It is our desire to solve any issues, seen or unseen, based on this feedback as well as our expertise and knowledge. We work passionately to be the leader in innovation and improvements to dispensing technology and to provide only the best quality that will guarantee to keep you at the forefront of your respective industry.

Newborn...“Shaping the Future of Caulking Tools”



MODEL 012-DC

Round Rod Cradle Frame

3:1 • Non-Drip
10 oz. - 24/case



MODELS 77/035

Ratchet Rod Cradle Frame

6:1 Thrust
77: 10 oz. - 12/case
035: 29 oz. - 6/case



MODELS 101/105

Smooth Rod Cradle Frame

10:1 Thrust • Ladder Hook
101: 10 oz. - 12/case
105: 29 oz. - 6/case - Includes: Seal Puncture Tool/Spout Cutter (Model 105 only)



MODEL 102D-CB

Drip-Free Hex Rod Cradle Frame

10:1 Thrust • Patented Caulk Buddy Finishing Tool w/ Caps • Seal Puncture Tool/Spout Cutter • Ladder Hook • Welded Backcap
10 oz. - 12/case
US Patent 7,127,769



MODEL 109D

Drip-Free Hex Rod Parallel Frame
 5:1 Thrust • Lightweight Nylon Fiberglass • Seal Puncture Tool/Spout Cutter • Ladder Hook
 10 oz. - 12/case



MODELS 111-CB/125

Hex Rod Parallel Frame
 10:1 Thrust • Seal Puncture Tool/Spout Cutter • Ladder Hook • E-Z Load Front Cap
111-CB: 10 oz. - 12/case
 Includes: Patented Caulk Buddy Finishing Tool w/Caps
US Patent 7,127,769
125: 29 oz. - 6/case



MODEL 112D-CB

Drip-Free Hex Rod Parallel Frame
 10:1 Thrust • Patented Caulk Buddy Finishing Tool w/ Caps • Seal Puncture Tool/Spout Cutter • Ladder Hook • E-Z Load Front Cap
 10 oz. - 12/case
US Patent 7,127,769



MODEL 114D

Dripless on Demand Hex Rod Parallel Frame
 Adjustable Thrust Ratio (10:1 to 7:1) • Seal Puncture Tool/Spout Cutter • Ladder Hook • E-Z Load Front Cap
 10 oz. - 12/case



MODEL 115D

Non-Drip Hex Rod Parallel Frame

7:1 Thrust • Heat Treated Rod & Friction Plate
 Eliminates Scoring • Seal Puncture Tool • Ladder Hook
 • Extra Thick Front Cap • Push Disk Fastened with Heavy
 Duty Locknut
 10 oz. - 12/case



MODELS 188/215

Ratchet Rod Cradle Frame

6:1 Thrust • Finger Guard • Seal Puncture Tool/
 Spout Cutter • Ladder Hook • Heat Treated Dogs
 • Welded Backcap
188: 10 oz. - 12/case
215: 29 oz. - 6/case



MODELS 189D/217D

Drip-Free Super Ratchet Rod Cradle Frame

6:1 Thrust • Finger Guard • Seal Puncture Tool/
 Spout Cutter • Ladder Hook • Heat Treated Dogs
 • Welded Backcap
189D: 10 oz. - 12/case
217D: 29 oz. - 6/case



MODEL U-LITE

Non-Drip Smooth Rod Frameless

10:1 Thrust • Lightweight & Compact Design • Seal
 Puncture Tool/Spout Cutter • Ladder Hook • Quick & Easy
 Snap In/Pop Out Cartridge Loading & Unloading
 • Ergonomic Grip for All Size Hands
 10 oz. - 12/case

SINGLE COMPONENT

HYBRIDTECH

HYBRIDTECH



MODEL 211-HTS

Hex Rod Parallel Frame

10:1 Thrust • Rigid Steel Frame with Patent Pending Locking Mechanism • Specially Designed Composite Ergonomic Trigger • Zinc Chromate Plated • Seal Puncture Tool/Spout Cutter • Ladder Hook • E-Z Load Front Cap

10 oz. - 10/case

DRIP-FREE™ HYBRIDTECH



MODEL 212-HTD

Drip-Free Hex Rod Parallel Frame

10:1 Thrust • Rigid Steel Frame with Patent Pending Locking Mechanism • Specially Designed Composite Ergonomic Trigger • Seal Puncture Tool/Spout Cutter • Ladder Hook • E-Z Load Front Cap

10 oz. - 10/case

HYBRIDTECH



MODEL 288-HTR

Ratchet Rod Parallel Frame

6:1 Thrust • Rigid Steel Frame with Patent Pending Locking Mechanism • Specially Designed Composite Ergonomic Trigger • Heat Treated Dogs • Seal Puncture Tool/Spout Cutter • Ladder Hook • E-Z Load Front Cap

10 oz. - 10/case

SINGLE COMPONENT ZINC CHROMATE



MODEL 301

Hex Rod Cradle Frame

- 12:1 Thrust • Seal Puncture Tool/Spout Cutter
- Ladder Hook • Wrist Strap • Welded Backcap
- Zinc Chromate Plated

10 oz. - 6/case



MODELS 307/315

Ratchet Rod Cradle Frame

- 6:1 Thrust • Finger Guard • Seal Puncture Tool/Spout Cutter
- Ladder Hook • Heat Treated Dogs • Wrist Strap
- Welded Backcap • Zinc Chromate Plated

307: 10 oz. - 6/case

315: 29 oz. - 6/case



MODEL 330

Hex Rod Parallel Frame

- 12:1 Thrust • Seal Puncture Tool/Spout Cutter
- Ladder Hook • Wrist Strap • Zinc Chromate Plated

10 oz. - 6/case

SINGLE COMPONENT GATOR TRIGGER™



MODELS 910-GTR/915-GTR

Super Ratchet Rod Cradle Frame

- 6:1 Thrust • Patented Gator Trigger Comfort Grip
- Seal Puncture Tool/Spout Cutter • Ladder Hook
- Heat Treated Dogs • Welded Backcap

910-GTR: 10 oz. - 12/case

915-GTR: 29 oz. - 6/case

US Patent 7,398,899



MODEL 920-GTS

Hex Rod Parallel Frame

- 10:1 Thrust • Patented Gator Trigger Comfort Grip
- Seal Puncture Tool/Spout Cutter • Ladder Hook
- E-Z Load Front Cap

10 oz. - 12/case

US Patent 7,398,899



MODEL 930-GTD

Drip-Free Hex Rod Cradle Frame

- 10:1 Thrust • Patented Gator Trigger Comfort Grip
- Seal Puncture Tool/Spout Cutter • Ladder Hook
- Welded Backcap

10 oz. - 12/case

US Patent 7,398,899



MODEL 940-GTD

Drip-Free Hex Rod Parallel Frame

- 10:1 Thrust • Patented Gator Trigger Comfort Grip
- Seal Puncture Tool/Spout Cutter • Ladder Hook
- E-Z Load Front Cap

10 oz. - 12/case

US Patent 7,398,899



MODEL 950-GTS

Hex Rod Cradle Frame

- 12:1 Thrust • Patented Gator Trigger Comfort Grip
- Seal Puncture Tool/Spout Cutter • Ladder Hook
- Welded Backcap • Zinc Chromate Plated

10 oz. - 6/case

US Patent 7,398,899



MODEL 960-GTR

Super Ratchet Rod Cradle Frame

- 6:1 Thrust • Patented Gator Trigger Comfort Grip
- Seal Puncture Tool/Spout Cutter • Ladder Hook
- Heat Treated Dogs • Welded Backcap
- Zinc Chromate Plated

10 oz. - 6/case

US Patent 7,398,899



MODEL 980-GTD

Dripless on Demand Hex Rod Revolving Frame

- Adjustable Thrust (12:1 or 6:1) • Patented Gator Trigger Comfort Grip
- Seal Puncture Tool/Spout Cutter
- Ladder Hook • Revolving Frame with Rotation Lock
- Zinc Chromate Plated

10 oz. - 6/case

US Patent 7,398,899

SINGLE COMPONENT HIGH THRUST



MODEL 150

Round Rod Revolving Frame

- 12:1 Thrust • Zinc Alloy Handle • Heat Treated Rod
 - Ladder Hook • Precision Sintered Friction Plate
- 10 oz. - 6/case



MODELS 250/255

Super Smooth Rod Revolving Frame

- 18:1 Thrust • Zinc Alloy Handle • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse-Punched Gripping Plate • Heat Treated Rod • Extra Durable Parts • Seal Puncture Tool/Patented Spout Cutter • Ladder Hook

250: 10 oz. - 6/case

255: 29 oz. - 6/case

US Patent 6,176,398



MODEL 301-XSP

Hex Rod Cradle Frame

- 26:1 Thrust • Patented Gator Trigger Comfort Grip
- Seal Puncture Tool/Spout Cutter • Ladder Hook
- Welded Backcap

10 oz. - 6/case

US Patent 7,398,899



MODEL 373-XSP

Super Smooth Rod Revolving Frame

26:1 Thrust • Zinc Alloy Handle w/Rubber Coated Comfort Grip • Heat Treated Rod • Extra Durable Parts • Seal Puncture Tool • Ladder Hook

10 oz. - 6/case

US Patent 6,176,398



MODEL 375-XSP

Super Smooth Rod Revolving Frame

26:1 Thrust • Hammer Finished Alloy Handle w/Rubber Coated Comfort Grip • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse-Punched Gripping Plate • Heat Treated Rod • Extra Durable Parts • Ladder Hook

10 oz. - 6/case

US Patent 6,176,398

BULK/ SAUSAGE



MODELS 224/232

Square Rod Steel Barrel

7:1 Thrust • Leather Cups/Floating Sausage Cup
 • Ring Cap, 3 Cones, and OV-25 (1/2") Nozzle • Bell Washer (Metal Conical Ejector) • Leather Cup Spreaders (2)
 • Replacement Parts Available • Optional Carrying Case Available (see page 20)

224: 24 oz. Bulk; 10 oz. & 20 oz. Sausage - 1/case

232: 32 oz. Bulk; 10 oz., 20 oz & 30 oz. Sausage - 1/case



MODELS 224-LITE/232-LITE

Square Rod Aluminum Barrel

7:1 Thrust • Leather Cups/Floating Sausage Cup
 • Ring Cap, 3 Cones, and OV-25 (1/2") Nozzle
 • Bell Washer (Metal Conical Ejector) • Leather Cup Spreaders (2) • Replacement Parts Available
 • Optional Carrying Case Available (see page 20)

224-LITE: 24 oz. Bulk; 10 oz. & 20 oz. Sausage - 1/case

232-LITE: 32 oz. Bulk; 10 oz., 20 oz. & 30 oz. Sausage - 1/case



MODELS 316/324/332

Standard Hex Rod Steel Barrel

12:1 Thrust • Ring Cap and 3 Cones • Replacement Parts Available • Optional Carrying Case Available (see page 20)

316: 16 oz. Bulk; 10 oz. Sausage 8-1/2" & 10" Cartridge - 1/case. Multi Chemical Resistant Twin Hytrel Cup (Leather Cups Optional); OV-21 (3/8") Nozzle Included

324: 24 oz. Bulk; 10 oz & 20 oz. Sausage; 8-1/2" & 10" Cartridge - 1/case. Leather Cups with Floating Sausage Cup, OV-25 (1/2") Oval Nozzle Included.

332: 32 oz. Bulk; 10 oz, 20 oz., & 30 oz. Sausage; - 1/case. Leather Cups with Floating Sausage Cup, OV-25 (1/2") Oval Nozzle Included.



MODELS 416/424

Ratchet Rod Steel Barrel

- 6:1 Thrust • Multi-Chemical Resistant Twin Hytel Cup (Leather Cups Optional) • Ring Cap and 3 Cones,
- Chamfered Barrel Ends for Easy Cup Installations
- Wrist Strap • Replacement Parts Available • Optional Carrying Case Available (see page 20)

416: 16 oz. Bulk; 10 oz. Sausage; 8-1/2" & 10" Cartridge - 1/case. OV-21 (3/8") Oval Nozzle Included.

424: 24 oz. Bulk; 10 oz., & 20 oz. Sausage; 8-1/2" & 10" Cartridge - 1/case. OV-25 (1/2") Oval Nozzle Included.



MODEL 490-GTR

Ratchet Rod Aluminum Barrel

- 6:1 Thrust • 88 oz. Capacity - Great for Large Jobs
- Lightweight, Yet Heavy Duty Aluminum Barrel
- Extra Deep Ratchet Teeth • Patented Gator Trigger Comfort Grip • Replacement Parts Available

88 oz. - 1/case

US Patent 7,398,899



MODEL 532

Tuck Point / Grout Dispenser

- 12:1 Thrust • Zinc Alloy Handle • Precision Sintered Friction Plate • Revolving Barrel to Go Around Corners
- Includes (1) Tuck Point Nozzle; (1) Grout Nozzle; (1) Tube

32 oz. - 1/case



"ADJUST-A-STROKE™"



MODELS 624-GTS/632-GTS

Deluxe Hex Rod Steel Barrel

- Adjustable Thrust (14:1 or 7:1) • Patented Gator Trigger Comfort Grip • Rotating Barrel with Lock • Heated Treated Rod for Longer Rod Life • Ring Cap and 3 Cones Included
- OV-25 (1/2") Oval Nozzle Included • Leather Cups Standard with Floating Sausage Cup • Effective Trigger Grip (ETG) for Longer Rod Life • Replacement Parts Available • Optional Carrying Case Available (see page 20)

624-GTS: 24 oz. Bulk; 10 oz & 20 oz. Sausage; 8-1/2" & 10" Cartridge - 1/case.

632-GTS: 32 oz. Bulk; 10 oz, 20 oz., & 30 oz. Sausage; -1/case

US Patent 6,176,398; 7,398, 899



MODELS 610AL/620AL








Smooth Rod Aluminum Barrel

- 18:1 Thrust
- Zinc Alloy Handle
- Sausage Only Cup
- Multi-Chemical Resistant Twin Hytrel Cup for Bulk/Sausage
- Bulk/Sausage Conical Ejector
- Heat Treated Rod for Longer Gun Life
- Precision Sintered Friction Plate
- Easy Release Star-Burst Reverse-Punched Gripping Plate
- (3) PC-620 Cones
- Optional Carrying Case Available (see page 20)

610AL: 10 oz. Bulk; 10 oz. Sausage; 8-1/2" & 10"
Cartridge -1/case

620AL: 24oz. Bulk; 10 oz. & 20 oz. Sausage; 8-1/2" & 10"
Cartridge - 1/case

Model 620AL is available in these colors & designs at time of printing. Please call or check our website for current options. Private label/custom design options are available.



DUAL COMPONENT



MODEL DR100N

Variable Ratio Applicator

For use with 200ml Dual Epoxy Cartridge • 26:1 Thrust
 • Easily Converts in Just Seconds to Mix Ratios of 1:1 and 2:1 with Snap In/Snap Out Push Disks • Patented Cartridge Stabilizing Plate for Extra Support • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse-Punched Gripping Plate • Hammer Finished Alloy Handle

1/case
 US Patents 6,176,398; 6,290,101



MODEL DR100VT

Dedicated Ratio Applicator

For use with 6 oz. Dual Epoxy Cartridge • 18:1 Thrust
 • Semi-Cradle Frame for Extra Cartridge Support
 • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse-Punched Gripping Plate
 • Zinc Alloy Handle

1/case
 US Patent 6,176,398



MODELS VR200-XSP/VR400-XSP

Variable Ratio Applicator

26:1 Thrust • Easily Converts in Just Seconds to Mix Ratios of 1:1, 2:1, 4:1, and 10:1 with Snap In/Snap Out Push Disks
 • Extra Durable, Heat Treated Piston Rod • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse-Punched Gripping Plate • Hammer Finished Alloy Handle w/Rubber Coated Comfort Grip

VR200-XSP: For use with 200ml Cartridges - 1/case
VR400-XSP: For use with 400ml and 200ml Cartridges - 1/case
 US Patent 6,176,398



MODEL VR210-DF

Dedicated Ratio Applicator

26:1 Thrust • For Use with 210ml - 10:1 Mix Ratio Dual Epoxy Cartridge • Innovative Drip-Free Mechanism Prevents Excess Material Flow • 3 Side Bar Design for Durability for Cartridge Position and Support • Hammer Finished Alloy Handle w/Rubber Coated Comfort Grip
210ml - 1/case
US Patent 6,176,398



MODEL 435-XSP

Multi Ratio Applicator

26:1 Thrust • Patented Cartridge Stabilizing Plate for Extra Cartridge Support • Extra Durable Heat Treated Piston Rod • Easy Release Star-Burst Reverse-Punched Gripping Plate • Hammer Finished Alloy Handle
300ml x 300ml; 300ml x 150ml - 1/case
US Patents 6,176,398; 6,290,101



MODELS 510/515-SP

Multi Ratio Applicator

Easily Converts in Just Seconds with Snap In/Snap Out Push Disks • Static Mixer Cutter • Instant Pressure Release Bar
510: 10:1 Thrust; 150ml x 150ml; 150ml x 75ml; 75ml x 75ml - 1/case
515-SP: 20:1 Thrust; 300ml x 300ml; 300ml x 150ml; 150ml x 150ml - 1/case



MODELS 520/530

Multi Ratio Applicator

18:1 Thrust • Easily Converts in Just Seconds with Snap In/Snap Out Push Disks • Patented Cartridge Stabilizing Plate for Extra Support • Extra Durable, Heat Treated Piston Rod • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse Gripping Plate • Zinc Alloy Handle
520: 150ml x 150ml; 150ml x 75ml; 75ml x 75ml - 1/case
530: 300ml x 300ml; 300ml x 150ml; 300ml x 75ml; 150ml x 150ml; 150ml x 75ml - 1/case
US Patents 6,176,398; 6,290,101



MODEL 535-XSP

Multi Ratio Applicator

26:1 Thrust • Easily Converts in Just Seconds with Snap In/Snap Out Push Disks • Patented Cartridge Stabilizing Plate for Extra Support • Extra Durable, Heat Treated Piston Rod • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse-Punched Gripping Plate • Hammer Finished Alloy Handle w/Rubber Coated Comfort Grip
 300ml x 300ml; 300ml x 150ml; 300ml x 75ml; 150ml x 150ml; 150ml x 75ml - 1/case
 US Patents 6,176,398; 6,290,101



MODEL 655-XSP

Multi Ratio Applicator

26:1 Thrust • Easily Converts in Just Seconds to Mix Ratios of 1:1 and 2:1 with Snap In/Snap Out Push Disks • Patented Cartridge Stabilizing Plate for Extra Support • Extra Durable, Heat Treated Piston Rod • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse-Punched Gripping Plate • Zinc Alloy Handle w/Rubber Coated Comfort Grip
 600ml x 600ml; 600ml x 300ml - 1/case
 US Patents 6,176,398; 6,290,101



MODELS 750-XSP/751-XSP

Multi Ratio Applicator

26:1 Thrust • Extra Durable, Heat Treated Piston Rod • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse-Punched Gripping Plate • Hammer Finished Alloy Handle w/Rubber Coated Comfort Grip
750-XSP: 750ml x 75ml - 1/case
751-XSP: 750ml x 150ml; 750ml x 100ml - 1/case
 US Patents 6,176,398; 6,290,101




MODEL 755-XSP

Multi Ratio Applicator

18:1 Thrust • Easily Converts in Just Seconds with Snap In/Snap Out Push Disks • Patented Cartridge Stabilizing Plate for Extra Support • Extra Durable, Heat Treated Piston Rod • Precision Sintered Friction Plate • Easy Release Star-Burst Reverse Gripping Plate • Zinc Alloy Handle w/Rubber Coated Comfort Grip
 750ml x 750ml; 750ml x 300ml - 1/case
 US Patents 6,176,398; 6,290,101

PNEUMATIC MODELS

One Universal Handle
Accepts All 3 Barrels:



Newborn's innovative 710AL pneumatic system allows the user to extrude materials from 10 oz. and 29 oz. cartridges and/or 10 oz. or 20 oz. sausage packs by simply changing barrels. Purchase a complete unit containing the universal handle and all three barrels or purchase a universal handle and add the additional barrels as you need them.



MODEL 710AL SERIES

Single Component Pneumatic

120 lbs. PSI • Air Pressure Regulator • Lightweight Quick Change Aluminum Barrel • Auto Release Shut Off Valves • Safety Valve in Handle • Quick Disconnect Nipple

710AL-12: 10 oz. Cartridge - 1/case

710AL-20: 10 oz. / 20 oz. Sausage - 1/case

710AL-30: 29 oz. Cartridge - 1/case



MODELS 725AL-12/725AL-30

Rod Driven Cartridge Pneumatic

Nominal Thrust 490 lbs. @ 100 PSI, 2.5" Cylinder

• Extra Power for Viscous Materials • Ideal for Universal Cartridge Systems • True Air Regulator Controls Flow • Lightweight Quick Change Aluminum Barrel • Safety Valve in Handle • Air Dump Valve Stops Flow Instantly • Reverse Air • Quick Disconnect Nipple

725AL-12: 10 oz. Cartridge - 1/case

725AL-30: 29 oz. Cartridge - 1/case



MODELS 724/732

Bulk / Sausage Pneumatic

100 PSI • Leather Cups Standard with Floating Sausage Cup • Air Pressure Regulator • OV-25 Oval Nozzle (1/2"), Ring Cap, and 3 Cones Included
• Auto Release Shut Off Valve

724: 24 oz. Bulk; 10 oz. & 20 oz Sausage - 1/case

732: 32 oz. Bulk; 10 oz., 20 oz., & 30 oz. Sausage - 1/case



MODELS 830A15/830A30

Multi Ratio Pneumatic Applicator

Nominal Thrust 490 lbs. @ 100 PSI/2.5" Cylinder • Easily Converts in Just Seconds with Snap In/Snap Out Push Disks • Patented Cartridge Stabilizing Plate for Extra Cartridge Support • Adjustable Heavy Duty Aluminum Air Regulator • Air Dump Valve Stops Flow Instantly
• Reverse Air • Quick Disconnect Nipple

830A15: 150ml x 150ml; 150ml x 75ml; 75ml x 75ml - 1/case

830A30: 300ml x 300ml; 300ml x 150ml; 300ml x 75ml; 150ml x 150ml; 150ml x 75ml -1/case

US Patent 6,290,101



MODELS 850A30/850A75

Multi Ratio Pneumatic Applicator

Nominal Thrust 1100 lbs. @ 100 PSI/4" cylinder • Easily Converts in Just Seconds with Snap In/Snap Out Push Disks • Patented Cartridge Stabilizing Plate for Extra Cartridge Support • Adjustable Heavy Duty Aluminum Air Regulator • Air Dump Valve Stops Flow Instantly
• Reverse Air • Quick Disconnect Nipple

850A30: 300ml x 300ml; 300ml x 150ml; 300ml x 75ml; 150ml x 150ml - 1/case

850A75: 750ml x 750ml; 750ml x 300ml; 750ml x 75ml; 600ml x 600ml; 600ml x 300ml; 300ml x 300ml; 300ml x 75ml -1/case

US Patent 6,290,101



MODEL 860A75

Multi Ratio "Combo Trigger" Pneumatic Applicator

Nominal Thrust 1100 lbs. @ 100 PSI/4" Cylinder
• No Conversions Needed to Go From Horizontal Suitcase Grip to Vertical/Pistol Grip • Innovative Rotatable Trigger, Switch & Valves Allow for Your Preferred Dominant Trigger/Grip Orientation • Easily Converts in Just Seconds with Snap In/Snap Out Push Disks • Patented Cartridge Stabilizing Plate for Extra Cartridge Support • Adjustable Heavy Duty Aluminum Air Regulator • Air Dump Valve Stops Flow Instantly
• Reverse Air • Quick Disconnect Nipple

860A75: 750ml x 750ml; 750ml x 300ml; 750ml x 75ml; 600ml x 600ml; 300ml x 300ml; 300ml x 300ml; 300ml x 75ml -1/case

US Patents 6,290,101; 8,991,651



MODEL VR200A83

Variable Ratio Pneumatic Applicator

Nominal Thrust 490 lbs. @ 100 PSI/2.5" Cylinder
 • For Use with 200ml Cartridges • Easily Converts in Just Seconds (To 1:1, 2:1, 4:1, and 10:1 Mix Ratios) with Snap In/Snap Out Push Disks • Slide In/Side Load
 • Adjustable Heavy Duty Aluminum Air Regulator
 • Air Dump Valve Stops Flow Instantly • Reverse Air
 • Quick Disconnect Nipple • All Size Push Disks Included
 200ml Cartridges - 1/case
 US Patent 6,290,101



MODEL VR400A83

Variable Ratio Pneumatic Applicator

Nominal Thrust 490 lbs. @ 100 PSI/2.5" Cylinder
 • For Use with 200ml & 400ml Cartridges • Easily Converts in Just Seconds (To 1:1, 2:1, 4:1, and 10:1 Mix Ratios) with Snap In/Snap Out Push Disks • Slide In/Side Load
 • Adjustable Heavy Duty Aluminum Air Regulator
 • Air Dump Valve Stops Flow Instantly • Reverse Air
 • Quick Disconnect Nipple • All Size Push Disks Included
 200ml & 400ml Cartridges - 1/case
 US Patent 6,290,101



MODEL VR400A85

Variable Ratio Pneumatic Applicator

Nominal Thrust 1100 lbs. @ 100 PSI/4" Cylinder
 • For Use with 200ml & 400ml Cartridges • Easily Converts in Just Seconds (To 1:1, 2:1, 4:1, and 10:1 Mix Ratios) with Snap In/Snap Out Push Disks • Slide In/Side Load
 • Adjustable Heavy Duty Aluminum Air Regulator
 • Air Dump Valve Stops Flow Instantly • Reverse Air
 • Quick Disconnect Nipple • All Size Push Disks Included
 200ml & 400ml Cartridges - 1/case
 US Patent 6,290,101

EPOXY APPLICATOR ACCESSORIES



Push Disks



Push Disk Wrench



Support Handle



Quick Disconnect Nipple

SPECIALTY MODELS



MODEL 408N

Veterinary Ratchet Type Epoxy Poly Gel Gun

- 6:1 Thrust Ratio • 2-1/2 oz., 6 oz., 8 oz., 10 oz. (300 cc), 12 oz. • For Three Lug Tubes: 1-5/8" dia. x 300 cc (and others)
 - Adjustable Dosage = 5 cc, 10 cc, 15 cc
 - Heat Treated Dogs
- 6/case



MODEL 377

Deluxe "X-TENDER" Smooth Rod

- 10:1 Thrust • 45" Caulker for Sub-Floors, Ceilings, Roofs
- Reversible 2-in-1 Joist Guide

377: 29 oz. Cartridges. With optional Piggyback Adapter allows use of 10 oz. Cartridges. - 1/case
US Patent 6,220,485

X-TENDER ACCESSORIES

BRP-10

Piggyback Adapter for X-TENDER. Optional Barrel Adapter to Modify the X-TENDER to use with 10 oz. Cartridges.



JG-2

Joist Guide for X-TENDER. Included with purchase and may purchase separately. Fits 2" or 4" Joists




CG-1

Concrete Guide for X-TENDER. Fills expansion joints fast and easy.



SW-1

Surface Wheels for X-TENDER. Push or pull X-TENDER to fill expansion joints.



ACCESSORIES




Contains individual model with all accessories normally included with that particular model · Plastic case (with cutouts for various accessories) · Slick-1: Set of 6 spatulas on O-Ring · Extruded Aluminum Ladder Hook (LH35A or LH36A) · LK-9 Flat Handle Knife · 1 Pack of 10 UB Standard Utility Blade

KIT	MODEL	KIT	MODEL
KIT-224	224	KIT-332	332
KIT-232	232	KIT-424	424
KIT-224-LITE	224-LITE	KIT-620	620AL
KIT-232-LITE	232-LITE	KIT-624	624-GTS
KIT-324	324	KIT-632	632-GTS

BEADBUDDY45



BB-45
Nozzle System for Hard to Reach Places. Extended, 45°Angle, and Standard. For Bulk & Sausage Applicators



BG-45
Nozzle System for Hard to Reach Places with Larger Nozzle to Create Wider Beads. Unique Nozzle Design. Replacement Nozzles Available.

BRUTE BOND



Brute Bond
Two Part Epoxy in Easy to Use Single Use Packets. Available in Split Pouch and Syringe shown. Also Available in 50 Count Counter Display

BUCKET SCRAPER



SCR-02: 2"
SCR-03: 2-1/2"

GLOVES



Latex Free and Chemical Resistant Gloves
Sizes L, XL, XXL

CAPS



RCP-60: 2"
Ring Cap for PC-58



FCS-67: 2"
Front Cap
FCS-68: 2-5/8"
Front Cap



FCS-620AL: 2"
Front Cap for Model 620AL

CAULK BUDDY



CB-100
Create that perfect bead with our flexible rubber tip. Clips on your gun for safekeeping. Includes 2 Caps to keep opened caulk fresh.

CONES



PC-58: To be used with 2" Barrel Bulk Guns (with RCP-60 Ring Cap)



PC-62: To be used with 620AL Series



PC-620: To be used with 620AL Series



PC-620 Bent: To be used with 620AL Series

FOLLOW PLATES



FPT-02 (2 gal.)
FPT-05 (5 gal.)
Neoprene seal can be used with straight and tapered pails.
· For 2" diameter barrels
· No Threaded Barrel Docking (air tight o-ring)
· 5 gal. - 11.5" diameter w/1" seal
· 2 gal. - 8.5" diameter w/ 1/2" seal

LADDER HOOKS



LH-32: To be used with 200, 300, 400, & 600, Series Bulk Guns



LH-35A: To be used with 620AL Series Sausage Guns



LH-36A: To be used with 200, 300, 400, & 600 Series Bulk Guns

MIXERS



MX-01: Turbo Mixer
MX-02: 4" Catalyst Mixer, 22" Tall
MX-03: 4" Catalyst Mixer, 28" Tall

NOZZLES



Bevel End Nozzles:
BE-35: 1/8"IDx3/8"L (1/2"OD x 3" Long)
BE-36: 1/16"ID x 11/16" L (3/8"OD x 3" Long)
BE-38: 1/8"ID x 7/8" L (5/8"OD x 3" Long)



Oval End Nozzles (3" Long):
OV-17: 3/16"IDx5/8"OD
OV-18: 1/4"IDx5/8"OD
OV-21: 3/8"IDx5/8"OD
OV-25: 1/2"IDx5/8"OD
OV-27: 5/8"IDx5/8"OD



Square End Nozzles:
SQ-49: 1/8"IDx3/8"L (3/8"OD x 3" Long)
SQ-50: 1/8"ID x 3/8" L (1/2"OD x 3" Long)
SQ-51: 1/8"ID x 7/8" L (5/8"OD x 3" Long)



Round End Nozzles
R-9: 1/18"IDx38"ODx4"L
R-10: 3/32"IDx5/8"ODx4"L
R-11: 1/8"IDx5/8"ODx4"L
R-12 Bent: 1/8"IDx3/8"ODx5"L
R-16 Bent: 1/8"IDx3/8"ODx18"L
RBS-16: 1/8"IDx3/8"ODx18L

PISTON PACKINGS



LC2/LC3/LC4



DC-81/DC-82



HFC-81



CI-90



SC-81



PB-LCSP2


LC-2: 2" Leather Cup*
LC-3: 2-5/8" Leather Cup*
LC-4: 3-1/2" Leather Cup*
DC-81: 2" Dual Hytrel Cup
DC-82: 2-5/8" Dual Hytrel Cup
HFC-81: Floating Cup
CI-90: Conical Ejector
SC-81: Sausage Only Cup
PB-LCSP2: Leather Cup Spreader

**Kit includes 2 leathers, 3 washers and 1 lock nut.*

SPATULAS

All spatulas available in Stainless Steel or Teflon Coated

	SPT3P	3" Tapered	5/8"-3/8" Width
	SPT3S	3" Straight	5/8" Width
	SPT4P	4" Tapered	5/8"-7/16" Width
	SPT4S	4" Straight	3/4" Width
	SPT5P	5" Tapered	11/16"-1/2" Width
	SPT5S	5" Straight	13/16" Width
	SPT6S	6" Straight	1" Width
	SPT8S	8" Straight	1-1/4" Width
	SPT10S	10" Straight	1-1/2" Width

	SPT3P-OF	3" Tapered	5/8"-3/8" Width
	SPT3S-OF	3" Straight	5/8" Width
	SPT4S-OF	4" Straight	3/4" Width
	SPT5S-OF	5" Straight	13/16" Width
	SPT6S-OF	6" Straight	1" Width
	SPT8S-OF	8" Straight	1-1/4" Width
	SPT10S-OF	10" Straight	1-1/2" Width



SLICK-1: Comes with 3" tapered and 3", 4", 5", 6", and 8" straight spatulas. Equipped with rubber grip and key ring that opens & closes for easy access and storage.



SLICK-2: Comes with 3" tapered and 3", 4", 5", 6", 8" and 10" straight spatulas. Equipped with key ring that opens & closes for easy access and storage.



KIT-SPT: Includes 3", tapered and 3", 4", 5", 6", and 8" straight spatulas with wooden handle.



KIT-SPT-OF: Includes 3", tapered and 3", 4", 5", 6", and 8" straight offset spatulas with wooden handle.

PIPEKNIFE PRODUCTS



The Original Pipeknife
PK-PK14: 14"
PK-PK18: 18"



Flat Handle Knife
PK-LK9: 9"
PK-LK14: 14"
PK-LK18: 18"
PK-LK24: 24"



Steel Knife
PK-SLK9: 9"
PK-SLK14: 14"
PK-SLK18: 18"
PK-SLK24: 24"



Presto Pipeknife: Quick Change Blade System
PK-PRESTO9: 9"
PK-PRESTO14: 14"
PK-PRESTO18: 18"
PK-PRESTO24: 24"



Blades
PK-ASB:
 Heavy Duty Angled Blade
PK-SB:
 Serrated Blade
PK-LUB:
 Long Utility Blade
PK-UB:
 Utility Blade

THE NEWBORN TEAM



Front row from left: Brian Glass, Tyler Hippen, Mariyana Kireva, Peter Chang, Megan Hagins, Mark Gunning, Chris Gardner
Back row from left: Robert Brown, Bruce Richards, Kurt O'Neill, John Ebaugh, Albert Lee, Jeff Brown, Cindy Williams

The Newborn staff strives daily to make the customer's
job as easy as possible.

Newborn... Shaping the Future of Caulking Tools.



Shaping the Future of Caulking Tools



www.Facebook.com/NewbornCaulkGuns



www.YouTube.com/user/NewbornCaulkGuns

MAIN OFFICE

8221-D Preston Ct.
Jessup, MD 20794

EMAIL

sales@NewbornCaulkGuns.com

SALES

800-638-3983
301-604-1500

FAX

301-604-7950