ΠORSKE™

PRODUCTCATALOGUE





TABLE OF CONTENTS

CUTTING

SAW BLADES TRADE	3
SAW BLADES PROFESSIONAL	4
RECIPROCATING SAW BLADES INDUSTRIAL	8
ABRASIVES PROFESSIONAL	11
DIAMOND CUT OFF WHEELS PROFESSIONAL	13
DIAMOND BLADES PROFESSIONAL	14
DRILLING	
DIAMOND HOLE SAWS TRADE	15
DIAMOND HD HOLE SAWS INDUSTRIAL	15
OSCILLATING	
UNI-FIT OSCILLATING ACCESSORIES PROFESSIONAL	16
STARLOCK OSCILLATING ACCESSORIES INDUSTRIAL	17
DRIVING	
IMPACT TORSION BITS INDUSTRIAL	18
IMPACT TORSION BIT CLIPS INDUSTRIAL	25
IMPACT BIT SETS	26





SAW BLADES TRADE SERIES

Norske's line of entry level saw blades feature an Ultra-Thin Kerf design requiring less horsepower and reduced stock loss. These fast and durable light duty blades are perfect for general purpose framing and fine finish woodworking.

THIN KERF | FRAMING

- General purpose framing blade provides clean and quick rip and cross-cuts in dimensional lumber
- C3 micro-grain carbide keeps the cutting edge sharper for longer periods of time.
- Hardened tool steel alloy body to ensure straight, accurate cuts
- ATB tooth grind with 15 degree hook angle

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBT005	5-3/8"	30	5/8" 10 mm Bushing	628204600057
NCSBT011	7-1/4"	24	5/8" DKO	628204600118
NCSBT023	10"	28	5/8"	628204600231



THIN KERF | FINISHING

- Fine finish woodworking blade provides clean, quick and accurate cross-cuts
- C3 micro-grain carbide keeps the cutting edge sharper for longer periods of time
- Hardened steel alloy body to ensure straight, accurate cuts
- ATB tooth grind with 10 15 degree hook angle

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBT008	6-1/2"	40	5/8" DKO	628204600088
NCSBT014	7-1/4"	60	5/8" DKO	628204600149
NCSBT026	10"	60	5/8"	628204600262
NCSBT029	12"	80	1"	628204600293







SAW BLADES PROFESSIONAL

Norske's line of professional full kerf saw blades are designed to meet the rigorous needs of professional users. Available for a variety of cutting applications, Norske™ professional blades feature high-grade carbide tips and premium hardened steel plates guaranteed to deliver superior results.

MITER WOOD

- Fine wood finishing blades designed for all miter, sliding compound miter and radial arm saws
- Thick C4 micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots
- Special ATAF [Alternating Tooth / Alternating Face) tooth grind
- · Provides ultra-smooth cutting
- For professional cabinet makers and trim carpenters

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBP246	10"	80	5/8"	628204602464
NCSBP247	12"	80	1"	628204602471



MITER ALUMINUM

- For use on all miter, sliding compound miter and radial arm saws
- Designed to cut non-ferrous metals such as aluminum, brass, copper as well as plastics
- Triple chip grind with 0° hook angle eliminates blowout and kickback
- C6 micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots reduce noise and vibration during operation
- Thin plate / thin kerf design

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBP253	7-1/4"	60	5/8" DKO	628204602532
NCSBP255	8-1/4"	60	5/8" DKO	628204602556
NCSBP257	10"	100	5/8"	628204602570
NCSBP259	12"	100	1"	628204602594







SAW BLADES PROFESSIONAL

METAL CUTTING

- Specially engineered for high performance cutting of Steel Roofing, Metal Siding, Steel Pipe, Steel Studs and more
- 0° Hook angle reduces overfeeding, jamming, tooth breakage and kickback
- Modified Triple Chip Grind (MTCG) allows for easier cutting
- C6 micro-grain carbide tips

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBP208	5-3/8"	50	5/8" + 10mm & 1/2" Bushings	628204602082
NCSBP209	5-3/8"	50	20 mm	628204602099
NCSBP210	6-1/2"	48	5/8" DKO	628204602105
NCSBP212	7-1/4"	48	5/8" DKO	628204602129
NCSBP214	8"	48	5/8"	628204602143
NCSBP216	10"	72	5/8"	628204602167
NCSBP218*	12"	80	1"	628204602181
NCSBP220*	14"	80	1"	628204602204



*LOW RPM SAWS ONLY!

MELAMINE PLUS

- The ULTIMATE finishing blade; features special 35° High ATB tooth design for ultra-smooth cutting of melamine, laminates, hardwoods and laminate flooring
- C4 Micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots reduce noise and vibration during operation
- For professional cabinet makers, trim carpenters and avid Do-It-Yourselfers

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBP271	7-1/4"	40	5/8" DKO	628204602716
NCSBP272	8-1/4"	60	5/8" DKO	628204602723
NCSBP273	10"	80	5/8"	628204602730
NCSBP274	12"	100	1"	628204602747







SAW BLADES PROFESSIONAL

SOCK-TOOTH

- Advanced sock-tooth technology allows carbide tips to withstand extreme impact while maintaining maximum tooth support
- Precision ground C3 micro-carbide tips provide a super fine cutting edge
- Aggressive 25° Hook Angle* for faster cutting
- Fully hardened high grade tool steel body for superior performance in heavy load applications
- Anti-kickback* tooth design eliminates grabbing and jamming

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBS401	5-3/8"	24	5/8" + 10mm & 1/2" Bushings	628204604017
NCSBS405	6-1/2"	24	5/8" DKO	628204604055
NCSBS409	7-1/4"	24	5/8" DKO	628204604093
NCSBS413	7-1/4"	40	5/8" DKO	628204604130
NCSBS417	8-1/4"	40	5/8" DKO	628204604178
NCSBS419	10"	28	5/8"	628204604192
NCSBS421**	10-1/4"	36	5/8" DKO	628204604215
NCSBS425	10"	40	5/8"	628204604253
NCSBS429	10"	50	5/8"	628204604291
NCSBS431	12"	40	1"	628204604314
NCSBS433	12"	60	1"	628204604338



NEW!

NEW!

*5-3/8" to 8-1/4" BLADES ONLY **AVAILABLE IN USA ONLY

PCD | POLYCRYSTALLINE DIAMOND CARBIDE

- Specially designed for cutting HardiePlank®, Cemplank® and other fiber cement products
- Features abrasion-resistant polycrystalline diamond carbide for faster cutting and increased cutting life
- Extra-large gullet design improves material removal and minimizes dust
- Laser-cut body, anti-vibration and expansion slots reduce noise and vibration during operation
- For professional HardiePlank® installers

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBP281	6-1/2"	4	5/8" DKO	628204602815
NCSBP282	7-1/4"	4	5/8" DKO	628204602822
NCSBP283	10"	6	5/8"	628204602839
NCSBP284	12"	8	1"	628204602846







SAW BLADES PROFESSIONAL

COMPOSITE DECKING

- Specially designed to maximize cutting life in composite decking materials and cellular PVC
- Modified Triple Chip Grind (MTCG) tooth profile for clean, cool and "Melt Free" cutting
- Ultra-thin kerf design provides fast and clean cuts with minimal material removal
- Protec® Non-Stick Coating reduces drag and shields the blade against gumming, corrosion and heat
- 5 Degree hook angle for an ultra-clean cut

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBP226	7-1/4"	48	5/8" DKO	628204602266
NCSBP228	10"	64	5/8"	628204602280
NCSBP230	12"	72	1"	628204602303



REVERSA™ CUT

- The ultimate framing blade complete with revolutionary TWIN TOOTH technology
- Radical Bi-directional tooth profile doubles the blades cutting life
- Specially designed for ripping & cross cutting dimensional lumber
- C3 micro-grain carbide tips precision sharpened on all sides (Top / Face / Sides) for more precise cuts and longer cutting life
- Manufactured from Japanese tool steel for true and straight cuts
- Laser cut plate & expansion slots

ITEM	DIAMETER	TEETH	ARBOR	UPC
NCSBP287	5-3/8"	24	5/8" + 10mm & 1/2" Bushings	628204602877
NCSBP288	6-1/2"	24	5/8" DKO	628204602884
NCSBP290	7-1/4"	24	5/8" DKO	628204602907
NCSBP293	8-1/4"	24	5/8" DKO	628204602938
NCSBP295	10"	28	5/8"	628204602952
NCSBP297	12"	28	1"	628204602976





RECIPROCATING SAW BLADES INDUSTRIAL

WOOD + METAL

- Variable teeth (milled and side set)
- For all types of wood with metal residues
- Made from industrial grade bi-metal steel
- · Made in Germany

ITEM	LENGTH	TPI	UPC
NRBP200	8"	10/14	628204636001
NRBP201	12"	10/14	628204636018
NRBP202	6"	8/10	628204636025
NRBP203	8"	8/10	628204636032



POWER CURVE | METAL

- Teeth milled and wavy set
- Aggressive blade design optimizes the blade's angle of attack for faster cutting
- Flexible all-round blade for steel and stainless steel
- Made from industrial grade bi-metal steel
- Made in Germany

ITEM	LENGTH	TPI	UPC
NRBP210	6"	18	628204636100
NRBP211	9"	18	628204636117
NRBP212	6"	14	628204636124
NRBP213	9"	14	628204636131



DEMOLITION | WOOD

- Teeth milled and side set
- Special thick and robust blade for fast and straight cuts in wood with metal residue
- Especially for dismantling, rescue and salvage
- Made from industrial grade bi-metal steel
- Made in Germany

ITEM	LENGTH	TPI	UPC
NRBP220	6"	6	628204636209
NRBP221	9"	6	628204636216
NRBP222	12"	6	628204636223





RECIPROCATING SAW BLADES INDUSTRIAL

DEMOLITION | METAL

- Teeth milled and side set
- Special thick and robust blade for fast and straight cuts in steel thicker than 1/8"
- Especially for dismantling, rescue and salvage
- · Made from industrial grade bi-metal steel
- · Made in Germany

ITEM	LENGTH	TPI	UPC
NRBP223	6"	10	628204636230
NRBP224	9"	10	628204636247
NRBP225	12"	10	628204636254



M-TOOTH | WOOD WITH NAILS

- Features patented "M-Tooth" design
- Robust teeth work forward and back stroke; recommended for steel over 1/16"
- Quick and precise cuts with above-average life
- Made from industrial grade bi-metal steel
- Made in Germany

ITEM	LENGTH	TPI	UPC
NRBP230	6"	8	628204636308
NRBP231	8"	8	628204636315
NRBP232	6"	5	628204636322
NRBP233	8"	5	628204636339
NRBP234	12"	5	628204636346
NRBP235 (Double Ended)	9"	5	628204636353



CAST IRON + MASONRY

- Made with CARBIDE GRIT for long life
- High performance in cast steel pipe, cast iron and abrasive materials including ceramics, man-made stone, brick, marble, and more
- Uniformly applied, durable carbide grit particles on a flexible blade provide fast cuts without snagging or binding
- Made in Germany

ITEM	LENGTH	TPI	UPC
NRBP240	8"	CARBIDE	628204636407







RECIPROCATING SAW BLADES INDUSTRIAL

FIRE AND RESCUE | DEMOLITION

- Thick and robust blade for straighter cuts with less vibration and bending
- Aggressive blade design optimizes the blade's angle of attack for faster cutting
- Made from industrial grade bi-metal steel; HCS (High Carbon Steel) + MATRIX II HSS (High Speed Steel) for guaranteed performance

ITEM	LENGTH	TPI	UPC
NRBP245	6"	6	628204636452
NRBP247	9"	6	628204636476
NRBP249	12"	6	628204636490
NRBP251	6"	10	628204636513
NRBP253	9"	10	628204636537
NRBP255	12"	10	628204636551







ABRASIVES PROFESSIONAL

THIN KERF - STAINLESS STEEL

- Clean, burr free-cutting of stainless steel and metal
- Thin Kerf design to cut cool and fast
- High performance aluminum-oxide grain for long life and quick material removal
- Built with woven fiberglass for increased durability and safer operation

ITEM	DIA.	THICK.	ARBOR	TYPE	UPC
NAP200	4"	0.050"	5/8"	1	628204639002
NAP201	4-1/2"	0.050"	7/8"	1	628204639019
NAP202	5"	0.050"	7/8"	1	628204639026
NAP203	7"	0.060"	7/8"	1	628204639033
NAP204	7"	0.060"	5/8"	1	628204639040
NAP210	4"	0.050"	5/8"	27	628204639101
NAP211	4-1/2"	0.050"	7/8"	27	628204639118
NAP212	5"	0.050"	7/8"	27	628204639125
NAP213	7"	0.060"	7/8"	27	628204639132



METAL CUTTING

- · Clean, burr free-cutting of metal
- High performance aluminum-oxide grain provides extreme durability and quick material removal
- Built with woven fiberglass for increased durability and safer operation
- · High grain concentration provides aggressive grinding action and smooth-running

ITEM	DIA.	THICK.	ARBOR	TYPE	UPC
NAP230	12"	1/8"	1"	1	628204639309
NAP232	14"	5/32"	1"	1	628204639323
NAP236	12"	1/8"	1"	1	628204639361
NAP238	14"	1/8"	1"	1	628204639385



GRINDING WHEELS | STAINLESS STEEL + METAL

- · Built for fast removal rates and long wheel life
- Manufactured with superior grade grains and reinforced for maximum operator safety and comfort
- · Resists bending and twisting

ITEM	DIA.	THICK.	ARBOR	TYPE	UPC
NAP250	4-1/2"	1/4"	7/8"	27	628204639507
NAP251	5"	1/4"	7/8"	27	628204639514
NAP252	7"	1/4"	7/8"	27	628204639521







ABRASIVES PROFESSIONAL

CEREMAXX CUTTING + GRINDING

- Our STRONGEST discs Manufactured with ceramic grain for ultimate performance
- Designed to CUT + GRIND stainless steel and metal
- Built for increased productivity and efficiency with maximum removal rates
- Cool cutting without thermal bluing resulting in less rework

ITEM	DIA.	THICK.	ARBOR	TYPE	UPC
NAP240	4-1/2"	1/8"	7/8"	27	628204639408
NAP241	5"	1/8"	7/8"	27	628204639415



TAPER CUT

- Clean, burr free-cutting of stainless steel, non-ferrous and ferrous metals
- Revolutionary conical disc design disc tapers towards the center reducing kick back
- Engineered to cut cool, fast and run free
- Reduced side friction for unhindered cutting
- 10 Piece Pack

ITEM	DIA.	THICK.	ARBOR	TYPE	UPC
NAP220	4-1/2"	5/64"	7/8"	1	628204639200
NAP221	5"	5/64"	7/8"	1	628204639217



ALL PURPOSE

- Specially formulated to cut stainless steel, metal and masonry
- Low-burr to burr-free edges
- Thin Kerf design to cut cool and fast
- No time-consuming disc changes required
- 10 Piece Pack

ITEM	DIA.	THICK.	ARBOR	TYPE	UPC
NAP225	4-1/2"	3/64"	7/8"	1	628204639255
NAP226	5"	3/64"	7/8"	1	628204639262







MEGA BITE DIAMOND CUT OFF WHEELS

PROFESSIONAL

ONE BLADE. ALL CUTS - No blade changes required, leading to increased productivity and reduced downtime

- Advanced diamond technology provides extreme cutting in wood, tubular metals, non-ferrous metals, masonry products, tiles and PVC
- Heat-resistant vacuum brazed to deliver best-in-class performance and extreme blade life
- High grade diamond rim to reduce dust residue and odors versus bonded abrasives unlike bonded abrasives they don't wear down!

ITEM	DIAMETER	ARBOR	UPC
NDBS334	4"	5/8"	628204610346
NDBS335	4-1/2"	7/8"	628204610353
NDBS338	7"	5/8" DKO	628204610384







DIAMOND BLADES PROFESSIONAL

Our Professional diamond blades are engineered to provide the perfect balance between wear, fracture and exposure in order to maximize cutting performance. Available in Turbo, Segmented and Continuous rim.

- Constructed from superior grade diamonds
- High performance bond matrix for faster cutting and extended blade life
- Premium quality steel core plate minimizes vibration

ITEM	DESCRIPTION	ARBOR	UPC
Turbo Blades			
NDBP203	4" Turbo	7/8" - 5/8"	628204609036
NDBP206	4 1/2" Turbo	7/8" - 5/8"	628204609067
NDBP209	5" Turbo	7/8" - 5/8"	628204609098
NDBP212	7" Turbo	5/8" DKO	628204609128
NDBP215	10" Turbo	5/8"	628204609159
Segmented R	im		
NDBP224	4" Segmented	7/8" - 5/8"	628204609241
NDBP227	4 1/2" Segmented	7/8" - 5/8"	628204609272
NDBP230	5" Segmented	7/8" - 5/8"	628204609302
NDBP233	7" Segmented	5/8" DKO	628204609333
NDBP236	10" Segmented	5/8"	628204609364
NDBP237	12" Segmented	1" - 20mm	628204609371
NDBP238	14" Segmented	1" - 20mm	628204609388
Continuous R	im		
NDBP244	4" Continuous	7/8" - 5/8"	628204609449
NDBP247	4 1/2" Continuous	7/8" - 5/8"	628204609470
NDBP250	5" Continuous	7/8" - 5/8"	628204609500
NDBP253	7" Continuous	5/8" DKO	628204609531
NDBP256	10" Continuous	5/8"	628204609562
Glass Cutting			
NDBP263	7" Glass Cutting	5/8" DKO	628204609630
NDBP264	10" Glass Cutting	5/8"	628204609647











DIAMOND HOLE SAWS TRADE

- Diamond electroplating process allows for high performance at high speeds
- · For use with hand held drills
- Includes drilling template; allows for accurate positioning

ITEM	DIAMETER	SHANK	UPC
NDHST003	1/4" (6mm)	1/4" (Round Shank)	628204618038
NDHST008	3/8" (10mm)	1/4" (Round Shank)	628204618083
NDHST013	1/2" (12mm)	1/4" (Round Shank)	628204618137
NDHST018	3/4" (19mm)	1/4" (Round Shank)	628204618182
NDHST023	1" (24mm)	1/4" (Round Shank)	628204618236
NDHST028	1 1/4" (32mm)	1/4" (Round Shank)	628204618281
NDHST033	1 3/8" (35mm)	3/8" (Round Shank)	628204618335
NDHST038	1 1/2" (38mm)	3/8" (Round Shank)	628204618380
NDHST043	2" (50mm)	3/8" (Round Shank)	628204618434
NDHST048	2 1/2" (64mm)	1/2" (Round Shank)	628204618489
NDHST052	3 3/8" (85mm)	1/2" (Round Shank)	628204618526
NDHST054	3 5/8" (92mm)	1/2" (Round Shank)	628204618540
NDHST060	4 3/8" (110mm)	1/2" (Round Shank)	628204618601



NEW! NEW!

DIAMOND HD HOLE SAWS INDUSTRIAL

- Engineered to stand up to the hardest, most abrasive materials on the job site
- Utilizes high grade diamonds and heat-resistant vacuum brazing to deliver best-in-class performance for extreme bit life
- For drilling holes in abrasive materials including tile, stone, glass, brick, block, and cement backer board

ITEM	DIAMETER	SHANK	UPC
NDHSI103	1/4" (6mm)	1/4" (Hex Shank)	628204619035
NDHSI108	3/8" (10mm)	1/4" (Hex Shank)	628204619080
NDHSI113	1/2" (12mm)	1/4" (Hex Shank)	628204619134
NDHSI118	3/4" (19mm)	1/4" (Hex Shank)	628204619189
NDHSI123	1" (24mm)	1/4" (Hex Shank)	628204619233
NDHSI128	1 1/4" (32mm)	1/4" (Hex Shank)	628204619288
NDHSI133	1 3/8" (35mm)	1/4" (Hex Shank)	628204619332
NDHSI138	1 1/2" (38mm)	1/4" (Hex Shank)	628204619387







OSCILLATING TOOL ACCESSORIES

PROFESSIONAL

An extensive line of Oscillating Tool Accessories to CUT, SCRAPE, SAND AND GRIND.

- Featuring **UNI FIT** mounting system. Fits most major brands including...Bosch, Fein, Makita, Rockwell, Porter Cable, Black & Decker, Dewalt, Dremel and more
- Made from superior grade HCS + HSS for extended life in all applications while delivering extreme durability

	ITEM	DESCRIPTION	UPC
	NOTP200	3/4" Wood flush cut blade	628204630009
	NOTP201	1-1/4" Wood flush cut blade	628204630016
	NOTP202	1-1/4" Japanese Tooth bi-metal blade	628204630023
	NOTP203	1-1/4" Wood / metal flush cut blade (Titanium)	628204630030
	NOTP204	1-1/4" Metal flush cut blade	628204630047
	NOTP205	1-1/4" Carbide blade	628204630054
NEW!	NOTP206	1-1/4" wood / metal flush cut blade, CURVED OTA	628204630061
NEW!	NOTP207	1-1/4" Japanese Tooth bi-metal blade, CURVED OTA	628204630078
	NOTP208	1-3/4" Wood / metal flush cut blade (Titanium)	628204630085
	NOTP210	2-3/4" Wood flush cut blade	628204630108
	NOTP211	2-3/4" Japanese Tooth bi-metal blade	628204630115
	NOTP215	3-3/8" Flush cut blade wood with nail (Titanium)	628204630153
NEW!	NOTP216	Quadruple edge blade	628204630160
	NOTP229	Caulking scraper blade	628204630290
	NOTP230	Flexible scraper blade	628204630306
	NOTP231	Triangle carbide RASP	628204630313
	NOTP232	Fast cut grout removal blade	628204630320
	NOTP233	Multi-material blade	628204630337
	NOTP234	Hook & loop pad	628204630344
NEW!	NOTP235	Teardrop grout and mortar removal bladev	628204630351
NEW!	NOTP236	3-in-1 Cutting, Scrapper and Rasping	628204630368
	NOTP240	Sandpaper - wood (15 pack)	628204630405
	Oscillating 1	Tool Accessory Sets	
	NOTP270	20pc Oscillating accessory set	628204630702
	NOTP271	1 1/4" Wood flush cut blades (3/pack)	628204630719
	NOTP272	1 1/4" Wood / metal flush cut blades (3/pack)	628204630726
	NOTP273	1-1/4" Japanese Tooth bi-metal blade (3/pack)	628204630733
	NOTP274	2-3/4" Japanese Tooth bi-metal blade (3/pack)	628204630740









STARLOCK OSCILLATING TOOL ACCESSORIES

INDUSTRIAL

Choose genuine **STARLOCK®** accessories for that "just right" solution for thousands of professional applications.

- Featuring STARLOCK® mounting system. Fits a variety of major brands including...Fein, Bosch, Makita, Milwaukee, Rockwell, Ridgid, Hitachi, Skil, Craftsman and more
- Made from superior grade materials for extended life in all applications while delivering job site durability
- Up to 35% faster work progress
- Made in Germany

ITEM	DESCRIPTION	UPC		
STARLOCK	STARLOCK			
NOTSL300	1-3/8" Wood with Nails	628204631006		
NOTSL301	1-3/8" Japanese Tooth hardwood	628204631013		
NOTSL302	3-3/8" Segmented wood	628204631020		
NOTSL303	Circular HSS blade metal	628204631037		
NOTSL304	3" Segmented diamond blade	628204631044		
NOTSL330	Flexible scraper blade	628204631303		
NOTSL331	Triangular carbide RASP	628204631310		
NOTSL332	Backing sanding pad (2pc pack)	628204631327		
NOTSL382	5pc pack sandpaper 60 Grit	628204631822		
NOTSL384	5pc pack sandpaper 120 Grit	628204631846		
NOTSL386	5pc pack sandpaper 180 Grit	628204631860		
STARLOCK PL	us			
NOTSLP340	4" Segmented blade metal	628204631402		
NOTSLP341	2-9/16" Wood with nails	628204631419		
NOTSLP342	2-9/16" Japanese Tooth hardwood	628204631426		
NOTSLP343	1-1/8" Wood & thin metal	628204631433		
NOTSLP344	3-9/16" Carbide saw blade	628204631440		
STARLOCK MAX				
NOTSLM365	1-1/4" Wood with nails	628204631655		
NOTSLM366	1-5/8" Wood with nails	628204631662		









IMPACT TORSION BITS INDUSTRIAL

BULK

SQUARE RECESS

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip

ITEM	DESCRIPTION	UPC
NIBBI004	1" #2 Square Recess	628204622042
NIBBI006	2" #1 Square Recess	628204622066
NIBBI007	2" #2 Square Recess	628204622073
NIBBI008	2" #3 Square Recess	628204622080
NIBBI009	2" #4 Square Recess	628204622097
NIBBI015	3-1/2" #1 Square Recess	628204622158
NIBBI016	3-1/2" #2 Square Recess	628204622165
NIBBI017	3-1/2" #3 Square Recess	628204622172
NIBBI040	6" #1 Square Recess	628204622400
NIBBI041	6" #2 Square Recess	628204622417
NIBBI042	6" #3 Square Recess	628204622424
NIBBI045	12" #1 Square Recess	628204622455
NIBBI046	12" #2 Square Recess	628204622462
NIBBI047	12" #3 Square Recess	628204622479
NIBBI206*	2-9/16" Double-ended #2 Square Recess	628204624060
NIBBI049	2" #2 Square Recess Dimpler Bit	628204622493

SQUARE RECESS DECKING

- 3° Tip design offers a perfect fit with coated deck screws
- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life

ITEM	DESCRIPTION	UPC
NIBBI012	2" #2 Square recess	628204622127
NIBBI021	3-1/2" #2 Square recess	628204622219

*AVAILABLE IN USA ONLY





















IMPACT TORSION BITS INDUSTRIAL

BULK

PHILLIPS

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip

ITEM	DESCRIPTION	UPC
NIBBI052*	1" #1 Phillips	628204622523
NIBBI053*	1" #2 Phillips	628204622530
NIBBI054	1" #2 Phillips (Drywall)	628204622547
NIBBI055*	1" #3 Phillips	628204622554
NIBBI058	2" #1 Phillips	628204622585
NIBBI059	2" #2 Phillips	628204622592
NIBBI060	2" #2 Phillips (Drywall)	628204622608
NIBBI061	2" #3 Phillips	628204622615
NIBBI068	3-1/2" #1 Phillips	628204622684
NIBBI069	3-1/2" #2 Phillips	628204622691
NIBBI070	3-1/2" #3 Phillips	628204622707
NIBBI076	6" #1 Phillips	628204622769
NIBBI077	6" #2 Phillips	628204622776
NIBBI078	6" #3 Phillips	628204622783
NIBBI085	12" #2 Phillips	628204622851
NIBBI201*	2-9/16" Double-ended #2 Phillips	628204624015
NIBBI202*	4" Double-ended #2 Phillips	628204624022
NIBBI203*	6" Double-ended #2 Phillips	628204624039
NIBBI090	1" # 2 Phillips Dimpler Bit	628204622905
NIBBI093	2" # 2 Phillips Dimpler Bit	628204622936









*AVAILABLE IN USA ONLY



BULK

TORX

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip

ITEM	DESCRIPTION	UPC
NIBBI101*	1" T10	628204623018
NIBBI102*	1" T15	628204623025
NIBBI103*	1" T20	628204623032
NIBBI104*	1" T25	628204623049
NIBBI105*	1" T30	628204623056
NIBBI106*	1" T40	628204623063
NIBBI111	2" T10	628204623117
NIBBI112	2" T15	628204623124
NIBBI113	2" T20	628204623131
NIBBI114	2" T25	628204623148
NIBBI115	2" T30	628204623155
NIBBI116	2" T40	628204623162
NIBBI121	3-1/2" T10	628204623216
NIBBI122	3-1/2" T15	628204623223
NIBBI123	3-1/2" T20	628204623230
NIBBI124	3-1/2" T25	628204623247
NIBBI125	3-1/2" T30	628204623254
NIBBI126	3-1/2" T40	628204623261
NIBBI131	6" T10	628204623315
NIBBI132	6" T15	628204623322
NIBBI133	6" T20	628204623339
NIBBI134	6" T25	628204623346
NIBBI135	6" T30	628204623353
NIBBI136	6" T40	628204623360
NIBBI143	12" T20	628204623438
NIBBI144	12" T25	628204623445
NIBBI212*	2-9/16" Double-ended T25	628204624121















IMPACT TORSION BITS INDUSTRIAL

BULK

SECURITY TORX

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip

ITEM	DESCRIPTION	UPC
NIBBI151	2" T10 Security	628204623513
NIBBI152	2" T15 Security	628204623520
NIBBI153	2" T20 Security	628204623537
NIBBI154	2" T25 Security	628204623544
NIBBI155	2" T30 Security	628204623551
NIBBI156	2" T40 Security	628204623568









MODIFIED TORX | FOR GRK™ SCREWS

- Manufactured exclusively to fit all **GRK™** Screws
- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip


ITEM	DESCRIPTION	UPC
NIBCI370	2 Pc (Carded) 2" Modified T10 Torx	628204625708
NIBCI371	2 Pc (Carded) 2" Modified T15 Torx	628204625715
NIBCI372	2 Pc (Carded) 2" Modified T20 Torx	628204625722
NIBCI373	2 Pc (Carded) 2" Modified T25 Torx	628204625739
NIBCI374	2 Pc (Carded) 2" Modified T30 Torx	628204625746
NIBCI375	2 Pc (Carded) 2" Modified T40 Torx	628204625753















BULK

SLOTTED

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip

ITEM	DESCRIPTION	UPC
NIBBI181	1" SL8-10	628204623810
NIBBI186	2" SL8-10	628204623865









BIT HOLDERS

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life

ITEM	DESCRIPTION	UPC
NIBBI235	3" Quick change magnetic bit holder	628204624350
NIBBI236	6" Quick change magnetic bit holder	628204624367
NIBBI255	12" Quick change magnetic bit holder	628204624558
NIBBI237	3" Magnetic bit holder	628204624374
NIBBI238	6" Magnetic bit holder	628204624381
NIBBI239	3" Magnetic stainless bit holder	628204624398
NIBBI242	3-3/16" Magnetic screw guide	628204624428
NIBBI244	2-5/8" Eye lag driver	628204624442











^{*}AVAILABLE IN USA ONLY



BULK

NUTSETTERS

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary tool steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- Lobular design reduces stripping damage by driving the fastener on the sides instead of forcing the corners to turn
- Strong earth magnet provides exceptional holding strength

ITEM	DESCRIPTION	UPC
NIBBI220	2-9/16" x 1/4" Nutsetter	628204624206
NIBBI221	2-9/16" x 5/16" Nutsetter	628204624213
NIBBI222	2-9/16"" x 3/8" Nutsetter	628204624220
NIBBI223	2-9/16" x 7/16" Nutsetter	628204624237
NIBBI224	2-9/16" x 1/2" Nutsetter	628204624244







SOCKET ADAPTERS

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life

ITEM	DESCRIPTION	UPC
NIBBI250	3" x 1/4" Socket adapter	628204624503
NIBBI251	3" x 3/8" Socket adapter	628204624510
NIBBI252	3" x 1/2" Socket adapter	628204624527











2 PC CARDED TORSION BITS

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip

ITEM	DESCRIPTION	UPC
NIBCI316	2pcs of 2" #2 Square Recess	628204625166
NIBCI318	2pcs of 2" #2 Square Recess - Decking	628204625180
NIBCI320	2pcs of 2" #2 Phillips	628204625203
NIBCI358*	2pcs of 2" T15 Torx	628204625586
NIBCI360*	2pcs of 2" T25 Torx	628204625609
NIBCI380	2-9/16" Double-ended #2 Square Recess	628204625807
NIBCI381	2-9/16" Double-ended #2 Sq. Recess - Decking	628204625814







TIC TAC CASES

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip

ITEM	DESCRIPTION	UPC
NIBPI660*	1" #2 Phillips (20pcs)	628204628600
NIBPI661*	1" T25 Torx (20pcs)	628204628617













IMPACT BIT HOLDER INDUSTRIAL

HEAVY DUTY MAGNETIC BIT & SCREW HOLDER

- Heavy duty ring magnet holds screw securely in place for easy and accurate fastening
- Retractable guide sleeve eliminates wobbling and slipping while driving screws
- Engineered to withstand high torque + heavy load applications
- Works with all 1" insert bits
- Stainless steel body prevents rusting

ITEM	DESCRIPTION	UPC
NIBBI245	Magnetic Bit & Screw Holder	628204624459



IMPACT TORSION BIT CLIPS INDUSTRIAL

- Innovatively designed FLEX TECH TORSION ZONE absorbs high torque stress and reduces bit fracture
- · Proprietary steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip

ITEM	DESCRIPTION	UPC
NIBPI600*	1" 10pcs of No.2 PH Bit Clip	628204628006
NIBPI601*	1" 10pcs of 2pcs of T10, 15, 20, 25, 30 Bit Clip	628204628013
NIBPI605	2" 10pcs of No.2 SQ (Black satin - NON-IMPACT)	628204628051
NIBPI606	2" 10pcs of No.2 SQ	628204628068
NIBPI607	2" 10pcs of No.2 SQ Decking	628204628075
NIBPI611*	2" 10pcs of No.2 PH Bit Clip	628204628112
NIBPI612*	2" Assorted (2pc PH 1, 4pcs of PH 2, 2pcs of PH3 & 2pcs PR2)	628204628129
NIBPI613*	2" Assorted (PH1, 2, 2, 3, PR2, T10,T15,T20,T25 and T30) Bit Clip	628204628136
NIBPI614	2" Assorted Torx (T10, T15, T20, T25 and T30)	628204628143
NIBPI615*	2" Assorted Torx (5pcs of T20 and 5pcs of T25) Bit Clip	628204628150
NIBPI616*	2" Assorted Torx Tamper (TT7, 8, 9, 10, 15, 20, 25, 27, 30, 40)	628204628167
NIBPI617	2" Assorted (SQ1, 2, 3, PH 1,2,3, PR2, T15, T20 and T25)	628204628174
NIBPI618	2" Assorted (1pc of SQ1, 3pcs of SQ2, 2pcs of SQ3, PH1, PH2, PH3 and PR2)	628204628181
NIBPI650	5pc nutsetter (1/4", 5/16", 3/8", 7/16" and 1/2")	628204628501











BIT SETS INDUSTRIAL

32 PC IMPACT BIT SFT

- Innovatively designed to absorb high torque stress and reduce bit fracture
- · Proprietary steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- CNC milled magnetic tips for supreme grip
- Durable storage case keeps bits secure and organized
- Unique 360° rotating hanging belt clip design for easy bit access
- Set Includes: 4 PH 1, 2 (x2), 3 | 4 SQ 1, 2 (x2), 3 | 4 SL 3, 4, 5.5, 6.5
 6 HEX 3/32", 1/8", 5/32", 3/16",7/32", 1/4" | 6 TORX T15, T20, T25 (x2), T30, T40
 TORX TAMPER TT15, 20, 25 (x2), 30, 40 | 1/4" Socket Adapter
 1/4" Magnetic Quick Change Bit Holder

ITEM	DESCRIPTION	UPC
NIBPI700	32 PC IMPACT RATED Bit Set	628204629003







42 PC IMPACT TORSION BIT SET

- Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture
- Proprietary steel and heat treat process for maximum strength and durability
- Hardened S2 modified impact resistant steel for extended bit life
- CNC milled magnetic tips for supreme grip while reducing stripping
- Set includes: 1" PH 1, 2 (x2), 3 | 1" PR 2 | 1" SQ 1,2 (x3), 3 | 1" SL 4, 6
 1" TORX T15, T20, T25 (x2) | 2" PH 1, 2 (x3), 3 | 2" PR 2 | 2" SQ 1, 2 (x3)
 2" TORX T15, T20 (x2), T25 (x2) | 2" SL 6 | 2-3/4" PH 2 | 2-3/4" PR 2
 2-3/4" SQ 2 | 2-3/4" TORX T25 | Socket Adapter 1/4", 3/8"
 2-1/2" Nutsetters 1/4", 5/16", 3/8" | 1/4" Magnetic Quick Change Bit Holder

ITEM	DESCRIPTION	UPC
NIBPI703	42 PC IMPACT RATED Bit Set	628204629034















BIT SETS PROFESSIONAL

31 PC SCREWDRIVER BIT SET

- Proprietary steel and heat treat process for maximum strength and durability
- Hardened S2 Modified Impact Resistant Steel for extended bit life
- Durable 360° rotating belt clip storage case keeps bits secure and organized
- Set Includes: 4 PH 1, 2 (x2), 3 | 3 SQ 1, 2, 3 | 4 SL 3, 4, 5.5, 6.5
 4 HEX 1/8", 5/32", 3/16", 1/4" | 8 TORX T10, T15, T20 (x2), T25, T27, T30, T40
 TORX TAMPER TT10, 15, 20, 25, 27, 30, 40 | 1/4" Magnetic Bit Holder

ITEM	DESCRIPTION	UPC
NIBPI701	31pc Bit Set (Black satin - NON IMPACT)	628204629010



SCEWDRIVER PROFESSIONAL

4-IN-1 POCKET SCREWDRIVER

- Four different bits in one tool Includes 2 mini slot and 2 mini Phillips bits
- Heat-treated precision ground tips for greater strength
- Ideal for hobbyists, technicians, mechanics, jewelers, watchmakers and Do-It-Yourselfers
- Go anywhere you go! Comes with capped ends and a perfect pocket clip

ITEM	DESCRIPTION	UPC
NIBPP700	4 in 1 Pen Screwdriver	628204649506







NORSKE TOOLS LTD

Unit 101 19052 26 Ave Surrey BC, V3Z 3V7 Fax: 1.888.875.5697

Toll Free: 1.855.566.7753