




NUVO IRON™
A New Era in Fencing

3 Holland Drive, Bolton, Ontario, Canada, L7E 1G7

Phone: (905) 857-1010 Toll Free: 1-866-955-0355 Fax: (905) 857-9536 www.nuvoiron.com



1/2" dia bolt (supplied by others)

COLUMN BASE SADDLE BRACKET

- Cold Formed Steel Exterior Galvalume Coating
- Chromate Conversion Coating
- Electrostatically Applied
- Thermally Bonded Polyester Powder Coating
- Minimum Film Thickness 2.5mm

CONCRETE FOUNDATION

- Supplied by others

CONNECTION TO WOOD POST

- Supplied by others

NOTES:

16 ga Saddle Bracket for a 3 1/2" x 3 1/2" wood post base, when connected with a 1/2" dia bolt, provide a maximum resistance in tension of 550 lb and a maximum resistance in shear of 300 lbs for the connection from wood support post to concrete foundation as required by section 9.23.6.2 of the 2012 Ontario Building Code.

FITTINGS

- Saddle for 3 1/2" x 3 1/2" wood post
- Threaded rod 1/2" dia by 6 1/2" long.

STANDARD COLOUR

- Textured Black.



Reviewed by:

Design, Construction & Inspection,

28 Cawthra Ave, Toronto, Ontario. M6N 5B3.

Phone: 416-762-8366. email: gary@dowman.net