according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : OFF® DEEP WOODS® INSECT REPELLENT VII

Recommended use : Insect Repellent

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +18005585252

**Emergency telephone** 

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

#### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 3	Flammable liquid and vapour.
Eye irritation	Category 2A	Causes serious eye irritation.

## Labelling

#### Hazard symbols

Flame

**Exclamation mark** 

#### Signal word

Warning

#### **Hazard statements**

Flammable liquid and vapour. Causes serious eye irritation.

## **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

according to Hazard Communication Standard; 29 CFR 1910.1200



## OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved incineration plant.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves.

Wash hands thoroughly after handling.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Other hazards : None identified

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	30.00 - 60.00
N,N-Diethyl-m-toluamide	134-62-3	10.00 - 30.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

## 4. FIRST AID MEASURES

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Skin contact** : IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. If you suspect a reaction to this product, discontinue use and remove

contaminated clothing.

according to Hazard Communication Standard; 29 CFR 1910.1200



## OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers

may create fire/explosion hazard. Container may melt and leak in heat of fire. Do not allow run-off from fire fighting to enter

drains or water courses.

Further information : Fight fire from maximum distance or protected area. Cool and

use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe

fumes.

#### **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** : Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Wear personal protective equipment. Wash thoroughly after handling.

Environmental precautions

: Do not flush into surface water or sanitary sewer system.

Use appropriate containment to avoid environmental

contamination.

Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

Soak up with inert absorbent material. Use only non-sparking equipment.

Dike large spills.

according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

Clean residue from spill site.

## 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with eyes and lips.

For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Wash thoroughly after handling.

Advice on protection

against fire and explosion

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge. Use only non-sparking tools.

Use explosion-proof equipment.

Ground/bond container and receiving equipment.

**Storage** 

Requirements for storage :

areas and containers

Keep container closed when not in use.

Keep away from food, drink and animal feedingstuffs.

Keep tightly closed.

Store in a well-ventilated place. Keep cool.

Other data : Stable under normal conditions.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

## Personal protective equipment

according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

**Respiratory protection** : Do not spray in enclosed areas.

**Hand protection** : No special requirements.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : clear

Odor : pleasant

Odour Threshold : No data available

**pH** : 6.98

at (20 °C)

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

Flash point : 84 °F

Method: Tag Closed Cup (TCC)

**Evaporation rate** : No data available

Flammability (solid, gas) : Sustains combustion

according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

Upper/lower flammability or : No data available

explosive limits

Vapour pressure : No data available

Vapour density : No data available

Relative density : 0.93 g/cm3 at 20 °C

Solubility(ies) : partly miscible

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

**Decomposition temperature** : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Oxidizing properties : No data available

**Volatile Organic** Compounds Total VOC (wt. %)\*

- additional exemptions may apply \*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified

according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

## 10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Do not mix with bleach or any other household cleaners.

Strong bases

**Hazardous decomposition** 

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

## 11. TOXICOLOGICAL INFORMATION

**Emergency Overview** : Warning

Acute oral toxicity

Acute inhalation toxicity

Acute dermal toxicity :

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2A	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical** 

Condition

: Do not apply to cuts or irritated skin.

## 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

## **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

## Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol	LC50	Fish	11,200 mg/l	96 h
N,N-Diethyl-m-toluamide	static test LC50	Oncorhynchus mykiss (rainbow trout)	71.25 mg/l	96 h

## **Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Ethyl alcohol	static test LC50	Ceriodaphnia dubia		48 h

8/12

according to Hazard Communication Standard; 29 CFR 1910.1200



# **OFF® DEEP WOODS® INSECT REPELLENT VII**

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

			5,012 mg/l	
	NOEC	Daphnia magna	9.6 mg/l	9 d
N,N-Diethyl-m-toluamide	LC50	Daphnia magna (Water flea)	75 mg/l	51 h

# Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
N,N-Diethyl-m-toluamide	ErC50	Pseudokirchneriella subcapitata (green algae)	43 mg/l	96 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethyl alcohol	97 %	28 d	Readily biodegradable
N,N-Diethyl-m-toluamide	83.8 %	28 d	Readily biodegradable

# **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
N,N-Diethyl-m-toluamide	21.9 estimated	2.4

according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

## **Mobility**

Component	End point	Value
Ethyl alcohol	No data available	
N,N-Diethyl-m-toluamide	Koc	43.3

#### PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
N,N-Diethyl-m-toluamide	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

## 13. DISPOSAL CONSIDERATIONS

PESTICIDAL WASTE:

For disposal information, please read and follow Disposal

instructions on the pesticide label.

Consumer may discard empty container in trash, or recycle

where facilities exist.

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

	Land transport	Sea transport	Air transport
UN number	1170	1170	1170
UN proper shipping name	UN 1170 Ethanol Solution (Ethyl Alcohol Solution), 3, III	UN 1170 Ethanol Solution (Ethyl Alcohol Solution), 3, III	UN 1170 Ethanol Solution (Ethyl Alcohol Solution), 3, III
Transport hazard class(es)	3	3	3
Packing group	III	III	III
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

## 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

Registration # / Agency

4822-399/US/EPA

according to Hazard Communication Standard; 29 CFR 1910.1200



# OFF® DEEP WOODS® INSECT REPELLENT VII

Version 1.2 Print Date 06/01/2016

Revision Date 05/04/2016 SDS Number 350000022042

#### **16. OTHER INFORMATION**

## **HMIS Ratings**

niviio ratings		
Health	2	
Flammability	3	
Reactivity	0	

**NFPA Ratings** 

Health	2	
Fire	3	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)