











# **Product Catalog**



<u> </u>			
Cat	egory	Description	Page
1	Plastic Pipe Cements and Primers	Oatey <sup>®</sup> , Hercules <sup>®</sup> and United Elchem solvent cements, primers, cleaners and related products	7
2	Thread Sealants	Hercules and Oatey thread sealants, PTFE tape and leak detectors	36
3	Copper Installation	Oatey solder, Oatey and Hercules flux, brushes, abrasives and related products	45
4	Putty, Caulks and Water Barriers	Oatey and Hercules putty, epoxy, sealing compounds and caulk	48
5	Oils, Lubricants and Hand Cleaners	Oatey and Hercules cutting oil, lubricants, hand towels and lotion cleaners and related products	61
6	Drain and Waste System Cleaners	Hercules and Cloroben <sup>®</sup> drain system cleaning products	66
7	Heating Chemicals and Anti-Freeze	Hercules heating maintenance products and $Cryo\text{-tek}^{\scriptscriptstyleTM}$ anti-freeze	70
8	Bowl Setting Wax Gaskets and Bolts	Oatey wax rings and Hercules Johni-Rings® and Johni-Bolts®	76
9	Drains and Closet Flanges	Closet flanges, shower drains, backwater valves and related products	80
10	Shower Pan Liners	Shower pan liners and related products	94
11	Supply Boxes	Washing machine, icemaker outlet boxes with related supply lines	99
12	Flashings	Metal and plastic flashings and related products	114
13	Air Admittance Valves (AAV)	Sure Vent <sup>™</sup> and related products	121
14	Pipe Support	Pipe clamps, hanging straps and related products	126
15	Brass, Plastic and Commercial Tubular/Grab Bars	Dearborn Brass <sup>®</sup> , plastic and commercial tubular products and related products	134
16	Bath Waste and Overflow	Dearborn Brass bath waste and related products	159
17	Basket and Sink Strainers	Dearborn Brass basket strainers and related products	169
18	Pneumatic Test Balls	Cherne® Test-Ball® plugs, clean seal plugs and related products	184
19	Mechanical Test Plugs	Cherne mechanical plugs	190
20	Test Ball and Plug Accessories	Cherne deflection gauges, pressure testing equipment and acces- sories, smoke testing, joint testers, point repair carriers, clog-buster, hoses, gauges, poly-lift lines	195
21	Pans and Stands	Metal and plastic water heater pans; Water heater stands	200
22	Commercial Drainage	Commercial and general purpose drains, cleanouts and related products	204
23	Rough-In Products	Tub protectors, tub boxes, access panels, pipe guards, test caps and related products	225







# **The Power of One**

**OateySCS**<sup>®</sup> is the number one source for purchasing the leading brands in the plumbing and home improvement industries. You can purchase any of our brands easily and efficiently – on one invoice, in one shipment, with one phone call. Only Oatey SCS brings you the plumbing industry's best brands in one source. That's why we're the choice for plumbing professionals.

For more information on Oatey*SCS* or our product offerings, please visit **www.oatey.com** or contact our customer service group at **800-321-9532**.

# TRUSTED

- Comprehensive technical support
- Reputable leadership in the plumbing industry
- Experienced customer service professionals

# **STRONG**

- Regional distribution: Dallas, Newark, Cleveland
- Multiple manufacturing locations: Colorado, Minnesota, Nebraska, Ohio, Mexico and China
- ISO 9001 Certified
- Twenty-three categories with a broad range of products

# **EFFICIENT**

- VMI Vendor Managed Inventory
- EDI Paperless ordering, invoices and ship notices
- Automatic acknowledgements and confirmations of shipments
- Economical minimum orders
   for prepaid freight
- Multibranded Promotional Opportunities

# SAFE

- · Compliant to hazmat policies
- Sustainable practices
- C-TPAT participant





# Oatev SCS<sup>®</sup> Product Catalog 5

Cherne<sup>®</sup> is the recognized world leader in pipe plug and testing equipment manufacturing. In 1998, Cherne demonstrated its commitment to quality and continuous improvement by achieving ISO 9001 registration. Cherne is the only domestic pipe plug manufacturer to achieve this certification. Serving the plumbing and underground industries for almost 50 years, Cherne is dedicated to providing customers with unparalleled product quality in addition to the highest level of customer service. From plumbing to underground—we have your products in stock.



Included in our product offering are Commercial Tubular, Bath Waste and Overflow, Basket Strainers and Plumbing Specialties. Dearborn Brass has been successful for more than 100 years because of the commitment of our associates to provide superior quality products at competitive prices. The Dearborn Brass name has grown to become the preferred choice of plumbing professionals, widely recognized by its distinctive checkerboard packaging. Find the checkerboard and you've found assured quality and peace of mind.

Hercules<sup>®</sup> brand plumbing chemicals have been found in plumber's tool collections for nearly 100 years. The company makes more than 100 different products including chemicals, putty, drain cleaners, hand towels and Megaloc® thread sealant and PTFE tapes.

Oatev<sup>®</sup> is the leading manufacturer of solvent cements, roof flashings, washing machine outlet boxes, air admittance valves, plumbing chemicals, wax bowl rings, and hundreds of other plumbing specialty products. Found in many residential and commercial applications, Oatey products have earned the trust of both plumbing professionals and consumers since 1916. Oatey Co. operates a comprehensive global manufacturing and distribution network, backed by experienced and responsive technical service professionals.

# **Oatey SCS**<sup>®</sup>

Based in Cleveland, Ohio, Oatey SCS distributes an unmatched array of more than 6,000 plumbing products. Our stable of brands has built significant equity over the years and is leveraged to penetrate various market segments. Included are Cherne® underground and testing equipment, Dearborn Brass® tubular and bath waste products, Hercules® plumbing chemicals, and Oatey® plumbing supplies.





OATEY*SCS* 

**Supply Chain Services** 



Dearborn

Brass,



# **Category**

# **Plastic Pipe Cements and Primers**

Oatey sells only Lo-VOC solvent cements, which means they are compliant with the South Coast Air Quality Management District (SCAQMD) Rule 1168 and the Ozone Transport Commission (OTC) standards. Plus they meet ASTM, NSF and UPC standards for a wide variety of applications, including potable water, DWV, industrial, pool/spa, turf/irrigation, sewer and many more. With Oatey you get more than just the strongest solvent welded joint – you get the confidence of the top selling brands, backed by years of extensive research and leadership in the plumbing industry. That's why Oatey has been the choice of plumbing professionals for nearly 100 years.





# Blue Lava Hot PVC Cement (see page 10) The HOTTEST PVC cement in the industry

Maximize your productivity in all weather climates. Blue Lava Hot PVC Cement can handle any job, from irrigation and agriculture to pool and spa and is perfect for damp or humid conditions.

- Fast sets up 25-50% faster than other "hot" cements on the market.
- Hot quickly melts pipe surface to weld the joint. Priming step not necessary where local codes permit.
- Thick Blue Lava is two to five times thicker than other "hot" cements, which means it clings to the pipe surface better, and doesn't end up on the floor.

Systems can be hydrostatically tested up to 75 PSI after 15 minutes, and up to 180 PSI after 30 minutes (at temperatures above 60°F and up to 2" pipe diameter).

**Oatey Blue Lava Hot PVC Cement – nothing is hotter!** 



# **Orange Lava Hot CPVC Cement** The HOTTEST CPVC cement in the industry

(See page 10)

Orange Lava Hot CPVC Cut-In Cement is perfect for any repair job that requires minimal downtime for existing plumbing systems. With the lowest set-up and cure times in the industry, Orange Lava also has the highest concentration of THF.

- Fast Fast bond strength of up to 250 PSI in just 10 minutes in lab conditions -so fast it eliminates the need for bracing.
- Hot quickly melts pipe surface to weld the joint. Priming step not necessary where local codes permit.
- Thick Orange Lava is two to five times thicker than other "hot" cements, which means you get more cement on the pipe, and less on the floor.

Oatey Orange Lava Hot CPVC Cut-In Cement – our hottest cement yet!



Return to Table of Contents

Date

# PVC CEMENTS

# **PVC Heavy Duty Clear Cement**

- Heavy-bodied clear cement for use on all schedules and classes PVC pipe and fitting up to 12" diameter with interference fit, up to 18" for non-pressure.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Thick formula fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.

<ul> <li>Meets ASTM D25</li> </ul>	64.		
Product No.	Size	Description	Ctn. Qty.
30850	4 oz.	PVC Heavy Duty Clear	24
30863	8 oz.	PVC Heavy Duty Clear	24
308633	8 oz	PVC Heavy Duty Clear - Display Pack	36
30876	16 oz.	PVC Heavy Duty Clear	24
308763	16 oz	PCV Heavy Duty Clear - Display Pack	10
31008	32 oz.	PVC Heavy Duty Clear	12
310083	32 oz.	PVC Heavy Duty Clear - Display Pack	6
31011	Gallon	PVC Heavy Duty Clear - Wide Mouth Can	6

# PVC Heavy Duty Gray Cement

- Heavy-bodied gray cement for use on all schedules and classes PVC pipe and fitting up to 12" diameter with interference fit, up to 18" for non-pressure.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Thick formula fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.

Meets ASTM D2564.				
Product No.	Size	Description	Ctn. Qty.	
31093	4 oz.	PVC Heavy Duty Gray	24	
31094	8 oz.	PVC Heavy Duty Gray	24	
31095	16 oz.	PVC Heavy Duty Gray	24	
31105	32 oz.	PVC Heavy Duty Gray	12	
31118	Gallon	PVC Heavy Duty Gray - Wide Mouth Can	6	



DUTY CLEAN









#31122 shown





- Very Heavy-bodied medium setting gray cement for use on all schedules and classes PVC pipe and fittings up to 18" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Formulated for quick installation of irrigation pipe and fittings.
- Builds up for large diameter installations.
- Fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D2564.

Product No.	Size	Description	Ctn. Qty.
31121	16 oz.	PVC Heavy Duty Gray Fast Set	24
311213	16 oz.	PVC Heavy Duty Gray Fast Set - Display Pack	10
31122	32 oz.	PVC Heavy Duty Gray Fast Set	12
31123	Gallon	PVC Heavy Duty Gray Fast Set - Wide Mouth Can	6

Return to Table of Contents

# CATEGORY 📕 PLASTIC PIPE CEMENTS AND PRIMERS



are

#30328 sho



)	<ul> <li>Complies with v VOC with maxim</li> </ul>		nmental requirements and SCAQMD Rule of 490 g/L.	1168/316A or BAAQMD Method 4	0 for
nown	<ul> <li>Two year shelf li</li> <li>Meets and Exce</li> </ul>		493.		
	Product No.	Size	Description	Ci	tn. Qt
R	30328	16 oz.	EP42 CPVC HD Gray Industrial Cement	24	4

EP42 CPVC HD Orange Industrial Cement

interference fit.

**PVC CEMENTS** 

· For use with all CPVC materials including Corzan Industrial Piping Systems.

Recommended application temperature 40 degrees to 110 degrees Fahrenheit.

**EP42 CPVC HD Gray Industrial Cement** 

compatibility prior to using with chemcial solutions.

Product No.	Size	Description	Ctn. Qty.
30328	16 oz.	EP42 CPVC HD Gray Industrial Cement	24
30329	32 oz.	EP42 CPVC HD Gray Industrial Cement	12
30330	Gallon	EP42 CPVC HD Gray Industrial Cement	6

• Heavy-bodied orange solvent cement specifically designed for use on PVC and CPVC piping systems requiring chemical resistance to caustics including hypochlorite, mineral acids and aqueous salt solutions. . For Schedules 40 and 80 CPVC and PVC up to 12 diameter, as well as other classes and schedules with

· Complies with various environmental requirements and SCAQMD Rule 1168/316A or BAAQMD Method 40 for

EP42 CPVC HD Orange Industrial Cement

EP42 CPVC HD Orange Industrial Cement

Ctn. Qty.

24

12

 Heavy-bodied industrial gray solvent cement specifically designed for use on PVC and CPVC piping systems requiring chemical resistance to caustics including hypochlorite, mineral acids and aqueous salt solutions. For Schedules 40 and 80 CPVC and PVC up to 12" diameter, as well as other classes and schedules with

• Resistant to caustics and hypochlorites up to 15 percent solution. Refer to EP 42 Chemical Resistance Chart for

. Ultra violet indicator allows for quick and easy inspection of dry fit joints with any UV light source.



#30331 shown









#30



### **Extra Heavy Duty Gray PVC Cement**

VOC with maximum content of 490 g/L.

Size

16 oz.

32 oz.

• Meets and Exceeds ASTM F 493.

- Extra heavy-bodied, slow-setting, gray solvent cement for use on all classes and schedules of PVC pipe up to 30"
- · Recommended for potable water, pressure pipe, drain, waste and vent systems.

Description

- · Builds up for large diameter installation to fill gaps.
- Ideal for fabrication.

Two year shelf life.

**Product No.** 

30331

30332

- Recommended application temperature 40 degrees to 110 degrees Fahreheit.
- Complies with various environmental requirements and SCAQMD Rule 1168/316A or BAAQMD Method 40 for VOC with maximum content of 510 g/L.
- · Formulated for warm weather application.
- Three year shelf life.

1343 shown	P
------------	---



### Return to Table of Contents

TEGORY | PLASTIC PIPE CEMENTS AND PRIMERS

Jate

# PVC CEMENTS

# **PVC Medium Clear Cement**

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.

Meets ASTM D2564.				
Product No.	Size	Description	Ctn. Qty.	
31017	4 oz.	PVC Medium Clear	24	
310173	4 oz.	PVC Medium Clear - Display Pack	72	
31018	8 oz.	PVC Medium Clear	24	
310183	8 oz.	PVC Medium Clear - Display Pack	36	
31019	16 oz.	PVC Medium Clear	24	
310193	16 oz.	PCV Medium Clear - Display Pack	10	
31020	32 oz.	PVC Medium Clear	12	
310203	32 oz.	PVC Medium Clear - Display Pack	6	
31021	Gallon	PVC Medium Clear	6	

# **PVC Medium Gray Cement**

- Medium-bodied gray cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.

Meets ASTM D256	64.		
Product No.	Size	Description	Ctn. Qty.
30883	4 oz.	PVC Medium Gray	24
308833	4 oz.	PVC Medium Gray – Display Pack	48
30884	8 oz.	PVC Medium Gray	24
30885	16 oz.	PVC Medium Gray	24
30886	32 oz.	PVC Medium Gray	12
30887	Gallon	PVC Medium Gray	6

# **PVC Regular Clear Cement**

- Regular-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 4" for Sch. 40 and up to 2" for Sch. 80.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D2564.

Product No.	Size	Description	Ctn. Qty.
31012	4 oz.	PVC Regular Clear	24
310123	4 oz.	PVC Regular Clear – Display Pack	48
31013	8 oz.	PVC Regular Clear	24
310133	8 oz.	PVC Regular Clear – Display Pack	36
31014	16 oz.	PVC Regular Clear	24
310143	16 oz.	PVC Regular Clear – Display Pack	10
31015	32 oz.	PVC Regular Clear	12
310153	32 oz.	PVC Regular Clear – Display Pack	6
31016	Gallon	PVC Regular Clear	6









	7			e
	REGUL	AR CL	EAR P	*
	\$			8
8				





Return to Table of Contents

CATEGORY PLASTIC PIPE CEMENTS AND PRIMERS

# are

# CLEAR AD CE TRANSPORENTS IN CEMENTO PV



Product No.	Size	Description	Ctn. Qty.
31925	4 oz.	PVC Regular Clear Advanced	24
31926	8 oz.	PVC Regular Clear Advanced	24
31927	16 oz.	PVC Regular Clear Advanced	24
31928	32 oz.	PVC Regular Clear Advanced	12
31929	Gallon	PVC Regular Clear Advanced - Wide Mouth Can	6

• Regular-bodied clear cement for use on PVC pipe and fittings up to 4" for DWV Sch. 40 and up to 2" for Sch. 80. Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A

# SPECIALTY SOLVENT CEMENTS

**PVC CEMENTS** 

**PVC Regular Clear Advanced Cement** 

or BAAQMD Method 40 and various environmental requirements.

• Recommended for potable water, pressure pipe, conduit and DWV.



**NSF**. PW-DWV-SEWER

UPC

# **PVC Blue Lava Hot Cement**

- . Medium-bodied blue cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Very fast-setting "Hot" cement formulated for wet conditions and/or quick pressurization and fast installation.
- · Recommended for potable water, sewer and DWV applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
  - No primer needed on non-pressure DWV, where local codes permit.

· Sets up quickly.

<ul> <li>Meets ASTM D</li> </ul>	2564.		
Product No.	Size	Description	Ctn. Qty.
32160	4 oz.	PVC Blue Lava Hot Cement	24
32161	8 oz.	PVC Blue Lava Hot Cement	24
32162	16 oz.	PVC Blue Lava Hot Cement	24
32163	32 oz.	PVC Blue Lava Hot Cement	12
32164	Gallon	PVC Blue Lava Hot Cement	6



UPC

#32168 shown

**NSE** 

# **Orange Lava Hot CPVC Cut-In Cement**

- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Very fast setting "Hot" cement, 25-50% faster than other CPVC cements.
- No primer needed on non-pressure DWV, where local codes permit.
- Meets ASTM D2564.

Product No.	Size	Description	Ctn. Qty.
32166	8 oz.	Orange Lava CPVC Cut-In Cement	24
32167	16 oz.	Orange Lava CPVC Cut-In Cement	24
32168	32 oz.	Orange Lava CPVC Cut-In Cement	12

# SPECIALTY SOLVENT CEMENTS

or BAAQMD Method 40 and various environmental requirements.

· Recommended for pool, irrigation, potable water, pressure pipe, conduit and DWV. Recommended application temperature 40°F to 110°F / 4°C to 43°C. • No primer needed on non-pressure DWV, where local codes permit.

**PVC Rain-R-Shine® Blue Cement** 

interference fit.

Return to Table of Contents



#30894 shown

#31132 shown

(NSF。) PW-DWV-SEWER

#31938 shown

(NSE) PW-DWV-SEWER

VPC

UPC



<ul> <li>Meets ASTM D25</li> </ul>			
Product No.	Size	Description	Ctn. Qty.
30890	4 oz.	PVC Rain-R-Shine <sup>®</sup> Blue	24
308903	4 oz.	PVC Rain-R-Shine <sup>®</sup> Blue – Display Pack	48
30891	8 oz.	PVC Rain-R-Shine <sup>®</sup> Blue	24
308913	8 oz.	PVC Rain-R-Shine® Blue – Display Pack	36
30893	16 oz.	PVC Rain-R-Shine <sup>®</sup> Blue	24
308933	16 oz.	PVC Rain-R-Shine <sup>®</sup> Blue – Display Pack	10
30894	32 oz.	PVC Rain-R-Shine <sup>®</sup> Blue	12
308943	32 oz.	PVC Rain-R-Shine® Blue – Display Pack	6
30895	Gallon	PVC Rain-R-Shine <sup>®</sup> Blue – Wide Mouth Can	6

· Medium-bodied blue cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with

Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A

• Very fast-setting "Hot" cement formulated for wet conditions and/or quick pressurization and fast installation.

# **PVC All Weather Clear Cement**

- · Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature -15°F to 110°F / -26°C to 43°C.
- Recommended for use on potable water, drain, waste, and vent systems.
- No primer needed on non-pressure DWV, where local codes permit.

<ul> <li>Meets ASTM D2564.</li> </ul>	

Product No.	Size	Description	Ctn. Qty.
31132	16 oz.	PVC All Weather Clear	24
311323	16 oz.	PVC All Weather Clear – Display Pack	10
31133	32 oz.	PVC All Weather Clear	12
31135	Gallon	PVC All Weather Clear – Wide Mouth Can	6

# **PVC Hot Weather Plus<sup>™</sup> Cement**

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Ideal for installation in high temperature environments where additional working time is required.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature -15°F to 110°F / -26°C to 43°C.
- Recommended for use on potable water, drain, waste, and vent systems.
- No primer needed on non-pressure DWV, where local codes permit.
- Meets ASTM D2564.

Product No.	Size	Description	Ctn. Qty.
31936	8 oz.	PVC Hot Weather Plus Medium Clear	24
31937	16 oz.	PVC Hot Weather Plus Medium Clear	24
31938	32 oz.	PVC Hot Weather Plus Medium Clear	12



Date

Return to Table of Contents

CATEGORY PLASTIC PIPE CEMENTS AND PRIMERS



# SPECIALTY SOLVENT CEMENTS









#30847 shown

### **PVC Flexible Clear Cement**

- Medium-bodied clear cement for use on flexible PVC pipe and rigid fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Formulated to withstand pressures and vibrations commonly associated with spa and swimming pool installations.
- Meets manufacturer's rated line pressure for flexible PVC pipe.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.

• Meets ASTM D2564.				
Product No.	Size	Description	Ctn. Qty.	
30875	4 oz.	PVC Flexible Clear	12	
30879	32 oz.	PVC Flexible Clear	12	

# **ABS To PVC Transition Green Cement**

- Medium-bodied green cement for use in joining ABS to PVC in non-pressure transition joints up to 6" diameter. Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A
- or BAAQMD Method 40 and various environmental requirements. Recommended application temperature 40°F to 110°F / 4°C to 43°C.

Meets ASTM D3	138.		
Product No.	Size	Description	Ctn. Qty.
30900	4 oz.	ABS To PVC Transition Green	24
3090033	4 oz.	ABS To PVC Transition Green – Display Pack	24
30925	16 oz.	ABS To PVC Transition Green	6
30926	32 oz.	ABS To PVC Transition Green	12
309003	4 oz.	ABS To PVC Transition Green – Display Pack	12

# **All Purpose Cement**

- · Medium-bodied milky-clear cement for use on all schedules and classes of ABS, PVC and CPVC\* pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Recommended for potable water, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets performance requirements of ASTM D2564, D2235, F493.
- · Always check local codes for acceptability of this product.

Product No.	Size	Description	Ctn. Qty.
30818	4 oz.	All Purpose	24
308183	4 oz.	All Purpose – Display Pack	48
30821	8 oz.	All Purpose	24
308213	8 oz.	All Purpose – Display Pack	36
30834	16 oz.	All Purpose	24
308343	16 oz.	All Purpose – Display Pack	10
30847	32 oz.	All Purpose	12
30848	Gallon	All Purpose	6



14 Oatev SCS® Product Catalog



Return to Table of Contents

PLASTIC PIPE CEMENTS AND PRIMERS

TEGORY

llate

# **ABS CEMENTS**

# **ABS Medium Black Cement**

- · Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · For all non-pressure applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C. Meets ASTM D2235

Product No.	Size	Description	Ctn. Qty.
30999	4 oz.	ABS Medium Black	24
309993	4 oz.	ABS Medium Black – Display Pack	48
30889	8 oz.	ABS Medium Black	24
308893	8 oz.	ABS Medium Black – Display Pack	36
30892	16 oz.	ABS Medium Black	24
308923	16 oz.	ABS Medium Black – Display Pack	10
30902	32 oz.	ABS Medium Black	12
309023	32 oz.	ABS Medium Black – Display Pack	6
30915	Gallon	ABS Medium Black	6

# **ABS Special Milky Clear Cement**

- . Medium-bodied clear cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Fast curing for all non-pressure applications.
- · Formulated to eliminate the clean-up problems associated with black ABS cements.
- Becommended application temperature 40°E to 110°E / 4°C to 43°C

Meets ASTM D2235.				
Product No.	Size	Description	Ctn. Qty.	
30922	16 oz.	ABS Special Milky Clear	24	
30923	32 oz.	ABS Special Milky Clear	12	
30924	Gallon	ABS Special Milky Clear	6	

# ABS Extra Special Black Cement

- . Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Formulated especially for the hot, arid climates in the Western states.
- For all non-pressure applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.

Meets ASTM D2235.				
Product No.	Size	Description	Ctn. Qty.	
30916	4 oz.	ABS Extra Special Black	24	
30917	8 oz.	ABS Extra Special Black	24	
309173	8 oz.	ABS Extra Special Black – Display Pack	36	
30918	16 oz.	ABS Extra Special Black	24	
30919	32 oz.	ABS Extra Special Black	12	
30920	Gallon	ABS Extra Special Black	6	



LUPC .



(NSE)

DWV-SEWER



#30923 shown









Return to Table of Contents

# CATEGORY 📕 PLASTIC PIPE CEMENTS AND PRIMERS



are







# All Weather CPVC FlowGuard Gold®\* 1-Step Yellow Cement

- For copper tube size (CTS) CPVC hot and cold potable water pipe and fittings up to 2" diameter interference fit. Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A
- or BAAQMD Method 40 and various environmental requirements. For cold water systems and hot water systems up to 200°F / 93°C.
- · May be used without primer where local codes permit.
- Recommended application temperature 0°F to 115°F / -17°C to 46°C.
- Meets ASTM F493.
- \*FlowGuard Gold is a registered trademark of The Lubrizol Corporation.

Product No.	Size	Description	Ctn. Qty.
31910	4 oz.	CPVC Flowguard Gold® 1-Step Yellow	24
319103	4 oz.	CPVC Flowguard Gold® 1-Step Yellow - Display Pack	24
31911	8 oz.	CPVC Flowguard Gold® 1-Step Yellow	24
319113	8 oz.	CPVC Flowguard Gold® 1-Step Yellow - Display Pack	40
31912	16 oz.	CPVC Flowguard Gold® 1-Step Yellow	24
319123	16 oz.	CPVC Flowguard Gold® 1-Step Yellow - Display Pack	10
31913	32 oz.	CPVC Flowguard Gold® 1-Step Yellow	12
31914	Gallon	CPVC Flowguard Gold® 1-Step Yellow	6

# All Weather 1-Step FlowGuard Gold®\* With Ultraviolet Indicator

- For copper tube size (CTS) CPVC hot and cold potable water pipe and fittings up to 2" diameter interference fit. Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A
- or BAAQMD Method 40 and various environmental requirements. For cold water systems and hot water systems up to 200°F / 93°C.
- · CPVC FlowGuard Gold® with UltraViolet Indicator is specially formulated to allow for quick and easy inspection of dry fit joints using any ultraviolet light source.
- . When solvent cement is applied properly, the yellow formula will glow BLUE under ultraviolet light.
- May be used without primer where local codes permit.
- Recommended application temperature 0°F to 115°F / -17°C to 46°C.
- Meets ASTM F493.

*FlowGuard Gold is a re	egistered tradema	ark of The Lubrizol Corporation.	
Product No.	Size	Description	

TTOULOU NO.	0120	Description	oun quy
31917	8 oz.	1-Step CPVC Flowguard Gold® with UV Indicator	24
31918	16 oz	1-Step CPVC Flowguard Gold® with UV Indicator	24
31919	32 oz.	1-Step CPVC Flowguard Gold® with UV Indicator	24

Ctn Otv

# **CPVC Medium Orange Cement**

- Medium-bodied orange cement for use on all schedules and classes of CPVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For Residential and Commercial hot and cold water systems up to 200°F / 93°C.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Approved for Corzan<sup>®\*</sup> CPVC Piping Systems.
- Meets ASTM F493 and ASTM D2846.

\*Corzan is a registered trademark of The Lubrizol Corporation.

Product No.	Size	Description	Ctn. Qty.
31128	4 oz.	CPVC Medium Orange	24
311283	4 oz.	CPVC Medium Orange – Display Pack	48
31129	8 oz.	CPVC Medium Orange	24
311293	8 oz.	CPVC Medium Orange – Display Pack	36
31130	16 oz.	CPVC Medium Orange	24
31131	32 oz.	CPVC Medium Orange	12
31127	Gallon	CPVC Medium Orange	6



#31919 shown

**NSF** PW-DWV-SEWER

APC.





Return to Table of Contents

llate

# **CPVC CEMENTS**







#31037 shown



# **CPVC Heavy Duty Orange Solvent Cement**

- · Heavy-bodied orange cement for use on all schedules and classes of CPVC pipe and fittings up to 12" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For Commercial hot and cold water systems up to 200°F / 93°C.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Approved for Corzan®\* CPVC Piping Systems.
- Meets ASTM F493 and ASTM D2846.

*Corzan is a registered trademark of The Lubrizol Corporation.					
Product No.	Size	Description	Ctn. Qty.		
31082	16 oz.	CPVC Heavy Duty Orange	24		
31083	32 oz.	CPVC Heavy Duty Orange	12		
31084	Gallon	CPVC Heavy Duty Orange – Wide Mouth Can	6		

# **CPVC Heavy Duty Gray Cement**

- Heavy-bodied gray cement for use on all schedules and classes of CPVC pipe and fittings up to 12" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For Commercial hot and cold water systems up to 200°F / 93°C.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Approved for Corzan®\* CPVC Piping Systems.
- Meets ASTM F493 and ASTM D2846.

*Corzan is a registered			
Product No.	Ctn. Qty.		
31036	16 oz.	CPVC Heavy Duty Gray	24
31037	32 oz.	CPVC Heavy Duty Gray	12

# **PRIMERS & CLEANERS**



**UPC** 

#30770 shown

**NSF** PW-DWV-SEWER Industrial Grade Purple Primer – NSF Listed

- Very Aggressive Purple-tinted primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Recommended for Commercial and Large diameter thermoplastic piping systems,
- specifically CPVC Sch. 40 / 80.
- Ideal for use in cold weather applications.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- For use in areas where plumbing code calls for verification that a primer has been used.
- NSF and IAPMO Listed.

• Meets ASTM F6: Product No.	Size	Description	Ctn. Qty.
30770	16 oz.	Purple Primer – Industrial Grade	24
30771	32 oz.	Purple Primer – Industrial Grade	12
30772	Gallon	Purple Primer – Industrial Grade	6

PLASTIC PIPE CEMENTS AND PRIMERS



Return to Table of Contents

# CATEGORY PLASTIC PIPE CEMENTS AND PRIMERS



ale

#30774 shown









#30758 shown





#30753 shown

**NSF** PW-DWV-SEWER

# **PRIMERS & CLEANERS**

# Industrial Grade Clear Primer – NSF Listed

- Very Aggressive Clear primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Recommended for Commercial and Large diameter thermoplastic piping systems, specifically CPVC Sch. 40 / 80.
- · Ideal for use in cold weather applications.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld. NSF Listed.

• Meets ASTM F656.				
Product No.	Size	Description	Ctn. Qty.	
30773	16 oz.	Clear Primer – Industrial Grade	24	
30774	32 oz.	Clear Primer – Industrial Grade	12	
30775	Gallon	Clear Primer – Industrial Grade	6	

# Purple Primer – NSF Listed

- Purple-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- . For use in areas where plumbing code calls for verification that a primer has been used.
- NSF and IAPMO Listed.

<ul> <li>Meets ASTM F65</li> </ul>	6.		
Product No.	Size	Description	Ctn. Qty.
30755	4 oz.	Purple Primer	24
307553	4 oz.	Purple Primer – Display Pack	48
30756	8 oz.	Purple Primer	24
307563	8 oz.	Purple Primer – Display Pack	36
30757	16 oz.	Purple Primer	24
307573	16 oz.	Purple Primer – Display Pack	10
30758	32 oz.	Purple Primer	12
307583	32 oz.	Purple Primer – Display Pack	6
30759	Gallon	Purple Primer – Wide Mouth Can	6

# **Clear Primer – NSF Listed**

- Clear aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld. NSF Listed.

Meets ASTM F650	D.		
Product No.	Size	Description	Ctn. Qty.
30750	4 oz.	Clear Primer	24
30751	8 oz.	Clear Primer	24
30752	16 oz.	Clear Primer	24
30753	32 oz.	Clear Primer	12
30754	Gallon	Clear Primer	6



Return to Table of Contents

PLASTIC PIPE CEMENTS AND PRIMERS

TEGORY

Date

# PRIMERS & CLEANERS



#30806 shown

# **Purple Primer/Cleaner**

- Purple-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Less aggressive than clear and purple primers.
- Removes surface dirt, grease and grime for preparation before solvent cementing.
- Always check local codes for acceptability of this product.

Product No.	Size	Description	Ctn. Qty.
30780	4 oz.	Purple Primer/Cleaner	24
30783	8 oz.	Purple Primer/Cleaner	24
30796	16 oz.	Purple Primer/Cleaner	24
30806	32 oz.	Purple Primer/Cleaner	12
30768	Gallon	Purple Primer/Cleaner	6

# **Clear Cleaner**

- Clear Cleaner for ABS, PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- All schedules and all diameters.
- · Flows freely and evaporates quickly.
- · Fast acting cleaner removes surface dirt, grease and grime.

Product No.	Size	Description	Ctn. Qty.
30779	4 oz.	Cleaner	24
307793	4 oz.	Cleaner – Display Pack	48
30782	8 oz.	Cleaner	24
307823	8 oz.	Cleaner – Display Pack	36
30795	16 oz.	Cleaner	24
307953	16 oz.	Cleaner – Display Pack	10
30805	32 oz.	Cleaner	12
308053	32 oz.	Cleaner – Display Pack	6
30766	Gallon	Cleaner – Wide Mouth Can	6



#30805 shown





# Handy Packs

- Convenient "Handy Pack" for storage just add pipe and fittings.
- Contains one can of PVC Cement and one can of NSF Purple Primer.

Product No.	Size	Description	Ctn. Qty.
30246	4 oz.	PVC Regular & NSF Purple Primer	12
302483	8 oz.	PVC Regular & NSF Purple Primer – Display Pack	20
30246D	4 oz.	PVC Medium & NSF Purple Primer – Display Pack	24
302443	8 oz.	PVC Medium & NSF Purple Primer	20

Return to Table of Contents





















# **PVC CEMENTS**

# PVC - Clear, Medium Body, Medium Set Cement

• For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 6" diameter.

<ul> <li>For Schedules 4</li> <li>Product No.</li> </ul>	Size	Description	Ctn. Qty.
60003	4 oz.	PVC - Clear - Dauber In Cap	12
60013	8 oz.	PVC - Clear - Dauber In Cap	12
60015	16 oz.	PVC - Clear - Jumbo Dauber In Cap	12
60020	32 oz.	PVC - Clear - Jumbo Dauber In Cap	12
60025	Gallon	PVC - Clear	6

# PVC - Clear, Regular Body, Medium Set Cement

• For PVC Types I & II, potable water and SW pipe and fittings up to 4" diameter.

<ul> <li>For Schedules 40</li> <li>Product No.</li> </ul>	Size	Description	Ctn. Qty.
60043	4 oz.	PVC - Clear - Dauber In Cap	12
60053	8 oz.	PVC - Clear - Dauber In Cap	12
60055	16 oz.	PVC - Clear - Jumbo Dauber In Cap	12
60060	32 oz.	PVC - Clear - Jumbo Dauber In Cap	12

# PVC - Clear, Medium Body, Fast Set Cement

• For PVC Types I & II, potable water and SW pipe and fittings up to 8" diameter.

For Schedules 4	40 and 80.		
Product No.	Size	Description	Ctn. Qty.
60103	4 oz.	PVC - Clear - Dauber In Cap	24
60113	8 oz.	PVC - Clear - Jumbo Dauber In Cap	12
60115	16 oz.	PVC - Clear - Jumbo Dauber In Cap	12
60120	32 oz.	PVC - Clear - Jumbo Dauber In Cap	12

# Below Zero PVC - Clear, Regular Body, Fast Set Cement

• For PVC Types I & II, potable water and SW pipe and fittings up to 6" diameter.

<ul> <li>For Schedules 4</li> <li>Product No.</li> </ul>	10. Size	Description	Ctn. Qty.
60142	8 oz.	Below Zero PVC - Clear - Dauber In Cap	24
60145	16 oz.	Below Zero PVC - Clear - Jumbo Dauber In Cap	12
60148	32 oz.	Below Zero PVC - Clear - Jumbo Dauber In Cap	12

HERCULES

Return to Table of Contents

# **PVC CEMENTS**









• For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 15" diameter.

• For Schedules 40 and 80.					
Product No.	Size	Description	Ctn. Qty.		
60155	8 oz.	PVC - Clear - Dauber In Cap	24		
60160	16 oz.	PVC - Clear - Jumbo Dauber In Cap	12		
60165	32 oz.	PVC - Clear - Jumbo Dauber In Cap	12		

# PVC - Gray, Heavy Body, Slow Set Cement

• For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 15" diameter.

Wet Set PVC - Aqua Blue, Medium Body, Fast Set Cement • For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 8" diameter.

<ul> <li>For Schedule 40.</li> </ul>			
Product No.	Size	Description	Ctn. Qty.
60210	8 oz.	PVC - Gray - Dauber In Cap	24
60215	16 oz.	PVC - Gray - Jumbo Dauber In Cap	12
60220	32 oz.	PVC - Gray - Jumbo Dauber In Cap	12
60225	Gallon	PVC - Gray	6



#60220 shown PC (NSF) PW-DWV-SEWER





(NSF。) PW-DWV-SEWER

LUPC)





# **CPVC CEMENTS**







#60320 shown

**NSF** PW

UPC

• CPVC potable water pipe and fittings up to 8" diameter.

# **CPVC - Orange, Medium Body, Fast Set Cement**

<ul> <li>For all Schedule</li> <li>Product No.</li> </ul>	s. Size	Description	Ctn. Qty.
60303	4 oz.	CPVC Cement - Orange - Dauber In Cap	12
60313	8 oz.	CPVC Cement - Orange - Dauber In Cap	12
60315	16 oz.	CPVC Cement - Orange - Jumbo Dauber In Cap	12
60320	32 oz.	CPVC Cement - Orange - Jumbo Dauber In Cap	12











#60465 shown



C.4 0	PVC		24	=
RIN	UR	PLI	d	C
4	Ï	Č	1	
		K	4	



UV Flashlights				
Product No.	Size	Description	Ctn. Qty.	
50350	NA	High Intensity UV Flashlight	1	
50360	NA	Pocket Keychain UV Flashlight	5	



	EN.		-	
NC.				-
PR	IMI	ER	1	6
in ne	N	0	10	h
84	Ø	C	2	

#60490 shown





# Primer For PVC And CPVC - Purple • To soften and prepare surface of PVC and CPVC pipe and fittings.

- Use caution: Purple primers contain a dye which is difficult or impossible to remove.

.

<ul> <li>For all Schedule</li> </ul>	S.		
Product No.	Size	Description	Ctn. Qty.
60403	4 oz.	Primer - Purple - Dauber In Cap	12
60413	8 oz.	Primer - Purple - Dauber In Cap	12
60415	16 oz.	Primer - Purple - Jumbo Dauber In Cap	12
60420	32 oz.	Primer - Purple - Jumbo Dauber In Cap	12
60425	Gallon	Primer - Purple	6

UPC

UPC

**NSF** 

NSF

(NSE)

PW

# **PVC PRIMER-Purple**

- To soften and prepare surface of PVC pipe and fittings
- For all Schedules
- Use caution: Purple primers contain a dye which is difficult or impossible to remove

Product No.	Size	Description	Ctn. Qty.
60473	4 oz.	PVC Primer-Purple- Dauber In Cap	12
60483	8 oz.	PVC Primer-Purple- Dauber In Cap	12
60485	16 oz.	Cleaner - Clear - Jumbo Dauber In Cap	12
60490	32 oz.	PVC Primer-Purple- Jumbo Dauber In Cap	12
60495	Gallon	PVC Primer- Purple	6

### **PVC Primer - Clear** • To s

soften and	l prepare	surface	of PVC	pipe	and	fittings.	
all Sched	ules						

• For all Schedules.			
Product No.	Size	Description	Ctn. Qty.
60453	4 oz.	PVC Primer - Clear - Dauber In Cap	12
60458	8 oz.	PVC Primer - Clear - Dauber In Cap	12
60460	16 oz.	PVC Primer - Clear - Jumbo Dauber In Cap	12
60465	32 oz.	PVC Primer - Clear - Jumbo Dauber In Cap	12
60470	Gallon	PVC Primer - Clear	6

# **Unpurple Primer For PVC And CPVC Cement**

• To soften and p	orepare surfac dye appears o	e of PVC And CPVC Cement e of PVC pipe and fittings. clear - purple color revealed only under UV light.	PW-DWV-SEWER
Product No.	Size	Description	Ctn. Qty.
60445	16 oz.	Unpurple Primer For PVC And CPVC - Jumbo Dauber In Cap	12
60447	32 oz.	Unpurple Primer For PVC And CPVC - Jumbo Dauber In Cap	12



**SCULES** 

Return to Table of Contents

# **CPVC CEMENTS**



# **Plastic Pipe And Fittings Cleaner - Clear**

• For removing foreign matter and dirt from ABS, PVC, and CPVC, pipe and fitting

<ul> <li>For all Schedules</li> <li>Product No.</li> </ul>	Size	Description	Ctn. Qty.
60652	4 oz.	Cleaner - Clear - Dauber In Cap	12
60659	8 oz.	Cleaner - Clear - Dauber In Cap	12
60664	16 oz.	Cleaner - Clear - Jumbo Dauber In Cap	12
60667	32 oz.	Cleaner - Clear - Jumbo Dauber In Cap	12



Ctn. Qty. 12 12

12

12



ABS - Black, Medium Body, Fast Set Cement

**ABS CEMENTS** 

<ul> <li>For DWV and S</li> <li>For all Schedule</li> </ul>		ttings up to 8" diameter.
Product No.	Size	Description
60503	4 oz.	ABS - Black - Dauber In Cap
60513	8 oz.	ABS - Black - Dauber In Cap

ABS - Black - Jumbo Dauber In Cap

ABS - Black - Jumbo Dauber In Cap

#60520 shown

60515

60520



0	3
MULTIDUD	DOSE
MULTIPUR PVC-CPV	C
and and a	y sin
2300	6
Commission of the owned in	

# #60720 shown



Multi-Purpose -	Milkv.	Medium	Body.	Fast Set	Cement

16 oz.

32 oz.

For potable water, DWV and SW pipe and fittings.For joining PVC, CPVC and ABS pipe and fittings up to 6" diameter.

<ul> <li>For Schedules 40</li> <li>Product No.</li> </ul>	and 80. <b>Size</b>	Description	Ctn. Qty.
60703	4 oz.	Multl-Purpose - Milky - Dauber In Cap	12
60713	8 oz.	Multl-Purpose - Milky - Dauber In Cap	12
60715	16 oz.	Multl-Purpose - Milky - Jumbo Dauber In Cap	12
60720	32 oz.	Multl-Purpose - Milky - Jumbo Dauber In Cap	12
60725	Gallon	Multl-Purpose - Milky	6



Return to Table of Contents

CATEGORY 📕 PLASTIC PIPE CEMENTS AND PRIMERS

United Elchem Industries











# **1200 Series PVC Medium Clear Cement**

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D2564.

INTEGES AS LINE DZ:	004.		
Product No.	Size	Description	Ctn. Qty.
1266S	4 oz.	PVC Medium Clear	24
1256S	8 oz.	PVC Medium Clear	24
1246S	16 oz.	PVC Medium Clear	24
1236S	32 oz.	PVC Medium Clear	12
1224	Gallon	PVC Medium Clear	6

# **1500 Series PVC Heavy Duty Clear Cement**

- Heavy duty clear cement for use on all schedules and classes of PVC pipe and fittings up to 12" diameter with interference fit, up to 18" for non-pressure.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
  - Thick formula fills gaps in large diameter pipe and loose fitting joints.
  - Recommended for potable water, pressure pipe, conduit and DWV.

1600 Series PVC Medium Gray Cement

Size

4 oz.

8 oz.

16 oz.

32 oz.

Gallon

or BAAQMD Method 40 and various environmental requirements.
Recommended application temperature 40°F to 110°F / 4°C to 43°C.
Recommended for potable water, pressure pipe and DWV.

Description

PVC Medium Gray

• Meets ASTM D2564.

with interference fit.

Meets ASTM D2564.
 Product No.
 S

1666S

1656S

1646S

1636S

1624

Product No.	Size	Description	Ctn. Qty.
1566S	4 oz.	PVC Heavy Duty Clear	24
1556S	8 oz.	PVC Heavy Duty Clear	24
1546S	16 oz.	PVC Heavy Duty Clear	24
1536S	32 oz.	PVC Heavy Duty Clear	12
1524	Gallon	PVC Heavy Duty Clear	6

• Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter

Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A

# 

#1636S shown



United Elchem Industries

_	

Ctn. Qty.

24 24

24

12

6

Return to Table of Contents

United

**Elchem** 

Industries

# PVC CEMENTS

**1700 Series PVC Heavy Duty Gray Cement** 

or BAAQMD Method 40 and various environmental requirements.

interference fit, up to 18" for non-pressure.





UNI-WELD

800

#1836S shown

PW-DWV-SEWER

EXTRA HEAVY DUTY G

UPC



. Heavy duty gray cement for use on all schedules and classes of PVC pipe and fittings up to 12" diameter with

Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A

# 1800 Series Super 30<sup>®</sup> Extra Heavy Body Gray PVC Cement

- Extra heavy bodied medium-setting gray cement for use on PVC pipe and fittings up to 30" diameter.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Builds up for large diameter installation to fill gaps.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Formulated for quick installation.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D2564.

Product No.	Size	Description	Ctn. Qty.
1836S	32 oz.	Extra Heavy Duty Gray	12
1824	Gallon	Extra Heavy Duty Gray – Wide Mouth Can	6



#2236S shown



2200 Series PVC Regular Clear Cement	2200	Series	<b>PVC</b>	Regular	Clear	Cement
--------------------------------------	------	--------	------------	---------	-------	--------

- · Regular-bodied clear cement for use on all schedules and classes of PVC pipe and fittings
- up to 4" for Sch. 40 and up to 2" for Sch. 80.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Sets up quickly.

64.		
Size	Description	Ctn. Qty.
4 oz.	PVC Regular Clear	24
8 oz.	PVC Regular Clear	24
16 oz.	PVC Regular Clear	24
32 oz.	PVC Regular Clear	12
Gallon	PVC Regular Clear	6
	<b>Size</b> 4 oz. 8 oz. 16 oz. 32 oz.	SizeDescription4 oz.PVC Regular Clear8 oz.PVC Regular Clear16 oz.PVC Regular Clear32 oz.PVC Regular Clear



Return to Table of Contents

United **Elchem** Industries





UNI-WELD

#2836S shown

**NSF** PW-DWV-SEWER

# 2600 Series Polar-Weld<sup>™</sup> PVC All Weather Cement

- · Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings
- up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A
- or BAAQMD Method 40 and various environmental requirements.
- · Recommended for potable water, pressure pipe and DWV.
- Formulated for fast initial set-up at temperatures down to -15°F to 110°F /-26°C to 43°C.
- No primer needed on non-pressure DWV, where local codes permit.

Meets ASTM D2564

Product No.SizeDescriptionCtn. Qty.2666S4 oz.Polar-Weld PVC All Weather242656S8 oz.Polar-Weld PVC All Weather242646S16 oz.Polar-Weld PVC All Weather242636S32 oz.Polar-Weld PVC All Weather122624GallonPolar-Weld PVC All Weather6		2004.		
2656S8 oz.Polar-Weld PVC All Weather242646S16 oz.Polar-Weld PVC All Weather242636S32 oz.Polar-Weld PVC All Weather12	Product No.	Size	Description	Ctn. Qty.
2646S16 oz.Polar-Weld PVC All Weather242636S32 oz.Polar-Weld PVC All Weather12	2666S	4 oz.	Polar-Weld PVC All Weather	24
2636S32 oz.Polar-Weld PVC All Weather12	2656S	8 oz.	Polar-Weld PVC All Weather	24
	2646S	16 oz.	Polar-Weld PVC All Weather	24
2624   Gallon   Polar-Weld PVC All Weather   6	2636S	32 oz.	Polar-Weld PVC All Weather	12
	2624	Gallon	Polar-Weld PVC All Weather	6

# 2800 Series PVC Regular Clear Fast Set Cement

- · Regular-bodied clear cement for use on all schedules and classes of PVC pipe and fittings
- up to 4" for Sch. 40 and up to 2" for Sch. 80.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Recommended for potable water, pressure pipe and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- · Sets up quickly.

<ul> <li>Meets ASTM D2</li> </ul>	2564.		
Product No.	Size	Description	Ctn. Qty.
2866S	4 oz.	PVC Regular Clear Fast Set	24
2856S	8 oz.	PVC Regular Clear Fast Set	24
2846S	16 oz.	PVC Regular Clear Fast Set	24
2836S	32 oz.	PVC Regular Clear Fast Set	12
2824	Gallon	PVC Regular Clear Fast Set	6



UPC

# CPVC, ABS & MULTI-PURPOSE CEMENTS



UPC

3200 Series CPVC Medium Orange Cement

- Medium-bodied orange cement for use on CPVC pipe and fittings up to 6" diameter.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for hot and cold potable water pressure pipe.

3.		
Size	Description	Ctn. Qty.
4 oz.	CPVC Medium Orange	24
8 oz.	CPVC Medium Orange	24
16 oz.	CPVC Medium Orange	24
32 oz.	CPVC Medium Orange	12
	<b>Size</b> 4 oz. 8 oz. 16 oz.	SizeDescription4 oz.CPVC Medium Orange8 oz.CPVC Medium Orange16 oz.CPVC Medium Orange





**Industries** 

CATEGORY PLASTIC PIPE CEMENTS AND PRIMERS

# CPVC, ABS & MULTI-PURPOSE CEMENTS

United Elchem Industries



#6236S shown

# 6200 Series Multi Purpose Clear Cement

- Regular-bodied clear cement for use on all schedules and classes of PVC, CPVC and ABS pipe and fittings up to 2" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets performance requirements of ASTM D2564, D2235 and F493.

Consult Oatey Technical Service before using.

Product No.	Size	Description	Ctn. Qty.
6266S	4 oz.	Multi Purpose Regular Clear	24
6256S	8 oz.	Multi Purpose Regular Clear	24
6246S	16 oz.	Multi Purpose Regular Clear	24
6236S	32 oz.	Multi Purpose Regular Clear	12

### 4400 Series ABS Medium Black Cement

- Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · For all non-pressure applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.

<ul> <li>Meets ASTM D2</li> </ul>	235.		
Product No.	Size	Description	Ctn. Qty.
4466S	4 oz.	ABS Medium Black	24
4456S	8 oz.	ABS Medium Black	24
4446S	16 oz.	ABS Medium Black	24
4436S	32 oz.	ABS Medium Black	12
4424	Gallon	ABS Medium Black	6





PRIMERS & CLEANERS
--------------------



#7336S shown

# 7300 Series All Purpose Clear Cleaner

- Clear cleaner for ABS, PVC and CPVC pipe and fittings.
   LoVO C Solvent Compart meets California South Coast Air Quality Management
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Flows freely and evaporates quickly.
- Fast acting cleaner removes surface dirt, grease and grime.

<ul> <li>All schedules and</li> </ul>	d all diamete	rs.	
Product No.	Size	Description	Ctn. Qty.
7366S	4 oz.	Clear Cleaner	24
7356S	8 oz.	Clear Cleaner	24
7346S	16 oz.	Clear Cleaner	24
7336S	32 oz.	Clear Cleaner	12
7324	Gallon	Clear Cleaner	6

Navigation Return to Table of

Contents

United Elchem Industries

Return to Table of Contents

CATEGORY PLASTIC PIPE CEMENTS AND PRIMERS

United **Elchem** Industries











#8836S shown

# **PRIMERS & CLEANERS**

# 8000 Series Prime-Tite<sup>™</sup> Blue Primer – NSF Listed

- Blue-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Formulated to work with all "TITE" products.

	000.		
Product No.	Size	Description	Ctn. Qty.
8056S	8 oz.	Prime-Tite Blue Primer	24
8046S	16 oz.	Prime-Tite Blue Primer	24
8036S	32 oz.	Prime-Tite Blue Primer	12

# 8700 Series Purple Primer – NSF Listed

- Purple-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For use in areas where plumbing code calls for verification that a primer has been used.

· Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.

Product No.	Size	Description	Ctn. Qty.
8766S	4 oz.	Purple Primer	24
8756S	8 oz.	Purple Primer	24
8746S	16 oz.	Purple Primer	24
8736S	32 oz.	Purple Primer	12
8724	Gallon	Purple Primer	6

# 8800 Series Purple Primer/Cleaner

- Purple-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

· Less aggressive than clear primer and purple primer. Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.

Product No.	Size	Description	Ctn. Qty.
8866S	4 oz.	Purple Primer/Cleaner	24
8856S	8 oz.	Purple Primer/Cleaner	24
8846S	16 oz.	Purple Primer/Cleaner	24
8836S	32 oz.	Purple Primer/Cleaner	12
8824	Gallon	Purple Primer/Cleaner	6

United **Elchem Industries** 

# **PRIMERS & CLEANERS**

# 9300 Series Clear Primer – NSF Listed

• A clear aggressive primer for use on PVC and CPVC.

and fittings up to 6" with interference fit.

- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld. • All schedules and all diameters.

INIGELS AS TIM FOO	0.		
Product No.	Size	Description	Ctn. Qty.
9366S	4 oz.	Clear Primer – NSF Listed	24
9356S	8 oz.	Clear Primer – NSF Listed	24
9346S	16 oz.	Clear Primer – NSF Listed	24
9336S	32 oz.	Clear Primer – NSF Listed	12
9324	Gallon	Clear Primer – NSF Listed	6

#9336S shown

UNI-WELD







United

**Elchem** 

Industries





UPC

(NSF) PW-DWV-SEWER

04.		
Size	Description	Ctn. Qty.
4 oz.	Plumb-Tite PVC Medium "Hot" Blue	24
8 oz.	Plumb-Tite PVC Medium "Hot" Blue	24
16 oz.	Plumb-Tite PVC Medium "Hot" Blue	24
32 oz.	Plumb-Tite PVC Medium "Hot" Blue	12
Gallon	Plumb-Tite PVC Medium " Hot" Blue	6
	<b>Size</b> 4 oz. 8 oz. 16 oz. 32 oz.	SizeDescription4 oz.Plumb-Tite PVC Medium "Hot" Blue8 oz.Plumb-Tite PVC Medium "Hot" Blue16 oz.Plumb-Tite PVC Medium "Hot" Blue32 oz.Plumb-Tite PVC Medium "Hot" Blue



#2346S shown



2300	Series	Pool-T	ite'‴ M	edium E	Blue	"Hot"	PVC	Cement

2000 Series Plumb-Tite<sup>™</sup> PVC Medium "Hot" Blue Cement

or BAAQMD Method 40 and various environmental requirements. • No primer needed on non-pressure DWV, where local codes permit.

Recommended application temperature 40°F to 110°F / 4°C to 43°C.

· Recommended for potable water, pressure pipe and DWV.

Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe

• Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.

• Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A

- Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV, where local codes permit.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.

<ul> <li>Meets</li> </ul>	ASTM	D2564.
---------------------------	------	--------

Monto ACTM DOEG

• Meets ASTM D2 Product No.	Size	Description	Ctn. Qty.
2366S	4 oz.	Pool-Tite PVC Medium "Hot" Blue	24
2356S	8 oz.	Pool-Tite PVC Medium "Hot" Blue	24
2346S	16 oz.	Pool-Tite PVC Medium "Hot" Blue	24
2336S	32 oz.	Pool-Tite PVC Medium "Hot" Blue	12
2324	Gallon	Pool-Tite PVC Medium "Hot" Blue	6

Return to Table of Contents

CATEGORY PLASTIC PIPE CEMENTS AND PRIMERS

United Elchem Industries



#2936S shown





#2436S shown





#2736S shown

"TITE SERIES" CEMENTS

# 2900 Series Pool-Clear<sup>™</sup> Medium Clear PVC Cement

- Medium-bodied clear cement for use on all schedules and classes of flexible and rigid PVC pipe
  and fittings up to 6" with interference fit
- and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Specially formulated for use with flexible and rigid piping systems.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.

Meets ASTM D2564.					
Product No.	Size	Description	Ctn. Qty.		
2946S	16 oz.	Pool-Clear PVC Medium Clear	24		
2936S	32 oz.	Pool-Clear PVC Medium Clear	12		

# 2400 Series Turf-Tite<sup>™</sup> PVC Medium "Hot" Blue Cement

- Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV, where local codes permit.
   Very fact acting account formulated for wat conditions and/or quick
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.

<ul> <li>Meets ASTM D2</li> <li>Product No.</li> </ul>	Size	Description	Ctn. Qty.
2466S	4 oz.	Turf-Tite PVC Medium "Hot" Blue	24
2456S	8 oz.	Turf-Tite PVC Medium "Hot" Blue	24
2446S	16 oz.	Turf-Tite PVC Medium "Hot" Blue	24
2436S	32 oz.	Turf-Tite PVC Medium "Hot" Blue	12
2424	Gallon	Turf-Tite PVC Medium "Hot" Blue	6

# 2700 Series Multi-Tite<sup>™</sup> Medium Blue "Hot" PVC Solvent Cement

- Medium-bodied blue colored cement for use on ABS, PVC and CPVC pipe and fittings
- up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A
- or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV, where local codes permit.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- · Recommended for potable water, pressure pipe and DWV.

Meets ASTM D2564.					
Product No.	Size	Description	Ctn. Qty.		
2766S	4 oz.	Multi-Tite PVC Medium "Hot" Blue	24		
2756S	8 oz.	Multi-Tite PVC Medium "Hot" Blue	24		
2746S	16 oz.	Multi-Tite PVC Medium "Hot" Blue	24		
2736S	32 oz.	Multi-Tite PVC Medium "Hot" Blue	12		

United Elchem Industries

# "TITE SERIES" CEMENTS

Navigation Return to Table of Contents

United

Elchem

Industries







#24336S shown





#3036S shown



# Spa-Tite<sup>™</sup> Heavy Duty "Hot" Blue PVC Cement

- Heavy-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 12" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- · Specially formulated for use with flexible and rigid piping systems.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D2564.
   Description
   Ctn. Qty.

   24436S
   32 oz.
   Spa-Tite PVC Heavy Duty Blue
   12

# Spa-Tite<sup>™</sup> Heavy Duty "Hot" Clear PVC Cement

- Heavy-bodied clear cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 12" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Specially formulated for use with flexible and rigid piping systems.
- Very fast setting cement formulated for wet conditions schedules and classes of flexible and rigid PVC pipe and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for ALL grades and types of PVC pipe and fittings potable water, pressure pipe and DWV.
- Meets ASTM D2564.

Product No.	Size	Description	Ctn. Qty.
24336S	32 oz.	Spa-Tite PVC Heavy Duty Clear	12

16A

- 3000 Series Well-Tite<sup>™</sup> PVC Medium "Hot" Blue Cement
- Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV, where local codes permit.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.

Meets ASTM D2564.						
Product No.	Size	Description	Ctn. Qty.			
3046S	16 oz.	Well-Tite PVC Medium "Hot" Blue	24			
3036S	32 oz.	Well-Tite PVC Medium "Hot" Blue	12			
3024	Gallon	Well-Tite PVC Medium "Hot" Blue	6			

Return to Table of Contents

# ACCESSORIES



# **Plastic Pipe Cement Brushes**

Product No.	Size	Description	Ctn. Qty.
50200	1"	Plastic Pipe Cement Brush - Natural Bristle	36

# **Solvent Cement And Primer Accessories**

- Standard replacement daubers specifically sized for 4 oz., 8 oz., 16 oz. and 32 oz. cement/primer cans.
  Brush applicator for 16 & 32 oz. cans.

• Standard replacement cans.



Product No.	Size	Description	Ctn. Qty.
31299	4 oz.	Dauber 3/4"	48
31309	8 oz.	Dauber 3/4"	48
31310	16 oz.	Dauber 1-1/2"	48
31312	32 oz.	Dauber 1-1/2"	48
31313	16/32 oz.	Dauber For CPVC Cement 3/4"	48
31257	16/32 oz.	Brush Top Dauber 1-1/2" Length	50
31275	12"	Gallon Can Roller Applicator – Fits Wide And Standard Mouth Size	12
31276	12"	Gallon Can Swab Applicator – Fits Wide And Standard Mouth Size	12
31304	4 oz.	Cement Can	24
31305	8 oz.	Cement Can	24
31306	16 oz.	Cement Can	24
31307	32 oz.	Cement Can	12
30901	1 Gallon	Wide Mouth Can	6

Return to Table of Contents

# ACCESSORIES

# **Adjustable Daubers**



- For applying solvent cement and primers.
- Dauber is unbreakable.
- Designed to adjust to various can dimensions and evaporation of solvents and prevents spillage to ensure a good solvent weld.
- Specially constructed easy open, easy close sealing controls allows application of the proper amount of cement.

• Fits can sizes 1/2 pint through quart.

Product No.	Size	Description	Ctn. Qty.
31300	1/2"	Adjustable Plastic Dauber w/ 1/2" Ball	100
31301	1"	Adjustable Plastic Dauber w/ 1" Ball	100
31302	1"	Adjustable Plastic Dauber w/ 1" Ball	50



### **Cement Carrier**

- Designed to make it easier to keep cement and cleaner ready for use on the job.
- Caddy holds two 32 oz. cans.

<ul> <li>Patented</li> </ul>	Design.
------------------------------	---------

<ul> <li>Falenieu Design.</li> </ul>			
Product No.	Size	Description	Ctn. Qty.
31250	32 oz. can	Cement Carrier	12

Return to Table of Contents

# HOW TO SOLVENT WELD



# **Pipe Types**

**CPVC: Chlorinated Polyvinyl Chloride** – Typically used for pressure piping applications, including hot and cold potable water distribution. Can also be used for corrosive fluid handling in industrial or chemical applications.

**ABS: Acrylonitrile Butadiene Styrene** – Typically used for non-pressure piping applications.

**PVC: Polyvinyl Chloride** – Typically used for pressure or non-pressure piping applications.

# **Solvent Cements for any Application**

If you need to solvent weld one pipe joint or one thousand, Oatey<sup>®</sup> is the solvent cement more professionals choose than any other brand. From hot to cold, wet to dry, Oatey has the solvent cement to meet your exact requirement for any plastic pipe installation.

# **Solvent Cement Cure Times**

The cure time of solvent cements is dependent on several factors. The pipe size, socket fit, ambient temperature, relative humidity, solvent cements and the system operating pressure should all be considered when determining cure times.

Oatey Solvent Cements are developed with the plumbing contractor in mind. New products like **Orange Lava Hot CPVC Cement** have the lowest set up and cure times in the industry, a perfect fit for any job requiring minimal downtime.

Oatey continues to work hard to provide you peace of mind and confidence when using Oatey brand solvent cements and products.

Cure chart see page 33

# **How To Solvent Weld**

### PRIOR TO USE: Read all product labels carefully.

Stir or shake cement before using. If jelly-like, do not use. Keep container closed when not in use. Avoid eye and skin contact. Wear safety glasses with side shields and wear rubber gloves.

- 1. Square pipe ends, chamfer and remove all dirt.
- Check dry fit of pipe and fitting. Pipe should easily go 1/3 of the way into the fitting. If pipe bottoms, it should be snug.
- **3.** Use a suitable applicator at least 1/2 the size of the pipe diameter. For larger size pipe systems use a natural bristle brush or roller.
- Clean pipe and fitting with a listed primer. (Do not use primer on ABS pipe and fittings. Use Clear Cleaner only!)
- Apply liberal coat of cement to pipe to the depth of the socket, leave no uncoated surface.
- Apply a thin coat of cement to inside of fitting, avoid puddling of cement. Puddling can cause weakening and premature failure of pipe or fitting. Apply a second coat of cement to the pipe.
- **7.** Assemble parts QUICKLY. Cement must be fluid.If cement surface has dried, recoat both parts.
- **8.** Push pipe FULLY into fitting using a 1/4 turning motion until pipe bottoms.
- **9.** Hold pipe and fitting together for 30 seconds to prevent pipe push-out longer at low temperatures. Wipe off excess.
- 10. Allow 15 minutes for good handling strength and 2 hours cure time at temperatures above 60°F before pressure testing up to 180 psi. Longer cure times may be required at temperatures below 60°F or with pipe above 3". DO NOT TEST WITH AIR.

For specialty cements and chemical applications, please see specific product label instructions.













# SET UP/CURING TIMES

The set up/cure time is dependent on several factors. The pipe size, socket fit, ambient temperature, relative humidity, solvent cement used and the system operating pressure should all be considered when determining set up/cure times.

may vary.

than 8" diameter.

Temperature during assembly	60º - 100ºF	40º - 60ºF	20º - 40ºF	0º - 20ºF
Pipe Diameter ½" to 1-¼"	2 minutes	5 minutes	8 minutes	10 minutes
Pipe Diameter 1-½" to 3"	5 minutes	10 minutes	12 minutes	15 minutes
Pipe Diameter 4" to 5"	15 minutes	30 minutes	60 minutes	2 hours
Pipe Diameter 6" to 8"	30 minutes	90 minutes	3 hours	6 hours

Pipe Diameter										
Number Of Joints	325	250	150	125	90	70	50	30	10	8

These figures are estimates based on laboratory testing. Conditions in the field may vary.

## **PVC & ABS**

		Temperature during assembly and cure period				
Pipe Diameter		<b>60°−100°F</b> 16°−38°C	<b>40°-60°F</b> 4°-16°C	<b>20°–40°F</b> -7°–4°C	<b>0°–20°F</b> -18°– -7°C	
1/2" to 1-1/4"	Up to 180 psi	15 min	20 min	30 min		
13 to 32mm	180 psi +	4 hrs	8 hrs	36 hrs		
1-1/2" to 3"	Up to 180 psi	30 min	45 min	60 min	Please contact	
40 to 80mm	180 psi +	8 hrs	16 hrs	72 hrs	Oatey Technical	
<b>4" to 5"</b> 100 to	Up to 180 psi	2 hrs	4 hrs	36 hrs	Services for cure time information	
125mm	180 psi +	12 hrs	24 hrs	4 days	IIIOIIIIauoII	
<b>6" to 8"</b> 150 to	Up to 180 psi	8 hrs	16 hrs	3 days		
200mm -	180 psi +	24 hrs	48 hrs	9 days		

# **Average Joint Cure Times** for PVC/CPVC Solvent Cements

Average Number of Joints **Per Quart of Solvent Cement** 

**Average Handling/Set Up Times** for PVC/CPVC Solvent Cements

or humid weather, allow 50% additional time.

Handling/Set Up Time is the time required prior to handling the joint. In damp

These figures should only be used as a general guide. Conditions in the field

Contact Oatey Technical Services for set up times for pipe larger

Joint cure time is the time required before pressure testing the system. In damp or humid weather allow 50% additional cure time.

Contact Oatey Technical Services for cure times for pipe larger than 8" diameter.

This data is applicable only for new piping installations and not recommended for repair or cut-ins on hot and cold mwater distribution systems. Please contact Oatey Technical Service for recommendations on Cure Times for such applications

DO NOT test PVC and CPVC piping systems with compressed air or gas.

Notes: Cure schedule is the time required before pressure testing the svstem

- This chart can be used as a guideline to determine joint cure

- Cure times stated are for conditions with relative humidty of 60% or less
- + In damp or humid weather allow 50% additional cure time

CATEGORY 📕 PLASTIC PIPE CEMENTS AND PRIMERS

# CPVC

		Temperature during assembly and cure period					
Pipe Diameter		<b>60°–100°F</b> 16°–38°C	<b>40°-60°F</b> 4°-16°C	<b>20°–40°F</b> -7°–4°C	<b>0°–20°F</b> -18°– -7°C		
1/2" to 1-1/4"	Up to 180 psi	1 hr	2 hrs				
13 to 32mm	180 psi +	6 hrs	12 hrs				
<b>1-1/2"</b> <b>to 3"</b> 40 to 80mm	Up to 180 psi	2 hrs	4 hrs	Please contact			
	180 psi +	12 hrs	24 hrs	Oatey Technical Services for cure time			
<b>4" to 5"</b> 100 to	Up to 180 psi	6 hrs	12 hrs		nation		
125mm	180 psi +	18 hrs	36 hrs				
<b>6" to 8"</b> 150 to	Up to 180 psi	8 hrs	16 hrs				
200mm	180 psi +	24 hrs	48 hrs				

Contents





# Category 2

# **Thread Sealants and Leak Detectors**

When it comes to Thread Sealants, nobody does it better than Oatey<sup>®</sup> and Hercules<sup>®</sup>. Together we have formulated and manufactured thread sealants for more than 70 years. We continuously respond to professional plumbers' changing needs with new technology, new ideas, and new products. From low-pressure to high-pressure piping demands, from plastics to metals, as well as the market's need for PTFE – we lead the industry with Thread Sealants and Pipe Joint Compounds that provide solutions.

Return to Table of Contents

CATEGORY 🖌 THREAD SEALANTS AND LEAK DETECTORS



# HERCULES



Now with DuPont<sup>™</sup> Kevlar<sup>®</sup>

Call it the plumbing industry's only "bulletproof" thread sealant. **MEGALOC® Thread Sealant** now features **DuPont™ Kevlar®** in its formula. That's one part of what makes MEGALOC the highest performing thread sealant on the market. Another is the fact that it wipes clean from hands and tools with just a dry rag. And it washes out of clothing too.

For use on both plastic and metal pipe and fittings, MEGALOC is grit-free and does not contain PTFE. It sets soft; no cure time required; never hardens, cracks or becomes brittle. No odor. It's non-separating, non-flammable, and non-hazardous, with leak-proof hydraulic resistance to 12,000 PSI. It withstands gas pressure to 2600 PSI and performs over a temperature range of -50° to 400°F (on steel pipe).

Use MEGALOC on all metals, including galvanized steel, black iron, aluminum, copper, brass, stainless steel, and on PVC, ABS, and CPVC plastics. Not recommended for lines carrying concentrated acids, alkalis, ketones and oxygen.

Certified to ANSI/NSF Standard 61. Safe for drinking water lines. UPC listed. Meets CSA requirements 4-90 for gas. Low VOC. Meets Fed. Spec. TT-S-1732. Blue.



Only From Hercules®!



# Hercules<sup>®</sup> MEGATAPE PTFE Tape (see page 38)

# 2X Denser!

Seals threads on virtually any piping system, including: Stainless steel pipe, cast iron, PVC, CPVC and ABS pipe, brass and chrome fittings, gas connections, and more!

**Looks better** - 80% of shower heads sold are chrome or nickel. Gray blends better.

**Performs better** - Harder, sharper low-lead and stainless steel threads demand a thicker, denser tape. And no other tape contains more PTFE than MEGATAPE.

Each size comes in a MEGA-huge 1000-inch roll. Use MEGATAPE on any threaded pipe carrying dilute acids, compressed air, aliphatic solvents, dilute caustics, cutting oils, diesel fuel oil, hydraulic fluids, L.P. Gas, natural gas, petroleum solvents, steam, vegetable oils, water and many more.



# CATEGORY Z THREAD SEALANTS AND LEAK DETECTORS

PIPE JOINT COMPOUND COMPOUND CANES JURTAS DE CAÑOS JURTAS DE CAÑOS

ater



<ul> <li>Not for use on pla</li> </ul>	astic threads.		
Product No.	Size	Description	Ctn. Qty.
31226	1 fl. oz.	Gray Pipe Joint Compound	12
31226D	1 fl. oz.	Gray Pipe Joint Compound – Display	54
31227	4 fl. oz.	Gray Pipe Joint Compound	12
31228	8 fl. oz.	Gray Pipe Joint Compound	12
31228D	8 fl. oz.	Gray Pipe Joint Compound – Display	30
31235	16 fl. oz.	Gray Pipe Joint Compound	24
31236	32 fl. oz.	Gray Pipe Joint Compound	12

# Great White® Pipe Joint Compound with PTFE

THREAD SEALANTS AND LEAK DETECTORS

· Non-hardening gray paste seals and lubricates threaded joints.

• Lubricates and seals all threaded joints.

**Gray Pipe Joint Compound** 

For use on water, steam or air lines.Non-separating and non-toxic material.

- White, non-hardening, non-separating, non-toxic paste.
- Withstands up to 3,000 PSI on gases from -50 to +400°F, and 10,000 PSI on liquids from -50 to +500°F.
- For use with water, steam, caustics or dilute acid lines.
- Can be used with plastic and metal threads.

Product No.	Size	Description	Ctn. Qty.
31229	1 fl. oz.	Great White® Pipe Joint Compound w/PTFE	12
31229D	1 fl. oz.	Great White® Pipe Joint Compound w/ PTFE – Display	54
312291	1 fl. oz.	Great White® Pipe Joint Compound w/ PTFE – Gravity Feed	120
31230	4 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	12
31230D	4 fl. oz.	Great White® Pipe Joint Compound w/ PTFE – Display	48
31231	8 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	12
31231D	8 fl. oz.	Great White® Pipe Joint Compound w/ PTFE – Display	30
31232	16 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	24
31233	32 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	12



#31261 shown

Certified to NSF/ANSI 61

LUPC .

#31230 shown

Certified to

UPC

**FBC** 



- Flexible blue, non-hardening, non-separating, non-toxic paste, no odor, easy clean-up.
- Use on PVC, CPVC, ABS, polyethylene, polypropylene, iron, steel, copper or brass threads up to and including 2".
- Withstands up to 3,000 PSI on gases from -50° to +400° F and 10,000 PSI on liquids from -50° to +500° F ABS, cycolac, polypropylene, iron, steel or copper.
- · Lubricates and seals thread on water, natural gas, steam, air lines, caustics and dilute acids.

Product No.	Size	Description	Ctn. Qty.
31265	1 fl. oz.	Great Blue® Pipe Joint Compound	12
31261	4 fl. oz.	Great Blue® Pipe Joint Compound	12
31262	8 fl. oz.	Great Blue <sup>®</sup> Pipe Joint Compound	12
31263	16 fl. oz.	Great Blue <sup>®</sup> Pipe Joint Compound	24
312636	16 fl. oz.	Great Blue® Pipe Joint Compound – Display	6




Return to Table of Contents

### THREAD SEALANTS AND LEAK DETECTORS

### White General Purpose Thread Seal Tape With PTFE

- Provides a clean, positive seal on threaded connections.
- A high density product that resists tearing and stretching for easy, efficient application.
- Available carded or packaged bulk on spools.
- Complies with Military Spec. No. A-A-58092 & UL 31 RO.
- 3 mils thick, 0.7 grams/cubic centimeter density.

Product No.	Size	Description	Ctn. Qty.
31199	1/2" x 260"	PTFE White Thread Seal Tape	144
31202	1/2" x 520"	PTFE White Thread Seal Tape	144
31212	3/4" x 260"	PTFE White Thread Seal Tape	144



A DATE AND A REAL PROPERTY OF

#31202 shown



- · Manufactured especially for natural gas, propane, butane, water, oil and chemical lines.
- Heavier than white tape with density of 1.35-1.50 grams/cubic centimeters, 4 mils thick.
- Complies with MIL-T-22230A (ASG), UL 31 RO, AGA 3226 and CAN/ULC-S642.
- · Packaged on spools in convenient dispenser box.

Product No.	Size	Description	Ctn. Qty.
31403	1/2" x 260"	PTFE Yellow Thread Seal Tape – Dispenser Pack	100
31403D	1/2" x 260"	PTFE Yellow Thread Seal Tape – Display	20



### Pink Water Line Thread Seal Tape With PTFE

- · Provides fast positive seal for water lines, sewage lines and sprinkler systems.
- Effective on metal or plastic threads.
- Complies with Mil. Spec. A-A 58092.
- Pink tape is 3 mils thick with density of 1.35-1.50 grams/cubic centimeter.

Product No.	Size	Description	Ctn. Qty.
31402D	1/2" x 260"	PTFE Pink Thread Seal Tape – Display	50



#30209 shown

### All Purpose Leak Detector

- Detects leaks quickly on all types of tubing, valves, cylinders, pressure tanks or other systems under air, gas or oxygen pressure.
- Functions in -55 F to 160 F temperature range.

<ul> <li>Slow evaporation rate extends inspection time.</li> </ul>					
Product No.	Size	Description	Ctn. Qty.		
30209	8 oz.	All Purpose Leak Detector With Dauber	12		
30211	16 oz.	All Purpose Leak Detector With Trigger Spray	12		
30212	Gallon	All Purpose Leak Detector	4		



Return to Table of Contents





### Megatape

- High density.
- Recommended by professionals.

**TFE Pipe Joint Tape** • Economy-grade, low density tape.

Product No.

15162

15164

15169

15176

15183

Tape Dope®

**Product No.** 

15124

15127

15136

High density, high qualitySelf lubricant, easy-to-use.

· Weather resistant; Will not "freeze", seize or harden.

1/2" x 520"

1/2" x 1296"

3/4" x 520"

1" x 520"

• Industrial heavy grade multi-purpose PTFE tape.

Size

1/2" x 500"

1/2" x 750"

3/4" x 500"

**Size** 1/2" x 260"

Extra-large spool.

Product No.	Size	Description	Ctn. Qty.
15100	1⁄2"x1000"	Gray PTFE Tape	63
15110	¾"x 1000"	Gray PTFE Tape	45
15120	1"x1000"	Gray PTFE Tape	36

Ctn. Qty.

144

144

36

36

36

Ctn. Qty.

24

24

12

Description

TFE Pipe Joint Tape

Description

Tape Dope®

Tape Dope®

Tape Dope®



#15162 shown



#15136 shown



### **Pipe Joint Compound**

• Oil-based thread sealant.

- Not for use on plastic pipe or fittings.
- Non-setting formula; Will not harden, crack or become brittle.

• Not for use on plastic pipe or fittings.

<ul> <li>Rust color.</li> <li>Product No.</li> </ul>	Size	Description	Ctn. Qty.
Trouber No.	0120	•	otil. qty.
15308	2 oz.	Pipe Joint Compound - Display, Plastic Tube (12 Trays)	144
15308B	2 oz.	Pipe Joint Compound - Plastic Tube -Bulk Pk	144
15311	1/4 pt.	Pipe Joint Compound	24
15327	1 pt.	Pipe Joint Compound - Screw Cap With Brush	12
15340	Gallon	Pipe Joint Compound	4



CATEGORY Z THREAD SEALANTS AND LEAK DETECTORS

### THREAD SEALANTS AND LEAK DETECTORS







### Pro Dope®

- Oil-based thread sealant.
- Accepted for use on FlowGuard Gold® Pipe and Fittings.
- Not for use on any other plastic pipe or fittings.
- Gray color.
- Non-setting formula; Will not harden, crack or become brittle.
- Withstands air/steam pressure to 200psi and liquid pressure to 250psi at temperatures from 0° to +350°F.

Product No.	Size	Description	Ctn. Qty.
15420	1/2 pt.	Pro Dope <sup>®</sup> - Screw Cap With Brush	24
15427	1 pt.	Pro Dope <sup>®</sup> - Screw Cap With Brush	12
15433	6 lb.	Pro Dope® - Plastic Pail With Handle	6
15435	Gallon	Pro Dope®	4
15445	5 gal.	Pro Dope®	1



### Grrip<sup>™</sup> - Industrial Black

- All purpose, tough, pliable, non-petroleum based seal.
- Will not harden, crack, crumble or shrink.
- Sets up quickly and dries to form a very tough, yet flexible seal.
- Withstands hydraulic pressure to 12,000psi and gas pressure to 2600psi at temperatures from -50° to +400°F

Product No.	Size	Description	Ctn. Qty.
15510	1/4 pt.	Grrip™ - Industrial Black - Screw Cap With Brush	24
15515	1/2 pt.	Grrip <sup>™</sup> - Industrial Black - Screw Cap With Brush	24
15520	1 pt.	Grrip™ - Industrial Black - Screw Cap With Brush	12
15525	1 qt.	Grrip™ - Industrial Black	12





### Real Tuff™

- Multi-purpose, heavy duty white PTFE paste thread sealant.
- Provides leak proof hydraulic resistance to 2,000 psi.
- Withstands hydraulic pressure to 12,000psi and gas pressure to 2600psi at temperatures from -50° to +500°F (on steel pipe).
- Lubricates and seals all threaded joints.
- For use with water, steam, caustics or dilute acid lines.
- Can be used with plastic and metal threads.

Product No.	Size	Description	Ctn. Qty.
15605	2 oz.	Real Tuff™ - Display, Plastic Tube (4 Trays)	48
15615	1/4 pt.	Real Tuff™ - Screw Cap With Brush	24
15620	1/2 pt.	Real Tuff™ - Screw Cap With Brush	24
15625	1 pt.	Real Tuff™ - Screw Cap With Brush	12
15632	1 qt.	Real Tuff <sup>™</sup> - Screw Cap With Brush	12
15635	Gallon	Real Tuff™	4
15640	5 gal.	Real Tuff™	1



Return to Table of Contents





### THREAD SEALANTS AND LEAK DETECTORS

### Block™

• All purpose, high performance pipe joint and gasket sealing compound.

Leak-proof.

- Grit-free; non-separating, distinctive non-runny consistency.
- Withstands hydraulic pressure to 12,000psi and gas pressure to 2600psi at temperatures from -50° to +450°F (on steel pipe).

Product No.	Size	Description	Ctn. Qty.
15703	1/4 pt.	Block™ - Screw Cap With Brush	24
15707	1/2 pt.	Block <sup>™</sup> - Screw Cap With Brush	24
15711	1 pt.	Block™ - Screw Cap With Brush	12
15716	1 qt.	Block <sup>™</sup> - Screw Cap With Brush	12



#15707 shown

#15806 shown





#45802 shown



### **Megaloc**<sup>®</sup>

- Now made with DuPont<sup>™</sup> Kevlar<sup>®</sup>.
- Wipes easily from hands and tools with dry rag.
- No odor Soft setting Non Flammable.
- High performing thread sealant.
- Grit-free.
- Withstands hydraulic pressure to 12,000psi and gas pressure to 2600psi at temperatures from -50° to +400°F (on steel pipe).

Product No.	Size	Description	Ctn. Qty.
15802	1.1 fl oz.	Megaloc <sup>®</sup> - Display, Plastic Tube	24
15804	1/4 pt.	Megaloc <sup>®</sup> - Screw Cap With Brush	24
15806	1/2 pt.	Megaloc® - Screw Cap With Brush	24
15808	1 pt.	Megaloc® - Screw Cap With Brush	12
15811	1 qt.	Megaloc® - Screw Cap With Brush	12
15814	Gallon	Megaloc®	4
15816	5 gal.	Megaloc®	1
15818	55 gal.	Megaloc®	1

### Megabubble® Leak Detector

- · Detects even the smallest gas leaks.
- Produces long-lasting bubbles.
- Clings, even to vertical surfaces.

<ul> <li>Non-toxic, non-c</li> </ul>	orrosive formula		
Product No.	Size	Description	Ctn. Qty.
45801	8 oz.	Megabubble® Leak Detector - With Dauber	24
45804	16 oz.	Megabubble® Leak Detector - With Sprayer - Display Pack	12
45802	32 oz.	Megabubble® Leak Detector - With Sprayer	12
45803	Gallon	Megabubble® Leak Detector - Refill Container	4
45807	55 gal.	Megabubble®	1

### **Pipe Dope Brush**

Product No.	Size	Description	Ctn. Qty.
50310	8"	Pipe Dope Brush - Wood Handle	144



Hercules <sup>®</sup> Thread Sealant Application Chart	Megaloc	<b>Pipe Joint Compound</b>	Pro Dope	Real-Tuff	Tape Dope	TFE Pipe Joint Tape	Block	
Acids — Concentrated				1	1	1		
Acids — Dilute	1	1	1	~	<	1	1	۰,
Air Compressed (Gaseous)	1	1	1	~	<	1	1	,
Alcohols				~	~	1		
Aliphatic Solvents	1			1	~	1		
Ammonia Anhydrous	1	1	1	1	~	1		ĺ
Ammonia Gaseous	1	1	1	1	~	1		
Ammonia Liquefied	1			1	1	1		Γ
Aromatic Solvents	1			1	1	1		
Benzene				1	~	1		ĺ
Brine	1	1	1	1	~	1	1	Γ
Butane Gas	1			1	~	1	1	
Carbon Dioxide	1	1	1	1	~	1	1	
Carbon Tetrachloride				~	~	1		Γ
Castor Oils	1	1	1	1	~	1	1	Γ
Caustic Alkalis (Concentrated)				1	~	1		ľ
Caustic Alkalis (Dilute)	1	1	1	~	~	1		
Chlorine Gas					~	1		
Coal Gas	1			1	~	1		Ī
Coal Tar Naptha	1			1	~	1		Γ
Cutting Oils	1			1	~	1	1	
Diesel Fuel Oils	1			1	~	1	1	Γ
Distilled Water					~	1		Ī
Dry Cleaning Fluids				1	1	1		Γ
Ethylene Glycol	1			1	1	1	1	
Fatty Acid (Liquid)	1			1	1	1	1	Γ
Food Processing Sys. (FDA App.)					1	1		ſ
Freons (AII)	1			1	~	1	1	ľ
Gasohol				1	1	1		Γ
Gasoline	1			1	~	1	1	1
Glycerine	1			1	1	1	1	
Heating Oils	1			1	~	1	1	
Helium Gaseous	1	1	1	1	1	1	1	ſ
Hydraulic Oils	1			1	~	1	1	
Hydrogen	1	1	1	1	1	1	1	
Inert Gases	1	1	1	1	~	1	1	

Continued on next page.

Navigation Return to Table of Contents



2

Return to	Table of
Contents	

Hercules® Thread Sealant Application Chart Continued	Megaloc	<b>Pipe Joint Compound</b>	Pro Dope	Real-Tuff	Tape Dope	TFE Pipe Joint Tape	Block	Grrin
Jet Fuel	1			1	1	~	1	1
Kerosene	1			1	1	~	1	1
Ketones				1	1	~		
Liquified Pet. Gases	1			1	1	~	1	1
Lubricating Oils	1			1	1	1	1	1
Manufactures Gases				1	1	~		Γ
Mineral Oils	1			1	1	1	1	1
Natural Gas	1	1	1	1	1	~	1	
Nitrogen Gaseous	1	1	1	1	1	1	1	1
Oxygen Gaseous					1			
Petroleum Solvents				1	1	1		Γ
Propane	1			1	1	~	1	
Propylene Glycol	1			1	1	1	1	1
Soap Liquid	1	1	1	1	1	~	1	
Steam Lines	1	1	1	1	1	~	1	1
Sugar Liquid	1			1	1	~		Γ
Toluene				1	1	~		Γ
Tri-Chloro-Ethylene				1	1	~		Г
Vegetable Oils	1	1	1	1	1	~	1	1
Water (Cold & Hot)	1	1	1	1	1	~	1	-
Water Gas	1			1	1	~	1	
Xylene				1	1	~		Г
PIPE, VALVE, FITTING:		1						
ABS	1			1	1	1		
Aluminum	1	1	1	1	1	~	1	
Black Iron	1	1	1	1	1	1	1	
Brass	1	1	1	1	1	~	1	
C.P.V.C.*	1			1	1	1	1	
Copper	1	1	1	1	1	~	1	
Glass	1	1	1	1	1	1	1	
Monel	1	1	1	1	1	~	1	
Natural Rubber				1	1	1		T
P.V.C.	1			1	1	~	1	١.
Plastics (P.E. Reinforced)	1			· •	1	<ul> <li>Image: A start of the start of</li></ul>	1	
Stainless Steel		1	1	• •	• •	•	• •	
Synthetic Rubber (Butyl, Neoprene)			-	✓ ✓	✓ ✓	✓ ✓	ŀ	ŀ



CATEGORY Z THREAD SEALANTS AND LEAK DETECTORS





## **Category 3**

### **Copper Installation**

The best soldered joints come from the best cleaning and fluxing tools, as well as a careful and professional technique. Our solder, flux and cleaning tools are designed for the professional who takes pride in knowing just how to do the job right and chooses the highest quality products.

Return to Table of Contents

Latev

# CATEGORY 3 COPPER INSTALLATION

EDEE		SOLDEF	
<b>FNEE</b>	WINE	うししして	1

- Silver Lead Free Plumbing Wire Solder
  Copper, bismuth, tin and silver alloy.
  420°F 460°F melting range.
  Meets ASTM Standard B-32 and the requirements of the Safe Water Drinking Act.

Formulated for plumbing/potable water line applications	
---	--

Product No.	Size	Description	Gauge	Ctn. Qty.
BULK				
22027	200 g.	Silver Lead Free Wire Solder	.084"	10
23000	1/2 lb.	Silver Lead Free Wire Solder	.117"	10
23001	1 lb.	Silver Lead Free Wire Solder	.117"	25
23002	5 lb.	Silver Lead Free Wire Solder	.117"	10



#23001 shown

**H** 

#29024 shown

Safe-Flo <sup>®</sup>	Lead	Free	Plumbing	Wire Solder
-----------------------	------	------	----------	-------------

• Copper, bismuth, tin and silver alloy.

420°F – 460°F melting range.
Meets ASTM Standard B-32 and the requirements of the Safe Water Drinking Act.

<ul> <li>Formulated for plu</li> </ul>	imbing/potable wa	ter line applications		
Product No.	Size	Description	Gauge	Ctn. Qty.
BULK				
29030	1 oz.	Safe-Flo Silver Wire Solder	.084"	20
29024	1/2 lb.	Safe-Flo Silver Wire Solder	.117"	10
29024D	1/2 lb.	Safe-Flo Silver Wire Solder	.117"	24
29025	1 lb.	Safe-Flo Silver Wire Solder	.117"	10
29025D	1 lb.	Safe-Flo Silver Wire Solder	.117"	20
CARDED				
53061	1 oz.	Safe-Flo Silver Wire Solder	.084"	12
53180	1 oz.	Safe-Flo Silver Wire Solder*	.084"	12
53062	1/4 lb.	Safe-Flo Silver Wire Solder	.117"	12
53188	1/4 lb.	Safe-Flo Silver Wire Solder*	.117"	12
53064	1/2 lb.	Safe-Flo Silver Wire Solder	.117"	12
53195	1/2 lb.	Safe-Flo Silver Wire Solder*	.117"	12
50683	8 oz.	Safe-Flo Silver Plumbing Kit	.117"	12
50684	8 oz.	Safe-Flo Silver Plumbing Kit*	.117"	12
50691	8 oz.	Safe-Flo/H-205 Flux Solder Kit	.117"	12
50692	1 oz.	Safe-Flo/H-2095 Flux Solder Kit	.117"	12
53013	1 oz.	Hobby Solder Kit	.063"	12
53186	1 oz.	Hobby Solder Kit*	.063"	12

\*Packaged without inner display carton.

### LEAD FREE WIRE SOLDER



Return to Table of Contents

CATEGORY **3 COPPER INSTALLATION** 

1810

Ctn. Qty.

10

10

Gauge

.117"

.117"



#22017 shown

<ul> <li>Lead Free Alloy of</li> <li>450°F – 464°F m</li> <li>Meets the require</li> <li>Most commonly u</li> </ul>	elting range. ments of the Safe \		cur.
Product No.	Size	Description	Ga
BULK			
22004	1/2 lb.	95/5 Wire Solder	.1
22018	1 lb.	95/5 Wire Solder	.1
22025	200g.	95/5 Wire Solder	.1

22025	200g.	95/5 Wire Solder	.117"	10
22017	1 lb.	95/5 Wire Solder	.117"	25
CARDED				
53026	1 oz.	95/5 Wire Solder	.081"	12
53181	1 oz.	95/5 Wire Solder*	.081"	12
53027	1/4 lb.	95/5 Wire Solder	.081"	12
53189	1/4 lb.	95/5 Wire Solder*	.063"	12
29031	1 oz.	95/5 Wire Solder	.063"	20

\*Packaged without inner display carton.

### 95/5 Lead Free Acid Core Wire Solder

- Lead Free Alloy of 95% Tin and 5% Antimony.
- 450°F 464°F melting range.
- General purpose solder for sheet metal, radiator work. Acid flux is contained within the core.

Product No.	Size	Description	Gauge	Ctn. Qty.
BULK				
53170	1/2 lb.	95/5 Acid Core Wire Solder	.081"	10
53172	1 lb.	95/5 Acid Core Wire Solder	.120"	10
CARDED				
53174	1.5 oz.	95/5 Acid Core Wire Solder	.081"	12
53176	1/4 lb.	95/5 Acid Core Wire Solder	.081"	12

### 95/5 Lead Free Rosin Core Wire Solder

• Lead Free Alloy of 95% Tin and 5% Antimony.

Size

1-1/2 oz.

1-1/2 oz.

- 450°F 464°F melting range.
- Designed for electrical/electronic work. Rosin flux is contained within the core.

Description

Instant Solder

Instant Solder\*

Product No.	Size	Description	Gauge	Ctn. Qty.
BULK				
53171	1/2 lb.	95/5 Rosin Core Wire Solder	.063"	10
53173	1 lb.	95/5 Rosin Core Wire Solder	.120"	10
CARDED				
53175	1 oz.	95/5 Rosin Core Wire Solder	.063"	12
53177	1/4 lb.	95/5 Rosin Core Wire Solder	.063"	12
53190	1/4 lb.	95/5 Rosin Core Wire Solder*	.063"	12

\*Packaged without inner display carton.

Instant Solder

For further updates, visit www.oatey.com Phone: 800-321-9532 Fax: 800-321-9535



#53019 shown

### 95/5 Lead Free Plumbing Wire Solder

	05/5	
The	95/5	Leac



#53176 shown



#53171 shown



Ctn. Qty.

12

12

Return to Table of Contents

# CATEGORY 3 COPPER INSTALLATION



hA



Wire Solder

50/50 Alloy of 50% Tin and 50% Lead.
40/60 Alloy of 40% Tin and 60% Lead.
361°F – 421°F melting range for 50/50 Alloy.
361°F – 460°F melting range for 40/60 Alloy.
Commonly used for tin plating, seaming joints, copper DWV systems and sheet metal repair.

LEADED WIRE SOLDER

• Contains lead. Not for use on drinking water lines.

Product No.	Size	Description	Gauge	Ctn. Qty.
BULK				
50192	1/2 lb.	50/50 Wire Solder	.125"	10
20015	1 lb.	50/50 Wire Solder	.125"	10
20019	1 lb.	50/50 Wire Solder	.125"	50
CARDED				
53010	1 oz.	50/50 Wire Solder	.075"	12
53182	1 oz.	50/50 Wire Solder*	.075"	12
53014	1/4 lb.	50/50 Wire Solder	.125"	12
53191	1/4 lb.	50/50 Wire Solder*	.125"	12
50490	1/2 lb.	50/50 Wire Solder	.125"	12
21018	1 lb.	40/60 Wire Solder	.125"	50

\*Packaged without inner display carton.



#53011 shown

### **Acid Core Wire Solder**

• 40/60 Alloy of 40% Tin and 60% Lead.

• 50/50 Alloy of 50% Tin and 50% Lead.

• 361°F - 421°F melting range for 50/50 Alloy.

• 361°F – 460°F melting range for 40/60 Alloy.

General purpose solder for repairing galvanized gutters, filling metal seams and other general repairs.

<ul> <li>Contains lead. Not</li> </ul>	for use on drinkin	g water lines.		
Product No.	Size	Description	Gauge	Ctn. Qty.
BULK				
29032	1 oz.	40/60 Acid Core Wire Solder	.081"	20
20116	1 lb.	50/50 Acid Core Wire Solder	.125"	10
50193	1/2 lb.	40/60 Acid Core Wire Solder	.081"	10
21115	1 lb.	40/60 Acid Core Wire Solder	.125"	10
CARDED				
53011	1.5 oz.	40/60 Acid Core Wire Solder	.081"	12
53183	1 oz.	40/60 Acid Core Wire Solder*	.081"	12
53015	1/4 lb.	40/60 Acid Core Wire Solder	.081"	12
53192	1/4 lb.	40/60 Acid Core Wire Solder*	.081"	12
50429	1/2 lb.	40/60 Acid Core Wire Solder	.081"	12
53196	1/2 lb.	40/60 Acid Core Wire Solder*	.081"	12

\*Packaged without inner display carton.

AA.

### LEADED WIRE SOLDER



#50194 shown

<ul> <li>361°F – 460°F melting range for 40/60 Alloy.</li> <li>361°F – 375°F melting range for 60/40 Alloy.</li> <li>Can be used for electrical applications including wiring and other fine electronic work.</li> <li>Contains lead. Not for use on drinking water lines.</li> </ul>				
Product No.	Size	Description	Gauge	Ctn. Qty.
BULK				
29033	1 oz.	40/60 Rosin Core	.063"	20
50194	1/2 lb.	60/40 Rosin Core	.063"	10
21212	1 lb.	40/60 Rosin Core	.125"	10
CARDED				
53023	1 oz.	60/40 Rosin Core	.063"	12
53012	1 oz.	40/60 Rosin Core	.063"	12
53184	1 oz.	40/60 Rosin Core	.063"	12
53185	.8 oz.	60/40 Rosin Core	.063"	12
53016	1/4 lb.	40/60 Rosin Core	.063"	12
53193	1/4 lb.	40/60 Rosin Core	.063"	12
50678	1/2 lb.	60/40 Rosin Core	.063"	12

\*Packaged without inner display carton.

**Rosin Core Wire Solder** 40/60 Alloy of 40% Tin and 60% Lead.40/60 Alloy of 40% Tin and 60% Lead.



### **Bar Solder**

50/50 Alloy of 50% Tin and 50% Lead
361°F – 421°F melting range.

• Contains lead. Not for use on drinking water lines.

• For use with copper drain piping, tin plating, seaming joints and sheet metal.

Product No.	Size	Description	Ctn. Qty.
21305	1-1/4 lb.	50% Tin / 50% Lead Bar	10
20307	1-1/4 lb.	50% Tin / 50% Lead Bar	40

Return to Table of Contents

CATEGORY 3 COPPER INSTALLATION

Oate



CATEGORY 3 COPPER INSTALLATION

# #53017 shown (NSE)

ater

		v
	U	
_	-	

### No. 5 Paste Flux

- Cleans and fluxes at the same time.
- Effective on all metals except aluminum, magnesium and stainless steel.
- 100% lead free.

<ul> <li>Blended to clean a</li> </ul>	surface oxidation.		
Product No.	Size	Description	Ctn. Qty.
30011	1.7 oz.	No. 5 Flux	12
53017	1.7 oz.	No. 5 Flux w/ Brush – Carded	12
53200	1.7 oz.	No. 5 Flux w/ Brush - Carded*	12
30013	4 oz.	No. 5 Flux	24
30014	8 oz.	No. 5 Flux	24
30041	16 oz.	No. 5 Flux	12
30041D	16 oz.	No. 5 Flux – Display	12

• Formulated with the same high quality as No. 5. Oatey Safe Flo Alloy powder is added to pre-tin the copper pipe.

\*Packaged without inner display carton.

No. 95 Tinning Flux



#30374 shown (NSF。)

<ul> <li>Does not turn co</li> <li>100% lead free.</li> <li>Excellent for larg</li> </ul>	pper green. e diameter copper.	
Product No.	Size	Description
30373	1.7 oz.	No. 95 Tinning Flux – Lead Free – Carded
30374	1.7 oz.	No. 95 Tinning Flux – Lead Free
30374D	1.7 oz.	No. 95 Tinning Flux – Lead Free – Display

1.7 oz.	No. 95 Tinning Flux – Lead Free – Carded	12
1.7 oz.	No. 95 Tinning Flux – Lead Free	12
1.7 oz.	No. 95 Tinning Flux – Lead Free – Display	48
1.7 oz.	No. 95 Tinning Flux – Lead Free – Carded*	12
8 oz.	No. 95 Tinning Flux – Lead Free	24
8 oz.	No. 95 Tinning Flux – Lead Free – Display	24
16 oz.	No. 95 Tinning Flux – Lead Free	12

Ctn. Qty.

\*Packaged without inner display carton.







#30143 shown (NSF。)

U.S. Patent No. 6,752,309

### H-20<sup>®5</sup> Paste Flux

53201

30372

30372D 30375

<ul> <li>Water</li> </ul>	flushable.

• water nusnable.
• As thick as No. 5 flux.
Meets ASTM B-813

Meets ASTM B-813.					
Product No.	Size	Description	Ctn. Qty.		
30130	1.7 oz.	H-20 <sup>5</sup> Water Soluble Paste Flux	12		
53067	1.7 oz.	H-20 <sup>5</sup> Water Soluble Paste Flux – Carded	12		
30131	4 oz.	H-20 <sup>5</sup> Water Soluble Paste Flux	24		
30132	8 oz.	H-20 <sup>5</sup> Water Soluble Paste Flux	24		
30133	16 oz.	H-20 <sup>5</sup> Water Soluble Paste Flux	12		

### H-20<sup>®95</sup> Water Soluble Tinning Flux

• Water soluble tinning flux base.

• As thick as No. 5 flux.

· Solder powder added to pre-tin the pipe.

Product No.	Size	Description	Ctn. Qty.
30140	1.7 oz.	H-2095 Water Soluble Tinning Flux	12
53068	1.7 oz.	H-2095 Water Soluble Tinning Flux – Carded	12
30142	8 oz.	H-2095 Water Soluble Tinning Flux	24
30143	16 oz.	H-2095 Water Soluble Tinning Flux	12

Jatev

Return to Table of Contents

CATEGORY **3 COPPER INSTALLATION** 



Ctn. Qty.

12

### FLUX

	Н
	•
Ontra	Ρ
Ver where all	3
NSE.	

(NSF.)

### **Hot Weather Flux**

<ul> <li>Specially formul</li> </ul>	ated to rema	in a paste up to 135°F.	
Product No.	Size	Description	

		•	
30062	16 oz.	No. 5 Paste Flux – Hot Weather	

### No. 11 Liquid Flux

•	Fullinulateu	with short	j cleanny ay	ent.
•	Ensures fas	t and effect	tive solderina	operation.

	<ul> <li>Can be used for HVAC applications.</li> </ul>				
	Product No.	Size	Description	Ctn. Qty.	
)	30106	4 oz.	No. 11 Liquid Flux	12	

### SOLDERING PASTE AND SOLDERING FLUX





#10608 shown



#10815 shown

### Climate Smooth<sup>™</sup> Soldering Paste • Smooth, premium quality, petroleum-based flux.

- · Formulated for use in extreme climate temperatures all year long.
- Self-cleaning; lead-free formula.
- Will not lose its consistency in high or low temperatures.
- Meets Commercial Item Description A-A-51145 (supersedes Fed. Spec 0-F-506).

Product No.	Size	Description	Ctn. Qty.
10608	2 oz.	Display Pack, Screw Cap With Brush	48
10616	1/2 lb.	Climate Smooth <sup>™</sup> Soldering Paste	24
10619	9 oz.	Screw Cap With Brush	24
10621	1 lb.	Climate Smooth <sup>™</sup> Soldering Paste	24

### Jel-Flux<sup>™</sup>

- Non-petroleum gel-type soldering flux.
- · For use on most common metals except aluminum and stainless steels.
- 1 1 6 calf clossing and flows cost

Product No.	Size	Description	Ctn. Qty.
10810	4 oz.	Dauber In Cap	24
10815	8 oz.	Dauber In Cap	24

### **BRUSHES AND FLAME PROTECTORS**

### **Acid Brushes**

· Perfect brush for applying liquid or paste fluxes.

Approximately 5" long, 1/2" wide.					
Size	Description	Ctn. Qty.			
1/2"	Acid Brush – Carded	12			
1/2"	Acid Brush – Bulk (per gross of 144)	1			
1/2"	Acid Brush – with Barcode	144			
	Size 1/2" 1/2"	Size         Description           1/2"         Acid Brush – Carded           1/2"         Acid Brush – Bulk (per gross of 144)			



### Flame Protector

• 9" x 12" woven ceramic (non asbestos) heat shield.

 Protects work areas from torches up to 2500°F. Produc 31400

ict No.	Size	Description	Ctn. Qty.
)	9" x 12"	Bagged Flame Protector	5



Return to Table of Contents

CATEGORY J COPPER INSTALLATION

### are









### **Plumber's Abrasive Sandcloth**

- · For cleaning copper pipe and fittings and other soft metals.
- Use for deburring and roughing copper tubing, as well as plastic pipe.

**ABRASIVE CLOTH** 

· Packaged on rolls in handy dispenser box or carded to keep abrasive clean when storing.

• Sandcloth backing is covered 100% with a tough aluminum oxide abrasive that provides fast cleaning and long life.					
Product No.	Size	Description	Ctn. Qty.		
31315	1.5" x 2 yds.	120 Grit Abrasive Sandcloth	20		
31411	1.5" x 2 yds.	120 Grit Abrasive Sandcloth – Carded	10		
31317	1.5" x 10 yds.	120 Grit Abrasive Sandcloth	24		
31318	1.5" x 25 yds.	120 Grit Abrasive Sandcloth	12		

Ctn. Qty.

24

24

### **180 Open Mesh Cloth**

31320

31321

- · For working with copper, brass or aluminum.
- · Made of an open nylon fabric with a phenolic resin adhesive which provides a rugged, waterproof

180 Open Mesh Cloth

180 Open Mesh Cloth

Product No	. Size	Description
aluminum	oxide cloth of superior	r quality.

1.5" x 5 yds.

1.5" x 10 yds.

#31321	shown







RASIVE EN MESH	60013	
	<u>p</u>	
#450	13 shown	

1	WATERPROOF
	ABRASIVE
4	SAME OF
4	
8	612

#45025 shown

### **ABRASIVE CLOTH**

### Hercules® Waterproof Abrasive Open Mesh Dispenser Box

- For cleaning and preparing copper pipe and fittings for soldering.
- Made with resin-bonded 180 grit aluminum oxide.
- · Can be used in wet environments.

<ul> <li>Easily cleaned.</li> <li>Product No.</li> </ul>	Size	Description	Ctn. Qty.
45011	1.5" x 5 yds.	Hercules® Waterproof Abrasive Open Mesh Dispenser Box	24
45013	1.5" x 10 yds.	Hercules® Waterproof Abrasive Open Mesh Dispenser Box	24

### Hercules® Waterproof Abrasive Sandcloth Dispenser Box

· For cleaning copper pipe and fittings and other soft metals.

• Use for deburring and roughing copper tubing, as well as plastic pipe.

Made with water-resistant, resin-bonded 120 grit aluminum oxide				
Product No.	Size	Description	Ctn. Qty.	
45025	1.5" x 10 yds.	Hercules® Waterproof Abrasive Sandcloth Dispenser Box	24	
45030	1.5" x 25 yds.	Hercules® Waterproof Abrasive Sandcloth Dispenser Box	12	



PIPE AND FITTING CLEANING TOOLS



### **Heavy Duty Fitting Brush**

· Easy to use, contoured, heavy duty handle is perfect for cleaning copper and brass fittings fast and effectively.

· High carbon twisted steel shaft and brush gives long life and durability.

Product No.	Size	Description	Ctn. Qty.
31327	1/2"	ID Fitting Brush w/ Heavy Duty Handle	12
31404	1/2"	ID Fitting Brush w/ Heavy Duty Handle Carded	10
31328	3/4"	ID Fitting Brush w/ Heavy Duty Handle Carded	12
31405	3/4"	ID Fitting Brush w/ Heavy Duty Handle Carded	10
31329	1"	ID Fitting Brush w/ Heavy Duty Handle	12
31406	1"	ID Fitting Brush w/ Heavy Duty Handle Carded	10
31330	1-1/4"	ID Fitting Brush w/ Heavy Duty Handle	12
31331	1-1/2"	ID Fitting Brush w/ Heavy Duty Handle	6
31332	2"	ID Fitting Brush w/ Heavy Duty Handle	6

### PIPE AND FITTING CLEANING TOOLS

### **Economy Fitting Brush**

• Specially designed twisted wire handle fitting brush for cleaning copper and brass fittings.

Product No.	Size	Description	Ctn. Qty.
31336	1/2"	ID fitting brush w/ wire handle	12
31337	3/4"	ID fitting brush w/ wire handle	12
31338	1"	ID fitting brush w/ wire handle	12
31339	1-1/4"	ID fitting brush w/ wire handle	12
31340	1-1/2"	ID fitting brush w/ wire handle	6
31341	2"	ID fitting brush w/ wire handle	6





### **Power Brushes**

- Ideal for cleaning copper fittings.
- Includes 2 high carbon spring steel brushes 1/2" and 3/4".

<ul> <li>Brush shaft is d</li> </ul>	lesigned for 1/4" ar	nd 1/2" power drill chuck.	
Product No.	Size	Description	Ctn. Qty.
31408	1/4" & 1/2"	Power Brushes – Carded	10



### 4-In-1 Brush

• Includes long lasting high carbon steel brushes for cleaning the I.D. and hand tempered steel for cleaning the O.D. of 1/2" and 3/4" copper tube and fittings.

Product No.	Size	Description	Ctn. Qty.
31407	1/2" & 3/4"	4-in-1 brush – Carded	10
31348	1/2" & 3/4"	4-in-1 brush	12

### **0.D. Tube Cleaning Brush**

· Cleans the outside of copper and plastic tubing fast.

Product No.	Size	Description	Ctn. Qty.
31345	1/2"	0.D. tube brush	12
31412	1/2"	0.D. tube brush – Carded	10
31346	3/4"	0.D. tube brush	12
31413	3/4"	0.D. tube brush – Carded	10
31347	1"	0.D. tube brush	12
31414	1"	0.D. tube brush – Carded	10



#31412 shown

### **Nylon Grit Pads**

Contains two 2" x 6" coarse grade nylon pads.

<ul> <li>For cleaning p</li> </ul>	<ul> <li>For cleaning pipe and fittings and general use.</li> </ul>				
Product No.	Size	Description	Ctn. Qty.		
31409		Nylon grit pads – Carded	10		



### **Specialty Brushes**

Stainless steel bristled brush for cleaning threads on hard metal pipes.

Product No. Size	Description	
<ul> <li>For cleaning pipe and finance</li> </ul>	tings and general use.	
	rush for cleaning threads on h	alu motal pipos.

Product No.	Size	Description	Ctn. Qty.
31410		Specialty brushes – Carded	10

Nate





(<u>Date</u>

### HOW TO USE SOLDER & LEAD PRODUCTS

### **Application:**

- **1**. Assemble all material you will need.
- 2. Select Oatey® soldering products. Read all instructions carefully.
- 3. Select and cut the copper pipe squarely using a tubing cutter or hacksaw.
- 4. Clean all the copper surfaces to be joined using Oatey fitting and tubing brushes or sandcloth.
- 5. Apply Oatey tinning or paste flux to the inside of the copper fitting and outside of the copper pipe.
- 6. Assemble the joint.
- **7**. Heat the joint evenly and apply Oatey solder wire to the joint only after flux begins to bubble. This indicates proper temperature has been reached.
- **8**. Remove heat and solder wire once a bead has formed around the fitting. Allow the solder to cool before wiping away excess with a damp cloth.

Soldering is the most common method for connecting joints in copper water lines. Flux is used to remove foreign material from copper surfaces and to etch the copper surface. Without flux, solder will not flow into the joint. Thus, filling the void between the pipe and fitting provides a water-tight seal. Oatey Safe-Flo<sup>®</sup> Silver works much like 50/50 solder. Oatey #95 Tinning Flux contains powdered lead-free solder that melts when the joint is heated, coating the joint with a thin layer of solder that ensures the solid wire will flow into the joint. When used together, they are as easy to use as a 50/50 solder.

- After you have selected Oatey #95 Tinning Flux and Safe-Flo Silver Solder, assemble your materials and put on protective eye wear. You'll need to cut your pipe. A tubing cutter will ensure a square cut. If the joint is not cut squarely or if the tube is mis-shaped, the joint may not solder properly.
- 2. All surfaces to be soldered must be free of all foreign material and the oxide that forms on copper tubing. We recommend that you use Oatey fitting and tubing brushes or sandcloth. The Oatey 4-in-1 brush is a convenient tool for cleaning 1/2" and 3/4" copper tube and fittings. If all surfaces are bright and shiny, the flux will properly etch the copper surface. When applying flux, remember to coat both the fitting and copper tube before you assemble your joint. Use caution when working with Oatey flux as well as with any flux. Do not allow contact with eyes or skin. Wear impervious clothing while handling. Wash thoroughly when finished.
- Although heating the joint is not a complicated process, you must be sure to address a few issues before you begin.
  - If the joint to be heated is close to a floor joist, wall stud or any combustible material, place an Oatey Flame Protector between the joint and material of concern. This will provide protection from heat and flames up to 2,000° F.
  - If you are soldering an existing water line, try to drain the line as much as possible. Water in the
    line will prevent the joint from reaching the required temperature. If you cannot drain all the water
    sufficiently, place a wadded up piece of bread into the line to prevent the water from flowing. The
    bread will hold the water back, allow the joint to be heated, and then easily wash away through
    the line when the water is turned on.
  - Solder flows to the hottest part of the joint, so heat the joint evenly so that the Safe-Flo Silver Solder will flow through the entire joint. Apply heat to one side of the joint and solder wire to the other. Never heat the solder wire itself.
- **4**. Solder is drawn into the joint by capillary action and a bead of solder will form around the joint when it's filled. When the bead appears, you know the joint is completed.
- 5. Be careful when wiping away the excess solder and flux residue that is left on the joint. Although the pipe may appear to be cool, always use a damp cloth to remove the excess solder and flux residue. Never touch the pipe without allowing it to cool.













### **Putty, Caulks and Water Barriers**

Whether installing a faucet or strainer, resetting tile, sealing roof flashing, or repairing a pipe, professional plumbers can't afford a leak. They demand a watertight seal and they know that Oatey<sup>®</sup> and Hercules<sup>®</sup> products are formulated to do the job right every time. Stain-Free and Sta Put putty, pro poxy 20, plumbers caulk and roof and flashing sealants are trusted and synonymous with high quality and top performance.

CATEGORY 4 PUTTY, CAULKS AND WATER BARRIERS



### Hercules Sta Put<sup>™</sup> Ultra<sup>®</sup> (see page 56)

Safe for ANY Natural Stone Surface

Be sure to pick the right putty for the job. Great for sinks, bowls, faucets, strainers and shower bases. It stays flexible longer and will not crack or shrink. Plus it cleans up quickly and easily.

**Hercules Sta Put<sup>™</sup> Ultra<sup>®</sup>** uses a new oil-free, non staining formula that is safe for almost any natural porous surface including:

- Granite
- Marble
- Quartz
- Sandstone
- Corian<sup>®</sup>
- Any other natural, porous surface\*



Oils in other putties will stain porous surfaces like this.

*Count on Oatey to provide the highest quality plumber's putty in the business!* 



### **Oatey**

### PUTTY, CAULK AND SEALANT

• Fixture setting compound for setting frames, faucets, strainer baskets, etc.

Description

Description

Stain-Free Putty

Putty - Plastic container

Putty - Plastic container

Putty - Plastic container

Putty - Plastic container - Display

Putty - Plastic container - Display

• Safe for ANY surface, including: Granite, Marble, Quartz, Sandstone, Corian®, Plastic or any natural, porous surface.

Putty - Plastic container - Mini Pallet

• Not for use on marble, granite, plastic or any other dimensional stone.

### Navigation

**Return to Table of** Contents

CATEGORY 🗲 PUTTY, CAULKS AND WATER BARRIERS

1516

Ctn. Qty.

24

30

270

6

6

6

Ctn. Qty.

18



<sup>#31166</sup> shown





1		
	NATE T	UB
	E o H	
	11 11 11	
-	ille .	4
		-

### Pipe Seal

31177

 Cleans up quickly. Product No.

**Plumber's Putty** 

Product No.

31166

31166D

311660

31170

31174

31174D

· Stays flexible, will not crack or shrink. · Easily workable, soft, pliable material.

Size

14 oz.

14 oz.

14 oz.

3 lb.

5 lb.

5 lb.

Stain-Free Plumber's Putty

· Stays flexible; will not crack or shrink.

Size

9 oz.

• Oil Free, NON-STAINING formula.

Meets Military Spec TTP-1536A.

· Caulking lead substitute for sealing cast iron soil pipe joints.

· Great for sinks, bowls, faucets, strainers and shower bases.

· Air dry putty compound packs easily and resists shrinkage.

Forms a hard leakproof seal

<ul> <li>For use whenever</li> </ul>		cal to pour molten lead.	
Product No.	Size	Description	Ctn. Qty.
30614	16 oz.	Pipe Seal	12

### **Tub-N-Tile Caulk**

- · White, flexible, latex sealant.
- Fills and seals cracks and joints.
- For caulking around showers, tubs, lavatories and sinks.
- · Cleans up with soap and water.
- · Can be used to reset loose tiles.
- . Can be painted when dry with either oil base or latex paint.

Product No.	Size	Description	Ctn. Qty.
30241	10 oz.	Tub-N-Tile Caulk – Cartridge	24



### Tub-N-Tile Ultra Clear Sealant

- Applies white and dries clear.
- · Flexible butyl acrylate formula adheres to porous surfaces such as wood and masonry.
- · Cleans up with soap and water. · Flexible material won't crack or peel and adheres tightly.

<ul> <li>Paintable with no offensive odors.</li> </ul>				
Product No.	Size	Description	Ctn. Qty.	
30235	6 oz.	Tub-N-Tile Clear Sealant - Tube	12	





Return to Table of Contents



are

### PUTTY AND SEALANT

### Fix-It<sup>™</sup> Stick Epoxy Putty

- Convenient multi-purpose sealing, patching and mending compound.
- · Steel filled material, mixes in your hand and hardens in minutes.
- May be drilled, tapped, filed, sanded, sealed and painted when hardened.
- · Non-toxic material contains no solvents and will not shrink.

Pr	oduct No.	Size	Description	Ctn. Qty.
31	270	4 oz.	Fix-It Stick Epoxy Putty	12

### Silicone Sealant

- Clear and white sealants for high performance sealing.
- · Bonds to porcelain, ceramic, marble, fiberglass and most metals.
- Safe for use on plastic, including ABS.
- · Remains permanently elastic.
- When fully cured, recognized by USDA for use in meat and poultry plants.
- Withstands temperature from -60°F to 400°F.
- Meets Fed. Spec. TT-S-00230C Class A & TT-S-001543A Class A, Mil. Spec. 46106A, ASTM C920, FDA Regulation No. 21 CFR 177.2600.

#30236 shown	
--------------	--

Product No.	Size	Description	Ctn. Qty.
30236	10.3 oz.	Silicone Sealant, Clear - Cartridge	12
30237	10.3 oz.	Silicone Sealant, White - Cartridge	12

Ctn. Qty.

24

12

6

6

2



### PUTTY, CAULK AND SEALANT



#25101 shown







25103
25105

25101

25110

25120

Sta Put®

 Not for use on ABS Product No.

· Superior grade of plumbers' putty. • Flexible, stretchable compound; molds easily. • Will not harden, crumble, crack or shrink.

Size

14 oz.

3 lb.

5 lb.

7 lb.

20 lb.



### Sta Put Ultra®

· Non-staining polymer sealant .

· Sets up quickly.

· Permanently soft, malleable, and flexible.

· Unique, professional grade.

Safe for almost any natural porous surface including Granite, Marble, Quartz, Sandstone, Corian<sup>®</sup>

Description

Sta Put®

Sta Put®

Sta Put®

<ul> <li>Not for use on a</li> </ul>	ABS.		
Product No.	Size	Description	Ctn. Qty.
25171	14 oz.	Sta Put <sup>®</sup> Ultra	12
25173	3 lb.	Sta Put <sup>®</sup> Ultra	12

Sta Put® - Plastic Pail With Handle

Sta Put® - Plastic Pail With Handle



				1
			4	
	1	125th		
	ĥ	1		
-				

### Plastic Seal<sup>™</sup>

- Multi-purpose caulk & repair product.
- Waterproof.
- Ideal lead substitute in lead/oakum joints.

Product No.	Size	Description	Ctn. Qty.
25215	10.3 oz.	Plastic Seal™ - Cartridge	12

### PUTTY, CAULK AND SEALANT



Navigation Return to Table of Contents



ROPOXY20

### Roof & Flashing Sealant

- Long-lasting sealant.
- No separation; no stirring time; no objectionable odor.
- Forms durable, flexible, weatherproof coating.
- Can be applied on cold or wet surfaces.

<ul> <li>Not for use on rubber boot of flashings.</li> </ul>					
Product No.	Size	Description	Ctn. Qty.		
25403	10.3 oz.	Roof & Flashing Sealant - Cartridge	12		
25405	1 qt.	Roof & Flashing Sealant	12		
25410	Gallon	Roof & Flashing Sealant	6		
25415	5 gal.	Roof & Flashing Sealant	1		

### ProPoxy<sup>®</sup> 20

- Makes steel reinforced repairs in just 20 minutes.
- Kneads quickly and easily.
- Seals, mends, bonds and repairs almost anything, even underwater.
- Adheres to metals , masonry, wood, glass, and ceramics
- When cured, may be drilled, sanded, filed and painted.

<ul> <li>Conforms to N</li> </ul>	SF standard 61	or use with potable water.	
Product No.	Size	Description	Ctn. Qty.
25515	4 07.	ProPoxv <sup>®</sup> 20 - Display Pack (2 - 1 Dz )	24

### Plastic Poxy™

- For most plastics.
- Fully hardens in 40 minutes.

<ul> <li>Kneads quickly</li> </ul>	and easily.		
Product No.	Size	Description	Ctn. Qty.
25531	4 oz.	Plastic Poxy™ - Display Pack (2 - 1 Dz.)	24

ProPoxy Triple Play Putty Display Pack



R plastic poxy

### Plumbers Caulk<sup>™</sup>

• Cures in minutes.

Product No.

25527

Siliconized acrylic-latex plumbers caulk.

ProPoxy<sup>®</sup> Triple Play Putty
Three epoxies in one, handy package.

Size

4 oz.

Flows easily, does not harden in tube or cartridge; will not crumble, resists shrinkage.

Description

• Flexible, durable, extremely mildew-resistant, waterproof.

• Hercules ProPoxy 20, Copper Poxy and Plastic Poxy included.



Product No.	Size	Description	Ctn. Qty.
25605	6 fl oz.	Plumbers Caulk <sup>™</sup> - White - Tube Display	24
25615	11 fl oz.	Plumbers Caulk <sup>™</sup> - White - Cartridge	12
25620	5.5 fl oz.	Plumbers Caulk <sup>™</sup> - Clear - Tube Display	24
25625	10.3 fl oz.	Plumbers Caulk <sup>™</sup> - Clear - Cartridge	12
25631	5.5 fl oz.	Plumbers Caulk <sup>™</sup> - Almond/Bone - Tube Display	24
25636	10.3 fl oz.	Plumbers Caulk <sup>™</sup> - Almond/Bone - Cartridge	12
25641	6 fl. oz.	Plumbers Caulk™ - Biscuit/Linen - Tube Display	24
25646	10 fl. oz.	Plumbers Caulk <sup>™</sup> - Biscuit/Linen - Cartridge	12
25641R	6 fl. oz.	Plumbers Caulk™ - Linen - Tube Display	24



For further updates, visit www.herchem.com Phone: 800-321-9532 Fax: 800-321-9535

Ctn. Qty.

24



Return to Table of Contents







- High-quality 100% pure professional grade sealant.Excellent adhesion to most porous and non-porous materials.

PUTTY, CAULK AND SEALANT

• Tack-free in 30 minutes; completely cured in 24 hours.

Product No.	Size	Description	Ctn. Qty.
25676	11 oz.	Plumbers Caulk - Silicone <sup>™</sup> - White - Cartridge	12
25686	11 oz.	Plumbers Caulk - Silicone™ - Clear - Cartridge	12

### Plumbers Firestop Sealant<sup>™</sup>

• Latex-based intumescent sealant.

- Meets many applications and codes.Provides up to a 3-hour fire rating.

	 011000	uΡ		~	~	 	
•	Class	ifie	h				

<ul> <li>UL Classified.</li> <li>Product No.</li> </ul>	Size	Description	Ctn. Qty.
25696	10 oz.	Plumbers Firestop Sealant <sup>™</sup> - Cartridge	12
25698	5 gal.	Plumbers Firestop Sealant <sup>™</sup> - Pail	1

#25696 shown



### **High Temp Red**

- For high temperature applications.
- Flexible, durable, waterproof seal.
- Performs at temperatures ranging from -80° F to +600° F.

Product No.	Size	Description	Ctn. Qty.
25666	10.1 fl. oz.	High Temp Red – Cartridge	12



### Black Magic<sup>™</sup> Asphalt Paint

<ul> <li>Weather and co</li> </ul>	•	t asphalt-base coating	
Product No.	Size	Description	Ctn. Qty.
45210	Gallon	Black Magic™ Asphalt Paint	6











### **Category 5**

### **Oils, Lubricants and Hand Cleaners**

Our Oatey<sup>®</sup> and Hercules<sup>®</sup> cutting oils outperform the competition in four key areas: cutting efficiency (tap and drill test); in-use temperature and power requirements; fewest nicks and wearability on tools; and cutting the cleanest threads.



### FEATURED PRODUCT

### Hercules<sup>®</sup> for Hands<sup>™</sup> (see page 62)</sup> Say Goodbye to Dirty "Plumber's Hands"

These pre-moistened hand cleaning towels are specifically formulated for plumbers. **Anti-bacterial** and ready-to-use, the towels remove industrial paints, lubricants, adhesives, tar, printer's ink, sealants, grease, oil, grime, caulks, flux and other stubborn soils. They also soften and **remove plastic pipe cement**. Use them for any dirty job!

**Hercules for Hands** towels are a safe alternative to products with harsh skin-drying solvents or abrasive particles. **They contain skin-conditioning aloe vera and vitamin E.** The 12" x 10" towels are rugged, and won't shred or leave residue on hands and can also be used to clean many other surfaces (see label precautions). Each container features a unique, patented storage lid that keeps all remaining towels moist.









### OILS AND LUBRICANTS



### **Clear Thread Cutting Oil**

- Protection helps make sharp clean threads while extending the life of your dies.
- Formulated for hand thread cutting machines.
- Anti-mist and non-staining formula is not affected by weather.

Product No.	Size	Description	Ctn. Qty.
30200	16 oz.	Clear Cutting Oil (Hand Threading)	12
30201	32 oz.	Clear Cutting Oil (Hand Threading)	12
30202	Gallon	Clear Cutting Oil (Hand Threading)	6

#30200 shown



#30205 shown

<ul> <li>Dark Thread Cutting Oil</li> <li>Formulated for high speed cutting machines.</li> <li>A special mixture of sulfonated and chlorinated oils provides high film strength.</li> <li>Keeps machines running cooler and extends the life of your dies.</li> <li>Anti-mist and non-staining formula is not affected by weather.</li> </ul>					
Product No.	Size	Description	Ctn. Qty.		
30203	16 oz.	Dark Cutting Oil (Speed Threading)	12		
30204	32 oz.	Dark Cutting Oil (Speed Threading)	12		
30205	Gallon	Dark Cutting Oil (Speed Threading)	6		



#30600 shown



### **Pipe/Gasket Lube**

- Water soluble pipe lubricant. · Adheres to wet and dry surfaces.
- Non-toxic, soft, paste like material for lubricating bell joint pipe gaskets.
- Will not deteriorate natural or synthetic rubber.
- Will not support bacteria.

Dissolves in hot water

Product No.	Size	Description	Ctn. Qty.
30599	16 oz.	Pipe Lubricant	24
30600	32 oz.	Pipe Lubricant	12
30601	Gallon	Pipe Lubricant	4
30602	3.5 Gallon	Pipe Lubricant	1

**Navigation** Return to Table of Contents

Date



Return to Table of Contents





### HAND CLEANERS

### **Cream Hand Cleaner - Waterless**

- Cleans hands thoroughly with or without water.
- · Removes grease, paint, putty, carbon, ink, adhesives and more.

Lubricates while it cleans.

• Citrus scent. Product No.

45314

Product No.	Size	Description	Ctn. Qty.
45304	14 oz.	Cream Hand Cleaner - Waterless	12

Hercules For Hands<sup>™</sup> - Lemon Lotion Hand Cleaner -

Ctn. Qty.

12



and the second s

#45314 shown



Hercules For Hands <sup>™</sup> - Pumi	ice Lotion Hand Cleaner
--	-------------------------

Hercules For Hands<sup>™</sup> - Lemon Lotion Hand Cleaner

Description

Flip Top Cap

• Professional strength cleaner formulated with pumice.

• Professional strength cleaner formulated with pumice.

Size

15 oz.

<ul> <li>Protects and m</li> </ul>	oisturizes hands w	vith aloe vera, vitamin E and Ianolin.	
Product No.	Size	Description	Ctn. Qty.
45325	15 fl. oz.	Hercules For Hands™ - Pumice Lotion Hand Cleaner - Flip Top Cap	12

#45325 shown

#45333 shown



### Hercules For Hands<sup>™</sup> - Pre-Moistened Towels

• Formulated for plumbers - even removes plastic pipe cement.

<ul> <li>Anti-bacterial, I</li> </ul>	ready-to-use.		
Product No.	Size	Description	Ctn. Qty.
45333	12" x 10"	Hercules For Hands™ - Pre-Moistened Towels - Dispenser Tub Of 70 Towels	6
45333T	12" x 10"	Hercules For Hands™ - Pre-Moistened Towels - Pop Display Of 30 Tubs	30
45337	12" x 10"	Hercules For Hands™ - Pre-Moistened Towels - Thin Tub -25 Per Tub	6



### OIL AND LUBRICANTS

### **Cutting Oil**

- · Contains activated sulfur-lard and extreme pressure antiwear additives.
- Contains no nitrosamine-forming compounds or chlorine additives
- Excellent lubrication for cutting sharp threads.

Product No.	Size	Description	Ctn. Qty.
40110	1 pt.	Cutting Oil - Clear	12
40115	1 qt.	Cutting Oil - Clear	12
40120	Gallon	Cutting Oil - Clear	6
40125	5 gal.	Cutting Oil - Clear	1
40140	55 gal.	Cutting Oil - Clear	1
40210	1 pt.	Cutting Oil - Dark	12
40215	1 qt.	Cutting Oil - Dark	12
40220	Gallon	Cutting Oil - Dark	6
40225	5 gal.	Cutting Oil - Dark	1
40240	55 gal.	Cutting Oil - Dark	1



CUTTING OIL

#40120 shown

#40506 shown	Certified to NSF/ANSI 61

### Non-gumming, non-toxic, non-detergent, and will not foam during use.

• Contains rust and corrosion preventatives.

· Custom-formulated, multi-purpose lubricating oil.

Product No.	Size	5	Ctn. Qty.
40404	4 oz.	Lube Oil With Extenda-Spout	24

### **Duck Butter®**

- Water soluble pipe lubricant.
- Adheres to wet and dry surfaces.
- Non-toxic, soft, paste like material for lubricating bell joint pipe gaskets.
- Will not deteriorate natural or synthetic rubber.
- Will not support bacteria.

<ul> <li>Dissolves in no</li> <li>Product No.</li> </ul>	Size	Description	Ctn. Qty.
40501	2 lb.	Duck Butter®	12
40506	8 lb.	Duck Butter®	4



### **300 Degree Plumbers Grease**

- Sllicone oil-based valve and faucet stem grease.
- Waterproof; prevents corrosion.
- Non-melting, non-hazardous.

Product No.	Size	Description	Ctn. Qty.
40601	2 oz.	300 Degree Plumbers Grease	24



### **Plumber's Silicone Grease**

- Will not melt like ordinary grease can.
- Contains no petroleum products

<ul> <li>Can be used or</li> <li>Non-hazardous</li> </ul>	n plastic and rul		
Product No.	Size	Description	Ctn. Qty.
40610	2 oz.	Plumbers Silicone Grease	24







### **Category 6**

### **Drain and Waste System Cleaners**

When plumbing professionals need to use drain and waste system cleaners, they turn to Hercules for the best quality and highest performing products available. Two trusted brands, Hercules<sup>®</sup> and Cloroben<sup>™</sup>, offer a variety of solutions for a variety of drain cleaning challenges. These include emergency drain openers, drain system maintenance including unique clog-specific formulations, septic system care and repair, root controls, and unique grease management products.

### ACID DRAIN OPENERS



#20211 shown



#20310 shown

Clobber <sup>®</sup> (For Professional Use Only - Not For Retail Sale)
--

- · Fastest method for clearing emergency waste line stoppages.
- Rapidly disintegrates paper, rags, food and all organic matter.

<ul> <li>Not for retail use or</li> </ul>	Not for retail use or sale.						
Product No.	Size	Description	Ctn. Qty.				
20205	1 qt.	Clobber®	12				
20211	1/2 gal.	Clobber® - With Saf-T-Por Spout	6				

### Sizzle® (For Professional Use Only - Not For Retail Sale)

• Triple action formula.

•	Effective	removal	of	urinary	salts,	lime,	rust,	scale,	et
---	-----------	---------	----	---------	--------	-------	-------	--------	----

Product No.	Size	Description	Ctn. Qty.
20305	1 qt.	Sizzle®	12
20310	Gallon	Sizzle® -With Saf-T-Por Spout	4

### NON ACID DRAIN OPENERS



### **Glug® Crystals**

- Works fast on slugging drains.
- · Leave no offensive after odor.
- · Non-acid crystals clear sluggish drains, prevents clogs.
- Harmless to most metal and plastic pipe, valves and fittings.
- Not for use with garbage disposal

Product No.	Size	Description	Ctn. Qty.		
20412	16 oz.	Glug <sup>®</sup> - Crystals	24		
20410	20 oz.	Glug <sup>®</sup> - Crystals	24		
20413	2 lb.	Glug <sup>®</sup> - Crystals	12		
20415	5 lb.	Glug <sup>®</sup> - Crystals	6		

# #20470 shown

#20410 shown

Glug®	Lic	quid
-------	-----	------

• Kitchen - attacks clogs caused by buildup of fats, grease and foodstuffs.

<ul> <li>Bath - clogs cause</li> </ul>	<ul> <li>Bath - clogs caused by hair and soap products.</li> </ul>						
Product No.	Size	Description	Ctn. Qty.				
20450	1 qt.	Glug® - Bath - Liquid	10				
20455	1/2 gal.	Glug® - Bath - Liquid	6				
20470	1 qt.	Glug® - Kitchen - Liquid	10				
20475	1/2 gal.	Glug® - Kitchen - Liquid	6				

#20450 shown

### NON ACID DRAIN OPENERS



### **Cloroben Open Wide®**

• Crystal drain opener. · Effervescent, low heat formula. Product No. Description Size 271131 1 lb. Cloroben Open Wide® Cloroben

Ctn. Qty.

12



Cloroben



Return to Table of Contents





# Destroyer



### **R-D<sup>™</sup> - Root Destroyer**

- Non-acid, non-caustic herbicide.
- · Harmless to skin and clothing; safe to use in lines leading to septic tanks, cesspools and drywells.

<ul> <li>Not for use in CT, NY or some jurisdictions in CA.</li> </ul>				
Product No.	Size	Description	Ctn. Qty.	
20602	2 lb.	R-D <sup>™</sup> - Root Destroyer	6	
20610	50 lb.	R-D <sup>™</sup> - Root Destroyer	1	

#20602 shown



### Iron Ike<sup>®</sup> Rust Remover

• Dissolves and removes rust stains on contact.

•	Contains	no dar	ngerous p	hosphoric	acid,	phosphates	or chlorine.	
_					_			

Product No.	Size	Description	Ctn. Qty.
45400	20 oz.	Iron Ike® Rust Remover	12
45403	5 lb.	Iron Ike® Rust Remover	6







#137301 shown

### FLOW IMPROVERS

### Cloroben PT-4<sup>™</sup>

- Unique pine-scented, solvent-based, non-acid, non-caustic formulation that emulsifies grease.
- · Safely liquefies and disperse grease, soap scum, food residue, sludge and other build-ups.

<ul> <li>Biodegradeable</li> </ul>			
Product No.	Size	Description	Ctn. Qty.
137501	1 qt.	Cloroben PT-4™	12
137503	Gallon	Cloroben PT-4™	4
137504	5 gal.	Cloroben PT-4 <sup>™</sup> - Pail	1
137507	15 gal.	Cloroben PT-4 <sup>™</sup> - Drum	1
137509	55 gal.	Cloroben PT-4 <sup>™</sup> - Drum	1

### Cloroben PT-BIO1™

- · Concentrated liquid blend of fast acting grease and waste digesting bacteria.
- · Safe, biodegradeable grease and soil modifiers.
- · Contains no acids, caustics, solvents or other harsh chemicals.

Product No.	Size	Description	Ctn. Qty.
137301	1 qt.	Cloroben PT-BI01™	12
137303	Gallon	Cloroben PT-BI01™	4
137304	5 gal.	Cloroben PT-BIO1™ - Pail	1
137307	15 gal.	Cloroben PT-BIO1 <sup>™</sup> - Drum	1
137308	30 gal.	Cloroben PT-BIO1 <sup>™</sup> - Drum	1
137309	55 gal.	Cloroben PT-BIO1 <sup>™</sup> - Drum	1

### Cloroben



h

Return to Table of Contents

CATEGORY **6 DRAIN AND WASTE SYSTEM CLEANERS** 

Cloroben

Qty.



### FLOW IMPROVERS

#20110 shown

### Wham®

- · Powerful, multi-use, concentrated chemical emulsifier and waste system cleaner.
- Environmentally safe and biodegradable.
- · Liquifies and disperses grease, soap, detergents and other organic waste.

SEPTIC PRODUCTS

• Will not harm digestive bacteria.

· Floral scent.

- Dissolves and controls build up deodorizes.
- Safe to use in metal or PVC plastic plumbing.

<ul> <li>Not recommended</li> </ul>	tor use on ABS		
Product No.	Size	Description	Ctn. Qty.
20110	1 qt.	Wham®	12
20115	Gallon	Wham®	6
20120	5 gal.	Wham®	1
20130	55 gal.	Wham®	1

	1	-	2	
	R	ow		
City of the second seco	There is	0		

Cloroben Septic-Flow <sup>™</sup> • Concentrated liquid bacterial additives.				
<ul> <li>Concentrated In</li> <li>Keeps septic sy</li> </ul>	· · · · · · · · · · · · · · · · · · ·			
Product No.	Size	Description	Ctn.	
139302	1/2 gal.	Cloroben Septic-Flow™	6	



4		-	μ.	
6				
			4	
1	-	1	1	
10	mo B	20	88	
		- 22	-1	
12	Street Sectors	1.4	11	
1	of Lot of	Tite?	-5	
-10	214.54	-	15	
100	0	-		
	-	100	-	

Cloroben Bacta-Life®
<ul> <li>A concentrated powdered product.</li> </ul>
<ul> <li>Replaces beneficial bacteria.</li> </ul>
<ul> <li>Los immediately after symples your centic or econocel as</li> </ul>

<ul> <li>Use immediate</li> </ul>	ly after pumping	y your septic or cesspool system.	
Product No.	Size	Description	Ctn. Qty.
222031	1 lb.	Cloroben Bacta-Life®	12



Cloroben	Aid-Ox®
Ovvden-basi	ed foaming nor

- Dxygen-based foaming porosity restorer and cleaner.
- Frequently used on seasonal rentals.

<ul> <li>Non-acid, non-</li> </ul>	caustic formula	tion.	
Product No.	Size	Description	Ctn. Qty.
252034	9 lb.	Cloroben Aid-Ox®	4



#33441 shown

### **Clog Buster®**

• Environmentally safe and easy-to-use way to unclog drains.

**CLOG BUSTER** 

<ul> <li>Adapter availab</li> </ul>	le to use with garde	en hose.	
Product No.	Size	Description	Ctn. Qty.
33440	1 2"	Clog Buster®	6
33441	1-1/2" – 3"	Clog Buster®	6
33442	4 - 6"	Clog Buster®	4
33444		Faucet Adapter	12
33445		Hose & Faucet Adapter Kit	4

Cloroben















# Category 7

### **Heating Chemicals and Anti-Freeze**

A well-maintained hydronic heating system provides reliable performance even during the harshest winters. Heating maintenance professionals know that top quality materials are critical to achieve superior performance. That's why contractors depend on Hercules maintenance and stop-leak products. They are formulated for high performance and developed with both the user and the environment in mind. Hercules "clean and friendly" furnace cement is the latest example of this commitment. Its patented formula is the first and only to meet OSHA's requirement of less than .1% crystalline silica.



### NEW PRODUCT

### Hercules<sup>®</sup> Cryo-Tek Solar System<sup>™</sup> (see page 73)</sup>

Anti-Freeze for Solar Panel Systems

Hercules<sup>®</sup> introduces **CRYO-TEK Solar System™ Anti-Freeze**, specially formulated for closed loop anti-freeze heat exchanger systems. It contains virgin propylene glycol and high purity triple protection additives, which stabilize pH to prevent acid corrosion, chelate hard water minerals and inhibit scale formation and sediment. CRYO-TEK Solar System can also be used in radiant tube heating systems and geothermal loops. Solar System Anti-Freeze is compatible with PEX and elastomeric radiant tubing, commonly used materials for seals and bushings, and provides corrosion protection for aluminum, steel, stainless steel, rubber and most plastic components. Solar System Anti-Freeze is a 94-98% efficient heat transfer solution in most application dilutions. Available in 5 gallon buckets or 55 gallon drums. See Specification Sheet for details on **www.herchem.com**.







Return to Table of Contents





### STOP LEAK PRODUCTS

### **Boiler Liquid**

· Seals and repairs cracks and leaks in steam and hot water systems.

### • No odors - no priming - no foaming.

Product No.	Size	Description	Ctn. Qty.
30115	1 qt.	Boiler Liquid	12
30120	Gallon	Boiler Liquid	6

#30115 shown



### Base Hit<sup>™</sup> II

• Seals and prevents leaks in ferrous, non-ferrous and radiant tube.

<ul> <li>Works fast and</li> </ul>	does not clog hy	/dronic systems.	
Product No.	Size	Description	Ctn. Qty.
30213	12 oz.	Base Hit II	12
30213R	12 oz.	Base Hit II	6

#30213 shown



### **Boiler Solder**

· Powdered stop-leak works quickly on steam heat.

• No odors; petroleum-free.

• Resists high pressure and temperature.

Will not close

• Will flot clog.					
	Product No.	Size	Description	Ctn. Qty.	
	30310	1 lb.	Boiler Solder	12	
	30320	200 lb.	Boiler Solder	1	

### MAINTENANCE PRODUCTS



### Scout™

	rless steam boiler cting Trisodium Ph		
Product No.	Size	Description	Ctn. Qty.
35100	113 gram	Boiler Cleaner	12



### Airspray

· Formulated to eliminate fuel oil and septic odors.

<ul> <li>Contains no CF</li> </ul>	Cs or other chlo	rinated ingredients.	
Product No.	Size	Description	Ctn. Qty.
35151	16 oz.	Airspray	12



Blot-0	™ <b>P</b>	lus	
- I I			

- Fuel absorber for cleaning spills. · Absorbs eight times its volume of fuel oil.

<ul> <li>Sweet fragrance el</li> </ul>	iminates odor.		
Product No.	Size	Description	Ctn. Qty.
35155	19 oz.	Shaker Top Can	12

#35155 shown



### MAINTENANCE PRODUCTS



#35206 shown



### **Boiler And Heating System Cleaner**

• Liquid cleaner and corrosion preventative treatment.

· Helps maximize boiler efficiency.

Product No.	Size	Description	Ctn. Qty.
35206	1 qt.	Boiler and Heating System Cleaner	12
35211	Gallon	Boiler and Heating System Cleaner	6
35216	5 gal.	Boiler and Heating System Cleaner	1



### **Power Flow**<sup>™</sup>

• Fuel oil additive.

· Packaged for one shot application for typical 275 gal. fuel tank.

· Prevents waxing and gelling of oil.

<ul> <li>Minimizes brea</li> </ul>	kdowns by clea	ning clogged lines, strainers, nozzles, pumps and burn	ers.
Product No.	Size	Description	Ctn. Qty.
35302	1 pt.	Power Flow <sup>™</sup>	1
35302R	1 pt.	Power Flow <sup>™</sup> - 6 pack	6



### Sludge Treat

· Helps eliminate burner breakdown from sludge and water in fuel oil and tanks.

· Increases fuel tank life.

· Prevents tank corrosion, sludge formation and winter freeze-ups.

Product No.	Size	Description	Ctn. Qty.
35310	1 qt.	Sludge Treat	12



### Flip-Stick<sup>®</sup> Soot Destroyer

• Patented formula.

• Non-explosive; safe and easy to use - just throw entire stick into firebox.

• Removes fuel-consuming deposits of soot and carbon from chimneys, flues and heat exchangers.

Product No.	Size	Description	Ctn. Qty.
35427	85 g.	Display	72



#35504 shown

### **High Heat Furnace Cement**

- Unique environmentally clean and friendly formula.
- Will not shrink, crack or crumble.
- Meets OSHA requirements.
- · Contains no asbestos or crystalline silica.

Product No.	Size	Description	Ctn. Qty.
35503	1/2 pt.	Regular Body	24
35504	1 pt.	Regular Body	12
35509	11 oz.	Regular Body - Cartridge	12
35515	1/2 gal.	Regular Body	6
35610	Gallon	Regular Body	4
35521	1/2 gal.	Heavy Body	6
35526	Gallon	Heavy Body	4

HERCULI

Return to Table of Contents





### ANTI-FREEZE AND ACCESSORIES

### Cryo-Tek<sup>™</sup> Original • For use in ornamental fountains, snow melting, etc.

- Blue liquid.
- Specific dilutions for various temperature protection levels.
- · Contains triple protection inhibitor package.

• For freeze prote	ection details, vie	ew the submittal sheet at http://www.oatey.com/doc	/cryoteck.pdf.
Product No.	Size	Description	Ctn. Qty.
35253	Gallon	Cryo-Tek™ Original	6
35260	5 gal.	Cryo-Tek™ Original	1
35267	55 gal.	Cryo-Tek™ Original	1

#35253 shown

ANTI-FREEZE







- Contains virgin (not recycled) propylene glycol with triple protection corrosion inhibitor.
- · Pre-mixed ready to use formulation.

• Pink Liquid.

• For freeze protection details, view the submittal sheet at http://www.oatey.com/doc/cryoteck.pdf.

Product No.	Size	Description	Ctn. Qty.
35281	Gallon	Cryo-Tek™-100	6
35284	5 gal.	Cryo-Tek™-100	1
35286	30 gal.	Cryo-Tek™-100	1
35287	55 gal.	Cryo-Tek™-100	1



### Cryo-Tek<sup>™</sup> - 100/AI for Aluminum • Special formula for aluminum heat exchange boilers.

• Orange Liquid.

<ul> <li>For freeze prote</li> </ul>	ection details, vie	w the submittal sheet at http://www.oatey.com/doc/cryoteck.pd	f.
Product No.	Size	Description	Ctn. Qty.
35283	5 gal.	Orange Container	1
35291	55 gal.	Drum	1



#35282 shown

### Cryo-Tek<sup>™</sup> AG

• Concentrated "arctic grade" anti-freeze solution.

• Blue liquid.

• 100% pure virgin propylene glycol/triple protection inhibitor package.

• For freeze protection details, view the submittal sheet at http://www.oatey.com/doc/cryoteck.pdf.

Product No.	Size	Description	Ctn. Qty.
35282	Gallon	Cryo-Tek™ AG	6
35285	5 gal.	Cryo-Tek™ AG	1
35288	30 gal.	Cryo-Tek™ AG	1
35289	55 gal.	Cryo-Tek™ AG	1


### ANTI-FREEZE AND ACCESSORIES





Cryo-Tek<sup>™</sup> Solar System<sup>™</sup> • For use in closed loop anti-freeze heat exchanger systems.

- Can also be used in radiant tube heating systems and geothermal loops.
- Compatible with PEX and elastomeric radiant tubing.



• For freeze protection details, view the submittal sheet at http://www.oatey.com/doc/cryoteck.pdf.

Product No.	Size	Description	Ctn. Qty.
35280	5 gal.	Cryo-Tek Solar System	1
35292	55 gal.	Cryo-Tek Solar System	1



#35276 shown

, ,	, ,	stems charged with cryo-tek antifreeze. one level per 20-gallon content.	
Product No.	Size	Description	Ctn. Qty.
35274	8 oz.	Cryo-Tek AL Inhibitor	12
35276	8 oz.	Cryo-Tek Inhibitor	24



### Cryo-Tek<sup>™</sup> Test Kit

. . . .

\_

Cryo-Tek<sup>™</sup> Inhibitor

• Liquid corrosion protection additive.

- For freeze protection details, view the submittal sheet at http://www.oatey.com/doc/cryoteck.pdf.
- · Contains 10 color-coded disposable test strips.
- · Each checks levels of propylene glycol and corrosion protection.
- Check annually; add cryo-tek inhibitor if pH is below 8.5.

Product No.	Size	Description	Ctn. Qty.
35271		Test Kit, 6 - 10 Packs	6



<b>pH</b> lest Me Product No.	ter Size	Description	Ctn. Qty.
35272		pH Test Meter	1



Refractometer					
ì	Product No.	Size	Description	Ctn. Qty.	
r	35290		Refractometer	1	

**Navigation** Return to Table of Contents



CATEGORY O BOWL SETTING WAX GASKETS AND BOLTS



### **Bowl Setting Wax Gaskets and Bolts**

For generations of professional plumbers, Oatey<sup>®</sup> and Hercules<sup>®</sup> have set the standard for the highest quality and best performing toilet-setting products. Hercules Johni-Rings<sup>®</sup> now feature a clean release tray for no-mess handling and easy installation, even on hot, humid days.

Return to Table of Contents

CATEGORY **S BOWL SETTING WAX GASKETS AND BOLTS** 

### WAX RINGS



#90220 shown





### Johni-Rings - Standard Size\*

· Soft and flexible high-grade petroleum wax rings.

Product No.	Size	Description	Ctn. Qty.
90210	3" or 4"	Johni-Rings - Standard Size	48
90220	3" or 4"	Johni-Rings - Standard Size With Plastic Horn	24
90230	4"	Johni-Rings - Standard Size With Plastic Horn	24



· Soft and flexible high-grade petroleum wax rings.

* Ring sizes refer to waste lines					
Product No.	Size	Description	Ctn. Qty.		
90241	3" or 4"	Johni-Rings - Jumbo Size With Plastic Horn	24		
90243	3" or 4"	Johni-Rings - Jumbo Size	24		

### Johni-Ring With Bolts - Combo Pack

Johni-Ring With Johni-Quick Bolts® - Combo Pack

Description

Soft and flexible high-grade petroleum wax rings.

· Soft and flexible high-grade petroleum wax rings.

3" or 4"

3" or 4"

Size

• Includes two 1/4" Johni-Quick Bolts.

**Product No.** 

96401

96402

Includes two 1/4" diameter solid brass bolts.

Product No.	Size	Description	Ctn. Qty.
90203	3" or 4"	Johni-Rings - Jumbo W/Plastic Horn & XL Bolts, Combo Pack	24
90214	3" or 4"	Johni-Rings - Regular Flat Ring, Combo Pack	48
90224	4"	Johni-Rings - With Plastic Horn, Combo Pack	24
90234	3" or 4"	Johni-Rings - With Plastic Horn, Combo Pack	24



#96402 shown



**Johni-Ring Specialties** 

Product No.	Size	troleum wax rings. Description	Ctn. Qty.
90260	2"	Johni-Rings - For Urinal	24
90270	4"	Johni-Rings - For Back Outlet Toilets	24

Johni-Rings - Regular Flat Ring, Combo Pack

Johni-Rings - With Plastic Horn, Combo Pack



Ctn. Qty.

48

24

### **Navigation**



Return to Table of Contents

# CATEGORY **X** BOWL SETTING WAX GASKETS AND BOLTS

Product No.

31194

31193



ગવ







#31193 shown



- **Reinforced Wax Bowl Ring W/ Sleeve**
- 100% pure petroleum wax gasket for setting any floor type closet bowl. · Provides a permanent seal impervious to vermin, odors, gases and acids.

WAX RINGS

· Provides a permanent seal impervious to vermin, odors, gases and acids.

• 100% pure petroleum wax gasket for setting any floor type closet bowl. • Fits 3" or 4" waste lines and meets Military Spec.TT-P-1536A. · Provides a permanent seal impervious to vermin, odors, gases and acids.

Size

Size

Description

Description

Heavy Duty Wax Bowl Ring

Polycarbonate sleeve extends discharge opening for a more positive seal assuring proper bowl alignment.

Wax Bowl Ring With Polycarbonate Sleeve

Flanged Gasket W/ 1/4" X 2-1/4" Brass Bolts And Nuts

Ctn. Qty.

Ctn. Qty.

24

24

48

- Fits 3" to 4" waste lines and meets Military Spec. TT-P-1536A.
- · Polycarbonate sleeve extends discharge opening for a more positive seal assuring proper bowl alignment.

<ul> <li>Sponge provides resiliency. Expands and contracts with the bowl or building to prevent wax from settling.</li> </ul>				
Product No.	Size	Description	Ctn. Qty.	
31195		Fiber Reinforced Wax Bowl Ring with Polycarbonate Sleeve	24	

### Maxwax<sup>®</sup> Wax Bowl Ring

- 40% thicker than regular wax ring with a polycarbonate sleeve to assure a tight seal.
- 100% pure petroleum wax gasket for setting any floor type closet bowl.
- Fits 3" to 4" waste lines and meets Military Spec. TT-P-1536A.
- · Polycarbonate sleeve extends discharge opening for a more positive seal assuring proper bowl alignment.
- · Provides a permanent seal impervious to vermin, odors, gases and acids.

Product No.	Size	Description	Ctn. Qty.
31188		MaxWax Bowl Ring with Sleeve	12



### **Urinal Wax Ring**

Urinal wax ring has a urethane sponge to provide resiliency.

Product No.	Size	Description	Ctn. Qty.
31187		Urinal Wax Ring	24



### Return to Table of Contents

### BOLTS

### Johni-Bolts® And Johni-Bolt XL

• Solid brass closet bolts. Snan-off slot and c ntin woohor



Product No.	Size	Description	Ctn. Qty.
90104	1/4" diameter x 2 1/4" long	Johni-Bolts®	100
90124	5/16" diameter x 2 1/4" long	Johni-Bolts®	100
90154	1/4" diameter x 3 1/2" long	Johni-Bolts® Extra-Long	100
90174	5/16" diameter x 3 1/2" long	Johni-Bolts® Extra-Long	100



### **Johni Quick Bolts**

- Unique new bolting system for mounting toilets.
- Fast and easy; just push down and twist to tighten in one quick motion.
   Eliminates "fall through" and webble.

<ul> <li>Eliminates "fail-thr Product No.</li> </ul>	Size	Description	Ctn. Qty.
90904	1/4" diameter	Johni Quick Bolts	100
90905	5/16" diameter	Johni Quick Bolts	100
90906	1/4" diameter	Johni Quick Bolts - Extra-Long	50
90907	5/16" diameter	Johni Quick Bolts - Extra-Long	50



#31417 shown

LIQUILOCK

- Liquilock™
- Solidifies water for easy toilet removal.Prevents water spills.

• Gel forms in 4 minutes.

Product No.	Size	Description	Ctn. Qty.
31417	0.6 oz.	Liquilock - Gel For Toilet Removal	50
31416	0.6 oz.	Liquilock - Gel For Toilet Removal	24
31417D	0.6 oz.	Liquilock - Gel For Toilet Removal - Display Pack	50

CATEGORY **S BOWL SETTING WAX GASKETS AND BOLTS** 

510-





Π





### **Category 9**

### **Drains and Closet Flanges**

Oatey drains and closet flanges come in the widest variety of sizes, materials and configurations. PVC, cast iron, ABS, no matter what your shower drain or closet flange need, Oatey has the part you need to do the job right.

Return to Table of Contents

TEGORY 💙 DRAINS AND CLOSET FLANGES

Nate

### **CLOSET FLANGES**

### Level-Fit Closet Flange With Plastic Ring

- 3" or 4" all plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.

•



#43503 shown



#43495 shown

<u>Je</u>



#43512 shown





LPC,

<ul> <li>Four mounting</li> </ul>	slots.	Schedule 40 DWV pipe.	
Product No.	Size	Description	Ctn. Qty.
43502	3" or 4"	ABS closet flange w/plastic ring w/o test cap	12 🕎
43503	3" or 4"	PVC closet flange w/plastic ring w/o test cap	7 💽
Inside Fit Close	t Flange With Pl	astic Ring	
43506	3"	ABS closet flange w/plastic ring w/ test cap	12
43507	3"	PVC closet flange w/plastic ring w/ test cap	12
43508	3"	ABS closet flange w/plastic ring w/o test cap	12
43509	3"	PVC closet flange w/plastic ring w/o test cap	12

### Level Fit Closet Flange With Stainless Steel Ring

- Corrosion resistant stainless steel ring.
  3" x 4" flange fits inside of 4" or over 3" Sch. 40 DWV pipe.
- 4" flange fits over 4" Sch. 40 DWV pipe.
- Meets ASTM D2661 and D2665.

	for alignment of	bolts and screws, sits flush on floor.	
Product No.	Size	Description	Ctn. Qty.
43494	3" x 4"	ABS closet flange w/SS ring w/o test cap	12
43495	3" x 4"	PVC closet flange w/SS ring w/o test cap	12
Over 4" Fit Flan	ige		
43498	4"	ABS closet flange w/SS ring w/o test cap	12
43499	4"	PVC closet flange w/SS ring w/o test cap	12

### Level-Fit Closet Flange With Metal Ring

- The metal ring provides added strength and cracking resistance to the flange and can be rotated to allow precise alignment of bolts and screws.
- 3" or 4" flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe. **∕** " f nt wolde over 4" Seb 40 DWV nin

• 4" flange solvent Product No.	Size	Description	Ctn. Qty.
43512	3" or 4"	ABS closet flange w/ metal ring w/o test cap	12
43513	3" or 4"	PVC closet flange w/metal ring w/o test cap	12
Over 4" Fit Flange			
43520	4"	ABS closet flange w/ metal ring w/o test cap	12
43521	4"	PVC closet flange w/ metal ring w/o test cap	12

- Easy Tap<sup>®</sup> Closet Flange Fits over 3" or inside of 4" Schedule 40 DWV pipe
- Available with plastic ring, durable metal ring and corrosion-resistant stainless steel ring

• Test cap holds up to 30 ft. of head pressure

• Test cap will not break or fall into DWV line

Product No.	Size	Description	Ctn. Qty.
43556	3" or 4"	Easy Tap Closet Flange, ABS w/plastic ring	12
43552	3" or 4"	Easy Tap Closet Flange, ABS w/SS ring	12
43558	3" or 4"	Easy Tap Closet Flange, ABS w/metal ring	12
43557	3" or 4"	Easy Tap Closet Flange, PVC w/plastic ring	12
43553	3" or 4"	Easy Tap Closet Flange, PVC w/SS ring	12
43559	3" or 4"	Easy Tap Closet Flange, PVC w/metal ring	12
43610	3" or 4"	Easy Tap Closet Flange, ABS w/plastic ring	24
43611	3" or 4"	Easy Tap Closet Flange, ABS w/SS ring	24
43612	3" or 4"	Easy Tap Closet Flange, PVC w/plastic ring	24
43613	3" or 4"	Easy Tap Closet Flange, PVC w/SS ring	24

CATEGORY **V DRAINS AND CLOSET FLANGES** 

### Return to Table of Contents

### are

### #43621 shown

#43528 shown Per



### **Over 4" Level-Fit Closet Flange**

- Fits over 4" Schedule 40 DWV pipe
- Available with and without test cap

• with plastic ring Product No.	Size	Description	Ctn. Qty.
43621	4"	Over 4" Closet Flange, PVC, w/o test cap	12
43549	4"	Over 4" Closet Flange, PVC, w/ test cap	12
43548	4"	Over 4" Closet Flange, ABS, w/o test cap	12
43550	4"	Over 4" Closet Flange, ABS, w/ test cap	12

### Level-Fit Closet Flange With Plastic 2 Slot/2 Slide Ring

**CLOSET FLANGES** 

• 3" or 4" all plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.

<ul> <li>Iwo mounting s</li> </ul>	slots.		
Product No.	Size	Description	Ctn. Qty.
43528	3" or 4"	ABS closet flange w/plastic 2 slot/2 slide ring w/ test cap	12
43529	3" or 4"	PVC closet flange w/plastic 2 slot/2 slide ring w/ test cap	12
43530	3" or 4"	ABS closet flange w/plastic 2 slot/2 slide ring w/o test cap	12
43531	3" or 4"	PVC closet flange w/plastic 2 slot/2 slide ring w/o test cap	12

### Level Fit Long Pattern Closet Flange

• Solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.

<ul> <li>Longer length to allow for pipes cut short.</li> </ul>	
---	--

Product No.	Size	Description	Ctn. Qty.
43522	3" or 4"	ABS long pattern closet flange w/plastic ring w/test cap	6
43523	3" or 4"	PVC long pattern closet flange w/plastic ring w/test cap	6
43524	3" or 4"	ABS long pattern closet flange w/plastic ring w/o test cap	6
43525	3" or 4"	PVC long pattern closet flange w/plastic ring w/o test cap	6
43532	3" or 4"	ABS long pattern closet flange w/metal ring w/test cap	6
43533	3" or 4"	PVC long pattern closet flange w/metal ring w/test cap	6
43534	3" or 4"	ABS long pattern closet flange w/metal ring w/test cap	6
43535	3" or 4"	PVC long pattern closet flange w/metal ring w/o test cap	6

Level Fit Closet Flange With Plastic Ring, Long Mounting Slots

Description

w/o test cap

w/o test cap

w/ test cap

w/ test cap

Description

• All plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.

Radial slots extend 130 degrees to allow exact alignment of the water closet.

· Four countersunk holes for secure attachment to the floor.

Size

3" or 4"

3" or 4"

3" or 4"

3" or 4"

Size

3" or 4"

3" or 4"

alignment of bolts and screws.

Level Fit Offset Closet Flange With Metal Ring

• Solvent welds inside of 4" or over 3" Schedule 40 DWV pipe. • 2" offset allows a margin of error for drain pipe/flange alignment.



#43523 shown UPC



**Product No.** 

43510

43511

43526

43527

Product No.

43500

43501

43804

#43511 shown Pro-



### #43501 shown UPC)



82 | Oatey SCS® Product Catalog

### 3" or 4" PVC offset closet flange with metal ring w/o test cap 16

ABS offset closet flange with metal ring w/o test cap

PVC offset closet flange with metal ring w/o test cap

• The metal ring provides added strength and cracking resistance to the flange and can be rotated to allow precise

ABS closet flange w/plastic ring, long mounting slots -

PVC closet flange w/plastic ring, long mounting slots -

ABS closet flange w/plastic ring, long mounting slots -

PVC closet flange w/plastic ring, long mounting slots -

Ctn. Qty.

12

12

12

12

Ctn. Qty.

12

12

Return to Table of Contents

llate

### **CLOSET FLANGES**



### Level Fit 45° Closet Flange With Plastic Ring

45° bend, 360° rotation allows wide range of plumbing connections in tight spaces.

· Design allows flange to set flush.

•
•

Product No.	Size	Description	Ctn. Qty.
43815	3" or 4"	ABS 45° closet flange w/plastic ring w/o test cap	6
43816	3" or 4"	PVC 45° closet flange w/plastic ring w/o test cap	6

### Spigot Fit Closet Flange

**Cast Iron Closet Flange** • Cast iron closet flange, no caulking.

- For use in hub-end of fitting.

<ul> <li>Eight countersunk holes and two closet bolt slots for secure attachment to the floor.</li> </ul>							
Product No.	Size	Description	Ctn. Qty.				
43584	3"	Spigot Fit Closet Flange, ABS, w/ plastic ring	12				
43585	3"	Spigot Fit Closet Flange, PVC, w/ plastic ring	12				
43586	4"	Spigot Fit Closet Flange, ABS, w/ plastic ring	12				
43587	4"	Spigot Fit Closet Flange, PVC, w/ plastic ring	12				





#42253 shown



### Cast Iron Deepset Closet Flange

• Complete with body, brass ring, bolts and gasket.

Size

3"

4"

4"

· Cast iron closet flange, no caulking.

Product No.

42253

42255

42256

- 4" Deep set.
- · Complete with body, brass ring, bolts and gasket.

. To be used on plastic or heavy weight, no hub or service weight soil pipe.

Description

<ul> <li>Io be used on plas</li> </ul>	itic or heavy weigh	t, no hub or service weight soil pipe.	
Product No.	Size	Description	Ctn. Qty.
42257	4" x 4"	Cast iron closet flange w/o test cap	8

Cast iron flange w/o test cap

Cast iron flange w/o test cap

Cast iron flange w/ test cap



· Replaces broken cast iron closet flanges.

• Installs easily without tools.

- Smooth unrestricted flow design.
- · Gasket expands to fit inside service weight, heavy weight and no hub pipe. Product No. Size Description Ctn. Qty. 43654 3" PVC Twist-N-Set closet flange 2 43655 3" ABS Twist-N-Set closet flange 2 4" 2 43651 PVC Twist-N-Set closet flange 43650 4" ABS Twist-N-Set closet flange 2 43653 4" Cast Iron Twist-N-Set closet flange 2



#43651 shown

### Replacement Closet Flange

- Slides inside of 4" cast iron or Sch. 40 DWV plastic pipe.
- 3" stainless steel bolts are tightened from the finished floor.
- No caulking required

<ul> <li>Compression joint allows up to 3" of adjustment to the riser.</li> </ul>					
Product No.	Size	Description	Ctn. Qty.		
43538	4"	ABS closet flange replacement	2		
43539	4"	PVC closet flange replacement	2		





Ctn. Qty.

6

6

6

Return to Table of Contents

## CATEGORY **V DRAINS AND CLOSET FLANGES**



### **CLOSET FLANGES**

### **Closet Flange Spacer**

· Builds up an existing closet flange when new flooring is installed.

<ul> <li>Can be stacked</li> </ul>	d to desired heig		
Product No.	Size	Description	Ctn. Qty.
43519	1/4"	Closet flange spacer	12
43646	1/2"	Closet flange spacer	12

#43519 shown

AA



#43540 shown



- · Horizontal mounting slots accommodate urinals with 3-1/2" to 7" mount centers.
- Kit includes all bolts, nuts, washers and gaskets . .....

Product No.	Size	Description	Ctn. Qty.
43540	2"	ABS horizontal adjustable urinal flange kit	10
43541	2"	PVC horizontal adjustable urinal flange kit	10
43542	2"	ABS horizontal spigot urinal flange kit	10
43543	2"	PVC horizontal spigot urinal flange kit	10



### **Wax Free Gasket**

<ul> <li>For repairs and</li> <li>3" diameter ho</li> <li>No wax needed</li> </ul>	le	ns	
Product No.	Size	Description	Ctn. Qty.
42759		Wax Free Gasket	12



### Stainless Steel Closet Flange Replacement Ring

• For use on 3" or 4" closet flanges

<ul> <li>Six countersun</li> </ul>			
Product No.	Size	Description	Ctn. Qty.
42778	3" or 4"	Stainless Steel Closet Flange	12





### 3" or 4"

Size

**Brass Closet Flange Replacement Ring** 

. Three countersunk holes and three closet bolt slots for secure attachment to the floor

Description



### Moss Bay Replacement Flange

- · For rusted or corroded metal closet flange rings
- For use on PVC or ABS closet flanges

• For use 4" closet flanges

Product No.

43551

<ul> <li>Includes closet bolts</li> <li>Product No. Size</li> </ul>		Description	Ctn. Qty.
42777		Moss Bay Replacement Flange	12

Brass Closet Flange Replacement Ring



### **Closet Flange Spacer Kit**

· For use when overlaying, replacing or tiling bathroom floors

<ul> <li>Kit includes gaske</li> </ul>	ts, 1/2" spacer	, closet bolts and shims	
Product No.	Size	Description	Ctn. Qty.
43645		Closet Flange Spacer Kit	12

Ctn. Qty.

12

51(4

Return to Table of Contents

EGORY **V** DRAINS AND CLOSET FLANGES

### **CLOSET FLANGES**



### **Galvanized Wood Support Kit**

- For repairing wobbly toilets or loose closet flanges without replacing the floor
- . Includes two heavy gauge pre-slotted flange plates, six floor attaching screws and 4 large flathead flange assembly screws

Galvanized Wood Support Kit

- . Use for holes cut too large, rotting floors or screws that pulled loose
- · Easy-to-use floor and flange support
- Product No. Size Description
- 43555

Ctn. Qty. 12

Date

Date

### SHOWER DRAINS FOR PREFORMED BASES

### **No-Calk Shower Base Drain**

- · Made of Cast Brass or Plastic
- Designed for use with all preformed shower stall bases.
- Mechanically attaches over 2" Schedule 40 DWV pipe. The drain is fixed to the drain pipe from above the shower base, ideal for slab construction.
- Can be used with 1-1/2" Schedule 40 DWV pipe and 1-1/2" or 2" Copper DWV pipe when caulking gasket is replaced.
- Fiber and rubber gasket provide a tight seal to the base.
  - l'ala al Di

<ul> <li>Available with 4 ½</li> <li>Product No.</li> </ul>	4" Stainless Steel o Size	r UltraShine PVD Polished Brass Snap-Tite Strainer. Description	Ctn.	Qty.				
140 Series Brass	No-Calk Shower	Drain						
42150	2"	140 NC Brass NO-CALK shower drain w/ stainless steel strainer	12	Ľ.				
101 PNC Series Plastic No-Calk Shower Drain								
42084	2"	101 PNC ABS NO-CALK shower drain w/ stainless steel strainer	12	Ľ.				
42099	2"	101 PNC PVC NO-CALK shower drain w/ stainless steel strainer	12	Ľ.				
42077	2"	101 PNC ABS NO-CALK shower drain w/ plastic strainer	12	, E				
42075	2"	101 PNC PVC NO-CALK shower drain w/ plastic strainer	12	Ľ.				
42080	2"	101 PNC PVC NO-CALK shower drain w/ Ultrashine^ polished brass strainer	12	Ľ.				
No-Calk Shower I	)rain Accessories	;						
42163		Rubber caulking gasket to fit 1-1/2" Sch. 40 DWV drain pipe in the NO-CALK shower drains	12					
42156		Rubber caulking gasket to fit 2" Sch. 40 DWV drain pipe in the NO-CALK shower drains	12					
42157		Rubber caulking gasket to fit 2" No-hub cast iron pipe in the NO-CALK shower drains	12					
42158		Rubber caulking gasket to fit 2" copper DWV drain pipe in the NO-CALK shower drains	12					
42159		Rubber caulking gasket to fit 1-1/2" copper DWV drain pipe in the NO-CALK shower drains	12					
42239		NO-CALK shower drain wrench – carded	4					

### SOLVENT WELD SHOWER DRAINS

### **101 PS Series Solvent Weld Shower Drain**

- Solvent weld over 2" Sch. 40 DWV pipe.
- Universal 4-1/4" Snap-Tite Strainer.
- Drain body is sealed to shower base with rubber gasket and fiber slip washer.

Product No.	Size	Description	Ctn.	Qty.
42093	2"	101 PS ABS Solvent Weld Shower Drain w/ stainless steel strainer	6	
42097	2"	101 PS PVC Solvent Weld Shower Drain w/ stainless steel strainer	6	E.
42086	2"	101 PS ABS Solvent Weld Shower Drain w/ plastic strainer	5	<b>N</b>
42089	2"	101 PS PVC Solvent Weld Shower Drain w/ plastic strainer	8	R.
42078	2"	101 PS PVC Solvent Weld Shower Drain w/ Ultrashine $\ensuremath{\mathfrak{B}}$ polished brass strainer	6	Ŭ.





#42080 shown



#42157 shown



#42239 shown

#42078 shown



Return to Table of Contents

### **102 Series Solvent Weld Shower Drain With Receptor Base**

- Solvent weld over 2" Sch. 40 DWV pipe.
- Universal 4-1/4" Snap-Tite Strainer.

• Drain body is sealed to shower base with rubber gasket and fiber slip washer.

Product No.	Size	Description	Ctn.	. Qty.
42044	2"	2-part ABS Solvent Weld Shower Drain w/ stainless steel strainer	7	Ľ.
42045	2"	2-part PVC Solvent Weld Shower Drain w/ stainless steel strainer	9	Ľ.
42047	2"	2-part PVC Solvent Weld Shower Drain w/ Ultrashine® polished brass strainer	9	E.
42048	2"	2-part ABS Solvent Weld Shower Drain w/ plastic strainer	7	Ľ.
42049	2"	2-part PVC Solvent Weld Shower Drain w/ plastic strainer	9	Ľ.

### 103 Series Offset Solvent Weld Shower Drain With Receptor Base

- Solvent weld over 2" Sch. 40 DWV pipe
- Universal 4-1/4" Snap-Tite Strainer.

#42045 shown

#42210 shown

- Drain body provides 1-1/2" offset to work around joists and imperfect slab penetrations.
- Drain body is sealed to shower base with rubber gasket and fiber slip washer.

Product No.	Size	Description	Ctn. Qty.
42787	2"	Offset PVC Shower Drain w/ Stainless Steel Strainer	8
42788	2"	Offset ABS Shower Drain w/ Stainless Steel Strainer	8

### CAULKING AND THREADING SHOWER DRAINS

### 101 Series Brass NPT And Caulking Drain

- Drain body is sealed to shower base with rubber gasket and fiber slip washer.
- Three DWV connection methods for metallic pipe.
- Universal 4-1/4" Snap-Tite Strainer.

Product No.	Size	Description	Ctn. Qty.
42070	1-1/2"	101 NPT IPS Brass Drain w/ stainless	6

### SHOWER DRAINS FOR BUILT-UP SHOWERS

### **130 Series Shower Drain For Tile Shower Bases**

• Designed for use on built-up shower bases of tile or marble, where a shower pan liner is used

- Low profile design for use in tight spaces
- Solvent welds over 2" or inside 3" Schedule 40 DWV pipe
- Reversible clamping collar is secured with stainless steel bolts into brass inserts to prevent stripping
- Square Snap-In Strainers available in Stainless Steel and Brushed Nickel finishes

Product No.	Size	Description	Ctn.	Qty.
42210	2" or 3"	ABS drain w/ round stainless steel Screw-Tite strainer	14	E.
42213	2" or 3"	PVC drain w/ round stainless steel Screw-Tite strainer	17	
42399	42399 2" or 3" ABS drain w/ round Ultrashine® PVD Screw-Tite polished brass strainer		14	E.
42404	2" or 3"	PVC drain w/ round Ultrashine® PVD Screw-Tite polished brass strainer	17	E.
Chrome plated,	brass strainer b	arrel provides finished metal appearance		
42218	2" or 3"	ABS drain w/ round stainless steel Screw-Tite strainer w/chrome plated brass barrel	19	
42219	2" or 3"	PVC drain w/ round stainless steel Screw-Tite strainer w/chrome plated brass barrel	23	
42393	2" or 3"	ABS drain w/ square stainless steel Screw-Tite strainer w/chrome plated brass barrel	26	
42394	2" or 3"	PVC drain w/ square stainless steel Screw-Tite strainer w/chrome plated brass barrel	26	
Snap-on Grate				
42202	2" or 3"	PVC drain w/ round stainless steel Snap-Tite strainer	17	
42203	2" or 3"	ABS drain w/ round stainless steel Snap-Tite strainer	17	
42245	2" or 3"	PVC drain w/ round stainless steel Snap-Tite Strainer, BARREL and STRAINER ONLY	12	
42246	2" or 3"	PVC drain w/ round stainless steel Snap-Tite Strainer, BASE DRAIN, COLLAR and FASTENERS ONLY	12	
42247	2" or 3"	PVC drain w/ square stainless steel Snap-Tite Strainer, BARREL and STRAINER ONLY	12	





### SHOWER DRAINS FOR BUILT-UP SHOWERS

TEGORY **V** DRAINS AND CLOSET FLANGES

Late

### 130 Series Shower Drain For Tile Shower Bases (cont.)

Product No.	Size	Description	Ctn.	Qty.
42237	2" or 3"	PVC drain w/ square stainless steel Snap-Tite strainer	24	E.
42238	2" or 3"	ABS drain w/ square stainless steel Snap-Tite strainer	24	Ľ.
42251	2" or 3"	PVC drain w/square brushed nickel Snap-Tite strainer	24	E.
42250	2" or 3"	ABS drain w/square brushed nickel Snap-Tite strainer	24	Ð.
42396	2" or 3"	ABS drain w/square rubbed bronze Snap-Tite strainer	24	E CE
42398	2" or 3"	PVC drain w/square rubbed bronze Snap-Tite strainer	24	Ľ.

### 131 Series Two Part Adjustable Slab Drain

• Ideal for installations on a slab where a pan liner membrane is not required.

• Available with high quality stainless steel strainer, Brass or Nickel finish cast grates for heavy traffic applications.

Drain base engineered as hub for 2" Sch. 40 pipe or solvent welds inside 3" Sch. 40 pipe.

Available with both round and square strainer top.

<ul> <li>Available with both</li> </ul>	round and square	strainer top.		
Product No.	Size	Description	Ctn.	Oty.
42235	2" or 3"	PVC drain w/round stainless steel Screw-Tite strainer	22	E.
42236	2" or 3"	ABS drain w/round stainless steel Screw-Tite strainer	22	Ľ.
42380	2" or 3"	PVC drain w/round brass cast grate w/round ring	10	
42381	2" or 3"	ABS drain w/round brass cast grate w/round ring	10	
42382	2" or 3"	PVC drain w/round brass cast grate w/square ring	10	
42383	2" or 3"	ABS drain w/round brass cast grate w/square ring	10	
42384	2" or 3"	PVC round nickel cast grate w/round ring	10	
42385	2" or 3"	ABS round nickel cast grate w/round ring	10	
42386	2" or 3"	PVC round nickel cast grate w/square ring	10	
42387	2" or 3"	ABS round nickel cast grate w/square ring	10	
42388	2" or 3"	PVC drain w/square stainless steel Snap-Tite strainer	40	E.
42389	2" or 3"	ABS drain w/square stainless steel Snap-Tite strainer	40	E.

### 151 Series Cast Iron And Plastic Two Part Shower Drain

• Cast Iron or plastic variations with threaded, No-Calk or solvent weld connections.

3-1/4" Crown Ring Set.

• 3-1/4" Crown Rir Product No.	Size	Description	Ctn.	Qty.
42197	2"	151 cast iron w/ 2" NPT connection	27	
42192	1-1/2"	151 cast iron w/ 1-1/2" NPT connection	27	
42201	2"	151 cast iron w/ 2" Sch. 40 No-calk connection	29	
42206	2"	151 cast iron w/ 2" No Hub connection	30	
42211	2"	151 ABS drain w/ 2" solvent weld connection	6	Č.
42215	2"	151 cast iron drain top & ABS bottom w/ 2" solvent weld connection	6	
151 Series Acces	sories			
42011	3-1/4"	Crown Ring Set – stainless steel – carded	3	
42012	6"x 6"	Square Tile Ring – stainless steel – carded	5	
42010	3-1/4"	Crown Ring Set- Ultrashine $^{\ensuremath{\texttt{B}}}$ PVD polished brass – Carded	3	
42042	4-1/4" x 4-1/4"	Square Tile Ring – stainless steel – carded	1	
42041	4-1/4" x 4-1/4"	Square Tile Ring – Ultrashine $^{\otimes}$ PVD polished brass – carded	1	



#42235 shown



#42201 shown

<sup>·</sup> Designed for use with tile and marble showers.

Return to Table of Contents



ae

### **REPLACEMENT STRAINERS**

### White Plastic Replacement Strainer

• 6-3/4" strainer

<ul> <li>With screws ind</li> </ul>	cluded		
Product No.	Size	Description	Ctn. Qty.
42021	6-3/4"	Replacement Strainer, White Plastic	12

**4-1/4" Round Snap-Tite Strainer** • For 101BR, 101PNC, 101NPT, 101PS, 102, 103, 130 and 131 Series Shower Drains with round strainers. • Illtraching® DVD lifetime finish where noted

Product No	Size	Description	C
• For series 101BR,	101PNC, 101NPT	, 101PS,102,103,130 & 131, 140 NC Series Shower Drains.	
	letime imisti wher	e noteu.	

Product No.	Size	Description	Ctn. Qty.
42136	4-1/4"	White Plastic	2
42138	4-1/4"	Stainless Steel	4
42137	4-1/4"	UltraShine <sup>®</sup> PVD Polished Brass	3
42003	4-1/4"	Carded White Plastic - carded	2
42005	4-1/4"	Stainless Steel – carded	2
42004	4-1/4"	UltraShine® PVD Polished Brass – carded	3
42014	4-1/4"	UltraShine® PVD Satin Nickel – carded	3
42015	4-1/4"	UltraShine® PVD Satin Chrome – carded	3
42016	4-1/4"	Biscuit – carded	3
42017	4-1/4"	Rubbed Bronze – carded	3
42018	4-1/4"	Brushed Nickel – carded	3
42019	4-1/4"	White Metal – carded	3
42020	4-1/4"	Antique Bronze – carded	3

### 4-1/4" Square Snap-Tite Strainer

For 130 Series Shower Drains with square strainers.				
Product No.	Size	Description	Ctn. Qty.	
46266	4-1/4"	Stainless Steel – carded	3	
46267	4-1/4"	Rubbed Bronze – carded	3	
46268	4-1/4"	Brushed Nickel – carded	3	

### **4" Screw-Tite Strainer**

- For screw-on tile shower drains and 2" x 3" slab shower drains.
- Polished brass strainers have PVD lifetime finish.
- For 130 and 131 Series Shower Drains and 43566, 43567, 43578, 43579, 43580, 43581.

Product No.	Size	Description	Ctn. Qty.
42358	4"	Stainless Steel	2
42359	4"	UltraShine® PVD Polished Brass	2
43861	4"	Stainless Steel – carded	3
43862	4"	UltraShine® PVD Polished Brass – carded	3

### 3-1/4" Strainer

- For brass drains.
- Polished brass strainers have Ultrashine® PVD lifetime finish.

Product No.	Size	Description	Ctn. Qty.
42116	3-1/4"	Stainless Steel	12
44016	3-1/4"	Antique Brass	12
42001	3-1/4"	Carded Stainless Steel	12

### **Stainless Steel Snap-In Strainer**

<ul> <li>Fits inside Sche</li> </ul>	edule 40 DWV p	bipe.	
Product No.	Size	Description	Ctn. Qty.
42730	2"	Snap-In Stainless Steel Strainer	12
42731	3"	Snap-In Stainless Steel Strainer	12
42732	4"	Snap-In Stainless Steel Strainer	12





Jatey

#46266 shown

#42138 shown



#42358 shown

### **GENERAL PURPOSE DRAINS**





<ul> <li>1-3/16" high to</li> </ul>	r tight spaces.		
Product No.	Size	Description	Ctn. Qty
43580	2" or 3"	ABS short general purpose drain w/ 4" stainless steel Screw-Tite strainer	18
43581	2" or 3"	PVC short general purpose drain w/ 4" stainless steel Screw-Tite strainer	5

#43579 shown PE

43582
43583
43600
43601

43569

General Purp Product No.	ose Drain <sub>Size</sub>	Description	Ctn. Qty.
43578	2" or 3"	ABS general purpose drain w/ 4" stainless steel Screw-Tite strainer	12
43579	2" or 3"	PVC general purpose drain w/ 4" stainless steel Screw-Tite strainer	12
43582	3" or 4"	ABS general purpose drain w/ 5" stainless steel Screw-Tite strainer	12
43583	3" or 4"	PVC general purpose drain w/ 5" stainless steel Screw-Tite strainer	12
43600	3" or 4"	ABS general purpose drain w/ 5" nickel alloy grate	12
43601	3" or 4"	PVC general purpose drain w/ 5" nickel alloy grate	12
43598	3" or 4"	ABS general purpose drain w/ 5" brass grate and metal ring	12
43599	3" or 4"	PVC general purpose drain w/ 5" brass grate and metal ring	12



#43569 shown







#43563 shown

### Plastic Snap-In Drain With Removable Stainless Steel Strainer

• Strainer can be removed to allow access to the pipe. Product No. Size Description Ctn. Qty. 43562 3" ABS Snap-In Drain w/ 3-1/2" Stainless Steel Strainer 3 43563 3" PVC Snap-In Drain w/ 3-1/2" Stainless Steel Strainer 3 43566 4" ABS Snap-In Drain w/ 4" Stainless Steel Strainer 8 4" 43567 PVC Snap-In Drain w/ 4" Stainless Steel Strainer 9



### All Plastic Snap-In Outlet Cover

· For covering an open pipe.

<ul> <li>Protects piping from dirt and debris.</li> </ul>			
Product No.	Size	Description	Ctn. Qty.
43570	2"	ABS Snap-In Drain Outlet Cover	6
43571	2"	PVC Snap-In Drain Outlet Cover	6
43572	3"	ABS Snap-In Drain Outlet Cover	2
43573	3"	PVC Snap-In Drain Outlet Cover	2
	Product No.           43570           43571           43572	Product No.         Size           43570         2"           43571         2"           43572         3"	Product No.SizeDescription435702"ABS Snap-In Drain Outlet Cover435712"PVC Snap-In Drain Outlet Cover435723"ABS Snap-In Drain Outlet Cover

Return to Table of Contents

Jate

Ctn. Qty.

1

6

2

2

6

12



Return to Table of Contents

## CATEGORY Y DRAINS AND CLOSET FLANGES

### **REPLACEMENT STRAINERS**

### **Bell Trap Drain**

• Fits over 1-1/2" Sch. 40 DWV pipe or into 2" coupling.

of All Cob 

• Fits over 1-1/2" Sch. 40 DWV pipe or into 2" coupling.

Size

1-1/2"

1-1/2"

<ul> <li>Fits over 3 or in</li> </ul>	nside of 4 Sch. 4	to Dww pipe.	
Product No.	Size	Description	Ctn. Qty.
43636	1-1/2"	ABS 6" x 6" bell trap drain	10
43637	1-1/2"	PVC 6" x 6" bell trap drain	10
43632	3" or 4"	ABS 9" x 9" bell trap drain	4
43633	3" or 4"	PVC 9" x 9" bell trap drain	4

Ctn. Qty.

Ctn. Qty.

12

12

14

15

Description

ABS 6" x 6" utility drain

PVC 6" x 6" utility drain

late









**Utility Drain** 

Product No.

43640

43641

### Four-Way Area Drain

• Fits over 2" or 3" Schedule 40 DWV pipe

· General purpose drain for use in garages and utility rooms

Sump for large capacity					
Product No.	Size	Description	Ctn. Qty.		
43596	2" or 3"	Four-Way Area Drain, PVC	10		

### **Integral Trap Drain**

• One piece trap drain/cleanout design molded from PVC or ABS plastic.

• 3-3/4" deep sump bowl.

**Product No.** 

43710

43711

- Solvent weld over 2" Sch. 40 DWV pipe.
- Built in 2" FIP threadway for backwater device.
- ASTM 2665 and ASTM D2661.

• Internal 1-1/2" – 14 NPT – cleanout.					
Product No.	Size	Description	Ctn. Qty.		
42724	2"	PVC Floor drain with p-trap and cleanout	6		
42723	2"	ABS Floor drain with p-trap and cleanout	6		
42725	2"	Backwater valve device	1		

### **REPLACEMENT STRAINERS**

Description

All Plastic 2" x 3" Snap-In Cleanout Assemblies

R and	and and	)
	-	1
#437	11 shown	



### **Inside 2" Snap-In Cleanout Assemblies**

Size

2" or 3"

2" or 3"

Product No.	Size	Description	Ctn. Qty.
43819		Inside 2", PVC	12
43820		Inside 2", ABS	12
43821		Replacement Plug for Inside 2" Cleanout, PVC	6
43822		Replacement Plug for Inside 2" Cleanout, ABS	6

ABS Snap-In Cleanout Assembly

PVC Snap-In Cleanout Assembly

### All Plastic 3" x 4" Snap-In Cleanout Assemblies

Product No.	Size	Description	Ctn. Qty.
42785	3" or 4"	ABS Snap-In Cleanout Assembly	12
42786	3" or 4"	PVC Snap-In Cleanout Assembly	12

#42786 shown

### **CLEANOUT ASSEMBLIES**

### **All Plastic Snap-In Cleanout Assemblies**

• Fits inside of Sch. 40 DWV pipe fitting.

10		
	-	-

#43733 shown

Product No.	Size	Description	Ctn. Qty.
43730	3"	ABS Snap-In Cleanout Assembly	12
43731	3"	PVC Snap-In Cleanout Assembly	12
43732	4"	ABS Snap-In Cleanout Assembly	12
43733	4"	PVC Snap-In Cleanout Assembly	12
43764	2-1/3"	ABS Replacement Plug for the 3" and the 2" or 3" cleanout assemblies	6
43765	2-1/3"	PVC Replacement Plug for the 3" and the 2" or 3" cleanout assemblies	6
43766	3-1/2"	ABS Replacement Plug for the 4" regular and the 3" Hub cleanout assemblies	6
43767	3-1/2"	PVC Replacement Plug for the 4" regular and the 3" Hub cleanout assemblies	6



#42365 shown

### **180 B Brass Cleanout Frame and Cover**

• Brass covers for 2", 3", 4" and 6" pipes.

Product No.	Size	Description	Ctn. Qty.
42365	2"	180 B Cleanout	12
42366	3"	180 B Cleanout	12
42367	4"	180 B Cleanout	12
42368	6"	180 B Cleanout	12

#42370 shown

### **185 Brass Cleanout Plug With Raised Head**Brass cleanout plugs with raised square head for use with slip joint pliers.

Product No.	Size	Description	Ctn. Qty.
42369	1-1/2"	185 Brass cleanout plug	12
42370	2"	185 Brass cleanout plug	12
42371	2-1/2"	185 Brass cleanout plug	12
42372	3"	185 Brass cleanout plug	12
42373	3-1/2"	185 Brass cleanout plug	12
42374	4"	185 Brass cleanout plug	12



### **Brass Cleanout Plug With Recessed Head**

• All sizes are countersunk and tapped.

Product No.	Size	Description	Ctn. Qty.
42740	1-1/2"	Brass cleanout plug	12
42741	2"	Brass cleanout plug	12
42742	2-1/2"	Brass cleanout plug	12
42743	3"	Brass cleanout plug	12
42744	3-1/2"	Brass cleanout plug	12
42745	4"	Brass cleanout plug	12



Date

Return to Table of Contents

### Jate

### **CLEANOUT ASSEMBLIES**

### **Cover Plate**

· Cover plates conceal the clean-out plug access hole

**Stainless Steel Cover Plate** 

Product No.	Size	Description	Ctn. Qty.
34405	4"	Flat Chrome Cover Plate	25
34406	5"	Flat Chrome Cover Plate	25
34410	4"	Flat White Cover Plate	25
34411	5"	Flat White Cover Plate	25
34415	4"	Bell Chrome Cover Plate	25
34416	5"	Bell Chrome Cover Plate	25
34420	4"	Bell White Cover Plate	25
34421	5"	Bell White Cover Plate	25



#42781 shown

#43900 shown

<ul> <li>Protective film cover.</li> <li>1/4" – 20 screw included.</li> </ul>				
Product No.	Size	Description	Ctn. Qty.	
42780	3"	Stainless steel cover plate	12	
42781	4"	Stainless steel cover plate	12	
42782	5"	Stainless steel cover plate	12	
42783	6"	Stainless steel cover plate	12	
42784	8"	Stainless steel cover plate	12	



### **BACKWATER VALVES**

• Stainless steel cover plates conceal the clean-out plug access hole.

### **Backwater Valves**

• Protects low areas or basements from backflow or waste from street sewers.

· Elastomeric seal in quick action flapper ensures a water tight seal.

Threaded access cap incorporates a neoprene seal for positive sealing and can be tightened or removed by hand.

Product No.	Size	Description	Ctn. Qty.
43900	3"	PVC backwater valve	4
43901	3"	ABS backwater valve	4
43904	4"	PVC backwater valve	2
43905	4"	ABS backwater valve	2
43908	6"	PVC backwater valve	1
43909	6"	ABS backwater valve	1

Backwater	Accessorie	95	
Product No.	Size	Description	Ctn. Qty.
43915	3"	PVC threaded cap	1
43916	3"	ABS threaded cap	1
43918	4"	PVC threaded cap	1
43919	4"	ABS threaded cap	1
43921	6"	PVC threaded cap	1
43922	6"	ABS threaded cap	1
43924	3"	PVC flapper w/ "O" ring	1
43925	3"	ABS flapper w/ "O" ring	1
43927	4"	PVC flapper w/ "O" ring	1
43928	4"	ABS flapper w/ "O" ring	1
43929	6"	PVC flapper w/ "O" ring	1
43930	6"	ABS flapper w/ "O" ring	1

CATEGORY **9 DRAINS AND CLOSET FLANGES** 



Return to Table of Contents

Oate

### SADDLE TEE KITS

### **Saddle Tee Kits**

Traps

43805

- For tapping into a 3" or 4" Sch. 40 DWV line.
- · Saddle is solvent welded to the existing line and secured with metal V-bolts, washers and nuts provided in the kit. • The tee accepts the incoming line inside the socket or joins with a Sch. 40 DWV fitting.



Product No.	Size	Description	Ctn. Qty.
43788	3" x 2"	Abs Saddle Tee Kit	6
43789	3" x 2"	Pvc Saddle Tee Kit	6
43790	4" x 2"	Abs Saddle Tee Kit	6
43791	4" x 2"	Pvc Saddle Tee Kit	6
43792	4" x 3"	Abs Saddle Tee Kit	6
43793	4" x 3"	Pvc Saddle Tee Kit	6
43794	4" x 4"	Abs Saddle Tee Kit	6
43795	4" x 4"	Pvc Saddle Tee Kit	6
43796		Gasket For Tapping Into Cast Iron Soil Pipe	12

### ACCESSORIES

<ul> <li>One-piece desi</li> <li>Made from 3/4</li> </ul>	0	e 40 DWV pipe.	
Product No.	Size	Description	Ctn. Qty.
42757	3/4"	PVC Condensate "P"-trap	24
42758	3/4"	Pvc Condensate Running Trap	24



#42757 shown

### **Mushroom Vent Cap**

- Fits either 3" or 4" vent stacks.
- Shipped fully assembled. Includes 3 hex-head bolts.
- · Made of high-impact PVC.
- **Product No.** Size



Ctn. Qty.

Late



### RAINWATER COLLECTION

### Mystic<sup>™</sup> Rainwater Collection System

- Directs rainwater from downspouts into collection barrels for re-use in lawn/garden watering.
- Fits standard 2" x 3" residential downspouts.

3" or 4"

- 2-piece design is made of UV-resistant material and can be painted.
- Comes with 4' high-flow hose.

Product No.	Size	Description	Ctn. Qty.
14209	2" x 3"	Mystic Rainwater Collection System – Display Box	4





### Category 10

### **Shower Pan Liners**

Oatey<sup>®</sup> Shower Pan Liners and accessories are designed as an economical, flexible pan liner for use in tile shower and other concealed water-proofing applications. Shower Pan Liners are available in 30 mil or 40 mil thickness, and widths of 4', 5' or 6'. Liner is marked every 6" to allow for easy measuring of material.

### SHOWER PAN LINERS

**PVC Shower Pan Liner** • Economical, time-tested flexible pan liner.

• Dam corners available.

Available in 30 & 40 mil thicknesses.
Liner marked in 6" increments for ease of measuring





**H** 

<ul> <li>Dam corners ava</li> <li>Meets ASTM State</li> <li>Superior cold we</li> </ul>		e	
Product No.	Size	Description	Ctn. Qty.
41596	4' x 50 ft.	40 mil Gray – Roll	1
41625	4' x 50 ft.	40 mil Gray – Linear Foot	50
41593	4' x 50 ft.	40 mil Gray – Linear Foot, UPC barcode	50
41597	5' x 40 ft.	40 mil Gray – Roll	1
41626	5' x 40 ft.	40 mil Gray – Linear Foot	40
41594	5' x 40 ft.	40 mil Gray – Linear Foot, UPC barcode	40
41601	6' x 50 ft.	40 mil Gray – Roll	1
41619	6' x 50 ft.	40 mil Gray – Linear Foot	50
41604	5' x 100 ft.	40 mil Gray – Roll	1
41606	5' x 100 ft.	40 mil Blue – Roll	1
41627	5' x 100 ft.	40 mil Gray – Linear Foot	100
41611	6' x 100 ft.	40 mil Gray – Roll	1
41628	6' x 100 ft.	40 mil Gray – Linear Foot	100
41620	5' x 6 ft.	40 mil Gray – Liner Kit	4
41630	5' x 6 ft.	40 mil Gray – Liner Kit w/o dam corners	4
41598	4' x 50 ft.	30 mil Blue – Roll	1
41616	4' x 50 ft.	30 mil Blue – Linear Foot	50
41599	5' x 40 ft.	30 mil Blue – Roll	1
41617	5' x 40 ft.	30 mil Blue – Linear Foot	40
41600	6' x 50 ft.	30 mil Blue – Roll	1
41618	6' x 50 ft.	30 mil Blue – Linear Foot	50
41612	6' x 100 ft.	30 mil Blue – Roll	1
41629	6' x 100 ft.	30 mil Blue – Linear Foot	100

Navigation

Return to Table of Contents

<u>Oate</u>



Return to Table of Contents

### Jate



### LO-VOC X-15<sup>™</sup> PVC Solvent

• X-15 PVC solvent is specially formulated for extended working times.

SHOWER PAN LINERS

- · Meets California and other environmental district rules.
  - X-15 PVC solvent provides exceptional sheet to sheet bonding.

Product No.	Size	Description	Ctn. Qty.
30812	16 oz.	LO-VOC X-15 PVC Solvent w/ dauber	6

### **CPE Shower Pan Liner**

- Original flexible pan liner.
- Available in 40 mil thickness.
- Liner marked in 6" increments for ease of measuring.
  Meets ASTM Standard D4068.

<ul> <li>Meets ASTIM Star</li> </ul>	luaru D4066.		
Product No.	Size	Description	Ctn. Qty.
41588	4' x 50'	40 mil Black – Roll	1
41614	4' x 50'	40 mil Black – Linear Foot	50
41590	5' x 40'	40 mil Black – Roll	1
41615	5' x 40'	40 mil Black – Linear Foot	40
41613	6' x 33'	40 mil Black-Linear Foot	33
41584	6' x 33'	40 mil Black – Roll	1

#41588 shown



### **Oateyweld**<sup>™</sup>

• CPE solvent is specially formulated for extended working times.

<ul> <li>CPE solvent pro</li> </ul>	ovides exceptiona	al sheet to sheet bonding.	
Product No.	Size	Description	Ctn. Qty.
30810	16 oz.	CPE Solvent w/ dauber	12

### **Dam Corner**

• Dam corners have universal design for right or left corners.

<ul> <li>Dam corners for ι</li> </ul>	se at junction of cu	rb and door jamb.	
Product No.	Size	Description	Ctn. Qty.
41602		Dam Corner – 40 mil PVC	48



### SHOWER PAN LINER - APPLICATION INSTRUCTIONS



1810



Oatey<sup>®</sup> provides several products needed for tile shower installations. Choose from the list below before you start your project:

**PVC or CPE Pan Liner** – referred to as pan liner or membrane in our instructions.

**Tile Shower Drain** – PVC for PVC drain pipe or ABS for ABS drain pipe. Each is available with stainless steel, polished brass or white plastic strainer.

X-15 or CPE (Oateyweld) bonding adhesive – For use on dam corners or seaming use X-15 for PVC and Oateyweld for CPE.

**PVC or ABS solvent cement** – PVC solvent cement and primer for PVC drainage systems or ABS solvent cement for ABS drainage systems. Use the appropriate cement (and primer for PVC) to solvent weld tile shower drain to the drain pipe. **Dam Corners** – For outside corners and over the curb preformed dam corners are available, which can be used for PVC or CPE pan liner applications.

NOTE: Oatey pan liner instructions assume the shower framing has been constructed and the flooring is plywood. Generally the same principles apply to concrete flooring where the sloped mortar bed is applied beneath the pan liner. Also the instructions apply to either PVC pan liner or CPE pan liner which are installed the same with the exception of the bonding adhesive used for seaming and dam corner applications. If you have questions regarding pan liner installation that are not covered in these instructions, contact Oatey customer service at 800-321-9532 and you will be referred to someone who can assist you.

### **Shower Pan Installation**

- 1. For typical wood subfloor cut a 4.5" diameter hole in the center of the shower floor where the tile shower drain would normally be positioned. Disassemble the tile shower drain. Lay the tile shower drain base in the opening so the flange of the drain base rests on top of the subfloor. Solvent weld the drain base to the drain pipe using the appropriate solvent cement. See Figure A.
- 2. Cover the drain base opening with duct tape to keep debris from entering the drain. Begin by applying Portland Sand/Cement mixture mortar bed over the subfloor at 1/4" per foot slope from the wall framing to the top of, but not over, the drain base. After this step the sloped mortar bed should be flush with the top surface of the drain base.

### Figure A





Scan this code with your smart phone to see an installation video.

3. After the sloped mortar bed has cured, the pan liner dimensions need to be determined. Pan liner dimensions should be sufficient to completely cover the floor, turn up all sidewalls at least 2" above the finished curb height, and adequately cover the curb. Lay the pan liner on a clean floor surface, measure, and cut to the appropriate dimensions. NOTE: Seaming may be required in larger showers. See Figure B. Follow instructions on bonding adhesive.



4. Before installing the pan liner remove the tape from the drain base and apply a 1/4"-3/8" bead of 100% silicone caulk around the upper surface of the drain base approximately 1" in from the outside edge. This will provide a seal between the underside of the pan liner and the drain base surface. Screw the clamping ring bolts into the drain base to 2-3 thread depth. Before the caulk dries lay the premeasured pan liner on the floor and over the drain body. At the top of each bolt slit an "X" so the pan liner slides over the bolts and down to the drain base surface. Press pan liner firmly into place to ensure a seal between the drain base and the bottom surface of the pan liner.



### of **Date**

### SHOWER PAN LINER - APPLICATION INSTRUCTIONS

- 5. Work the pan material from the drain body to the sidewall framing and curb threshold so it lays flat on the floor surface. If desired an adhesive can be used to bond pan liner to the floor and curb. Prior to use of adhesive, confirm compatability of adhesive to the pan liner. Fold corners and nail or staple pan liner to the sidewall framing or wall studs 1/2" below the upper edge of the material to hold it in place. Nail or staple the remainder of the pan liner to the sidewall framing or wall studs 1/2" below the upper edge of the material. See Figure C.
- For outside corners or curbs where it's necessary to cut the pan liner use a dam corner to cover the cut area. To bond dam corners in the cut area use X-15 for PVC liner installations or Oateyweld for CPE liner installations. See Figure D.
- 7. Locate where the drain hole is on the drain base and cut out the pan liner material to the dimension of the drain hole on the drain base. Place clamping ring over the bolts and slide the ring counter clockwise so it's locked in place. Tighten the bolts so they're snug. Make sure the weep holes are clear of any residual pan liner material or silicone. NOTE: The clamping ring can increase the height of the finished shower floor by approximately 3/4". You will see the extension if you turn the ring upside down. Simply tighten it to the drain base the way you normally would, only inverted.
- 8. Water test the installation by closing off the drain pipe opening with a pneumatic or mechanical test plug. Fill the shower floor with water just below the top of the curb and let it sit for four (4) hours. Observe for leaks and repair if necessary. Retest the installation. Repeat until the installation is leak free. Completely drain the water before proceeding to Step 9.
- 9. A reinforcement bed of mortar needs to be applied over the membrane (see step 11) but before doing so nail water impervious drywall to the wall studs to approximately 1" above the pan liner surface. NOTE: The use of mortar vs. drywall for the curb should be considered because you can avoid the use of nails as you construct this part of your installation.
- 10. The clamping ring has an inner thread pattern that will accept the drain barrel and strainer assembly. Once you determine the finished height of the shower thread the drain barrel into the inside clamping ring thread so the finished floor will be flush with the top of the drain barrel. As mentioned in step 7 you can increase the shower drain height by inverting the clamping ring.
- Before the final mortar application place some pea gravel over the weep holes so the mortar doesn't completely cover them. Now lay the minimum 1-1/2" reinforcement mortar bed of concrete over the pan liner from the wall to the drain barrel, leaving enough room for the final thinset and tile application. See Figure E.









Scan this code with your smart phone to see an installation video.





Return to Table of Contents





### Category 11

### **Supply Boxes**

Oatey<sup>®</sup> supply boxes can be used in commercial or residential applications that require supply valves and waste drain recessed into the wall. Available water hammer arrestor option provides water pressure shock arrestors required for installation on supply lines to quick closing valves. Available in fire-rated, round and other configurations.

CATEGORY SUPPLY BOXES



**NEW PRODUCTS** 

### Oatey<sup>®</sup> Centro Center Drain Washing Machine Outlet Box (see pages 101)

Offers Flexibility and Easy Installation

Our new **Centro Center Drain Washing Machine Outlet Boxes** offer the best of both worlds – easy installation and compact box design. Made of high impact polystyrene and supplied with two mounting brackets, count on Centro boxes for maximum durability and performance in residential applications.

The durable design gives you maximum flexibility, with a wide variety of tailpiece configurations in a sleek compact design.

### Why Centro?

- **Compact size** Takes up less space and fits almost anywhere.
- **Durability** Box and support brackets made from high-impact polystyrene.
- **Easy installation** Knockout drain caps are removed effortlessly.
- Flexibility Three knockouts on box top allow for condensate drain while two-piece valves come uninstalled, giving you the choice of mounting locations.
- **Variety** Boxes available in various tailpiece configurations, giving you the specific product your customers need, including Water Hammer Arrestor SKUs.



### **Datey**

### SUPPLY BOXES



- **Quadtro® Washing Machine Outlet Boxes**
- 2" drain opening fits PVC or ABS Sch. 40 DWV pipe.
- Easy to remove knockout, Patent Pending Hammer Valves. Snap-on Faceplate Frame accommodates up to 1" drywall.
- Box made of high impact polystyrene.
- Top or Bottom Valve Mount.
- 4 support brackets included for mounting.
- Dimensions: Box: 8-3/4"W x 7-1/2"H x 3-5/8"D Faceplate: 11-3/4"W x 10-1/8"H.

	eplate: 11-3/4"W x 10-1/8"H.	04 04
Product No.	Description	Ctn. Qty.
No Hammer		10
38530	Quadtro, 1/4 Turn, Copper – Standard Pack	12
38560	Quadtro, 1/4 Turn, Copper – Contractor Pack	12
38529	Quadtro, 1/4 Turn, Copper – Display Box	4
38531	Quadtro, 1/4 Turn, CPVC – Standard Pack	12
38561	Quadtro, 1/4 Turn, CPVC – Contractor Pack	12
38532	Quadtro, 1/4 Turn, F1807 – Standard Pack	12
38562	Quadtro, 1/4 Turn, F1807 – Contractor Pack	12
38528	Quadtro, 1/4 Turn, F1807 – Display Box	4
38533	Quadtro, 1/4 Turn, F1960 – Standard Pack	12
38563	Quadtro, 1/4 Turn, F1960 – Contractor Pack	12
38555	Quadtro, 1/4 Turn, F2080 – Standard Pack	12
38535	Quadtro, Single Lever, Copper – Standard Pack	12
38536	Quadtro, Single Lever, CPVC – Standard Pack	12
38537	Quadtro, Single Lever, F1807 – Standard Pack	12
38538	Quadtro, Single Lever, F1960 – Standard Pack	12
38552	Quadtro, Brass Boiler Drain, Copper – Standard Pack	12
38553	Quadtro, Brass Boiler Drain, Copper, Screw Driver Stop – Standard Pack	12
38554	Quadtro, North American Brass Boiler Drain, Copper, NAFTA – Standard Pack	12
Hammer		
38540	Quadtro, 1/4 Turn, Copper, Hammer – Standard Pack	12
38541	Quadtro, 1/4 Turn, CPVC, Hammer – Standard Pack	12
38542	Quadtro, 1/4 Turn, F1807, Hammer – Standard Pack	12
38543	Quadtro, 1/4 Turn, F1960, Hammer – Standard Pack	12
38551	Quadtro, 1/4 Turn, Compression – Standard Pack	12
38545	Quadtro, Single Lever, Copper, Hammer- Standard Pack	12
38546	Quadtro, Single Lever, CPVC, Hammer – Standard Pack	12
38547	Quadtro, Single Lever, F1807, Hammer – Standard Pack	12
38548	Quadtro, Single Lever, F1960, Hammer – Standard Pack	12
Accessories		
38550	Quadtro, Plain Box, No Valves – Standard Pack	12
38460	Quadtro, DWV test Cap with Gaugeand Gauge	1
38576	Quadtro, Test Cap	12
38577	Quadtro, Hub/O-Ring	24
38941	Quadtro, Plastic Faceplate	12
38768	Brackets, 4" Long Plastic	12
38648	Brackets, 12" Long Plastic	12

Return to Table of Contents

Jate

CATEGORY SUPPLY BOXES



STANDARD PACK: Faceplates are pre-assembled on box.

CONTRACTOR PACK: Faceplates are NOT pre-assembled on box (but comes separately packed with the box).

Return to Table of Contents



Datey

#38934 shown Ē



### **Center Drain Washing Machine Outlet Boxes**

- High impact polystyrene.4 support brackets.
- Easy drain knockout.
- Top mount knockouts.
- Dimensions: Box: 8-3/4" W x 7-1/2" H x 3-5/8" D Faceplate: 11-3/4" W x 10-1/8" H

Product No.	-aceplate: 11-3/4" W x 10-1/8" H Description	Ctn. Qty.
No Hammer	Decomption	oun quy
38934	Center Drain, 1/4 Turn, Copper – Standard Pack	12
38825	Center Drain, 1/4 Turn, Copper w/Solder Kit – Display Pack	4
38937	Center Drain, 1/4 Turn, CPVC – Standard Pack	12
38945	Center Drain, 1/4 Turn, F1807 – Standard Pack	12
38943	Center Drain, 1/4 Turn, F1960 – Standard Pack	12
Hammer		
38747	Center Drain, 1/4 Turn, Copper, Hammer – Standard Pack	12
38970	Center Drain, 1/4 Turn, Copper, Hammer – Display Box	4
38748	Center Drain, 1/4 Turn, CPVC, Hammer – Standard Pack	12
38725	Center Drain, 1/4 Turn, F1807, Hammer – Standard Pack	12
38726	Center Drain, 1/4 Turn, F1960, Hammer – Standard Pack	12
Accessories		
38751	Center Drain, Plain Box, No Valves – Standard Pack	12
38753	Center Drain, Plain Box, No Valves – Display Box	12
38824	Center Drain, Plain Box, No Valves – Bagged	12
38799	Center Drain, Plain Box, No Valves, With Grommets - Standard Pack	12
38820	Center Drain, Plain Box, No Valves, With Grommets - Display Pack	12
38928	Center Drain, Plain Box, 1.5" -2" Drain Port – Standard Pack	12
38941	Center Drain, Plastic Faceplate	12
38768	Brackets 4" Long Plastic	12
38648	Brackets 12" Long Plastic	12

**Jatey** 

STANDARD PACK: Faceplates are pre-assembled on box. CONTRACTOR PACK: Faceplates are NOT pre-assembled on box (but comes separately packed with the box).

102 | Oatey SCS® Product Catalog

### SUPPLY BOXES

Available in a wide-variety of tailpiece configurations and packaging options.

**Centro Washing Machine Outlet Boxes** • Takes up less space and will fit almost anywhere.

· Made of high impact polystyrene.

• Knockout drain cap. · 3 knockouts on box top. • Two piece valves come uninstalled.

· Two support brackets.



#38389 shown



	aceplate: 10" W x 6-3/4" H	
Product No.	Description	Ctn. Qty.
No Hammer		
38390	Centro, 1/4 Turn, Copper – Standard Pack	12
38392	Centro, 1/4 Turn, CPVC – Standard Pack	12
38391	Centro, 1/4 Turn, F1807 – Standard Pack	12
38396	Centro, 1/4 Turn, F1960 – Standard Pack	12
Hammer		
38393	Centro, 1/4 Turn, Copper, Hammer – Standard Pack	12
38394	Centro, 1/4 Turn, CPVC, Hammer – Standard Pack	12
38389	Centro, 1/4 Turn, F1807, Hammer – Standard Pack	12
38388	Centro, 1/4 Turn, F1960, Hammer – Standard Pack	12
Accessories		
38395	Centro, Plain Box, No Valves – Standard Pack	12
38380	Centro, Plain Box, No Valves – Standard Pack	12
38381	Centro, Plastic Faceplate	12
38382	Brackets 4" Long Plastic	12
38383	Brackets 12" Long Plastic	12



### **Offset Drain Washing Machine Outlet Boxes**

- High impact polystyrene. • 4 support brackets.
- Easy drain knockout.
- · Top mount knockouts.
- Dimensions: Box: 8-3/4" W x 7-1/2" H x 3-5/8" D
- Faceplate: 11-3/4" W x 10-1/8" H Product No. Description

#38962 shown	

Product No.	Description	Ctn. Qty.
No Hammer		
38962	Offset Drain, 1/4 Turn, Copper – Standard Pack	12
38399	Offset Drain, 1/4 Turn, Copper – Display Box	4
38894	Offset Drain, Single Lever, Copper – Standard Pack	12
38822	Offset Drain, Single Lever, Copper – Display Box	4
Hammer		
38957	Offset Drain, 1/4 Turn, Copper, Hammer – Standard Pack	12
Accessories		
38791	Offset Drain, Plain Box, No Valves – Standard Pack	12
38941	Offset Drain, Plastic Faceplate	12
38768	Brackets 4" Long Plastic	12
38648	Brackets 12" Long Plastic	12

STANDARD PACK: Faceplates are pre-assembled on box.

CONTRACTOR PACK: Faceplates are NOT pre-assembled on box (but comes separately packed with the box).

Return to Table of Contents

Date

Return to Table of Contents

## CATEGORY SUPPLY BOXES



Datey



_		' stud bay. puts. tyrene. 10-1/2" W x 6-1/4" H x 3-3/4" D	
	Facep Product No.	olate: 12-3/4" W X 8-3/4" H Description	Ctn. Qty.
	No Hammer	·	-
	38661	Eliminator, Single Lever, CPVC- Standard Pack	12
	38630	Eliminator, 1/4 Turn, Copper - Standard Pack	12
	38631	Eliminator, 1/4 Turn, Copper, Top Mount - Standard Pack	12
	38637	Eliminator, 1/4 Turn, CPVC - Standard Pack	12
	38633	Eliminator, 1/4 Turn, F1807 - Standard Pack	12
	38644	Eliminator, 1/4 Turn, F1960 - Contractor Pack	12
	38645	Eliminator, 1/4 Turn, F1960, Top Mount - Standard Pack	12
	38634	Eliminator, Single Lever, Copper - Standard Pack	12
	38635	Eliminator, Single Lever, F1807 - Standard Pack	12
	38651	Eliminator, Single Lever, F1960 - Standard Pack	12
	Hammer		
	38642	Eliminator, 1/4 Turn, Copper, Hammer - Standard Pack	12
	38655	Eliminator, 1/4 Turn, Copper, Hammer, Top Mount - Contractor Pack	12
	38652	Eliminator, 1/4 Turn, CPVC, Hammer - Standard Pack	12
	38656	Eliminator, 1/4 Turn, CPVC, Hammer, Top Mount - Standard Pack	12
	38657	Eliminator, 1/4 Turn, F1807, Hammer, Top Mount - Contractor Pack	12
	38669	Eliminator, 1/4 Turn, F1960, Hammer - Standard Pack	12
	38658	Eliminator, 1/4 Turn, F1960, Hammer, Top Mount - Contractor Pack	12
	38666	Eliminator, Single Lever, F1807, Hammer - Standard Pack	12
	38667	Eliminator, Single Lever, F1960, Hammer - Standard Pack	12
	Accessories		
	38640	Eliminator, Plain Box, No Valves - Contractor Pack	12
	38649	Eliminator, Plastic Faceplate	12
	38646	Eliminator, Plastic Steeple Clamp	6
	38768	Brackets 4" Long Plastic	12
	38648	Brackets 12" Long Plastic	12

SUPPLY BOXES

• Allows single connection to drain washing machine hose, AC condensate, water softener, discharge and/or

The Eliminator<sup>®</sup> Washing Machine Outlet Boxes

• Engineered clamping system to support discharge lines.

humidifier lines.

• 4 support brackets.

STANDARD PACK: Faceplates are pre-assembled on box. CONTRACTOR PACK: Faceplates are NOT pre-assembled on box (but comes separately packed with the box).

For further updates, visit www.oatey.com Phone: 800-321-9532 Fax: 800-321-9535

<u>Uatey</u>

### SUPPLY BOXES



### **Navigation** Return to Table of Contents

CATEGORY SUPPLY BOXES



Product No.	Description	Ctn. Qty.
No Hammer		
38673	Double Outlet, 1/4 Turn, Copper - Standard Pack	12
38398	Double Outlet, 1/4 Turn, Copper - Display Pack	4
38670	Double Outlet, 1/4 Turn, CPVC - Standard Pack	12
38674	Double Outlet, 1/4 Turn, F1807 - Standard Pack	12
38660	Double Outlet, Single Lever, Copper - Standard Pack	12
Accessories		
38650	Double Outlet, Plain Box, No Valves	12
38940	Double Outlet - Plastic Faceplate	12
38787	Double Outlet - Bracket Set	12

### **Metal Washing Machine Outlet Boxes**

- Allows left or right hand drain. 2 metal support brackets.
- 2" drain opening rubber coupling, solvent weld or threaded.
  Box made of 20 gauge steel.

• Dimensions: Box: 9" W x 6-1/8" H x 3-1/16" D Faceplate: 10-7/8" W x 7-3/4" H

Product No.	Description	Ctn. Qty.
No Hammer		
38981	Metal, 1/4 Turn, Copper, 2" PVC Tailpiece - Standard Pack	1
38983	Metal, 1/4 Turn, Copper, 2" ABS Tailpiece - Standard Pack	1
38993	Metal, 1/4 Turn, Copper, 2" NPT Tailpiece - Standard Pack	1
38985	Metal, 1/4 Turn, Copper, 2" Rubber Tailpiece - Standard Pack	1
38979	Metal, 1/4 Turn, CPVC, 2" Rubber Tailpiece - Standard Pack	1
38982	Metal, Single Lever, Copper, 2" PVC Tailpiece - Standard Pack	1
38984	Metal, Single Lever, Copper, 2" ABS Tailpiece - Standard Pack	1
38986	Metal, Single Lever, Copper, 2" Rubber Tailpiece - Standard Pack	1
Hammer		
38995	Metal, 1/4 Turn, Copper, Hammer, 2" Rubber Tailpiece - Standard Pack	1
38996	Metal, 1/4 Turn, CPVC, Hammer, 2" Rubber Tailpiece - Standard Pack	1
Accessories		
38980	Metal, Plain Box, No Valves, or Tailpiece - Standard Pack	1
38975	Metal, Faceplate	1
38989	Metal, 1-1/2" Rubber Tailpiece	1
38988	Metal, 2" ABS Tailpiece	1
38987	Metal, 2" PVC Tailpiece	1
38990	Metal, 2" Rubber Tailpiece	1
38976	Metal, Brackets	1





STANDARD PACK: Faceplates are pre-assembled on box. CONTRACTOR PACK: Faceplates are NOT pre-assembled on box (but comes separately packed with the box).

Return to Table of Contents

Larq

. 6

## CATEGORY SUPPLY BOXES



### **Fire-Rated Washing Machine Outlet Boxes**

- Warnock Hersey certified, for 1-hour and 2-hour fire-rated walls.
  2" drain opening fits PVC or ABS Sch. 40 DWV pipe.
- Box made of Bulk Molding Compound (BMC) with UL-classified intumescent pads and UL-classified insulating material.
- Adjustable metal mounting brackets, easy to remove test cap.
- Flexible valve/drain arrangement capabilities.
   Dimensions: Box: 8-1/3" W x 5-1/2" H x 3-3/4" D Faceplate: 10-1/5" W x 7-2/5" H

Product No.	Description	Ctn. Qty.
No Hammer		
38470	Fire Rated, 1/4 Turn, Copper - Standard Pack	1
38471	Fire Rated, 1/4 Turn, CPVC - Standard Pack	1
38472	Fire Rated, 1/4 Turn, F1807 - Standard Pack	1
38473	Fire Rated, 1/4 Turn, F1960 - Standard Pack	1
38474	Fire Rated, Single Lever, Copper - Standard Pack	1
38475	Fire Rated, Single Lever, CPVC - Standard Pack	1
38476	Fire Rated, Single Lever, F1807 - Standard Pack	1
38477	Fire Rated, Single Lever, F1960 - Standard Pack	1
Hammer		
38478	Fire Rated, 1/4 Turn, Copper, Hammer - Standard Pack	1
38479	Fire Rated, 1/4 Turn, CPVC, Hammer - Standard Pack	1
38480	Fire Rated, 1/4 Turn, F1807, Hammer - Standard Pack	1
38481	Fire Rated, 1/4 Turn, F1960, Hammer - Standard Pack	1
38482	Fire Rated, Single Lever, Copper, Hammer - Standard Pack	1
38483	Fire Rated, Single Lever, CPVC, Hammer - Standard Pack	1
38484	Fire Rated, Single Lever, F1807, Hammer - Standard Pack	1
38485	Fire Rated, Single Lever, F1960, Hammer - Standard Pack	1
Accessories		
38494	Fire Rated, Plain Box, No Valves, Faceplate, or Bracket	6
38496	Fire Rated, Faceplate	6
38498	Fire Rated, Bracket-2 Piece	12
38576	Fire Rated, Test Cap	12

Jatey

### SUPPLY BOXES

### NOTE:

Federal regulations require the discontinuation of products containing more than 0.25% lead as of January 1, 2014. Oatey implemented this change effective December 31, 2012.



#39140 shown

UPC

### Metal Ice Maker Outlet Boxes

- Made of 20 gauge steel.
- Nailplate support brackets.
  Dimensions: Box: 5-1/2" W x 5" H x 2-1/2" D
  - Faceplate Interior: 5" W x 5" H Faceplate Exterior: 6-3/4" W x 6-3/4" H

Product No.	Description	Ctn. Qty.
No Hammer Low	Lead	
39141	Metal, 1/4 Turn, Copper, Low Lead - Standard Pack	1
Hammer Low Lea	d	
39140	Metal, 1/4 Turn, Copper, Hammer, Low Lead - Standard Pack	1
Accessories		
38687	Metal, Plain Box, No Valves - Standard Pack	1
38686	Metal Faceplate	1

### **Square Ice Maker Outlet Boxes**

- 2 support brackets.
- Provides quick, safe water supply and shut off for refrigerator ice maker and water dispenser.
- High impact polystyrene.
- Valves comply with requirements of NSF 61, Section 9.
- Available in several box and valve configurations.
- Dimensions: Box: 6" W x 6" H x 3-3/8" D Faceplate: 8-1/4" W x 8-1/4" H
- #39156 shown



Product No.	Description	Ctn. Qty.
No Hammer Low Lo	ead	
39156	Square, 1/4 Turn, Copper, Low Lead - Standard Pack	6
39157	Square, 1/4 Turn, Copper, Low Lead - Contractor Pack	12
39145	Square, 1/4 Turn, Copper, Low Lead - Standard Pack, 6' SS Hose	6
39155	Square, 1/4 Turn, CPVC, Low Lead - Standard Pack	6
39159	Square, 1/4 Turn, CPVC, Low Lead - Contractor Pack	12
39153	Square, 1/4 Turn, CPVC, Low Lead - Standard Pack, 6' SS Hose	6
39158	Square, 1/4 Turn, F1807, Low Lead - Standard Pack	6
39160	Square, 1/4 Turn, F1807, Low Lead - Contractor Pack	12
39146	Square, 1/4 Turn, F1807, Low Lead - Standard Pack, 6' SS Hose	6
39161	Square, 1/4 Turn, F1960 Low Lead - Standard Pack	6
39154	Square, 1/4 Turn, F1960 Low Lead - Standard Pack, 6' SS Hose	6
39162	Square, Boiler Drain Copper, Low Lead, NAFTA - Standard Pack	6
Hammer Low Lead		
39152	Square, 1/4 Turn, Copper, Hammer, Low Lead - Standard Pack	6
39151	Square, 1/4 Turn, Copper, Hammer, Low Lead - Display Pack	6
39142	Square, 1/4 Turn, Copper, Hammer, Low Lead - Standard Pack, 6' SS Hose	6
39148	Square, 1/4 Turn, CPVC, Hammer, Low Lead - Standard Pack	6
39143	Square, 1/4 Turn, CPVC, Hammer, Low Lead - Standard Pack, 6' SS Hose	6
39149	Square, 1/4 Turn, F1807, Hammer, Low Lead - Standard Pack	6
39144	Square, 1/4 Turn, F1807, Hammer, Low Lead - Standard Pack, 6' SS Hose	6
39150	Square, 1/4 Turn, F1960, Hammer, Low Lead - Standard Pack	6

STANDARD PACK: Faceplates are pre-assembled on box.

CONTRACTOR PACK: Faceplates are NOT pre-assembled on box (but comes separately packed with the box).



Return to Table of Contents

Date

Return to Table of Contents





Jare

#39156 shown E





Square	Ice Make	Outlet Boxes	(cont.)
Oquuio	ioo manoi		(00111)

SUPPLY BOXES

Product No.	Description	Ctn. Qty.
Accessories		
38810	Square, Plain Box, No Valves - Standard Pack	6
38806	Square, Plain Box, No Valves, With Grommet - Standard Pack	6
38942	Square, Plastic Faceplate	24
38768	Brackets 4" Long Plastic	12
38648	Brackets 12" Long Plastic	12

### **Round Ice Maker Outlet Boxes**

- With preloaded nails and 2 support brackets for mounting options.
  Provides quick, safe water supply and shut-off for refrigerator ice maker and water dispenser.
- Valves comply with requirements of NSF 61, Section 9.
  Dimensions: Box: 5" diameter, 2-7/8" D

Faceplate: 7-3/8" diameter				
Product No.	Description	Ctn. Qty.		
No Hammer Lov	v Lead			
39207	Round, 1/4 Turn, Copper, Low Lead - Standard Pack	6		
39208	Round, 1/4 Turn, CPVC, Low Lead - Standard Pack	6		
39209	Round, 1/4 Turn, F1807, Low Lead - Standard Pack	6		
39210	Round, 1/4 Turn, F1960, Low Lead - Standard Pack	6		
Hammer Low Le	ad			
39211	Round, 1/4 Turn, Copper, Hammer, Low Lead - Standard Pack	6		
39212	Round, 1/4 Turn, CPVC, Hammer, Low Lead - Standard Pack	6		
39213	Round, 1/4 Turn, F1807, Hammer, Low Lead - Standard Pack	6		
39214	Round, 1/4 Turn, F1960 Hammer, Low Lead - Standard Pack	6		
Accessories				
39216	Round, Plain Box, No Valves - Standard Pack	6		
39215	Round, Plastic Faceplate	6		
38768	Brackets 4" Long Plastic	12		
38648	Brackets 12" Long Plastic	12		

**Jatey**'

STANDARD PACK: Faceplates are pre-assembled on box.



Date

### SUPPLY BOXES

### I2K<sup>®</sup> Ice Maker Outlet Boxes

Nails preloaded.



#39130 shown

<ul> <li>Nails preloaded.</li> <li>Right or left hand installation.</li> <li>Provides quick, safe water supply and shut-off for refrigerator ice maker and water dispenser.</li> <li>Valves comply with requirements of NSF 61, Section 9.</li> <li>No support bracket needed.</li> <li>Dimensions: Box: 3-1/4" W x 4" H x 2-1/2" D Faceplate: 5" W x 6" H</li> </ul>				
Product No.	Description	Ctn. Qty.		
No Hammer Low L	ead			
39134	I2K, 1/4 Turn, Copper, Low Lead - Standard Pack	6		
39135	I2K, 1/4 Turn, Copper, Low Lead - Contractor Pack	12		
39130	I2K, 1/4 Turn, Copper, Low Lead - Display Pack	4		
39133	I2K, 1/4 Turn, CPVC, Low Lead - Standard Pack	6		
39137	I2K, 1/4 Turn, CPVC, Low Lead - Contractor Pack	12		
39136	I2K, 1/4 Turn, F1807, Low Lead - Standard Pack	6		
39138	I2K, 1/4 Turn, F1807, Low Lead - Contractor Pack	12		
39114	12K, 1/4 Turn, F1807, Low Lead - Display Pack	4		
39132	I2K, 1/4 Turn, F1960, Low Lead - Contractor Pack	12		
39139	I2K, Boiler Drain, Copper, Low Lead, NAFTA - Standard Pack	6		
Hammer Low Lead	1			
39125	I2K, 1/4 Turn, Copper, Hammer, Low Lead - Standard Pack	12		
39126	I2K, 1/4 Turn, CPVC, Hammer, Low Lead - Standard Pack	12		
39127	I2K, 1/4 Turn, F1807, Hammer, Low Lead - Standard Pack	12		
39128	I2K, 1/4 Turn, F1960, Hammer, Low Lead - Standard Pack	12		
Accessories				
38619	I2K, Plain Box, No Valves - Standard Pack	6		
38621	I2K, Plastic Faceplate 1/2" Deep	12		
38622	I2K, Plastic Faceplate 1" Deep	12		

CATEGORY SUPPLY BOXES

**Oatey** 

Return to Table of Contents

## CATEGORY SUPPLY BOXES

### SUPPLY BOXES

### **Fire-Rated Ice Maker Outlet Boxes**

Warnock Hersey certified, for 1-hour and 2-hour fire-rated walls.
Box made of Bulk Molding Compound (BMC) with UL-classified insulating material.
Adjustable metal mounting brackets.

• Dimensions: Box: 5-9/10" W x 5-4/5" H x 3-3/4" D Faceplate: 8-1/8" W X 8-1/16" H

	_	 

#39117 shown ) PC

Latev

Product No. Description				
No Hammer Low Lead				
39117	39117 Fire Rated, 1/4 Turn, Copper, Low Lead - Standard Pack			
39118	Fire Rated, 1/4 Turn, CPVC, Low Lead - Standard Pack	1		
39119	Fire Rated, 1/4 Turn, F1807, Low Lead - Standard Pack	1		
39120	Fire Rated, 1/4 Turn, F1960, Low Lead - Standard Pack	1		
Hammer Low Lead				
39121	Fire Rated, 1/4 Turn, Copper, Hammer, Low Lead - Standard Pack	1		
39122	Fire Rated, 1/4 Turn, CPVC, Hammer, Low Lead - Standard Pack	1		
39123	Fire Rated, 1/4 Turn, F1807, Hammer, Low Lead - Standard Pack	1		
39124	Fire Rated, 1/4 Turn, F1960, Hammer, Low Lead - Standard Pack	1		
Accessories				
38495	Fire Rated, Plain Box, No Valves - Standard Pack	6		
38497	Fire Rated, Faceplate	6		
38498	Fire Rated, Bracket-2 Piece	12		

**latey**
### SUPPLY TUBES



### **Pex Water Supply Tubes**

• Meets performance requirements of ASME A122.18.6 ASTM F876 and ASTM F877.

<ul> <li>Fast and easy to</li> <li>One-piece ready</li> </ul>	to use.	01 01
Product No.	Description	Ctn. Qty.
34351	PEX Dishwasher Supply 3/8" x 3/8" x 5'	6
34300	PEX Riser Supply 3/8" Comp x 1/2" IPS Threads x 12"	12
34301	PEX Riser Supply 3/8" Comp x 1/2" IPS Threads x 20"	12
34302	PEX Riser Supply 3/8" Comp x 1/2" IPS Threads x 36"	12
34305	PEX Riser Supply 3/8" Comp x 7/8" Ballcock x 12"	12
34306	PEX Riser Supply 3/8" Comp x 7/8" Ballcock x 20"	12
34310	PEX Sink Supply 12"	48
34311	PEX Sink Supply 15"	48
34312	PEX Sink Supply 20"	48
34313	PEX Sink Supply 30"	48
34322	PEX Sink Supply 30" With Flag	48
34314	PEX Sink Supply 36"	48
34315	PEX Toilet Riser 12"	48
34316	PEX Toilet Riser 15"	48
34317	PEX Toilet Riser 20"	48
34015	PEX Water Supply Kit with 1/4" Valve	6
34018	PEX Celcon Compression Sleeve	48

#34310 shown



STANDARD PACK: Faceplates are pre-assembled on box. CONTRACTOR PACK: Faceplates are NOT pre-assembled on box (but comes separately packed with the box). Oate

Return to Table of Contents

# Datey

### VALVES

### **Washing Machine Outlet Box Valves**

Product No.	Description	Ctn. Qty.
No Hammer		
38871	WMOB Valve, 1/4 Turn, Copper, 3/4" Blue	1
38870	WMOB Valve, 1/4 Turn, Copper, 3/4" Red	1
38969	WMOB Valve, 1/4 Turn, CPVC, 3/4" Blue	1
38965	WMOB Valve, 1/4 Turn, CPVC, 3/4" Red	1
38978	WMOB Valve, 1/4 Turn, F1807, 3/4" Blue	1
38977	WMOB Valve, 1/4 Turn, F1807, 3/4" Red	1
38880	WMOB Valve, 1/4 Turn, F1960, 3/4" Blue	1
38881	WMOB Valve, 1/4 Turn, F1960, 3/4" Red	1
38433	WMOB Valve, 1/4 Turn, Compression, Blue	1
38432	WMOB Valve, 1/4 Turn, Compression, Red	1
38431	WMOB Valve, 1/4 Turn, F1807 3/8", Blue	1
38430	WMOB Valve, 1/4 Turn, F1807 3/8", Red	1
38826	WMOB Valve, Single Lever, Copper	1
38434	WMOB Valve, Single Lever, CPVC	1
38435	WMOB Valve, Single Lever, F1807	1
38436	WMOB Valve, Single Lever, F1960	1
38440	WMOB Valve, Boiler Drain, Copper	1
Hammer		
38401	WMOB Valve, 1/4 Turn, Copper, Hammer, Blue	1
38400	WMOB Valve, 1/4 Turn, Copper, Hammer, Red	1
38403	WMOB Valve, 1/4 Turn, CPVC, Hammer, Blue	1
38402	WMOB Valve, 1/4 Turn, CPVC, Hammer, Red	1
38405	WMOB Valve, 1/4 Turn, F1960, Hammer, Blue	1
38404	WMOB Valve, 1/4 Turn, F1960, Hammer, Red	1
38409	WMOB Valve, 1/4 Turn, F1807, Hammer, Blue	1
38408	WMOB Valve, 1/4 Turn, F1807, Hammer, Red	1
38429	WMOB, Valve, 1/4 Turn, F1807 3/8", Hammer, Blue	1
38428	WMOB, Valve, 1/4 Turn, F1807 3/8", Hammer, Red	1
38412	WMOB Valve, Single Lever, Copper, Hammer	1
38413	WMOB Valve, Single Lever, CPVC, Hammer	1
38414	WMOB Valve, Single Lever, F1807, Hammer	1
38415	WMOB Valve, Single Lever, F1960, Hammer	1

CATEGORY 11 SUPPLY BOXES

STANDARD PACK: Faceplates are pre-assembled on box.

CONTRACTOR PACK: Faceplates are NOT pre-assembled on box (but comes separately packed with the box).

### Return to Table of Contents

**Oate** 

### VALVES

**Ice Maker Outlet Box Valves** 



#39174 shown

Product No.	Description	Ctn. Qty.		
No Hammer Low Lead				
39176	IMOB Valve, 1/4 Turn, Copper, Low Lead	1		
39175	IMOB Valve, 1/4 Turn, CPVC, Low Lead	1		
39173	IMOB Valve, 1/4 Turn, F1960 Low Lead	1		
39174	IMOB Valve, 1/4 Turn, F1807, Low Lead	1		
39171	IMOB Valve, Boiler Drain, Copper, Low Lead	1		
Hammer Low Lead				
39166	IMOB Valve, 1/4 Turn, Copper, Hammer, Low Lead	1		
39167	IMOB Valve, 1/4 Turn, CPVC, Hammer, Low Lead	1		
39168	IMOB Valve, 1/4 Turn, F1807, Hammer, Low Lead	1		
39169	IMOB Valve, 1/4 Turn, F1960, Hammer, Low Lead	1		
Accessories				
38779	Adapter 1/2" Female NPT X 1/2" Copper	1		
38829	Locknut 1/2" Plastic	1		
38769	Grommets 1/2"	12		

CATEGORY SUPPLY BOXES

**<u>Oatey</u>** 



# Category 12

### **Flashings**

Oatey<sup>®</sup> invented the flashing industry nearly 100 years ago. Today Oatey flashings are used in commercial and residential applications where a water-tight seal around plumbing vent pipe or outside wall penetrations is required. Flashings are available in a variety of thermoplastic, aluminum, galvanized and copper materials. All Oatey flashings are rated for a minimum of 180°F continuous heat.



### FEATURED PRODUCT

### Oatey<sup>®</sup> SideFlash<sup>™</sup> Seals Pipe Penetrations Through Outside Walls (see page 114)

Effective Side Flashing Installs Quickly

The **Oatey SideFlash** is designed to seal around piping penetrations through outside walls. The product features a hard plastic panel with an elastomeric collar that seals around the pipe. It is designed to be installed over the house wrap or building paper to become part of the building envelope.

- **Tear-out collar** enables just two products to fit pipes from 1/2" to 6".
- Faster, less expensive and longer lasting than caulking/foam.
- **Prevents moisture** from intruding to limit mold growth.
- Seals against air penetration to reduce energy costs.
- Won't fade, crack or rust.
- Prevents bugs and vermin from entering the home.
- Rated to 180° F.





### Navigation

Return to Table of Contents

CATEGORY TZ FLASHINGS

Late

Return to Table of Contents

## 00

ha

### Sideflash<sup>™</sup> Vertical Flashings

- Used in commercial and residential applications where a water-tight seal of piping penetrations through outside walls is required.
- Designed with a tear out collar to accommodate pipe size use from 1/2" to 2-1/2" or 3" to 6".

<ul> <li>180°F continuous</li> </ul>	s heat and approved for type B installation	IS.
Product No. Size	e Description	

FLASHINGS

TTOULOU NO.	0120	Description	oun quy.
12805	1/2" – 2-1/2"	Sideflash Vertical Flashing	12
12806	3" – 6"	Sideflash Vertical Flashing	12

Ctn Otv

### Aurora<sup>™</sup> No-Calk<sup>®</sup> Solar Flashings

- Can be used in commercial and residential applications where a water-tight seal for roof penetrations around the piping for solar mounting system is required.
- Low profile flashing collar design provides a clean finished appearance.
- Available in galvanized bases.

Galvanized Base.

<ul> <li>180°F continuous heat and approved for type B inst</li> </ul>	allations.
--	------------

Galvanized No-Calk® Roof Flashings

Self-sealing collar slides over pipe and requires no caulking.
Metal base for pitch from 0-40° or up to 10/12 roof.

Product No.	Size	Description	Ctn. Qty.
12801	1-1/2", 9-1/2" X 12-1/2"	Aurora™ Solar Flashing	12
12802	1/2" - 1-1/2" , 9-1/2" X 12-1/2"	Aurora™ Solar Flashing	12

# 9

#11853 shown







Return to Table of Contents

Date

### FLASHINGS

Aluminum No-Calk<sup>®</sup> Roof Flashings • Rustproof stamped aluminum base allows for easy shaping of flashing. • Rated 180°F continuous heat and approved for Type B installations.

• Metal base for pitch from 0-40° or up to 10/12 roof.

Thermoplastic No-Calk<sup>®</sup> Roof Flashings
Non-fading, non-cracking, rigid black thermoplastic base.
Self-sealing collar slides over pipe and requires no caulking.

• Rated 180°F continuous heat and approved for Type B installations.



### 100





<ul> <li>Self-sealing collar slides over pipe and requires no caulking.</li> <li>Do not use petroleum based products or paint on flashing collar. Not for hot-mopped or built-up roofs.</li> </ul>				
Product No.		Description	Ctn. Qty.	
STANDARD B	BASE FLASHING			
11832	.5" – 1"	Aluminum 9" x 12.5" base	12	
12920	1.25" – 1.5"	Aluminum 9" x 12.5" base	12	
12923	1.25" – 1.5"	Aluminum 9" x 12.5" base	6	
12933	2"	Aluminum 9" x 12.5" base	12	
12936	2"	Aluminum 9" x 12.5" base	6	
12946	3"	Aluminum 11" x 14.5" base	12	
12949	3"	Aluminum 11" x 14.5" base	6	
12958	4"	Aluminum 12" x 15" base	6	
12959	4"	Aluminum 12" x 15" base	12	
18" X 18" B/	ASE FLASHING			
11833	.5" – 1"	Aluminum 18" x 18" base	12	
12836	1.25" – 1.5"	Soft Aluminum 18" x 18" base	12	
12849	2"	Soft Aluminum 18" x 18" base	12	
12852	3"	Soft Aluminum 18" x 18" base	12	
12865	4"	Soft Aluminum 18" x 18" base	12	



#11898 shown



U.S. Patent No. 5,390,451

STANDARD BASE FLASHING         11908         1.25" - 1.5"         Thermoplastic 9.25" x 13" base         12           11898         1.25" - 1.5"         Thermoplastic 9.25" x 13" base         6           11909         2"         Thermoplastic 9.25" x 13" base         12           11898         2"         Thermoplastic 9.25" x 13" base         6					
11898       1.25" - 1.5"       Thermoplastic 9.25" x 13" base       6         11909       2"       Thermoplastic 9.25" x 13" base       12					
11909         2"         Thermoplastic 9.25" x 13" base         12					
11899         2"         Thermoplastic 9.25" x 13" base         6					
11910         3"         Thermoplastic 11" x 15" base         12					
11890         3"         Thermoplastic 11" x 15" base         6					
11911         4"         Thermoplastic 12" x 16" base         12					
11891         4"         Thermoplastic 12" x 16" base         6					
11884 1.25" - 1.5" Thermoplastic 12" x 18" base 12					
SW/TEXAS BASE FLASHING					
11917 1.25" - 1.5" Thermoplastic SW 11" x 15" base 12					
11918         2"         Thermoplastic SW 11" x 15" base         12					
18" X 18" BASE FLASHING					
11887 1.25" - 1.5" Thermoplastic 18" x 18" base 12					
11888         2"         Thermoplastic 18" x 18" base         12					
11889         3"         Thermoplastic 18" x 18" base         12					

Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.
Plastic base for pitch from 0-45° or up to 12/12 roof.

_	_

### Return to Table of Contents

CATEGORY **12** FLASHINGS

Datev



<ul> <li>100% flexible, foldable plastic base.</li> <li>Self-sealing collar slides over pipe and requires no caulking.</li> <li>Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.</li> <li>Plastic base for pitch from 0-45° or up to 12/12 roof.</li> <li>Rated 180°F continuous heat and approved for Type B installations.</li> </ul>				
Product No.	Size	Description	Ctn. Qty.	
14009	1.25" – 1.5"	Flex-Flash™ 9" x 11" base	12	
14012	2"	Flex-Flash™ 9" x 11" base	12	
14025	2.5"	Flex-Flash™ 10" x 13.25" base	12	
14038	3"	Flex-Flash™ 10" x 13.25" base	12	
14041	4"	Flex-Flash™ 11.5" x 14" base	12	

FLASHINGS

Flex-Flash<sup>™</sup> No-Calk<sup>®</sup> Roof Flashings





#14052 shown

5	<ul> <li>Engineered f</li> <li>Rated 212°F</li> <li>Easily custor</li> </ul>	continuous heat	Flashings g systems at any pitch. and approved for Type B installations. odate a broad range of pipe diameters. ark of the Aztec Washer Company, Inc.	
1	Product No.	Size	Description	Ctn. Qty.
	14050	.25" – 2"	Master Flash® 4.5" x 4.5" base	6
	14051	1.25" – 3"	Master Flash® 6" x 6" base	6
	14052	.25" – 4"	Master Flash® 8" x 8" base	6
	14053	3" - 6"	Master Flash® 10" x 10" base	6
	14054	4" – 7"	Master Flash® 11" x 11" base	2
	14055	5" – 9"	Master Flash® 12" x 12" base	2
	14056	6" – 11"	Master Flash® 14" x 14" base	2
	14057	7" – 13"	Master Flash® 17" x 17" base	2
	14059	10" – 18"	Master Flash® 25" x 25" base	2



Return to Table of Contents

Date

12

12

12

### FLASHINGS

No-Calk<sup>®</sup> Roof Flashings

All-Flash® Galvanized/Copper/Aluminum/Thermoplastic



### #12945 shown



U.S. Patent No. 5,588,267

<ul> <li>Patented All-Flash<sup>®</sup> design allows use on multiple pipe sizes with choice of Aluminum, Copper, Galvanized or Thermoplastic Base.</li> <li>Rated 180°F continuous heat and approved for Type B installations.</li> <li>Metal base for pitch from 0-40° and plastic base for pitch from 0-45°.</li> <li>Self-sealing collar slides over pipe and requires no caulking.</li> <li>Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.</li> <li>Product No. Size Description Ctn. Qty.</li> </ul>							
	GALVANIZED BASE FLASHING						
11871	1.5" – 3"	Galvanized All-Flash® 11" x 14.5" base	12				
11815	1.5" – 3"	Galvanized All-Flash® 11" x 14.5" base	6				
11877	3" – 4"	Galvanized All-Flash® 12" x 15" base	12				
11816	3" – 4"	Galvanized All-Flash® 12" x 15" base	6				
11957	1.5" – 3"	Galvanized All-Flash® 18" x 18" base	12				
11958	3" – 4"	Galvanized All-Flash® 18" x 18" base	12				
COPPER BAS	E FLASHING						
12403	1.5" – 3"	Copper No-Calk® 11" x 14.5" base	12				
12404	3" – 4"	Copper No-Calk® 11" x 14.5" base	12				
ALUMINUM E	BASE FLASHING						
12945	1.5" – 3"	Aluminum All-Flash® 11" x 14.5" base	12				
12956	3" – 4"	Aluminum All-Flash® 12" x 15.5" base	12				
12974	1.5" – 3"	Aluminum All-Flash® 18" x 18" base	12				



CATEGORY **7Z** FLASHINGS



### **Electrical Service Mast (ESM) Roof Flashings**

- Galvanized base.
- Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.
- Self-sealing collar slides over pipe and requires no caulking.

٠	Colla	r unati	tached	from flashing	base	tor	Electrical	Service	Mast	applications	

Product No.	Size	Description	Ctn. Qty.
11536	1.25"	Galvanized ESM	25
11549	1.5"	Galvanized ESM	25
11552	2"	Galvanized ESM	25
11565	2.5"	Galvanized ESM	25





- Ideal for steep pitch roofs with non-fading, non-cracking, rigid black thermoplastic base.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.
- Plastic base for pitch from 10-60° or up to 20/12 roof.

<ul> <li>Rated 180°F continuous heat and approved for Type B installations.</li> </ul>					
Product No.	Size	Description	Ctn. Qty.		
11930	1.5" – 3"	All-Flash® High-Rise® 11" x 19" base	6		
11931	3" – 4"	All-Flash® High-Rise® 13" x 20" base	6		



### Return to Table of Contents

CATEGORY **7 Z FLASHINGS** 





#12944 shown





Color-Flash® Aluminum/Galvanized All-Flash® No-Calk® Roof Flashings

UPC



**Retro Master Flash® Roof Flashings** 

• Split collar design easily installs on pipe with limited over the top access.

FLASHINGS

· Color base designed to match roof color.

Self-sealing collar slides over pipe and requires no caulking.

- · Easily customized to accommodate a broad range of pipe diameters.
- Engineered for profiled roofing systems at any pitch.

<ul> <li>Rated 212°F</li> </ul>	continuous heat a	and approved for Type B installations.				
Product No.	Size	Description	Ctn. Qty.			
14751	.5" - 4"	Retro Master Flash® 8" x 8" base	10			
14752	4" – 9.25"	Retro Master Flash® 8" x 8" base	5			
14753	9.25" - 16.25"	Retro Master Flash® 8" x 8" base	5			
14049	.25" - 4"	Retro Master Flash® 8" x 8" base	1			





Use as a protective water shield (slides over existing flashing).

Product No.	Size	Description	Ctn. Qty
14122	1.25" – 1.5"	Collar	36
14205	1.25" – 1.5"	Collar – Carded	6
14135	2"	Collar	24
14206	2"	Collar – Carded	6
14193	3"	Collar	24
14207	3"	Collar – Carded	6
14203	4"	Collar	12
14208	4"	Collar – Carded	6
14136	1.5" – 3"	All Flash Collar	24
14137	3" – 4"	All Flash Collar	24









## Category 13

### **Air Admittance Valves (AAV)**

Sensitivity to pressure changes, combined with its ability to consistently open and close, is what distinguishes the Oatey<sup>®</sup> Sure-Vent<sup>®</sup> AAV from all others. Superior engineering along with stringent quality standards ensure a lifetime of unmatched performance. Available in 6, 20, 160, and 500 DFU.

Uate





### NEW Sure-Vent<sup>®</sup> AAV Wall Box (see pages 118)

When combined with 6 or 20 DFU air admittance valves, the **Oatey Sure-Vent AAV** wall boxes are a convenient solution for recessed installations. The high-impact polystyrene construction accommodates 1-1/2" to 2" adapters through the box opening while the textured grille faceplate conceals the AAV, providing a professional looking finish.

- AAV mounts inside the wall box to the DWV system via a 2" diameter molded-in drain port.
- Box accommodates 6 or 20 DFU AAVs with 1-1/2" or 2" adapters.
- New smaller size 4-1/2" x 5-3/4" box for tight areas.
- Adjustable faceplate mounting with any wall finish provides a clean look.
- Box and faceplate made from high-impact polystyrene.
- Available with PVC or ABS adapters.
- UPC listed.



**Datey** 

### AIR ADMITTANCE VALVES (AAV)

Sure-Vent® Air Admittance Valve – 6 DFU Capacity

• Complies to ASSE Standard 1050 and 1051.







Talls

-

#39238 shown

(NSF)

(ASSE

ESR-1664

<ul> <li>For use as a secondary vent.</li> <li>One size approved to handle up to 2" vent pipe.</li> <li>Opens/closes as needed by building's plumbing system.</li> </ul>							
Product No.	Size	Description	Ctn. Qty.				
39225	1.5"	6 DFU Sure-Vent AAV 1-1/2" Tubular adapter (white)	6				
39226	1.5"	6 DFU Sure-Vent AAV 1-1/2" Tubular adapter (black)	6				
39239	1.5"	6 DFU AAV Installation Kit 1-1/2" P-trap, 6" extension tube, PVC threaded adapter & deep box flange	6				
39020	1.5"	6 DFU Sure-Vent AAV No adapter	50				
39250	1.5" - 2"	6 DFU Sure-Vent AAV PVC Schedule 40, 90° adapter	6				
39251	1.5" - 2"	6 DFU Sure-Vent AAV ABS Schedule 40, 90° adapter	6				
39252	1.5" - 2"	6 DFU Sure-Vent AAV PVC Schedule 40, 90° adapter	50				
39253	1.5" - 2"	6 DFU Sure-Vent AAV ABS Schedule 40, 90° adapter	50				
39254	1.5" - 2"	6 DFU Sure-Vent AAV PVC Schedule 40 adapter	6				
39256	1.5" - 2"	6 DFU Sure-Vent AAV ABS Schedule 40 adapter	6				
39255	1.5" - 2"	6 DFU Sure-Vent PVC Schedule 40 Adapter	50				

### Sure-Vent<sup>®</sup> Air Admittance Valve – 20 DFU Capacity

- Complies to ASSE Standard 1050 and 1051.
- For use as a secondary vent.
- One size approved to handle up to 3" vent pipe.
- Onono/olo e se noodod by building'e n ----

	is as needed by	bulluling s plutibling system.	
Product No.	Size	Description	Ctn. Qty.
39016	1.5" – 2"	20 DFU Sure-Vent AAV with 1 1/2" x 2" PVC Schedule 40 Adapter	6
39018	1.5" – 2"	20 DFU Sure-Vent AAV with 1 1/2" x 2" ABS Schedule 40 Adapter	6
39017	1.5" – 2"	20 DFU Sure-Vent AAV with 1 1/2" x 2" PVC Schedule 40 Adapter	50
39019	1.5" – 2"	20 DFU Sure-Vent AAV with 1 1/2" x 2" ABS Schedule 40 Adapter	50
39238	1.5" – 2"	20 DFU Sure-Vent AAV with mechanical adapter	12



Return to Table of Contents

Oate

Return to Table of Contents

are

(ASSE

ASSI

# category $\mathbf{13}$ air admittance valves (aav)



### Sure-Vent<sup>®</sup> Air Admittance Valve – 160 DFU Capacity

- Complies to ASSE Standard 1050 and 1051.
- For use as a secondary vent.
- One size approved to handle up to 4" vent pipe.
- Opens/closes as needed by building's plumbing system.

		<ul> <li>Obelia/Close</li> </ul>	is as needed by t		
		Product No.	Size	Description	Ctn. Qty.
		39220	2" – 3"	160 DFU Sure-Vent AAV 2" x 3" Sch. 40 PVC adapter	6
ES PMG	рис / С 39221 2" – 3" 160 DFU Sure-Vent AAV 2" x 3" Sch. 40 А	160 DFU Sure-Vent AAV 2" x 3" Sch. 40 ABS adapter	6		
P-1664					

### Sure-Vent® Air Admittance Valve – 500 DFU Capacity

Description

Description

Louvered Faceplate

Box Kit

Accommodates 6 or 20 DFU AAVs with 1-1/2" or 2" adapters.

- Complies to ASSE Standard 1050 and 1051.
- · For use as a secondary vent.
- One size approved to handle up to 4" vent pipe.

Sure-Vent<sup>®</sup> Metal Wall Box • Allows access to Sure-Vent air admittance valve. • Fits Oatey Sure-Vents – 6, 20, 160 DFU (Sold Separately.)

Product No. Size

Sure-Vent<sup>®</sup> Wall Box • New, smaller size: 4-1/2" x 5-3/4". • High-impact polystyrene construction.

39010

39011

UPC listed.
 Product No. Size

39260

39261

39262

39263



Sure-Vent Wall Box with Metal Grille Faceplate

Metal Grille Faceplate For Wall Box

Ctn. Qty.

Ctn. Qtv.

6

6

6

6

12

10



-		_
-	-	_
	-	_
-	-	_
-		-
-	-	-
	-	
	_	
	_	

#39260 shown	





### Sure-Vent® Access Panel

• Allows access to Sure-Vent air admittance valve.

	rements for recessing a	n air admittance valve in a wall.	
Product No. Size	e Descript	tion	Ctn. Qty.
34247	Louvered	I Design Access Panel	12

Box Kit with PVC Adapter and 20 DFU AAV

Box Kit with ABS Adapter and 20 DFU AAV



### **In-Line Vent**

• Mechanical vent installs on the drain line and vents the line without allowing sewer gas to enter the home.

• For venting sinks, tubs, showers, etc.

· Available in either chrome or black.

Product No. Siz	e Description	Ctn. Qty.
39000	Chrome In-Line Vent	6
39012	ABS In-Line Vent	6



### DRAIN, WASTE AND VENT



1610

Navigation



Traditional Vented House



AAV Vented House

Plumbing Drain, Waste and Vent systems, known as DWV, consist of the DRAIN pipes that provide a network for the removal of WASTE and the VENT pipes that prevent traps from siphoning and maintain an equalized pressure. The DWV system uses gravity and air displacement throughout the piping network to function and breathe. In a simplified example, water in an inverted bottle without an air hole will glug and gasp when emptied. Adding an opening to the bottom of the bottle will turn the process into an efficient, steady flow because the bottle "breathes."

### Every Drain Needs a Trap. Every Trap Needs a Vent.

To prevent sewer gases from being released into the structure, plumbing code requires a trap to be installed at every fixture. A trap is a U-shaped bend of pipe filled with water that acts as a barrier between the structure and the sewer system. Trap seals can only be compromised under two conditions – high sewer pressures and water siphons, in both cases vents prevent this from happening.

Under high sewer pressures without a vent, trap seals will allow sewer gases to escape and enter the structure. This happens when the sewer pressure is greater than the pressure from the column of water in the trap. A vent will keep the sewer and atmospheric pressures equalized to maintain the trap seal.

Water moving through pipes can create a negative pressure or a siphon. The siphon will pull the water from a trap, leaving a clear path for sewer gases to enter the structure. A vent will prohibit siphoning, maintaining the trap seal.

### Why Use a Sure-Vent® Air Admittance Valve?

Air Admittance Valves (AAVs) open and close in conjunction with normal DWV system operation, effectively eliminating the need for secondary vent pipes. An AAV provides an alternative to secondary venting when utilized within the scope of model plumbing codes, referenced standards and Oatey<sup>®</sup> installation instructions.

AAVs provide the ideal venting solution for island sinks, remote bathroom groups and remodeling jobs by eliminating the need to tie into a stack vent.

AAVs are often more economical than running vent pipe in new construction because they reduce the added need for supplies and labor.

The Oatey Sure-Vent offers UNMATCHED PERFORMANCE by opening and closing under the smallest pressures, multiple sizes for OPTIMIZED DFUs and SUPERIOR SEALING technology, providing a lifetime of reliability.





## Category 14

### **Pipe Support**

Oatey<sup>®</sup> offers a complete range of pipe support products for all of your application needs. Whether it's securing supply lines, DWV pipe or supporting your work with brackets and bars, you can count on Oatey for quality, performance and innovation.

### FEATURED PRODUCTS

### Ultimate Efficiency – NEW DuoFit<sup>™</sup> Clamp Fits both ½" and ¾" Pipe (see page 122)

The **Oatey® Duo-Fit** clamp is designed to hold ½" or ¾" pipe with one clamp. They can be used with copper, CPVC or PEX pipe and provide the versatility you need when mounting pipe vertically or horizontal. Move the pre-loaded nail and you can keep pipe off the stud and allow for expansion and contraction of the pipe system. They install easily and hold the pipe securely at any angle, unlike competing clamps.

- Efficient Use one clamp for two different size pipes.
- Nails are pre-loaded for fast installation.
- Mounts easily in tight areas using various nail angles.
- Can be used on copper, CPVC or PEX pipe systems.
- TEMPERATURE RANGE 0°F TO 230°F.
- Constructed using black polypropylene.
- · Can be used with hydronic systems.
- IAPMO certified.



### DuoFit<sup>™</sup> and Stand-Off<sup>™</sup> Clamps in 2 Gallon Buckets (see page 122)

No need to break the bank when buying a bucket of clamps from Oatey<sup>®</sup>. You can now get your favorite Duo-Fit and Stand-Off clamps in a handy 2.1 gallon Oatey bucket. The bucket holds 300-500 clamps depending on the size and type. And each bucket features a unique reclosable lid. No need to cut a hole in the lid like other buckets force you to do, tearing your hand up in the process of grabbing a handful of clamps. Better yet, when the bucket is empty, it makes a great storage container, or is useful when working on plumbing under sinks

and tight areas where bigger buckets just can't fit.

- Smaller size bucket saves you money, more versatile.
- Reclosable lid is easy on the hands.
- Holds 400 DuoFit clamps.
- Holds 500 1/2" Stand-Off clamps.
- Holds 300 ¾" Stand-Off clamps.



# CATEGORY **7**4 PIPE SUPPORI

Return to Table of Contents

1910

### Return to Table of Contents

CATEGORY 7 4 PIPE SUPPORT

# 11

Jatev

**DuoFit™ Pipe Clamps** • One clamp fits both 1/2" and 3/4" size pipe.

PIPE SUPPORT

- Use on copper, CPVC and PEX.
  Move pre-loaded nail to keep pipe off of stud.
  Temperature range: 0°F 160°F.

Stand-Off<sup>™</sup> Half Clamps

Constructed of black polypropylene.				
Product No.	Size	Description	Ctn. Qty.	
34285	1/2"- 3/4"	DuoFit Pipe Support System with Nail (100 in polybag)	500 Pcs	
34295	1/2"- 3/4"	DuoFit Pipe Support System with Nail (12 in polybag)	6 Bags	
34297	1/2"- 3/4"	DuoFit Pipe Support System with Nail (400 in 2.Gallon Bucket)	1	





#3428





#33900 shown Ē



	<ul> <li>Clamps keep pipe completely off of the stud.</li> <li>Pre-loaded nail provides fast and easy installation.</li> <li>Made of high-impact polypropylene.</li> <li>Temperature range: -60°F - 160°F.</li> </ul>		
	Product No.	Size	Description
	34286	1/2"	Stand-Off Pipe Clamp
86 shown	34287	3/4"	Stand-Off Pipe Clamp
4	3/1288	1"	Stand-Off Pine Clamr

• Temperature range: -60°F - 160°F.			
Product No.	Size	Description	Ctn. Qty.
34286	1/2"	Stand-Off Pipe Clamp with Nail (100 in polybag)	500 Pcs
34287	3/4"	Stand-Off Pipe Clamp with Nail (100 in polybag)	500 Pcs
34288	1"	Stand-Off Pipe Clamp with Nail (50 in polybag)	250 Pcs
34298	1/2"	Stand-Off Pipe Clamp with Nail (500 in 2.Gallon Bucket)	1
34299	3/4"	Stand-Off Pipe Clamp with Nail (300 in 2.Gallon Bucket)	1

### Pipe Clamps With Nail

- Pre-loaded nail feature provides fast and easy installation.
- Ribbed design insulates against water line noise.
- No corrosion made of high impact polypropylene.
- Rust resistant nails.

	<ul> <li>Can be used</li> </ul>	on hydronic syst	tems.	
	Product No.	Size	Description	Ctn. Qty.
•	HALF CLAMP			
	33900	1/2"	Half Clamp w/ barbed nail (100 in polybag)	500 PCS.
	34900	1/2"	Half Clamp w/ barbed nail (100 in polybag)	5 BAGS
	33910	1/2"	Half Clamp w/ barbed nail (12 in polybag)	6 BAGS
	34290	1/2"	Half Clamp w/ barbed nail - 2.1 gallon bucket	900 PCS.
	33901	3/4"	Half Clamp w/ barbed nail (100 in polybag)	500 PCS.
	33911	3/4"	Half Clamp w/ barbed nail (12 in polybag)	6 BAGS
	34901	3/4"	Half Clamp w/ barbed nail (100 in polybag)	5 BAGS
	34291	3/4"	Half Clamp w/ barbed nail - 2.1 gallon bucket	500 PCS.
	33902	1"	Half Clamp w/ barbed nail (50 in polybag)	250 PCS.
	33909	1"	Half Clamp w/ barbed nail (6 in polybag)	6 BAGS
	34292	1"	Half Clamp w/ barbed nail - 2.1 gallon bucket	300 PCS.
	FULL CLAMP			
	33905	1/2"	Full Clamp w/ barbed nail (100 in polybag)	500 PCS.
vn	33912	1/2"	Full Clamp w/ barbed nail (12 in polybag)	6 BAGS
	33906	3/4"	Full Clamp w/ barbed nail (50 in polybag)	250 PCS.
	33913	3/4"	Full Clamp w/ barbed nail (12 in polybag)	6 BAGS
	33907	1"	Full Clamp w/ barbed nail (25 in polybag)	250 PCS.



### PIPE SUPPORT

• Eliminates contact between the pipe and framing surface thereby reducing transmission of water



#33953 shown

JPC-

#33916 shown PPC,

line noise. • No corrosion • Ribbed desig	– made of durabl	oling and pipe expansion and contraction.	
Product No.	Size	Description	Ctn. Qty.
HALF CLAMP			
33935	1/2"	Suspension Pipe Clamp (100 in polybag)	500 PCS.
33914	1/2"	Suspension Pipe Clamp (6 in polybag)	6 BAGS
34293	1/2"	Suspension Pipe Clamp - 2.1 gallon bucket	325 PCS.
33936	3/4"	Suspension Pipe Clamp (100 in polybag)	500 PCS.
33915	3/4"	Suspension Pipe Clamp (6 in polybag)	6 BAGS
34294	3/4"	Suspension Pipe Clamp - 2.1 gallon bucket	250 PCS.
33937	1"	Suspension Pipe Clamp (50 in polybag)	250 PCS.
33876	1"	Suspension Pipe Clamp (6 in polybag)	6 BAGS
33956	1-1/4"	Suspension Pipe Clamp (25 in polybag)	250 PCS.
33957	1-1/2"	Suspension Pipe Clamp (25 in polybag)	250 PCS.
33958	2"	Suspension Pipe Clamp (25 in polybag)	250 PCS.

### **Insulating Pipe Clamps**

**Suspension Pipe Clamps** 

· Designed to eliminate notching and wrapping of pipe when running water lines through framing.

• Reduces water line noise and vibration.

No corrosion – made of low density polyethylene.

Product No.	Size	Description	Ctn. Qty.
33950	1/2"	Insulating Pipe Clamp (50 in polybag)	250 PCS.
33953	1/2"	Insulating Pipe Clamp (6 in polybag)	6 BAGS
33951	3/4"	Insulating Pipe Clamp (50 in polybag)	250 PCS.
33954	3/4"	Insulating Pipe Clamp (6 in polybag)	6 BAGS
33952	1"	Insulating Pipe Clamp (25 in polybag)	250 PCS.
33875	1"	Insulating Pipe Clamp (6 in polybag)	6 BAGS

### **Standard Pipe Clamps**

- Clamp design allows pipe to be flush mounted to walls and joists.
- Minimizes the transmission of water line noise.
- No corrosion made of high impact polypropylene.
  Ribbed design allows pipe to cool faster and expand/contract freely.

• Can be used on hydronic systems.

Product No.	Size	Description	Ctn. Qty.
33916	1/2"	Standard Pipe Clamp (6 in polybag)	6 BAGS
33940	1/2"	Standard Pipe Clamp (100 in polybag)	500 PCS.
33917	3/4"	Standard Pipe Clamp (6 in polybag)	6 BAGS
33941	3/4"	Standard Pipe Clamp (100 in polybag)	500 PCS.
33877	1"	Standard Pipe Clamp (6 in polybag)	6 BAGS
33942	1"	Standard Pipe Clamp (50 in polybag)	250 PCS.
33943	1-1/4"	Standard Pipe Clamp (25 in polybag)	250 PCS.
33944	1-1/2"	Standard Pipe Clamp (25 in polybag)	250 PCS.
33946	2"	Standard Pipe Clamp (25 in polybag)	250 PCS.



Date

### Return to Table of Contents

hA

#33680 shown PEC









### PIPE SUPPORT

### Versa-Link™ Modular CTS Clamp

- · Modular design for quick connections.
- Use on PEX, CPVC or copper pipe.
- Available in one-pipe clamp or two-pipe clamp configurations.
- Positions pipe in the center of the stud.

<ul> <li>Pre-loaded</li> </ul>	<ul> <li>Pre-loaded with nails or drill point screws.</li> </ul>				
Product No.	Size	Description	Ctn. Qty.		
33680	1/2"	Two-Pipe Clamps with Nails (20 in polybag)	10 BAGS		
33681	1/2"	Two-Pipe Clamps with Screws (20 in polybag)	10 BAGS		
33682	1/2"	One-Pipe Clamps	10 BAGS		

### **Metal Stud Insulating Pipe Clamps**

- · Reduces water line noise and vibration when running water lines through metal studs.
- Uses 1-11/32" hole diameter.
- 1/2" size has 1/4" and 3/8" holes.
- Can be used on hydronic systems.
- made of durable polypropylane No corrocion

Product No.	Size	Description	Ctn. Qty.	
33856	1/2"	Metal Stud Insulating Pipe Clamp (50 in polybag)	250 PCS.	
33857	3/4"	Metal Stud Insulating Pipe Clamp (50 in polybag)	250 PCS.	
33858	1"	Metal Stud Insulating Pipe Clamp (25 in polybag)	250 PCS.	

### Holdrite<sup>®</sup> Pipe Support Bracket

- Supports any water supply lines penetrating the wall.
  Holes on 2" centers for 1/2" pipe and 4" centers for 3/4" and 1" copper pipe.
- Nail in place and solder pipe to copper plated bracket for secure installation.

Holdrite® is a registered trademark of Securus, Inc.

Product No. Size	Description	Ctn. Qty.
33980	Pipe Support Bracket	25 PCS

### **Flat Tube Nailers**

- · Copper plated tube nailers provide quick nail support.
- Use with copper, PVC, CPVC, galvanized, PEX and other piping systems.

Product No.	Size	Description	Ctn. Qty.
33966	1/2" – 3/4"	Copper Coated Steel Nailer (100 in polybag)	1000 PCS.
33965	1/2" – 3/4"	Copper Coated Tube Nailer (12 in polybag)	36 BAGS

### **Copper Tube Straps**

• Use with copper, PVC, CPVC, galvanized, polybutylene and other piping systems.

Product No.	Size	Description	Ctn. Qty.
33993	1/2"	Copper Tube Strap (50 in polybag)	500 PCS.
33995	1/2"	Copper Tube Strap (12 in polybag)	6 BAGS
33994	3/4"	Copper Tube Strap (50 in polybag)	500 PCS.
33996	3/4"	Copper Tube Strap (12 in polybag)	6 BAGS
33908	1"	Copper Tube Strap (12 in polybag)	6 BAGS

### PIPE SUPPORT

• Use with copper, PVC, CPVC, galvanized, PEX and other piping systems.

Description

**Copper and Steel Pipe Hooks** 

· Support pipe from rafters or joists.

• Self-nailing. Product No. Size



#33977 shown

#33740 shown



### DWV J-Hook

• Pre-loaded nails in stem.

- Diagonal nail path for use in tight applications.
- Locking finger for tight hold at any angle, including inverted.
- Additional holes allow securing with cable ties or other fasteners.

Product No.	Size	Description	Ctn. Qty.
33740	1-1/2" x 7-1/2"	DWV J-Hook - White (25 In Polybag)	300 PCS.
33760	1-1/2" x 7-1/2"	DWV J-Hook - White (4 In Polybag)	6 BAGS
33741	2" x 7-1/2"	DWV J-Hook - White (25 In Polybag)	300 PCS.
33761	2" X 7- 1/2"	DWV J-Hook - White (4 In Polybag)	6 BAGS
33742	3" x 7-1/2"	DWV J-Hook - White (25 In Polybag	300 PCS.
33762	3" X 7-1/2"	DWV J-Hook - White (4 In Polybag)	6 BAGS
33743	4" x 7-1/2"	DWV J-Hook - White (25 In Polybag)	300 PCS.
33763	4" x 7-1/2"	DWV J-Hook - White (4 In Polybag)	6 BAGS
33755	1-1/2" x 7"	DWV J-Hook - Black (25 In Polybag)	300 PCS.
33756	2" x 7"	DWV J-Hook - Black (25 In Polybag)	300 PCS.
33757	3" x 7"	DWV J-Hook - Black (25 In Polybag)	300 PCS.
33758	4" x 7"	DWV J-Hook - Black (25 In Polybag)	300 PCS.

# CATEGORY 14 PIPE SUPPORT

Navigation Return to Table of Contents

Date

Ctn. Qty.

Return to Table of Contents

### late

### PIPE SUPPORT

### **CTS J-Hook**

• Support copper and CPVC water supply lines from joists and rafters.

J-Hook nails flush against a wall or stud.
Made of high impact ABS for increased load capacity.

	<ul> <li>Made of flight</li> </ul>	I IIIIpact ADS 101	increased load capacity.	
	Product No.	Size	Description	Ctn. Qty.
	33745	1/2" x 4"	CTS Baby J-Hook (25 in polybag)	300 PCS.
1	33764	1/2" x 4"	CTS Baby J-Hook (6 in polybag)	6 BAGS
	33746	3/4" x 4"	CTS Baby J-Hook (25 in polybag)	300 PCS.
	33765	3/4" x 4"	CTS Baby J-Hook (6 in polybag)	6 BAGS
	33747	1" x 4"	CTS Baby J-Hook (25 in polybag)	200 PCS.
	33766	1" x 4"	CTS Baby J-Hook (6 in polybag)	6 BAGS
	33750	1/2" x 7-1/2"	CTS Long Baby J-Hook (25 in polybag)	200 PCS.
	33751	3/4" x 7-1/2"	CTS Long Baby J-Hook (25 in polybag)	200 PCS.

### **Cable, Conduit & Duct Ties**

of 10 or 10 o

Enables cables, tubing, etc. to be secured together.
Special locking device provides a positive, non-slip grip. do of p

Product No. Size Description Ctn.	<b>0</b> 1
	uty.
33850         7-1/2"         Ties for 1-3/4" diameter (25 in polybag)         12 B	AGS
33851         11"         Ties for 3" diameter (25 in polybag)         12 B	AGS
33852         14"         Ties for 4" diameter (25 in polybag)         12 B	AGS
33853         24"         Ties for 7" diameter (6 in polybag)         12 B	AGS
33854         34"         Ties for 10" diameter (6 in polybag)         12 B	AGS
33855         48"         Ties for 15" diameter (6 in polybag)         12 B	AGS



#33851 shown

#33764 shown

E

#33897 shown

Product No.	Size	Description	Ctn. Qty.
33897	5" x 8"	16 Gauge BOCA Plate Meets BOCA Code P-309.2	25 PCS.
33899	5" x 8"	16 Gauge Self-Nailing BOCA Plate Meets BOCA Code P-309.2	25 PCS.
33893	1-1/2" x 3"	16 Gauge Self-Nailing Stud Guard – 2-1/2" between points	100 PCS.
33894	1-1/2" x 5"	16 Gauge Self-Nailing Stud Guard – 4-1/2" between points	100 PCS.
33984	1-1/2" x 5"	16 Gauge Self-Nailing Stud Guard – 4-1/2" between points	100 PCS.
33895	1-1/2" x 6"	16 Gauge Self-Nailing Stud Guard – 5-1/2" between points	100 PCS.
33930	1-1/2" x 3"	18 Gauge Self-Nailing Stud Guard – 2-1/2" between points	100 PCS.
33933	1-1/2" x 3"	18 Gauge Self-Nailing Stud Guard – Barcoded	25 PCS.
33931	1-1/2" x 5"	18 Gauge Self-Nailing Stud Guard – 4-1/2" between points	100 PCS.
33934	1-1/2" x 5"	18 Gauge Self-Nailing Stud Guard – Barcoded	25 PCS.
33919	1-1/2" x 6"	18 Gauge Self-Nailing Stud Guard – 5-1/2" between points	100 PCS.
33932	1-1/2" x 9"	18 Gauge FHA Plate -Barcoded	25 PCS.

### **Uatey**

Δ

CATEGORY **1**4 PIPE SUPPORT

### PIPE SUPPORT

### **Metal Hanger Strap**

• Quick and inexpensive way to hang pipe from joists or rafters. Available in 24 and 28 gauge steel.



#33918 shown

Product No.	Size	Description	Ctn. Qty.
33918	3/4" x 10'	24 Ga. Copper-Plated Steel Hanger Strap – Bagged	12 PCS.
33730	3/4" x 10'	24 Ga. Galvanized Steel Hanger Strap – Bagged	12 PCS.
33889	3/4" x 100'	28 Ga. Galvanized Steel Hanger Strap – Boxed	10 PCS.
33923	3/4" x 10'	28 Ga. Galvanized Steel Hanger Strap – Bagged	12 PCS.
33929	3/4" x 25'	28 Ga. Galvanized Steel Hanger Strap – Bagged	12 PCS.
33922	3/4" x 50'	28 Ga. Galvanized Steel Hanger Strap – Bulk	10 PCS.

### **Plastic Hanger Strap**

Tab Tape®

33989

33992

Product No. Size

· Self fastening Hanger Strap. • No nuts or bolts required.

Tab Tape® is a registered trademark of Hang it All Products.

3/4" x 10'

1-1/2" x 50'

- Nail holes are 1/8" in diameter and spaced 3/4" apart.
- · Non-corrosive, non-conductive, polyethylene.

Ŀ.	Product No.	•	, ,	ription		
ł.	<ul> <li>Quick and ir</li> </ul>	nexpensive	way to hang p	pipe from jo	ists or rafters	

Description

Product No.	Size	Description	Ctn. Qty.
33928	3/4" x 10'	Plastic Hanger Strap – Bagged	12 PCS.
33925	3/4" x 25'	Plastic Hanger Strap – Bagged	20 PCS.
33926	3/4" x 50'	Plastic Hanger Strap – Bagged	20 PCS.
33927	3/4" x 100'	Plastic Hanger Strap – Bagged	20 PCS.
339270	3/4" x 100'	Plastic Hanger Strap – Bagged	10 PCS.





#33992 shown



#33982 shown



#33692 shown

#33699 shown



Galvanized Tab Tape - 28 Ga. - Bagged

Galvanized Tab Tape - 26 Ga. - Boxed

### **Copper Plated Bell Hangers**

- Designed with 13/16" standoff from mounting surface.
- · Mounting screw has pierce point for use on metal studs.
- · Recessed mounting screw does not contact the piping.
- Includes tw crowe and one 2 1/2"

	u ciamp sciew	s and one z-1/z screws.	
Product No.	Size	Description	Ctn. Qty.
33691	1/2"	Copper Plated Bell Hanger	25
33692	3/4"	Copper Plated Bell Hanger	25
33693	1"	Copper Plated Bell Hanger	25

### **Copper Plated Milford Hangers**

• Hang copper tube size piping.

Product No.	Swivels and lock	Description	Ctn. Qty.
33694	1/2" x 6"	Copper Plated Milford Hanger	25
33695	3/4" x 6"	Copper Plated Milford Hanger	25
33696	1" x 6"	Copper Plated Milford Hanger	25
33697	1/2" x 12"	Copper Plated Milford Hanger	25
33698	3/4" x 12"	Copper Plated Milford Hanger	25
33699	1" x 12"	Copper Plated Milford Hanger	25





Return to Table of Contents

Late

Ctn. Qty.

12 PCS.

5 PCS.



## Category 15

### **Brass, Plastic and Commercial Tubular/Grab Bars**

If you need brass, plastic or commercial tubular products, Dearborn has what you are looking for. There are literally hundreds of parts to choose from: P-traps, S-traps, J-bends, waste arms, extension tubes, grab bars and much more.

### FEATURED PRODUCT

### db Dearborn Brass.

### Build a Better P-Trap – with Made in the USA, Premium TRUE BLUE<sup>®</sup> Washers (see page 150)

Dearborn Brass<sup>®</sup> offers a complete line of lightweight and dependable plastic tubular products for all installations in 1-1/4" and 1-1/2" sizes. Dearborn tubular meets the industry standards and provides consistent quality and reliability. All of our P-traps include TRUE BLUE premium washers. These washers incorporate a specially formulated blue Thermoplastic Elastomer (TPE) to prevent drying out and cracking. The material has superior flex fatigue resistance and extends the life of the product. Better yet, the TPE is flexible, easier to install and provides a secure seal with simple hand tightening.

- Ultra flexible elastomer washer combined with the tapered design provides ultimate leak protection.
- Superior flex fatigue resistance extends the life of the product.
- **TPE advanced properties** allows washer to retain its shape when compared to traditional rubber.
- Doesn't dry out or crack, providing long, leak-free protection.
- TRUE BLUE washers are made in the United States.
- IAPMO listed.



**db** Dearborn Brass.

Return to Table of Contents

db Dearborn Brass.



### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

	-	out Cleanout	01	<b>0</b> 1-1
Product No.		Description	Ctn.	ųty.
2700-1	1-1/4"	P-Trap - Budget Ga.	25	
2700A-1	1-1/4"	P-Trap - Budget Ga. w/ 9.50" Wall Tube	25	
2700DF-1	1-1/4"	P-Trap - Budget Ga. w/ Deep Flange	25	
700-1	1-1/4"	P-Trap - 20 Ga.	25	
700A-1	1-1/4"	P-Trap - 20 Ga. w/ 10" Wall Tube	25	(NSE)
700BN-1	1-1/4"	P-Trap - 20 Ga. w/ Brass Nuts	25	NSE
700DF-1	1-1/4"	P-Trap - 20 Ga. w/ Deep Flange	25	NSE
700DFBN-1	1-1/4"	P-Trap - 20 Ga. w/ Deep Flange & Brass Nuts	25	NSE
701-1	1-1/4"	P-Trap - 17 Ga.	25	NSE
701BN-1	1-1/4"	P-Trap - 17 Ga. w/ Brass Nuts	25	NSE
701DF-1	1-1/4"	P-Trap - 17 Ga. w/ Deep Flange	25	NSE
701DFBN-1	1-1/4"	P-Trap - 17 Ga. w/ Deep Flange & Brass Nuts	25	(NSE)
701A-1	1-1/4"	P-Trap - 17 Ga. w/ 10" Wall Tube	25	NSE
701ADF-1	1-1/4"	P-Trap - 17 Ga. w/ Deep Flange 10" Wall Tube	25	NSE
701G-1	1-1/4"	P-Trap - 17 Ga. w/ Ground Joint	25	NSE
21604	1-1/4"	P-Trap - 17 Ga. w/ Box Flange, Polished Brass	2	NSE
21603	1-1/4"	P-Trap - 17 Ga. w/ Deep Flange, Polished Brass	2	(NSE)

### 1-1/2" P-Traps Without Cleanout

Product No.	Size	Description	Ctn.	Qty.
2702-1	1-1/2"	P-Trap - Budget Ga.	25	-
2702DF-1	1-1/2"	P-Trap - Budget Ga. w/ Deep Flange	25	
702-1	1-1/2"	P-Trap - 20 Ga.	25	NSE
702BN-1	1-1/2"	P-Trap - 20 Ga. w/ Brass Nuts	25	NSE
702DF-1	1-1/2"	P-Trap - 20 Ga. w/ Deep Flange	25	NSE
702DFBN-1	1-1/2"	P-Trap - 20 Ga. w/ Deep Flange & Brass Nuts	25	NSE
702A-1	1-1/2"	P-Trap - 20 Ga. w/ 11.25" Wall Tube	25	NSE
704-1	1-1/2"	P-Trap - 17 Ga.	25	NSE
H704-3	1-1/2"	P-Trap - 17 Ga., Unfinished, Cutcase Box	6	NSE
704BN-1	1-1/2"	P-Trap - 17 Ga. w/ Brass Nuts	25	NSE
704DF-1	1-1/2"	P-Trap - 17 Ga. w/ Deep Flange	25	NSE
704DFBN-1	1-1/2"	P-Trap - 17 Ga. w/ Deep Flange & Brass Nuts	25	NSE
704A-1	1-1/2"	P-Trap - 17 Ga. w/ 11.25" Wall Tube	25	NSE
704G-1	1-1/2"	P-Trap - 17 Ga. w/ Ground Joint	25	NSE
704GBN-1	1-1/2"	P-Trap - 17 Ga. w/ Ground Joint & Brass Nuts	25	Ð,
704GBN-3	1-1/2"	P-Trap - 17 Ga. w/ Ground Joint & Brass Nuts, Unfinished	25	E.
704GDFBN-1	1-1/2"	P-Trap - 17 Ga. w/ Ground Joint, Deep Flange & Brass Nuts	25	NSE

### 1-1/4" X 1-1/2" P-Traps With Choked Throat Without Cleanout

9	Product No.	Size	Description	Ctn. Qty	
w.	703-1	1-1/4" x 1-1/2"	P-Trap - 20 Ga. w/ Choked Throat	25	
	705-1	1-1/4" x 1-1/2"	P-Trap - 17 Ga. w/ Choked Throat	25	
	705BN-1	1-1/4" x 1-1/2"	P-Trap - 17 Ga. w/ Choked Throat & Brass Nuts	25	
	705GBN-1	1-1/4" x 1-1/2"	P-Trap - 17 Ga. w/ Choked Throat, Ground Joint & Brass Nuts	25	(NSE)

**db** Dearborn Brass.



#21303 shown

#2702-1 shown

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS



#707-1 shown

NSE

**NSF** 



CD Dearborn Brass.

Navigation

C D Dearbo Brass

Return to Table of Contents



### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

**Sink Traps With Extension Cover Tube & Cleanout** 

Description

Description



Product No.

Product No.

736W-1

Size

732GPBN-6-1 1-1/2" x 1-1/4"

db Dearborn Brass.

Anti-Sipho Product No.	on Traps <sub>Size</sub>	Description	Ctn. Qty.
971GBN-1	1-1/2"	Anti-Siphon P-Trap - 17 Ga., Chrome Plated, Brass Nuts	1
979GBN-1	1-1/4"	Anti-Siphon P-Trap - 17 Ga., Chrome Plated, Brass Nuts	1
983GBN-1	1-1/2"	Anti-Siphon P-Trap - 17 Ga., Chrome Plated, Brass Nuts	1

Cover Tube & Escutcheon & Brass Nuts

Sink Trap w/ Cleanout, Schedule 40 PVC Adapter, Ground Joint,

Ctn. Qty.

Ctn. Qty.

10

5







738W-1	1-1/2"	Sink Trap w/ Washer Joint NPT - 20 Ga.	10
740W-1	1-1/2"	Sink Trap w/ Washer Joint NPT - 17 Ga.	10
738-1	1-1/2"	Sink Trap w/ Ground Joint NPT - 20 Ga. w/ Reducing Poly Washer	10
738CS-1	1-1/2"	Sink Trap w/ Ground Joint w/ Copper Sweat Elbow - 20 Ga.	10
740-1	1-1/2"	Sink Trap w/ Ground Joint NPT - 17 Ga. w/ Reducing Poly Washer	10

Sink Trap w/ Washer Joint NPT - 20 Ga.

### **J-Bends Without Cleanout**

**Sink Traps Without Cleanout** 

Size

1-1/4"

Product No.	Size	Description	Ctn. Qty.
2650-1	1-1/4"	J-Bend - Budget Ga.	10
650-1	1-1/4"	J-Bend - 20 Ga.	10 (NSE)
652-1	1-1/4"	J-Bend - 17 Ga.	10 (NSE)
2651-1	1-1/2"	J-Bend - Budget Ga.	10
651-1	1-1/2"	J-Bend - 20 Ga.	10 (NSE)
653-1	1-1/2"	J-Bend - 17 Ga.	10 (NSE)

### **Sink J-Bends Without Cleanout**

Product No.	Size	Description	Ctn.	Qty.
656W-1	1-1/4"	Sink J-Bend w/ Washer Joint - 20 Ga.	10	NSE
2654W-1	1-1/2"	Sink J-Bend w/ Washer Joint - Budget Ga.	10	
654W-1	1-1/2"	Sink J-Bend w/ Washer Joint - 20 Ga.	10	NSE
655W-1	1-1/2"	Sink J-Bend w/ Washer Joint - 17 Ga.	10	NSE
654-1	1-1/2"	Sink J-Bend w/ Ground Joint - 20 Ga.	10	
655-1	1-1/2"	Sink J-Bend w/ Ground Joint - 17 Ga.	10	NSE
655BN-1	1-1/2"	Sink J-Bend w/ Ground Joint - 17 Ga. w/ Brass Nuts	10	NSE
655BN-3	1-1/2"	Sink J-Bend w/ Ground Joint - 17 Ga. w/ Brass Nuts, Unfinished	10	NSE)

**db** Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

Return to Table of Contents

CATEGORY **1 5 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS** 

db Dearborn Brass.



Wall Tube	s		
Product No.	Size	Description	Ctn. Qty
H2401-1	1-1/4"	Wall Tube 6.5" - Budget Ga., Ind. UPC	10
2401A-1	1-1/4"	Wall Tube 9.5" - Budget Ga.	25
401-17-1	1-1/4"	Wall Tube 7.5" - 17 Ga.	10 🕷
401A-17-1	1-1/4"	Wall Tube 10" - 17 Ga.	10 (NS
401B-17-1	1-1/4"	Wall Tube 15" - 17 Ga.	10 (NS
401C-17-1	1-1/4"	Wall Tube 21" - 17 Ga.	25 (NS
401D-17-1	1-1/4"	Wall Tube 33" - 17 Ga.	25 (NS
401E-17-1	1-1/4"	Wall Tube 45" - 17 Ga.	20 (NS
401F-17-1	1-1/4"	Wall Tube 57" - 17 Ga.	20 (NS
H2402-1	1-1/2"	Wall Tube 7.5" - Budget Ga., Ind. UPC	10
2402A-1	1-1/2"	Wall Tube 11.25" - Budget Ga.	10
402-17-1	1-1/2"	Wall Tube 8.25" - 17 Ga.	10 <b>N</b> S
402A-17-1	1-1/2"	Wall Tube 11.25" - 17 Ga.	10 (NS
402B-17-1	1-1/2"	Wall Tube 15" - 17 Ga.	10 (NS
H402B-17-3	1-1/2"	Wall Tube 15" - 17 Ga., Unfinished, Cutcase Box	6 (NS
402C-17-1	1-1/2"	Wall Tube 21" - 17 Ga.	25 (NS
402D-17-1	1-1/2"	Wall Tube 33" - 17 Ga.	25 (NS
402E-17-1	1-1/2"	Wall Tube 45" - 17 Ga.	20 (NS
402F-17-1	1-1/2"	Wall Tube 57" - 17 Ga.	20 (NS



### **S-Traps Without Cleanout**

J-maps without disanout				
Product No.	Size	Description	Ctn. Qty.	
2718-1	1-1/4"	S-Trap - Budget Ga.	5	
718-1	1-1/4"	S-Trap - 20 Ga.	5	
718DF-1	1-1/4"	S-Trap - 20 Ga. w/ Deep Flange	5	
719-1	1-1/4"	S-Trap - 17 Ga.	5	
719DFBN-1	1-1/4"	S-Trap - 17 Ga. w/ Deep Flange & Brass Nuts	5	
2720-1	1-1/2"	S-Trap - Budget Ga.	5	
720-1	1-1/2"	S-Trap - 20 Ga.	5	
720DF-1	1-1/2"	S-Trap - 20 Ga. w/ Deep Flange	5	
722-1	1-1/2"	S-Trap - 17 Ga.	5	
722DFBN-1	1-1/2"	S-Trap - 17 Ga. w/ Deep Flange & Brass Nuts	5	

Y

S-Traps With Cleanout						
Product No.	Size	Description	Ctn. Qty.			
725BN-1	1-1/4"	S-Trap - 17 Ga. w/ Cleanout & Brass Nuts	5			
726BN-1	1-1/2"	S-Trap - 17 Ga. w/ Cleanout & Brass Nuts	5			



Washing N Product No.	Aachine Trap	Description	Ctn. Qty.
TTOULCT NO.	3126	Description	011. QIY.
89-17-1	1-1/2" x 25-1/2"	Washing Machine Trap NPT-17 Ga.	1

**db** Dearborn Brass.

Return to Table of Contents

CATEGORY **1 5 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS** 

db Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

**End Outlet Waste** 

	l wasic			
Product No.	Size	Description	Ctn.	Qty.
2108A-1	1-1/2" x 16"	Center To Center, Slip Joint - Budget Ga.	10	
108A-1	1-1/2" x 16"	Center To Center, Slip Joint - 20 Ga.	10	NSE
108B-1	1-1/2" x 21"	Center To Center, Slip Joint - 20 Ga.	10	(NSE)
111A-1	1-1/2" x 16"	Center To Center, Slip Joint - 17 Ga.	10	NSE)
111ABN-1	1-1/2" x 16"	Center To Center, Slip Joint - 17 Ga. w/ Brass Nuts	10	NSE.
2178A-1	1-1/2" x 16"	Center To Center, Slip Joint w/ Baffle Tee - Budget Ga.	10	
78A-1	1-1/2" x 16"	Center To Center, Slip Joint w/ Baffle Tee - 20 Ga.	10	(NSE)
78A-17-1	1-1/2" x 16"	Center To Center, Slip Joint w/ Baffle Tee - 17 Ga.	10	(NSE)
78A-17BN-1	1-1/2" x 16"	Center To Center, Slip Joint w/ Baffle Tee - 17 Ga. w/ Brass Nuts	10	(NSE)



### End Outlet Waste w/ Hi-Line

#2121A-1 shown

Product No.	Size	Description	Ctn.	Qty.
2121A-1	1-1/2" x 16"	Center To Center, Hi-Line - Budget Ga.	10	
121A-1	1-1/2" x 16"	Center To Center, Hi-Line - 20 Ga.	10	(NSE)
121B-1	1-1/2" x 21"	Center To Center, Hi-Line - 20 Ga.	10	(NSE)
131A-1	1-1/2" x 16"	Center To Center, Hi-Line - 17 Ga.	10	(NSE)
131ABN-3	1-1/2" x 16"	Center To Center, Hi-Line - 17 Ga. w/ Brass Nuts, Unfinished	10	(NSE)
2181A-1	1-1/2" x 16"	Center To Center, Hi-Line w/ Baffle Tee - Budget Ga.	10	
81A-1	1-1/2" x 16"	Center To Center, Hi-Line w/ Baffle Tee - 20 Ga.	10	(NSE)



### **3 Part End Outlet Waste**

Product No.	Size	Description	Ctn. Qty.
109-20-1	1-1/2" x 24"	Center To Center, Slip Joint - 20 Ga.	1



L.A. Code End Outle	et Waste
---------------------	----------

Product No.	Size	Description	Ctn. Qty.
50-3	1-1/2" x 16"	Center To Center, LA Code - 20 Ga., Unfinished	10



Center Ou	Center Outlet Waste				
Product No.	Size	Description	Ctn	. Qty.	
2114A-1	1-1/2" x 16"	Center To Center, Slip Joint - Budget Ga.	5		
114A-1	1-1/2" x 16"	Center To Center, Slip Joint - 20 Ga.	5	NSE	
114B-1	1-1/2" x 21"	Center To Center, Slip Joint - 20 Ga.	5	NSE	
117A-1	1-1/2" x 16"	Center To Center, Slip Joint - 17 Ga.	5	NSE	
79A-1	1-1/2" x 16"	Center To Center, Slip Joint w/ Baffle Tee - 20 Ga	5	NSE	
2123A-1	1-1/2" x 16"	Center To Center, Hi-Line - Budget Ga.	5		
123A-1	1-1/2" x 16"	Center To Center, Hi-Line - 20 Ga.	5	(NSE)	
123B-1	1-1/2" x 21"	Center To Center, Hi-Line - 20 Ga.	5	NSE	
133A-1	1-1/2" x 16"	Center To Center, Hi-Line - 17 Ga.	5	NSE	
83A-1	1-1/2" x 16"	Center To Center, Hi-Line w/ Baffle Tee - 20 Ga.	5	(NSE)	

db. Dearborn Brass.

Return to Table of Contents

db Dearborn Brass.

# CATEGORY **1 50 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS**

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS







Outlet Tees with Tailpiece				
Product No.	Size	Description	Ctn.	Qty.
153-1	1-1/2"	End Outlet Tee - 20 Ga. For Slip Joint End Outlet Waste	10	(NSE)
2185-1	1-1/2"	Baffle Tee - 20 Ga. For Slip Joint End Outlet Waste	10	(NSE)
2185-17-1	1-1/2"	Baffle Tee - 17 Ga. For Slip Joint End Outlet Waste	10	(NSE)
2186-1	1-1/2"	Baffle Tee - 20 Ga. For Center Outlet Waste	10	(NSE)
163B-1	1-1/2"	Hi-Line Nipple Only	10	



#138-1 shown



#2137-1 shown

Waste Arr Product No.	ns with Hi-li <sub>Size</sub>	Description	Ctn. Qty.
2138-1	7"	Waste Arm w/ Hi-Line For 16" Center Outlet - Budget Ga.	10
2138C-1	15"	Waste Arm w/ Hi-Line For 16" End Outlet - Budget Ga.	10
138-1	7"	Waste Arm w/ Hi-Line For 16" Center Outlet - 20 Ga.	10 (NSE)
138C-1	15"	Waste Arm w/ Hi-Line For 16" End Outlet - 20 Ga.	10 (NSE)
138D-1	20"	Waste Arm w/ Hi-Line For 21" End Outlet - 20 Ga.	10 (NSE)
138B-17-1	11"	Waste Arm w/ Hi-Line For 24" Center Outlet - 17 Ga.	10 (NSE)
138C-17-1	15"	Waste Arm w/ Hi-Line For 16" End Outlet - 17 Ga.	10 (NSE)
138E-17-1	23"	Waste Arm w/ Hi-Line For 24" End Outlet - 17 Ga.	10 (NSE)

### Waste Arms with Slip Joint (For all 1-1/2")

Product No. Size Description			Ctn.	Qty.
2137-1	7"	Waste Arm w/ Slip Joint For 16" Center Outlet - Budget Ga.	10	
2137B-1	11"	Waste Arm w/ Slip Joint For 24" Center Outlet - Budget Ga.	10	
2137C-1	15"	Waste Arm w/ Slip Joint For 16" Center Outlet - Budget Ga.	10	
137-1	7"	Waste Arm w/ Slip Joint For 16" Center Outlet - 20 Ga.	10	(NSE)
H137-17-3	7"	Waste Arm w/ Slip Joint For 16" Center Outlet- 17 Ga., Unfinished, Cutcase Box	6	(NSE)
H137B-17-3	11"	Waste Arm w/ Slip Joint For 24" Center Outlet- 17 Ga., Unfinished, Cutcase Box	6	NSE
137C-1	15"	Waste Arm w/ Slip Joint For 16" End Outlet - 20 Ga.	10	(NSE)
137CBN-3	15"	Waste Arm w/ Slip Joint For 16" End Outlet - 20 Ga. w/ Brass Nuts, Unfinished	10	NSE
137D-1	20"	Waste Arm w/ Slip Joint For 21" End Outlet - 20 Ga.	10	(NSE)
137E-1	23"	Waste Arm w/ Slip Joint For 24" End Outlet - 20 Ga.	10	(NSE)
137EBN-3	23"	Waste Arm w/ Slip Joint For 24" End Outlet - 20 Ga. w/ Brass Nuts, Unfinished	10	(NSE)
137-17BN-1	7"	Waste Arm w/ Slip Joint For 16" Center Outlet - 17 Ga. w/ Brass Nuts	10	NSE
137C-17-1	15"	Waste Arm w/ Slip Joint For 16" End Outlet - 17 Ga.	10	NSE
137C-17BN-1	15"	Waste Arm w/ Slip Joint For 16" End Outlet - 17 Ga. w/ Brass Nuts	10	(NSE)
137C-17BN-3	15"	Waste Arm w/ Slip Joint For 16" End Outlet - 17 Ga. w/ Brass Nuts, Unfinished	10	NSE
137E-17-1	23"	Waste Arm w/ Slip Joint For 24" End Outlet - 17 Ga.	10	NSE
137E-17BN-3	23"	Waste Arm w/ Slip Joint For 24" End Outlet - 17 Ga. w/ Brass Nuts, Unfinished	10	(NSE)



Return to Table of Contents CATEGORY **15 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS** 



### Product No. Description Ctn. Qty. Size 790-1 1-1/4" x 6" Extension Tube w/ Slip Joint - Budget Ga. 10 790A-1 1-1/4" x 8" Extension Tube w/ Slip Joint - Budget Ga. 10 791A-1 1-1/4" x 12" Extension Tube w/ Slip Joint - Budget Ga. 10 790-20-1 1-1/4" x 6" Extension Tube w/ Slip Joint - 20 Ga. 10 (NSE) 790A-20-1 1-1/4" x 8" Extension Tube w/ Slip Joint - 20 Ga. 10 (NSE) 791A-20-1 1-1/4" x 12" Extension Tube w/ Slip Joint - 20 Ga. 10 (NSE) 791A-20BN-1 1-1/4" x 12" Extension Tube w/ Slip Joint- 20 Ga. w/ Brass Nuts (NSE) 10 790-17-1 1-1/4" x 6" Extension Tube w/ Slip Joint - 17 Ga. 10 (NSE) 790-17BN-1 1-1/4" x 6" Extension Tube w/ Slip Joint - 17 Ga. w/ Brass Nut 10 (NSE) 790A-17-1 1-1/4" x 8" Extension Tube w/ Slip Joint - 17 Ga. 10 (NSE) (NSE) 790A-17BN-1 1-1/4" x 8" Extension Tube w/ Slip Joint - 17 Ga. w/ Brass Nut 10 791A-17-1 1-1/4" x 12" Extension Tube w/ Slip Joint - 17 Ga. 10 (NSE) 791A-17BN-1 1-1/4" x 12" Extension Tube w/ Slip Joint - 17 Ga. w/ Brass Nut 10 (NSE) 1-1/4" x 24" 791B-17BN-1 Extension Tube w/ Slip Joint - 17 Ga. w/ Brass Nut 10 (NSE) 792-1 1-1/2" x 6" Extension Tube w/ Slip Joint - Budget Ga. 10 792A-1 1-1/2" x 8" Extension Tube w/ Slip Joint - Budget Ga. 10 793A-1 1-1/2" x 12" Extension Tube w/ Slip Joint - Budget Ga. 10 792-20-1 1-1/2" x 6" Extension Tube w/ Slip Joint - 20 Ga. 10 (NSE) 1-1/2" x 8" (NSE) 792A-20-1 Extension Tube w/ Slip Joint - 20 Ga. 10 792A-20BN-1 1-1/2" x 8" Extension Tube w/ Slip Joint - 20 Ga. w/ Brass Nut 10 (NSE) 793A-20-1 1-1/2" x 12" Extension Tube w/ Slip Joint - 20 Ga. 10 (NSE) 793A-20BN-1 1-1/2" x 12" Extension Tube w/ Slip Joint - 20 Ga. w/ Brass Nut 10 (NSE) 793A-20BN-3 1-1/2" x 12" Extension Tube w/ Slip Joint - 20 Ga. w/ Brass Nut, Unfinished 10 NSE 792-17-1 1-1/2" x 6" Extension Tube w/ Slip Joint - 17 Ga. 10 (NSE) 1-1/2" x 8" Extension Tube w/ Slip Joint - 17 Ga. (NSE) 792A-17-1 10 792A-17BN-1 1-1/2" x 8" Extension Tube w/ Slip Joint - 17 Ga. w/ Brass Nut 10 (NSE) NSE 793A-17-1 1-1/2" x 12" Extension Tube w/ Slip Joint - 17 Ga. 10 793A-17BN-1 1-1/2" x 12" Extension Tube w/ Slip Joint - 17 Ga. w/ Brass Nut 10 (NSE) 793A-17BN-3 1-1/2" x 12" Extension Tube w/ Slip Joint - 17 Ga. w/ Brass Nut, Unfinished 10 (NSE) (NSE) 794-17BN-1 1-1/2" x 24" Extension Tube w/ Slip Joint - 17 Ga. w/ Brass Nut 10

#790-1 showr

Extension Tubes with Solder Joint				
Product No.	Size	Description	Ctn.	Qty.
786-1	1-1/4" x 6"	Extension Tube w/ Solder Joint - Budget Ga.	10	
786A-1	1-1/4" x 8"	Extension Tube w/ Solder Joint - Budget Ga.	10	
787A-1	1-1/4" x 12"	Extension Tube w/ Solder Joint - Budget Ga.	10	
787A-17-1	1-1/4" x 12"	Extension Tube w/ Solder Joint - 17 Ga.	10	(NSE)
788A-1	1-1/2" x 8"	Extension Tube w/ Solder Joint - Budget Ga.	10	
789A-1	1-1/2" x 12"	Extension Tube w/ Solder Joint - Budget Ga.	10	
789A-17-1	1-1/2" x 12"	Extension Tube w/ Solder Joint - 17 Ga.	10	(NSE)
789A-17-3	1-1/2" x 12"	Extension Tube w/ Solder Joint - 17 Ga., Unfinished	10	(NSE)

#786-1 shown

**D**earborn Brass

Return to Table of Contents

db Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS



Extension	Tubes with Thre	eaded Joint	$\smile$
Product No.	Size	Description	Ctn. Qty.
819-1	1-1/4" x 6"	Extension Tube, Threaded Both Ends - 20 Ga.	10
820A-1	1-1/4" x 8"	Extension Tube, Threaded Both Ends - 20 Ga.	10
822-1	1-1/4" x 12"	Extension Tube, Threaded Both Ends - 20 Ga.	10
822-3	1-1/4" x 12"	Extension Tube, Threaded Both Ends - 20 Ga., Unfinished	10
820C-1	1-1/4" x 8"	Extension Tube, Threaded Both Ends - 17 Ga.	10
822A-1	1-1/4" x 12"	Extension Tube, Threaded Both Ends - 17 Ga.	10
822A-3	1-1/4" x 12"	Extension Tube, Threaded Both Ends - 17 Ga., Unfinished	10
824-1	1-3/8" x 12"	Extension Tube, Threaded Both Ends - 17 Ga.	10
828-1	1-1/2" x 6"	Extension Tube, Threaded Both Ends - 20 Ga.	10
825A-1	1-1/2" x 8"	Extension Tube, Threaded Both Ends - 20 Ga.	10
827-1	1-1/2" x 12"	Extension Tube, Threaded Both Ends - 20 Ga.	10
827-3	1-1/2" x 12"	Extension Tube, Threaded Both Ends - 20 Ga., Unfinished	10
827A-1	1-1/2" x 12"	Extension Tube, Threaded Both Ends - 17 Ga.	10
827A-3	1-1/2" x 12"	Extension Tube, Threaded Both Ends - 17 Ga., Unfinished	10
803A-1	1-1/2" x 1-1/4" x 8"	Extension Tube, Threaded One End - 17 Ga.	10

#819-1 shown



#798-1 shown

Flanged S Product No.	trainer Tailpiece <sub>Size</sub>	S Description	Ctn.	Qty.
795-1	1-1/2" x 1-1/4" x 6"	Flanged Strainer Tailpiece - 20 Ga.	10	(NSE)
796-1	1-1/2" x 1-1/4" x 8"	Flanged Strainer Tailpiece - 20 Ga.	10	NSE
798-1	1-1/2" x 1-1/4" x 12"	Flanged Strainer Tailpiece - 20 Ga.	10	(NSE)
799-1	1-1/2" x 4"	Flanged Strainer Tailpiece - Budget Ga.	10	
799-3	1-1/2" x 4"	Flanged Strainer Tailpiece - Budget Ga., Unfinished	10	
800-1	1-1/2" x 6"	Flanged Strainer Tailpiece - Budget Ga.	10	
801-1	1-1/2" x 8"	Flanged Strainer Tailpiece - Budget Ga.	10	
803-1	1-1/2" x 12"	Flanged Strainer Tailpiece - Budget Ga.	10	
803BD-1	1-1/2" x 12"	Double Flanged Strainer Tailpiece - Budget Ga.	10	
803ED-1	1-1/2" x 16"	Double Flanged Strainer Tailpiece - Budget Ga.	10	
800-20-1	1-1/2" x 6"	Flanged Strainer Tailpiece - 20 Ga.	10	NSE
801-20-1	1-1/2" x 8"	Flanged Strainer Tailpiece - 20 Ga.	10	(NSE)
801-20-3	1-1/2" x 8"	Flanged Strainer Tailpiece - 20 Ga., Unfinished	10	NSE
803-20-1	1-1/2" x 12"	Flanged Strainer Tailpiece - 20 Ga.	10	(NSE)
803-20-3	1-1/2" x 12"	Flanged Strainer Tailpiece - 20 Ga., Unfinished	10	NSE
803ED-20-1	1-1/2" x 16"	Double Flanged Strainer Tailpiece 20 Ga.	10	(NSE)
803ED-20-3	1-1/2" x 16"	Double Flanged Strainer Tailpiece - 20 Ga., Unfinished	10	(NSE)
799-17-1	1-1/2" x 4"	Flanged Strainer Tailpiece -17 Ga.	10	(NSE)
799-17-3	1-1/2" x 4"	Flanged Strainer Tailpiece, 17 Ga., Unfinished	10	NSE
800-17-1	1-1/2" x 6"	Flanged Strainer Tailpiece -17 Ga.	10	(NSE)
800-17-3	1-1/2" x 6"	Flanged Strainer Tailpiece -17 Ga., Unfinished	10	NSE
801-17-1	1-1/2" x 8"	Flanged Strainer Tailpiece -17 Ga.	10	(NSE)
801-17-3	1-1/2" x 8"	Flanged Strainer Tailpiece -17 Ga., Unfinished	10	NSE
803-17-1	1-1/2" x 12"	Flanged Strainer Tailpiece -17 Ga.	10	(NSE)
803-17-3	1-1/2" x 12"	Flanged Strainer Tailpiece -17 Ga., Unfinished	10	NSE
803ED-17-1	1-1/2" x 16"	Double Flanged Strainer Tailpiece -17 Ga.	10	NSE)
803ED-17-3	1-1/2" x 16"	Double Flanged Strainer Tailpiece -17 Ga., Unfinished	10	NSE

CATEGORY **15 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS** 

**db** Dearborn Brass.

Return to Table of Contents

CATEGORY **1 5 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS** 

db Dearborr Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

**Branch Tailpieces** 

#812B-1 shown



#814B-1 shown



#814TB-1 shown

Product No.	Size	Description	Ctn. (	Qty.
812A-1	1-1/2" x 6"	Branch Tailpiece, 1/2" Nominal Sweat Branch, Budget Ga.	10	
812B-1	1-1/2" x 8"	Branch Tailpiece, 1/2" Nominal Sweat Branch, Budget Ga.	10	
812B-3	1-1/2" x 8"	Branch Tailpiece, 1/2" Nominal Sweat Branch, Budget Ga., Unfinished	10	
812B-17BN-3	1-1/2" x 8"	Branch Tailpiece DC, 1/2" Nominal Sweat Branch, 17 Ga. w/ Brass Nut, Unfinished	10	NSE
813B-1	1-1/2" x 8"	Branch Tailpiece, 3/4" Hose or 1/2" Nominal Sweat, Budget Ga.	10	
814A-1	1-1/2" x 6"	Branch Tailpiece, Hose & Clamp - Budget Ga.	10	
814B-1	1-1/2" x 8"	Branch Tailpiece, Hose & Clamp - Budget Ga.	10	
814BBN-1	1-1/2" x 8"	Branch Tailpiece, Hose & Clamp w/ Brass Nuts - 20 Ga.	10	(NSE)
814B-17-1	1-1/2" x 8"	Branch Tailpiece, Hose & Clamp - 17 Ga.	10	(NSE)
814TA-1	1-1/2" x 6"	Branch Tailpiece, Hose & Clamp, Threaded Top - 20 Ga.	10	(NSE)
814TB-1	1-1/2" x 8"	Branch Tailpiece, Hose & Clamp, Threaded Top - 20 Ga.	10	(NSE)
817TB-1	1-1/4" x 8"	Branch Tailpiece, Hose & Clamp, Threaded Top - 20 Ga., 7/8" Branch	10	NSE
814ET-1	1-1/2" x 8"	Branch Tailpiece, Hose & Clamp, Slip Joint Top - 20 Ga., 7/8" Branch (Nut Down)	10	NSE
814ETBN-1	1-1/2" x 8"	Branch Tailpiece, Hose & Clamp, Slip Joint Top, 20 Ga. w/ Brass Nut, 7/8" Branch (Nut Down)	10	NSE
814ETBN-3	1-1/2" x 8"	Branch Tailpiece, Hose & Clamp, Slip Joint Top - 20 Ga. w/ Brass Nut, 7/8" Branch (Nut Down), Unfinished	10	NSE
814ET-17-1	1-1/2" x 8"	Branch Tailpiece, Hose & Clamp, Slip Joint Top - 17 Ga., 7/8" Branch (Nut Down)	10	NSE
817ET-1	1-1/4" x 8"	Branch Tailpiece, Hose & Clamp, Slip Joint Top - 20 Ga., (Nut Down)	10	(NSE)
817ETBN-1	1-1/4" x 8"	Branch Tailpiece, Hose & Clamp, Slip Joint Top - 20 Ga. w/ Brass Nut (Nut Down)	10	NSE
817ETBN-3	1-1/4" x 8"	Branch Tailpiece, Hose & Clamp, Slip Joint Top - 20 Ga. w/ Brass Nut, Unfinished (Nut Down)	10	NSE



Trap Primer Product No.	Tailpieces <sub>Size</sub>	Descriptio
831-1	1-1/4"	Trap Prime
832-1	1-1/2"	Trap Prime

Size	Description	Ctn. Qty.
1-1/4"	Trap Primer Tailpiece - 17 Ga.	10
1-1/2"	Trap Primer Tailpiece w/Captured Nut - 17 Ga.	10





Disposer K	its		
Product No.	Size	Description	Ctn. Qty.
100-22-1	1-1/2" x 13"	Center to End Disposer Kit - Budget Ga.	10
100-20-1	1-1/2" x 13"	Center to End Disposer Kit - 20 Ga.	10 (NSE)
100-17-1	1-1/2" x 13"	Center to End Disposer Kit - 17 Ga.	10 (NSE)

### Double Slip Joint Trap Offset

Product No.	Size	Description	Ctn. Qty.
1046-1	1-1/4"	Double Slip Joint Trap Offset - 20 Ga.	5
1046-17BN-1	1-1/4"	Double Slip Joint Trap Offset - 17 Ga. w/ Brass Nuts	5
1046A-1	1-1/2"	Double Slip Joint Trap Offset - 20 Ga.	5
1046ABN-1	1-1/2"	Double Slip Joint Trap Offset - 20 Ga. w/ Brass Nuts	5
1046A-17BN-1	1-1/2"	Double Slip Joint Trap Offset - 17 Ga. w/ Brass Nuts	5
H1046A-17-3	1-1/2"	Double Slip Joint Trap Offset - 17 Ga. Unfinished, Cutcase Box	6

**db** Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS



Double Slip	Joint Extens	ion Tubes		
Product No.	Size	Description	Ctn.	Qty.
791B-1	1-1/4" x 12"	Double Slip Joint Extension Tube - Budget Ga.	5	
791BD-1	1-1/4" x 16"	Double Slip Joint Extension Tube - Budget Ga.	5	
791BD-20BN-1	1-1/4" x 16"	Double Slip Joint Extension Tube - 20 Ga. w/ Brass Nuts	5	NSE
793B-1	1-1/2" x 12"	Double Slip Joint Extension Tube - Budget Ga.	5	
793BD-1	1-1/2" x 16"	Double Slip Joint Extension Tube - Budget Ga.	5	
793BD-20BN-1	1-1/2" x 16"	Double Slip Joint Extension Tube - 20 Ga. w/ Brass Nuts	5	NSE
793BD-20BN-3	1-1/2" x 16"	Double Slip Joint Extension Tube - 20 Ga. w/ Brass Nuts, Unfinished	5	(NSE)

#793BD-20BN-1 shown



Double Slip Joint Connections					
Product No.	Size	Description	Ctn. Qty.		
793C-1	1-1/4" x 2"	Double Slip Joint Connection - 20 Ga.	10		
793D-1	1-1/2" x 2"	Double Slip Joint Connection - 20 Ga.	10		





		0		,			
8477	1-1/4"	45 Degree S	lin Joint Elbo	w Chrome - 20	Ga	5	

90 Degree Slip Joint Elbow, Chrome - 20 Ga.

90 Degree Slip Joint Elbow, Chrome - 20 Ga.

8478	1-1/2"	45 Degree Slip Joint Elbow, Chrome - 20 Ga.	5
8477	1-1/4"	45 Degree Slip Joint Elbow, Chrome - 20 Ga.	5

Tee Slip Joint, Chrome - 20 Ga.

Tee Slip Joint, Chrome - 20 Ga.

Description

1.5	
A	
and the	(
5	



#758-1 shown

Pop-Up Assemblies						
Product No.	Size	Description	Ctn. Qty.			
758-1	1-1/4"	Pop-Up Assembly, 2 Piece, Chrome	10			
758U-3	1-1/4"	Pop-Up Assembly, 2 Piece, UltraShine® Polished Brass	10			
759-1	1-1/4"	Pop-Up Assembly, 1 Piece, Chrome - 20 Ga.	10			
759PB-3	1-1/4"	Pop-Up Assembly, 1 Piece, Polished Brass - 20 Ga.	12			

Return to Table of Contents CATEGORY **1 50 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS** 

**Navigation** 

db Dearborn Brass.

Ctn. Qty.

5

5

5

5



**Slip Joint Connections** 

Size

1-1/4"

1-1/2"

1-1/4"

1-1/2"

Product No.

8482

8483

8480

8481

(NSF.)

Return to Table of Contents

db Dearborn Brass.

# #2764A-1 shown

.

Semi-Cast P-Traps w/ Cleanout

### Patent Overflow & Center Outlet Plugs

BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

Product No.	Size	Description	Ctn. Qty.
2763-1	1-1/4" x 5"	Patent Overflow Plug Ind. Boxed 1 Pc 20 Ga.	10
2764A-1	1-1/4" x 8"	Patent Overflow Plug Ind. Boxed 1 Pc 20 Ga.	10
2765-1	1-1/4" x 12"	Patent Overflow Plug Ind. Boxed 1 Pc 20 Ga.	10
763-1	1-1/4" x 5"	Patent Overflow Plug Ind. Boxed 2 Pc 20 Ga.	10
763K-1	1-1/4" x 5"	Center Outlet Plug Ind. Boxed 2 Pc.Less Overflow - 20 Ga.	10
764-1	1-1/4" x 6"	Patent Overflow Plug Ind. Boxed 2 Pc 20 Ga.	10
764A-1	1-1/4" x 8"	Patent Overflow Plug Ind. Boxed 2 Pc 20 Ga.	10
765-1	1-1/4" x 12"	Patent Overflow Plug Ind.Boxed 2 Pc 20 Ga.	10



<b>Closet Flus</b>	Closet Flush Elbows						
Product No.	Size	Description	Ctn. Qty.				
1032D-1	2" x 4" x 6"	Closet Flush Elbow - 20 Ga.	5				
1032AD-1	2" x 5" x 7"	Closet Flush Elbow - 20 Ga.	5				
1032ADBN-1	2" x 5" x 7"	Closet Flush Elbow - 20 Ga. w/ Brass Nuts	5				
1033D-1	2" x 6" x 8"	Closet Flush Elbow - 20 Ga.	5				
1033DBN-1	2" x 6" x 8"	Closet Flush Elbow - 20 Ga. w/ Brass Nuts	5				



Brass Tubing					
Product No.	Size	Description	Ctn. Qty.		
1138-1	1-1/4" x 6'	Brass Tubing - 17 Ga., Boxed	1		
1142-1	1-1/2" x 6'	Brass Tubing - 17 Ga., Boxed	1		
1139-1	1-3/8" x 6'	Brass Tube - Budget (Cover 1" I.P.), Boxed	1		



Bell Flange Cover Tube					
Product No.	Size	Description	Ctn. Qty.		
780-1	6"	Bell Flange Escutcheon, covers 1-1/2" Schedule 40 Pipe	10		



Product No.	Size	Description	Ctn. Qty.
507-1	1-1/4" x 12"	Semi-Cast P-Trap w/ Cleanout 17 Ga. w/ Deep Flange & Brass Nuts	12
5507-1	1-1/4" x 12"	Semi-Cast P-Trap w/ Cleanout 17 Ga. w/ Deep Flange & Brass Nuts, White Box	12
5507A-1	1-1/4" x 15"	Semi-Cast P-Trap w/ Cleanout 17 Ga. w/ Deep Flange & Brass Nuts	12
510-1	1-1/2" x 12"	Semi-Cast P-Trap w/ Cleanout 17 Ga. w/ Deep Flange & Brass Nuts	12
5510-1	1-1/2" x 12"	Semi-Cast P-Trap w/ Cleanout 17 Ga. w/ Deep Flange & Brass Nuts, White Box	12
5510A-1	1-1/2" x 15"	Semi-Cast P-Trap w/ Cleanout 17 Ga. w/ Deep Flange & Brass Nuts	12
505-1	1-1/4" x 10"	Semi-Cast P-Trap w/ Cleanout 17 Ga. w/ Shallow Flange & Zinc Nuts	12
509-1	1-1/2" x 11"	Semi-Cast P-Trap w/ Cleanout 17 Ga. w/ Shallow Flange & Zinc Nuts	12


Return to Table of Contents

db Dearborn Brass.

Ctn. Qty.

25

25

10

Ctn. Qty.

1

1

1

1

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

Description

- 17 Ga. Tailpiece

- 17 Ga. Tailpiece

- 17 Ga. Tailpiece

Description

Offset Cover Trap

P-Trap Cover

Supply Line/Stop Cover Trap

Semi-Cast Grid Patent Overflow Plug w/ 1-1/4" x 6"

Semi-Cast Grid Patent Overflow Plug w/ 1-1/2" x 6"

Cover Trap Kit, (1) P-Trap & (2) Supply Line Covers

Semi-Cast Grid Wheelchair Patent Overflow Plug w/ 1-1/4"

Semi-Cast Grid Patent Outlet Plugs

Size

Size

3/8" - 1/2"

1-1/4" - 1-1/2"

1-1/4" - 1-1/2"

**Product No.** 

760-1

761-1

760W-1

515FLX-3

515FST-3

515KIT-3

515TRP-3

**Cover Traps** Product No.











#1119-1 shown

515K0F-3		Cover Trap Kit, (1) P-Trap, (2) Supply Line Covers & (1) Offset Cover	1
Cast Brass	S Flanges V	v/Set Screw Description	Ctn. Qty.
1119-1	3/8"	NPT Cast Brass Flange w/ Set Screw	12
1119A-1	1/2"	NPT Cast Brass Flange w/ Set Screw	12
1119D-1	5/8"	0.D. Cast Brass Flange w/ Set Screw	12
1120E-1	1-1/2"	NPT Cast Brass Flange w/ Set Screw	12
1121A-1	1-1/4"	0.D. Cast Brass Deep Flange w/ Set Screw	12
1121B-1	1-1/2"	0.D. Cast Brass Deep Flange w/ Set Screw	12
-			



	-			
- 1	6.1	D	μ.,	
100	3	1	M.	
1	10	<b>3</b> A	10.0	
174	1000	100	64.E	1
	_			

	Cast Brass Fittings					
Product No.	Size	Description	Ctn. Qty.			
1674-2	1-1/4"	90 Degree Cast Brass Slip Joint Elbow	6			
1675-2	1-1/2"	90 Degree Cast Brass Slip Joint Elbow	6			
1670.0	1 1/0"	Cast Pross Slip Joint Too	6			
1679-2	1-1/2"	Cast Brass Slip Joint Tee	0			
1664SL-2	1-1/4"	45 Degree Cast Brass Solder Elbow	6			
10043L-2	1-1/4	45 Degree Cast Drass Soluer Elbow	0			
1665SL-2	1-1/2"	45 Degree Cast Brass Solder Elbow	6			
1667SL-2	1-1/2"	90 Degree Cast Brass Solder Elbow	6			



Return to Table of Contents

db Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

diab dais with Exposed Flanges, Sath Finish			
Product No.	Size	Description	Ctn. Qty.
DB7416	1-1/4" x 16"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7424	1-1/4" x 24"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7436	1-1/4" x 36"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7442	1-1/4" x 42"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7512	1-1/2" x 12"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7518	1-1/2" x 18"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7524	1-1/2" x 24"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7530	1-1/2" x 30"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7532	1-1/2" x 32"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7536	1-1/2" x 36"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7542	1-1/2" x 42"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4
DB7548	1-1/2" x 48"	Stainless Steel Grab Bar w/ Exposed Flange, Satin Finish	4

### Grab Bars with Exposed Flanges, Satin Finish



### Grab Bars with Concealed Flanges, Satin Finish

Product No.	Size	Description	Ctn. Qty.
DB8712	1-1/4" x 12"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8716	1-1/4" x 16"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8718	1-1/4" x 18"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8724	1-1/4" x 24"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8730	1-1/4" x 30"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8732	1-1/4" x 32"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8736	1-1/4" x 36"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8742	1-1/4" x 42"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8748	1-1/4" x 48"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8912	1-1/2" x 12"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8916	1-1/2" x 16"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8918	1-1/2" x 18"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8924	1-1/2" x 24"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8930	1-1/2" x 30"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8932	1-1/2" x 32"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8936	1-1/2" x 36"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8942	1-1/2" x 42"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4
DB8948	1-1/2" x 48"	Stainless Steel Grab Bar w/ Concealed Flange, Satin Finish	4

db. Dearborn Brass.

Return to Table of Contents

db Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

Grab Bars	with Conceal	ed Flanges, Peened Finish	$\smile$
Product No.	Size	Description	Ctn. Qty.
DB8712P	1-1/4" x 12"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8716P	1-1/4" x 16"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8724P	1-1/4" x 24"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8736P	1-1/4" x 36"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8742P	1-1/4" x 42"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8912P	1-1/2" x 12"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8918P	1-1/2" x 18"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8924P	1-1/2" x 24"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8932P	1-1/2" x 32"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8936P	1-1/2" x 36"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8942P	1-1/2" x 42"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4
DB8948P	1-1/2" x 48"	Stainless Steel Grab Bar w/ Concealed Flange, Peened Finish	4



1-1/4" P-Iraps		aps		
	Product No.	Size	Description	Ctn. Qty.
1	P9701	1-1/4"	P-Trap	25
	P9701BG	1-1/4"	P-Trap, Bagged	25
	P9701DFB	1-1/4"	P-Trap w/ Deep Flange, Bagged	25
	P9701B	1-1/4"	P-Trap less Flange, Bagged	25
	P9700	1-1/4"	Choked Throat Outlet P-Trap w/ 1-1/2" Inlet	25
	P9700BG	1-1/4"	Choked Throat Outlet P-Trap w/ 1-1/2" Inlet, Bagged	25
	P9701PBDFB	1-1/4"	P-Trap w/ Deep Flange, Polished Brass Finish, Bagged	25
	A9701BG	1-1/4"	P-Trap, Bagged	25



	1-1/2" P-Traps W/ Solvent Weld Adapter				
Product No.	Size	Description	Ctn. Qty.		
P9702	1-1/2"	P-Trap w/ PVC Quarter Bend & Solvent Weld Adapter	25		
P9702B	1-1/2"	P-Trap w/ PVC Quarter Bend & Solvent Weld Adapter, Bagged	50		
P9702DF	1-1/2"	P-Trap w/ PVC Quarter Bend, Solvent Weld Adapter & Deep Flange	25		
P9702DFB	1-1/2"	P-Trap w/ PVC Quarter Bend, Solvent Weld Adapter & Deep Flange, Bagged	50		
P9702T	1-1/2"	P- Trap w/ PVC Quarter Bend & Threaded PVC Adapter	25		



1-1/2" P-Trap W/ Reversible J-Bend				
	Product No.	Size	Description	Ctn. Qty.
	P9703BG	1-1/2"	P-Trap w/ Threaded PVC Adapter & Reversible J-Bend, Bagged	25
)	P9703W	1-1/2"	P-Trap with Threaded PVC Adapter and Reversible J-Bend in a Carton w/ True Blue Washer	25
,	P9703WBG	1-1/2"	P-Trap with Threaded PVC Adapter, and Reversible J-Bend, Bagged w/ True Blue Washer	50
	A9703WBG	1-1/2"	P-Trap with Threaded ABS Adapter, and Reversible J-Bend, Bagged w/ True Blue Washer	50



15

1 1/411 D Trong

db Dearborn Brass.

Return to Table of Contents CATEGORY **1 5 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS** 

db Dearborn Brass.

15

### PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS BRASS,

1-1/2" P-1			
Product No.	Size	Description	Ctn. Qty.
P9704	1-1/2"	P-Trap w/ Threaded PVC Adapter	25
P9704A	1-1/2"	P-Trap (White) w/ Threaded ABS Adapter	25
P9704AB	1-1/2"	P-Trap (White) w/ Threaded ABS Adapter, Bagged	50
P9704BG	1-1/2"	P-Trap w/ Threaded PVC Adapter, Bagged	50
P9704DF	1-1/2"	P-Trap w/ Threaded PVC Adapter & Deep Flange	25
P9704DFB	1-1/2"	P-Trap w/ Threaded PVC Adapter & Deep Flange, Bagged	50
A9704	1-1/2"	P-Trap w/ Threaded ABS Adapter	25
A9704B	1-1/2"	P-Trap w/ Threaded ABS Adapter, Bagged	50
A9704DF	1-1/2"	P-Trap w/ Threaded ABS Adapter & Deep Flange	25



#P9704BG shown

	Plastic J-I			
	Product No.	Size	Description	Ctn. Qty.
_	HP9650BG	1-1/4"	J-Bend, Printed Bag, Display Box	12
S.	HDP9651B	1-1/2"	J-Bend, Printed Bag, Display Box	12
-				



Plastic Wa Product No.	II Tube <sub>Size</sub>	Description	Ctn. Qty.
HP9005	1-1/4"	Wall Tube, Display Box, Ind. UPC	20
HP9006	1-1/2"	Wall Tube, Display Box, Ind. UPC	12



Repair Tra	Repair Traps						
Product No.	Size	Description	Ctn.	Qty.			
P9702R	1-1/2"	Repair Trap w/ 1-1/2" or 1-1/4" Washer	25	Ľ.			
HD2661C	1-1/2"	Repair Trap w/ Compression Elbow & 1-1/2" or 1-1/4" Washer, Printed Bag, Display Box	12				



S-Traps Product No.	Size	Description	Ctn. Qty.
P9718	1-1/4"	S-Trap w/ PVC Solvent Weld Adapter	25
P9720	1-1/2"	S-Trap w/ PVC Solvent Weld Adapter	25
P9722	1-1/2"	S-Trap w/ PVC Threaded Adapter	25
P9722BG	1-1/2"	S-Trap w/ PVC Threaded Adapter, Bagged	10
P9722W	1-1/2"	S-Trap w/ PVC Threaded Adapter w/ True Blue Washer	25
A9722	1-1/2"	S-Trap w/ ABS Threaded Adapter	25

#P9718 shown

Repair J-B	Repair J-Bend					
Product No.	Size	Description	Ctn. Qty.			
HP9654	1-1/2"	Repair J-Bend w/ 1-1/2" or 1-1/4" Washer, Printed Bag, Display Box	12			

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

Return to Table of Contents

db Dearborn Brass. CATEGORY **1 5 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS** 

		End Outlat	Waata		$\smile$
	6	End Outlet Product No.	Size	Description	Ctn. Qty.
	-	P9108A	1-1/2" x 16"	Center to Center, Slip Joint w/ Baffle Tee	25
	P	P9108AB	1-1/2" x 16"	Center to Center, Slip Joint w/ Baffle Tee, Bagged	25
	$\sim$	P9108B	1-1/2" x 21"	Center to Center, Slip Joint w/ Baffle Tee	25
#P9108A shown		P9108AT	1-1/2" x 11"-17"	Slip Joint w/ Telescopic Waste Arm	25
		P9108ATB	1-1/2" x 11"-17"	Slip Joint w/ Telescopic Waste Arm, Bagged	25
	100	P9108AWB	1-1/2" X 16"	Center to Center, Slip Joint with Baffle Tee, Bagged w/ True Blue Washer	25
		P9121	1-1/2" x 16"	Center to Center, Hi-Line w/ Baffle Tee	25
-		P9121A	1-1/2" x 16"	Center to Center, Hi-Line/ Slip Joint Combination w/ Baffle Tee	25
#P9108AT shown		P9121ABG	1-1/2" x 16"	Center to Center, Hi-Line/ Slip Joint Combination w/ Baffle Tee, Bagged	25
		P9121B	1-1/2" x 21"	Center to Center, Hi-Line/ Slip Joint Combination w/ Baffle Tee	25
		P9121AT	1-1/2" x 11"-17"	Hi-Line/Slip Joint Combination w/ Telescopic Waste Arm	25
	8	P9121ATBG	1-1/2" x 11"-17"	Hi-Line/Slip Joint Combination w/ Telescopic Waste Arm, Bagged	25
		P9121ATWBG	1-1/2" X 11"-17"	Hi-Line/Slip Joint Combination w/ Telescopic Waste Arm, Bagged w/ True Blue Washer	25
#P9121A shown	ų L	P9121AT-8	1-1/2" x 11"-17"	Hi-Line/Slip Joint Combination w/ Telescopic Waste Arm & 1/2" Branch	25
		P9121AT-12	1-1/2" x 11"-17"	Hi-Line/Slip Joint Combination w/ Telescopic Waste Arm & 3/4" Branch	25
		P9121T	1-1/2" x 21"	End Outlet Waste Hi-Line w/Telescopic Tee	25
		A9108A	1-1/2" x 16"	Center to Center, Slip Joint w/ Baffle Tee	25
		A9108AB	1-1/2" x 16"	Center to Center, Slip Joint w/ Baffle Tee, Bagged	25
		A9108AWB	1-1/2" X 16"	Center to Center, Slip Joint with Baffle Tee, Bagged w/ True Blue Washer	25
		A9108AT	1-1/2" x 11"-17"	Slip Joint w/ Telescopic Waste Arm	25
		A9108ATB	1-1/2" x 11"-17"	Slip Joint w/ Telescopic Waste Arm, Bagged	25
		A9108B	1-1/2" x 21"	Center to Center, Slip Joint w/ Baffle Tee	25
		A9121	1-1/2" x 16"	Center to Center, Hi-Line w/ Baffle Tee	25
		A9121A	1-1/2" x 16"	Center to Center, Hi-Line/ Slip Joint Combination w/ Baffle Tee	25
		A9121AWB	1-1/2" x 16"	Center to Center, Hi-Line/ Slip Joint Combination w/ Baffle Tee w/ True Blue Washer	25
		A9121AT	1-1/2" x 11"-17"	Hi-Line/Slip Joint Combination w/ Telescopic Waste Arm	25



Return to Table of Contents

db Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS



6

Center Out	tlet Waste	w/	Baffle	Tee
Product No.	Size		Desc	riptio

Product No.	Size	Description	Ctn. Qty.
P9114A	1-1/2" x 16"	Center to Center, Slip Joint w/ Baffle Tee	25
P9114AB	1-1/2" x 16"	Center to Center, Slip Joint w/ Baffle Tee	25
P9123	1-1/2" x 16"	Center to Center, Hi-Line w/ Baffle Tee	25
P9123A	1-1/2" x 16"	Center to Center, Hi-Line/Slip Joint Combination w/ Baffle Tee	25
P9123ABG	1-1/2" x 16"	Center to Center, Hi-Line/Slip Joint Combination w/ Baffle Tee, Bagged	25
P9123AW	1-1/2" X 16"	Center to Center, Hi-Line/Slip Joint Combination with Baffle Tee, Bagged w/ True Blue Washer	25
P9123B	1-1/2" x 21"	Center to Center, Hi-Line/Slip Joint Combination w/ Baffle Tee	25
A9114A	1-1/2" x 16"	Center to Center, Slip Joint w/ Baffle Tee	25
A9123A	1-1/2" x 16"	Center to Center, Hi-Line/Slip Joint Combination w/ Baffle Tee	25
A9123AW	1-1/2" X 16"	Center to Center, Hi-Line/Slip Joint Combination with Baffle Tee, Bagged w/ True Blue Washer	25



Baffle Tees	;		
Product No.	Size	Description	Ctn. Qty.
P9185	1-1/2"	Baffle Tee, For Slip Joint End Outlet Waste	25
P9185W	1-1/2"	Baffle Tee, For Slip Joint End Outlet Waste w/ True Blue Washer	25
P9186	1-1/2"	Baffle Tee, For Slip Joint Center Outlet Waste	25
P9187	1-1/2"	Baffle Tee, For Hi-Line End Outlet Waste	25
A9185	1-1/2"	Baffle Tee, For Slip Joint End Outlet Waste	25
A9185W	1-1/2"	Baffle Tee, For Slip Joint End Outlet Waste w/ True Blue Washer	25

	#P9137C show	wn
[		
	#P9138C shown	

Į

-9	Waste Arms Product No.	S Size	Description	Ctn. Qty.
5	P9137	1-1/2" x 7"	Waste Arm w/ Slip Joint	25
	P9137C	1-1/2" x 15"	Waste Arm w/ Slip Joint	25
	P9137D	1-1/2" x 20"	Waste Arm w/ Slip Joint	25
	P9138C	1-1/2" x 15"	Waste Arm w/ Hi-Line	25
IPC	A9137C	1-1/2" x 15"	Waste Arm w/ Slip Joint	25
$\checkmark$	A9138C	1-1/2" x 15"	Waste Arm w/ Hi-Line	25

db. Dearborn Brass.

Return to Table of Contents

db Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS



### **Extension Tubes with Solvent Weld Joint** Р

Product No.	Size	Description	Ctn. Qty.
P9786A	1-1/2" x 8"	Solvent Weld Extension Tube, PVC	25
P9787A	1-1/2" x 12"	Solvent Weld Extension Tube, PVC	25
P9787E	1-1/2" x 16"	Double Connect Solvent Weld Extension Tube, PVC	25
A9786A	1-1/2" x 8"	Solvent Weld Extension Tube, ABS	25
A9787A	1-1/2" x 12"	Solvent Weld Extension Tube, ABS	25
A9787E	1-1/2" x 16"	Double Connect Solvent Weld Extension Tube, ABS	25
HP9786	1-1/2" x 6"	Solvent Weld Extension Tube, PVC, Display Box, Ind. UPC	12

#P9787A shown



Ľ.

Extension Product No.	Tubes with Sl <sub>Size</sub>	ip Joint Description	Ctn. Qty.
P9790	1-1/4" x 6"	Slip Joint Extension Tube	25
P9791A	1-1/4" x 12"	Slip Joint Extension Tube	25
P9791E	1-1/4" x 16"	Double Connect Slip Joint Extension Tube	25
P9792	1-1/2" x 6"	Slip Joint Extension Tube	25
P9792A	1-1/2" x 8"	Slip Joint Extension Tube	25
P9792AW	1-1/2" X 8"	Slip Joint Extension Tube w/ True Blue Washer	25
P9793A	1-1/2" x 12"	Slip Joint Extension Tube	25
P9793AC	1-1/2" x 12"	Slip Joint Extension Tube, PVC	25
P9793E	1-1/2" x 16"	Double Connect Slip Joint Extension Tube	25
P9793EC	1-1/2" x 16"	Double Connect Slip Joint Extension Tube, PVC	25
P9793EW	1-1/2" X 16"	Double Connect Slip Joint Extension Tube w/ True Blue Washer	25
A9791E	1-1/4" x 16"	Double Connect Slip Joint Extension Tube	25
A9792	1-1/2" x 6"	Slip Joint Extension Tube	25
A9792A	1-1/2" x 8"	Slip Joint Extension Tube	25
A9792AW	1-1/2" X 8"	Slip Joint Extension Tube w/ True Blue Washer	25
A9793A	1-1/2" x 12"	Slip Joint Extension Tube	25
A9793E	1-1/2" x 16"	Double Connect Slip Joint Extension Tube	25
A9793EW	1-1/2" X 16"	Double Connect Slip Joint Extension Tube w/ True Blue Washer	25



**Flanged Strainer Tailpieces** 

Product No.	Size	Description	Ctn. Qty.
P9799	1-1/2" x 4"	Flanged Strainer Tailpiece	25
P9800	1-1/2" x 6"	Flanged Strainer Tailpiece	25
P9801	1-1/2" x 8"	Flanged Strainer Tailpiece	25
P9803	1-1/2" x 12"	Flanged Strainer Tailpiece	25
P9803C	1-1/2" x 12"	Flanged Strainer Tailpiece, PVC	25
P9803E	1-1/2" x 16"	Double Flanged Strainer Tailpiece	25
P9803EC	1-1/2" x 16"	Double Flanged, Strainer Tailpiece, PVC	25
A9799	1-1/2" x 4"	Flanged Strainer Tailpiece	25
A9800	1-1/2" x 6"	Flanged Strainer Tailpiece	25
A9801	1-1/2" x 8"	Flanged Strainer Tailpiece	25
A9803	1-1/2" x 12"	Flanged Strainer Tailpiece	25
A9803E	1-1/2" x 16"	Double Flanged Strainer Tailpiece	25



Return to Table of Contents

db Dearborr Brass

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

#PP9816 shown #PP9817 shown Ĩ #PP9818 shown #PP9819 shown UPC

Branch Tail	pieces <sub>Size</sub>	Description	Ctn. Qty.
PP9816	1-1/2" x 8"	Branch Tailpiece, Slip Joint Top w/ 1/2" Branch	25
PP9816BD	1-1/2" x 8"	Branch Tailpiece, Hi-Line/ Slip Joint Combination w/ 1/2" Branch	25
PP9816W	1-1/2" x 8"	Branch Tailpiece, Slip Joint Top w/ 1/2" Branch w/ True Blue Washer	25
PP9817	1-1/2" x 8"	Branch Tailpiece, Slip Joint Top w/ 3/4" Branch	25
PP9817BD	1-1/2" x 8"	Branch Tailpiece, Hi-Line/ Slip Joint Combination Top w/ 3/4" Branch	25
PP9817W	1-1/2" x 8"	Branch Tailpiece, Slip Joint Top w/ 3/4" Branch w/ True Blue Washer	25
PP9818	1-1/2" x 8"	Branch Tailpiece, Hi-Line w/ 1/2" Branch	25
PP9819	1-1/2" x 8"	Branch Tailpiece, Hi-Line w/ 3/4" Branch	25
AP9816	1-1/2" x 8"	Branch Tailpiece, Slip Joint Top w/ 1/2" Branch	25
AP9816W	1-1/2" x 8"	Branch Tailpiece, Slip Joint Top w/ 1/2" Branch w/ True Blue Washer	25
AP9817	1-1/2" x 8"	Branch Tailpiece, Slip Joint Top w/ 3/4" Branch	25
AP9817W	1-1/2" x 8"	Branch Tailpiece, Slip Joint Top w/ 3/4" Branch w/ True Blue Washer	25
AP9818	1-1/2" x 8"	Branch Tailpiece, Hi-Line w/ 1/2" Branch	25
AP9819	1-1/2" x 8"	Branch Tailpiece, Hi-Line w/ 3/4" Branch	25

### #P9100 shown **P**

#P9100B shown

#P9100TB shown

Disposer K Product No.	its <sub>Size</sub>	Description	Ctn. Qty.
P9100	1-1/2"	Disposer Kit For In-Sink-Erator®	25
P9100B	1-1/2"	Disposer Kit For In-Sink-Erator®, Bagged	25
P9100T	1-1/2"	Telescopic Disposer Kit For In-Sink-Erator® or GE®	25
P9100TB	1-1/2"	Telescopic Disposer Kit For In-Sink-Erator®, Bagged	25
P9100GE	1-1/2" x 15"	Disposer Kit For GE®	25
P9100GEB	1-1/2" x 15"	Disposer Kit For GE <sup>®</sup> , Bagged	25
P9100WB	1-1/2"	Disposer Kit For In-Sink Erator, Bagged w/ True Blue Washer	25
P9103	1-1/2" x 13"	Master Disposer Kit	25
A9100	1-1/2"	Disposer Kit For In-Sink-Erator®	25
A9100B	1-1/2"	Disposer Kit For In-Sink-Erator <sup>®</sup> , Bagged	25
A9100T	1-1/2"	Telescopic Disposer Kit For In-Sink-Erator® or GE®	25
A9100TB	1-1/2"	Telescopic Disposer Kit For In-Sink-Erator®, Bagged	25
A9100GEB	1-1/2" x 15"	Disposer Kit For GE <sup>®</sup> , Bagged	25
A9100WB	1-1/2"	Disposer Kit For In-Sink Erator, Bagged w/ True Blue Washer	25

**db** Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS db Dearborn Brass.

**Navigation** Return to Table of Contents

Ctn. Qty.

Ctn. Qty.

25

25

25

# CATEGORY **15 BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS**







	Product No.	Size	Description	Ctn. Qty.
Le la	P9665	1-1/2"	45 Degree Slip Joint Elbow	25
	P9679	1-1/2"	Tee Slip Joint Connector	25
Ĩ	P9793D	1-1/2" x 2"	Double Slip Connector	25
, El	P9000	1-1/2"	PVC Solvent Weld Adapter	25
	P9000A	1-1/2"	PVC Threaded Adapter w/ Nut & Washer Printed Bag, Display Box	25

Return to Table of Contents

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

6' Tubing Product No.	Size	Description	Ctn. Qty.
P9141A	1-1/2"	0.D. x 6 Ft. Tubing, PVC	10



db Dearborn Brass.

Deep Flan	ges		
Product No.	Size	Description	Ctn. Qty.
P9009	1-1/4"	I.D. Deep Flange	25
P9010	1-1/2"	I.D. Deep Flange	25



Bulk Slip 、	Joint Nuts		
Product No.	Size	Description	Ctn. Qty.
P9001A	1-1/4"	Slip Joint Nut	100
P9001	1-1/2"	Slip Joint Nut	100
A9001	1-1/2"	Slip Joint Nut	100

	Bulk Slip Product No.
	9002A
	9002
00	9003
	7206
	7207

Bulk Slip J	loint Washers		
Product No.	Size	Description	Ctn. Qty.
9002A	1-1/4" x 1-1/4"	Polyethylene Washer	100
9002	1-1/2" x 1-1/2"	Polyethylene Washer	100
9003	1-1/2" x 1-1/4"	Polyethylene Reducing Washer	100
206	1-1/4" x 1-1/2"	Reducing True Blue Washer	100
207	1-1/2"	Slip Joint True Blue Washer	100

### **Bagged Nuts and Washers**

Buggou Muto		0	
Product No. Si	ize	Description	Ctn. Qty.
HD2798C		Nut and Washer Slip Joint 1-1/4" Plastic, Ind. Printed Bag, Display Box	20
HD2698C		Nut and Washer Slip Joint 1-1/2" Plastic, Ind. Printed Bag, Display Box	20
HD2699C		Polyethylene Beveled Washers Assorted, Ind. Printed Bag, Display Box	20
HD7196C		Polyethylene Beveled Washers 1-1/4", Ind. Printed Bag, Display Box	20
HD7197C		Polyethylene Beveled Washers 1-1/2", Ind. Printed Bag, Display Box	20
HD7198C		Polyethylene Beveled Washers 1-1/2" x 1-1/4", Ind. Printed Bag, Display Box	20
HD7195C		Polyethylene Flanged Washers, 1-1/2", Ind. Printed Bag, Display Box	20

Return to Table of Contents

db Dearborn Brass.

### BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

an a	Air Gaps Product No.	Size	Description	Ctn. Qty.
	DB-CD-3		Air Gap, Copper w/ Chrome Plated Metal Cap	48
	DB-CD-4P		Air Gap, Plastic w/ Chrome Plated Metal Cap	48
	8000E		Air Gap, Plastic, Boxed	24

### Form-N-Fit Plastic Tubular Products

oduct No.	Size	Description	Ctn. Qty.
3522605		Connects To Kitchen Or Bath Drain Systems. J-Bend Neck Extends From 3-1/2" To Over 6", Printed Bag, Display Box	12
3522845		Connects To All Drain Systems. Extends From 3-1/2" To Over 7" To Make Offsets Up To 2-1/2", Will Bend Over 90 Degree, Printed Bag, Display Box	10
3526945		Connects To 1-1/4" Metal Or Plastic Tailpiece. Extends From 4-1/2" To Over 7-3/4", Printed Bag, Display Box	10
3526955		Connects To Hi-Line And Slip Joint Applications. Adapts To 1-1/2" And 1-1/4" Drain Systems. Tailpiece Extends From 5-1/2" To Over 11" And Offsets Up To 4-1/2", Printed Bag, Display Box	10
3522355		Connects To 1-1/2" Or 1-1/4" Metal Or Plastic Tailpiece. Extends From 5-1/2" To Over 11", Printed Bag, Display Box	10
	3522605 3522845 3526945 3526955	3522605 3522845 3526945 3526955	3522605 Connects To Kitchen Or Bath Drain Systems. J-Bend Neck Extends From 3-1/2" To Over 6", Printed Bag, Display Box   3522605 Connects To All Drain Systems. Extends From 3-1/2" To Over 7" To Make Offsets Up To 2-1/2", Will Bend Over 90 Degree, Printed Bag, Display Box   35226945 Connects To 1-1/4" Metal Or Plastic Tailpiece. Extends From 4-1/2" To Over 7-3/4", Printed Bag, Display Box   3526955 Connects To Hi-Line And Slip Joint Applications. Adapts To 1-1/2" And 1-1/4" Drain Systems. Tailpiece Extends From 5-1/2". To Over 1" And Offsets Up To 4-1/2", Printed Bag, Display Box

db Dearborn Brass.

Return to Table of Contents

CATEGORY **15** BRASS, PLASTIC AND COMMERCIAL TUBULAR/GRAB BARS

Dearborn Brass. BRASS,	PLASTIC	AND COMM	IERCIAL TUBULAR/GRAB BARS			
	Pop-Up Ass Product No.	Pop-Up Assemblies Brass/Plastic Product No. Size Description Ctn. Qty.				
	HD3522215		Form-N-Fit Pop-Up Unit 1-1/4" Plastic, DB Cutcase, Bagged	8		
	Dishwashe Product No.	r And Dispos	al Connectors Description	Ctn. Qty.		
	HD7983C		Dishwasher Disposal Connector, Printed Bag, Display Box	20		
	HD2673C		Elbow For In-Sink-Erator® Plastic, Display Box	10		
	HD2672C		Disposal Gasket For In-Sink-Erator® , Printed Bag	24		
	HD2688B	1-1/2" & 1-1/4"	Reducer Adapter, Printed Bag	12		
	HD2670C		Elbow for Waste King <sup>®</sup> Disposer, Plastic	12		





# Category 16

### **Bath Waste and Overflow**

Dearborn Brass<sup>®</sup> bath waste and overflow products offer excellent performance for air or water testing. Full kits include 4" and 12" Sch. 40 pipe with Sch. 40 tee and all components required for rough-in, testing and finish installation. Half kits include everything except pipes and tee. IAPMO approved.

Return to Table of Contents





### BATH WASTE AND OVERFLOW

### **Brass Chicago Code Thru Wall**

Product No.	Description	Ctn. Qty.
235-3	Full Kit, Brass Tubular - 17 Ga. Uni-Lift Stopper w/ Chrome Finish Trim 2 Hole Faceplate, Chicago Code Thru Wall	1

### **Brass Touch-Toe Bath Waste**

Product No.	Description	Ctn. Qty.
228-3	Full Kit, Brass Tubular - 17 Ga. Touch Toe Stopper w/ Chrome Finish Trim	1



Brass Chain & Stopper Bath Wa
-------------------------------

Product No.	Description	Ctn. Qty.
202-1	Full Kit, Brass Tubular - 17 Ga. Chain & Stopper w/ Chrome Finish Trim w/ Chromed Pipes, Elbows & Tee	1
202-3	Full Kit, Brass Tubular - 17 Ga. Chain & Stopper w/ Chrome Finish Trim	1
208-3	Full Kit, Brass Tubular - 17 Ga. Chain & Stopper w/ Chrome Finish Trim 1-1/2" Outlet	1

#202-1 shown



### **Brass Trip-Lever Bath Waste**

	Product No.	Description	Ctn. Qty.
р	226-3	Full Kit, Brass Tubular - 17 Ga. Trip Lever Stopper w/ Chrome Finish Trim	1



### **Brass Whirlpool Bath Waste**

Product No.	Description	Ctn. Qty.
203-3	Full Kit, Brass Tubular - 17 Ga. Uni-Lift Stopper w/ Chrome Finish Trim For Whirlpool Tubs	1
230-3	Full Kit, Brass Tubular - 17 Ga. Trip Lever Stopper w/ Chrome Finish Trim For Whirlpool Tubs	1





### **Brass Uni-Lift Bath Waste**

J'	Product No.	Description	Ctn. Qty.
	227-3	Full Kit, Brass Tubular - 17 Ga. Uni-Lift Stopper w/ Chrome Finish Trim	1
ite Top tion	227C-3	Full Kit, Brass Tubular - 17 Ga. Uni-Lift Stopper w/ Chrome Finish Trim Condensate Elbow	1

16

#227-3 shown

160 | Oatey SCS® Product Catalog

### BATH WASTE AND OVERFLOW

db Dearborn Brass.

Ctn. Qty.

1

**Navigation** Return to Table of Contents





### **Brass Uni-Lift Bath Waste For Side Drain**

Description

Drain

Product No.	Description	Ctn. Qty.
227S-3	Full Kit, Brass Tubular - 17 Ga. Uni-Lift Stopper w/ Chrome Finish Drain Side Drain	1

Full Kit, Brass Tubular - 17 Ga. Uni-Lift Stopper w/ Chrome Finish Drain Direct



### **Plastic Tubular Cable Bath Waste**

Product No.	Description	Ctn. Qty.
P8220	Full Kit, Plastic Tubular – White Cable Stopper w/ Chrome Finish Trim	1
P220	Rough-In Kit, Plastic Tubular – White Cable Stopper - No Trim	1



#K20 shown

### Plastic Tubular And Schedule 40 Cable Bath Waste Conversion Kits

Product No.	Description	Ctn. Qty.
K20	Conversion Kit, Cable Stopper w/ Chrome Finish Trim	2
K20BC	Conversion Kit, Cable Stopper w/ Biscuit Finish Trim	2
K20BN	Conversion Kit, Cable Stopper w/ Brushed Nickel Finish Trim	2
K20PB	Conversion Kit, Cable Stopper w/ UltraShine® Polished Brass Finish Trim	2
K20RB	Conversion Kit, Cable Stopper w/ Rubbed Bronze Finish Trim	2
K20SN	Conversion Kit, Cable Stopper w/ UltraShine® Satin Nickel Finish Trim	2
K20WH	Conversion Kit, Cable Stopper w/ White Finish Trim	2



### **Plastic Tubular Trip-Lever Bath Waste**

Product No.	Description	Ctn. Qty.
P9226	Full Kit, Plastic Tubular - White Trip-Lever Stopper w/ Chrome Finish	10
A9226	Full Kit, Plastic Tubular - Black Trip-Lever Stopper w/ Chrome Finish	10

#P9226 shown



Return to Table of Contents



db Dearborn Brass.

高

### BATH WASTE AND OVERFLOW

### **Plastic Tubular Uni-Lift Bath Waste**

Product No.	Description	Ctn. Qty.
P8227	Full Kit, Plastic Tubular - White Uni-Lift Stopper w/ Chrome Finish Trim	10
P8227BN	Full Kit, Plastic Tubular - White Uni-Lift Stopper w/ Brushed Nickel Finish Trim	10
P8227RB	Full Kit, Plastic Tubular - White Uni-Lift Stopper w/ Rubbed Bronze Finish Trim	10
P8227BG	Full Kit, Plastic Tubular - White Uni-Lift Stopper w/ Chrome Finish Trim Zinc Drain Unit, 2 Hole Faceplate	10
A8227	Full Kit, Plastic Tubular - Black Uni-Lift Stopper w/ Chrome Finish Trim	10
A8227BG	Full Kit, Plastic Tubular - Black Uni-Lift Stopper w/ Chrome Finish Trim Zinc Drain Unit, 2 Hole Faceplate	10

### Plastic Tubular Uni-Lift Bath Waste With Condensate Top Elbow

Product No.	Description	Ctn. Qty.
P8227C	Full Kit, Plastic Tubular – White Uni-Lift Stopper w/ Chrome Finish Trim Condensate Elbow	10
A8227C	Full Kit, Plastic Tubular - Black Uni-Lift Stopper w/ Chrome Finish Trim Condensate Elbow	10

#P8227C shown

#P8227 shown

With Condensate Top Elbow Option

E.



#P8227D shown



### **Plastic Tubular Uni-Lift For Direct Drain**

Product No.	Description	Ctn. Qty.
P8227D	Full Kit, Plastic Tubular – White Uni-Lift Stopper w/ Chrome Finish Trim Direct Drain	10
A8227D	Full Kit, Plastic Tubular – Black Uni-Lift Stopper w/ Chrome Finish Trim Direct Drain	10



### **Plastic Tubular Touch-Toe Bath Waste**

Product No.	Description	Ctn. Qty.
P9228	Full Kit, Plastic Tubular – White Touch-Toe Stopper w/ Chrome Finish Trim	10
A9228	Full Kit, Plastic Tubular – Black Touch-Toe Stopper w/ Chrome Finish Trim	10

### BATH WASTE AND OVERFLOW

Navigation Return to Table of Contents

db Dearborr Brass



### Schedule 40 Touch-Toe Full Kit Bath Waste

Product No.	Description	Ctn. Qty.
P7224	Full Kit, Schedule 40 - PVC Touch-Toe Stopper w/ Chrome Finish Trim	10
P7644	DBlue Full Kit, Schedule 40 - PVC Touch-Toe Stopper w/ Chrome Finish Trim and Test Plug	10
A7224	Full Kit, Schedule 40 – ABS Touch-Toe Stopper w/ Chrome Finish Trim	10
A7644	DBlue Full Kit, Schedule 40 - ABS Touch-Toe Stopper w/ Chrome Finish Trim and Test $\operatorname{Plug}$	10

# 

#P7225 shown



### Schedule 40 Uni-Lift Full Kit Bath Waste

Product No.	Description	Ctn. Qty.
P7225	Full Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim	10
P7544	DBlue Full Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim and Test Plug	10
A7225	Full Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Chrome Finish Trim	10
A7544	DBlue Full Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Chrome Finish Trim and Test Plug	10

### Schedule 40 Tap-Tap Bath Waste

Product No.	Description	Ctn. Qty.
P7444	Full Kit, Schedule 40 - PVC Tap-Tap Stopper w/ Chrome Finish Trim	10
P7444B	Half Kit, Schedule 40 - PVC Tap-Tap Stopper w/ Chrome Finish Trim	20

### Schedule 40 Bath Waste Touch Toe Half Kits



#P7224B shown

Product No.	Description	Ctn. Qty.
P7224B	Half Kit, Schedule 40 - PVC Touch-Toe Stopper w/ Chrome Finish Trim	20
P7725	DBlue Half Kit, Schedule 40 - PVC Touch-Toe Stopper w/ Chrome Finish Trim and Test Plug	20
P7725BN	DBlue Half Kit, Schedule 40 - PVC Touch-Toe Stopper w/ Brushed Nickel Finish Trim and Test Plug	20
A7224B	Half Kit, Schedule 40 - ABS Touch-Toe Stopper w/ Chrome Finish Trim	20
A7725	DBlue Half Kit, Schedule 40 - ABS Touch-Toe Stopper w/ Chrome Finish Trim and Test Plug	20
A7725BN	DBlue Half Kit, Schedule 40 - ABS Touch-Toe Stopper w/ Brushed Nickel Finish Trim and Test Plug	20



h

Return to Table of Contents



# LUPC

Standard Test System

Product No.	Description	Ctn. Qty
P7225B	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim	20
P7225BAB	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Antique Bronze Finish Trim	20
P7225BBC	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Biscuit Finish Trim	20
P7225BBN	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Brushed Nickel Finish Trim	20
P7225BRB	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Rubbed Bronze Finish Trim	20
P7225BSC	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ UltraShine® Satin Chrome Finish Trim	20
P7225BSN	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ UltraShine® Satin Nickel Finish Trim	20
P7225BWH	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ White Finish Trim	20
P7225BZ	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim w/ Zinc Drain Unit	20
P7325	DBlue Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim and Test Plug	20
P7325RB	DBlue Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Oil Rubbed Bronze Finish Trim and Test Plug	20
P7325BN	DBlue Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Brushed Nickel Finish Trim and Test Plug	20
P7325BZ	DBlue Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim w/ Zinc Spud and Test Plug	20
P9225BBG	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim w/ Zinc Drain Unit No Test Kit, 2 Hole Faceplate	25
A7225B	Half Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Chrome Finish Trim	20
A7225BZ	Half Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Chrome Finish Trim w/ Zinc Drain Unit	20
A7325	DBlue Half Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Chrome Finish Trim and Test Plug	20
A7325RB	DBlue Half Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Oil Rubbed Bronze Finish Trim and Test Plug	20
A7325BN	DBlue Half Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Brushed Nickel Finish Trim and Test Plug	20
A7325BZ	DBlue Half Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Chrome Finish Trim w/Zinc Spud and Test Plug	20
A9225BBG	Half Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Chrome Finish Trim w/ Zinc Drain Unit No Test Kit, 2 Hole Faceplate	25

BATH WASTE AND OVERFLOW

Schedule 40 Bath Waste Uni-Lift Half Kits

**db** Dearborn Brass.

### BATH WASTE AND OVERFLOW



Product No.	Description	Ctn. Qty.
P7225BC	Half Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim Condensate Elbow	20
P7325BCZ	Half Kit, Schedule 40 - PVC Condensate Elbow, Uni-Lift Stopper w/ Chrome Finish Trim and Zinc Spud	35



Product No.	Description	Ctn. Qty.
P7220BF	Rough-In Kit, Schedule 40 - PVC Cable Stopper w/ Chrome Finish Trim	20



#P3225D shown

### Schedule 40 Bath Waste Quarter Kits

Product No.	Description	Ctn. Qty.
P3225D	Quarter Kit, Schedule 40 - PVC Uni-Lift Stopper w/ Chrome Finish Trim Direct Drain	20
A3225Z	Quarter Kit, Schedule 40 - ABS Uni-Lift Stopper w/ Chrome Finish Trim Zinc Drain Unit, 90 Degree Elbow	20



### Schedule 40 Bath Waste Rough-In Kits

Product No.	Description	Ctn. Qty.
P7223CRK	Rough-In Kit, Schedule 40 - PVC w/Condensate Elbow	30
P7223RK	Rough-In Kit, Schedule 40 - PVC	30
P7323RKZ	Rough-In Kit, Schedule 40 - PVC w/ Zinc Spud	30
A7223RK	Rough-In Kit, Schedule 40 - ABS	30
A7323RKZ	Rough-In Kit, Schedule 40 - ABS w/ Zinc Spud	30



### Schedule 40 Bath Waste DBlue Rough-In Kits

Product No.	Description	Ctn. Qty.
P7323	DBlue Rough-In Kit, Schedule 40 - PVC	30
A7323	DBlue Rough-In Kit, Schedule 40 - ABS	30

16

**db** Dearborn Brass.

Return to Table of Contents

CATEGORY **16** BATH WASTE AND OVERFLOW



### BATH WASTE AND OVERFLOW

### **Bath Waste Trim Kits**



Chrome Finish Trim Kits do not include spud



Decorator Finish Trim Kits include color-coordinated spud



Chrome Finish Trim Kits do not include spud



Decorator Finish Trim Kits include color-coordinated spud



K22BN shown'

Product No.	Description	Ctn. Qty.
K24TB	Trim Kit, for Schedule 40 - Rough-In Kit Touch-Toe Stopper w/ Chrome Finish Trim	10
K74TBN	Trim Kit, for Schedule 40 - Rough-In Kit Touch-Toe Stopper w/ Brushed Nickel Finish Trim	10
K74TSN	Trim Kit, for Schedule 40 - Rough-In Kit Touch-Toe Stopper w/ UltraShine® Satin Nickel Finish Trim	10
K74TWH	Trim Kit, for Schedule 40 - Rough-In Kit Touch-Toe Stopper w/ White Finish Trim	10
K25TB	Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ Chrome Finish Trim	10
K75AB	Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ Antique Bronze Finish Trim	10
K75TPB	Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ UltraShine® Polished Brass Finish Trim	10
K75TRB	Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ Rubbed Bronze Finish Trim	10
K75TSC	Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ UltraShine® Satin Chrome Finish Trim	10
K75TSN	Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ UltraShine® Satin Nickel Finish Trim	10
K25TBZ	Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper Zinc Drain Unit w/ Chrome Finish Trim	10
K22WH	Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ White Finish Trim	10

**Bath Waste DBlue Trim Kits** 

<b>Product No.</b> K22TB	<b>Description</b> DBlue Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ Chrome Finish Trim	<b>Ctn. Qty.</b> 10
K22RB	DBlue Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ Oil Rubbed Bronze Finish Trim	10
K22BN	DBlue Trim Kit, for Schedule 40 - Rough-In Kit Uni-Lift Stopper w/ Brushed Nickel Finish Trim	10
K23TB	DBlue Trim Kit, for Schedule 40 - Rough-In Kit Touch-Toe Stopper w/ Chrome Finish Trim	10
K23RB	DBlue Trim Kit, for Schedule 40 - Rough-In Kit Touch-Toe Stopper w/ Oil Rubbed Bronze Finish Trim	10
K23BN	DBlue Trim Kit, for Schedule 40 - Rough-In Kit Touch-Toe Stopper w/ Brushed Nickel Finish Trim	10

### BATH WASTE AND OVERFLOW

Conversion Kit, Trip Lever Stopper w/ Chrome Finish Trim

Conversion Kit, Trip Lever Stopper w/ Brushed Nickel Finish Trim

Conversion Kit, Trip Lever Stopper w/ UltraShine® Polished Brass Finish Trim

**Bath Waste Conversion Kits** 

Description

**Product No.** 

K26

K26BN

K26PB

**Navigation** 

Return to Table of Contents

db Dearborn Brass.

Ctn. Qty.

2 2

2



	and the second sec	
K26RB	Conversion Kit, Trip Lever Stopper w/ Rubbed Bronze Finish Trim	2
K26SC	Conversion Kit, Trip Lever Stopper w/ UltraShine® Satin Chrome Finish Trim	2
K26SN	Conversion Kit, Trip Lever Stopper w/ UltraShine® Satin Nickel Finish Trim	2
K27	Conversion Kit, Uni-Lift Stopper w/ Chrome Finish Trim	2
K27AB	Conversion Kit, Uni-Lift Stopper w/ Antique Bronze Finish Trim	2
K27BN	Conversion Kit, Uni-Lift Stopper w/ Brushed Nickel Finish Trim	2
K27PB	Conversion Kit, Uni-Lift Stopper w/ UltraShine® Polished Brass Finish Trim	2
K27RB	Conversion Kit, Uni-Lift Stopper w/ Rubbed Bronze Finish Trim	2
K27SC	Conversion Kit, Uni-Lift Stopper w/ UltraShine® Satin Chrome Finish Trim	2
K27SN	Conversion Kit, Uni-Lift Stopper w/ UltraShine® Satin Nickel Finish Trim	2
K27WH	Conversion Kit, Uni-Lift Stopper w/ White Finish Trim	2
K28	Conversion Kit, w Two-Hole Cover Plate, Uni-Lift Stopper w/ Chrome Finish Trim	2
K28BN	Conversion Kit, w Two-Hole Cover Plate, Uni-Lift Stopper w/ Brushed Nickel Finish Trim	2
K28RB	Conversion Kit, w Two-Hole Cover Plate, Uni-Lift Stopper w/ Rubbed Bronze Finish Trim	2
K28SN	Conversion Kit, w Two-Hole Cover Plate, Uni-Lift Stopper w/ UltraShine® Satin	2





### **Bath Waste Model Kits**

Nickel Finish Trim

Product No.	Description	Ctn. Qty.
46206	Test Plug Kit	10
46207	Conversion Bar Kit	10

### **db** Dearborn Brass.

Return to Table of Contents



CDD Dearborn Brass.

### **Bath Waste Repair Parts** Product No. Description Ctn. Qty. 4502-1 Faceplate, Two Hole, Chrome Plated w/ Screws 1 4503-1 Faceplate, Trip Lever, Chrome Plated w/ Screws 1 4504-1 Faceplate, One Hole, Chrome Plated w/ Screw (46250) 1 4537-1 Strainer Cover, Chrome w/ Screw, Stainless Steel 1 4534-3 Bottom Strainer (1-1/4") 4534C-3 Cast Bottom Strainer (1-1/2") 1 4547-1 Uni-Lift Plug and Seat (1-1/4" NPT), Chrome 1 4597-1 Drain Assembly, Uni-Lift 1-1/2" Chrome, 3/8"x 16 Stem 1 4597X-1 Plug Only, Uni-Lift 1-1/2", Chrome 3/8"-16 Stem 1 4497-1 Unit (1-1/2" NPT), Chrome 1 4497X-1 Tap-Tap Replacement Cartridge, Brass, Chrome 3/8"-16 Stem 1 4509-3 Washer for Top Ell, Blue Foam (Oatey #46208) 1

BATH WASTE AND OVERFLOW

### Pop-Up Bath Waste Drain Seat & Plug

Dearborn Brass.	V	Product No.	Description	Ctn. Qty.
GRA Brass.		4538-3	Drain Plug w/ Fulcrum Linkage, Nut & Plug Seat, Chrome	1





# Category 17

### **Basket and Sink Strainers**

Dearborn Brass offers the widest variety of basket and sink strainers in the industry. Many of our most popular items are made in the USA.

Return to Table of Contents

### db Dearborn Brass.

### BASKET AND SINK STRAINERS

### Sink Strainers

	Product No.	Description	Ctn. Qty.
(1-1-1-1)	L7	"Lucky 7" Sink Basket Strainer, Chrome Plated Brass Body w/ Stainless Steel Basket, Metal Post, Heavy Locknut, Rubber Stopper, Extra Thick Washer, Machine Cut Threads.	24
	L7BN	Same as L7 w/ Brass Nuts	24
$\checkmark$	L7T	Same as L7 w/ 4" Chrome Plated Tailpiece	24
	4201-L7-3	Replacement Basket for L7	1
	L74	"Lucky 7" Sink Basket Strainer, w/ Stainless Steel 4-Prong Basket, Chrome Plated Brass Body, Metal Post, Rubber Stopper, Heavy Locknut, Extra Thick Washer, Machine Cut Threads.	24
	L74T	Same as L74 w/ 4" Tailpiece.	24
T	4204-L7-3	Replacement Basket for L74 (4-Prongs)	1
140 M	DB1000	Locking Cup Sink Basket Strainer, Stainless Steel Body and Basket, Galvanized Steel Locking Cup, Plastic Post and Rubber Stopper.	24
	DB1000EZBN	EZ-Mount Sink Basket Strainer with Stainless Steel Body and Basket with	24
	4204-00-3	EZ-Mount Connection and Brass Nut, Plastic Post and Rubber Stopper. Replacement Basket for DB1000	1
(Charles)	DB1120	Deep Locking Cup Sink Basket Strainer, Stainless Steel Body and Basket, Rubber Stopper w/ Snap-In Basket. Length - 3-3/4".	24
	DB1120BN	Same as DB1120 w/ Brass Nuts.	24
	4204-20-3	Replacement Basket for DB1120	1
• •			
	DB711	"Spin-N-Lock" Sink Basket Strainer, Chrome Plated Brass Body w/ Stainless Steel Screw-In Basket, Brass Turning Nut	24
	DB711BN	Same as DB711 w/ Brass Nuts	24
	DB711EZ	"Spin-N-Lock" Sink Basket Strainer, Chrome Plated Brass Body w/ Stainless Steel Screw-In Basket and EZ-Mount Connection	24
	4204-11-3	Replacement Basket for DB711	1

**db** Dearborn Brass.

17

### Economy

Product No.	Description	Ctn. Qty.
12	Medium Cup Basket Strainer, Stainless Steel Body and Basket, Medium Locking Cup, Neoprene Stopper, Bright Flange,Length 3-1/8" Fits Deep Cast Iron Sinks.	24

### **Locking Cup Strainers**

	Product No.	Description	Ctn. Qty.
	14	Shallow Cup Basket Strainer, Stainless Steel Body and Basket Shallow Locking Cup. Neoprene Stopper w/ Snap-In Basket w/ Bright. Flange. Length- 2-3/4". Fits Deep Cast Iron Sinks	24
1	14T	Same as 14 w/ 4" Chrome Plated Tailpiece	24
	4204-14-3	Replacement Basket for 14 (new style with metal snap-in spring)	1



15	"Snap-N-Tite" Sink Basket Strainer, Stainless Steel Body and Basket. Locking Cup. Neoprene Stopper. Fits cast iron sinks. Length 3-3/4"	24
15T	Same as 15 w/ 4" Chrome Plated Tailpiece (Fits all cast iron)	24
15BN	Same as 15 w/ Brass Nuts. Neoprene Stopper with Brass Nuts. (Fits all cast iron)	24
4201-15-3	Replacement Basket for 15	1



18	Sink Basket Strainer, Stainless Steel Body and Basket. Deep Locking Cup. Neoprene Stopper. Length-3-3/4"	24
18T	Same as 18 w/ 4" Chrome Plated Tailpiece	24
18BN	Same as 18 w/ Brass Nuts	24
4204-18-3	Replacement Basket for 18 (new style with metal snap-in spring)	1



### **Easy Mount Strainer**

Product No.	Description	Ctn. Qty.
3BN	Thumbscrew Sink Basket Strainer, Stainless Steel Body and Basket, Triangular Threaded Flange w/ Three Thumbscrews for Easy Installation and Brass Nuts, Neoprene Stopper	24
4204-3-3	Replacement Basket for 3BN	1

db Dearborr Brass

Return to Table of Contents

# CATEGORY **1 7 BASKET AND SINK STRAINERS**

BASKET	AND	SINK	STRAINERS
DAGKET		OTMIN	<b>UTRAINENO</b>

### **Threaded Body Strainers**

	Product No.	Description	Ctn. Qty.
	6	"Super 6" Sink Basket Strainer, Stainless Steel Body and Basket, Rubber Stopper w/ Metal Post, Extra Wide Locknut, Extra Thick Washer	24
	6T	Same as Above w/ 4" Chrome Plated Tailpiece	24
,	4204-6-3	Replacement Basket for 6 (new style snap-in metal spring)	

9	Economy Sink Basket Strainer, ABS Body w/ Stainless Steel Rim and Basket. Rubber Stopper w/ Plastic Post, ABS Locknut	24



db Dearborn Brass.

10 Standard Sink Basket Strainer, Stainless Steel Body and Basket. Rubber Stopper w/ Metal Post	24
10T Same as 10 w/ 4" Chrome Plated Tailpiece	24
4201-3-3 Replacement Basket for 10	1

(anteres)	11
	11
The second	42

11	Standard Sink Basket Strainer, Stainless Steel Body and Basket. Rubber Stopper w/ Chromed Plastic Post	24
11T	Same as Above w/ 4" Chrome Plated Tailpiece	24
4201-4-3	Replacement Basket for 11	1

24

24 24

1

and a state of the	16	Sink Basket Strainer, Brass Body w/ Stainless Steel Basket. Heavy Locknut. Rubber Stopper. Length-3-3/4"
	16BN	Same as 16 w/ Brass Nuts
	16T	Same as 16 w/ 4" Chrome Plated Tailpiece
-	4201-3-3	Replacement Basket for 16



	17	"Spin-N-Lock" Sink Basket Strainer, Stainless Steel Body w/ Stainless Steel Screw-In Basket	24
0	17BN	Same as 17 w/ Brass Nuts	24
	17T	Same as 17 w/ 4" Chrome Plated Tailpiece	24
	4201-17-3	Replacement Basket for 17	1



		Cast Brass Body Sink Basket Strainer, Stainless Steel Basket w/ Brass Slide Post, Cast Brass Stopper and Brass Locknut. Heavy Duty Commercial Grade.	24
8	316T	Same as Above w/ 4" Chrome Plated 17 Ga. Tailpiece	24

### UN DIASS.

### **Bar Sink Strainers**

Product No.	Description	Ctn. Qty.
3784	Junior Duo Bar Sink Strainer, Stainless Steel Body and Basket. Length 1-1/8"	12
3784BN	Same as 3784 w/ Brass Nuts	12
3784T	Same as 3784 w/ 4" Chrome Plated Tailpiece	12
4201-5-3	Replacement Basket for 3784	1

774	Duplex Sink Strainer, Brass Body w/ Flat Stainless Steel Strainer for 2-1/2" Opening	12
774BN	Same as 774 w/ Brass Nuts	12
774T	Same as 774 w/ 4" Chrome Plated Tailpiece	12





	3785A	Standard Bar Sink Strainer, Brass Body and Crumb Cup. Length - 2-1/8"	12
	3785ABN	Same as 3785A w/ Brass Nuts	12
	3785AT	Same as 3785A w/ 4" Chrome Plated Tailpiece	12
10	4201-8-1	Replacement Basket for 3785A	1
3			

2			
	815B	Flat Top Sink Basket Strainer, Brass Body and Stainless Steel Strainer. Length - 1-7/8"	12
	815BT	Same as 815B w/ 4" Chrome Plated Tailpiece	12

Return to Table of Contents

Return to Table of Contents

# CATEGORY **1 7 BASKET AND SINK STRAINERS**

db Dearborn Brass.

1

### BASKET AND SINK STRAINERS

### **Repair Parts For Basket Strainers**

-	

Product No.	Description	Ctn. Qty.
4202-2-3	Rubber Washer For 6, 9, 10, 11, 14, 16, 17, 18, 815B and 816	1

### **Decorator Plastic Strainer Assemblies**

Product No.	Description	Ctn. Qty.
9BC	Plastic Strainer Assembly, Biscuit Color, Clamshell	6
9BC-BX	Plastic Strainer Assembly, Biscuit Color, Boxed	12
9WH	Plastic Strainer Assembly, White Color, Clamshell	6
9WH-BX	Plastic Strainer Assembly, White Color, Boxed	12
9BNE	Plastic Strainer Assembly, Bone Color, Clamshell	6
9BNE-BX	Plastic Strainer Assembly, Bone Color, Boxed	12
9EWH	Plastic Strainer Assembly, Euro-White Color, Clamshell	6
9EWH-BX	Plastic Strainer Assembly, Euro-White Color, Boxed	12
9BL	Plastic Strainer Assembly, Black Color, Clamshell	6
9BL-BX	Plastic Strainer Assembly, Black Color, Boxed	12

## 0

### **Decorator Brass Disposer Flanges**

Product No.	Description	Ctn. Qty.
D7U	Disposer Flange and Stopper, UltraShine® Polished Brass Finish, Boxed	6
D7CHR	Disposer Flange and Stopper, Brass Polished Chrome Finish, Boxed	6

### **Decorator Plastic Disposer Flanges**

Product No.	Description	Ctn. Qty.
D9BC	Disposer Flange Assembly, Biscuit Color, Clamshell	6
D9BC-BX	Disposer Flange Assembly, Biscuit Color, Boxed	12
D9WH	Disposer Flange Assembly, White Color, Clamshell	6
D9WH-BX	Disposer Flange Assembly, White Color, Boxed	12
D9BNE	Disposer Flange Assembly, Bowl, Bone Color, Clamshell	6
D9BNE-BX	Disposer Flange Assembly, Bowl, Bone Color, Boxed	12
D9EWH	Disposer Flange Assembly, Euro-White Color, Clamshell	6
D9EWH-BX	Disposer Flange Assembly, Euro-White Color, Boxed	12
D9BL	Disposer Flange Assembly, Black Color, Clamshell	6
D9BL-BX	Disposer Flange Assembly, Black Color, Boxed	12



### **Polished Brass Bar Strainer**

Product No.	Description	Ctn. Qty.
23030	Bar Sink Strainer w/ Crumb Cup. Length 2-1/8", Polished Brass	1

### **Fill Valve Components**



Product No.	Description	Ctn. Qty.
930100	Wing Coupling Nut - 5/8" Center Hole, plastic (1911-2)	100
930103	9" Vinyl Refill Tube (190617)	100
930133	Tank Lever Nut, Brass	100



### Water Saving Flappers

Product No.	Description	Ctn. Qty.
930042TR	Timed Rate Flapper Kit (Bagged) Vinyl flapper w/ 9" chain, hook and baffles	24



### **Tank Ball Floats**

Product No.	Description	Ctn. Qty.
930118	Plastic Tank Float (Bulk). High Buoyancy, Black Polypropylene (P83)	100

### **Spud Washers**



Product No.	Description	Ctn. Qty.
4025	2" x 2" Closet Spud	6
4026	2" x 1-1/2" Closet Spud	6
4028	1-1/2" x 1-1/2" Closet Spud	6
4028A	1-1/2" x 1-1/4" Closet Spud	6
4029	1-1/4" x 1-1/4" Closet Spud	6
4030	1" x 3/4" Urinal Spud	6
4031	1-1/4" x 3/4" Urinal Spud	6
4032	1-1/2" x 3/4" Urinal Spud	6
7101	1-1/2" Flanged Spud Washer	25
7102	2" Flanged Spud Washer	25
7105	1" x 3/4" Flanged Spud Washer	25

### Navigation

Return to Table of Contents

db Dearborn Brass.

Return to Table of Contents



### BASKET AND SINK STRAINERS

### **Closet Bolts/Screws**

Product No.	Description	Ctn. Qty.
8545C	Tank to Bowl Bolt Kit w/ Galvanized Spud Washer	50
8546	Tank to Bowl Bolt Kit w/ Brass Spud Washer	50
8512C	Toilet Screw Set, 5/16" x 2-1/2" Brass Closet Screws 2 Brass Screws w/ Nuts and Washers	50
8525C	Toilet Bolts, 1/4" x 2-1/2" Plated, Oregon Pattern	50

### **Flush Levers**

Product No.	Description	Ctn. Qty.
702007	Chrome, Plastic Spud And Nut, Round Brass Arm - 8"	100
702034	Chrome, Zinc spud and Nut, Round Brass Arm - 8"	24
4225B	Economy Flush Lever, Chrome Plated Plastic w/ Plastic Spud	25
4223	Alloy Rod Flush Lever, Chrome Plated w/Die Cast Spud	25





### **Toilet Accessories**

Product No.	Description	Ctn. Qty.
4211	Toilet Tank Cover	1
7520	Three Way Rubber Flapper	25
7555	6-3/4" Form Fit Closet Bowl Sponge Rubber Gasket	10
7556	5-3/4" O.D. x 3-1/2" Closet Bowl Sponge Rubber Gasket	10
7557	$3\mathchar`-1/4"$ 0.D x $2\mathchar`-1/8"$ Tank to Bowl Sponge Rubber Gasket for Close Couple Connection	24

### Wrenches, Tools & Plungers

Product No.	Description	Ctn. Qty.
3003	Strainer Locknut Wrench w/Hinged Jaw	6
3010	Large Jaw Basin Wrench w/ 15" Handle	1
3030	1" - 4" Spud Wrench for Removal or Installation of Closet Spuds, Sink Strainers, P.O Plugs, Waste & Overflow	10
3032	Tub Waste Wrench - Fits 1-1/2" and 1-1/4" Sizes	1
3040G	2" Heavy Duty Pliers with Vinyl Grips	1
3068	Socket Wrench Set with 5 Socket Wrenches	1
3713	Swedge Tool for 3/8", 1/2" & 3/4" I.D. Nominal sizes to 5/8" & 7/8" O.D. Tubing	1
5126	1/8" NPT Bright Plated Loose Key Coin Air Vent	25
5130	1/4" NPT Bright Finish Vent Key	20
5236	1/4" NPT Straight Type Steel Siphon	12
7981FW	Four Way Key	12
7505	Samson Force Cup Plunger w/ 18" Handle	5

### Navigation

db Dearborn Brass Return to Table of Contents

### **Pipe Repair Clamps**

**Ground Joint Part Waste Connectors** 

1	
	5
	-

Product No.	Description	Ctn. Qty.
8201	1/2" NPT Cadmium Plated Steel Pipe Repair Clamp w/Neoprene Gasket	6
8202	3/4" NPT Cadmium Plated Steel Pipe Repair Clamp w/Neoprene Gasket	6
8203	1" NPT Cadmium Plated Steel Pipe Repair Clamp w/Neoprene Gasket	10
8204	1-1/4" NPT Cadmium Plated Steel Pipe Repair Clamp w/Neoprene Gasket	6
8205B	1-1/2" NPT Cadmium Plated Steel Pipe Repair Clamp w/Neoprene Gasket	1
6200C	1/8" x 24" Graphite Twist Packing w/individual strand - Bagged	48



## -

Product No.	Description	Ctn. Qty.
1004	1-1/4" x 1-1/4" Male (Female Copper Sweat)	6
1005	1-1/2" x 1-1/2" Male (Female Copper Sweat)	6
R1006	1-1/4" x 1-1/2" Male (Female Copper Sweat)	6
B1005	1-1/2" Brass Ring	10
B1004	1-1/4" Brass Ring	10
1012	1-1/4" x 1-1/4" Female, Ground Joint Waste Connector	6
1013	1-1/2" x 1-1/2" Female, Ground Joint Waste Connector	6
1014	1-1/4" x 1-1/2" Female, Ground Joint Waste Connector	6

### **Bulk Slip Nuts – Brass**



Product No.	Description	Ctn. Qty.
8006	1-1/2" x 1-1/2" Slip Nut w/ Washer, Chrome Plated	50
8006R	1-1/2" x 1-1/2" Brass Nut, Unfinished	50
8007	1-1/4" x -1-1/4" Slip Nut w/ Washer, Chrome Plated	50
8008	1-1/2" x 1-1/4" Slip Nut w/ Washer, Chrome Plated	50
8009	1-1/2" x 1-3/8" Slip Nut w/ Washer, Chrome Plated	50
8011	2" x 2" Slip Nut w/ Washer. Chrome Plated	25



### Bulk Slip Nuts – Die Cast

Product No.	Description	Ctn. Qty.
8030	1-1/4" x 1-1/4" Die Cast Nut, Chrome Plated	50
8030LW	1-1/4" x 1-1/4" Die Cast Nut, Chrome Plated, Less Washer	100
8031	1-1/2" x 1-1/4" Die Cast Nut, Chrome Plated	50
8031LW	1-1/2" x 1-1/4" Die Cast Nut, Chrome Plated, Less Washer	100
8032	1-1/2" x 1-3/8" Die Cast Nut, Chrome Plated	50
8033	1-1/2" x 1-1/2" Die Cast Nut, Chrome Plated	50
8033LW	1-1/2" x 1-1/2" Die Cast Nut, Chrome Plated, Less Washer	100
8034	2" x 2" Die Cast Nut, Chrome Plated	25



### Nuts & Washers Individual Bag

Product No.	Description	Ctn. Qty.
HD8030C	Zinc Nut & Washer Slip Joint 1-1/4", Ind. Printed Bag, Display Box	20
HD8033C	Zinc Nut & Washer Slip Joint 1-1/2", Ind. Printed Bag, Display Box	20
HD8031C	Zinc Nut & Washer Slip Joint 1-1/4" x 1-1/2", Ind. Printed Bag, Display Box	20

### **Bulk Washers**

Product No.	Description	Ctn. Qty.
7195	1-1/2" flanged washer, 1-5/16" I.D. x 1-23/32" O.D.	100
7196	1-1/4" beveled S.J. washer, 1-1/4" I.D. x 1-29/64" O.D. x 7/64" thick.	100
7198	1-1/2" x 1-1/4" beveled washer, bulk	100
9002	Plastic Washers	100
7202	1-1/4" Regular, rubber, 1-1/4" I.D. x 1-7/16" O.D., 5/32" thick	100
7203	1-1/2" Regular, rubber, 1-1/2" I.D. x 1-3/4" O.D., 3/16" thick	100
7204	2" Regular, rubber, 1-15/16" I.D. x 2-1/8" O.D., 3/16" thick	100
7210	1-1/2" x 1-1/4", rubber, 1-1/4" I.D. x 1-3/4" O.D., 5/32" thick	100

### **Individual Bagged Washers**

Product No.	Description	Ctn. Qty.
HD7202C	Rubber Slip Joint Washer 1-1/4", 3/Card, Ind. Printed Bag, Display Box	20
HD7203C	Rubber Slip Joint Washer 1-1/2", 3/Card, Ind. Printed Bag, Display Box	20
HD7210	Rubber Slip Joint Reducing Washers 1-1/2" x 1-1/4", Ind. Printed Bag, Display Box	25

db Dearborn Brass.

CATEGORY **1 7 BASKET AND SINK STRAINERS** 



### Flanges Product No.





Product No.	Description	Ctn. Qty
Low Pattern C	hrome Plated	
1097	3/8" O.D. for 1/4" Nom	50
1098	1/2" O.D. for 3/8" Nom	50
1099	5/8" O.D. for 1/2" Nom	50
1099A	7/8" O.D. For 3/4" Nom Copper	50
H1099A	Flat Escutcheon 7/8" Copper, Bagged	12
1099AB	7/8" O.D. For 3/4" Nom	250
1099B	5/8" O.D. For 1/2" Nom	250
1100	3/8" NPT	50
HD1831C	Flange 3/8" IPS, Bagged	20
1100B	3/8" NPT	250
1101	1/2" NPT	50
1101R	Rubber Escutcheon 1/2" - 3/4"	50
HD75C	Flange 1/2" IPS, Bagged	20
1101A	3/4" NPT	50
HD76C	5/8" O.D. for 1/2" Nom Copper, Bagged	20
1101AA	1" NPT	50
1101B	1/2" NPT	250
1102	1-1/4" O.D.	50
HD72C	1/4" O.D. Tube, Bagged	12
1104	1-1/2" 0.D.	50
HD73C	1/2" O.D. Tube, Bagged	12
1104A	2" 0.D.	50
1105	1-1/4" NPT	50
1106	1-1/2" NPT	50
1106A	2" NPT	50
1106B	1-1/2" NPT	250
1106E	1-1/2" - 2" Exterior Escutcheon	12
High Pattern C	hrome Plated	
1107A	3/8" O.D. For 1/4" Nom	50
1107B	1/2" O.D. For 3/8" Nom	50
1107C	5/8" O.D. For 1/2" Nom	50
1107D	11/16" O.D. For Sweat Extension	50
1109	3/8" I.P.S.	50
1110	1/2" NPT	50
1114	1-1/4" O.D.	50
1114A	1-1/4" NPT	50
1115	1-1/2" O.D.	50
1115A	1-1/2" NPT	50
Box Pattern Ch	nrome Plated	
1116	1-1/4" 0.D.	12
H1116	1-1/4" O.D. Tube In Bag, Display Box	20
1116A	1-1/4" NPT	12
1117	1-1/2" O.D.	12
H1117	1-1/2" O.D.Tube In Bag, Display Box	12
1117A	1-1/2" NPT	12
1118	2" Deep Flange	12

1/2" Chrome Plated Sleeve

1119

db Dearborn Brass.

Return to Table of Contents

**db** Dearborn Brass.



CATEGORY **1 7 BASKET AND SINK STRAINERS** 

### db Dearborn Brass.

### BASKET AND SINK STRAINERS

**Floor And Ceiling Plates** 

Description

Product No.





Copper Tube Sizes –	H_Hoow Crodo	
	- n=neavy uraue	
5340 1/	/2" Tube	12
HD5340C 1/	/2" Tube, Bagged	20
5340H 5/	/8" O.D5 Nom	12
5341 3/	/4" Tube	12
HD5341C 3/	/4" Tube, Bagged	20
5341H 7/	/8" O.D. 3/4" Nom	12
5342 1.	-1/8" 0.D.	12
5342H 1-	-1/8" 0.D. 3/4"	12
5343 1.	-3/8" 0.D.	12
5343H 1·	-3/8" 0.D. 1-1/4"	12
5344 1	1/2" Nom	12
5344H 1·	-5/8" 0.D. 1.5	12
5345H 2-	-1/8" 0.D. 2 Nom	12
5346H 2-	-5/8" 0.D. 2.5	12
5347H 3-	-1/8" 0.D. 3 Nom	12
Iron Pipe Sizes – H=	=Heavy Grade	
5350 3/	/8" IPS	12
5350H 3/	/8" IPS	12
5351 1/	/2" IPS	12
HD5351C 1/	/2" IPS, Bagged	20
5351H 1/	/2" IPS	12
5352 3/	/4" IPS	12
HD5352C 3/	/4" IPS, Bagged	20
5352H 3/	/4" IPS	12
5353 1'	" IPS	12
HD5353C 1	" IPS, Bagged	24
5353H 1'	" IPS	20
5354 1.	-1/4" IPS	12
HD5354C 1.	-1/4" IPS, Bagged	20
5354H 1·	-1/4" IPS	12
5355 1.	-1/2" IPS	12
HD5355C 1.	-1/2" IPS, Bagged	20
5355H 1·	-1/2" IPS	12
5356 2'	" IPS	12
HD5356C 2'	" IPS, Bagged	20
5356H 2'	" IPS	12
5357H 2-	-1/2" IPS	12
5358H 3'	" IPS	12
5359H 3-		12
5360H 4'	" IPS	12

Ctn. Qty.

### db. Dearborn Brass.



Plastic Split F	lange	$\smile$
Product No.	Description	Ctn. Qty.
Copper Tube Sizes	3	Ctn. Oty. 12 12 12 12 12 12 12 12 12 12
5340P	1/2" Nom	12
5341P	3/4" Nom	12
5342P	1" Nom	12
Iron Pipe Sizes		
5351P	1/2" IPS	12
5352P	3/4" IPS	12
5353P	1" IPS	12
5354P	1-1/4" IPS	12
5355P	1-1/2" IPS	12
5356P	2" IPS	12



### **Shower Drains**

Product No.	Description	Ctn. Qty.
1268	Shower Drain, Brass Body w/ 3-1/2" Grid, 2", Type M to Caulk	10



Product No.	Description	Ctn. Qty.
1256	Strainer w/ 3 Prongs, 1-7/8"	25
1257	Strainer w/ 3 Prongs, 1-5/8"	25



### Accessories

Product No.	Description	Ctn. Qty.
6200C	1/8" x 24" Graphite Twist Packing for Faucets, Valves & Pumps	48
7633C	6' High Pressure Washing Machine Hose	6

Navigation Return to Table of Contents

Return to Table of Contents



### SPECIALTY SINK REPAIR



### **Drum Trap Covers**

Product No.	Description	Ctn. Qty.
1023	3-1/4" - 4" Adj. Drum Trap Cover (Style A) w/ 5-1/4" Stainless Steel Cover & Rubber Gasket	10
1024	3-1/4" - 4" Adj. Drum Trap Cover (Style B) w/ 5-1/4" Stainless Steel Cover & Rubber Gasket	10

### **Sink Hole Covers**

Product No.	Description	Ctn. Qty.
1226	2" Sink Hole Cover w/ 2-Piece Stainless Steel Head	12
1227	1-3/4" Sink Hole Cover w/ 2-Piece Stainless Steel Head	24
1228	1-3/4" Sink Hole Cover w/ 1-Piece Stainless Steel Head	24
1228E	1-3/4" Sink Hole Cover w/ 1-Piece Chrome Plated Steel Head	24



#202C shown

Product No.	Description	Ctn. Qty.
7983	Dishwasher Disposal Hose Connector	50
8636	1/2" NPT x 1/4" NPT Basin Cock Coupling Nut	25
202C	Replacement Spray Head	12
2403E	27" Stainless Steel Fit-All Hexagon Lug Lavatory Legs w/Escutcheons for China Fixtures (one pair)	1
7536C	1" - 1-3/8" Fit-All White Sink Stopper w/Metal Ring	24
#### SPECIALTY BATHTUB REPAIR

**Navigation** 

Return to Table of Contents

db Dearborn Brass.

Product No.	Description	Ctn. Qty.
59	26" x 45" Chrome Plated Brass Ad-On Shower Frame w/ Wall & Ceiling Supports. 3/4" Diameter	1
R100	26" x 45" Chrome Plated Brass Ad-On Shower Frame w/ Wall & Ceiling Supports for Fixture w/Bath Faucet in Tub Includes No. 355 Tub Spout, No. 126WS Shower Head w/ 3/4" NPT, 3-3/8" Centers. 3/4" Diameter	1
104	Add-On Shower w/ No. 353 Tub Spout, 3/4" NPT w/ 3/4" x 1/2" Face Bushing	1
107	1/2" x 21" Bent Riser Add-On Basement Shower w/Soap Dish	1

#### **Shower Heads & Tub Spouts**



Product No.	Description	Ctn. Qty.
122WS	Chrome Plated Brass Water Saving Shower Head	1
126CWS	Chrome Plated Plastic Water Saving Shower Head w/ Plastic Ball Joint	6
350	Chrome Plated Brass Self-Closing Shower Valve w/ Pull Chain	1
351C	Chrome Plated Die Cast Diverter Spout w/ Personal Shower Fitting w/ 3/4" x 1/2" Face Bushing	12
355	Tub Faucet for No. R100, Add-On Shower Frames	1
359A	Chrome Plated Brass Diverter Spout, 3/4" NPT Wall Connection w/ 3/4" x 1/2" Brass Face Bushing	12

#### **Shower Rods**

Accessories

4	antionen la
100	
- T	

#80 shown

Product No.	Description	Ctn. Qty.
43LF	5' Aluminum Shower Rod, Less Flanges	50
45C	5' Aluminum Shower Rod, w/ Flanges	6
80	Shower Rod Flange w/ Screws (bagged 1 pair)	24
83	Adjustable Plastic Shower Rod Holder	50
1056	1-3/8" Plated Steel Shower Curtain Pins	100



#7537C shown

Product No.	Description	Ctn. Qty.
89CF	6" Shower Arm w/ Die Cast Flange	20
89F	6" Shower Arm w/ Flange	10
2565	1/2" x 21-1/2" Offset Bath Supply w/ Nuts, Washers & Floor Flange (pair)	1
2566	9/16" x 2-1/2" Offset Bath Supply w/ Nuts Washers & Floor Flange (pair)	1
7537C	1-1/2" -2" White Tub Stopper w/ Metal Ring	24







## Category 18

#### **Pneumatic Pipe Plugs**

Cherne<sup>®</sup> pneumatic Test Ball<sup>®</sup> and Muni-Ball<sup>®</sup> pipe plugs have been the contractor's choice for more than 55 years. Used in residential DWV systems, sanitary/storm sewers, Cherne<sup>®</sup> pneumatic pipe plugs do it all! Larger sizes are available with our patented Rupture Disc Technology, which prevents over-inflation. This eliminates plug damage due to over-inflation and enhances user safety.

#### **NEW and Improved I-Series® Plugs**

The Cherne® I-Series® plugs include several enhancements to make the product easier and safer to operate. Its smaller deflated diameter makes it easier to insert into tight manhole openings, while improved hardware adds strength over competing products.

#### **Design Changes on Plugs 24-48" an Larger**

- New 3/4" eyebolts for added strength.
- Shorter overall length makes it more maneuverable.
- Additional bypass sizes available now offering 6" and 8" bypasses on larger sizes for better flow rates.
- All plugs feature our patented, field-repairable, Rupture Disc technology, which eliminates the risk and danger of over-inflation due to faulty gauges or user error.

#### (see page 184)

NEW! From Cherne®

Navigation **Return to Table of** Contents



Return to Table of Contents

CATEGORY **7 S PNEUMATIC PIPE PLUGS** 



#### PNEUMATIC PIPE PLUGS

#### **I-Series® Plugs**

- Smaller deflated diameter.
- Improved hardware for more strength.
- Shorter length.
- · Additional bypass sizes available.

• 20-40" and larger sizes feature patented, field-repairable rupture disc technology to eliminate over-inflation risk

	-			Back Pressure	Feet of
Product No.	Size	Description	Ctn. Qty.	P.S.I.	Head
395088	4-8"	Test Ball <sup>®</sup> plug	1	13	30
395128	6-12"	Test Ball <sup>®</sup> plug	1	13	30
395168	8-16"	Test Ball <sup>®</sup> plug	1	13	30
395248	12-24"	Test Ball <sup>®</sup> plug	1	13	30
310408	20-40"	Test Ball <sup>®</sup> plug	1	8.7	20
310488	24-48"	Test Ball <sup>®</sup> plug	1	10	23
310600	24-60"	Test Ball <sup>®</sup> plug	1	6	14
310728	48-72"	Test Ball <sup>®</sup> plug	1	6	14
310968	54-96"	Test Ball <sup>®</sup> plug	1	6	14
355088	4-8"	Muni-Ball® plug w/ ¾" Bypass	1	13	30
355128	6-12"	Muni-Ball® plug w/ 1" Bypass	1	13	30
355168	8-16"	Muni-Ball <sup>®</sup> plug w/2" Bypass	1	13	30
355248	12-24"	Muni-Ball <sup>®</sup> plug w/2" Bypass	1	13	30
312408	20-40"	Muni-Ball <sup>®</sup> plug w/2" Bypass	1	8.7	20
314408	20-40"	Muni-Ball <sup>®</sup> plug w/4" Bypass	1	8.7	20
316408	20-40"	Muni-Ball <sup>®</sup> plug w/6" Bypass	1	8.7	20
314488	24-48"	Muni-Ball® plug w/4" Bypass	1	10	23
316488	24-48"	Muni-Ball <sup>®</sup> plug w/6" Bypass	1	10	23
314728	48-72"	Muni-Ball® plug w/4" Bypass	1	6	14
316728	48-72"	Muni-Ball <sup>®</sup> plug w/6" Bypass	1	6	14
318728	48-72"	Muni-Ball® plug w/8" Bypass	1	6	14
314968	54-96"	Muni-Ball <sup>®</sup> plug w/4" Bypass	1	6	14
316968	54-96"	Muni-Ball® plug w/6" Bypass	1	6	14
318968	54-96"	Muni-Ball® plug w/8" Bypass	1	6	14
			Air Loc® plug ver	rsions also available	e. Consult factory.

#### Single-Size Test-Ball® Plugs

• Made of natural rubber for excellent expansion and memory.

• Seals both round and out-of-round pipe.

Zinc-plated steel chain and ring handle acts as an anchor to prevent plug from sliding down a line.
Fits easily through test tees, sanitary tees, floor drains, and other "tight" situations.

· Broader expansion range than mechanical plugs.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
		•			
270008	3/4"-1-1/4"	Test-Ball <sup>®</sup> Plug	6	17 PSI	40 FT
270016	1-1/4"-1-1/2"	Test-Ball <sup>®</sup> Plug	6	13 PSI	30 FT
270024	2"	Test-Ball <sup>®</sup> Plug	6	13 PSI	30 FT
270108	2-1/2"	Test-Ball <sup>®</sup> Plug	6	13 PSI	30 FT
270032	3"	Test-Ball <sup>®</sup> Plug	6	13 PSI	30 FT
270040	4"	Test-Ball <sup>®</sup> Plug	6	13 PSI	30 FT
270059	5"	Test-Ball <sup>®</sup> Plug	1	13 PSI	30 FT
270067	6"	Test-Ball <sup>®</sup> Plug	1	13 PSI	30 FT





#### PNEUMATIC PIPE PLUGS

#### 2 THE 2 Contraction of the second sec

#240028 Bulk Pack shown



#240018 shown





#### Bulk Test-Ball<sup>®</sup> Plugs – Individual Display Bags\*

- Same great Test-Ball® plug in bulk packaging.
- Preprinted bag designed for use with peg hook displays.
- \* Bulk Test-Ball® Plugs MUST be ordered in quantities of 24 plugs.

Product No.	Size	Description	Ctn. Qty.	Pressure P.S.I.	of Head
240018	1-1/4"-1-1/2"	Test-Ball <sup>®</sup> Plug	24	13 PSI	30 FT
240028	2"	Test-Ball <sup>®</sup> Plug	24	13 PSI	30 FT
240038	3"	Test-Ball <sup>®</sup> Plug	24	13 PSI	30 FT
240048	4"	Test-Ball <sup>®</sup> Plug	24	13 PSI	30 FT

Back

Feet

#### Single-Size Test-Ball® Plugs (Underground)

- Designed to block sewer flow or for use as a back plug for sewer air testing.
- · Natural rubber material for excellent expansion and memory.

• Seals both round and out-of-round pipe.

• Removable inflation valve can be replaced if damaged or replaced with quick disconnect fitting.

Features an eye-bolt for use with a poly-lift line.						
Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head	
041386	8"	Test-Ball <sup>®</sup> Plug	1	17 PSI	40 FT	
041394	10"	Test-Ball <sup>®</sup> Plug	1	17 PSI	40 FT	
041408	12"	Test-Ball <sup>®</sup> Plug	1	17 PSI	40 FT	

#### Multi-Size Test-Ball® Plugs (Plumbing)

- One size fits multiple pipe diameters, doing the job of 2+ single-size plugs.
- Use to block flow (water DWV test) or as a back plug for sewer air testing.
- Seals both round and out-of-round pipe.
- Zinc-plated steel chain and ring handle acts as an anchor to prevent plug from sliding down a line.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
276128	1-1/4"-2"	Test-Ball <sup>®</sup> Plug	6	17 PSI	40 FT
276238	2"- 3"	Test-Ball <sup>®</sup> Plug	6	17 PSI	40 FT
276348	3"- 4"	Test-Ball <sup>®</sup> Plug	6	17 PSI	40 FT
276468	4"- 6"	Test-Ball <sup>®</sup> Plug	6	17 PSI	40 FT



#### Multi-Size Test-Ball® Plugs (Underground)

- One plug fits multiple pipe diameters.
- Made of natural rubber for excellent expansion and memory.
- Seals both round and out-of-round pipe.
- Removable inflation valve can be replaced if damaged or replaced with quick disconnect fitting.
- . Use to block flow or as a back plug for sewer air testing.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
275048	4"- 6"	Test-Ball® Plug	1	17 PSI	40 FT
275058	6"- 8"	Test-Ball <sup>®</sup> Plug	1	17 PSI	40 FT
395128	6"- 12"	Test-Ball <sup>®</sup> Plug	1	13 PSI	30 FT
275088	8"- 12"	Test-Ball <sup>®</sup> Plug	1	11 PSI	25 FT
275128	12"- 18"	Test-Ball <sup>®</sup> Plug	1	11 PSI	25 FT
395248	12"- 24"	Test-Ball <sup>®</sup> Plug	1	13 PSI	30 FT



Return to Table of Contents

Return to Table of Contents



#### PNEUMATIC PIPE PLUGS



#### **Clean-Seal® Plugs**

- Threads into test tee, eliminating water backsplash.
- Removable snifter valve inflation fitting is replaceable.
- Made from long-lasting natural rubber.

· Seals both cast-iron and plastic pipe

Long Test-Ball® Plugs

· Includes 3' extension hose.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
271508	1-1/2"	Clean-Seal® Plug	6	13 PSI	30 FT
271705	2"	Clean-Seal® Plug	6	13 PSI	30 FT
271713	3"	Clean-Seal® Plug	6	13 PSI	30 FT
271721	4"	Clean-Seal® Plug	6	13 PSI	30 FT
271758	6"	Clean-Seal® Plug	1	13 PSI	30 FT



#271047 shown

Pressure of Product No. Size Description Ctn. Qty. P.S.I. Head 271020 2" Long Test-Ball® Plug 13 PSI 30 FT 1 271039 3" Long Test-Ball® Plug 13 PSI 30 FT 1 271047 4" Long Test-Ball® Plug 13 PSI 30 FT 1 271055 5" Long Test-Ball® Plug 1 13 PSI 30 FT 6" 271063 Long Test-Ball® Plug 1 13 PSI 30 FT 271098 4"- 6" Long Test-Ball® Plug 1 13 PSI 30 FT

Back

Feet



#274526 shown

#### MS2<sup>®</sup> Long Test-Ball<sup>®</sup> Plugs

• Designed for waste stack testing from floor drain to sewer pipe.

Designed for waste stack testing from floor drain to sewer pipe.
Long enough to seal wye vertical riser and sewer run.

• Ring and chain assembly prevents plug from sliding down a line.

- Long enough to seal wye vertical riser and sewer run.
- Multi-stage deflation eliminates backsplash.
- Works in multiple pipe diameters.
- Pressure relief valve to safeguard against over-inflation.
- Nylon strap and safety handle prevents plug from sliding down a line.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
274518	2"- 3"	MS2 <sup>®</sup> Plug	1	13 PSI	30 FT
274526	3"- 4"	MS2 <sup>®</sup> Plug	1	13 PSI	30 FT
274534	4"- 6"	MS2 <sup>®</sup> Plug	1	13 PSI	30 FT







#### Single-Size Muni-Ball® Plugs (Underground)

• Works in all types of pipe.



Durable natural rubber construction seals the roughest of surfaces.
8", 10", 12" and 15" plugs include two port plug for easy use in sewer air tests.

• Threaded aluminum bypass.



#262080 shown

Product No.	Size	Description		Ctn. Qty.	Pressure P.S.I.	of Head
262008	1-1/2"	Muni-Ball® Plug	1/8" Bypass	1	22 PSI	50 FT
262010	2"	Muni-Ball® Plug	1/8" Bypass	1	22 PSI	50 FT
262021	3"	Muni-Ball® Plug	3/4" Bypass	1	22 PSI	50 FT
262048	4"	Muni-Ball® Plug	3/4" Bypass	1	22 PSI	50 FT
262064	6"	Muni-Ball® Plug	1-1/2" Bypass	1	13 PSI	30 FT
262080	8"	Muni-Ball® Plug	3" Bypass	1	13 PSI	30 FT
262110	10"	Muni-Ball® Plug	3" Bypass	1	13 PSI	30 FT
262129	12"	Muni-Ball® Plug	3" Bypass	1	13 PSI	30 FT
262137	15"-16"	Muni-Ball® Plug	3" Bypass	1	13 PSI	30 FT
262188	18"	Muni-Ball® Plug	4" Bypass	1	13 PSI	30 FT
262218	21"	Muni-Ball® Plug	4" Bypass	1	13 PSI	30 FT
262242	24"	Muni-Ball® Plug	4" Bypass	1	13 PSI	30 FT

Back

Feet



#265098 shown

#### Multi-Size Muni-Ball® Plugs (Underground)

. Work in all types of pipe.

- Durable natural rubber construction seals the roughest of surfaces.
- Threaded aluminum bypass. · Easily converts to an air test plug with the use of a conversion kit.
- One plug fits multiple pipe diameters.

1					Back Pressure	Feet of
	Product No.	Size	Description	Ctn. Qty.	P.S.I.	Head
	262008	1-1/2"	Muni-Ball <sup>®</sup> Plug 1/8" Bypass	1	22 PSI	50 FT
	265048	4"- 6"	Muni-Ball® Plug 3/4" Bypass	1	17 PSI	40 FT
	265068	6"- 8"	Muni-Ball <sup>®</sup> Plug 1-1/2" Bypass	1	17 PSI	40 FT
	265078	8"- 10"	Muni-Ball® Plug 2" Bypass	1	17 PSI	40 FT
	265098	8"- 12"	Muni-Ball® Plug 2" Bypass	1	17 PSI	40 FT
	265128	12"- 18"	Muni-Ball <sup>®</sup> Plug 4" Bypass	1	13 PSI	30 FT

**Navigation** Return to Table of Contents







# Category 19

#### **Mechanical Pipe Plugs**

Cherne<sup>®</sup> mechanical test plugs can be used in a wide variety of applications including DWV and stack testing. With a variety of end-of-pipe and in-pipe options available, it's easy to find the right mechanical test plug for the job.

#### **MECHANICAL PIPE PLUGS**



#### Gripper<sup>®</sup> Mechanical Plugs • Ideal for plumbing system tests.

- Easy to install with extra-large wing nut.
  Inside of pipe seals inside pipe as far as needed.
- Made with glass-reinforced ABS plastic.
- End-of-pipe seals only at the end of a pipe, preventing plug from falling into stack.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
270210	1-1/2"	End of Pipe Gripper <sup>®</sup> Plug	10	17 PSI	40FT
270229	2"	End of Pipe Gripper® Plug	10	17 PSI	40FT
270237	3"	End of Pipe Gripper <sup>®</sup> Plug	10	17 PSI	40FT
270245	4"	End of Pipe Gripper <sup>®</sup> Plug	10	17 PSI	40FT
270261	6"	End of Pipe Gripper® Plug	5	17 PSI	40FT
270270	8"	End of Pipe Gripper <sup>®</sup> Plug	1	17 PSI	40FT
270296	4"	Inside of Pipe Gripper <sup>®</sup> Plug	10	17 PSI	40FT
270253	6"	Inside of Pipe Gripper <sup>®</sup> Plug	5	17 PSI	40FT
270288	8"	Inside of Pipe Gripper® Plug	1	17 PSI	40FT



- Hub-Fit Gripper<sup>®</sup> Plugs Ideal for use in hub fittings and in bell-end pipe.
- Pressure rated for conducting DWV tests.
- · Yellow color enhances visibility in pipe.
- Made with glass-reinforced ABS plastic and natural rubber O-ring.

Product No.	Size	Description	Ctn. Qty.	Pressure P.S.I.	of Head
270528	2"	Hub-Fit Gripper® Plug	10	13 PSI	30FT
270538	3"	Hub-Fit Gripper <sup>®</sup> Plug	10	13 PSI	30FT
270548	4"	Hub-Fit Gripper <sup>®</sup> Plug	10	13 PSI	30FT



#### Clean-Out Gripper<sup>®</sup> Plugs

- Patented threaded O-ring ensures airtight seal.Stainless steel hardware prevents corrosion.
- Black color blends well with cast-iron pipe.
- NPT-sized, including hard-to-find 3-1/2".
- Guaranteed to seal all damaged threads.
- Made with glass-reinforced ABS plastic and natural rubber O-ring.

Product No.	Size	Description	Ctn. Qty.	Pressure P.S.I.	of Head
270168	2"	Plug Seals 2-1/2" Threaded Opening	10	17 PSI	40FT
270178	3"	Plug Seals 3-1/2" Threaded Opening	10	17 PSI	40FT
270138	3-1/2"	Plug Seals 4" Threaded Opening	10	17 PSI	40FT
270188	4"	Plug Seals 4-1/2" Threaded Opening	10	17 PSI	40FT



Return to Table of Contents

Feet

Feet

Back

Back

Return to Table of Contents



#### MECHANICAL PIPE PLUGS

#### T-Handle Aluminum Gripper® Plugs (Underground)

- Can be used in long-term applications.
- Chemical-resistant neoprene O-ring.
- Made of heavy-duty aluminum.
- Bypass can be used to conduct sewer air pressure test.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
272949	6"	Gripper <sup>®</sup> Plug 1/4" Bypass	1	17 PSI	40FT
272957	8"	Gripper <sup>®</sup> Plug 3/4" Bypass	1	17 PSI	40FT
272965	10"	Gripper <sup>®</sup> Plug 3/4" Bypass	1	17 PSI	40FT
272973	12"	Gripper <sup>®</sup> Plug 3/4" Bypass	1	13 PSI	30FT
272981	15"	Gripper <sup>®</sup> Plug 3/4" Bypass*	1	13 PSI	30FT
272998	18"	Gripper <sup>®</sup> Plug 3/4" Bypass*	1	8.7 PSI	20FT

\*Concrete and clay pipe sizes only.

#### T-Handle Aluminum Gripper® Plugs (Underground)

- Can be used in long-term applications.
- Chemical-resistant neoprene O-ring.

· Made of heavy-duty aluminum.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
272892	6"	Gripper <sup>®</sup> Plug (Non By-Pass)	1	17 PSI	40FT
272906	8"	Gripper <sup>®</sup> Plug (Non By-Pass)	1	17 PSI	40FT
272914	10"	Gripper <sup>®</sup> Plug (Non By-Pass)	1	17 PSI	40FT
272922	12"	Gripper <sup>®</sup> Plug (Non By-Pass)	1	13 PSI	30FT
272930	15"	Gripper <sup>®</sup> Plug (Non By-Pass)*	1	13 PSI	30FT
272888	18"	Gripper <sup>®</sup> Plug (Non By-Pass)*	1	8.7 PSI	20FT

\*Concrete and clay pipe sizes only.



- Econ-O-Grip<sup>®</sup> Plugs Cost-effective method for plugging open-ended pipe.
- Natural rubber O-ring.

• Effective pipe dust cover.

• Not recommended for pressure tests.

Product No.	Size	Description	Ctn. Qty.	Pressure P.S.I.	of Head
271519	1-1/2"	Econ-O-Grip® Plug	10	2 PSI	5FT
271527	2"	Econ-O-Grip® Plug	10	2 PSI	5FT
271535	3"	Econ-O-Grip® Plug	10	2 PSI	5FT
271543	4"	Econ-O-Grip® Plug	10	2 PSI	5FT
271551	5"	Econ-O-Grip® Plug	5	1 PSI	2FT
271578	6"	Econ-O-Grip® Plug	5	1 PSI	2FT

Back

Feet



#### MECHANICAL PIPE PLUGS



#### Petro Econ-O-Grip<sup>®</sup> Plugs (Chemical Resistant) • Chemical-resistant Nitrile rubber and stainless steel hardware.

• Not recommended for pressure tests.

Product No.	Size	Description	Ctn. Qty.	Pressure P.S.I.	of Head
273318	1-1/2"	Stainless Steel Econ-O-Grip® Plug	2	2 PSI	5FT
273328	2"	Stainless Steel Econ-O-Grip® Plug	2	2 PSI	5FT
273338	3"	Stainless Steel Econ-O-Grip® Plug	2	2 PSI	5FT
273348	4"	Stainless Steel Econ-O-Grip® Plug	2	2 PSI	5FT
273358	5"	Stainless Steel Econ-O-Grip® Plug	1	1 PSI	2FT
273368	6"	Stainless Steel Econ-O-Grip® Plug	1	1 PSI	2FT

Back

Back

Feet

Feet



#### Sure-Grip<sup>®</sup> Plugs

• Polypropylene construction with natural rubber O-ring.

• Can be used as a permanent or temporary plug.

• Fits all type of pipe at nominal sizes.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
271158	1-1/2"	Sure-Grip <sup>®</sup> Plug	10	22 PSI	50FT
271208	2"	Sure-Grip <sup>®</sup> Plug	10	22 PSI	50FT
271308	3"	Sure-Grip <sup>®</sup> Plug	10	13 PSI	30FT
271408	4"	Sure-Grip <sup>®</sup> Plug	10	13 PSI	30FT



#### Kwik 'N Sure® Plugs

Works in all types of pipe.
Wing nut on 3/8" - 1-1/4" sizes.

- Hex nut on 1.5" through 5" sizes.
- Works well for plugging water line stub-outs.

• Natural rubber O-ring.

Product No.	Size	Description	Ctn. Qty.	Pressure P.S.I.	of Head
269832	0.39"	Kwik 'n Sure <sup>®</sup> Plug	10	185 PSI	428FT
269840	1/2"	Kwik 'n Sure <sup>®</sup> Plug	10	180 PSI	415FT
269867	3/4"	Kwik 'n Sure <sup>®</sup> Plug	10	180 PSI	415FT
269875	1"	Kwik 'n Sure <sup>®</sup> Plug	10	40 PSI	92FT
269883	1-1/4"	Kwik 'n Sure <sup>®</sup> Plug	10	112 PSI	258FT
269891	1-1/2"	Kwik 'n Sure <sup>®</sup> Plug	10	88 PSI	203FT
269905	2"	Kwik 'n Sure <sup>®</sup> Plug	5	112 PSI	258FT
269913	2-1/2"	Kwik 'n Sure <sup>®</sup> Plug	5	72 PSI	166FT
269921	3"	Kwik 'n Sure <sup>®</sup> Plug	5	28 PSI	65FT
269948	4"	Kwik 'n Sure <sup>®</sup> Plug	5	24 PSI	55FT
269956	5"	Kwik 'n Sure <sup>®</sup> Plug	5	8 PSI	18FT



Return to Table of Contents



#### **MECHANICAL PIPE PLUGS**



#### Monitor Well<sup>™</sup> Locking Plugs Designed to seal monitor wells. Sized to seal Schedule 40 piping.

- 2" and 4" sizes can also seal schedule 5 plastic and stainless steel pipe.
- Yellow chromate-coated locking latch accepts Cherne's solid brass padlock or No. 2 Master® padlock.0=
- Meets all EPA requirements for locking plugs.
- Made with chemical-/petroleum-resistant Estaloc<sup>®</sup> plastic top/bottom plates and Nitrile sealing O-ring.
- Comes with stainless steel carriage bolt.

				Back Pressure	of
Product No.	Size	Description	Ctn. Qty.	P.S.I.	Head
271648	1"-1-1/4"	Monitor Well <sup>™</sup> Locking Plug	12	6.5 PSI	15FT
271675	2"	Monitor Well <sup>™</sup> Locking Plug	50	6.5 PSI	15FT
271669	3"	Monitor Well <sup>™</sup> Locking Plug	75	6.5 PSI	15FT
271683	4"	Monitor Well <sup>™</sup> Locking Plug	25	6.5 PSI	15FT
271691	6"	Monitor Well <sup>™</sup> Locking Plug	8	6.5 PSI	15FT
271735	8"	Monitor Well <sup>™</sup> Locking Plug	1	6.5 PSI	15FT
112941		Padlock with Key	1		

Dook

East



#### **Tub Waste & Overflow Plugs**

- Used to isolate bath wastes for air/water testing.
- Natural rubber gasket creates air-tight seal.
- For use on ceneter hole drains overflow.
- Yellow ABS plastic ensures easy job site recognition.
- 3/8" Drain thread. • 1/4" Overflow thread.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
012678		Tub Plug Set (Overflow & Drain)	12	5	13



Return to Table of Contents



### Category 20

### **Test Equipment, Drain, Flushers, and Accessories**

Everything from replacement chains and extension hoses to poly lift lines and gauges. Innovation and quality has made Cherne the contractor's choice for more than 55 years. Here's to the next 55!

Return to Table of Contents

# CATEGORY **Z O TEST EQUIPMENT, DRAIN, FLUSHERS, AND ACCESSORIES**



#### Econ-O-Pump<sup>™</sup> Test Pump

TEST EQUIPMENT, DRAIN, FLUSHERS, AND ACCESSORIES

- Low cost version for the infrequent user.
- 0-140 PSI gauge.
- Traditional thumb lock.
- All metal construction.

Air-Max<sup>®</sup> Test Pumps • Gauge raised from base for protection.

· Textured steel base prevents feet from slipping.

Size

• Durable steel barrel.

• Durable, no-kink hose.

**Product No.** 

273958

034588

Product No.	Size	Description	Ctn. Qty.
273888		Econ-O-Pump <sup>™</sup> Test Pump	1

Ctn. Qty.

1

1



#273958 shown



#273968 shown

#### Air-Max<sup>®</sup> Pro HV Test Pumps

• Large barrel for maximum volume means fewer strokes to inflate plug.

Description

Air-Max® Test Pump

Replacement Hose Assembly w/ Thumb Lock

- 0-60 PSI gauge for most accurate plug pressure readings.
- All-metal thumb lock for durability.
- Hose strain relief to transfer tension from hose to the barrel.
- Forged steel barrel for extra toughness.
- Large, three-point base for maximum stability.
- Rubber cover to protect gauge from damage.
- Solid wood handle for greater comfort and durability.

Durable, no-kink hose.				
Product No.	Size	Description	Ctn. Qty.	
273968		Air-Max <sup>®</sup> Pro HV Test Pump	1	
055728		Replacement Hose Assembly w/ Thumb Lock	1	



#### TEST EQUIPMENT, DRAIN, FLUSHERS, AND ACCESSORIES

**Smoke Generator (Bomb) Testing Products** 

Return to Table of Contents







Smoke Fluid Testing Products				
Product No.	Description	Ctn. Qty.		
303018	Smoke Fluid Smoke Blower Kit: Honda Engine	1		
303008	Smoke Fluid Smoke Blower Kit: Briggs & Stratton Engine	1		
065808	Smoke Fluid: One Gallon	4		
065818	Smoke Fluid: Five Gallons	1		
065828	Smoke Fluid: Fifty-Five Gallon Drum	1		



|--|

Product No.	Description	Ctn. Qty.
303550	Smoke Bomb Smoke Blower Kit: Briggs & Stratton Engine	1
072608	Smoke Bomb: 30 Seconds	12
072618	Smoke Bomb: 60-Seconds	12
072628	Smoke Bomb: 3 Minutes	12
072638	Smoke Bomb: 3 Minutes Double Wick	12

Smoke Testing Accessories				
Product No.	Description	Ctn. Qty.		
14722	Smoke Blower Replacement Fan (Left Pitch)	1		
58368	Smoke Bomb Holding Cage	1		
36308	Smoke Fluid Conversion Kit From Smoke Bomb Briggs & Stratton Engine	1		
38558	Smoke Fluid Conversion Kit From Smoke Bomb Honda Engine Pre 2006	1		
61028	Smoke Fluid Conversion Kit From Smoke Bomb Honda Engine 2006 And Newer	1		



#### **Clog-Buster® Drain Flusher**

• Unclogs drain pipes in seconds.

- Simply remove aerator from faucet spigot and attach faucet adapter to garden hose.
- Attaches to standard garden hose fitting.
- Natural rubber body povides excellent seal

Product No.	Size	Description	Ctn. Qty.
303127	1"-2"	Clog-Buster <sup>®</sup> Drain Flusher	1
303135	1-1/2"-3"	Clog-Buster <sup>®</sup> Drain Flusher	1
303143	4"- 6"	Clog-Buster <sup>®</sup> Drain Flusher	1
006193		Clog-Buster <sup>®</sup> Faucet Adapter	1



#### Manometer

• Used for final test of DWV pipe and to test gas lines.

• Reads in 1/10" increments

<ul> <li>Measures water columns from 0" to 16".</li> </ul>			
Product No.	Size	Description	Ctn. Qty.
010205		Manometer	1



Return to Table of Contents





#### TEST EQUIPMENT, DRAIN, FLUSHERS, AND ACCESSORIES

#### **Replacement Chains**

- Replacement assemblies for Test-Ball plugs.
- Rings prevent test plugs from sliding down a line.
- Includes a safety tag

Product No.	Description	Ctn. Qty.
059708	2" Ring With 12" Chain	1
059718	3" Ring With 12" Chain	1
059728	4" Ring With 12" Chain	1
059748	6" Ring With 12" Chain	1
059758	2" Ring With 24" Chain	1
059768	3" Ring With 24" Chain	1
059778	4" Ring With 24" Chain	1
059788	5" Ring With 24" Chain	1
059798	6" Ring With 24" Chain	1



Gauges • Features 2" unbre • All connections cc • Inflator valve is re	instructed of high-quality brass.	
Product No.	Description	Ctn. Qty.
000698	0-15 psi Gauge 2" Face 0.1 psi Increments	1
000628	0-30 psi Gauge 2" Face 0.5 psi Increments	1
000638	0-60 psi Gauge 2" Face 1 psi Increments	1
000648	0-100 psi Gauge 2" Face 2 psi Increments	1



Gauges	With	3/4"	<b>FNP</b>	T Test	Body
- Feeturee C	مسطورين الا	مارمهام	alactic	60.00	

	breakable plastic tace. constructed of high-quality brass. replaceable.	
Product No.	Description	Ctn. Qty.
024568	0-15 psi Gauge 2" Face 0.1 psi Increments	1
019698	0-30 psi Gauge 2" Face 0.5 psi Increments	1
019708	0-60 psi Gauge 2" Face 1 psi Increments	1
019718	0-100 psi Gauge 2" Face 2 psi Increments	1
000658	Hex Test Body 1/8" Tap	1
068 527	Replacement Snifter Valve 1/8"	1





#### Extension Hose With Gauge, 3/16" ID

- Recommended for use with plugs up to 15" in diameter.
- Ideal for plumbing applications
- Standard tire fitting connections.

• 3/16" ID hose.		04 04
Product No.	Description	Ctn. Qty.
274218	5' Hose With Gauge 3/16" ID	1
274228	10' Hose With Gauge 3/16" ID	1
274238	20' Hose With Gauge 3/16" ID	1



#### TEST EQUIPMENT, DRAIN, FLUSHERS, AND ACCESSORIES

• Recommended for use with plugs up to 15" in diameter.

Hose - 3/16" ID

• Ideal for plumbing applications.

#### **Navigation**

Return to Table of Contents



<ul> <li>Standard tire fith</li> <li>3/16" ID hose.</li> </ul>	ting connections.	
Product No.	Description	Ctn. Qty.
274011	2' Hose, 3/16" ID	6
274038	3' Hose, 3/16" ID	6
274008	2' Hose, 3/16" ID Bagged Bulk Pak	24
274018	3' Hose, 3/16" ID Bagged Bulk Pak	24
274054	5' Hose, 3/16" ID	1
274100	10' Hose, 3/16" ID	1
274208	20' Hose, 3/16" ID	1
055816	Deflator With Clamp (Female End)	1
055808	Inflator With Clamp (Male End)	1



Poly Lift Line • Standard tire fittin • Poly rope designe • Ideal for plugs 8" • 3/16" ID hose. • Snap hook conner	g connections. d for raising and lowering plug. and up.	
Product No.	Description	Ctn. Qty.
261084	20' Hose With Poly Lift Line, 3/16" ID	1
261106	30' Hose With Poly Lift Line, 3/16" ID	1
261114	40' Hose With Poly Lift Line, 3/16" ID	1



#### Poly Lift Line With Gauge - 3/8" ID

- Dump valve for quick deflation.Utilizes quick disconnects.
- Poly rope designed for raising and lowering plug.
- Ideal for plugs 8" and larger in diameter.
- · Retard gauge protects against "peg out".
- 3/8" ID hose for quicker inflation and deflation.

<ul> <li>Snap hook conne</li> <li>Product No.</li> </ul>	Description	Ctn. Qty.
261398	20' Hose With Poly Lift Line And Gauge, Dump Valve, 3/8" ID	1
261408	30' Hose With Poly Lift Line And Gauge, Dump Valve, 3/8" ID	1
261418	40' Hose With Poly Lift Line And Gauge, Dump Valve, 3/8" ID	1
048468	0-60 psi, 2.5" Dial, Plug Pressure Gauge With Retarded Increments To 160 Psi With Cover	1
053458	0-60 psi, 2.5" Dial, Plug Pressure Gauge With Retarded Increments To 160 Psi	1









# Category 21

#### **Pans and Stands**

Oatey<sup>®</sup> Aluminum and Plastic Water Heater Pans can be installed under gas or electric water heaters to protect from water damage. Available with 1" PVC, 1-½" PVC or 1" CPVC drain fittings to allow for connection to indirect drain. Oatey Gas Water Heater Stands allow placement of water heater tanks 18" above the ground as required by the National Fuel Gas Code. Gas Water Heater Stands are constructed of heavy duty 18 gauge spangled galvanized sheet metal.

#### PANS AND STANDS



#34170 shown

#### **Aluminum Water Heater Pan**

- Manufactured from prime aluminum and are expertly worked to exact specifications under strict quality control.
- Recommended for gas or electric water heaters.
- Meets requirements of Southern Building Code.
- Exposed edges have been rolled to protect the installer from injury.

Product No.	Size	Description	Ctn. Qty.
Water Heater Pans	s – 1" CPVC A	dapter	
34170	18"	Aluminum Pan – Bulk	6
34171	20"	Aluminum Pan – Bulk	6
34172	22"	Aluminum Pan – Bulk	6
34173	24"	Aluminum Pan – Bulk	6
34174	26"	Aluminum Pan – Bulk	6
34176	28"	Aluminum Pan – Bulk	6
34175	30"	Aluminum Pan – Bulk	6
Water Heater Pans	s – 1" PVC Ad	apter (1" inside adapter/ 1-1/2" over adapter)	
34079	18"	Aluminum Pan – Bulk	6
34151	20"	Aluminum Pan – Bulk	6
34152	22"	Aluminum Pan – Bulk	6
34153	24"	Aluminum Pan – Bulk	6
34154	26"	Aluminum Pan – Bulk	6
34156	28"	Aluminum Pan – Bulk	6
34085	30"	Aluminum Pan – Bulk	6
Water Heater Pans	s With 1" To	1-1/2" PVC Adapter (1" inside adapter / 1-1/2" inside adapter	)
34081	20"	Aluminum Pan – Bulk	6
34082	22"	Aluminum Pan – Bulk	6
34083	24"	Aluminum Pan – Bulk	6
34084	26"	Aluminum Pan – Bulk	6
34103	28"	Aluminum Pan – Bulk	6
Water Heater Pans	5		
34090	18"	Aluminum Pan Without Hole / Adapter	6
34091	20"	Aluminum Pan Without Hole / Adapter	6
34092	22"	Aluminum Pan Without Hole / Adapter	6
34093	24"	Aluminum Pan Without Hole / Adapter – Bulk	6
34157	24"	Aluminum Pan With Hole / Without Adapter – Bulk	6
34094	26"	Aluminum Pan Without Hole / Adapter	6
34095	30"	Aluminum Pan Without Hole / Adapter	6

Return to Table of Contents

Oate

CATEGORY 21 PANS AND STANDS



Date

Return to Table of Contents

Datey

#34143 shown

# CATEGORY **21** PANS AND STANDS

PANS AND STANDS

#### **Plastic Water Heater Pan**

Manufactured from semi-flexible, tough and durable .0625" plastic polymer.
Meets requirements of Southern Building Code.

• Recommended for electric water heaters.

Product No.	Size	Description	Ctn. Qty.
Water Heater Pan	s With 1" CPV	/C Adapter	
34160	18"	Plastic Pan	12
34161	20"	Plastic Pan	12
34158	20"	Plastic Pan	12
34162	22"	Plastic Pan	12
34159	22"	Plastic Pan	12
34163	24"	Plastic Pan	12
34164	26"	Plastic Pan	12
34168	28"	Plastic Pan	12
34165	30"	Plastic Pan	12
Water Heater Pan	s With 1"-1-1	/2" PVC Adapter (1" inside adapter / 1-1/2" over adapter)	
34060	18"	Plastic Pan	12
34061	20"	Plastic Pan	12
34062	22"	Plastic Pan	12
34063	24"	Plastic Pan	12
34058	24"	Plastic Pan	6
34064	26"	Plastic Pan	12
34072	28"	Plastic Pan	12
34065	30"	Plastic Pan	12
Water Heater Pan	s with 1"-1-1	/2" Adapter (1" inside adapter / 1-1/2" inside adapter)	
34140	18"	Plastic Pan	12
34141	20"	Plastic Pan	12
34142	22"	Plastic Pan 3",	12
34143	24"	Plastic Pan Deep!	12
34144	26"	Plastic Pan	12
34146	28"	Plastic Pan	12
34145	30"	Plastic Pan	12
Water Heater Pan	s Without Hol	e and/or Adapter	
34066	22"	Plastic Pan Without Hole / Adapter	12
34119	24"	Plastic Pan With Hole / Adapter	6

#### Water Heater Pan Adapters

• Available in PVC or CPVC

• 1" & 1-1/2" Product No.	Size	Description	Ctn. Qty.
34088	1" & 1-1/2"	PVC Adapter (1" inside adapter / 1-1/2" over adapter)	12
34086	1" & 1-1/2"	PVC Adapter (1" inside adapter / 1-1/2" inside adapter)	12
34089	1"	CPVC Adapter	12

**Datey** 

21

Return to Table of Contents

**Oate** 

#### PANS AND STANDS



#### **Washing Machine Pan**

- Provides protection from washing machine overflow.
- Pans have formed hole to punch out for the furnished, 1" PVC plastic fitting.

<ul> <li>Made from high li</li> </ul>	mpact plastic.		
Product No.	Size	Description	Ctn. Qty.
34067	28" x 30"	Plastic Pan	12
34051	28" x 30"	Plastic Pan – Bagged	4
34052	28" x 30"	Plastic Pan – Without Fitting	6



#### **Gas Water Heater Stand**

• Allows the placement of water heater tanks 18" above the ground as required by the National Fuel Gas Code. • Constructed of 18 gauge spangled galvanized sheet metal, holds up to 50 gallon water heaters.

Product No.	Size	Description	Ctn. Qty.
34057	21" Square x 18" High	Galvanized Water Heater Stand	4





#### **Commercial Drainage**

Oatey<sup>®</sup> commercial drains are designed to stand up to heavy traffic areas. Preformed anchor positions are included in each base design and drain barrels include internal thread that accepts clean-out plugs. Four grate finishes are available: Stainless Steel, Nickel, Chrome and Brass.



Return to Table of Contents

CATEGORY ZZ COMMERCIAL DRAINAGE

Date

#### FEATURED PRODUCT

#### True Set<sup>™</sup> takes the worry and rework out of light commercial drains (see page 204)

The Oatey<sup>®</sup> True Set<sup>™</sup> adjustable drain uses an easy-leveling strainer mount to correct tilted drains! This unique, patent pending design quickly solves the problem of drain installs knocked out of plumb after the concrete is poured.

That along with the highest post-pour height adjustment in the industry means the Oatey True Set adjustable drain gives you a level installation to the finished floor every time! See back side of this flyer for a complete product list.



Return to Table of Contents



#### COMMERCIAL DRAINAGE

#### True Set<sup>™</sup> Adjustable Drains

Г



Part Number Legend (Example: TP211S)									
Т	Р	2	1	1	S				
T- True-Set	P- PVC	2- 2" Solvent	1 - Flanged Drain	1- 5" Round	S- Stainless Steel				
	A- ABS	3- 3" Outside/4" Inside	2- Flanged CO	2- 5" Round w/ Ring	B- Brass				
		4- 4" Solvent		3- 6" Round	N- Nickel Bronze				
				4- 6" Round w/ Ring	C- Chrome				

			SS Strainer	Brass S	Strainer	Nickel S	Strainer	Chrome Strainer	
			Round	Round	Round w/ Ring	Round	Round w/ Ring	Round	Round w/ Ring
	PVC	2" Pipe	TP211S	TP211B	TP212B	TP211N	TP212N	TP211C	TP212C
	Flange	3" Outside/4" Inside	TP311S	TP311B	TP312B	TP311N	TP312N	TP311C	TP312C
<b>511 Obusiness</b>	Base	4" Pipe	TP411S	TP411B	TP412B	TP411N	TP412N	TP411C	TP412C
5" Strainer	ABS Flange Base	2" Pipe	TA211S	TA211B	TA212B	TA211N	TA212N	TA211C	TA212C
		3" Outside/4" Inside	TA311S	TA311B	TA312B	TA311N	TA312N	TA311C	TA312C
		4" Pipe	TA411S	TA411B	TA412B	TA411N	TA412N	TA411C	TA412C
	PVC	2" Pipe	TP213S	TP213B	TP214B	TP213N	TP214N	TP213C	TP214C
	Flange	3" Outside/4" Inside	TP313S	TP313B	TP314B	TP313N	TP314N	TP313C	TP314C
6" Strainer	Base	4" Pipe	TP413S	TP413B	TP414B	TP413N	TP414N	TP413C	TP414C
o suamer	ABS	2" Pipe	TA213S	TA213B	TA214B	TA213N	TA214N	TA213C	TA214C
	Flange	3" Outside/4" Inside	TA313S	TA313B	TA314B	TA313N	TA314N	TA313C	TA314C
	Base	4" Pipe	TA413S	TA413B	TA414B	TA413N	TA414N	TA413C	TA414C

			SS Strainer	Brass Cleanout Nickel Cleanout		Chrome	Chrome Cleanout			
			Round	Round	Round w/ Ring	Round	Round w/ Ring	Round	Round w/ Ring	
	PVC	2" Pipe	N/A	TP223B	TP224B	TP223N	TP224N	TP223C	TP224C	
6" Cleanout	Flange Base	3" Outside/4" Inside	N/A	TP323B	TP324B	TP323N	TP324N	TP323C	TP324C	
Cleanout		4" Pipe	N/A	TP423B	TP424B	TP423N	TP424N	TP423C	TP424C	
Plug	ABS Flange	ARC	2" Pipe	N/A	TA223B	TA224B	TA223N	TA224N	TA223C	TA224C
Included		3" Outside/4" Inside	N/A	TA323B	TA324B	TA323N	TA324N	TA323C	TA324C	
	Base	4" Pipe	N/A	TA423B	TA424B	TA423N	TA424N	TA423C	TA424C	

#### **Datey**<sup>•</sup>

22

#### COMMERCIAL DRAINAGE



#### True Set<sup>™</sup> Replacement Cleanout Plug

Product No.	Size	Description	Ctn.
TP008		True-Set Replacement Cleanout Plug	1



#### True Set<sup>™</sup> Sediment Strainer

Product No.	Size	Description	Ctn. Qty
TP009		True-Set Sediment Strainer	1



True Set™ Leve	ling Kit	
Product No.	Size	Description
TP5KIT	5"	True-Set 5" PVC Leveling Kit
TA5KIT	5"	True-Set 5" ABS Leveling Kit
TP6KIT	6"	True-Set 6" PVC Leveling Kit

True-Set 6" ABS Leveling Kit

(NOTE: For replacement grates, see page 220)

6"

TA6KIT

Navigation Return to Table of Contents

Oate

Qty

1



SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome

Return to Table of Contents



#### COMMERCIAL DRAINAGE

#### **Drain Items**

	JIH	D	Brass Strainer		N	lickel Strain	er				Chrome	Strainer		
	1 P	2	Round w/ Sq. Ring	Ro	und		und 1. Ring	Square	Ro	und	Round	w/ Ring	Round w/ Sq. Ring	Square
		#72042 shown	PVC Barrel	Cast Barrel	PVC Barrel	Cast Barrel	PVC Barrel	Cast Square Barrel	Cast Barrel	PVC Barrel	Cast Barrel	PVC Barrel	PVC Barrel	Cast Square Barrel
		2" Pipe	_	_	_	_	_	72212	_	_	_	_	_	72222
	PVC	3" or 4" Pipe	_	_	_	_	-	72213	_	_	_	_	_	72223
	Flange Base	4" Pipe	—	_	_	_	_	72214	_	_	_	_	_	72224
<b>4</b> "		6" Pipe	_	_	_	_	_	72216	_	_	_	_	_	72226
Strainer		2" Pipe	—	—	-	-	-	82212	—	-	-	-	-	82222
	ABS	3" or 4" Pipe	_	_	-	-	-	82213	_	-	-	-	-	82223
	Flange Base	4" Pipe	—	—	-	-	-	82214	—	-	-	-	-	82224
		6" Pipe	_	_	-	-	-	82216	_	-	-	-	-	82226
		2" Pipe	72042	72312	72052	72272	72072	72232	72322	72082	72282	72092	72102	72242
	PVC	3" or 4" Pipe	72043	72313	72053	72273	72073	72233	72323	72083	72283	72093	72103	72243
	Flange Base	4" Pipe	72044	72314	72054	72274	72074	72234	72324	72084	72284	72094	72104	72244
5"		6" Pipe	72046	72316	72056	72276	72076	72236	72326	72086	72286	72096	72106	7224
Strainer		2" Pipe	82042	82312	82052	82272	82072	82232	82322	82082	82282	82092	82102	8224
	ABS	3" or 4" Pipe	82043	82313	82053	82273	82073	82233	82323	82083	82283	82093	82103	8224
	Flange Base	4" Pipe	82044	82314	82054	82274	82074	82234	82324	82084	82284	82094	82104	8224
		6" Pipe	82046	82316	82056	82276	82076	82236	82326	82086	82286	92096	82106	8224
		2" Pipe	72142	72332	72152	72292	72172	72252	72342	72182	72302	72192	72202	7226
	PVC	3" or 4" Pipe	72143	72333	72153	72293	72173	72253	72343	72183	72303	72193	72203	7226
	Flange Base	4" Pipe	72144	72334	72154	72294	72174	72254	72344	72184	72304	72194	72204	72264
6"		6" Pipe	72146	72336	72156	72296	72176	72256	72346	72186	72306	72196	72206	7226
Strainer		2" Pipe	82142	82332	82152	82292	82172	82252	82342	82182	82302	82192	82202	8226
	ABS	3" or 4" Pipe	82143	82333	82153	82293	82173	82253	82343	82183	82303	82193	82203	8226
	Flange Base	4" Pipe	82144	82334	82154	82294	82174	82254	82344	82184	82304	82194	82204	82264
		6" Pipe	82146	82336	82156	82296	82176	82256	82346	82186	82306	82196	82206	8226
		2" Pipe	_	72352	_	_	_	_	72362	_	_	_	_	_
	PVC	3" or 4" Pipe	_	72353	_	_	_	_	72363	_	_	_	_	_
	Flange Base	4" Pipe	_	72354	_	_	_	_	72364	_	_	_	_	_
8"		6" Pipe	_	72356	_	_	_	_	72366	_	_	_	_	_
Strainer		2" Pipe	_	82352	_	_	_	_	82362	_	_	_	_	_
	ABS	3" or 4" Pipe	_	82353	_	_	-	_	82363	_	_	_	_	-
	Flange Base	4" Pipe	_	82354	_	_	_	_	82364	_	_	_	_	_
		6" Pipe	_	82356	_	_	_	_	82366	_	_	_	_	-
		2" Pipe	_	72372	_	_	_	_	72382	_	_	_	_	_
	PVC	3" or 4" Pipe	_	72373	_	_	_	_	72383	_	_	_	_	-
	Flange Base	4" Pipe	_	72374	_	_	_	_	72384	_	_	_	_	-
10"		6" Pipe	_	72376	_	_	_	_	72386	_	_	_	_	_
Strainer		2" Pipe	_	82372	_	_	_	_	82382	_	_	_	_	_
	ABS	3" or 4" Pipe	_	82373	_	_	_	_	82383	_	_	_	_	_
	Flange Base	4" Pipe	—	82374	_	_	_	_	82384	_	_	_	_	_
		6" Pipe	_	82376	_	_	_	_	82386	_	_	_	_	_

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome



**Datey**<sup>\*</sup>

#### COMMERCIAL DRAINAGE

#### **Cleanout Items**

	(IR)		Brass Cleanout			Nickel Cleanout			Chrome Cleanout			
			Roi	und	Round w/ Sq. Ring	Roi	und	Round w/ Sq. Ring	Round		Round w/ Sq. Ring	
		#74212 shown	Cast Barrel	PVC Barrel	<b>PVC Barrel</b>	Cast Barrel	PVC Barrel	PVC Barrel	Cast Barrel	PVC Barrel	PVC Barrel	
	PVC Flange Base	2" Pipe	74212	74122	74142	74222	74152	74172	74232	74182	74202	
		3" or 4" Pipe	74213	74123	74143	74223	74153	74173	74233	74183	74203	
		4" Pipe	74214	74124	74144	74234	74154	74174	74234	74184	74204	
6"		6" Pipe	74216	74126	74146	74236	74156	74176	74236	74186	74206	
Cleanout		2" Pipe	84212	84122	84142	84222	84152	84172	84232	84182	84202	
	ABS Flange	3" or 4" Pipe	84213	84123	84143	84223	84153	84173	84233	84183	84203	
	Base	4" Pipe	84214	84124	84144	84234	84154	84174	84234	84184	84204	
		6" Pipe	84216	84126	84146	84236	84156	84176	84236	84186	84206	

#### ADJUSTABLE GENERAL PURPOSE DRAIN BASES



#### **PVC Barrel With 5" Round Grate**

Product No.	Size	Description	Ctn. Qty.
72017	3" or 4"	PVC General Purpose Drain w/ 5" SS Grate	1
82017	3" or 4"	ABS General Purpose Drain w/ 5" SS Grate	1
72027	3" or 4"	PVC General Purpose Drain w/ 5" BR Grate	1
82027	3" or 4"	ABS General Purpose Drain w/ 5" BR Grate	1
72057	3" or 4"	PVC General Purpose Drain w/ 5" NI Grate	1
82057	3" or 4"	ABS General Purpose Drain w/ 5" NI Grate	1
72087	3" or 4"	PVC General Purpose Drain w/ 5" CHR Grate	1
82087	3" or 4"	ABS General Purpose Drain w/ 5" CHR Grate	1
72018	4"	PVC Pipe Base General Purpose Drain w/ 5" SS Grate	1
82018	4"	ABS Pipe Base General Purpose Drain w/ 5" SS Grate	1
72028	4"	PVC Pipe Base General Purpose Drain w/ 5" BR Grate	1
82028	4"	ABS Pipe Base General Purpose Drain w/ 5" BR Grate	1
72058	4"	PVC Pipe Base General Purpose Drain w/ 5" NI Grate	1
82058	4"	ABS Pipe Base General Purpose Drain w/ 5" NI Grate	1
72088	4"	PVC Pipe Base General Purpose Drain w/ 5" CHR Grate	1
82088	4"	ABS Pipe Base General Purpose Drain w/ 5" CHR Grate	1
72019	4"	PVC Hub Base General Purpose Drain w/ 5" SS Grate	1
82019	4"	ABS Hub Base General Purpose Drain w/ 5" SS Grate	1
72029	4"	PVC Hub Base General Purpose Drain w/ 5" BR Grate	1
82029	4"	ABS Hub Base General Purpose Drain w/ 5" BR Grate	1
72059	4"	PVC Hub Base General Purpose Drain w/ 5" NI Grate	1
82059	4"	ABS Hub Base General Purpose Drain w/ 5" NI Grate	1
72089	4"	PVC Hub Base General Purpose Drain w/ 5" CHR Grate	1
82089	4"	ABS Hub Base General Purpose Drain w/ 5" CHR Grate	1



SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome

Return to Table of Contents

**Oate** 

**Uate** 

Return to Table of Contents

CATEGORY **22** COMMERCIAL DRAINAGE



#### ADJUSTABLE GENERAL PURPOSE DRAIN BASES



Product No.	Size	Description	Ctn. Qty.
72037	3" or 4"	PVC General Purpose Drain w/ 5" BR Grate & Round Ring	1
82037	3" or 4"	ABS General Purpose Drain w/ 5" BR Grate & Round Ring	1
72067	3" or 4"	PVC General Purpose Drain w/ 5" NI Grate & Round Ring	1
82067	3" or 4"	ABS General Purpose Drain w/ 5" NI Grate & Round Ring	1
72097	3" or 4"	PVC General Purpose Drain w/ 5" CHR Grate & Round Ring	1
82097	3" or 4"	ABS General Purpose Drain w/ 5" CHR Grate & Round Ring	1
72038	4"	PVC Pipe Base General Purpose Drain w/ 5" BR Grate & Round Ring	1
82038	4"	ABS Pipe Base General Purpose Drain w/ 5" BR Grate & Round Ring	1
72068	4"	PVC Pipe Base General Purpose Drain w/ 5" NI Grate & Round Ring	1
82068	4"	ABS Pipe Base General Purpose Drain w/ 5" NI Grate & Round Ring	1
72098	4"	PVC Pipe Base General Purpose Drain w/ 5" CHR Grate & Round Ring	1
82098	4"	ABS Pipe Base General Purpose Drain w/ 5" CHR Grate & Round Ring	1
72039	4"	PVC Hub Base General Purpose Drain w/ 5" BR Grate & Round Ring	1
82039	4"	ABS Hub Base General Purpose Drain w/ 5" BR Grate & Round Ring	1
72069	4"	PVC Hub Base General Purpose Drain w/ 5" NI Grate & Round Ring	1
82069	4"	ABS Hub Base General Purpose Drain w/ 5" NI Grate & Round Ring	1
72099	4"	PVC Hub Base General Purpose Drain w/ 5" CHR Grate & Round Ring	1
82099	4"	ABS Hub Base General Purpose Drain w/ 5" CHR Grate & Round Ring	1

#### PVC Barrel With 5" Round Grate With Round Ring



#### PVC Barrel With 5" Round Grate With Square Ring

Product No.	Size	Description	Ctn. Qty.
72047	3" or 4"	PVC General Purpose Drain w/ 5" BR Grate & Square Ring	1
82047	3" or 4"	ABS General Purpose Drain w/ 5" BR Grate & Square Ring	1
72077	3" or 4"	PVC General Purpose Drain w/ 5" NI Grate & Square Ring	1
82077	3" or 4"	ABS General Purpose Drain w/ 5" NI Grate & Square Ring	1
72107	3" or 4"	PVC General Purpose Drain w/ 5" CHR Grate & Square Ring	1
82107	3" or 4"	ABS General Purpose Drain w/ 5" CHR Grate & Square Ring	1
72048	4"	PVC Pipe Base General Purpose Drain w/ 5" BR Grate & Square Ring	1
82048	4"	ABS Pipe Base General Purpose Drain w/ 5" BR Grate & Square Ring	1
72078	4"	PVC Pipe Base General Purpose Drain w/ 5" NI Grate & Square Ring	1
82078	4"	ABS Pipe Base General Purpose Drain w/ 5" NI Grate & Square Ring	1
72108	4"	PVC Pipe Base General Purpose Drain w/ 5" CHR Grate & Square Ring	1
82108	4"	ABS Pipe Base General Purpose Drain w/ 5" CHR Grate & Square Ring	1
72049	4"	PVC Hub Base General Purpose Drain w/ 5" BR Grate & Square Ring	1
82049	4"	ABS Hub Base General Purpose Drain w/ 5" BR Grate & Square Ring	1
72079	4"	PVC Hub Base General Purpose Drain w/ 5" NI Grate & Square Ring	1
82079	4"	ABS Hub Base General Purpose Drain w/ 5" NI Grate & Square Ring	1
72109	4"	PVC Hub Base General Purpose Drain w/ 5" CHR Grate & Square Ring	1
82109	4"	ABS Hub Base General Purpose Drain w/ 5" CHR Grate & Square Ring	1



22

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome

#### ADJUSTABLE GENERAL PURPOSE DRAIN BASES

Return to Table of Contents

<u>Oate</u>



#### **PVC Barrel With 6" Round Grate**

Product No.	Size	Description	Ctn. Qty.
72117	3" or 4"	PVC General Purpose Drain w/ 6" SS Grate	1
82117	3" or 4"	ABS General Purpose Drain w/ 6" SS Grate	1
72127	3" or 4"	PVC General Purpose Drain w/ 6" BR Grate	1
82127	3" or 4"	ABS General Purpose Drain w/ 6" BR Grate	1
72157	3" or 4"	PVC General Purpose Drain w/ 6" NI Grate	1
82157	3" or 4"	ABS General Purpose Drain w/ 6" NI Grate	1
72187	3" or 4"	PVC General Purpose Drain w/ 6" CHR Grate	1
82187	3" or 4"	ABS General Purpose Drain w/ 6" CHR Grate	1
72118	4"	PVC Pipe Base General Purpose Drain w/ 6" SS Grate	1
82118	4"	ABS Pipe Base General Purpose Drain w/ 6" SS Grate	1
72128	4"	PVC Pipe Base General Purpose Drain w/ 6" BR Grate	1
82128	4"	ABS Pipe Base General Purpose Drain w/ 6" BR Grate	1
72158	4"	PVC Pipe Base General Purpose Drain w/ 6" NI Grate	1
82158	4"	ABS Pipe Base General Purpose Drain w/ 6" NI Grate	1
72188	4"	PVC Pipe Base General Purpose Drain w/ 6" CHR Grate	1
82188	4"	ABS Pipe Base General Purpose Drain w/ 6" CHR Grate	1
72119	4"	PVC Hub Base General Purpose Drain w/ 6" SS Grate	1
82119	4"	ABS Hub Base General Purpose Drain w/ 6" SS Grate	1
72129	4"	PVC Hub Base General Purpose Drain w/ 6" BR Grate	1
82129	4"	ABS Hub Base General Purpose Drain w/ 6" BR Grate	1
72159	4"	PVC Hub Base General Purpose Drain w/ 6" NI Grate	1
82159	4"	ABS Hub Base General Purpose Drain w/ 6" NI Grate	1
72189	4"	PVC Hub Base General Purpose Drain w/ 6" CHR Grate	1
82189	4"	ABS Hub Base General Purpose Drain w/ 6" CHR Grate	1



Return to Table of Contents



#### ADJUSTABLE GENERAL PURPOSE DRAIN BASES



PVC Barrel With 6" Round Grate V	With Round Ring
----------------------------------	-----------------

Product No.	Size	Description	Ctn. Qty.
72137	3" or 4"	PVC General Purpose Drain w/ 6" BR Grate & Round Ring	1
82137	3" or 4"	ABS General Purpose Drain w/ 6" BR Grate & Round Ring	1
72167	3" or 4"	PVC General Purpose Drain w/ 6" NI Grate & Round Ring	1
82167	3" or 4"	ABS General Purpose Drain w/ 6" NI Grate & Round Ring	1
72197	3" or 4"	PVC General Purpose Drain w/ 6" CHR Grate & Round Ring	1
82197	3" or 4"	ABS General Purpose Drain w/ 6" CHR Grate & Round Ring	1
72138	4"	PVC Pipe Base General Purpose Drain w/ 6" BR Grate & Round Ring	1
82138	4"	ABS Pipe Base General Purpose Drain w/ 6" BR Grate & Round Ring	1
72168	4"	PVC Pipe Base General Purpose Drain w/ 6" NI Grate & Round Ring	1
82168	4"	ABS Pipe Base General Purpose Drain w/ 6" NI Grate & Round Ring	1
72198	4"	PVC Pipe Base General Purpose Drain w/ 6" CHR Grate & Round Ring	1
82198	4"	ABS Pipe Base General Purpose Drain w/ 6" CHR Grate & Round Ring	1
72139	4"	PVC Hub Base General Purpose Drain w/ 6" BR Grate & Round Ring	1
82139	4"	ABS Hub Base General Purpose Drain w/ 6" BR Grate & Round Ring	1
72169	4"	PVC Hub Base General Purpose Drain w/ 6" NI Grate & Round Ring	1
82169	4"	ABS Hub Base General Purpose Drain w/ 6" NI Grate & Round Ring	1
72199	4"	PVC Hub Base General Purpose Drain w/ 6" CHR Grate & Round Ring	1
82199	4"	ABS Hub Base General Purpose Drain w/ 6" CHR Grate & Round Ring	1

#### PVC Barrel With 6" Round Grate With Square Ring

Product No.	Size	Description	Ctn. Qty.
72147	3" or 4"	PVC General Purpose Drain w/ 6" BR Grate & Square Ring	1
82147	3" or 4"	ABS General Purpose Drain w/ 6" BR Grate & Square Ring	1
72177	3" or 4"	PVC General Purpose Drain w/ 6" NI Grate & Square Ring	1
82177	3" or 4"	ABS General Purpose Drain w/ 6" NI Grate & Square Ring	1
72207	3" or 4"	PVC General Purpose Drain w/ 6" CHR Grate & Square Ring	1
82207	3" or 4"	ABS General Purpose Drain w/ 6" CHR Grate & Square Ring	1
72148	4"	PVC Pipe Base General Purpose Drain w/ 6" BR Grate & Square Ring	1
82148	4"	ABS Pipe Base General Purpose Drain w/ 6" BR Grate & Square Ring	1
72178	4"	PVC Pipe Base General Purpose Drain w/ 6" NI Grate & Square Ring	1
82178	4"	ABS Pipe Base General Purpose Drain w/ 6" NI Grate & Square Ring	1
72208	4"	PVC Pipe Base General Purpose Drain w/ 6" CHR Grate & Square Ring	1
82208	4"	ABS Pipe Base General Purpose Drain w/ 6" CHR Grate & Square Ring	1
72149	4"	PVC Hub Base General Purpose Drain w/ 6" BR Grate & Square Ring	1
82149	4"	ABS Hub Base General Purpose Drain w/ 6" BR Grate & Square Ring	1
72179	4"	PVC Hub Base General Purpose Drain w/ 6" NI Grate & Square Ring	1
82179	4"	ABS Hub Base General Purpose Drain w/ 6" NI Grate & Square Ring	1
72209	4"	PVC Hub Base General Purpose Drain w/ 6" CHR Grate & Square Ring	1
82209	4"	ABS Hub Base General Purpose Drain w/ 6" CHR Grate & Square Ring	1

#### **Datey**



#### ADJUSTABLE GENERAL PURPOSE DRAIN BASES

Description

#### **Cast Barrel With Square Grate In Square Top**

Size

**Product No.** 



TTOULOU NO.	0120	Description	oun quy.
72217	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 4" Cast NI Grate & Square Top	1
82217	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 4" Cast NI Grate & Square Top	1
72237	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	1
82237	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	1
72257	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	1
82257	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	1
72227	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 4" Cast CHR Grate & Square Top	1
82227	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 4" Cast CHR Grate & Square Top	1
72247	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	1
82247	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	1
72267	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	1
82267	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	1
72218	4"	PVC General Purpose Pipe Fit Drain w/ 4" Cast NI Grate & Square Top	1
82218	4"	ABS General Purpose Pipe Fit Drain w/ 4" Cast NI Grate & Square Top	1
72238	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	1
82238	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	1
72258	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	1
82258	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	1
72228	4"	PVC General Purpose Pipe Fit Drain w/ 4" Cast CHR Grate & Square Top	1
82228	4"	ABS General Purpose Pipe Fit Drain w/ 4" Cast CHR Grate & Square Top	1
72248	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	1
82248	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	1
72268	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	1
82268	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	1
72219	4"	PVC General Purpose Hub Fit Drain w/ 4" Cast NI Grate & Square Top	1
82219	4"	ABS General Purpose Hub Fit Drain w/ 4" Cast NI Grate & Square Top	1
72239	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Square Top	1
82239	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Square Top	1
72259	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Square Top	1
82259	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Square Top	1
72229	4"	PVC General Purpose Hub Fit Drain w/ 4" Cast CHR Grate & Square Top	1
82229	4"	ABS General Purpose Hub Fit Drain w/ 4" Cast CHR Grate & Square Top	1
72249	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Square Top	1
82249	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Square Top	1
72269	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Square Top	1
82269	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Square Top	1

Oate

Ctn. Qty.

CATEGORY ZZ COMMERCIAL DRAINAGE



Return to Table of Contents



# 

Cast Barre	l With Ro	und Grate In Square Top	
Product No.	Size	Description	Ctn. Qty.
72277	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	1
82277	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	1
72297	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	1
82297	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	1
72287	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	1
82287	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	1
72307	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	1
82307	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	1
72278	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	1
82278	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	1
72298	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	1
82298	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	1
72288	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	1
82288	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	1
72308	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	1
82308	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	1
72279	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Square Top	1
82279	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Square Top	1
72299	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Square Top	1
82299	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Square Top	1
72289	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Square Top	1
82289	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Square Top	1
72309	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Square Top	1
82309	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Square Top	1

ADJUSTABLE GENERAL PURPOSE DRAIN BASES

#### **Cast Barrel With Round Grate In Round Top**

į.	Product No.	Size	Description	Ctn. Qty.
	72317	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Round Top	1
	82317	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Round Top	1
	72337	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Round Top	1
	82337	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Round Top	1
	72357	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 8" Cast NI Grate & Round Top	1
	82357	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 8" Cast NI Grate & Round Top	1
	72377	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 10" Cast NI Grate & Round Top	1
	82377	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 10" Cast NI Grate & Round Top	1
	72327	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Round Top	1
	82327	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Round Top	1
	72347	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Round Top	1
	82347	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Round Top	1
	72367	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 8" Cast CHR Grate & Round Top	1
	82367	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 8" Cast CHR Grate & Round Top	1
	72387	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 10" Cast CHR Grate & Round Top	1
	82387	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 10" Cast CHR Grate & Round Top	1



CATEGORY **Z Z COMMERCIAL DRAINAGE** 

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome

#### ADJUSTABLE GENERAL PURPOSE DRAIN BASES

#### Cast Barrel With Round Grate In Round Top (cont.)



Product No.	Size	Description	Ctn. Qty.
72318	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Round Top	1
82318	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Round Top	1
72338	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Round Top	1
82338	4"	ABS General Purpose Pipe Fit Drain w/ 6 " Cast NI Grate & Round Top	1
72358	4"	PVC General Purpose Pipe Fit Drain w/ 8" Cast NI Grate & Round Top	1
82358	4"	ABS General Purpose Pipe Fit Drain w/ 8" Cast NI Grate & Round Top	1
72378	4"	PVC General Purpose Pipe Fit Drain w/ 10" Cast NI Grate & Round Top	1
82378	4"	ABS General Purpose Pipe Fit Drain w/ 10" Cast NI Grate & Round Top	1
72328	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Round Top	1
82328	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Round Top	1
72348	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Round Top	1
82348	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Round Top	1
72368	4"	PVC General Purpose Pipe Fit Drain w/ 8" Cast CHR Grate & Round Top	1
82368	4"	ABS General Purpose Pipe Fit Drain w/ 8" Cast CHR Grate & Round Top	1
72388	4"	PVC General Purpose Pipe Fit Drain w/ 10" Cast CHR Grate & Round Top	1
82388	4"	ABS General Purpose Pipe Fit Drain w/ 10" Cast CHR Grate & Round Top	1
72319	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Round Top	1
82319	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Round Top	1
72339	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Round Top	1
82339	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Round Top	1
72359	4"	PVC General Purpose Hub Fit Drain w/ 8" Cast NI Grate & Round Top	1
82359	4"	ABS General Purpose Hub Fit Drain w/ 8" Cast NI Grate & Round Top	1
72379	4"	PVC General Purpose Hub Fit Drain w/ 10" Cast NI Grate & Round Top	1
82379	4"	ABS General Purpose Hub Fit Drain w/ 10" Cast NI Grate & Round Top	1
72329	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Round Top	1
82329	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Round Top	1
72349	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Round Top	1
82349	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Round Top	1
72369	4"	PVC General Purpose Hub Fit Drain w/ 8" Cast CHR Grate & Round Top	1
82369	4"	ABS General Purpose Hub Fit Drain w/ 8" Cast CHR Grate & Round Top	1
72389	4"	PVC General Purpose Hub Fit Drain w/ 10" Cast CHR Grate & Round Top	1
82389	4"	ABS General Purpose Hub Fit Drain w/ 10" Cast CHR Grate & Round Top	1



Oate



Return to Table of Contents

( <u>Oate</u>y

#### ADJUSTABLE GENERAL PURPOSE CLEANOUT BASES



<b>PVC</b>	Barrel	With	6"	Round	Cover

Product No.	Size	Description	Ctn. Qty.
74127	3" or 4"	PVC General Purpose Cleanout w/ 6" BR Cover	1
84127	3" or 4"	ABS General Purpose Cleanout w/ 6" BR Cover	1
74157	3" or 4"	PVC General Purpose Cleanout w/ 6" NI Cover	1
84157	3" or 4"	ABS General Purpose Cleanout w/ 6" NI Cover	1
74187	3" or 4"	PVC General Purpose Cleanout w/ 6" CHR Cover	1
84187	3" or 4"	ABS General Purpose Cleanout w/ 6" CHR Cover	1
74128	4"	PVC Pipe Base General Purpose Cleanout w/ 6" BR Cover	1
84128	4"	ABS Pipe Base General Purpose Cleanout w/ 6" BR Cover	1
74158	4"	PVC Pipe Base General Purpose Cleanout w/ 6" NI Cover	1
84158	4"	ABS Pipe Base General Purpose Cleanout w/ 6" NI Cover	1
74188	4"	PVC Pipe Base General Purpose Cleanout w/ 6" CHR Cover	1
84188	4"	ABS Pipe Base General Purpose Cleanout w/ 6" CHR Cover	1
74129	4"	PVC Hub Base General Purpose Cleanout w/ 6" BR Cover	1
84129	4"	ABS Hub Base General Purpose Cleanout w/ 6" BR Cover	1
74159	4"	PVC Hub Base General Purpose Cleanout w/ 6" NI Cover	1
84159	4"	ABS Hub Base General Purpose Cleanout w/ 6" NI Cover	1
74189	4"	PVC Hub Base General Purpose Cleanout w/ 6" CHR Cover	1
84189	4"	ABS Hub Base General Purpose Cleanout w/ 6" CHR Cover	1

#### PVC Barrel With 6" Round Cover With Round Ring

Product No.	Size	Description	Ctn. Qty.
74137	3" or 4"	PVC General Purpose Cleanout w/ 6" BR Cover & Round Ring	1
84137	3" or 4"	ABS General Purpose Cleanout w/ 6" BR Cover & Round Ring	1
74167	3" or 4"	PVC General Purpose Cleanout w/ 6" NI Cover & Round Ring	1
84167	3" or 4"	ABS General Purpose Cleanout w/ 6" NI Cover & Round Ring	1
74197	3" or 4"	PVC General Purpose Cleanout w/ 6" CHR Cover & Round Ring	1
84197	3" or 4"	ABS General Purpose Cleanout w/ 6" CHR Cover & Round Ring	1
74138	4"	PVC Pipe Base General Purpose Cleanout w/ 6" BR Cover & Round Ring	1
84138	4"	ABS Pipe Base General Purpose Cleanout w/ 6" BR Cover & Round Ring	1
74168	4"	PVC Pipe Base General Purpose Cleanout w/ 6" NI Cover & Round Ring	1
84168	4"	ABS Pipe Base General Purpose Cleanout w/ 6" NI Cover & Round Ring	1
74198	4"	PVC Pipe Base General Purpose Cleanout w/ 6" CHR Cover & Round Ring	1
84198	4"	ABS Pipe Base General Purpose Cleanout w/ 6" CHR Cover & Round Ring	1
74139	4"	PVC Hub Base General Purpose Cleanout w/ 6" BR Cover & Round Ring	1
84139	4"	ABS Hub Base General Purpose Cleanout w/ 6" BR Cover & Round Ring	1
74169	4"	PVC Hub Base General Purpose Cleanout w/ 6" NI Cover & Round Ring	1
84169	4"	ABS Hub Base General Purpose Cleanout w/ 6" NI Cover & Round Ring	1
74199	4"	PVC Hub Base General Purpose Cleanout w/ 6" CHR Cover & Round Ring	1
84199	4"	ABS Hub Base General Purpose Cleanout w/ 6" CHR Cover & Round Ring	1

# CATEGORY **Z Z COMMERCIAL DRAINAGE**





22

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome

Return to Table of Contents

Oate

#### ADJUSTABLE GENERAL PURPOSE CLEANOUT BASES

PVC Barrel With 6" Round Cover With Square Ring

Product No.	Size	Description	Ctn. Qty.
74147	3" or 4"	PVC General Purpose Cleanout w/ 6" BR Cover & Square Ring	1
84147	3" or 4"	ABS General Purpose Cleanout w/ 6" BR Cover & Square Ring	1
74177	3" or 4"	PVC General Purpose Cleanout w/ 6" NI Cover & Square Ring	1
84177	3" or 4"	ABS General Purpose Cleanout w/ 6" NI Cover & Square Ring	1
74207	3" or 4"	PVC General Purpose Cleanout w/ 6" CHR Cover & Square Ring	1
84207	3" or 4"	ABS General Purpose Cleanout w/ 6" CHR Cover & Square Ring	1
74148	4"	PVC Pipe Base General Purpose Cleanout w/ 6" BR Cover & Square Ring	1
84148	4"	ABS Pipe Base General Purpose Cleanout w/ 6" BR Cover & Square Ring	1
74178	4"	PVC Pipe Base General Purpose Cleanout w/ 6" NI Cover & Square Ring	1
84178	4"	ABS Pipe Base General Purpose Cleanout w/ 6" NI Cover & Square Ring	1
74208	4"	PVC Pipe Base General Purpose Cleanout w/ 6" CHR Cover & Square Ring	1
84208	4"	ABS Pipe Base General Purpose Cleanout w/ 6" CHR Cover & Square Ring	1
74149	4"	PVC Hub Base General Purpose Cleanout w/ 6" BR Cover & Square Ring	1
84149	4"	ABS Hub Base General Purpose Cleanout w/ 6" BR Cover & Square Ring	1
74179	4"	PVC Hub Base General Purpose Cleanout w/ 6" NI Cover & Square Ring	1
84179	4"	ABS Hub Base General Purpose Cleanout w/ 6" NI Cover & Square Ring	1
74209	4"	PVC Hub Base General Purpose Cleanout w/ 6" CHR Cover & Square Ring	1
84209	4"	ABS Hub Base General Purpose Cleanout w/ 6" CHR Cover & Square Ring	1



#### Cast Barrel With 6" Round Cover With Round Top

Product No.	Size	Description	Ctn. Qty.
74217	3" or 4"	PVC General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	1
84217	3" or 4"	ABS General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	1
74227	3" or 4"	PVC General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	1
84227	3" or 4"	ABS General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	1
74237	3" or 4"	PVC General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	1
84237	3" or 4"	ABS General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	1
74218	4"	PVC Pipe Base General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	1
84218	4"	ABS Pipe Base General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	1
74228	4"	PVC Pipe Base General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	1
84228	4"	ABS Pipe Base General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	1
74238	4"	PVC Pipe Base General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	1
84238	4"	ABS Pipe Base General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	1
74219	4"	PVC Hub Base General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	1
84219	4"	ABS Hub Base General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	1
74229	4"	PVC Hub Base General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	1
84229	4"	ABS Hub Base General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	1
74239	4"	PVC Hub Base General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	1
84239	4"	ABS Hub Base General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	1

#### Return to Table of Contents

#### (Datey<sup>\*</sup>

#### SEDIMENT DRAINS

#### **Plastic Sediment Drains**



Product No.	Size	Description	Ctn. Qty.
76012	2"	PVC Sediment Drain, Plastic Grate w/ Bucket	1
86012	2"	ABS Sediment Drain, Plastic Grate w/ Bucket	1
76013	3"	PVC Sediment Drain, Plastic Grate w/ Bucket	1
86013	3"	ABS Sediment Drain, Plastic Grate w/ Bucket	1
76014	4"	PVC Sediment Drain, Plastic Grate w/ Bucket	1
86014	4"	ABS Sediment Drain, Plastic Grate w/ Bucket	1
76016	6"	PVC Sediment Drain, Plastic Grate w/ Bucket	1
86016	6"	ABS Sediment Drain, Plastic Grate w/ Bucket	1
76022	2"	PVC Sediment Drain, Plastic Grate w/o Bucket	1
86022	2"	ABS Sediment Drain, Plastic Grate w/o Bucket	1
76023	3" or 4 "	PVC Sediment Drain, Plastic Grate w/o Bucket	1
86023	3" or 4 "	ABS Sediment Drain, Plastic Grate w/o Bucket	1
76024	4"	PVC Sediment Drain, Plastic Grate w/o Bucket	1
86024	4"	ABS Sediment Drain, Plastic Grate w/o Bucket	1
76026	6"	PVC Sediment Drain, Plastic Grate w/o Bucket	1
86026	6"	ABS Sediment Drain, Plastic Grate w/o Bucket	1

#### **Cast Iron Sediment Drains**

Product No.	Size	Description	Ctn. Qty.
76032	2"	PVC Sediment Drain, Cast Iron Grate w/ Bucket	1
86032	2"	ABS Sediment Drain, Cast Iron Grate w/ Bucket	1
76033	3" or 4 "	PVC Sediment Drain, Cast Iron Grate w/ Bucket	1
86033	3" or 4 "	ABS Sediment Drain, Cast Iron Grate w/ Bucket	1
76034	4"	PVC Sediment Drain, Cast Iron Grate w/ Bucket	1
86034	4"	ABS Sediment Drain, Cast Iron Grate w/ Bucket	1
76036	6"	PVC Sediment Drain, Cast Iron Grate w/ Bucket	1
86036	6"	ABS Sediment Drain, Cast Iron Grate w/ Bucket	1
76042	2"	PVC Sediment Drain, Cast Iron Grate w/o Bucket	1
86042	2"	ABS Sediment Drain, Cast Iron Grate w/o Bucket	1
76043	3" or 4 "	PVC Sediment Drain, Cast Iron Grate w/o Bucket	1
86043	3" or 4 "	ABS Sediment Drain, Cast Iron Grate w/o Bucket	1
76044	4"	PVC Sediment Drain, Cast Iron Grate w/o Bucket	1
86044	4"	ABS Sediment Drain, Cast Iron Grate w/o Bucket	1
76046	6"	PVC Sediment Drain, Cast Iron Grate w/o Bucket	1
86046	6"	ABS Sediment Drain, Cast Iron Grate w/o Bucket	1

#### <u>Oatey</u>'

CATEGORY **Z 2 COMMERCIAL DRAINAGE** 



218 | Oatey SCS® Product Catalog
### ROOF DRAINS



) PC

Product No.	Size	Description	Ctn. Qty.
78012	2"	PVC Roof Drain w/ Plastic Dome	1
88012	2"	ABS Roof Drain w/ Plastic Dome	1
78022	2"	PVC Roof Drain w/ Cast Iron Dome	1
88022	2"	ABS Roof Drain w/ Cast Iron Dome	1
78013	3" or 4 "	PVC Roof Drain w/ Plastic Dome	1
88013	3" or 4 "	ABS Roof Drain w/ Plastic Dome	1
78023	3" or 4 "	PVC Roof Drain w/ Cast Iron Dome	1
88023	3" or 4 "	ABS Roof Drain w/ Cast Iron Dome	1
78014	4"	PVC Roof Drain w/ Plastic Dome	1
88014	4"	ABS Roof Drain w/ Plastic Dome	1
78024	4"	PVC Roof Drain w/ Cast Iron Dome	1
88024	4"	ABS Roof Drain w/ Cast Iron Dome	1
78016	6"	PVC Roof Drain w/ Plastic Dome	1
88016	6"	ABS Roof Drain w/ Plastic Dome	1
78026	6"	PVC Roof Drain w/ Cast Iron Dome	1
88026	6"	ABS Roof Drain w/ Cast Iron Dome	1

### **Roof Drain With Dome And Gravel Guard**



Product No.	Size	Description	Ctn. Qty.
78032	2"	PVC Roof Drain w/ ABS Dome & Dam Collar	1
88032	2"	ABS Roof Drain w/ ABS Dome & Dam Collar	1
78042	2"	PVC Roof Drain w/ Cast Iron Dome & Dam Collar	1
88042	2"	ABS Roof Drain w/ Cast Iron Dome & Dam Collar	1
78033	3" or 4 "	PVC Roof Drain w/ ABS Dome & Dam Collar	1
88033	3" or 4 "	ABS Roof Drain w/ ABS Dome & Dam Collar	1
78043	3" or 4 "	PVC Roof Drain w/ Cast Iron Dome & Dam Collar	1
88043	3" or 4 "	ABS Roof Drain w/ Cast Iron Dome & Dam Collar	1
78034	4"	PVC Roof Drain w/ ABS Dome & Dam Collar	1
88034	4"	ABS Roof Drain w/ ABS Dome & Dam Collar	1
78044	4"	PVC Roof Drain w/ Cast Iron Dome & Dam Collar	1
88044	4"	ABS Roof Drain w/ Cast Iron Dome & Dam Collar	1
78036	6"	PVC Roof Drain w/ ABS Dome & Dam Collar	1
88036	6"	ABS Roof Drain w/ ABS Dome & Dam Collar	1
78046	6"	PVC Roof Drain w/ Cast Iron Dome & Dam Collar	1
88046	6"	ABS Roof Drain w/ Cast Iron Dome & Dam Collar	1



Navigation Return to Table of Contents

Oate



Return to Table of Contents

CATEGORY **Z Z COMMERCIAL DRAINAGE** 

Datey







### **Roof Drain Dome**

Product No.

47700

Product No.	Size	Description	Ctn. Qty.
71980		ABS Plastic Roof Drain Dome	1
71990		Cast Iron Roof Drain Dome	1

Ctn. Qty.

1



### **Receiver Pan**

Product No.	Size	Description	Ctn. Qty.
47701		ABS Plastic Receiver Pan	1

14

### COMPONENTS

**ROOF DRAINS** 

Description

PVC Plastic Underdeck Clamp Kit

**Underdeck Clamp Kit For Roof Drains** 

Size

### **Commercial Bases**

Product No.	Size	Description	Ctn. Qty.
70002	2"	PVC Base	1
80002	2"	ABS Base	1
70003	3" or 4 "	PVC Base	1
80003	3" or 4 "	ABS Base	1
70004	4"	PVC Base	1
80004	4"	ABS Base	1
70006	6"	PVC Base	1
80006	6"	ABS Base	1

# **Datey**

Return to Table of Contents

<u>Oate</u>

### COMPONENTS



Product No.	Size	Description	Ctn. Qty.
70009	4"	PVC Hub Fit Drain	1
80009	4"	ABS Hub Fit Drain	1
70008	4"	PVC Pipe Fit Drain	1
80008	4"	ABS Pipe Fit Drain	1
70007	3" or 4"	PVC Pipe Fit Drain Base	1
80007	3" or 4"	ABS Pipe Fit Drain Base	1

### **Roof Drains**

**General Purpose Bases** 

Product No.	Size	Description	Ctn. Qty.
71970		Plastic Gravel Guard	1
71960		Dam Collar	1



### **Sediment Drains**

Product No.	Size	Description	Ctn. Qty.
71740		Plastic Sediment Grate	1
71750		Plastic Sediment Grate Collar	1
71760		Plastic Sediment Debris Bucket	1
71770		Cast Iron Sediment Grate	1
71780		Cast Iron Sediment Grate Collar	1
71790		Cast Iron Sediment Debris Bucket	1



### **Barrels, Plugs & Collars**

Product No.	Size	Description	Ctn. Qty.
71550	5"	Plastic Barrel	1
71560	6"	Plastic Barrel	1
71570	3"	Plastic Cleanout Plug	1
71580		Reversible Clamping Collar	1





Return to Table of Contents

# (Datey

### COMPONENTS

### **Replacement Grates**

10100		
	000000	

Product No.	Size	Description	Ctn. Qty.
80010	5"	SS Grate	1
80020	5"	Round BR Grate	1
80030	5"	Round BR Grate & Ring	1
80040	5"	Round BR Grate & Square Ring	1
80050	5"	Round NI Grate	1
80060	5"	Round NI Grate & Ring	1
80070	5"	Round NI Grate & Square Ring	1
80080	5"	Round CHR Grate	1
80090	5"	Round CHR Grate & Ring	1
80100	5"	Round CHR Grate & Square Ring	1
80110	6"	SS Grate	1
80120	6"	Round BR Grate	1
80130	6"	Round BR Grate & Ring	1
80140	6"	Round BR Grate & Square Ring	1
80150	6"	Round NI Grate	1
80160	6"	Round NI Grate & Ring	1
80170	6"	Round NI Grate & Square Ring	1
80190	6"	Round CHR Grate & Ring	1
80200	6"	Round CHR Grate & Square Ring	1



### Plastic Adjustable Barrels With Grates

Product No.	Size	Description	Ctn. Qty.
72010	5"	SS Grate & Plastic Barrel	1
72020	5"	Round BR Grate & Plastic Barrel	1
72030	5"	Round BR Grate & Ring & Plastic Barrel	1
72040	5"	Round BR Grate & Square Ring & Plastic Barrel	1
72050	5"	Round NI Grate & Plastic Barrel	1
72060	5"	Round NI Grate & Ring & Plastic Barrel	1
72070	5"	Round NI Grate & Square Ring & Plastic Barrel	1
72080	5"	Round CHR Grate & Plastic Barrel	1
72090	5"	Round CHR Grate & Ring & Plastic Barrel	1
72100	5"	Round CHR Grate & Square Ring & Plastic Barrel	1
72110	6"	SS Grate & Plastic Barrel	1
72120	6"	Round BR Grate & Plastic Barrel	1
72130	6"	Round BR Grate & Ring & Plastic Barrel	1
72140	6"	Round BR Grate & Square Ring & Plastic Barrel	1
72150	6"	Round NI Grate & Plastic Barrel	1
72160	6"	Round NI Grate & Ring & Plastic Barrel	1
72170	6"	Round NI Grate & Square Ring & Plastic Barrel	1
72180	6"	Round CHR Grate & Plastic Barrel	1
72190	6"	Round CHR Grate & Ring & Plastic Barrel	1
72200	6"	Round CHR Grate & Square Ring & Plastic Barrel	1



22

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome

Return to Table of Contents

<u>Oate</u>

### COMPONENTS

### Vandalproof Screws

Product No.	Size	Description	Ctn. Qty.
81940	3/8"	10 x 24 Stainless Steel Vandal Proof Screw	10
81950	3/8 "	10 x 24 Brass Vandal Proof Screw	10



### **Cast Adjustable Barrels With Grates**

Product No.	Size	Description	Ctn. Qty.
82210	4"	Cast NI Square Barrel & Square NI Grate	1
82220	4"	Cast CHR Square Barrel & Square CHR Grate	1
82230	5"	Cast NI Square Barrel & Square NI Grate	1
82240	5"	Cast CHR Square Barrel & Square CHR Grate	1
82250	6"	Cast NI Square Barrel & Square NI Grate	1
82260	6"	Cast CHR Square Barrel & Square CHR Grate	1
82270	5"	Cast NI Square Barrel & Round NI Grate	1
82280	5"	Cast CHR Square Barrel & Round CHR Grate	1
82290	6"	Cast NI Square Barrel & Round NI Grate	1
82300	6"	Cast CHR Square Barrel & Round CHR Grate	1
82310	5"	Cast NI Round Barrel & Round NI Grate	1
82320	5"	Cast CHR Round Barrel & Round CHR Grate	1
82330	6"	Cast NI Round Barrel & Round NI Grate	1
82340	6"	Cast CHR Round Barrel & Round CHR Grate	1
82350	8"	Cast NI Round Barrel & Round NI Grate	1
82360	8"	Cast CHR Round Barrel & Round CHR Grate	1
82370	10"	Cast NI Round Barrel & Round NI Grate	1
82380	10"	Cast CHR Round Barrel & Round CHR Grate	1

### **Extra Heavy Duty Barrels**

Product No.	Size	Description	Ctn. Qty.
82390	6"	Cast Brass Barrel With Round Heavy Duty Grate With Round Ring	1
82400	6"	Cast Nickel Barrel With Round Heavy Duty Grate With Round Ring	1
82410	6"	Cast Chrome Barrel With Round Heavy Duty Grate With Round Ring	1



### **Replacement Covers**

Product No.	Size	Description	Ctn. Qty.
81120	6"	Round BR Cover	1
81130	6"	Round BR Cover & Ring	1
81140	6"	Round BR Cover & Square Ring	1
81150	6"	Round NI Cover	1
81160	6"	Round NI BR Cover & Ring	1
81170	6"	Round NI Cover & Square Ring	1
81180	6"	Round CHR Cover	1
81190	6"	Round CHR Cover & Ring	1
81200	6"	Round CHR Cover & Square Ring	1

**Datey** 

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome

CATEGORY **Z Z COMMERCIAL DRAINAGE** 

Return to Table of Contents

# (<u>Datey</u>

### COMPONENTS

### **Plastic Barrel Cleanouts**

Product No.	Size	Description	Ctn. Qty.
74120	6"	IPS Adj. Barrel & 6" Round BR Cover	1
74130	6"	IPS Adj. Barrel & 6" Round BR Cover & Ring	1
74140	6"	IPS Adj. Barrel & 6" Round BR Cover & Square Ring	1
74150	6"	IPS Adj. Barrel & 6" Round NI Cover	1
74160	6"	IPS Adj. Barrel & 6" Round NI Cover & Ring	1
74170	6"	IPS Adj. Barrel & 6" Round NI Cover & Square Ring	1
74180	6"	IPS Adj. Barrel & 6" Round CHR Cover	1
74190	6"	IPS Adj. Barrel & 6" Round CHR Cover & Ring	1
74200	6"	IPS Adj. Barrel & 6" Round CHR Cover & Square Ring	1



Product No.	Size	Description	Ctn. Qty.
84210	6"	Cast 6" BR Round Barrel w/Cleanout & Round BR Cover	1
84220	6"	Cast 6" NI Round Barrel w/Cleanout & Round NI Cover	1
84230	6"	Cast 6" CHR Plated BR Round Barrel w/ Cleanout & Round CHR Plated BR Cover	1

### ACCESSORIES

Floor Sinks			
Product No.	Size	Description	Ctn. Qty.
42720	2"	PVC Floor Sink	1
42721	3"	PVC Floor Sink	1
42722	4"	PVC Floor Sink	1



### **Top Grate For Floor Sinks**

Product No.	Size	Description	Ctn. Qty.
42751		Half Top Grate For Floor Sink	1
42752		Three-Quarter Top Grate For Floor Sink	1
42753		Full Top Grate For Floor Sink	1

### **Cast Iron Drain Funnels**

Product No.	Size	Description	Ctn. Qty.
71720		Cast Iron Round Drain Funnel	1
71730		Cast Iron Oval Drain Funnel	1

### **Reversible Dome Strainers/Buckets**

Product No.	Size	Description	Ctn. Qty.
42754	2"	Bottom Aluminum Dome Strainer	1
42755	3"	Bottom Aluminum Dome Strainer	1
42756	4"	Bottom Aluminum Dome Strainer	1



22

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome





# **Category 23**

## **Rough-In Products**

Count on Oatey rough-in products when you're tackling any plumbing job. Access Panels are great for allowing access to service areas for plumbing, electrical, security systems, telephone, computer cables, sprinkler systems and more. Can be flush or surface mounted. Tub protectors protect tub surfaces from debris during remodel or construction jobs. A wide variety of test caps are also available.

# CATEGORY **Z 3 ROUGH-IN PRODUCTS**

Navigation

Return to Table of Contents



### Keep the Pressure In with Oatey Test Caps (see pages 227)

Oatey introduces our new line of Test Caps. Consisting of Knock-Out<sup>™</sup> Test Caps, End-Cap<sup>™</sup> Test Caps, Push-Cap<sup>™</sup> Covers and Multi-Size (MS) End-Cap<sup>™</sup> Test Caps, Oatey offers a complete range to meet the needs of your particular application.

### Knock-Out™ Test Caps

hA

- Solvent cements to Sch. 40 ABS and PVC DWV pipe.
- Deeper design provides stronger leak-free connections.
- Knock-out center can be removed with "tab" preventing possible blockages.
- "Tab" feature keeps hands free of solvent cement.
- Will withstand 17 PSI or 40' head pressure.
- Made of white ABS.

### End-Cap™ Test Cap

- Solvent cements to end of Sch. 40 ABS and PVC DWV pipe.
- **Deep design** provides extra sealing strength.
- Heavy duty design allows testing to 17 PSI or 40' head pressure.
- Made of black ABS and white PVC.

### Push-Cap<sup>™</sup> Cover

- Friction-fit test cap
- Do not use for pressure testing.
- No solvent cement necessary for installation.
- For use on Sch. 40 ABS and PVC DWV pipe and fittings.
- Made of polyethylene.
- Slips over DWV pipe or inside fitting.

### MS End-Cap™ Test Cap

- Solvent cements to end of Sch. 40 ABS and PVC DWV pipe.
- Multi-size design allows for use on 1.5" and 2" or 3" and 4" pipe.
- Heavy duty construction for testing to 17 PSI or 40' head pressure.
- **Deep design** provides extra sealing strength.
- Made of black ABS and white PVC.







# **Datey**<sup>•</sup>

23

### **ROUGH-IN PRODUCTS**

Description

Plastic Access Panel

Plastic Access Panel

Plastic Access Panel

Plastic Access Panel

Description

Description

Bath Tub Protector

Bath Tub Protector

Bath Tub Protector - Oval

15" Deep/57" Long Fits 14" Tubs

Plastic Access Panel - Display

Plastic Access Panel - Display

Square Nose Toilet Base Plate

Round Nose Toilet Base Plate

### Access Panel

Product No.

34055

34053

34045

34056

34059

34044

Product No.

31258

31259

**Toilet Base Plate** 

Manufactured from high impact ABS.

Size

Size

14"

15"

16"

16"

14" - 16"

• Special designed drill guides for cable or wire.

Size

6" x 9"

6" x 9"

8" x 8"

14" x 14"

14" x 14"

14" x 29"

· Cover damaged and missing tile when replacing toilet.

• No lumber framing required. Ideal for new construction. · Reversible outer frame allows for flush mounting.

· Paint and wallpaper compatible.

- · Provides a service area for plumbing, electrical, security systems, telephone, TV, computer cables and sprinkler system applications. Eliminates costly repair.

#34055 shown







### Tub Box

34076

34125

· Provides a quick, economical and clean method of installing tub waste and drain.

• Built in cut-out for up to 2" Schedule 40 drain.

Enables installer to form a clean cavity in a concrete slab so a trap can be easily connected to the drain system.

Multi-Size Adjustable Bath Tub Protector

• Manufactured from semi-flexible, very durable, plastic polymer.

Bottom I.D.: 11-1/2" x 11-1/2"

Top I.D.: 13" x 13", Depth 6-1/2"				
Product No.	Size	Description	Ctn. Qty.	
34080		Standard Tub Box	12 Pair	



### TB-2000<sup>®</sup> Tub Box

- · Provides a quick, economical and clean method of installing tub waste and drain.
- Pull tab access.
- For 1-1/2" and 2" pipe.
- Bottom I.D.: 11-3/8", Depth 7" Top I.D.: 13", Depth 7"

Product No.	Size	Description	Ctn. Qty.
34087		TB 2000 Tub Box	5 Pair

2		
2		
5		
2		
3		

Navigation Return to Table of Contents

1810

Ctn. Qty.

6

6

6

6

4 6

Ctn. Qty.

Ctn. Qty. 35

35

35

25

35

12 12

Return to Table of Contents

### ROUGH-IN PRODUCTS



### **Pipe Guard**

- Will not attack plastic pipe. Polyethelene sleeving is 4mils thick. The material accommodates 1/2" 1" pipe in red (for hot water pipe) and blue (for cold water pipe).
- Protects copper and plastic in concrete.

For non code installations.

• For non code installations.					
Product No.	Size	Description	Ctn. Qty.		
38707	200'	Pipe Guard – Blue	10		
38708	200'	Pipe Guard – Red	10		
38719	50'	Heavy Duty Pipe Guard – Blue	1		
38720	50'	Heavy Duty Pipe Guard – Red	1		



### Protect-A-Wrap Foam Wrap

- Adhesive backed foam tape.
- For ADA compliance on P-traps

Product No.	Size	Description	Ctn. Qty.
38710	1/8"H x 2"W x 40'L	Protect-A-Wrap	24



#38711 shown



#38600 shown

### Foam Closet Spacer/Wrap

· Used to keep cement away from pipe penetrations during rough-in.

• Allows easy fitting installation after cement pour.

Product No.	Size	Description	Ctn. Qty.
38711	4" x 4"	Foam Closet Spacer	60
38712	4" x 82'	Foam Closet Wrap	9

### **Quiet Pipes®**

• Eliminates water pipe banging caused by quick closing valves.

• Can be installed in any position.

Product No.	Size	Description	Ctn. Qty.
38600		Quiet Pipes Washing Machine Supply Line Shock Absorber	6
38601		Quiet Pipes MIP Shock Absorber – Discontinued after 12/31/12**	6
39177		Quiet Pipes MIP Shock Absorber – Low Lead	6

**\*\* Note:** Federal regulations require the discontinuation of products containing more than 0.25% lead as of January 1, 2014. Oatey is implementing this change a year early so customers do not buy products they can't use. Therefore, certain products will be discontinued as of December 31, 2012.

**Datey** 

### **ROUGH IN PRODUCTS**

### Knock-Out<sup>™</sup> Test Cap

- Solvent cements to Sch. 40 ABS and PVC DWV pipe.
  Deeper design provides stronger leak-free connections.
- "Tab" feature keeps hands free of solvent cement.
- Will withstand 10 PSI or 30' head pressure.

Product No.	Size	Description	Ctn. Qty.
33460	1-1/2"	Knock-Out <sup>™</sup> Inset Test Cap	1500
33461	2"	Knock-Out <sup>™</sup> Inset Test Cap	1200
33462	3"	Knock-Out <sup>™</sup> Inset Test Cap	500
33463	4"	Knock-Out <sup>™</sup> Inset Test Cap	300
39100	1-1/2"	Knock-Out <sup>™</sup> Test Cap w/Barcode	20
39101	2"	Knock-Out <sup>™</sup> Test Cap w/Barcode	20
39102	3"	Knock-Out <sup>™</sup> Test Cap w/Barcode	15
39103	4"	Knock-Out <sup>™</sup> Test Cap w/Barcode	15

### End-Cap<sup>™</sup> Test Cap

• Solvent cements to end of Sch. 40 ABS and PVC DWV pipe.

• Deep design provides extra sealing strength.

P 3 3

<ul> <li>Heavy duty design allows testing to 15 PSI or 40' head pressure.</li> </ul>					
Product No.	Size	Description	Ctn. Qty.		
33468	1-1/2"	End-Cap <sup>™</sup> PVC	1000		
33469	1-1/2"	End-Cap <sup>™</sup> ABS	1000		
33470	2"	End-Cap <sup>™</sup> PVC	800		
33471	2"	End-Cap <sup>™</sup> ABS	800		
33472	3"	End-Cap <sup>™</sup> PVC	400		
33473	3"	End-Cap <sup>™</sup> ABS	400		
33474	4"	End-Cap <sup>™</sup> PVC	200		
33475	4"	End-Cap <sup>™</sup> ABS	200		
33476	6"	End-Cap <sup>™</sup> PVC	50		
33477	6"	End-Cap <sup>™</sup> ABS	50		
39105	1-1/2"	End-Cap™ w/Barcode	25		
39106	2"	End-Cap™ w/Barcode	25		
39107	3"	End-Cap™ w/Barcode	25		
39108	4"	End-Cap <sup>™</sup> w/Barcode	25		









- Push-Cap<sup>™</sup> Test Cap Friction-fit test cap for use up to 10' head pressure.
- For use on Sch. 40 ABS and PVC DWV pipe and fittings.

· Made of polyethylene.

Slips over DWV pipe or inside fitting.
No solvent cement necessary.

<ul> <li>No solvent cerri</li> </ul>	ient necessary.		
Product No.	Size	Description	Ctn. Qty.
33464	1-1/2"	Push-Cap™ Test Cap	250
33465	2"	Push-Cap™ Test Cap	150
33466	3"	Push-Cap™ Test Cap	100
33467	4"	Push-Cap™ Test Cap	50
39110	1-1/2"	Push-Cap <sup>™</sup> Test Cap w/Barcode	25
39111	2"	Push-Cap <sup>™</sup> Test Cap w/Barcode	25



Jate

Return to Table of Contents

are

# CATEGORY 23 ROUGH-IN PRODUCTS



- MS End-Cap<sup>™</sup> Test Cap Solvent cements to end of Sch. 40 ABS and PVC DWV pipe.
- Multi-size design allows for use on 1.5" and 2" or 3" and 4" pipe.
- Deep design provides extra sealing strength.
  Heavy duty construction for testing to 15 PSI or 40' head pressure

Product No.	Size	Description	Ctn. Qty.
33478	1-1/2 -2"	MS End-Cap <sup>™</sup> Test Cap PVC	500
33479	1-1/2 -2"	MS End-Cap <sup>™</sup> Test Cap ABS	500
33480	3" - 4"	MS End-Cap <sup>™</sup> Test Cap PVC	200
33481	3" - 4"	MS End-Cap <sup>™</sup> Test Cap	200
39115	1-1/2 - 2"	2 in 1 End Cap w/Barcode	25
39116	3" – 4"	2 in 1 End Cap w/Barcode	25



- **PVC Test-Kap® Plugs**  Stainless steel hose clamp won't corrode.
- For use on plastic, steel, copper and cast-iron pipe.
- Reinforced cross-molded top increases strength.
- Tighten clamp with torque wrench or screwdriver to 60 inch pounds.

Product No.	Size	Description	Ctn. Qty.	Back Pressure P.S.I.	Feet of Head
270725	1-1/2"	Test-Kap® Plug	10	13 PSI	30 FT
270733	2"	Test-Kap® Plug	10	13 PSI	30 FT
270741	3"	Test-Kap® Plug	10	13 PSI	30 FT
270768	4"	Test-Kap® Plug	10	13 PSI	30 FT
270776	5"	Test-Kap® Plug	5	13 PSI	30 FT
270784	6"	Test-Kap® Plug	5	13 PSI	30 FT

# <u> Uatey</u>

23