

Product Catalog



2003





Table of Contents

WATERMASTER
Automatic Sprinkler Timers
Automatic Sprinkler Valves
Sprinkler Valves & Accessories
Preassembled Valve Manifolds & Accessories
Timer & Valve Accessories
Valve Boxes & Accessories
Impact Sprinkler Heads
Brass Impacts & Gear Drive Sprinkler Heads
Preassembled & Spring-Loaded Sprinkler Heads
Spring-Loaded Sprinkler Heads
Pop-Up & Flush Sprinkler Heads
Shrub Sprinkler Heads
Shrub Sprinkler Heads & Nozzles
Cutting Tools & Accessories
Tools & Accessories
Risers
Risers & Fittings
Sprinkler System Accessories
Brass Sprinkler Valves
Valve Accessories & Hose-to-Pipe
DRIPMASTER
Manifolds
Adapters
Drip Kits
Low Volume Heads
Fittings
Accessories 39-41
Tools, Risers, & Stakes 42
Risers, Stakes, & Tubing
SUNMATE
Hose Faucet Timers
Hose Faucet Timers & Accessories 47
Rotating Sprinklers
Port-A-Rain® & Oscillating Sprinklers 50
Medium & Small Area Sprinklers
Impact Heads
Impact Heads with Bases 54-55
Spikes & Bases
Hose Hangers & Guides
Hose Wands 58-60
Pistol Nozzles
Sweeper Nozzles
Adjustable Nozzles. 66
Accessories 67
Hose Y & Washers 68
Couplings 69
Ouick Connects 70
Quick Connects


Table of Contents


ARIZONAMIST
Mist Systems 74-75 Portable Personal Misting 76 Misting Accessories 77 Maintenance 78 1/2" PVC Accessories 79 3/8" Flexible Tubing Accessories 80 Tubing & Pump 81
MEDOLIANDIONIO
MERCHANDISING
Displays

Products with the world symbol are available in multi-language packaging. Tri-language packaging includes: English, French, and Spanish. Multi-Language packaging includes: English, French, Spanish, Italian, and German.















Dual Program Slide Switch Sprinkler Timer—Indoor Mount

57004 4 Stations 57006 6 Stations 57008 8 Stations 57122 12 Stations

- Independent dual watering programs
- Easy to program slide switches provide at-a-glance review of station watering time
- Pump or master valve operation signal
- Water-saving rain delay feature
- · Large, easy-to-read display
- Built-in calendar keeps track of odd/even days and leap years
- Smart Scan™ Circuit Protection detects faulty station wiring, without interrupting watering, and cycles on to another station
- Up to eight available start times per valve per day

Plug-in Transformer Power Input: 120 VAC +/- 10%, 60 HZ Output: 26 VAC @ 600 mA



Dual Program Slide Switch Sprinkler Timer—Outdoor/Indoor Mount

57606 6 Stations 57012 12 Stations

- Heavy-duty weather-resistant cabinet with lock and key
- 1/2" inlet for 110 VAC wiring
- Independent dual watering programs
- Easy to program slide switches provide at-a-glance review of station watering time
- Pump or master valve operation signal
- Water-saving rain delay feature
- Large, easy-to-read display
- Built-in calendar keeps track of odd/even days and leap years
- Smart Scan™ Circuit Protection detects faulty station wiring, without interrupting watering, and cycles on to another station
- Up to eight available start times per valve per day

Built-in Transformer Power Input: 120 VAC +/- 10%, 60 HZ Output: 26 VAC @ 600 mA



Super Dial Dual Program Sprinkler Timer—Indoor Mount

57964 4 Stations 57966 6 Stations 57969 9 Stations 57962 12 Stations

- Large dial and rubberized buttons make programming simple
- Independent dual watering programs
- Pump or master valve operation signal
- Water-saving rain delay feature
- Built-in calendar keeps track of odd/even days and leap years
- Programs with two AA batteries
- Easy connect wire terminal
- Wire shroud protects timer and wire connectors
- Up to eight available start times per valve per day

Plug-in Transformer Power Input: 120 VAC +/- 10%, 60 Hz Output: 26 VAC @ 600 mA



Super Dial Dual Program Sprinkler Timer—Outdoor/Indoor Mount

 57974
 4 Stations
 57976
 6 Stations

 57979
 9 Stations
 57972
 12 Stations

- Large dial and rubberized buttons make programming simple
- Weather resistant locking door protects timer and wire connectors
- Outdoor or Indoor Connection
- Independent dual watering programs
- Pump or master valve operation signal
- Water-saving rain delay feature
- Built-in calendar keeps track of odd/even days and leap years
- Programs with two AA batteries
- Easy connect wire terminal
- Up to eight available start times per valve per day

Built-In Transformer Power Input: 117 VAC +/- 10%, 60 Hz Output: 26 VAC @ 600 mA





Dual Program Sprinkler Timer—Indoor Mount

57114 4 Stations 57161 6 Stations

- Independent dual watering programs
- Water-saving rain delay feature
- Built-in calendar keeps track of odd/even days and leap years
- Programs with two AA batteries
- Up to eight available start times per valve per day

Plug-in Transformer Power Input: 120 VAC +/- 10%, 60 Hz Output: 26 VAC @ 0.30 A




NEW! 57016 Dual Program Sprinkler Timer with Remote Control—Indoor Mount

- On-site remote is great for installation, testing, maintenance, and adjustment.
- Remote allows the homeowner to operate the timer anywhere on their property (up to 200' away)
- Control each station manually without altering the timer's set program
- Independent dual watering programs
- · Water-saving rain delay feature
- Built-in calendar keeps track of odd/even days and leap years
- Programs with two AA batteries
- Up to eight available start times per valve per day



Automatic Sprinkler Valves



orbite's automatic inline and antisiphon valves are designed and manufactured for trouble-free operation. They are also compatible with most brands of 24-volt timer and are available with a female thread or solvent weld connection.

The Pre-Assembled union manifold installs in three easy steps:

- 1. Connect manifold to water source.
- 2. Connect the individual line stations to each valve.
- 3. Connect and run sprinkler wire from valves to timer.

The Pre-Assembeled Manifold System allows future expansion, simply unscrew the end cap and add another valve. Valve repalcement is simplified with the use of union connections.



NEW! 57461 1" NPT Threaded Automatic Inline Jar Top Valve—Without Flow Control

- Threaded easy-open jar top lid
- Heavy-duty non-corrosive construction
- Easy-to-connect
- Bleed screw for manual on/off operation
- · Replaceable low voltage solenoid



57111 1" FNPT Automatic Inline Sprinkler Control Valve—Without Flow Control

- Bleed screw for manual on/off operation
- Replaceable low voltage solenoid
- Durable, non-corrosive plastic construction
- For use with 3/4" or 1" PVC (reducer not included)

Automatic Sprinkler Valves



Automatic Inline Sprinkler Control Valve—With Flow Control

57102 3/4" FNPT 57103 1" FNPT

- Adjustable flow control stem
- Durable, non-corrosive plastic construction
- · Replaceable low voltage solenoid
- Internal bleed level for manual on/off operation
- Unique balanced diaphragm design



Automatic Inline Sprinkler Control Valve—Without Flow Control

57100 3/4" FNPT 57101 1" FNPT 57105 1" Slip

- Durable, non-corrosive plastic construction
- Replaceable low voltage solenoid
- Internal bleed lever for manual on/off operation
- Unique balanced diaphragm design



57020 1" FNPT Automatic Inline or Angle Sprinkler Control Valve—With Flow Control

- Installs as angle or inline connection (plug included)
- Adjustable flow control stem
- Replaceable low voltage solenoid
- Bleed screw for manual on/off operation

Sprinkler Valves & Accessories



Automatic Anti-siphon Sprinkler Control Valve—With Flow Control

57223 3/4" FNPT 57321 3/4" Slip 57224 1" FNPT

- Prevents contaminates from entering household water supply
- Adjustable flow control stem
- Internal bleed lever for manual on/off operation
- Replaceable low voltage solenoid
- Durable, non-corrosive plastic construction



57023 3/4" FNPT Automatic Anti-siphon Sprinkler Control Valve—With Flow Control

- Prevents contaminates from entering household water supply.
- Adjustable flow control stem
- External Bleed screw for manual on/off operation
- Replaceable low voltage solenoid
- Durable, non-corrosive plastic construction
- Listed by International Association of Plumbing Mechanicals Office—IAPMO (UPC)



Automatic Valve Converter—With Flow Control

57029 3/4" NPT 57030 1" and 3/4" NPT

- Converts manual sprinkler valve to automatic
- 57030 includes a ring adapter required to convert most brands of 1" or 3/4" manual valves to automatic
- External bleed screw for manual on/off operation





Valve Diaphragm Repair Kits

57045 for 57100 Series Valves—Internal Bleed 57046 for 57020 & 57019 Valves—External Bleed 57058 for 57200 & 57300 Series Valves—Anti-siphon

- Available in inline external bleed, inline internal bleed, and anti-siphon
- Replacement diaphragm for Orbit® Automatic Sprinkler Valves



Pre-assembled Valve Manifolds & Accessories



Pre-assembled Inline Sprinkler Valve Manifold

57150 2 Valves 57150D 2 Valves includes Poly Fittings 57153 3 Valves 57153D 3 Valves includes Poly Fittings

57168 4 Valves

- Kits includes fittings and valves needed to make an inline valve manifold
- For use with 3/4" or 1" PVC mainline, PVC pipe, also available for poly sprinkler head lines
- Hassle-free, clean, and compact manifold system
- No special tools required. Unions allow for easy assembly and replacement of valves



57172 Pre-assembled Anti-siphon Sprinkler Valve Manifold

- Kits includes fittings and valves needed to make an anti-siphon valve manifold
- For use with 3/4" or 1" PVC mainline and PVC pipe
- Hassle-free, clean, and compact manifold system
- · No special tools required. Unions allow for easy assembly and replacement of valves




Pre-assembled Inline and Anti-siphon Manifold Fittings

57149 3/4" PVC Slip Adapter 57158 1" PVC Slip Adapter 57147 3/4" Poly Adapter 57151 1" Poly Adapter 57148 3/4" x 1" MPT Transition Adapter 57159 1" x 1" MPT Transition Adapter

57160 End Cap 57170 Anti-siphon Slip Adapter

57171 Anti-siphon Threaded Adapter

- Fittings to connect, expand, or repair pre-assembled valve manifolds
- No special tools required. Adapters connect manifold to PVC or poly pipe



Manifold Extensions with Unions

57154 1 Port 57155 2 Port 57156 3 Port 57157 4 Port

- Use to assemble a valve sprinkler manifold
- Expandable manifolds easily connect together



Timer & Valve Accessories



Timer and Valve Parts

57005 Grease Cap 57505W Grease Cap with Wire Nuts 57041 24-Volt Solenoid 57002 Grease Cap Kit 57505W Grease Cap with Wire Nuts 57005 Anti-siphon Seal Carrier 57002 Grease Cap Kit

Includes:

(4) - Grease Caps (4) - Wire Nuts

(4) - Fork Connector

• Fittings for repairing or connecting automatic sprinkler valves



57090 Weather Resistant Timer Box

- For outdoor installation of most brands of indoor timers
- Easy to install contains convenient knock-out plugs
- Sub-plate ensures safe handling of 120 VAC wires
- Tamper-proof hinged lid with lock and key



NEW! 57098 Rain Sensor

- Conserve water by automatically interrupting watering cycle during rainfall
- Includes both metric and standard measurements
- · Adjustable settings



57009 Pump Start Relay

- Automatically activates pump for watering
- Weather-resistant plastic case
- Simple, trouble-free design

^{*}Timer and transformer not included

Valve Boxes & Accessories



57040 Transformer

- 24 VAC 750 mA
- Interchangeable with most brands of 24-volt sprinkler timers



UF/UL® Sprinkler Wire

57092 7 Strand x 50' 57088 7 Strand x 100' 57094 5 Strand x 50' 57093 5 Strand x 100'

- Multi-conductor control wire with PVC jacket for direct burial
- Each wire in the strand will adequately handle one solenoid valve up to a maximum of 800'



Rock Valve Box Cover

53016 Granite

- 53017 Sandstone
- Protect valves from damage due to sunlight or weather
- Made with weather-resistant material
- Fits up to four anti-siphon valves
- Fits easily over most 20" jumbo boxes



Valve Boxes

53019 20" Jumbo Box 53119 20" Jumbo Extension Box

53157 20" Jumbo Lid

53030 12" Standard Box 53150 12" Standard Extension Box

53152 12" Standard Lid

- Durable long lasting construction
- Built-in nut for locking lid
- Overlapping lid to keep sand and dirt out



Circular Valve Boxes

53021 6" Box 53024 10" Box 53029 32" to 54" Curb Box 53155 6" Lid 53156 10" Lid

- Durable long lasting construction
- Ideal for sprinkler valves or drip manifolds
- · Twist-locking cover

Order Toll-Free 1-800-488-6156 www.orbitonline.com

Sprinkler Heads



orbit^o Irrigation manufactures sprinkler heads for every watering need. Small area heads (used for gardens, flower beds, and ground cover) flood or stream a 3' to 5' area and allow precise water flow adjustment.

Medium area sprinkler heads are ideal for front yard, side yard, park strips, and/or areas where 10¹ to 15¹ coverage is needed. Sprinkler heads with 25° to 360° adjustable pattern nozzles further simplify planning and installation. Two top choices are the Hard Top™ metal cap sprinkler, ideal for high traffic areas and the Soft Top™ rubberized cap sprinkler, great for interior areas that need a cushioned feel.

Large area sprinkler heads are best used in large open grass areas, such as backyards, where 20' to 45' coverage is desired. Orbit® offers several choices for the home owner including the best selling Voyager II® Gear Drive Sprinkler Head.



Impact Sprinkler Heads



Satellite® Pop-Up Impact @

55012 Graphic Box 55026 Bulk

- 1/2" threaded side or bottom inlet
- Heavy-duty, non-corrosive construction
- Universal—replaces most impact and gear stream heads
- Area coverage up to 80' diameter—full or part circle



55100 Super-Jet® Pop-Up Impact @

- 1/2" threaded side or bottom inlet
- Area coverage up to 40' diameter—full or part circle
- Raises 3" above sod level



NEW! 55082 Above Ground Shuttle™ Impact Rotor

- 1/2" MPT connection
- Easy to set dial and set arc adjustment requires no tools
- Spray pattern easily adjust from 25° to 360°
- Area coverage 33'-41' radius—full or part circle



1/2" Orbit Jet™ Plastic Impact Head @

55011 Carded 55010 Display Box

- Standard 1/2" MPT connection
- Full or part circle adjustable coverage
- Area coverage 20'-40' radius
- Brass weighted arm for smooth, even rotation
- Anti-backsplash arm



Brass Impacts & Gear Drive Sprinkler Heads



1/2" Brass Impact Head

55003 Display Box 55032 Carded

- Universal—works with or replaces most 1/2" impact or impulse heads
- Distance adjustment and anti-backsplash arm
- Area coverage 20'-40' radius
- Adjustable—full or part circle



55016 3/4" Adjustable Brass Impact

- 3/4" MNPT connection
- Double brass 3/16" and 3/32" nozzles
- Area coverage 25'-48' radius—full or part circle
- Stainless steel arm spring, trip spring, trip collars, and trip pin
- Anti-backsplash tube



55110 3/4" Full Circle Brass Impact Head

- 3/4" MNPT connection
- Area coverage 45' radius at 45 psi —full circle coverage
- 3/32" and 3/16" Double Brass Nozzle
- · Combines quality with competitive pricing



Voyager II® Pop-up Gear Drive Head <a>

55060 Clam 55061 Display Box 55361 4 Pack

- Ideal for medium to large area coverage
- Area coverage 25'-40' radius
- Adjustable full or part circle coverage



Saturn III[®] Pop-up Gear Drive Head <a>

55059 Clam 55069 Display Box

- Ideal for medium to large area coverage
- Area coverage 15'-30' radius
- Adjustable full or part circle coverage

Pre-assembled & Spring-Loaded Sprinkler Heads





55070 Voyager II® Adjustment Key 55071 Voyager II® Standard Nozzles 55072 Voyager II® Low Angle Nozzles 55073 Voyager II® Nozzle Collar

Accessories for Voyager II® and Saturn III® Gear Drives



54111 2" Pre-assembled Swing Joints and Heads with Adjustable Nozzles

- 8 pack set includes components for one sprinkler station
- Convenient—flush plugs simplify installation and prevent debris from entering sprinkler line
- Complete—flexible assembly allows for precise sprinkler placement distance adjustment
- Nozzle adjusts to any spray pattern from 25°-360°



Pre-assembled Sprinkler Head and Swing Assembly with Adjustable Nozzle

54311 2"

54312 4"

- Flexible assembly allows for precise sprinkler placement
- Nozzle adjusts to any spray pattern from 25°-360°
- Attach to sprinkler line as a top or side outlet
- PVC fitting not included



Hard Top™ Spring-Loaded Pop-up Head with Adjustable Nozzle ■

54115 2"

54118 4"

- Metal top adds Long-lasting durable construction
- Ratchet feature allows easy spray direction adjustment
- Instant pattern nozzle easily adjusts from 25°-360°



Soft Top™ Spring-Loaded Pop-up Head with Adjustable Nozzle

54113 2"

54114 4"

- Soft top adds a flexible cushioned grip
- Ratchet feature allows easy spray direction adjustment
- Instant pattern nozzle easily adjusts from 25°-360°

Spring-Loaded Sprinkler Heads



Spring-Loaded Pop-up Head with Adjustable Nozzle <a>

54116 2"

54117 4"

- Long-lasting durable construction
- Ratchet feature allows easy spray direction adjustment
- Instant pattern nozzle easily adjusts from 25°-360°



Spring-Loaded Pop-up Body with Flush Plug and Adjustable Nozzle

54080 2"

54081 4"

- Flush cap allows line flushing and helps prevent debris from entering body
- Includes instant pattern nozzle that easily adjusts from 25°-360°
- Ratchet feature allows easy spray direction adjustment
- Heavy-duty spring and wiper insures stem retraction



2" Spring-Loaded Pop-up Head with Brass Nozzle

54016 Full 54017 Half

54018 Quarter 54019 Three-Quarter

54127 Center Strip

- Solid brass adjustable flow nozzle
- · Wiper seal keeps out sand and grit
- Stainless steel retraction spring
- Drop-in filter helps prevent plugged nozzle



2" Spring-Loaded Pop-up Head with Plastic Nozzle

 54128 Full
 54129 Half
 54130 Quarter

 54131 Three-Quarter
 54160 End Strip
 54161 Center Strip

54162 Side Strip

- Durable plastic nozzle
- · Wiper seal keeps out sand and grit
- Stainless steel retraction spring
- · Easy twist off cap



4" Spring-Loaded Pop-up Head with Plastic Nozzle

 54153 Full
 54154 Half
 54155 Quarter

 54156 Three-Quarter
 54164 End Strip
 54165 Center Strip

54166 Side StripDurable plastic nozzle

- Wiper seal keeps out sand and grit
- Stainless steel retraction spring
- · Easy twist off cap



Pop-Up & Flush Sprinkler Heads



2" Spring-Loaded Pop-up Economy Head with Plastic Nozzle

54228 Full 54229 Half

54230 Quarter 54231 Three-Quarter 54260 End Strip 54261 Center Strip

54262 Side Strip

- Durable plastic nozzle
- · Wiper seal keeps out sand and grit
- Stainless steel retraction spring



4" Spring-Loaded Pop-up Economy Head with Plastic Nozzle

54253 Full 54254 Half

54255 Quarter

- Durable plastic nozzle
- · Wiper seal keeps out sand and grit
- Stainless steel retraction spring



Brass Pop-up Head with Brass Nozzle

54070 Full 54071 Half

54072 Quarter 54073 Three-Quarter

54074 Center Strip

- Solid brass construction
- Flow adjustment screw
- Rises 1 3/4" above sod level



Plastic Pop-up Head with Brass Nozzle

54027 Full 54028 Half

54029 Quarter 54124 Three-Quarter

54125 Center Strip

- Ideal for watering lawn and garden areas
- 1/2" FNPT inlet
- Brass flow adjustment screw
- Rises 1 3/4" above sod level



Plastic Flush Head with Plastic Nozzle

54005 Full 54006 Half 54007 Quarter

- 1/2" threaded inlet
- Large flange
- · Brass flow adjustment screw
- · Mounts flush with ground



Shrub Sprinkler Heads



54020 Adjustable Shrub Head

- 1/2" FNPT inlet
- Instant pattern nozzle that easily adjusts from 25°-360°
- · Easy-clean filter
- Filter prevents debris clogs
- Brass flow adjustment screw



NEW! 37330 Adjustable Height Aluminum Shrub Sprinkler Head

- Adjustable from 16" to 30" in height as plants grow
- Instant pattern nozzle easily adjusts from 25°-360°
- 1/2" x 5/8" NPT male threaded



Brass Shrub Heads with Brass Nozzle

54030 Full 54031 Half 54032 Quarter 54035 Center Strip

- 1/2" FNPT inlet
- Solid brass construction
- Brass flow adjustment screw



Plastic Shrub Head with Brass Nozzle

54038 Full 54039 Half 54040 Quarter

- 1/2" FNPT inlet
- Solid brass insert nozzle
- Filter prevents debris clogs




Plastic Shrub Head with Plastic Nozzle

 54009 Full
 54010 Half

 54011 Quarter
 54012 Three-Quarter

54013 Center Strip

- 1/2" FNPT inlet
- Durable plastic insert nozzle
- Filter prevents debris clogs



Shrub Sprinkler Heads & Nozzles



54042 Mushroom Bubbler II™ ■

- 1/2" FNPT inlet
- Solid plastic Construction
- Inlet filter basket prevents debris clogs
- Finger flow adjustment
- · Adjusts from full-flow to light trickle



54119 Plastic Mushroom Bubbler

- 1/2" FNPT Inlet
- Stainless steel flow adjustment screw
- Inlet filter basket prevents debris clogs
- Adjusts from full-flow to light trickle



Plastic Stream Bubbler

54150 Full–11 Jets 54151 Half–7 Jets 54152 Quarter–4 Jets 54159 Strip–6 Jets

- Stainless steel flow adjustment screw
- Inlet filter basket prevents debris clogs
- Adjusts from full-flow to light trickle



Replacement Nozzles

53486 7' Adjustable 53482 10' Adjustable 53483 12' Adjustable

53484 15' Adjustable 53485 17' Adjustable

54488 22 Piece Assortment–Includes:

(2) - 17' Nozzle (2) - 15' Nozzle (2) - 12' Nozzle (2) - 10' Nozzle (2) - 7' Nozzle (10) - Filters (2) - Shrub Bodies (1) - Refillable Box

- Adjustable nozzles for use with male stem spring-loaded pop-up heads or shrub adapters
- Adjustable nozzles fully adjust from 25–360°



Brass Replacement Nozzles

53050 Full Brass 53051 Half Brass 53053 Three-Quarter Brass

53052 Quarter Brass 53054 Strip Brass

• Brass replacement nozzles for Orbit® Springloaded Pop-ups, Shrub, and Pop-ups

Cutting Tools & Accessories



26096 Professional Pipe Cutting Tool

- Cuts plastic pipe up to 1 3/4" in diameter
- Heavy-duty steel construction
- Replaceable power-point blade
- Hooked jaws, locking handles, and switch blade release
- Built-in ratchet assembly



26086 Plastic Pipe Cutting Tool

- Cuts plastic pipe up to 1" in diameter
- Sharp, heat-treated, stainless steel replaceable blade
- Hooked jaws, locking handles, and switch blade release
- Built-in ratchet assembly
- Replacement blade part number 53268



26085 Plastic Pipe Cutting Tool



- Cuts plastic pipe up to 1" in diameter
- Heavy-duty aluminum and steel construction
- Sharp, heat-treated, steel replaceable blade
- Rubber covered handles
- Built-in ratchet assembly
- Replacement blade part number 53267



26090 2" Plastic Plpe Cutting Tool

- Cuts plastic pipe up to 2" in diameter
- Heavy-duty aluminum and steel construction
- Easily cuts through pipe, leaving no burrs
- Hooked jaws hold pipe in place
- Built-in ratchet assembly
- Replacement blade part number 53284



Tools & Accessories



26098 Sprinkler Tool Kit

- For maintenance and installation
- Includes:
- (1) Plastic Nipple Extractor Handle (1) 1/2" Nipple Extractor
- (1) 3/4" Nipple Extractor
- (1) Head Adjustment Screwdriver
- (1) 1/2"-1" PVC Cutting Tool
- (1) Pipe Thread Tape



Plastic Nipple Extractor

26073D 1/2" Professional 26074D 3/4" Professional 26076 1/2" and 3/4" 3 Piece Combo

- Extra long solid steel handle
- Plastic coated handle for a comfortable grip that won't slip



53028 5" Plastic Spray Guard

- Durable plastic construction
- Prevents grass from growing over sprinkler heads



Pipe Thread Tape

31273 1/2" x 520' 31275 3/4" x 520'

• Use to seal threaded joints on metal or plastic pipe fittings

Order Toll-Free 1-800-488-6156 www.orbitonline.com



Tools & Accessories



53333 Walkway Tunnel Kit

- Durable plastic construction
- Adapts to 3/4" or 1" PVC pipe
- Connects to standard garden hose
- Jet stream nozzle is ideal for tunneling under driveways, walkways, etc.



Sprinkler Flags

53326 Bulk

53327 10 per bundle/Display Box

- For marking locations of heads, valves, and drains
- 15" Length



53020 Pressure Gauge 💷

- Gauges water pressure up to 200 psi
- 3/4" FHT inlet with hose washer



Aluminum Head Wrenches

53270 Satellite® Head Wrench 53310 Super Jet® Head Wrench 53027 Medium Area Sprinkler Head Wrench

- Use to install and remove sprinkler heads and insert nozzles
- Die-cast metal construction

Tools & Accessories



26097 Emergency Gas and Water Shut-off Tool

- Shuts off gas and water mains
- Opens standard and Texas system meter covers
- Glow in the dark comfort grip



Plastic Saddle Tees

37120 3/4" x 1/2" 37121 1" x 1/2"

- Plastic tee with brass screws
- Rubber gasket for sure seal
- Use with polyethylene pipe



Gear Clamps

37097D 3/8" to 7/8" 37098D 1/2" to 1 1/4"

- · Stainless steel band
- Nickel-plated zinc screw



1/2" PVC Risers

 38081 1/2" x Close
 38160 1/2" x 1 1/2"
 38082 1/2" x 2"

 38083 1/2" x 3"
 38084 1/2" x 4"
 38085 1/2" x 5"

 38086 1/2" x 6"
 38088 1/2" x 8"
 38090 1/2" x 10"

 38091 1/2" x 12"
 38094 1/2" x 18"
 38095 1/2" x 24"


- 38143 1/2" x 36" 38144 1/2" x 48"

 Molded gray schedule 80 PVC construction
- Tapered inside ends allow standard pop-up heads to slide up and down without restriction
- Not for use under continuous pressure

Risers







38165D 3/4" x 18 38166D 3/4" x 24"

• Molded gray schedule 80 PVC construction

• Tapered inside ends allow standard pop-up heads to slide up and down without restriction

• Not for use under continuous pressure



1" PVC Risers 🕮

38103 1" x Close 38104 1" x 2" 38105 1" x 3" 38108 1" x 6" 38232 1" x 12" 38856 1" x 24"

Molded gray schedule 80 PVC construction

• Tapered inside ends allow standard pop-up heads to slide up and down without restriction

• Not for use under continuous pressure



1/2" Plastic Risers

37064 1/2" x 2" 37065 1/2" x 3" 37066 1/2" x 4" 37067 1/2" x 5" 37068 1/2" x 6" 37130 1/2" x 8"

37132 1/2" x 12"

Molded, black plastic material

• Tapered inside ends allow standard pop-up heads to slide up and down without restriction

• Not for use under continuous pressure



Multi-Flex® Riser <

37111 1/2" Male x 4" Male 37112 1/2" Male x 6" Male 37127 1/2" Male x 4" Female 37128 1/2" Male x 6" Female

• Protects pipe connections from breaking

· Flexible plastic composition allows constant bending with out breaking

• Not for use under continuous pressure



Cut-off Riser @

37069 1/2" x 6" 37169 1/2" x 12" 37113 3/4" x 6" 37114 1/2" x 3/4" x 6"

37126 1/2" x 6" Multi-Flex®

• Molded, Polyethylene material

· Riser can be cut to desired length

• Not for use under continuous pressure













37217 1/2" Male x 3/4" Male Riser Extension Adapter 💷

- Adapts sprinkler heads to 1/2" or 3/4"
- Sturdy, plastic construction
- Not for use under continuous pressure

37017 1/2" x 2 1/2" Cut-off Riser Extension 💷

- Riser extension can be cut to desired length
- Use to raise sprinkler heads above grass level
- Not for use under continuous pressure

38233D 1/2" x 12" Spring-Loaded Riser 💷

- 12" canister with 10" rising stem
- Retracts when water is turned off
- 1/2" MNPT x 1/2" MNPT connection

NEW! 37331 Adjustable Height Plastic Shrub Riser

- Adjustable from 16" to 30" in height as plants grow
- 1/2" MPT x 1/2" MPT
- Compatible with any 1/2" female sprinkler head



Risers & Fittings



Swing Joint Elbow

37163 1/2" MNPT x FNPT 37164 3/4" MNPT x FNPT

- Ideal for installing swing joints
- Durable polyethylene construction
- Not for use under continuous pressure





- Extruded, high-grade plastic tubing
- Ideal for installing sprinkler heads without the use of risers



Riser Flex Fittings

37160 1/2" MNT x Barb Male Adapter 37159 1/2" MNPT x Barb 90° Elbow 37165 1/2" Barb Coupling 37167 1/2" Barb x MPT x FPT Adapter 37260 1/2" FNPT x Barb Adapter 37145 45 Piece Riser Flex Kit

37162 3/4" MPT x 1/2" Barb Elbow 37166 1/2" Barb Tee 37259 1/2" FNPT x Barb 90° Elbow

37161 3/4" MNPT x 1/2" Barb Male Adapter

NEW! 37310 1/2" MPT x FPT Swivel

- For use with 1/2" Riser Flex Pipe
- Molded, high-impact, plastic construction
- Ideal for connecting sprinkler heads to fittings from existing or new installations without the use of pipe clamps

Pre-assembled Swing Joints

37263 1/2" x 1/2" x 6" 37264 1/2" x 1/2" x 12" 37265 1/2" x 3/4" x 12" 37266 1/2" x 1/2" x 12" with Auto Drain*

- Simplifies installing a swing joint
- Ideal for placing heads in hard-to-reach areas *Auto-drain helps prevent freezing of sprinkler lines †Sprinkler head not included



Multi-Flex® Flexible Risers

37320 1/2" x 12" 37321 1/2" x 18" 37322 1/2" x 3/4" x 18"

- Flexible tubing allows for bending without breaking
- Ideal for placing heads in hard-to-reach areas



Sprinkler System Accessories



51054W 3/4" Hose Bib Anti-siphon Valve

- 3/4" FHT x MHT connection
- Anti-siphon coupling stops backflow of contaminants through garden hose
- Brass construction



Brass Double Check Valve Assembly

51050 3/4"

- Prevents harmful contaminants from siphoning back into the water supply
- Heavy-duty brass construction
- Positive backflow prevention
- Acts as a main shut-off valve for underground sprinkler systems
- For indoor or outdoor applications



Brass Pressure Vacuum Breaker

51057 3/4"

51058 1"

- Prevents harmful contaminants from siphoning back into the water supply
- Heavy-duty brass construction
- Positive backflow prevention
- Acts as a main shut-off valve for underground sprinkler systems
- For outdoor applications



Brass Atmospheric Vacuum Breaker

51059 3/4" FNPT

51060 1" FNPT

- Heavy cast brass body
- Designed to prevent contaminants from entering the main water supply through sprinkler heads
- Not designed to be used as a main-line anti-siphon device





Automatic Drain Valve <a>

51040 1/2" Plastic 51041 3/4" Plastic

51039 1/2" Brass 51140 1/2" Plastic: 10/Bag

- Drains sprinkler lines when water is turned off
- Helps prevent freezing of sprinkler lines

Brass Sprinkler Valves



Brass Anti-siphon Control Valves

51016 3/4" NPT Less Union 51017 1" NPT Less Union

- FNPT heavy cast brass body
- Full-flow control valve and anti-siphon combination
- Designed to prevent contaminants form entering the main water supply



Plastic Anti-siphon Control Valves

51022 3/4" NPT 51023 1" NPT

- FNPT PVC construction
- Full-flow control valve and anti-siphon combination
- Designed to prevent contaminants from entering the main water supply
- Ratchet handle prevents over tightening damage



Brass Angle Control Valves

51006 3/4" NPT Less Union 51007 1" NPT Less Union

- Full-flow with rising stem
- Heavy-duty cast brass construction
- Rated at 150 psi working pressure
- Cross handle



Brass Straight Control Valves

51001 3/4" NPT 51002 1" NPT

- Full-flow with rising stem
- Heavy-duty cast brass construction
- Rated at 150 psi working pressure
- Cross handle



Brass Quick Coupler Keys and Valves

51031 3/4" Key 51029 3/4" FNPT Valve

- Use key with quick coupler valves
- One piece brass construction
- · Single lug metal cover



Valve Accessories & Hose-to-Pipe



Curb Key

53266 28" Steel 53039 28" Heavy Duty Steel 53034 5' Steel

• Opens and closes meter and underground stop and waste valves



Valve Control Key

53033 30" Steel 53265 54" Steel

- Opens and closes sprinkler control valves
- Steel construction



53094 Loose Key Valve Handle

• Replacement handle for square stem loose key valves



PVC Hose-to-Pipe Fittings

53360 3/4" FHT x 3/4" Slip Swivel 53362 3/4" MHT x 1/2" Slip 53364 3/4" MNPT x 3/4" FHT Swivel 53366 1/2" FNPT x 3/4" FHT Swivel

53361 3/4" MHT x 3/4" Slip 53363 3/4" FNPT x 3/4" FHT Swivel 53365 1/2" MNPT x 3/4" FHT Swivel

- Garden hose thread and pipe thread connections
- Constructed of high quality materials



Brass Hose-to-Pipe Fittings

53036 3/4" FHT x 3/4" FNPT Swivel: Carded 53037 3/4" FHT x 1/2" FNPT Swivel 53259 3/4" MHT x 3/4" MHT 50061 3/4" FHT Hose Cap

- Garden hose thread and pipe thread connections
- Constructed of high quality materials

50043 3/4" FHT x 3/4" FNPT Swivel; Display Box 53260 3/4" FHT x 3/4" FHT Swivel 53261 3/4" MHT x 1/2" MNPT 53038 3/4" MHT x 3/4" MNPT x 1/2" FNPT; Carded 50041 3/4" MHT x 3/4" MNPT x 1/2" FNPT; Display Box 50060 3/4" FHT x 3/4" MNPT x 1/2" FNPT

THE SPRINKLER DESIGNER® IRRIGATION SYSTEM COMPUTER DESIGN PROGRAM

FREE!

Sprinkler System Design

First, visit www.orbitonline.com and see our full line of easyto-use sprinkler products.

Second, download the Sprinkler **Designer tools and input your** yard layout. Choose the types of products you desire, and with the click of a button your layout will be e-mailed to us.

Your completed Sprinkler System Design will be returned to you via e-mail. You will have at your fingertips detailed schematics, a parts list, and an assembly guide.

Your Sprinkler System Design Kit will help you step-by-step to successfully install your own personalized irrigation system.











Irrigation Products, Inc. 845 North Overland Road North Salt Lake, Utah 84054

www.orbitonline.comOrder Toll-Free 1-800-488-6156
Phone 801-299-5555
Fax 801-299-5547

