





WEED B GON[®]

WEED KILLER

FOR LAWNS READY-TO-USE₂

HERBICIDA PARA CÉSPED LISTO PARA USAR₂

FOR USE ON MANY
**NORTHERN &
SOUTHERN LAWNS**

FOR HOME LAWN USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION See inside booklet for first aid and
additional precautionary statements.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto del interior para conocer los avisos
de primeros auxilios y de precaución adicionales.

Active Ingredients:

Dimethylamine Salt of 2,4-D Acid*	0.605%
Dimethylamine Salt of Mecoprop-p Acid**†	0.149%
Dicamba Acid***	0.026%
Other Ingredients:	99.220%
TOTAL	100.000%

Isomer Specific Method, Equivalent to:

*2,4-D Acid	0.503%	0.042 lbs./gal.
**Mecoprop-p Acid	0.123%	0.010 lbs./gal.
***Dicamba Acid	0.026%	0.002 lbs./gal.

†CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p.

*see inside for weed list



LB5054



— KILLS —
250+
— WEEDS[†] —

NET CONTENTS/CONTENIDO NETO 1 gal./3.785 l



WEED B GON®

WEED KILLER FOR LAWNS
READY-TO-USE₂

LAWN FRIENDLY WEED CONTROL⁺

- ⚡ Kills **250+ weeds**⁺⁺
- ⊕ Easily **spot treat weeds**
- 🌿 Kills weeds **to the roots**
- 💧 Rainproof in **1 hour**
- 🕒 Results in **hours**



WHAT IT DOES:



Kills major broadleaf weeds

including dandelion, clover,
chickweed and dollarweed.
(See inside for complete list).

WHERE TO USE:



Kills the weeds not the lawn when used as directed.

For use on grasses including:
St. Augustinegrass (Do not use on
Floratam), Bahiagrass, Bermudagrass,
Bluegrass, Buffalograss, Centipedegrass,
Fescues, Ryegrass, Zoysiagrass.

WHEN TO USE:



Apply when daytime temperatures are below 90 °F.

+when used as directed
++see inside for weed list

FPO

0 71549 01928 0
1005



If for any reason you, the consumer, are not satisfied with this product, mail us
your original proof of purchase to obtain a full refund of your purchase price.



Questions & Comments Call 1-800-225-2883
or visit our website at www.ortho.com



© 2014 The ORTHO Group
World rights reserved.

Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 228-555-239
EPA Est. 239-1A-31, 239-MS-1M,
85652-OH-1W

Superscript is first letter of lot number.



LB4952

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ENTIRE LABEL BEFORE USE.

Use Precautions and Restrictions:



- Do not allow people or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not exceed two applications per year with a minimum of 30 days between applications.
- Do not spray exposed roots of desirable plants.
- Do not exceed directed rates because damage to turf may occur.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur.
- Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
- Do not apply when windy.
- To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.
- Do not apply to newly seeded grasses until they have been mowed 3 times.
- Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application.
- Do not apply when temperature exceeds 90 °F.
- Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

HOW IT WORKS

Ortho® Weed B Gon® Weed Killer for Lawns Ready-to-Use₂ contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

WHERE TO USE

This product is a ready-to-use product intended for the treatment of individual weeds, patches of weeds or sparse weeds scattered throughout home lawns. This product can be applied to the following established turfgrass types:

LAWNS TO BE TREATED:

Warm Season Turfgrass: St. Augustinegrass¹ (Do not use on Floratam); Bermudagrass (common and hybrid); Centipedegrass; Zoysiagrass; Buffalograss¹; Bahiagrass.

Cool Season Turfgrass: Kentucky bluegrass; Ryegrass; Tall fescue; Fine fescue.

¹Application to St. Augustinegrass or Buffalograss may cause temporary yellowing or discoloration but full recovery can be expected.

DO NOT apply Ortho® Weed B Gon® Weed Killer for Lawns Ready-to-Use₂ to the following: Floratam variety of St. Augustinegrass; Bentgrass; Carpetgrass; Dichondra; Lippia; Gardens including vegetables, fruit trees, vines and berries; Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs); Seashore paspalum; Turfgrass species that are not listed on this label.

WHEN TO USE

Apply this product when weeds are small and actively growing in the spring or fall. Aim at center of weed and spray to lightly cover weed leaves. Weeds begin to wilt and die within 24 hours. Weeds die completely within 14 – 28 days after application. Won't harm lawn grasses.

HOW TO USE

The Ortho® Pull N Spray® and Comfort Wand® may be reused with the available Ortho® Weed B Gon® Weed Killer for Lawns Ready-to-Use₂ refill bottle. Read and follow instructions in Reuse Directions to reuse the applicator.

REUSE DIRECTIONS

How to attach the Ortho® Pull N Spray® and Comfort Wand® to Ortho® Weed B Gon® Weed Killer for Lawns Ready-to-Use₂ refill bottle:

Remove hose connector from original bottle:



- To remove the side holster from original bottle, pull the bottom tab underneath and slide the holster up.



- Attach the sprayer holster to Ortho® Weed B Gon® Weed Killer for Lawns Ready-to-Use₂ refill bottle by sliding the holster down onto the knob.



- Insert hose connector into spout on cap until it clicks.

Comfort Wand® Directions

PREP WAND	• Remove sprayer from holster. • Remove white pull strip to activate batteries. • Unfold wand until it clicks into position.
CONNECT	• Unwrap hose and insert hose connector into spout on bottle cap <u>until it clicks</u>. • Flip up spout until fully upright.
SPRAY	• Turn sprayer nozzle to desired spray. • Slide grey switch on trigger to "Unlock". • Press trigger to spray.
FINISH	• Turn nozzle to "OFF". • Slide grey switch on trigger to "Lock". • Fold wand closed and place sprayer back in holster.

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To replace batteries: See marked diagram inside battery compartment.

Pull N Spray® Directions

SPRAY	• Remove sprayer from holster. • Unwrap hose and insert hose connector into spout on bottle cap <u>until it clicks</u>. • Flip up spout until fully upright. • Turn sprayer nozzle to desired spray. • Point sprayer away from body. Slowly pull ring at bottom of sprayer until it stops, and hold for 2 seconds to fill sprayer. • Press trigger to spray.
FINISH	• Turn sprayer nozzle to "OFF". • DO NOT DISCONNECT HOSE CONNECTOR FROM SPOUT. • Place sprayer back into holster.

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. To be stored in original container and placed in areas inaccessible to children.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Ortho® Pull N Spray® and Comfort Wand® can be reused with Ortho® Weed B Gon® Weed Killer for Lawns Ready-to-Use ₂ refill bottle. Follow instructions in the Reuse Directions when reusing Pull N Spray® and Comfort Wand®. Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

BROADLEAF WEEDS CONTROLLED

Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Bident, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Bloodflower, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn chamomile, Creeping Jenny, Creeping Woodsorrel, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead Nettle, Dock, Dogbane, Dogfennel, Dollarweed, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (Daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed, Mugwort, Morningglory, Mouseear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleafed marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurge, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern Wild Rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stichwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tanweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing crown vetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvetleaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild geranium, Wild lettuce, Wild marigold, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Woolly morningglory, Woodsorrel, Woolly croton, Woolly plantain, Wormseed, Yarrow, Yellow Rocket, Yellow flower pepperweed, Yellow Woodsorrel and other broadleaf weeds.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This pesticide may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

MODOS DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

LEA TODA LA ETIQUETA ANTES DE USAR EL PRODUCTO.

PRECAUCIONES Y RESTRICCIONES DE USO:



- No deje que las personas o las mascotas ingresen a las áreas de tratamiento hasta que el rociado se haya secado.
- No aplique este producto de forma que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación mantenga alejadas del área a las personas y las mascotas.
- No exceda dos aplicaciones por año con un mínimo de 30 días entre aplicaciones.
- No rocíe las raíces expuestas de las plantas que no desea eliminar.
- No exceda las cantidades indicadas porque puede dañar el césped.
- Rocíe cuando el aire está en calma para evitar la deriva que podría dañar las plantas ornamentales que no desea eliminar. No rocíe con niebla fina ya que podría dañar las plantas que no desea eliminar.
- No aplique directamente ni cerca de agua, drenajes pluviales, canaletas, alcantarillas o zanjas de desagüe.
- No aplique a menos de 25 pies (8 m) de distancia de ríos, estanques de peces, lagos, arroyos, pantanos, marismas, estuarios, bahías y océanos.
- No aplique cuando haga viento.
- Para evitar escurrimientos del producto, no riegue el área tratada al grado que escurra ni lo aplique cuando esté lloviendo o si se pronostican lluvias para ese día.
- No aplique a céspedes recién sembrados sino hasta después de por lo menos el tercer corte de césped.
- No siembre de nuevo hasta 4 semanas después del uso. Si el césped necesita riego, riegue a fondo antes de la aplicación.
- No aplique el producto cuando la temperatura exceda los 90 °F (32 °C).
- Permita 12 horas después de la aplicación antes de regar el césped para lograr una máxima eficacia en las malezas indicadas.

CÓMO FUNCIONA

El Herbicida para césped listo para usar² Ortho® Weed B Gon® contiene tres herbicidas comprobados dirigidos a las malezas de céspedes. Este herbicida entra en la maleza del césped a través de sus hojas y se mueve a lo largo de la planta para proporcionar control. Los céspedes indicados en esta etiqueta no se verán perjudicados cuando se use según las indicaciones.

DÓNDE USARLO

Este producto es un producto listo para usar previsto para el tratamiento de malezas individuales, áreas de malezas o malezas dispersas por todo el césped doméstico. Este producto se puede aplicar a los siguientes tipos de céspedes establecidos:

CÉSPEDES A TRATAR:

Césped para climas cálidos: céspedes San Agustín¹ (no lo use en la variedad floratum), Bermuda (común e híbrido), ciempiés, zoysia, búfalo¹, bahía.

Césped para climas fríos: césped azul de Kentucky, raigrás, cañuela alta, cañuela fina.

¹La aplicación en el césped San Agustín o búfalo puede causar amarillamiento o decoloración temporal, pero se puede esperar la recuperación completa.

NO aplique el Herbicida para césped listo para usar² Ortho® Weed B Gon® a lo siguiente: variedad floratum del césped San Agustín; agrostis; césped alfombra; dicondra; lippia; jardines que incluyen vegetales, árboles frutales, parras y bayas; plantas ornamentales (flores, árboles, cubiertas vegetales, macizos de jardín y arbustos); césped del mar; especies de césped que no están enumeradas en esta etiqueta.

CUÁNDO USARLO

Aplique este producto cuando las malezas son pequeñas y están en crecimiento activo en la primavera o el otoño. Apunte al centro de la maleza y rocíe para cubrir ligeramente las hojas de la maleza.

Las malezas empiezan a marchitarse y mueren antes de 24 horas. Las malezas mueren por completo en un plazo de 14 - 28 días después de la aplicación. No daña las hierbas del césped.

CÓMO USARLO

El Ortho® Pull N Spray® y Comfort Wand® se puede reutilizar con la botella de repuesto del Herbicida para césped listo para usar² Ortho® Weed B Gon®. Lea y siga las Instrucciones de reutilización del aplicador.

INSTRUCCIONES DE REUTILIZACIÓN

Cómo enganchar el Ortho® Pull N Spray® y Comfort Wand® a la botella de repuesto del Herbicida para césped listo para usar² Ortho® Weed B Gon®:

Retire el conector de manguera de la botella original:



- Para quitar el estuche lateral de la botella original, tire de la pestaña inferior de debajo y deslice el estuche hacia arriba.



- Enganche el estuche del rociador a la botella de repuesto del Herbicida para césped listo para usar² Ortho® Weed B Gon® deslizando el estuche hacia abajo sobre la perilla.



- Introduzca el conector de manguera en el pico de la tapa hasta que haga clic.

Instrucciones de la Comfort Wand®	
PREPARE LA VARILLA	• Retire el rociador del estuche. • Retire la tira blanca de jalar para activar las pilas. • Desdoble la varilla hasta que haga clic en su sitio.
CONECTE	• Desenvuelva la manguera e introduzca el conector de manguera en el pico de la tapa de la botella <u>hasta que haga clic</u>. • Levante el pico hasta que esté totalmente recto.
ROCÍE	• Gire la boquilla del rociador al tipo de rocío deseado. • Deslice el interruptor gris del gatillo a "Unlock" (desbloquear). • Apriete el gatillo para rociar.
TERMINE	• Gire la boquilla a "OFF" (apagado). • Deslice el interruptor gris del gatillo a "Lock" (bloquear). • Doble la varilla para cerrarla y ponga el rociador de vuelta en el estuche.
Información importante de uso: No lo sumerja en agua. Cuando guarde el rociador por períodos prolongados, retire las pilas. Para cambiar las pilas: Vea el diagrama marcado dentro del compartimiento de las pilas.	

Instrucciones del rociador Pull N Spray®	
ROCÍE	• Retire el rociador del estuche. • Desenvuelva la manguera e introduzca el conector de manguera en el pico de la tapa de la botella <u>hasta que haga clic</u>. • Levante el pico hasta que esté totalmente recto. • Gire la boquilla del rociador al tipo de rocío deseado. • Apunte el rociador lejos del cuerpo. Lentamente tire de la anilla en la parte inferior del rociador hasta que se detenga, y sujétela por 2 segundos para llenar el rociador. • Apriete el gatillo para rociar.
TERMINE	• Gire la boquilla del rociador a "OFF" (apagado). • NO DESCONECTE EL CONECTOR DE LA MANGUERA DEL PICO. • Ponga el rociador de vuelta en el estuche.

ALMACENAMIENTO Y ELIMINACIÓN	
ALMACENAMIENTO DEL PESTICIDA	Evite que se congele. Debe ser almacenado en su envase original y colocado en áreas inaccesibles para los niños.
ELIMINACIÓN Y MANEJO DEL ENVASE DEL PESTICIDA	El Ortho® Pull N Spray® y Comfort Wand® se puede reutilizar con la botella de repuesto del Herbicida para césped listo para usar Ortho® Weed B Gon®. Siga las Instrucciones para reutilizar cuando reutilice el Pull N Spray® y Comfort Wand®. Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. Si está vacío: Téilo a la basura o recíclalo, de ser posible. Si está parcialmente lleno: Llame a la agencia de control de desechos sólidos local para solicitar instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos (incluido el inodoro) o externos (incluida la alcantarilla).

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Dañino si se ingiere. Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. El contacto prolongado o repetido con la piel puede producir reacciones alérgicas en algunas personas. Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, mascar chicle, consumir tabaco o usar el inodoro.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS	Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI SE INGIERE	Llame a un centro de control de envenenamientos o a un médico inmediatamente para recibir instrucciones de tratamiento. Que la persona beba un vaso de agua si puede tragar. No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico. No le dé nada por la boca a una persona inconsciente.
EN CASO DE CONTACTO CON LA PIEL O LA ROPA	Quítese la ropa contaminada. Enjuague la piel de inmediato con abundante agua por 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

NÚMERO DE LÍNEA DIRECTA: Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-800-225-2883 para información sobre el tratamiento médico de emergencia.

RIESGOS MEDIOAMBIENTALES

Este pesticida puede afectar negativamente a las plantas que no desea eliminar. Para proteger el medio ambiente, no permita que el pesticida caiga o se escurra hacia drenajes pluviales, cunetas de desagüe, canaletas o aguas superficiales. Aplicar este producto con un clima tranquilo, cuando no se pronostiquen lluvias durante las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia arrastren el pesticida lejos del área tratada. La deriva y el escurrimiento pueden ser peligrosos para los organismos acuáticos en aguas adyacentes a las áreas tratadas.

Este producto tiene propiedades y características que se asocian con productos químicos detectados en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

AVISO: En la medida contemplada por las leyes correspondientes, el comprador asume todo el riesgo por el uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones de la etiqueta.

La
Garantía
ORTHO[®]

Si por alguna razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante de compra original para obtener un reembolso completo de su precio de compra.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. To be stored in original container and placed in areas inaccessible to children.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Ortho® Pull N Spray® and Comfort Wand® can be reused with Ortho® Weed B Gon® Weed Killer for Lawns Ready-to-Use ² refill bottle. Follow instructions in the Reuse Directions when reusing Pull N Spray® and Comfort Wand®. Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

©2014 The ORTHO Group. World rights reserved.
Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040
EPA Reg. No. 228-555-239
EPA Est. 239-1A-3I, 239-MS-1M, 85652-OH-1W
Superscript is first letter of lot number.



Questions & Comments
Call 1-800-225-2883
or visit our website
at www.ortho.com



OPEN RESEALABLE LABEL FOR DIRECTIONS
(ABRÁ LA ETIQUETA RESEALABLE PARA VER LAS INSTRUCCIONES)

LB4952