



# WEEDCLEAR™

## WEED KILLER FOR LAWNS

**RESULTS IN HOURS**

**KILLS  
250+  
WEEDS\*\***



**DANDELION**

**CLOVER**

**KILLS WEEDS DOWN TO THE ROOTS  
WON'T HARM THE LAWN, GUARANTEED\***

\*When used as directed  
\*\*See inside booklet for weed list

**KEEP OUT OF REACH OF CHILDREN  
CAUTION** See back booklet for additional  
precautionary statements.

**NET CONTENTS 1 gal / 3.78 L**

<b>ACTIVE INGREDIENTS</b>	
Dimethylamine Salt of 2,4-D Acid <sup>†</sup> .....	0.605%
Dimethylamine Salt of Mecoprop-p Acid <sup>††</sup> .....	0.149%
Dicamba Acid <sup>†††</sup> .....	0.026%
<b>OTHER INGREDIENTS</b> .....	99.220%
<b>TOTAL</b> .....	100.000%

<b>Isomer Specific Method, Equivalent to:</b>	
<sup>†</sup> 2,4-D Acid .....	0.503%, 0.042 lbs./gal.
<sup>††</sup> Mecoprop-p Acid .....	0.123%, 0.010 lbs./gal.
<sup>†††</sup> Dicamba Acid .....	0.026%, 0.002 lbs./gal.



LB14659



# WEEDCLEAR™

WEED KILLER FOR LAWNS

## LAWN FRIENDLY WEED CONTROL\*

- ⚡ Kills 250+ weeds\*\*
- ⊕ Easily spot treat weeds
- 🌿 Kills weeds to the roots
- 💧 Rainproof in 1 hour
- 🕒 Results with 1 application



**OPEN**  
Resealable  
Label for  
Directions &  
Precautions

## PRODUCT FACTS

### WHAT IT DOES:



Kills major broadleaf weeds including dandelion, chickweed, dollarweed and clover. (See inside for complete list).

### WHERE TO USE:



Kills the weeds not the lawn when used as directed.

### WHEN TO USE:

90°F

Apply when daytime temperatures are below 90°F.



Questions & Comments  
Call 1-800-225-2883 or visit our  
website at [www.ortho.com](http://www.ortho.com)



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

# FPO

0 71549 02046 0  
1005

©2020 The ORTHO Group.  
World rights reserved.

Sold by The ORTHO Group,  
PO Box 190, Marysville, OH 43040

\*when used as directed

\*\*see inside booklet for weed list

EPA Reg. No. 239-2760  
EPA Est. No. 239-IA-3



LB14674

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
READ ENTIRE LABEL BEFORE USE.

### PRECAUTIONS:

- Spray entire lawn, wetting weeds and lawn grasses.
- To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.
- Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

### USE RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed two applications per year with a minimum of 30 days between applications.
- Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings.
- Do not exceed directed rates because damage to turf may occur.
- Do not spray exposed roots of desirable plants.
- Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
- Do not apply when windy.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur.
- Do not apply to newly seeded grasses until they have been mowed 3 times.
- Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application.
- Do not spray on Dichondra, Lippia, or on grasses where desirable Clovers are present.
- Do not apply when temperature exceeds 90°F.
- Do not apply if rain is expected within 24 hours of application.
- Do not apply more than 12.8 fl. oz. of product per 1,000 sq. ft. per application. Do not make more than 2 applications per year. Allow at least 30 days between applications. Do not apply more than a total of 25.6 fl. oz. of product per 1,000 sq. ft. per year.

## HOW IT WORKS

Ortho® WeedClear™ Weed Killer for Lawns contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

## WHERE TO USE

This product is a ready-to-use product intended for the treatment of individual weeds, patches of weeds or sparse weeds scattered throughout home lawns. This product can be applied to the following established turfgrass types:

### LAWNS TO BE TREATED:

**Warm Season Turfgrass:** St. Augustinegrass<sup>1</sup> (Do not use on Floratam); Bermudagrass (common and hybrid); Centipedegrass; Zoysiagrass; Buffalograss<sup>1</sup>; Bahiagrass.

**Cool Season Turfgrass:** Kentucky bluegrass; Ryegrass; Tall fescue; Fine fescue.

<sup>1</sup>Application to St. Augustinegrass or Buffalograss may cause temporary yellowing or discoloration but full recovery can be expected.

**DO NOT apply Ortho® WeedClear™ Weed Killer for Lawns to the following:** Floratam variety of St. Augustinegrass; Bentgrass; Carpetgrass; Dichondra; Lippia; Gardens including vegetables, fruit trees, vines and berries; Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs); Seashore paspalum; Turfgrass species that are not listed on this label.



## WHEN TO USE

Apply this product when weeds are small and actively growing in the spring or fall. Aim at center of weed and spray to lightly cover weed leaves.

Weeds begin to wilt and die within 24 hours. Weeds die completely within 14 – 28 days after application. Won't harm lawn grasses.

## REFILL DIRECTIONS

### How to attach the Comfort Wand® to Ortho® WeedClear™ Weed Killer for Lawns refill bottle:

Removing Comfort Wand® from original bottle:	Adding Comfort Wand® to Ortho® WeedClear™ Weed Killer for Lawns refill bottle:
 <ul style="list-style-type: none"> <li>Remove the hose connector from the original bottle by pulling the plug from the spout on cap.</li> <li>To remove the side holster from original bottle, pull the bottom tab underneath and slide the holster up.</li> </ul>	 <ul style="list-style-type: none"> <li>Attach the sprayer holster to Ortho® WeedClear™ Weed Killer for Lawns refill bottle by sliding the holster down onto the knob.</li> <li>Insert hose connector into spout on cap <u>until it clicks</u>.</li> </ul>

## HOW TO USE:

<b>PREP</b>	<ul style="list-style-type: none"> <li>Remove Comfort Wand from the side of bottle</li> <li>Remove pull strip to activate batteries.</li> <li>Unfold wand <u>until it clicks</u>.</li> </ul>
<b>CONNECT</b>	<ul style="list-style-type: none"> <li>Unwrap hose and insert hose connector into spout on cap until it clicks.</li> <li>Twist knob to "ON".</li> </ul>
<b>SPRAY</b>	<ul style="list-style-type: none"> <li>Turn sprayer nozzle to desired spray.</li> <li>Slide switch on trigger to "Unlock".</li> <li>Press trigger to spray.</li> <li>Spray only until the surface of the weed is wet.</li> </ul>
<b>FINISH</b>	<ul style="list-style-type: none"> <li>Turn sprayer nozzle to "OFF".</li> <li>Slide switch on trigger to "Lock".</li> <li>Twist knob to "OFF".</li> <li>Fold wand closed and place sprayer back in the holster.</li> </ul>

## BROADLEAF WEEDS CONTROLLED

Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Biden, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Bloodflower, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly ox tongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn chamomile, Creeping Jenny, Creeping Woodsorrel, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead Nettle, Dock, Dogbane, Dogfennel, Dollarweed, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (Daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed, Mugwort, Morningglory, Mouseear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleafed marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern Wild Rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stichwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tanweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing crown vetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvetleaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild geranium, Wild lettuce, Wild marigold, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Woolly morningglory, Woodsorrel, Woolly croton, Woolly plantain, Wormseed, Yarrow, Yellow Rocket, Yellow flower pepperweed, Yellow Woodsorrel and other broadleaf weeds.

## STORAGE & DISPOSAL

<b>PESTICIDE STORAGE</b>	Keep from freezing. Store in original container and place in areas inaccessible to children.
<b>PESTICIDE DISPOSAL &amp; CONTAINER HANDLING</b>	Comfort Wand® can be reused with Ortho WeedClear Weed Killer for Lawns refill bottle. Follow instructions in Reuse Directions when reusing Comfort Wand®. Nonrefillable container. Do not reuse or refill this container. <b>If empty:</b> Place in trash or offer for recycling if available. <b>If partly filled:</b> Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

## FIRST AID

<b>IF IN EYES</b>	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>IF SWALLOWED</b>	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment information.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

## MODO DE EMPLEO

Es una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta. LEA TODA LA ETIQUETA ANTES DE USAR EL PRODUCTO.

### PRECAUCIONES:

- Rocíe el prado entero, humedeciendo las malezas y el césped del jardín.
- Para evitar escurrimientos del producto, no riegue el área tratada al grado que escurra ni lo aplique cuando esté lloviendo o si se pronostican lluvias para ese día.
- Para obtener la máxima eficacia contra las malezas enumeradas, espere 12 horas después de la aplicación antes de regar el césped.

### RESTRICCIONES DE USO:

- No aplique este producto de manera que entre en contacto con alguna persona o mascota, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejadas del área a las personas y a las mascotas.
  - No permita que las personas ni las mascotas ingresen al área tratada hasta que el rociado se haya secado.
- No exceda de dos aplicaciones al año, con un mínimo de 30 días entre una aplicación y otra.
- No utilice este producto para controlar malezas en huertos, macizos de flores ni alrededor de arbustos o plantas ornamentales.
- No exceda las proporciones indicadas porque puede dañar el césped.
- No rocíe las raíces expuestas de las plantas que desea conservar.
- No lo aplique directamente ni cerca de agua, drenajes pluviales, cunetas, alcantarillas o zanjas de desagüe.
- No lo aplique a menos de 8 m de distancia de ríos, estanques de peces, lagos, arroyos, pantanos, marismas, estuarios, bahías y océanos.
- No lo aplique cuando haga viento.
- Rocíe cuando no haga viento para evitar una desviación del rocío que pudiera dañar las plantas ornamentales que no desea eliminar. No aplique como una niebla fina porque es posible que dañe a las plantas que no desea eliminar.
- No lo aplique en céspedes recién sembrados sino hasta después del tercer corte.
- No plante ni siembre nuevas semillas durante 4 semanas después de usarlo. Si el césped necesita agua, riéguelo bien antes de la aplicación.
- No rocíe los céspedes de las variedades dicondra u oreja de ratón, lippia o cerillo, o en los que haya presentes tréboles que no desee eliminar.
- No lo aplique cuando la temperatura exceda los 90° F (32° C).
- No lo aplique si se esperan lluvias hasta 24 horas después de la aplicación.
- No aplique más de 12.8 onzas líquidas (379 ml) por cada 1,000 pies<sup>2</sup> (93 m<sup>2</sup>), por aplicación. No realice más de dos aplicaciones al año. Deje pasar por lo menos 30 días entre cada aplicación. No aplique más de un total de 25.6 onzas líquidas (757 ml) por cada 1,000 pies<sup>2</sup> (93 m<sup>2</sup>), por año.

## CÓMO FUNCIONA

El Herbicida para césped WeedClear™ de Ortho® contiene tres herbicidas de probada eficacia que atacan las malezas del césped. Este herbicida entra en la maleza del césped a través de las hojas y se mueve por toda la planta para proporcionar control. Los céspedes indicados en esta etiqueta no se verán perjudicados cuando se use según las indicaciones.

## DÓNDE USARLO

Este es un producto listo para usar previsto para el tratamiento de malezas individuales, áreas de malezas o malezas dispersas por todo el césped doméstico. Este producto se puede aplicar a los siguientes tipos de céspedes establecidos:

### CÉSPEDES A TRATAR:

**Céspedes para climas cálidos:** San Agustín<sup>1</sup> (no lo use en la variedad Floratam), Bermuda (común e híbrido), ciempiés, zoysia, búfalo<sup>1</sup> y bahía.

**Céspedes para climas fríos:** césped azul de Kentucky, raigrás, cañuela alta y cañuela fina.

<sup>1</sup>La aplicación en el césped San Agustín o búfalo puede causar amarillamiento o decoloración temporal, pero se puede esperar la recuperación completa.

**NO aplique el Herbicida para césped WeedClear™ de Ortho® a lo siguiente:** céspedes San Agustín de la variedad Floratam; agrostis; alfombra; dicondra u oreja de ratón; lippia o cerillo; huertos, incluidos de hortalizas, árboles frutales, parras y bayas; plantas ornamentales (flores, árboles, cubiertas vegetales, macizos de jardín y arbustos); del mar; y otras especies de césped que no están enumeradas en esta etiqueta.



## CUÁNDO USARLO

Aplique este producto cuando las malezas sean pequeñas y estén en crecimiento activo en la primavera o el otoño. Apunte al centro de la maleza y rocíe para cubrir ligeramente las hojas de la maleza.

Las malezas comienzan a marchitarse y mueren en 24 horas. Las malezas mueren por completo a los 14 a 28 días después de la aplicación. No dañará el césped del jardín.

## INSTRUCCIONES DE RELLENADO

### Cómo conectar la varilla Comfort Wand® a la botella de Herbicida para césped WeedClear™ de Ortho® de repuesto:

Cómo retirar la varilla Comfort Wand® de la botella original:	Cómo agregar la varilla Comfort Wand® a la botella Herbicida para césped WeedClear™ de Ortho® de repuesto:
 <ul style="list-style-type: none"> <li>Retire el conector de manguera de la botella original jalándolo del pico de la tapa.</li> <li>Para retirar el estuche lateral de la botella original, tire de la lengüeta de abajo y deslice el estuche hacia arriba.</li> </ul>	 <ul style="list-style-type: none"> <li>Conecte el estuche del rociador a la botella de Herbicida para césped WeedClear™ de Ortho® de repuesto deslizándolo hacia abajo sobre la perilla.</li> <li>Inserte el conector de manguera en el pico de la tapa hasta que haga clic.</li> </ul>

## CÓMO USARLO:

<b>PREPARE</b>	<ul style="list-style-type: none"> <li>Retire la varilla Comfort Wand del costado de la botella.</li> <li>Retire la tira jalando de ella para activar las pilas.</li> <li>Desdoble la varilla hasta que haga clic.</li> </ul>
<b>CONECTE</b>	<ul style="list-style-type: none"> <li>Desenrolle la manguera e inserte el conector de manguera en el pico de la tapa hasta que haga clic.</li> <li>Gire la perilla hasta la posición de "ON" (abierto).</li> </ul>
<b>ROCÍE</b>	<ul style="list-style-type: none"> <li>Gire la boquilla del rociador hasta el patrón de rocío deseado.</li> <li>Deslice el interruptor del gatillo hasta la posición de "Unlock" (desbloquear).</li> <li>Apriete el gatillo para rociar.</li> <li>Rocíe sólo hasta humedecer la superficie de la maleza.</li> </ul>
<b>TERMINE</b>	<ul style="list-style-type: none"> <li>Gire la boquilla del rociador hasta la posición de "OFF" (cerrado).</li> <li>Deslice el interruptor del gatillo hasta la posición de "Lock" (bloquear).</li> <li>Gire la perilla hasta la posición de "OFF" (cerrado).</li> <li>Doble la varilla para cerrarla y ponga el rociador de vuelta en el estuche.</li> </ul>

## ALMACENAMIENTO Y ELIMINACIÓN

<b>ALMACENAMIENTO DEL PESTICIDA</b>	Proteja del congelamiento. Almacene en su envase original y coloque en lugares inaccesibles para los niños.
<b>ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE</b>	La varilla Comfort Wand® puede volverse a usar con la botella de Herbicida para césped WeedClear™ de Ortho® de repuesto. Siga las Instrucciones de la sección de Instrucciones de reutilización cuando vaya a usar la Comfort Wand® de nuevo. Este envase no se puede rellenar. No vuelva a usar ni a llenar este envase. <b>Si está vacío:</b> Tírelo a la basura o recíclolo, de ser posible. <b>Si está parcialmente lleno:</b> Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos (como el inodoro) o externos (como una alcantarilla).

## AVISOS DE PRECAUCIÓN

### RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

**PRECAUCIÓN:** Es nocivo si se ingiere. Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. El contacto prolongado o reiterado de este producto con la piel puede causar reacciones alérgicas en algunas personas. Lávese con abundante agua y jabón después de manipular el producto, y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro.

## PRIMEROS AUXILIOS

<b>SI ENTRA EN LOS OJOS</b>	Mantenga el ojo abierto, y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
<b>SI SE INGIERE</b>	Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Que la persona beba un vaso de agua si puede tragar. No induzca el vómito, a menos que así se lo indique el centro de control de envenenamientos o el médico. No le dé nada por la boca a una persona que haya perdido el conocimiento.
<b>NÚMERO DE LA LÍNEA DIRECTA:</b> Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-877-465-5161 para obtener información sobre el tratamiento médico de emergencia.	

## RIESGOS MEDIOAMBIENTALES

Este pesticida es tóxico para los peces y los invertebrados acuáticos, y puede afectar negativamente a las plantas que no desea eliminar. Para proteger el medio ambiente, no permita que el pesticida caiga o se escurra hacia drenajes pluviales, cunetas de desagüe, canaletas o aguas superficiales. Aplicar este producto con un clima tranquilo, cuando no se pronostiquen lluvias durante las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia soplen o laven el pesticida lejos del área tratada. La dispersión y los escurrimientos pueden ser peligrosos para los organismos acuáticos de las zonas aledañas a las áreas tratadas.

Este producto tiene propiedades y características que se asocian con sustancias químicas detectadas en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

**ADVERTENCIA:** En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos derivados del uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones de la etiqueta.

La  
Garantía  
**ORTHO®**

Si por alguna razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante de compra original para obtener un reembolso completo de su precio de compra.

## STORAGE & DISPOSAL

<b>PESTICIDE STORAGE</b>	Keep from freezing. Store in original container and place in areas inaccessible to children.
<b>PESTICIDE DISPOSAL &amp; CONTAINER HANDLING</b>	Comfort Wand® can be reused with Ortho WeedClear Weed Killer for Lawns refill bottle. Follow instructions in Reuse Directions when reusing Comfort Wand®. Nonrefillable container. Do not reuse or refill this container. <b>If empty:</b> Place in trash or offer for recycling if available. <b>If partly filled:</b> Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

## FIRST AID

<b>IF IN EYES</b>	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>IF SWALLOWED</b>	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment information.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

©2020 The ORTHO Group. World rights reserved.  
Sold by **The ORTHO Group**  
P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 239-2760  
EPA Est. No. 239-IA-3



**Questions & Comments**  
Call 1-800-225-2883 or visit our  
website at [www.ortho.com](http://www.ortho.com)



PRESS TO RESEAL

LB14674