

**WON'T HARM
THE LAWN, GUARANTEED*** LB14679



WEEDCLEAR™

WEED KILLER FOR LAWNS

RESULTS IN HOURS

**KILLS
250+
WEEDS****



DANDELION

CLOVER

KILLS WEEDS DOWN TO THE ROOTS

*When used as directed

**See inside booklet for weed list

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back booklet for additional
precautionary statements.

NET CONTENTS 24 fl oz / 709 mL

ACTIVE INGREDIENTS

Dimethylamine Salt of 2,4-D Acid [†]	0.605%
Dimethylamine Salt of Mecoprop-p Acid ^{††}	0.149%
Dicamba Acid ^{†††}	0.026%
OTHER INGREDIENTS	99.220%
TOTAL	100.000%

Isomer Specific Method, Equivalent to:

[†] 2,4-D Acid	0.503%	0.042 lbs./gal.
^{††} Mecoprop-p Acid	0.123%	0.010 lbs./gal.
^{†††} Dicamba Acid	0.026%	0.002 lbs./gal.



LB14677



WEEDCLEAR™

WEED KILLER FOR LAWNS

LAWN FRIENDLY WEED CONTROL*

- ⚡ Kills 250+ weeds**
- ⊕ Easily spot treat weeds
- 🌱 Kills weeds to the roots
- 💧 Rainproof in 1 hour
- 🕒 Results with 1 application



OPEN
Resealable
Label for
Directions &
Precautions

PRODUCT FACTS

WHAT IT DOES:



Kills major
broadleaf weeds
including dandelion, chickweed,
dollarweed and clover.
(See inside for complete list).

WHERE TO USE:



Kills the weeds
not the lawn
when used as
directed.

WHEN TO USE:



Apply when
daytime
temperatures
are below 90 °F.



Questions & Comments
Call 1-800-225-2883 or visit our
website at www.ortho.com



If for any reason you, the consumer, are not satisfied
with this product, mail us your original proof of
purchase to obtain a full refund of your purchase price.

*when used as directed

**see inside booklet for
weed list

FPO

0 71549 02057 6
1005

©2020 The ORTHO Group.
World rights reserved.
Sold by The ORTHO Group,
PO Box 190, Marysville, OH 43040

EPA Reg. No.
239-2760
EPA Est. No.
239-1A-3



LB14678

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USE.

PRECAUTIONS

- Spray entire lawn, wetting weeds and lawn grasses.
- To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.
- Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

USE RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed two applications per year with a minimum of 30 days between applications.
- Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings.
- Do not exceed directed rates because damage to turf may occur.
- Do not spray exposed roots of desirable plants.
- Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
- Do not apply when windy.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur.
- Do not apply to newly seeded grasses until they have been mowed 3 times.
- Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application.
- Do not spray on Dichondra, Lippia, or on grasses where desirable Clovers are present.
- Do not apply when temperature exceeds 90°F.
- Do not apply if rain is expected within 24 hours of application.
- Do not apply more than 12.8 fl. oz. of product per 1,000 sq. ft. per application. Do not make more than 2 applications per year. Allow at least 30 days between applications. Do not apply more than a total of 25.6 fl. oz. of product per 1,000 sq. ft. per year.

HOW IT WORKS

Ortho® WeedClear™ Weed Killer for Lawns contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

WHERE TO USE

This product is a ready-to-use product intended for the treatment of individual weeds, patches of weeds or sparse weeds scattered throughout home lawns. This product can be applied to the following established turfgrass types:

LAWNS TO BE TREATED:

Warm Season Turfgrass: St. Augustinegrass¹ (Do not use on Floratam); Bermudagrass (common and hybrid); Centipedegrass; Zoysiagrass; Buffalograss¹; Bahiagrass.

Cool Season Turfgrass: Kentucky bluegrass; Ryegrass; Tall fescue; Fine fescue.

¹Application to St. Augustinegrass or Buffalograss may cause temporary yellowing or discoloration but full recovery can be expected.

DO NOT apply Ortho® WeedClear™ Weed Killer for Lawns to the following: Floratam variety of St. Augustinegrass; Bentgrass; Carpetgrass; Dichondra; Lippia; Gardens including vegetables, fruit trees, vines and berries; Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs); Seashore paspalum; Turfgrass species that are not listed on this label.

WHEN TO USE

Apply this product when weeds are small and actively growing in the spring or fall.
Aim at center of weed and spray to lightly cover weed leaves.

Weeds begin to wilt and die within 24 hours. Weeds die completely within
14 – 28 days after application. Won't harm lawn grasses.

HOW TO USE

SPRAY	1. Turn sprayer nozzle to desired spray. 2. Squeeze trigger repeatedly to spray. 3. Spray only until the surface of the weed is wet.
FINISH	1. Turn sprayer nozzle to "OFF"

BROADLEAF WEEDS CONTROLLED

Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Bident, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Bloodflower, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn chamomile, Creeping Jenny, Creeping Woodsorrel, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead Nettle, Dock, Dogbane, Dogfennel, Dollarweed, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (Daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed, Mugwort, Morningglory, Mouseear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennygrass, Pennywort, Peppergrass, Pepperweed, Pigweed, Pinewoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem flairee, Rough cinquefoil, Rough fleabane, Roundleafed marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherds purse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern Wild Rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stichwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tarweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing crown vetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvetleaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild geranium, Wild lettuce, Wild marigold, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Woolly morningglory, Woodsorrel, Woolly croton, Woolly plantain, Wormseed, Yarrow, Yellow Rocket, Yellow flower pepperweed, Yellow Woodsorrel and other broadleaf weeds.

STORAGE & DISPOSAL

PESTICIDE STORAGE	Keep from freezing. Store in original container and place in areas inaccessible to children.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

MODO DE EMPLEO

Es una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta. LEA TODA LA ETIQUETA ANTES DE USAR EL PRODUCTO.

PRECAUCIONES

- Rocíe el prado entero, humedeciendo las malezas y el césped del jardín.
- Para evitar escurrimientos del producto, no riegue el área tratada al grado que escurra ni lo aplique cuando esté lloviendo o si se pronostican lluvias para ese día.
- Para obtener la máxima eficacia contra las malezas enumeradas, espere 12 horas después de la aplicación antes de regar el césped.

RESTRICCIONES DE USO

- No aplique este producto de manera que entre en contacto con alguna persona o mascota, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejadas del área a las personas y a las mascotas.
 - No permita que las personas ni las mascotas ingresen al área tratada hasta que el rociado se haya secado.
- No exceda de dos aplicaciones al año, con un mínimo de 30 días entre una aplicación y otra.
- No utilice este producto para controlar malezas en macizos de flores u hortalizas, ni alrededor de arbustos o plantas ornamentales.
- No exceda las proporciones indicadas porque puede dañar el césped.
- No rocíe las raíces expuestas de las plantas que desea conservar.
- No lo aplique directamente ni cerca de agua, drenajes pluviales, cunetas, alcantarillas o zanjas de desagüe.
- No lo aplique a menos de 25 pies (8 m) de distancia de ríos, estanques de peces, lagos, arroyos, pantanos, marismas, estuarios, bahías y océanos.
- No lo aplique cuando haga viento.
- Rocíe cuando no haga viento para evitar una desviación del rocío que pudiera dañar las plantas ornamentales que no desea eliminar. No aplique como una niebla fina porque es posible que dañe a las plantas que no desea eliminar.
- No lo aplique en céspedes recién sembrados sino hasta después del tercer corte.
- No plante ni siembre nuevas semillas durante 4 semanas después de usarlo. Si el césped necesita agua, riéguelo bien antes de la aplicación.
- No rocíe los céspedes de las variedades dicondra u oreja de ratón, lippia o cerillo, o en los que haya presentes treboles que no desee eliminar.
- No lo aplique cuando la temperatura exceda los 90° F (32° C).
- No lo aplique si se esperan lluvias hasta 24 horas después de la aplicación.
- No aplique más de 12.8 onzas líquidas (379 ml) de producto por cada 1,000 pies² (93 m²), por aplicación. No realice más de dos aplicaciones al año. Deje pasar por lo menos 30 días entre cada aplicación. No aplique más de un total de 25.6 onzas líquidas (757 ml) de producto por cada 1,000 pies² (93 m²), por año.

CÓMO FUNCIONA

El Herbicida para césped WeedClear™ de Ortho® contiene tres herbicidas de probada eficacia que atacan las malezas del césped. Este herbicida entra en la maleza del césped a través de las hojas y se mueve por toda la planta para proporcionar control. Los céspedes indicados en esta etiqueta no se verán perjudicados cuando se use según las indicaciones.

DÓNDE USARLO

Este es un producto listo para usar previsto para el tratamiento de malezas individuales, áreas de malezas o malezas dispersas por todo el césped doméstico. Este producto se puede aplicar a los siguientes tipos de céspedes establecidos:

CÉSPEDES A TRATAR:

Césped para climas cálidos: San Agustín¹ (no lo use en la variedad Floratam), Bermuda (común e híbrido), ciempiés, zoysia, búfalo² y bahía.

Césped para climas fríos: césped azul de Kentucky, raigrás, cañuela alta y cañuela fina.

¹La aplicación en el césped San Agustín o búfalo puede causar amarillamiento o decoloración temporal, pero se puede esperar la recuperación completa.

NO aplique el Herbicida para césped WeedClear™ de Ortho® a lo siguiente: céspedes San Agustín de la variedad Floratam; agrostis; alfombra; dicondra u oreja de ratón; lippia o cerillo; huertos, incluidos de hortalizas, árboles frutales, parras y bayas; plantas ornamentales (flores, árboles, cubiertas vegetales, macizos de jardín y arbustos); del mar; y otras especies de césped que no están enumeradas en esta etiqueta.

CUÁNDO USARLO

Aplique este producto cuando las malezas sean pequeñas y estén en crecimiento activo en la primavera o el otoño. Apunte al centro de la maleza y rocíe para cubrir ligeramente las hojas de la maleza.

Las malezas comienzan a marchitarse y mueren en 24 horas. Las malezas mueren por completo a los 14 a 28 días después de la aplicación. No dañará el césped del jardín.

CÓMO USARLO

ROCÍE	1. Gire la boquilla hasta el patrón de rocío deseado. 2. Apriete el gatillo de manera repetida para rocíar. 3. Rocíe solo hasta humedecer la superficie.
TERMINE	1. Gire la boquilla del rociador hasta la posición de "OFF" (cerrado).

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA	Proteja del congelamiento. Almacene en su envase original y coloque en lugares inaccesibles para los niños.
ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE	Este envase no se puede rellenar. No vuelva a usar ni a llenar este envase. Si está vacío: Tírelo a la basura o recíclalo, de ser posible. Si está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos (como el inodoro) o externos (como una alcantarilla).

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Es nocivo si se ingiere. Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. El contacto prolongado o reiterado de este producto con la piel puede causar reacciones alérgicas en algunas personas. Lávese con abundante agua y jabón después de manipular el producto, y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS	Mantenga el ojo abierto, y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI SE INGIERE	Llame a un centro de control de envenenamientos o a un médico inmediatamente para recibir instrucciones de tratamiento. Que la persona beba un vaso de agua si puede tragar. No induzca el vómito, a menos que así se lo indique el centro de control de envenenamientos o el médico. No le dé nada por la boca a una persona que haya perdido el conocimiento.
NÚMERO DE LÍNEA DIRECTA: Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-877-465-5161 para obtener información sobre el tratamiento médico de emergencia.	

RIESGOS MEDIOAMBIENTALES

Este pesticida es tóxico para los peces y los invertebrados acuáticos, y puede afectar negativamente a las plantas que no desea eliminar. Para proteger el medio ambiente, no permita que el pesticida caiga o se escurra hacia drenajes pluviales, cunetas de desagüe, canaletas o aguas superficiales. Aplicar este producto con un clima tranquilo, cuando no se pronostiquen lluvias durante las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia soplen o laven el pesticida lejos del área de tratamiento. La dispersión y los escurrimientos pueden ser peligrosos para los organismos acuáticos de las zonas aledañas a las áreas tratadas.

Este producto tiene propiedades y características que se asocian con sustancias químicas detectadas en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos derivados del uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones de la etiqueta.

La
Garantía
ORTHO®

Si por alguna razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante de compra original para obtener un reembolso completo de su precio de compra.

STORAGE & DISPOSAL

PESTICIDE STORAGE	Keep from freezing. Store in original container and place in areas inaccessible to children.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

© 2020 The ORTHO Group. World rights reserved.
Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 239-2760
EPA Est. No. 239-1A-3



Questions & Comments
Call 1-800-225-2883 or visit our
website at www.ortho.com



LB14678

PRESS TO RESEAL