

# Plastic Fitting Saver

**Works on PVC or ABS Fittings** 







Makes in-line repairs and installations.

Reams plastic pipe squarely and accurately below the surface or finished grade.

Ram Bit leaves fittings clean and ready for solvent welding.

#### **SAVES**

- Plastic Fittings
- · Welded Ball Valves


#### **SAVES TIME**

- Cuts 3" & 4" DWV flush, below slab or sub-floor
- · Repairing irrigation and swimming pool manifolds
- Repairing sprinkler risers
- · Repairing freeze damaged plastic pipe









Works On: ABS DWV, PVC DWV, **PVC PRESSURE, CPVC,** RIDGID PVC ELECTRIC CONDUCT



















PART NUMBER	SIZE	CLASS 200*	SCH 40	SCH 80	DRILL SIZE
3237	1/2"		<b>√</b>		
3239	3/4"	$\sqrt{}$	<b>√</b>	$\checkmark$	3/8" or
3241	1"	$\checkmark$	√	√	heavy duty
3242	1-1/4"	$\checkmark$	√	$\sqrt{}$	3/8"
3243	1-1/2"	√	√	√	rechargeable
3244	2"	√	√	√	
3253	3"	<b>√</b>	<b>√</b>		1/2"
3254	4"		√		variable



### The Drain Key™

#### **Removes Corroded Bath Tub Drains**


It's unique expanding design allows The Drain Key to internally grip in a 360° pattern. The drain Key's steel shoes will not mar chrome or special finishes. Installs and removes tub drains, closet spuds and pipe nipples.

Expands with a crescent wrench to unlock or install:

- Bathtub drains
- 1-1/4" or 1-1/2" Trap (dirty arm) nipples
- 1-1/4" or 1-1/2" closet spuds

 Jr. basket strainers, Jr. duo strainers, tray plug drains and duplex strainers

\*Interchangeable steel Drain Key™ shoes sold separately



PART NUMBER	VOLTS
4500	Drain Key

## **Smart Dumbell - The Original**

#### The Original and Still The Best!

## Fits all 17 modern tub drain configurations

Installs and removes tub drains and closet spuds



- Installs or removes drains without crossbars (Kohler, American Standard)
- · Heavy duty die-cast aluminum
- Prevents scratching of decorative finishes
- Either a crescent wrench or large phillips screwdriver can be used to turn the tool
- · Saves time, money and aggravation
- 6" length







#### **Quick Nutcracker**

Quickly removes corroded 1/2' zinc locknuts from faucet shanks.


- · Heat treated cutter blades
- · Ball thrust bearings
- Durable black oxide finish
- Will work on faucet shanks with only three threads showing

#### For use on:

- 1/2" Shank single basin faucet
- 1/2" Shank centerset faucet
- 1/2" Shank kitchen faucets



## Moen® Stem and Cartridge Puller - The Original - 2-in-1 Tool






### **KWIK TITE WRENCH**

#### Get a grip on the installation of angle stops with these two plumber designed tools.

The larger forged steel socket "opens" to attach to an angle stop. The smaller forged steel socket "opens" to attach to a 3/8" outlet supply nut.




### Don't forget to use with the


## **ANGLE-ON WRENCH**

- Fits 3/8" or 1/2" MPT compression outlet threads on angle stops.
- Help protect special finishes. Nickel plated steel and precision machined.





Remove outlet nut and screw on Angle-On




Angle-On acts as a lever for tightening compression angle stops.

PART NUMBER	DESCRIPTION
4524	Dual Kwik Tite Wrench ONLY
4525	Angle-On Wrench ONLY
4528	Dual Kwik Tite Wrench & Angle-On Wrench packaged together








## **Compression Sleeve Puller**

Heavy duty - For 1/2" copper tubing

- · Use 3/8" rachet with 3/4" socket
- Removes compressed brass sleeves
- Precision machined
- Extremely durable
- Designed by plumbing professionals





## **Compression Sleeve Puller Bullet Nose**

Heavy duty - For 1/2" copper tubing

- · Sleeve puller and handle sold separately
- · Includes screw



Re-designed bullet nose will not pull off





## **Big Yank - The Original**

- · Removes large and small handles
- Economical yet tough
- One piece forged drive bracket
- 4" bracket width
- 5" gripper fingers





## Big Yank Sr.™ - The Original

The only handle puller that grips faucet handles with 3 fingers!

- One piece forged drive bracket
- · Notches in bracket keeps fingers from sliding apart
- Engineered for the professional
- 5" gripper fingers



PART NUMBER 4668




#### **No-Hub Torque Wrench 60 Inch Pounds**

- · Measures torque when turned in a clockwise direction & ratchets when turned counterclockwise
- · Retractable reversing lever
- Chrome vanadium socket
- Tested to tighten up to 10,000 no-hub couplings\*
- 5/16" socket

\*Test results available

· Used with PASCO couplings in Section "D'





#### **No-Hub Heavy Duty Torque Wrench 60 Inch Pounds**

- · Measures torque when turned in a clockwise direction & ratchets when turned counterclockwise
- · When torque value has been reached, the tool will skip to prevent over tightening
- · Chrome vanadium socket
- · Locking collar
- 5/16" socket

 Used with PASCO couplings in Section "D'





NUMBER	Size
2SH	5/16"

## **No-Hub Heavy Duty Torque Wrench 80 Inch Pounds**

- · Measures torque when turned in a clockwise direction & ratchets when turned counterclockwise
- · When torque value has been reached, the tool will skip to prevent over tightening
- · Chrome vanadium socket
- · Locking collar










## **Quick Sweat**

- Flexible 24" steel cables will slide through elbows and are interchangeable with the handle to fit different size copper.
- Durable polypropylene handle will fit 1/2" thru 2" cables.
- · Long lasting elastomeric plug

**Patent Number 5,819,804** 

· Eliminates "bread" and outperforms all the rest.







51114

51115

51120

1-1/4" Cable ONLY


1-1/2" Cable ONLY 2" Cable ONLY



### 6-in-1 Screwdriver

- 1/4" Hex 5/16" Hex
- 12 Pack display when ordering a quantity of 12 or more.







PART NUMBER	DESCRIPTION	
4208	6-in-1 screwdriver 12 pack	
4208-C	Carded screwdriver	



#### **Quick Set Pliers**

- Easily fit 1-1/2" slip joint nuts
- Forged and chromed
- Vinyl grip handles



PART NUMBER	LENGTH
4063	10"

## **Inside Plastic Pipe Cutter**

• Fits 3/8" and larger drills



PART NUMBER	DESCRIPTION	
3290	Pipe Cutter	
3290-B 2 Blades per pack		

## **Utility Knife**

Retractable



PART NUMBER	DESC.	# PER PACK
4323	Knife w/ 2	1
	extra blades	
4325	Extra Blades	5



### Journeyman Plastic Pipe Saws - The Original

- Cuts PVC, ABS, wood and drywall
- · Unbreakable aluminum die cast handle
- · Large, comfortable grip
- · Flame hardened blade
- · The best saw of its kind in the trade

Handle Made in U.S.A.



PART NUMBER	DESCRIPTION	
4331	Complete "Mity Mite" Saw	
4331-B	13" "Mity Mite" Blade	
4333	Complete "Journeyman" Saw	
4333-B	18" "Journeyman" Blade	
4333-H	"Journeyman" Saw Handle	

### **Tiny Tim Hacksaw - The Original**

- · Cuts steel & brass
- · Vinyl grip handle
- Display carded
- Blades sold in reusable tube



PART NUMBE		DESCRIPTION	
4290		Hacksaw w/Blade	
4292	4292 Extra Blades 10/package		

#### **Pull Plastic Pipe Saw**

- · Cuts plastic pipe
- · Smooth, fast and accurate cutting
- · Pull cutting action



DESCRIPTION
Saw w/12" Blade
12" Blade
Saw w/8" Blade
8" Blade

#### **Hacksaw**

- High quality plated steel saw with 1/2" x 6" or 1/2" x 12" tempered blade.
- · Five times stronger than standard mini hacksaws



PART NUMBER	DESCRIPTION	
4695	6" Heavy Duty Maximum Hacksaw	
4695B	6" Blades Only	
4696	12" Heavy Duty Maximum Hacksaw	
4696B	12" Blades Only	

## Super Hacksaw

- · Comfort front end grip
- · Stores extra blades
- · Cuts flush to surface



PART NUMBER	SIZE	BLADE SUPPLIED
4267	4"	12"

#### **Hacksaw Blades**

Bi-Metal Tough Cut Blades



Out Diadoo		
PART NUMBER	TEETH PER INCH	BLADE LENGTH
4217	18	12"
4218	24	12"



### "Pro-Cut" Plastic Pipe Cutters

- · Superior quality, heavy duty
- · Coated handles
- · Built for constant use
- · Stainless steel blade





PART NUMBER	DESCRIPTION	
4658	1" Pipe Cutter Complete	
4658-B	Blade ONLY	
4654	2" Pipe Cutter Complete	
4654-B	Blade ONLY	



## **PVC Pipe Cutter**

- Cuts up to 1" PVC Pipe all schedules!
- Cuts up to 1" CPVC




PART NUMBER	DESCRIPTION	
4654-S	Replacement Springs	
4657	Complete	
4657-B	Blade ONLY	
4657-S	Replacement Springs	
4658-S	Replacement Springs	

#### **Cable Saw**

## For fast cutting of PVC and irrigation pipe

- 24" Stainless steel cable
- Great for tight spots, need only 1/4" clearance
- · Easily stored
- 30" Overall







#### **Soft Pipe Cutter**

- · For cutting soft pipe and hose
- · Heavy duty die cast
- Cuts up to 2" soft tubing
- · Reversable Blade




The best cutter manufactured!

PART NUMBER	DESCRIPTION
4682	Complete
4682-B	Blade ONLY



# Bi-Metal Tough Cut Reciprocating Saw Blades



PART NUMBER	LENGTH	TEETH PER INCH	CUTS THESE MATERIALS
3809	6"	10T	Light, Non-ferrous metals, nail embedded woods, cast aluminum.
3810	6"	14T	Heavy gauge metals, 1/8" conduit, pipe, tubing and galvanized pipe.
3811	6"	18T	Metals to 1/8". Conduit, pipe, tubing and galvanized pipe.
3812	6"	24T	Finer teeth for faster cutting of metal to 1/8", galvanized pipe.



PART	LENGTH	TEETH	CUTS THESE
NUMBER		PER INCH	MATERIALS
3820	9"	10/14T	.050 Thick x 3/4" Wide super model for cast iron pipe. Teeth vary alternately from 10 to 14 per inch which reduces vibration and makes smoother cuts.



PART NUMBER			CUTS THESE MATERIALS
3813	6"	6T	Fast cutting of all woods, nail embedded general roughing work.
3816	12"	6T	Same as #3813 above



PART	LENGTH	TEETH	CUTS THESE
NUMBER		PER INCH	MATERIALS
3814	8"	10T	All woods, composition, plastics, 4" diameter pipe, cast iron, nail embedded woods, general metal cutting, fiberglass.




PART	LENGTH	TEETH	CUTS THESE
NUMBER		PER INCH	MATERIALS
3808	6"	6T	Plastic, lath, sheet rock, fiber board, particle board.



## **Reciprocating Saw Blade - Carbide Grit**

- 3/4" Width
- Fits most reciprocating saws
- · Flexible alloy steel
- Diamond hard tungsten carbide grit makes this blade last up to 20 times longer than conventional reciprocating blades



PART NUMBER	SIZE	SIZE
3835	6"	Medium
3845	8"	Medium

## **Hex Key Tool Caddy**

- Keys are #8650 chrome nickle alloy steel
- Close tolerance assures precise fit into hex socket
- · Hardened and tempered for maximum durability



	PART NUMBER	NO. OF KEYS	KEY SIZES
	3040	9 Keys	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
•	3041	8 Keys	.050", 1/16", 5/64", 3/32", 7/64". 1/8". 9/64". 5/32"

## **Hex Key Tool Caddy**





## **Copper, Brass & Stainless Steel Tubing Cutter**


- · Superior quality
- · Enclosed feed mechanism
- Removable deburring tool located inside cutter frame
- Cuts up to 1-1/2"
- Spare blade in handle




## **Mini Tubing Cutter**







### **Economy Tubing Cutter**




## **Mini Tubing Cutter**





### **Swedging Tool**



#### **Copper Sizing Tools**

- Impact type to re-round copper tubing
- For "M" Copper tubing



PART NUMBER	SIZE
4343	1/2"
4344	3/4"
4345	1"

#### **Copper Tube Flare Punches**



## **Economy Flaring Tool**

- For O.D. sizes:
- 3/16", 1/4", 5/16", 3/8", 1/2", 5/8"
- · Makes smooth flare



PART NUMBER 4360

## **Spark Lighters**

- Round, Single, or Triple Flint
- · Large hood traps more gas
- · File rotates providing a fresh surface for the flint
- · Flints good for 1,500 ignitions





PART NUMBER	DESCRIPTION	PKG.
4430	Lighter	10
4432	Extra Flints	5
4437	Shurlite Lighter	1
4438	Extra Flints	1





#### **Chip and Oil Brush**



#### **Natural Bristle Acid Brushes**

- #1, #2, #4 Brushes sold 144 pieces per box
- #7 Brushes sold 36 pieces per box



#### Wire Brushes



## **Copper Deburring Tool - Reamer**

46537

#7


Wood

- Die Cast
- Deburrs up to 1-1/4" copper or CPVC



PART NUMBER	SIZE	
4356	1/2" - 1-1/4"	

## **Copper Pipe Deburring Tools with Plastic Handles**





#### Strap Wrenches


- · Ideal for chrome pipe nipples
- Will not mar chrome, fittings & nipples



PART NUMBER	SIZE
4542	7"
4543	11"

#### **Bibb Seat Tools**






## **Professional Faucet Reseater Kit**

#### KIT INCLUDES:

- · 4- Harden steel cutters for various size faucets
- · 1- Guide cone
- · 4- Faucet washers
- 1- Solid brass screw
- · 1- Long shaft for tub & showers





#### **Bibb Seat Tool Set**

Packed in a sturdy,

sealable plastic case.

#### SET INCLUDES:

- 1- 3/8" x 7/16" ratcheting box wrench
- 1- Small hex/large hex tapered bibb seat tool
- 1- Small square/large square no taper bibb seat tool



## "The Best" Bibb Seat Tool




4568



### Sillcock Key



### **Heater Furnace Loglighter Keys**



#### 4-Way Key



#### **Hex Screw and Nut Setter**



## **Setting Tool**





#### Valve Stem Lube Heat Proof Grease


- · Use on water or steam
- Apply to stems of faucets, packing, plungers, ball cocks, valves & washers
- Food grade






### **Wire Stripper**

 Adjusting stop on the gripping handles permits adjustment for wire size



### **Nut Driver**



## "Drop In" Half Barrel Type Caulking Gun



## **Cellulose Sponges**

- Excellent for drying and cleaning up
- For cleaning up tanks, lavatories, shower liners and leaking traps
- · Yellow color



PART NUMBER	SIZES	
5184	6" x 4-1/4" x 1-11/16"	
5185	7-1/2" x 4-1/2" x 2-1/16"	





### **Copper Fitting Brushes**

- Economy
- Wire loop handle
- 2-Ply carbon steel bristles
- For bulk pricing add BLK to part number



PART NUMBER	SIZE
5139	1/2"
5141	3/4"
5143	1"
5144	1-1/4"
5145	1-1/2"
5146	2"

- · "A" Quality
- 2 Wire model
- · High carbon crimped
- · Steel bristles

BASSC		
1000	No.	
	cereee	
1	1	
1	PASCO	١
(		

7.5 Yards

PART NUMBER	SIZE
5113	3/8"
5114	1/2"
5116	3/4"
5118	1"
5119	1-1/4"
5120	1-1/2"
5121	2"

- · "AA" Quality
- · 4 Wire model
- Double construction from stainless steel wire



PART NUMBER	SIZE
5126	1/2"
5128	3/4"
5130	1"
5131	1-1/4"
5132	1-1/2"
5133	2"

#### Plumbers Open Mesh Sand Cloth

- Waterproof
- 180 Grit
- · Aluminum oxide





## 4-in-1 Fitting Brush

- · Tube cleaning and fitting brush
- · High impact plastic & high carbon steel bristles
- · Replaceable brushes
- 1/2" and 3/4" copper



PART NUMBER	DESCRIPTION	
5150	Complete 4-in-1 Brush	
5150-R	Replacement brush kit includes 2 ID & 2 OD brushes	

## Plumbers Sand Cloth

Specially formulated for use in preparing copper fittings and tubing for soldering 120 grit aluminum oxide.



PART SIZE
3102 10 Yards

## **Copper Tube Brush**

- · The finest manufactured
- Cleans copper water tube end for soldering





Sizes indicated are nominal copper

PART NUMBER	SIZE
5153	1/2"
5155	3/4"



### **Nipple Boxes**

- · Holds CL thru 6" nipples
- Fold away handle
- · Epoxy coated steel
- · Light weight yet strong




PART NUMBER	SIZE	HOLDS
3080	1/2"	77
3081	3/4"	66
3082	1"	50
3083.	1-1/4"	40
3084	1-1/2"	30
3085	2"	27



## **Fitting Tote Tray**

- · Excellent for copper fittings
- 18 Gauge
- 20" x 10" x 5"
- · Fold away handle
- · Epoxy coated steel



PART NUMBER	DESCRIPTION	
3088	With 8 dividers	
3088-LD	No dividers	



## 1/2" and 3/4" Combo Nipple Box

- Holds both 1/2" and 3/4" nipples
- Holds (39) 1/2" CL thru 6"
- Holds (33) 3/4" CL thru 6"
- · Fold away handle
- · Epoxy coated steel









### **Internal Nipple Wrench**

- · CAM Type
- · Removes or inserts
- Heat treated
- · Cadmium plated



PART NUMBER	NIPPLE SIZE
4531	1/2"
4532	3/4"
4533	1"

### **Thread & Nipple Key**


- · Unlocks any thread or nipple
- Excellent for chrome work
- · Precision machined and hardened
- · Loosens and tightens
- · Designed to grip internally
- · Removes broken nipple threads from fittings



PART NUMBER	SIZES
4511	1/2" IPS Internal Wrench
4512	3/4" IPS Internal Wrench
4513	1" IPS Internal Wrench

## **Pipe Taps**

- · High carbon steel
- · Tapered thread taps



PART NUMBER	PIPE SIZE	NO. OF NPT	TAP DRILL SIZE
4812	1/8"	27	1/8"
4813	1/4"	18	7/16"
4814	3/8"	18	37/64"
4815	1/2"	14	45/64"
4816	3/4"	14	59/64"
4817	1"	11-1/2	1-5/32"
4818	1-1/4"	11-1/2	1-1/2"
4819	1-1/2"	11-1/2	1-47/64"
4820	2"	11-1/2	2-7/32"

## **Nipple and Screw Extractors**

- · Removes nipples, bolts and screws
- Left hand spiral tapered flute removes broken piece without thread damage



PART NUMBER	IND ID#	PIPE SIZE	DRILL SIZE	BOLT SCREW SIZE
4827	4	1/8"	1/4"	9/32" to 3/8"
4828	5	1/4"	19/64"	3/8" to 5/8"
4829	6	3/8"	13/32"	5/8" to 7/8"
4830	7	1/2"	17/32"	7/8" to 1-1/8"
4831	8	3/4"	13/16"	1-1/8" to 1-3/8"
4832	9	1"	1-1/16"	1-3/8" to 2"



## Price Pfister® Special Shower Valve Socket Wrench

Fits both bonnet and packing nuts on Price-Pfister® Shower Valve Stems.

- Fits 31/32" stem bonnet nuts
- Fits 27/32" stem packing nuts
- 50% longer than regular shower valve wrenches
- Overall length allows socket to reach well into tile covered walls








#### **Pedestal Sink Wrench**

- Offset design allows user to reach tailpiece and trap slip joint nuts
- Permits trap and drain line installation or removal with pedestal sink in place.



## Shower Valve Socket Set - Professional Quality

- · Heavy duty
- · Each socket is 20% longer than the import
- · High quality steel



PART

NUMBER 5300XH

## Import Shower Valve Socket Set




**DESCRIPTION** 

Complete Set



#### **Commercial Sink Drain Tool**



#### **Classic Drain Wrench**

Tightens most fiberglass shower stall drain locknuts and die cast basket strainer locknuts.


- Fits 3-1/2" plastic locknuts
- Fits 3-3/8" die cast basket strainer locknuts
- Fits brass locknuts on brass shower stall drains
- · Stamped steel
- 13" overall length
- · Offset handle for close quarter work
- · Cushion grip







#### **Basin Wrenches**



Extends from 9" to 16" Swivel jaw with spring Extra large jaw on 4573-L fits single lever faucet locknuts \*Large jaw fits up to 2" locknuts

#### **Plumbers Combo Wrench**

This all new wrench combines the features of 4 similar wrenches. including the Super Wrench. Designed for use on:

- · Closet spuds
- Urinal spuds
- · Kitchen basket strainers
- Urinal flush valves
- · Compact 10" length





NUMBER 4556

#### **Quick Set Drain Wrench**


- Tightens or removes shower drains with internal locknut, (like our #7980)
- · 10" overall length
- · Plastic coated handle






#### **Closet Seat Nut Wrench**

- · Fits any length bolt
- · Fits 99% of closet seat nuts
- · Die cast



#### **PO Plug Wrench**



#### 4-in-1 Strainer Wrench

- · Fits 3-3/8" strainer locknut
- 5-1/2" length
- · Super tough Lexan plastic
- · Slotted inserts that conveniently fit the standard slotted sink basket strainer locknuts








## **Adjustable Spud Wrench**

- · 10" Length
- 1" to 3" Capacity




## **Internal Spud Wrench** · A must to install or remove urinal

· 4" capacity

 Cushioned grip


• High qualitity



## **Garbage Disposal Wrench**




#### **Basket Strainer Wrench**






## **New Design Heavy-Duty Water Heater Element Wrench**



## Radiator Air Vent Wrench 3-Way




## **Radiator Spud Wrench**



## **Sprinkler Nipple Extractor**



### **Putty Knives**





## Professional Wear-A-Day Disposable Gloves



#### **Glove Dispenser**



## **Disposable Gloves - Black**



## Atlas<sup>®</sup> Nitrile Tough 370 Gloves - Black/Grey



#### Atlas® Nitrile 380 - Blue/Black



#### Atlas® Fit 300 - Blue





## **Jersey Gloves**



#### **Cotton Gloves**




#### **Stallion Gloves**



#### **Double Palm Gloves**



#### **Drain Snake Glove**



#### **Reversible Plastic Dot Gloves**






## **Caulking Tools**



PART NUMBER	DESCRIPTION	
4442	5/8" x 7" Inside caulker	
4443	5/8" x 7" Outside caulker	
4444	5/8" x 7" Straight caulker	
4446	1-1/2" Curved broad caulker	
4447	5/8" x 12" Offset yarning iron	

## **Plumbers Lead Pot**



#### **Lead Ladle**



## **Cut Length Oakum Oiled or White**

- · Convenient, labor saving cut lengths
- Non-splitting
- · Contains no tar
- · Made to pack well, caulks tight
- Treated with a special compound to expand when wet



Oil Treated

PART NUMBER	DESCRIPTION	
2899	1 bag 27" strands = 1 LBS	
2897	1 box 27" strands = 5 LBS	

White - No Oil

PART NUMBER	DESCRIPTION	
28100	1 bag 27" strands = 1 IBS	




#### "Grab All" Retrieving Tool



#### **Magnetic Retrieving Tool**




#### **Inspection Mirror**



#### **Protective Knee Pads**

- · Comfortable
- · Long lasting
- Codura nylon
- Foam rubber cushioning
- Flexible








# 9220

White plastic cap allows user to swivel and slide on working surfaces



## **Disposable Shoe Covers**

- · Non-skid sole
- · Disposable
- · 10 Per pack



#### **Torpedo Level**

- Magnet and grooved
- · Sturdy die cast
- · Colored liquid in vials



NUMBER 4472



### **Professional Auger Bag**

- · Durable design Easy to wash out
- · Air holes to help dry
- Keeps water + waste from dripping on the floor while exiting jobs
- Inside pockets designed to help carry essential items
- · One closed end for easy storage
- · Holds two augers



PART NUMBER	DESCRIPTION	
PS-BAG	Auger Bag	

#### **Hand Pumps**


- · Use to drain or transfer water
- Large volume of water drawn with each pull of the handle



PART HOSE LENGTH
136PF-6 6 ft.

## **Eureka Cleanout Plug Wrench**

- This unique tool fits either slotted or square countersunk cleanout plugs
- · Strong, malleable iron
- Fits slotted or square
- · As Seen On TV "This Old House"






#### **Meter Key Socket Head**



#### **Water Meter Box Key**



#### **Water Meter Key**



This key is designed for valves that are hard to turn

- · Minimum order of 5 keys required
- · Heavy duty **PART SHAFT HANDLE**

**LENGTH** 

60"

40"

## **Simply The Best Plumber's Air Pump**

- · Made of virtually unbreakable polypropylene
- 1-1/4" one piece barrel permits a large volume of air
- 48" Non-kinking reinforced hose
- · Quick connect thumb valve
- · Large easy one-piece grip handle
- 2" 0-160PSI gauge
- · Easy to read RED pressure range arrow
- · Hose attached to swivel at base to prevent breaking
- · Foot pad is an integral part of pump won't pull off



NUMBER

4061

4089

DIAMETER

5/8"

3/4"

**ENGTH** 

14"

14"



## **Tie Down Poly Straps**

- · Straps are made of polyester webbing material
- · Carbon steel cam buckle
- · Straps are color coded by length
- · Straps have a tensile strength up to 750 lb
- 1" width
- · Two straps per package




PART NUMBER	DESCRIPTION	
8740-D	Display w/ 2 of each size	

PART NUMBER	DESCRIPTION		
8741	Pair of 3 ft. green straps		
8742	Pair of 4 ft. red straps		
8743	Pair of 6 ft. yellow straps		
8744	Pair of 8 ft. brown straps		
8745	Pair of 10 ft. blue straps		
8746	Pair of 12 ft. black straps		

#### **Nylon Seine Twine**

 For plumb line, seine line, chalk line, mason line





**Binder Twine** 







PART NUMBER 4043

## **Truck Rope**

• Polypropylene - Black-Orange



PART NUMBER	O.D. SIZE	LENGTH
4111	3/8"	50 ft.
4112	3/8"	600 ft.



## Master Plumbers Force Cup

- Heavy duty
- · Ribbed cup for strength
- Provides big "blast" for all stoppages
- High quality rubber
- 19" handle



## Heavy Duty Closet Bowl Force Cup

- Extra large for best pressure with positive seal
- Designed for all types of toilets
- · High quality black rubber
- 19" handle



## **Economy Force Cup**

- High quality red rubber
- Available in 5" or 6" diameter
- 19" handle



PART NUMBER	SIZE
4640	5"
4641	6"

#### **Plunger Bag**

- · Durable design easy to wash out
- · Mesh bottom to help dry
- Helps keep water + waste from dripping
- · Easy carry handle
- Holds multiple styles and size



PART NUMBER 4687

## **Plunger Bag Kit**

- Durable design easy to wash out
- · Mesh bottom to help dry
- Helps keep water + waste from dripping
- · Easy carry handle
- · Comes with plunger #4636



PART NUMBER 4687-K



#### **Water Heater Grounding Items**

- · Bare bronze clamp steel screws
- Fits 1/2" 1" pipe
- 2 strand ground wire max
- 10 per bag



\*Grounding Adapter





New!

\*Screw-On Wire Connectors

- Industry standard
- Reinforced phenolic
- 600 V

- 6 gauge
- · 250 foot spool





\*Bare Copper Grounding Wire

PART NUMBER	DESCRIPTION	
8330	Bare Copper Grounding Wire	
5075	Grounding Adapter	
5070	Screw-on's: Orange = Small Connects wire sizes #22 - #14	
5074	Screw-on's:Yellow = Medium Connects wire sizes #18 - #10	

#### **Water Heater Grounding Kits**

- · Two Bare bronze clamp steel screws
- Fits 1/2" 1" pipe





PART NUMBER	DESCRIPTION	
1050	Water Heater Grounding Kit 12"	
1052	Water Heater Grounding Kit 24"	

#### "Romex" Connector

#### For garbage disposal pigtails



New!

Zinc die cast

· Dry location use



10 per bag

**NUMBER** 5080

## **Disposer, Timer & Furnace Cords**

#### **ANGLE CAPS**

- · Wire Nuts
- Romex Connector
- · Ends stripped 5/8"
- Pigtail



PART NUMBER	LENGTH	RATING	CORD TYPE
8121	3'		
8122	4'		16/3
8123	5'	13-A	SPT
8124	6'		
8125	8'		

#### STRAIGHT CAPS

- Wire Nuts
- · Romex Connector
- · Ends stripped 5/8"
- Pigtail



PART NUMBER	LENGTH	RATING	CORD TYPE
8130	3'		
8131	4'		16/3
8132	5'	13-A	SPT
8133	6'		
8134	8'		