

the radiant[®] collection
CATALOG



more **style.**
more **function.**
more **radiant.**

 **legrand[®]**



TABLE OF CONTENTS

- 02 **INTRO TO THE RADIANT COLLECTION**
- Design Inspiration
 - Product Overview



- 14 **DIMMERS & FAN CONTROLS**



- 18 **SWITCHES, SENSORS & TIMERS**



- 21 **OUTLETS & USB CHARGING SOLUTIONS**



- 26 **RF LIGHTING SYSTEMS**



- 28 **SCREWLESS WALL PLATES**

Everyone wants a home that's a step above ordinary.

Now the radiant® collection of switches, outlets, dimmers and home automation controls by Legrand puts that stylish finishing touch affordably within reach. radiant gets rid of unsightly screws, delivering clean looks in a range of colors and metallic finishes. Put more modern convenience at your fingertips. Go more radiant.



Dimmers & Switches



TRU-UNIVERSAL DIMMER | RH703PTUW
The simplest solution to every dimming need, this dimmer self-calibrates to work with all dimmable lighting types and loads (except 0-10V). White LED enables easy location in the dark.

MULTI-LOCATION MASTER DIMMER | HCL453PMMW
This CFL/LED multi-location dimmer allows dimming from multiple locations.



SINGLE POLE COMBINATION SWITCH | RCD11W
The clean look of radiant hits home in this handsome combination switch. Two single pole switches tuck neatly into a single wall plate, delivering convenience without the clutter.

Outlets



TAMPER-RESISTANT OUTLET | 885TRW
It's safety first with a patented shutter system designed to prevent insertion of foreign objects. This outlet meets NEC® tamper-resistant requirements.

SELF-TEST GFCI OUTLET | 1597TRW
The utmost in protection, this new GFCI unit tests itself every three seconds to exceed the very latest industry standards for GFCI safety.



SINGLE POLE/3-WAY SWITCH/TAMPER-RESISTANT OUTLET COMBINATION | RCD38TRW
Fit two devices neatly into the footprint of one with this combination single pole/3-way switch and tamper-resistant outlet.

Night Lights



FULL LED NIGHT LIGHT | NTLFULLW
Energy-efficient soft-glow LED features five adjustable brightness levels and optional louvers (shown in center image) for greater control. Shown with included optional louver.



NIGHT LIGHT WITH TAMPER-RESISTANT OUTLET | NTL885TRW
This seamlessly integrated night light features five adjustable brightness levels, an optional louver for greater light control and a hidden sensor that turns light on in the dark, off in daylight.

USB Charging Solutions



WIRELESS CHARGER | RWC826USBWCCV2
Instantly provides a revolutionary new way to charge your phone using Qi charging technology and cuts the cord for your devices - finally, they are truly wireless. (featured above)


HYBRID TYPE A/C USB CHARGERS WITH DUPLEX 15A TAMPER-RESISTANT OUTLET | R26USBACW
Hybrid Type A/C USB Chargers with Duplex 15A Tamper-Resistant Outlet: chargers with Type C ports for charging the latest mobile devices.



USB CHARGER WITH TAMPER-RESISTANT OUTLET | TM826USBW
Standard power meets modern convenience with this clever integration of two USB charging outlets, which provide 3.1 amps of combined charging power right alongside standard outlets.

QUAD USB CHARGER | TM8USB4WCC6
With 4.2 amps of charging capacity, the quad USB gives guests the power to charge up to four devices simultaneously without the need for bulky adapters.

RF Lighting Control



RF SCENE CONTROLLER | LC2303-WH
The Scene Controller is an in-wall keypad that pairs with the LC7001 Whole House Lighting Controller and installed RF Lighting Control devices to trigger preconfigured lighting scenes.

RF TRU-UNIVERSAL DIMMER | LC2101-WH
The RF Tru-Universal Dimmer operates all dimmable lighting types and loads (up to 700W), no control wiring necessary (except 0-10V).



RF REMOTE DIMMER | LC2103-WH
The RF Remote Dimmer operates all dimmable lighting types and loads (up to 700W), no control wiring necessary.

DIMMERS

Conveniently conserve energy and create the perfect mood by adjusting dimmer light levels with a single slide.

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	WATTS
Incandescent Single Pole/3-Way Dimmer 	RH1103PTC RH1103PW	Tri-Color* White	15	120	1100W
Incandescent Single Pole/3-Way Dimmer 	RH703PDBCCV4 RH703PNICCV4 RH703PTC RH703PW	Dark Bronze Nickel Tri-Color* White		120	700W
0-10V LED/Fluorescent Dimmer 	RH4FBL3PTC RH4FBL3PW	Tri-Color* White	10	120	
Tru-Universal Single Pole/3-Way Dimmer 	RH703PTUTC RH703PTUW	Tri-Color* White		120V, 60Hz	Incandescent, Halogen & ELV: 700W MLV: 500VA LED/CFL: 450W EFL: 5.5A

Note: Wall plates sold separately.
*Tri-color includes: White, Light Almond and Ivory.



DIMMERS

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	WATTS
CFL/LED Dimmer (Not intended for electronic low voltage loads) 	RHCL453PDBCCV4 RHCL453PGCCV4 RHCL453PNICCV4 RHCL453PTC RHCL453PW	Dark Bronze Graphite Nickel Tri-Color* White		120 VAC, 60 Hz	450W CFL/LED; 700W Incandescent
Magnetic Low-Voltage Single Pole/3-Way Dimmer 	RHLV1103PTC RHLV1103PW	Tri-Color* White		120	1100W
Magnetic Low-Voltage Single Pole/3-Way Dimmer 	RHLV703PTC RHLV703PW	Tri-Color* White		120	700W
2-Wire Fluorescent Dimmer 	RHFB83PTC RHFB83PW	Tri-Color* White	8	120	
Interchangeable Face Cover 	RHKIT RHKITBK RHKITDB RHKITGRY RHKITI RHKITLA RHKITNI RHKITW	Brown Black Dark Bronze Gray Ivory Light Almond Nickel White			Applies to all dimmers on pages 14 & 15

Note: Wall plates sold separately.
*Tri-color includes: White, Light Almond and Ivory.

MULTI-LOCATION DIMMERS

Conveniently conserve energy and create the perfect mood by adjusting dimmer light levels with a single slide.

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NEMA CONFIG NUMBER
Multi-Location Master Dimmer	HCL453PMMTC HCL453PMMW	Tri-Color* White		120, 60Hz	5-15R 700W Incandescent
Interchangeable Face Cover for Multi-Location Master Dimmer	HMKIT HMKITBK HMKITDB HMKITGRY HMKITI HMKITLA HMKITNI HMKITW	Brown Black Dark Bronze Gray Ivory Light Almond Nickel White			
Multi-Location Remote Dimmer	HMRTC HMRW	Tri-Color* White		120, 60Hz	
Interchangeable Face Cover for Multi-Location Remote Dimmer	HMRKIT HMRKITBK HMRKITDB HMRKITGRY HMRKITI HMRKITLA HMRKITNI HMRKITW	Brown Black Dark Bronze Gray Ivory Light Almond Nickel White			

Note: Wall plates sold separately.
*Tri-color includes: White, Light Almond and Ivory.
*Bi-Color includes: Nickel & Dark Bronze



FAN CONTROLS

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NOTE
Fan Speed Control De-Hummer, Single Pole/3-Way	RHDH163PGCCV4 RHDH163PTC RHDH163PBCCCV4	Graphite Tri-Color* Bi-Color *	1.6A	120V	
Fan Speed Control De-Hummer, Single Pole/3-Way	RHDH163PW	White	1.6A	120V	



SWITCHES

Modern low-profile paddle switches with no screws in sight.

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NEMA CONFIG NUMBER
15A Single Pole Switch*	TM870 TM870BK TM870DBCC10 TM870GCC10 TM870GRY TM870I TM870ISL (lighted) TM870LA TM870LASL (lighted) TM870NICC10 TM870W TM870WSL (lighted)	Brown Black Dark Bronze Graphite Gray Ivory Ivory Light Almond Light Almond Nickel White White	15	120	
3-Way Switch*	TM873 TM873BK TM873DBCC10 TM873GCC10 TM873GRY TM873I TM873ISL (lighted) TM873LA TM873LASL (lighted) TM873NICC10 TM873W TM873WSL (lighted)	Brown Black Dark Bronze Graphite Gray Ivory Ivory Light Almond Light Almond Nickel White White	15	120	
15A 4-Way Switch	TM874 TM874BK TM874DBCC6 TM874I TM874ISL (lighted) TM874LA TM874LASL (lighted) TM874NICC6 TM874W TM874WSL (lighted)	Brown Black Dark Bronze Ivory Ivory Light Almond Light Almond Nickel White White	15	120	

* These switches are identical

Note: Wall plates sold separately.



COMBINATION SWITCHES

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NEMA CONFIG NUMBER
Two Single Pole Switches & Single Pole/3-Way Switch	RCD113 RCD113BK RCD113I RCD113LA RCD113W	Brown Black Ivory Light Almond White	15	120/125	
Two Single-Pole Switches	RCD11 RCD11BKCC6 RCD11I RCD11LA RCD11W	Brown Black Ivory Light Almond White	15	120/125	
Two Single Pole/3-Way Switches*	RCD33BK RCD33I RCD33LA RCD33W	Black Ivory Light Almond White	15	120/125	
Single Pole/3-Way Switch & Tamper-Resistant Single Receptacle*	RCD38TRBK RCD38TRI RCD38TRLA RCD38TRW	Black Ivory Light Almond White	15	120/125	5-15R
Locator Light Module	RCDLM	NA			

* These switches are identical

Note: Wall plates sold separately.

SENSORS

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NEMA CONFIG NUMBER
120V Single Pole/3-Way Occupancy Sensor	RRW600UGCCV4 RRW600UTC RRW600UBCCCV4	Graphite Tri-Color* Bi-Color*		120	
120V Single Pole Vacancy Sensor	RRW600VTC	Tri-Color*		120	

TIMERS

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NEMA CONFIG NUMBER
4-Button Digital Timer	RT2BK RT2DBCCV4 RT2GCCV4 RT2I RT2LA RT2NICCV4 RT2W	Black Dark Bronze Graphite Ivory Light Almond Nickel White		120	

Note: Wall plates sold separately.
*Tri-color includes: White, Light Almond and Ivory.
*Bi-color includes: Nickel & Dark Bronze



USB CHARGING SOLUTIONS

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NEMA CONFIG NUMBER
Wireless Charger	RWC826USBWCCV2	White	15	125	5-15R
USB Type CC Chargers with Duplex Tamper-Resistant Receptacles	R26USBCCBK R26USBCCEBCCV4 R26USBCCI R26USBCCLA R26USBCCNICC6 R26USBCCW	Black Dark Bronze Ivory Light Almond Nickel White	15	120	3.1 Amp
USB Type AC Chargers with Duplex Tamper-Resistant Receptacles	R26USBACBK R26USBACDBCCV4 R26USBACI R26USBACLA R26USBACNICC6 R26USBACW	Black Dark Bronze Ivory Light Almond Nickel White	15	120	3.1 Amp
USB Chargers with Duplex 15A Tamper-Resistant Outlets	TM826USBBK TM826USBGCCV4 TM826USBI TM826USBLA TM826USBNICC6 TM826USBW	Black Graphite Ivory Light Almond Nickel White	15	120	3.1 Amp
Quad USB Charger	TM8USB4BKCC6 TM8USB4ICC6 TM8USB4LACC6 TM8USB4NICC6 TM8USB4WCC6	Black Ivory Light Almond Nickel White		125	4.2 Amp

OUTLETS

Not all outlets are created equal. While some simply deliver power, others protect against electrical shock and fire.

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NEMA CONFIG NUMBER
Tamper-Resistant Receptacle 	885TR 885TRBK 885TRDBCC12 885TRGCC12 885TRGRY 885TRI 885TRLA 885TRNICC12 885TRW	Brown Black Dark Bronze Graphite Gray Ivory Light Almond Nickel White	15	120/125	5-15R
Weather-Resistant Receptacle 	885TRWR 885TRWRI 885TRWRLA 885TRWRW	Brown Ivory Light Almond White	15	125	5-15R
Tamper-Resistant Spec Grade Receptacle 	TR26352R TR26352RBK TR26352RGRY TR26352RI TR26352RLA TR26352RW	Brown Black Gray Ivory Light Almond White	20	125	5-20R

NIGHT LIGHTS

NAME	CATALOG NUMBER	COLOR/FINISH	AMP.	VAC	NEMA CONFIG NUMBER
Night Light with Two 15A Tamper-Resistant Outlets 	NTL885TRBKCC6 NTL885TRICC6 NTL885TRLACC6 NTL885TRNICC6 NTL885TRW	Black Ivory Light Almond Nickel White	15	120/125	5-15R
Night Light With Single-Pole, 3-Way Switch 	NTL873BKCC6 NTL873ICC6 NTL873LACC6 NTL873NICC6 NTL873WCC6	Black Ivory Light Almond Nickel White	15	120/125	
Full Night Light with Adjustable Light Levels (An optional louver is included for added light-level control) 	NTLFULLTC NTLFULLW	Tri-Color* White		120/125	
Horizontal Step Light 	NTLHORZTCCC6 NTLHORZWCC6	Tri-Color* White		120/125	

Note: Wall plates sold separately.
*Tri-color includes: Light Almond, Ivory and Black.



GFCI

NAME	CATALOG NUMBER	COLOR/FINISH	AMP	VAC	NEMA CONFIG NUMBER
 Combination Tamper-Resistant 15A Self-Test Night Light/GFCI	1597NTLTRBKCC4 1597NTLTRDBCC4 1597NTLTRI 1597NTLTRLA 1597NTLTRNICC4 1597NTLTRW	Black Dark Bronze Ivory Light Almond Nickel White	15	125	5-15R
 Combination Tamper-Resistant 15A Self-Test Single-Pole Switch/GFCI	1597SWTTRBKCC4 1597SWTTRICC4 1597SWTTRLACC4 1597SWTTRWCC4	Black Ivory Light Almond White	15	125	5-15R
 Tamper-Resistant 20A Self-Test Duplex GFCI	2097TR 2097TRBK 2097TRGRY 2097TRI 2097TRLA 2097TRW	Brown Black Gray Ivory Light Almond White	20	125	5-20R
 Combination Tamper-Resistant 20A Self-Test Night Light/GFCI	2097NTLTRGRY 2097NTLTRI 2097NTLTRLA 2097NTLTRW	Gray Ivory Light Almond White	20	125	5-20R
 Tamper-Resistant 15A Self-Test Duplex GFCI	1597TR 1597TRBK 1597TRDBCC4 1597TRGCC4 1597TRGRY 1597TRI 1597TRLA 1597TRNICC4 1597TRW	Brown Black Dark Bronze Graphite Gray Ivory Light Almond Nickel White	15	125	5-15R
 Audible Alarm Tamper-Resistant 15A Self-Test Duplex GFCI	1597TRA 1597TRABK 1597TRAI 1597TRALA 1597TRAUW	Brown Black Ivory Light Almond White	15	125	5-15R
 Spec-Grade Weather-Resistant 15A Self-Test Duplex GFCI	1597TRWR 1597TRWRBK 1597TRWRGRY 1597TRWRI 1597TRWRLA 1597TRWRW	Brown Black Gray Ivory Light Almond White	15	125	5-15R

DUAL-FUNCTION AFCI/GFCI & AFCI

NAME	CATALOG NUMBER	COLOR/FINISH	AMP	VAC	NEMA CONFIG NUMBER
 radiant Tamper-Resistant Dual-Function AFCI/GFCI Receptacle	AFGF152TR AFGF152TRBK AFGF152TRGRY AFGF152TRI AFGF152TRLA AFGF152TRW	Brown Black Gray Ivory Light Almond White	15	125	5-15R
 radiant Tamper-Resistant Dual-Function AFCI/GFCI Receptacle	AFGF202TR AFGF202TRBK AFGF202TRGRY AFGF202TRI AFGF202TRLA AFGF202TRW	Brown Black Gray Ivory Light Almond White	15	125	5-20R
 radiant Dead Front Outlet Branch Circuit AFCI	AFGF202DFI AFGF202DFLA AFGF202DFW	Ivory Light Almond White	20	125	-
 radiant Tamper-Resistant Outlet Branch Circuit AFCI Receptacle	AF152TR AF152TRBK AF152TRGRY AF152TRI AF152TRLA AF152TRW	Brown Black Gray Ivory Light Almond White	20	125	5-15R
 radiant Tamper-Resistant Outlet Branch Circuit AFCI Receptacle	AF202TR AF202TRBK AF202TRGRY AF202TRI AF202TRLA AF202TRW	Brown Black Gray Ivory Light Almond White	15	125	5-20R
 radiant Dead Front Outlet Branch Circuit AFCI	AF202DFI AF202DFLA AF202DFW	Brown Black Ivory Light Almond White	15	125	-

Note: Wall plates sold separately.

RF DIMMERS & SWITCHES

Easy management for dimmers, switches, and other devices allows users to adjust lighting with effortless precision. Whether shedding more light on some fine print or dimming things down for movie time, with radiant® RF Lighting Control you can ensure customers always have the best light for the task at hand while even providing energy savings.

NAME	CATALOG NUMBER	COLOR/FINISH	AMP	VAC	NOTE
RF Tru-Universal Master Dimmer 	LC2101-LA LC2101-NI LC2101-WH	Light Almond Nickel White		120	NOTE: 1-GANG LOAD RATING 700W, DERATED TO 600W IN 2-GANG AND 500W IN 3-GANG
RF 2-Wire Incandescent Master Dimmer 	LC2102-LA LC2102-NI LC2102-WH	Light Almond Nickel White		120	NOTE: 1-GANG LOAD RATING 600W, DERATED TO 500W IN 2-GANG AND 400W IN 3-GANG
RF Remote Dimmer 	LC2103-LA LC2103-NI LC2103-WH	Light Almond Nickel White		120	
RF 1500W Master Switch 	LC2201-LA LC2201-NI LC2201-WH	Light Almond Nickel White		120	
RF Remote Switch 	LC2203-LA LC2203-NI LC2203-WH	Light Almond Nickel White		120	

Note: Wall plates sold separately.



DOWNLOAD THE LEGRAND LIGHTING CONTROL APP

Convenient control of your lighting from the intuitive app available for Android and iOS smartphones and tablets.

RF LIGHTING CONTROL

NAME	CATALOG NUMBER	COLOR/FINISH	MAX LOAD	NOTE
RF Scene Controller 	LC2303-LA LC2303-NI LC2303-WH	Light Almond Nickel White		
Plug-In RF Tru-Universal Lamp Module 	LC2150	White	300W Incandescent 300W ELV 200W CFL 200W LED	
The Hub 	LC7001	Black		The Hub works in conjunction with the Legrand Lighting Control iOS and Android app to enable control and automation for all Legrand RF Lighting Control devices through smartphones and tablets.
RS232 to RF Interface 	MR232-G	Black		Enables integration of a third party control system with the Whole-House Lighting System. Features a two-wire interface from other control systems and two operating modes (maintained or momentary type inputs). Includes power supply.
Repeater & Away Emulator 	MRR2-G	Black		Provides extra security when you're on vacation. Records the normal usage of lights throughout a 24-hour period and then plays them back when you're not at home. Also expands the range of the system from 100' to 300'.
In-Wall 2000W Box Dimmer 	MR2000	Black		Supports the addition of large lighting loads (up to 2000W) to the RF Lighting System.
Plug-In Small Appliance Module 	MRP7-W	White		Allows remote control of small appliances such as coffeemakers, radios, and TVs when used with the RF Lighting System. Simply plug the module into any grounded, 120V outlet and then plug the appliance into the module.

Note: Wall plates sold separately.

SCREWLESS WALL PLATES

How to build a better wall plate? Try clean lines and a low profile with no screws in sight.

NAME	GANGS	PART NUMBER
Black	1-Gang	RWP26BK
	2-Gang	RWP262BK
	3-Gang	RWP263BK
	4-Gang	RWP264BK
	5-Gang	RWP265BK
	6-Gang	RWP266BK
Brown	1-Gang	RWP26
	2-Gang	RWP262
	3-Gang	RWP263
	4-Gang	RWP264
	5-Gang	RWP265
	6-Gang	RWP266
Grey	1-Gang	RWP26GRY
	2-Gang	RWP262GRY
	3-Gang	RWP263GRY
	4-Gang	RWP264GRY
	5-Gang	RWP265GRY
	6-Gang	RWP266GRY

NAME	GANGS	PART NUMBER
Ivory	1-Gang	RWP26I
	2-Gang	RWP262I
	3-Gang	RWP263I
	4-Gang	RWP264I
	5-Gang	RWP265I
	6-Gang	RWP266I
Light Almond	1-Gang	RWP26LA
	2-Gang	RWP262LA
	3-Gang	RWP263LA
	4-Gang	RWP264LA
	5-Gang	RWP265LA
	6-Gang	RWP266LA
White	1-Gang	RWP26W
	2-Gang	RWP262W
	3-Gang	RWP263W
	4-Gang	RWP264W
	5-Gang	RWP265W
	6-Gang	RWP266W


METALLIC SCREWLESS WALL PLATES

NAME	GANGS	PART NUMBER
Dark Bronze	1-Gang	RWP26DBCC6
	2-Gang	RWP262DBCC6
	3-Gang	RWP263DBCC6
	4-Gang	RWP264DB
	5-Gang	RWP265DB
	6-Gang	RWP266DB
Graphite	1-Gang	RWP26GCC6
	2-Gang	RWP262GCC6
	3-Gang	RWP263GCC6

NAME	GANGS	PART NUMBER
Nickel	1-Gang	RWP26NICC6
	2-Gang	RWP262NICC6
	3-Gang	RWP263NICC6
	4-Gang	RWP264NI
	5-Gang	RWP265NI
	6-Gang	RWP266NI



radiant layers on the style with tasteful color and metallic finish options to coordinate with any decor. radiant screwless wall plates (sold separately) are available in up to six-gang options.



INDEX BY PART NUMBER

INDEX BY PART NUMBER

PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.
Symbols		2097TRBK	24	HMKITW	16
885TRDBCC12	22	2097TRGRY	24	HMRKIT	16
885TRGCC12	22	2097TRI	24	HMRKITBK	16
885TRGRY	22	2097TRLA	24	HMRKITDB	16
885TRI	22	2097TRW	24	HMRKITGRY	16
885TRLA	22			HMRKITI	16
885TRNICC12	22	A		HMRKITLA	16
885TRW	6, 22	AF152TR	25	HMRKITNI	16
885TRWR	22	AF152TRBK	25	HMRKITW	16
885TRWRI	22	AF152TRGRY	25	HMRTC	16
885TRWRLA	22	AF152TRI	25	HMRW	16
885TRWRW	22	AF152TRLA	25		
885W	22	AF152TRW	25	L	
1597NTLTRBKCC4	24	AF202TR	25	LC2101-LA	26
1597NTLTRDBCC4	24	AF202TRBK	25	LC2101-NI	26
1597NTLTRICC4	24	AF202TRGRY	25	LC2101-WH	12, 26
1597NTLTRLACC4	24	AF202TRI	25	LC2102-LA	26
1597NTLTRNICC4	24	AF202TRLA	25	LC2102-NI	26
1597NTLTRWCC4	24	AF202TRW	25	LC2102-WH	26
1597SWTTRBKCC4	24	AF202DFI	25	LC2103-LA	26
1597SWTTRICC4	24	AF202DFLA	25	LC2103-NI	26
1597SWTTRLACC4	24	AF202DFW	25	LC2103-WH	13, 26
1597SWTTRWCC4	24	AFGF152TR	25	LC2150	27
1597TR	24	AFGF152TRBK	25	LC2201-LA	26
1597TRA	24	AFGF152TRGRY	25	LC2201-NI	26
1597TRABK	24	AFGF152TRI	25	LC2201-WH	26
1597TRAI	24	AFGF152TRLA	25	LC2203-LA	26
1597TRALA	24	AFGF152TRW	25	LC2203-NI	26
1597TRA	24	AFGF202TR	25	LC2203-WH	26
1597TRBK	24	AFGF202TRBK	25	LC2303-LA	27
1597TRDBCC4	24	AFGF202TRGRY	25	LC2303-NI	27
1597TRGCC4	24	AFGF202TRI	25	LC2303-WH	12, 27
1597TRGRY	24	AFGF202TRLA	25	LC7001	27
1597TRI	24	AFGF202TRW	25		
1597TRLA	24	AFGF202DFI	25	M	
1597TRNICC4	24	AFGF202DFLA	25	MR232-G	27
1597TRW	6, 24	AFGF202DFW	25	MR2000	27
1597TRWR	24			MRP7-W	27
1597TRWRBK	24	H		MRR2-G	27
1597TRWRGRY	24				
1597TRWRI	24	HCL453PMMTC	16		
1597TRWRLA	24	HCL453PMMW	4, 16	N	
1597TRWRW	24	HMKIT	16	NTL873BKCC6	23
1597W	24	HMKITBK	16	NTL873ICC6	23
2097NTLTRGRY	24	HMKITDB	16	NTL873LACC6	23
2097NTLTRI	24	HMKITGRY	16	NTL873NICC6	23
2097NTLTRLA	24	HMKITI	16	NTL873WCC6	23
2097NTLTRW	24	HMKITLA	16	NTL885TRBKCC6	23
2097TR	24	HMKITNI	16		

PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.
NTL885TRICC6	23	RH4FBL3PW	14	RWP26I	28
NTL885TRLACC6	23	RH703PDBCCV4	14	RWP26LA	28
NTL885TRNICC6	23	RH703PNICCV4	14	RWP26NICC6	28
NTL885TRW	9, 23	RH703PTC	14	RWP26W	28
NTLFULLTC	23	RH703PTUTC	14	RWP262	28
NTLFULLW	8, 23	RH703PTUW	4, 14	RWP262BK	28
NTLHORZTCCC6	23	RH703PW	14	RWP262DBCC6	28
NTLHORZWCC6	23	RH1103PTC	14	RWP262GCC6	28
		RH1103PW	14	RWP262GRY	28
R		RHCL453PDBCCV4	15	RWP262I	28
		RHCL453PGCCV4	15	RWP262LA	28
R26USBACBK	21	RHCL453PNICCV4	15	RWP262NICC6	28
R26USBACDBCCV4	21	RHCL453PTC	15	RWP262W	28
R26USBACI	21	RHCL453PW	15	RWP263	28
R26USBACLA	21	RHDH163PBCCCV4	17	RWP263BK	28
R26USBACNICC6	21	RHDH163PGCCV4	17	RWP263DBCC6	28
R26USBACW	10, 21	RHDH163PTC	17	RWP263GCC6	28
R26USBCCBK	21	RHDH163PW	17	RWP263GRY	28
R26USBCCDBCCV4	21	RHFB83PTC	15	RWP263I	28
R26USBCCCI	21	RHFB83PW	15	RWP263LA	28
R26USBCCLA	21	RHKIT	15	RWP263NICC6	28
R26USBCCNICC6	21	RHKITBK	15	RWP263W	28
R26USBCCW	21	RHKITDB	15	RWP264	28
RCD11BKCC6	19	RHKITGRY	15	RWP264BK	28
RCD11DBCC6	19	RHKITI	15	RWP264DB	28
RCD11I	19	RHKITLA	15	RWP264GRY	28
RCD11LA	19	RHKITNI	15	RWP264I	28
RCD11NICC6	19	RHKITW	15	RWP264LA	28
RCD11W	5, 19	RHLV703PTC	15	RWP264NI	28
RCD33BK	19	RHLV703PW	15	RWP264W	28
RCD33DBCC6	19	RHLV1103PTC	15	RWP265	28
RCD33I	19	RHLV1103PW	15	RWP265BK	28
RCD33LA	19	RRW600UBCCCV4	20	RWP265DB	28
RCD33NICC6	19	RRW600UGCCV4	20	RWP265GRY	28
RCD33W	19	RRW600UTC	20	RWP265I	28
RCD38TRBK	19	RRW600VTC	20	RWP265LA	28
RCD38TRDBCC6	19	RT2BK	20	RWP265NI	28
RCD38TRI	19	RT2DBCCV4	20	RWP265W	28
RCD38TRLA	19	RT2GCCV4	20	RWP266	28
RCD38TRNICC6	19	RT2I	20	RWP266BK	28
RCD38TRW	7, 19	RT2LA	20	RWP266DB	28
RCD113BK	19	RT2NICCV4	20	RWP266GRY	28
RCD113DBCC6	19	RT2W	20	RWP266I	28
RCD113I	19	RWC826USBWCCV2	10, 21	RWP266LA	28
RCD113LA	19	RWP26	28	RWP266NI	28
RCD113NICC6	19	RWP26BK	28	RWP266W	28
RCD113W	19	RWP26DBCC6	28		
RCDLM	19	RWP26GCC6	28		
RH4FBL3PTC	14	RWP26GRY	28		

INDEX BY PART NUMBER

PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.
T					
TM826USBBK	21	TM870ISL	18	TM874	18
TM826USBGCCV4	21	TM870LA	18	TM874ABCC6	18
TM826USB	21	TM870LASL	18	TM874BK	18
TM826USBLA	21	TM870NICC10	18	TM874DBCC6	18
TM826USBNICC6	21	TM870W	18	TM874I	18
TM826USBW	11, 21	TM870WSL	18	TM874ISL	18
TM8USB4BKCC6	21	TM873	18	TM874LA	18
TM8USB4ICC6	21	TM873BK	18	TM874LASL	18
TM8USB4LACC6	21	TM873DBCC10	18	TM874NICC6	18
TM8USB4NICC6	21	TM873GCC10	18	TM874W	18
TM8USB4WCC6	11, 21	TM873GRY	18	TM874WSL	18
TM870	18	TM873I	18	TR26352R	22
TM870BK	18	TM873ISL	18	TR26352RBK	22
TM870DBCC10	18	TM873LA	18	TR26352RGRY	22
TM870GCC10	18	TM873LASL	18	TR26352RI	22
TM870GRY	18	TM873NICC10	18	TR26352RLA	22
TM870I	18	TM873W	18	TR26352RW	22
		TM873WSL	18		

the radiant[®] collection

designed to be better.™



Legrand, North America

60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us/radiant

Canada
1.800.723.5175; 905.738.9195
www.legrand.ca/radiant

Costa Rica
+506.298.56.04; +506.239.71.13
www.legrand.crv