

# 2019 MASTER PRODUCT CATALOG

# Wilmar Corporation

P.O. Box 88259 Tukwila, WA 98138

- 1 800 426-1262 USA & Canada
- 1 800 352-9185 Fax
- www.wilmarcorp.com
- · 1 425 970-6970 Local
- · 1 206 394-2130 Local Fax
- · e-mail: tools@wilmarcorp.com

### TO BE A MARKET LEADER THROUGH A DYNAMIC APPROACH TO OUR CUSTOMERS NEEDS BY PROVIDING SUPERIOR SERVICE AND QUALITY PRODUCTS THROUGH A HIGHLY MOTIVATED TEAM.

Wilmar Corporation was founded in 1971. Based in Renton Washington, Wilmar supplies major retailers as well as distributors throughout North America. By providing quality tools, great service, and innovative packaging and product support, Wilmar has become one of the leading distributors of professional tools in North America.

Trading under the brand names of Performance Tool<sup>™</sup>; airTIGHT<sup>™</sup>; Performance Tech<sup>™</sup>; Mechanics Products<sup>™</sup>; PT Power<sup>™</sup>; Project Pro<sup>™</sup>; Northwest Trail<sup>™</sup> and ATAK<sup>™</sup>, Wilmar focuses on providing a superior level of service and quality products that exceed our customer's expectations of product that carries our "Guarantee of Satisfaction".

Wilmar employs a dedicated team of industry experts, to provide support and assistance to meet the needs of our customers, including a team of customer service professionals who will answer the phone when you call – from 6.00 am to 5.00 pm Pacific time.

Wilmar Corporation sources product throughout the world to competitively provide an extensive range of quality automotive tools. Our large distribution facility in Renton, WA, which is conveniently located within 20 minutes of the closest US port to Asia, affords us the opportunity of responding to customer requests or changes in demand in a timely manner. Our focus on service is reflected in our ability to provide as much as a truck load or as little as one item from our extensive range of over 4500 sku's.

#### \*California Residents:

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov.



© Copyright 2018 Wilmar Corporation. This material is being furnished for the exclusive use of Wilmar Corporation customers and may only be used in connection with the sale of Wilmar®, airTIGHT, Northwest Trail®, Performance Tool®, Project Pro®, PT Power®, Mechanics Products® and ATAK® brand merchandise. Any other use is strictly prohibited. Illustrations and photographs are intended for reference only. Actual products may vary. On occasion, after printing of our catalogs, flyers or other sales aids is completed, the manufacturers may make changes and/or modifications to merchandise which will not be reflected in this literature. Accordingly, when ordering, please inquire of our sales representative as to any such changes or modifications which have been made following publication. Wilmar is not responsible for typographical errors.



## 1500 WATT INFRARED SHOP HEATER

- Infrared technology heats up the person or object rather than the air.
- Energy efficient operation coverts nearly all energy into heat.
- Carbon fiber glass enclosed tube heats up quickly and evenly.
- Moisture resistant for operation in or covered outdoors (do not expose directly to rain or water).
- Adjustable thermostat levels for optimum indoor and outdoor comfort and automatic overheating shut-off.

W5008\* Sold As Each



### HIGH BACK PNEUMATIC SHOP STOOL

- Pneumatic action adjusts seat height from 25 to 31" (64 to 79cm) quickly and easily.
- Oversized synthetic leather foam padded seat with 360° swivel.
- Heavy duty 1-1/4" (3.8cm) steel tubing frame with matte black powder coated finish.
- Extra wide foot stool base comes pre-assembled.
- 330lb weight capacity.
   W85031\*

Sold As Each

# **CREEPER SEAT** WITH STORAGE

- Flip top tool chest with two ball bearing sliding drawers provide a total of 572 cubic inches of storage.
- Comfortable vinyl padded cushion and reinforced seat support up to 350 lbs.
- Dual side trays provide additional storage for pliers, screwdrivers and other tools.
- 2-1/2" full bearing casters for smooth movement.

W85024\* Sold As Each

- **HEAVY DUTY SHOP MAT**
- Closed cell vinyl construction is durable, easy to clean and stays flat.
- Provides a large non-slip surface, is tear and abrasion resistant.
- Aint-fatigue to alleviate pressure on your feet.
- 47.25" x 35.5" (1200mm x 900mm).

W88983\* Sold As Master: 6



# MOVING Blankets

- Non-woven polyester outer shell with a cotton/polyester fill for padding.
- Double stitched non-woven fabric ensures your blanket will be durable.
   All and a sta finished to
- All ends are finished to keep blanket from unweaving or fraying for long life.

W6044\* 40" X 72" Inner: 1 Master: 8

W6045\* 80" X 72" Inner: 1 Master: 4



- Soft bristles for use on smooth to medium surfaces.
- 60" (1500mm) powder coated steel handle with universal aluminum ferule and handle with hang hole.
- 15/16" (23.8mm) diameter steel handle. W28\*

Sold As Master: 12



\*California Residents Prop 65 warnings see page 2.

EC SHOP BROOM

# SOLAR POWERED MOTION LIGHTS

- Uses professional grade lifetime licensed COB technology strips.
- 8-10 hr solar charging time.
- Output: 30 second intervals when motion is detected in the dark.



700\* 350LM ATAK

#### Inner: 6 Master: 24 705\* 2-PK 350LM

## Inner: 6 Master: 24

- 2 functions: high 350 LM,
- low 175 LM. Powered by (1) 18650 3.7v 1200mAh lithium ion rechargeable battery, included.

701\* 460LM Inner: 6 Master: 24

706\* 2-PK 460 LM Inner: 6 Master: 24

- 2 functions: high 460 LM, low 230 LM.
- Powered by (1) 18650 3.7v 1500mAh lithium ion rechargeable battery, included.



- 702\* 900LM Inner: 6 Master: 24
- 2 funtions: high 900 LM, low 450 LM. Powered by (1) 18650 3.7v 1800mAh lithium ion rechargeable battery, included.

# **3-PC 70LM PENLIGHT**

ATAK

- Uses professional grade lifetime SMD.
- Aerospace anodized aluminum housing.
- 70 LM, 6.5 hr runtime, 98ft beam distance.
- Water resistant.

Δ

Powered by 2AAA batteries, included.



# **420LM FLASHLIGHT**

- Uses professional grade lifetime LED.
- On high: white 420 LM 2 hr runtime 269ft beam distance •
- Pro-Focus design to easily switch from spot to flood output. Convex lens allows for 4X adjustable zoom.

ATAK

- •
- Steel belt / pocket clip.
- Powered by 1AA battery, included. 581\*
- Inner: 12 Master: 72



- Uses licensed COB Chip-On-Board technology light strip.
- Uses professional grade lifetime LED. •
- 7 functions: LED+SMD Spot+Flood, white hi beam, white low beam, white spot, blue spot, red spot, red flasher.
- 210 LM, white hi beam
- Powered by 3AAA batteries, included.





**HEAD LAMP &** FLASHLIGHT SET Inner: 8 Master: 32

# 130LM RECHARGEABLE PENLIGHT

- IP67 rated.
- 130 LM output, 3.5 hr runtime. Powered by (1) 14500 700mAh rechargeable lithium
- ion battery, included with USB charging cable. 623\*



**600LM RECHARGEABLE** 

HEAD LAMP

• 3-4 hour charging time.

4 different light functions

295ft beam distance

563\*

Inner: 12

Master: 48

High 600 LM - 1.2 hr runtime

• Magnetic USB charge cable included.



- USB port for battery charging.
- Flameless and wind resistant electric lighter.
- LED light. 9 hr power bank
- charging time.
- 2000mAh power bank capacity. 800\*

Inner: 10 ATAK Master: 40

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

# 95-PC PEG HOOK ASSORTMENT

- All steel construction with zinc plated finish.
- For use with standard 1/8" and 1/4" pegboard.
- Single hole hooks feature anchor pin for better stability. Includes 45 clips to hold peg hooks in place.
- Weight capacity: 10 lbs. W5160\* Inner: 12 Master: 24

# **ABRASIVE SPOT BLASTER GUN**

- Top mounted gravity feed ABS hopper holds up to 510 ml (17.2 fl oz) of blast media.
- 5mm zinc plated nozzle and reinforced plastic gun body is both lightweight and durable.
- Includes 2- 1KG bottles of Silicone Carbide (carborundum) blast media.
- Specifications: Nozzle size: 5mm, Average air consumption: 6 CFM @ 90 PSI, air inlet: 1/4" NPT, hose size 1/4" ID.

#### M545\* Inner: 1 Master: 10



# 1/4 IN. X 25 FT. RED **RUBBER AIR HOSE**

- Red rubber air hose with polyester yarn reinforcement.
- Features a class C oil. solvent, weather and abrasion resistant outer coating tough conditions.
- 300 PSI maximum operating pressure with a 800 PSI burst rating.

M606\* Inner: 1 Master: 12



# **FLOW-THRU PARTS** WASHER BRUSH

- Durable, injection-molded handle with ribbed design for firm grip.
- Solvent flows through core of brush handle and delivers solvent directly to the polyester bristles.
- Stiff 2-1/2" nylon bristles.
- Can be used with either petroleum or water based cleaning solutions.

W5404\* Inner: 6 Master: 36



# **4.5 IN. ABRASIVE WHEEL SETS**

- Premium aluminum oxide grain for fast cutting action and long life.
- Fully reinforced with fiberglass mesh for added safety and controlled performance.
- Up to 5X the life of flap discs.
- 13,300 RPM maximum RPM.

### W50007\* 10-PK CUT OFF

- Inner: 12 Master: 36 8pcs cut wheels 4-1/2" X
- 1/16" X 7/8" Type 27 hubless. • 2pcs grinding wheels 4-1/2"
- X 1/4" X 7/8" Type 27, hubless w/ depressed center.

W50008\* 5-PK CUT OFF Inner: 10 Master: 60

W50009\* 3-PK GRINDING Inner: 12 Master: 48



# **3-PK 4.5 IN. FLAP DISK SETS**

- The high grade zirconium (zirconia alumina) abrasive is self-sharpening as it cuts, lasting up to 5 times longer than standard aluminum oxide flap discs. • Durable fiberglass back provides high
- strength, is lightweight and absorbs vibration for superior performance and extended lifespan.

W50010\* 60 GRIT Inner: 12 Master: 48

W50011\* 120 GRIT Inner: 12 Master: 48

# **3-PC WIRE BRUSH SET**

- An assortment of three different wire brushes: 201 stainless. galvanized and brass.
- The unique curved profiles with a narrow face are perfect for accessing those hard-to-reach places.
- Brushes have 33 gauge 7/8" long steel bristles.

W4990\* Inner: 6 Master: 24

performancetool.com

# **3-IN-1 MULTI-CUTTER**

- Anvil cutter, wire cutter and box cutters all in one.
- Razor sharp blades cut easily.
- Titanium coated wire cutter makes it easy to trim 7mm diameter copper, aluminum and soft steel wire or cable and up to 4mm diameter nails.
- Retractable anvil exposes 3/8" (10mm) of the blade for cutting boxes, carpet, drywall and more.
- Includes 3 extra blades stored in handle. W2045\*

Inner: 6 Master: 24

#### **HEAVY DUTY KNEE PADS**

- Impact resistant heavy duty polypropylene outer shell.
- Foam rubber inner with nylon liner. • Quick release, adjustable hook and loop straps.
- W88972\*

Inner: 1 Master: 12

W2045-1\* REPLACEMENT BLADES Inner: 12 Master: 144

 Includes 2 cartridges with 3 blades each, designed to slide directly into Multi-Cutter handle.

# HEAVY DUTY CAULKING GUN

- Heavy duty 10 oz. rotating barrel caulking gun.
- Aluminum handle, steel barrel with a smooth rod and comfort grip end.
- Rotating barrel enables application round tight corners without the need to reposition the nozzle.

# HIGH CAPACITY FOOT PUMP

- Oversized 350ml capacity barrel delivers up to twice the amount of air per pump than standard foot pumps.
- 24" long hose with locking valve and adapter for fit Presta and Schrader type valve stems.
- Safely provides up to 100 PSI inflation capacity. • with a max PSI of 120.



W1631\* Inner: 4 Master: 16

W54295\* Inner: 6 Master: 36

# **102-PC DRILL & DRIVER BIT SET**

- Large 2 sided flip case with crystal clear lid so you can easily find bit needed to do the job! • Includes 1" (60) Phillips, slotted, star, hex and
- square bits. 2" (12) Phillips, slotted and square bits. 5" (2) Phillips bits. 2" magnetic bit holder, (3) socket adapters and 24 titanium coated drill bits.



Inner: 4 Master: 8



## **89-PC ROTARY BIT ACCESSORY SET**

- Everything you need to cut, grind, sand, polish sharpen and clean.
- For 1/8" collet rotary tools such as Performance Tool item number W50031, W50083 and W50003.
- Includes small and large sanding bands, carbide grinding wheel, nylon, steel and brass brushes, cut-off wheels, drills bit, 9 hole cutting wheel, felt polishing wheels, diamond wheel head, grinding paste, grinding mandrels

and more. W9042\*

Inner: 4 Master: 24

6" X 3-1/2" small footprint



## **ELECTRONIC PARKING BRAKE TOOL**

- Read diagnostic trouble codes, data stream, ECU information, and parking brake system information.
- Deactivate/activate the SBC Sensotronic Brake Control.
- Opens/closes the calipers for servicing pads.
- Change brake fluid or bleed the brake system.
- Multilingual English and Spanish. W3000\*
  - Inner: 12 Master: 36



# **DIGITAL 12V BATTERY ANALYZER**

- Digital display indicates the condition of your battery and charging system.
- Tests 12VDC systems, guiding you
- through the testing process. Battery CCAs: 200-1200 Battery
- Types: LA, AGM, and VRLA.
- Voltage: 7-15VDC Testing Standards: SAE, DIN, EN, IEC, CA



# FUEL INJECTION PRESSURE TESTER

- Quickly and accurately diagnose drivability problems relating to the fuel injection system.
- Identify low pressure, faulty pressure regulator, leaking injectors, leaks or clogged fuel filters.
- Large, easy-to-read 2" dial 0-100 PSI scale.
- Durable 16" gauge hose and 6' bleed-off hose with solid brass fittings. W80595\* Inner: 6 Master: 24

## **FUEL TANK LOCK RING TOOL**

- Remove and install serrated fuel tank retaining rings that hold the pump module inside the tank.
- Fully adjustable feet fit both inside and outside grip retaining rings from 3 to 7-1/4'
- Use with both 3/8" and 1/2" drive ratchets, adapter included.

#### W80668\* Inner: 6 Master: 24



# 7-PC BIT SET

- A necessary tool set when working on VW-Audi-Porsches.
- For working with head bolts, disc brake calipers, axle shafts and other applications. For jobs requiring a triple square serrated bit.
- W83016\* VW-AUDI-PORSCHE



# TRIM CLIPS

- Essential retainers, fasteners, and clips needed for the auto body panels.
- Includes convenient organizer with illustrated insert for quick part reference.
- These parts are made of OEM quality nylon for OEM installation, fit, and finish.

W5247\* 475-PC MAZDA Inner: 1 Master: 10 W5248\* 290-PC BMW Inner: 1 Master: 10 W5249\* 255-PC VOLKSWAGEN Inner: 1 Master: 10

W5256\* 160-PC AUDI

Inner: 1 Master: 10

W5257\* 270-PC MERCEDES Inner: 1 Master: 10

W5258\* 408-PC NISSAN Inner: 1 Master: 10



## WHEEL STUD PILOT PIN SET

- Wheel stud pilot pins remove and install wheels on many European vehicles that use screw in lug bolts.
- Set includes four pairs of metric threaded stud pins that allow you to hang the wheel. Includes 2 each; 12mm x 1.25, 12mm x 1.5, 14mm x 1.25, and 14mm x 1.5. W83017\*

Inner: 6 Master: 24

# 6-PC MULTI-WEDGE TOOL SET

- Designed to gently remove door panels, dashboards, consoles, and more.
- Removes trim molding, bezels, and various clips and plastic fastens.
- Features different wedge shapes allowing you to get under and lift pieces

away without damage. W80647\* Inner: 6 Master: 24





- **4-PC DOUBLE ENDED HOOK & PICK**
- Use for precision assembly, hobby, pulling O-rings, cotter pins, springs, washers, etc.
- Set includes four different tools, each with a different sharp stainless steel tipped end.
- Pick and hook types: Small angle hook, straight pick, full hook and 90 degree hook. W80749\*

Inner: 24 Master: 96



performancetool.com

## SIPHON HOSE W/BACK FLOW VALVE

- Safely transfer most liquids from one container to another with ease.
- Back flow valve prevents unwanted reverse flow of any liquid.
- Siphon pump allows quick and easy transfer of gasoline, water and most other liquids.
   Two 2011 all and any registrant.
- Two 32" oil and gas resistant hoses give you plenty of reach for deep containers.

W54156\* Inner: 6 Master: 24





## 5-GAL PAIL PUMP W/FLEX HOSE

- Ideal for transferring mild chemicals, water based solutions, motor oils, and transmission fluid.
- Durable pump delivers approx. 8 fluid ounces per stroke.
- No special tools to install, flexible 22" clear discharge hose.
- Suction Inlet includes a 1/2" barbed end if additional hose is needed.

W54286\* Inner: 1 Master: 20

## EXTRACTION & FILL PUMP 200CC

- Remove brake fluid, coolant, gear oil, or power steering fluid prior to brake work or other repairs.
- The body of the cylinder is calibrated with both English & Metric measurements.
- Includes two 7-1/2" hoses; one 5/16" and one 1/4" with a coupler to

join them together. W54173\* Inner: 12 Master: 24

UNIVERSAL COOLANT FILLING SET • Raises the coolant filler point

- Haises the coolant filler point for removal of air pockets trapped in the cooling system.
- Clear air locks on vehicles that have radiators mounted lower than the intake manifold.
- Filler Cone features brass flow shut off valve, air bleeder line and built-in handle.
   W89738\*

Inner: 1 Master: 10



**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

## 27 IN. 4 WAY TRUCK LUG WRENCH

- For use on larger equipment including heavy duty trucks, buses and tractors.
- Drop-forged to provide strength and durability.
   Socket sizes provided fit most metric lug nuts on today's equipment. Stock: 1" (25 mm).
- Wrenches have a center hole to accommodate a leverage bar.

#### W13\* METRIC

#### Inner: 1 Master: 2 Inne

 Metric sizes include 24, 27, 30, and 33mm. Inner: 1 Master: 2 • SAE sizes: 1-1/16", 1-1/4", 1-1/2", and 13/16' square.

W14\* SAE

## 1/2 IN. DR. 17MM MERCEDES LUG NUT

- Non-marring socket for safe and effective removal of Mercedes type 17mm convex lug bolts.
- Helps prevent damage to flower head type lug nuts.
- Protective sleeves and plastic inserts prevent scratching of wheels and lug nuts.
- Hollow design allows room for removing longer bolts.
- Color coded for easy identification.
   W32927\*

1/2





#### 12V PORTABLE VACUUM CLEANER

- High powered suction in a compact, portable and lightweight unit.
- Replaceable and washable HEPA filter captures smaller particles.
- Connects to a 12V outlet in your vehicle.
- Includes 5 attachments



# **RATCHETING CARGO BAR**

- Ratcheting cargo bar installs easily to prevent cargo from shifting in trucks, vans, and SUVs.
- The ratchet mechanism is used to add more tension for a tighter, stronger hold.
- Cushioned rubber end pads to guard against slipping and scratches.
- The steel bar adjusts from 40"-70".
- Warning: Not suitable for use as hang bar or lifting jack.

W1447\*



#### Clamps feature integrated LEDs to illuminate your working area at night or in a dark garage. Red/black non-conductive clamps for easy polarity identification with

- for easy polarity identification with tangle-free rubber coated cables.
  Standard duty for large cars and
- dialidate duty for large cars and mid-size pick-up trucks and SUVs.
  4 gauge, 10 foot,
- 4 gauge, 10 1001, 220 AMP/400 peak.

W1675\* Inner: Master: 6



# 10 FT. LIGHTED JUMPER CABLES

JUMPER CABLES





# performancetool.com



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

# **3-PC SOCKET ADAPTER SETS**

- Transforms your power drill into a power nut/socket driver.
- Free spinning collar allows you to maintain a positive grip while fastening.
- Durable Cr-V construction with black phosphate finish.
- Ball bearing ensures sockets are securely seated. Color coded 1/4, 3/8 and 1/2" drive sizes.

#### W9035\* 2-1/2"

- Inner: 12 Master: 120
- 2-1/2" total length (63mm).

#### W9036\* 8"

- Inner: 10 Master: 60
- 8" total length (200mm).

# SEALED HEAD RATCHETS

# Chrome vanadium alloy steel construction for

- strength and durability.
- Oversized aluminum handle for a more positive grip.
- 90 gear teeth provide a precise 4 degree sweep.

3/8

1/2

- Fully sealed head for easy cleanup.



#### 6" total length.

W38131\* 3/8" Dr. Inner: 6 Master: 24

#### 9" total length.

W32131\* 1/2" Dr. Inner: 6 Master: 24

#### • 10.5" total length.

## 1/2 IN. DR. 22/22.5MM FLIP IMPACT SOCKET

- Two-in-one flip socket features 2 sizes in one tool. Drop forged chrome molybdenum steel for
- strength and durability.
- For use with 1/2" drive extended anvil shank impact tools or 1/2" drive impact extensions.
- Applications: all Dodge 22mm chrome-capped lug nuts & all Dodge 16 to 17" aluminum wheels.

M773\* Inner: 6 Master: 96



1/2

# **12-PC STAR PLUS BIT SOCKET SET**

- Improved star design virtually eliminates cam-out and damage to fastener. Precision machined bits and straight
- drive angle help reduce fastener wear. Chrome vanadium alloy steel
- construction for strength and durability. 1/4" Drive sizes: TP8, TP10, TP15,
- TP20, TP25, TP27 and TP30; 3/8" Drive sizes: TP40, TP45, TP50 and TP55; 1/2" Drive sizes: TP60.

W38804\* Inner: 6 Master: 24





#### **10-PC SOCKET RAIL** 1/4 **REPLACEMENT CLIPS**

- Ten (10) replacement clips.
- Clips feature spring loaded ball bearings for easy on/off.
  - To install on either model: remove plastic end piece from rail portion, remove any unwanted clips, slide on new clips and replace plastic cap.

#### W36003-1\* 1/4" Dr.

Inner: 20 Master: 200 For use with W36001 and W36003.

#### W38003-1\* 3/8" Dr.

- Inner: 20 Master: 200
- For use with W38003 and W38004.

#### W32003-1\* 1/2" Dr.

Inner: 20 Master: 200 For use with W32003 and W32004.

# 8-PC LOW PROFILE SOCKET SETS

- At less than an inch deep these are 20% shorter than standard shallow wall sockets.
- Corrosion and oil resistant black phosphate finish.
- High quality chrome molybdenum alloy steel.
- 3/8" drive
- Includes socket storage trav.

#### W38590\* METRIC

Inner: 4 Master: 16 • Sizes: 8, 10, 12, 13, 14, 15, 17, 18mm.

#### W38592\* SAE

Inner: 4 Master: 16 Sizes: 5/16, 3/8, 7/16, 1/2, 9/16, 11/16, 3/4".

## 4-PC 1/2 IN. DR. **P SOCKET SET**

- Drop forged chrome molybdenum steel for strength and durability.
- For use with 1/2" drive extended anvil shank impact tools or included 1/2" drive x 3" extension.
- Thinner walls provide better access in tight areas.
- Rounded corners for a tighter grip.
- Sizes: 17, 19 & 21 mm, 3/4, 13/16 & 7/8".

#### M774\*

Inner: 6 Master: 24 IMPACT

## **15-PC STAR BIT SOCKET SET**

Includes fourteen 6 point star bits in two lengths and twelve popular sizes.

1/2

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- 3/8" Drive 10mm hex bit holder.
- 30mm (1.25") bit sizes: T10, T15, T20, T27 and T30.
- 75mm (3") bit sizes: T20, T25, T30, T40, T45, T47, T50, T55 and T60. W38805\* 999

Inner: 6 Master: 24



\*California Residents Prop 65 warnings see page 2. 11



1/2

M**41**80

EIE

4 FLIP SOCKET SET

ELE







## LED HELPING HANDS MAGNIFIER

- Dual magnifiers: 2.5X, 3.25" (90mm) acrylic magnifying lens with integrated 6X 0.75" (20mm) precision lens.
- LEDs provide additional light when needed.
- Adjustable clamps and ball joint swivel arm position and hold work at any angle.
- Two alligator clamps hold light materials steady.
  Heavy duty cast iron base with pencil type
- soldering iron holder.





# **8 IN. ANGLED MULTI-WIRE STRIPPERS**

- Multifunction tool allows you to cut, strip, crimp, twist and shear for a
- range of electrical projects.
  Strip and cut 10-18 AWG solid
- wire and stranded and 12-20 AWG stranded wire.
- Offset long nose provides extra reach and a more comfortable grip.
- Crimper for insulated and noninsulated connectors.
- Built-in cutter for 6-32 and 8-32 bolts/screws.

W86505\*

Inner: 10 Master: 60

# **6 IN. WIRE STRIPPERS**

- Cuts, strips and loops 10-20 AWG solid and stranded copper wire.
- Long nose pliers nose for gripping, bending, shaping and pulling wire.
- Easy to operate spring loaded handles with swivel lock.

W86504\* Inner: 12 Master: 72

## 8 IN. WIRE STRIPPERS

- Strips and cuts 12-24 AWG stranded and 10-22 AWG solid wire.
- Wire cutter with precision machined cutting edges.
- Bolt cutter cuts bolts sizes 4-40 to 10-24.
- In-handle crimper for insulated and noninsulated terminals and coaxial cable.
   W86503\*

Inner: 12 Master: 72

# 17-PC SOLDERING ACCESSORY KIT

- Soldering iron stand designed for most pencil style irons features heavy weighted base, coiled holder and solder sponge.
- Tools include solder vacuum, curved and straight tweezers, 6 double sided solder tools including straight and angled picks, chisel, tamper, pry tool, brush and flat blade.
- Replacement solder and 5 assorted replacement soldering tips.
   W2080\*

Inner: 6 Master: 36

# **HOOK PROBE CIRCUIT TESTER**

LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

- 6, 12, and 24 volt circuit tester with
- a wire piercing molded hook probe.
  Designed to easily identify shorts in circuits, fuses, test connections,
- wiring harnesses, and more.
  Stainless steel probe pierces and locks onto wires.
- Protects your fingers while keeping the wire centered for piercing.
- Long extended molded hook allowing testing in tight places or

limited access. W2993\* Inner: 12 Master: 48

Master: 48 BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister

## **UNIVERSAL MULTI-METER TEST LEAD**

- Slide-on alligator clips fit the probes for hands free applications.
- Includes protective caps for the probe tips preventing accidental shock risk.
- Leads are labeled with the + & symbols, and max test capacity of 1000V 10A.
  Rubber shrouded universal banana plug ends
- will fit most Multimeters.
- CAT II, CAT III rated 35" UL cables, approximate 41" total length.

#### W2937\*

Inner: 20 Master: 60



# **10-PC MULTICOLOR TEST LEAD SET**

• Color coded alligator clip leads provide a quick and easy connection for low voltage electric circuits.

**13-IN-1 ELECTRICIAN** 

**MULTI-TOOL** 

- 10pc double ended leads with insulated alligator clip.
- 5 different colors, 2 of each including; green, yellow,
- red, white, and black. 22 gauge wire approximately 21" long, with well insulated alligator clips.
- W2936\* Inner: 20 Master: 60





# **158-PC TWIST ON WIRE** CONNECTOR

- Cone-shaped springs pull wires into the connector making pre-twisting wires unnecessary.
- Outer shell features deep skirt design to prevent flashovers, shorts, and exposure to bare wires.
- Useful for most wiring connection for electricians, plumbers, contractors, and homeowners.

W5255\* Inner: 6 Master: 48





## **20-PC BACK PROBE LEAD SET**

- Kit includes 3 probe configurations in five colors and five matching color extension leads.
- Straight, 45 degree & 90 degree stainless steel probes in .027" and .040" diameters.
- Color coded for easy identification, and insulated bodies for testing up to 30 volts
- Matching colored 12" extension leads quickly plug in to permit testing in recessed areas.

W2938\*

Inner: 6 Master: 36





performancetool.com



# FIREPOINT FLASHLIGHTS

- Super Bright LED never needs replacing.
- Anodized tactical aluminum housing.

SUPER BRIGHT LED

Water and impact resistant.

ANODIZED TACTICAL **ALUMINUM HOUSING** 

• Adjustable DuoFocus beam goes from spot to flood.

**COOLING GROOVES** 20% Better Efficiency

NON ROLL IMPACT **RESISTANT COLLAR** 

W2656

FIREPOINT

 Improved thermal efficiency resulting in up to 20% better performance than comparable flashlights.

				Run	Ba	ttery	Overall
ltem	IP	MP	Lumens	Time	Qty	Туре	Length
W2649	6	24	200+	3 Hr	1	AA	4.25
W2651	6	24	400+	2 Hr	2	AA	6.25
W2652	6	24	500+	4 Hr	4	AAA	5.50
W2653	6	24	1250+	7 Hr	6	AA	7.75
W2654	6	24	1700+	5 Hr	9	AA	9.625
W2656	12	48	100+	4.5 Hr	3	AAA	4.625
W2657	6	24	325+	3 Hr	3	AAA	6.50

# FIREPOINT X PEN LIGHT

- Anodized tactical aluminum housing.
- Water and impact resistant.





# LUMENS

### FIREPOINT X RECHARGEABLE LI-ION FLASHLIGHTS

- Adjustable DuoFocus beam goes from spot to flood.
- Super Bright Cree LED never needs replacing.
- Anodized tactical aluminum housing.
- Water and impact resistant.
- Improved thermal efficiency resulting in up to 20% better performance than comparable flashlights.

#### W2655C\* 18650 DUAL CHARGER Inner: 6 Master: 24

- Includes 39" (1M) micro USB cable.
- Input voltage: DC 5V; Output voltage: 4.2V; Current: 650mA (x 2).



#### W2655B\* 18650 BATTERY Inner: 6 Master: 48

14

- Standard replacement 18650 cell with 2600mAh capacity.
- No memory effect recharge up to 1200 times whether fully or partially drained.

# W2655\* 3,000+ Inner: 6 Master: 24

FIREPOINT

ADJUSTABLE FOCUS BEAM

DUO

Focus

- Specifications: 3061 lumens and 3 hour runtime.
- Requires (2) 18650 Li-ion batteries (included).
- Includes USB battery charger.



#### W2658\* 1,000+ Inner: 6 Master: 24

- Specifications: 1001 lumens and 4 hour runtime.
- Requires (1) 18650 Li-ion battery (included) or 3AAA batteries (not included).

#### W2660\* 1.000+ HEAD LAMP Inner: 6 Master: 24

- Specifications: 1043 lumens (high)
- and 4 hour runtime (high). • Requires 18650 rechargeable
- lithium ion battery (included).



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

# **FIREPOINT BEACON LIGHTS**

- Rotary dial switch allows full adjustment of light output at any setting.
- Anodized aluminum housing with clip.
- High strength magnetic base.

#### W2320\* 2,000+

Inner: 4 Master: 24

- Versatile light provides up to 2,000 lumens in 360°.
- Power control dial allows operations of 1, 2, 3, or 4 lighted panels.
- Requires 9AA batteries (included).
- 2.5 hour runtime on high (4 panels).



#### W2321\* 400+

- Inner: 12 Master: 72
- Versatile light provides up to 400 lumens in 360°.
- Requires 3AAA batteries (included).
- Specifications: 402lm (high), 52lm (low), 4hr runtime (high), 13hr runtime (low).



MFNS





9.75"

Includes handy



performancetool.com

**FIREPOINT 243LM** PEN LIGHT

• Super bright Nichia LED never needs replacing.

4"

- Anodized aluminum housing with pocket clip.
  - Requires 3AAA batteries (included).
  - Specs: 243 lumens, 2.5 hour run time, 1300cd beam intensity, 72m beam distance. W2338\*

Inner: 12 Master: 72



# LED 192LM CLIP UTILITY LIGHT

- 360 degree swivel ball joint for directing light in any direction.
- Rare earth magnet on clip for
- Specifications: area light 192 lumens, spotlight 89 lumens, 1.5 hour run time (area light), 4.5 hour run time (spotlight).
- Includes 3AAA batteries. W2322\*

Inner: 12 Master: 48



\*California Residents Prop 65 warnings see page 2.

#### **3 IN. COLLAPSIBLE HIDE-A-KEY ROCK** Always have a spare key available to FUNNEL prevent locking yourself out. Collapsible space-No tools required to access or install saving design. simply place it near similar looking rocks. 3" wide opening Holds most standard sizes keys or other at the top. small valuables. Durable yet 1157\* flexible silicon Inner: 4 Master: 24 material. **D**ROJECT 1156\* **J**RO™ Inner: 6 Master: 48 **D**ROJECT DROM **4-PK PERMANENT** 4-PK 2 IN. IMPACT **POLYCARBONATE DRIVER BITS** MARKERS **BLACK SUNGLASSES** Red, green, Four of the most Black frames and dark grey tint. blue and black popular bits sizes for a Polycarbonate frame and lenses. permanent ink for variety of applications. Tapered for a universal fit. • 2" length is ideal for leaving your mark. Lens height: 1-1/2"; frame width: 5-1/8". Standard 5" marker most corded and 1162\* with non-toxic ink cordless drills. Inner: 4 Master: 24 and cap with pocket High guality Cr-V DR0" material will stand up to clip. heavy use. Dries permanently on most surfaces. Inner: 6 Master: 48 **D**ROJECT ROJECT 1160\* **J**RD" **D**RO = Inner: 6 Master: 48 ADHESIVE DASH **3-PC SOFT GRIP MINI GRIP PAD BRUSH SET** • Keep your cell phone or other items close at hand. Includes 1-1/2" long nylon, stainless steel and brass wire brushes with 1/4" detail brush. Stick items firmly to sticky pad to keep them securely mounted as you drive. · Comfortable rubber grip for improved comfort and Can also be used in bathroom, kitchen control. or office on most soft vinyl surfaces Washable and reusable. **RFID RESISTANT** 1166\* Inner: 6 **ALUMINUM WALLET** Master: 48 Keep your personal DRO information safe and thwart identity theft. 1513**\*** ROJECT Aluminum shell helps DRO Inner: 6 Master: 24 protect against unwanted RFID scanning. TAPE GUN W/PACKING TAPE Six expandable pockets hold up to 20 credit cards, • Must have item for moving, shipping packages or reorganizing. business cards, ID or bills. Includes 2" W x 54 yards of clear packing tape. 1167\* Steel frame with high impact plastic handle. Inner: 6 Master: 48 Spring loaded tape brake. **D**ROJECT DRO PACKING TAPE 1.88" wide x 54.6 vards (50mm x 50 Meters). 1518\* Tape Gun Use with Packing Tape Gun model 1518. Inner: 4 Master: 24 1168\* ROJECT Inner: 4 Master: 48 DRO"

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

# **2-IN-1 TRUNK ORGANIZER**

- Organize your trunk and keep food items cool with the insulated cooler insert.
- Sturdy construction holds up to
- 40 lbs and stores flat when not in use. Heavy duty 600D polycanvas.
- Expanded dimensions: 23 x 14 x 12" (58 x 36 x 30cm).

1515\*

Inner: 4 Master: 24





## 10 IN. TIRE & WHEEL BRUSH

- Soft nylon bristles clean dirt, dust and road grime from tires and wheels.
- Double looped bristle holders for maximum coverage.
- Comfortable molded rubber grip for positive control.
- 10" total length.

1519\* Inner: 4 Master: 24

## **6 IN. MULTI-USE HAND WIRE BRUSH**

- Soft cushion grip handle for comfort and control. 1" steel bristles with angled back for use in
- corners
- 1.5 x 6" (45 x 150mm) bristle area.

**SLIP-ON SHOE** 

**ICE GRIPS** 

just behind ball of foot.

1524\*

Inner: 4

Master: 24

#### 1520\* Inner: 4



Provide added traction on sidewalks, parking

Heavy duty rubber base with steel studs.

shoes up to 6" W x 3.5" H at the toe.

Simply place over the front of shoe

Adjustable hook and loop straps fit

lots and driveways in snow and icy conditions.

## **16-PC DRILL ADAPTER** & BIT SET

- Adapters convert 1/4" hex to 1/4, 3/8 and 1/2" square drive sizes.
- Bits sizes: slotted 3/16 & 1/4", Phillips, #0, #1, #2 (2), #3, Pozi #2, Square 1, 2.
- Fits standard 1/4" hex drive drill/driver chucks.
- 1523\*

Inner: 4 Master: 24

# WINDOW MOUNT CELL **PHONE HOLDER**

- Universal design fits most cell phones between 1-7/8 and 4" wide (47-100mm).
- Swivel ball joint adjusts to position your phone where you need and locks in place.
- Powerful suction cup attaches to your windshield
- or other non-porous surface. Push button release allows one-hand operation.

1527\* Inner: 4 Master: 24



00000000000



performancetool.com



- Glow-in-the-dark ends are good for use in low light.
- Elastic material provides constant tension and a firm hold.

1516\* Inner: 4 Master: 24

## WIRELESS LIGHTED SWITCHPLATE

- Features 6 LEDs in a switch-plate footprint for difficult to wire areas
- Attach with hook and loop strips, nail slot or magnets for easy removal and battery changes. Powered by 3AAA
- batteries (included). 1522\* Inner: 4 Master: 24



# **2 IN. WATER RESISTANT LOCK**

- Rubber covers help keep out moisture. dust and other contaminants.
- Hardened solid steel construction
- Supplied with four keys
- and sliding cover.
- 2" wide body holds key in when unlocked.

1526\* Inner: 4 Master: 24

RL

# **90° POST & CORNER** LEVEL

- Two way level great for checking alignment on a post or other angled edges.
- Attached easily with included rubber band or integrated magnets.
- Three bubble vials help ensure all sides are true. 1528\*

Inner: 4 Master: 24





LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



# **TABLE OF CONTENTS**

Auto Accessories79Bench Top Power Tools27Blowers30Brushes76-77Cable Ties82Cargo Control72Cleaning Brushes76Cords & Reels38-39Creepers & Seats54-56	Engravers	Power Tools20-37Roadside Accessories78Rotary Tools37Safety Gear70Saw Horses57Shop Presses53Soldering35Spot Lights44-45	Tool Boxes & Bags66-67 Tow Ropes & Pullers73 Transmission Jacks52 Utility Carts
Drills & Accessories 20-23	Mats & Trays	Stands & Benches 58	<u>S</u> E

98-99Electrical Testers106-107Oilers & D126Fluid Transfer Pumps124-125Specialty102Funnels & Spouts123Tire Inflate100Grease Guns114-117Tire Press104Lug Nut Sockets109Tire Repa105Lug Wrenches108Welding101Oil Drainage122103Oil Filter Wrenches118-120	Filter Removal
--	----------------

Axle Nut Sockets	134
Belts & Hoses	144-145
Body & Interior	142-143
Brake Bleeding	
Camshaft & Crankshaft	
Compression Tester	166-167
Cooling System	170-171
Diagnostic	
Diesel & Fuel Injection	
Disc Brake	
Drivetrain	138

Drum Brakes	130
Exhaust	157
Feeler Gauges	162
Flaring Tools	132
Gear Pullers	149
Lock Nut Sockets	135
Piston Service	154-155
Pulley Pullers	148
Quick Disconnect Tools	158-159
Seals & O-Rings	147
Sensors & Switches	156

Spark Plug Sockets	
Spark Plugs & Ignition	
Spring Compressors	139
Suspension	140-141
Thread Chasers	163
Timing Lights	
Tubing Benders & Cutters	133
Vacuum	
Valves & Valve Springs	150-151
Water Pump & Fan Clutch	146
Wheel Bearings & Hubs	136-137

Adjustable Wrenches210	Hex Key Sets230-233	Pipe Wrenches252	Socket Rails & Trays197	
Bit Sets	Hooks & Picks267	Pliers206-213	Sockets & Sets172-179	
Bolt Extractors244-247	Impact Bit Sockets183	Precision Measuring270-271	Star Bit Sockets182	
Bolt Cutters252	Impact Drive Accessories 187	Pry Bars256-257	Star Key Sets230-233	E
Breaker Bars188-189	Impact Sockets & Sets 184-186	Ratchets190-191	Thread Repair242-243	F
Chisels & Punches258-259	Inspection Mirrors	Rivet Guns & Rivets248-251	Tool Sets234-239	
Drill Bit Sets	Knife Sets	Saws & Blades273-274	Torque Wrenches192-193	
Drill Bits242	Knives278-281	Scrapers & Knives275-277	Wire Strippers260-261	
Extensions194	Magnifying Glasses	Screw Extractors244-247	Wrench Sets	
Files272	Measuring & Leveling268-269	Screwdriver Sets214-220		
Hammers & Mallets254-255	Multi-Bit Drivers	Sledge Hammers253		
Hex Bit Sockets180-181	Pickup Tools	Socket Accessories195-196		

Cutting Tools	Plugs & Connectors294-295 Ratchets & Drills283 Sanders & Polishers288-289	Tanks & Acc
---------------	---	-------------

Spray Guns & Accessories......292-293 Tanks & Accessories..........298-299

19

SPECIALTY

# **POWER DRILLS**

# SHOP/GARAGE

# 2-IN-1 DRILL/DRIVER

- This drill driver comes with a 1/4" quick connect bit driver chuck built-in and a 3/8" keyless drill chuck adapter included
- 12 volt 1300 mAh Lithium ion battery with 1 hour quick charger so you are back up and running fast
   2 speed switchable motor
- 2 speed switchable motor 0-400 and 0-1400 RPM
- 20 foot pounds of max torque and a 18+1 torque settings
- cUL listed E487555





							Recha	rgeable	Charge	C	Charger	
Item #		IP	MP	PKG	Chuck	RPM	Bat	ttery	Time	Output	Cord	Rated
W50095*	Drill Set	1	8	SLV	0/0"	1 400						
W50094*	Drill	1	12	CBX	3/8"	1,400	12V	Ni-cd	1 Hr	13.5V	C	
W50095B*	Battery	4	32	CLM						2.2A	6'	cUL
W50095C*	Charger	4	32	LAB		-						

# 3/8 IN. CORDLESS DRILL

- The integrated Nichia LED puts light right where it is needed.
- 19.2 volt motor with forward / reverse switch.
- 3/8" chuck with 16+1 torque settings.
- Comfortable rubber secure grip handle.
- Includes bits, drill dits, 2-1/4"magnetic bit holder, 19.2V battery and 3-5 hour charger.
- ETL listed 4006774

20

•		au 4	000774				
	Phillips	1"	#1, #2			-	
	Pozi	1"	#1, #2				
	Slotted	1"	5, 6				
	Drill Bit		1.5, 2.5,				
			3, 4, 5, 6			/	-
(				1			19.2

							Rechar	rgeable	Charge		Charger	
Item #		IP	MP	PKG	Chuck	RPM	Bat	tery	Time	Output	Cord	Rated
W50092*	Drill Set	1	5	CBX						001/		
W50092B*	Battery	1	8	CLM	3/8"	550	19.2V	Ni-cd	3-5 Hr	23V 400mA	6'	ETL
W50092C*	Charger	1	16	CBX						400MA		

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



			DICO	Phillips	1"	#1, #2, #3
Item #	IP	MP	PKG	Slotted	1"	3/16", 1/4", 5/16"
W474 <b>*</b>	6	36	CRD	Star	1"	T15, T20
	0 3	00	PG 318	Square	1"	S1, S2

performancetool.com \*Calif Prop 65 v

....

A

\*California Residents Prop 65 warnings see page 2.

21

0 0

# **DRILL ACCESSORIES**

W9030\*

22

6

48

TAB

1/4"



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

2"

30° Wobble

flexibility for hard to

reach areas.



# **DRILL ACCESSORIES**

# SHOP/GARAGE

## **POLISHING KITS**

- Designed for harder finishes like aluminum, brass, and copper.
- Includes 4-oz black (first stage), brown (second stage) and
- white (final polish) emery polishing compounds. 1/4" round shaft for use with power drill.



Used for harder finishes like chrome, stainless steel and iron. Includes 4-oz blue (first stage), brown (second stage) and white (final polish) emery polishing compounds.

W50090



Item #	IP	MP	PKG	
W50090* Aluminum	1			Polishing wheels: 2", 3", 4"
W50091* Stainless Steel	1	20	CBX	Polishing pads include: 3" mushroom, 2-1/2" tapered cylinder Polishing felts: 3-1/5" bullet, 2-1/5" conical, 2-3/10" cone, 2-3/10" pear

# **STEEL WIRE CUP BRUSH**

- Many utility cleaning uses at home and shop.
- Heavy duty construction.
- Use with any power drill.

Item #		IP	MP	PKG	Shank	Diameter	
W1208C*	Cup	6	72	CRD	1/4"	2"	Coarse
W1214C*	Cup	6	72	CRD	1/4"	3"	Coarse
W1211*	Cup	6	72	CLM	1/4"	1-1/2"	Fine
W1212*	Cup	6	72	CLM	1/4"	2"	Fine
W1213*	Cup	6	72	CLM	1/4"	3"	Fine
W1209*	Wheel	6	72	CLM	1/4"	3"	Coarse
W1215*	Wheel	6	72	CLM	1/4"	4"	Coarse
W1222*	Wheel	6	72	CLM	1/4"	2"	Fine
W1223*	Wheel	6	72	CLM	1/4"	3"	Fine
W1224*	Wheel	12	72	CLM	1/4"	4"	Fine

# 14-PC NUT DRIVER BIT SET Compact bit holder with belt clip.

Hardened chrome vanadium with black phosphate finish.

Item #	IP	MP	PKG	Shank	Length	Sizes	
W473 <b>*</b>	10	40	CRD Pg 318	1/4"	2"	3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16" 5, 5.5, 6, 7, 8, 10, 12mm	Į

# **3-PC MAGNETIC NUT SETTER**

- Powerful magnet holds fasteners, freeing up your hands in tight spaces.
- Lobular drive prevents rounding.
- 1/8" insert depth.

W9022

Item #					Length	Sizes
W9022*	12	96	CRD	1/4"	2-1/2"	1/4, 3/8, 5/16"

## performancetool.com

# **IMPACT WRENCHES & SAWS**

24



**BLK:** Bulk | **CAS**: Storage Case | **CBX**: Color Box | **CRD**: Carded | **CLM**: Clamshell | **DBL**: Double Blister **LAB**: Color Label | **RAC**: Storage Rack | **SHK**: Shrink Wrap | **SLV**: Sleeve | **TAB**: Hang Tab | **WBX**: White Box



# **GRINDERS & SANDERS**

W50007

W50011

W50087A

Includes 6" hook and loop backing pad, 2 sanding discs, polishing bonnet, applicator pad, terry cloth cover, handle, wrench.

# SHOP/GARAGE

# 4-1/2 IN. ANGLE GRINDER

- Metal gear case dissipates heat for longer life.
- 2 position side handle for right or left hand use.
- Spindle lock for quick wheel/blade changes.
- 5/8"-11 spindle for mounting the most popular 4 to 4-1/2" wheels.
- cETL listed 315240

Bonus pack includes: 4-1/2" grinding wheel, 2 - type 1 metal cut off wheels, 40, 80 and 120 grit flap discs, side handle. Also comes with replaceable motor brushes to extend tool life and spindle wrench.

				Wheel	Arbor	Flange	No Load		Co	rd	
Item #	IP	MP	PKG	Diameter	UNC	Shoulder	RPM	Amp	Length	AWG	Listing
W50044*	1	10	CBX	4-1/2"	5/8"-11	7/8"	12,000	4.4A	6'	18/2	cETL
W8698*	12	72	CRD	Replaceme	nt 5/8"-11	Flange Nut	& 4-1/2" Wre	nch Set			

## **4-1/2 IN. ABRASIVE WHEELS**

- Work on most 4-1/2" grinders with a 7/8" hub.
- Performance Tool abrasive wheels are manufactured using ISO9001 standards and quality certified by MPA - Hanover, the leading authority in abrasives.

Item #		IP	MP	PKG	Qty	Туре		Material
W50007*	10-PC Cut-Off/ Grinding Disk	12	36	DBL	8	1	1/16" Thick	_
W50007	Grinding Disk	12	30	DDL	2	27	1/4" Thick	Aluminum
W50008*	Cut Off	10	60	SHK	5	1	1/16" Thick	Oxide
W50009*	Grinding	12	48	SHK	3	27	1/4" Thick	
W50010*	Flap Disk	12	48	SHK	3	29	60 Grit	Zirconia
W50011*	Flap Disk	12	48	SHK	3	29	120 Grit	Alumina

# **6 IN. RANDOM ORBIT POLISHER/SANDER**

- Oscillating range of 3/8" for a swirl free finish.
- Dial controlled variable speed control and trigger lock for professional results.
- 2 position side handle for right or left hand use.
- ETL listed 5001662

No Load		Co		
RPM	Amp	Length	AWG	Listing
6,300	5.7A	6'	18/2	ETL

Item #	IP	MP	PKG	Pad Diameter	Spindle Tread
W50087*	1	6	CBX	6"	5/8"-11
W50087A*	6	36	BAG	3-pc pad se	et

# 7 IN. VARIABLE SPEED SANDER/POLISHER

- 10 amp motor produces 0-4200 no-load RPM.
- Ball bearing motor and built in regulator for long life.
- Variable speed for use with multiple tasks.
- Ergonomic D-handle for left or right hand use.
- ETL listed 5001662

No Load		C			
RPM	Amp	Length	AWe	G Listing	. 🕓
4,200	10A	6'	18/2	2 ETL	
				Pad	Spindle
Item #	IP	MP	PKG	Diameter	Tread
W50084*	1	6	CBX	7"	5/8"-11
W50084A*	6	36	BAG	3-pc pad s	et

Includes - 7" hook and loop backing pad, 2 sanding discs, polishing bonnet, applicator pad, terry cloth cover, handle, spanner wrench.

VA DNIANVS

\*California Residents

W50084A

performancetool.com Prop 65 warnings see page 2. 25



Includes one terry cloth bonnet and one synthetic wool bonnet.

Item #	IP	MP	PKG	Pad Diameter	No Load RPM	Amp	Length	AWG	Listing
W50053*	1	6	CBX	6"	3,500	0.5A	17"	18/2	cUL
W50055*	12	72	CLM	3-pc replac	cement pad	set			

# **10 IN. RANDOM ORBITAL BUFFER/POLISHER**

- Random orbital action reduces risk of paint burn through and swirl free finish.
- Large comfortable double handle for optimum control with less fatigue.
- Polish cars, boats, granite counter tops and more.
- cUL listed E242023



**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



# **BENCH TOP**



# **5 SPEED DRILL PRESS**

- 1/2" spring loaded chuck with protective guard and 2-1/2" vise.
- Fully adjustable machined table tilts 45 degrees left and right.
- Cast iron construction.
- CSA Approved.

	Spir	ndle	Spine	_	
Chuck	Travel	Swing	Base	Table	Height
1/2"	2"	8"	11-3/8"	7-3/4"	22-1/2"

Item #	IP	MP	PKG	HP	RPM	Amp	Length	AWG	Listing
W50005*	1	1	CBX	1/3	760 / 1,150, 1,630 / 2,180 / 3,070	2.4A	6'	18/3	CSA

# **DRILL PRESS VISE**

Durable powder coat finish and chrome plated handle.
Replaceable hardened steel jaw faces.

				Jaw	Jaw	Throat	
Item #	IP	MP	PKG	Width	Opening	Depth	
W3939*	1	12	CBX	2-1/2"	2-1/4"	3/4"	
W3902*	1	4	CBX	4"	4-1/2"	1-1/16"	W3902



# **INSPECTION CAMERA**

# SHOP/GARAGE

# 4.3 IN. LCD INSPECTION CAMERA

- Useful for inspecting engine compartment, valves, A/C vents, plumbing pipes, under or around furniture & appliances, home theater
- Extra large 4.3" color LCD display monitor with dual screen image sizes, 2.0X digital zoom function and 180° image rotation and mirroring.
  Submersible 35" flexible camera with 4 white LEDs (5 output levels).
- Compact enough to fit in your pocket. • On-screen battery indicator.
- Includes mirror, hook clip, magnet, batteries and protective nylon storage/carrying case.



Camera and probe assembly coils inside the case for storage.





				LCD Monitor			Submersible Camera				Battery	
Item #	IP	MP	PKG	Size	Resolution	Rotation	Dia.	Length	Resolution	LED	Qty.	Туре
W50072*	1	10	CBX	4.3"	480 x 272px	180°	11/32"	35"	640 x 480 VGA	4	4	AA

# **INSPECTION CAMERA 10 FT. CABLE EXTENSION**

· Provides greater reach and access for remote visual inspection of confined spaces. For use with Performance Tool Inspection Camera models W50045 and W50046. Extension Item # IP MP PKG Dia. Length W50045-2\* 1 32 WBX 11/32" 10'

To install: disconnect existing camera tube assembly from your inspection camera. Attach male threaded end of extension to camera. Then attach the camera tube assembly to the other end.

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



# **INSPECTION CAMERA**



performancetool.com

\*California Residents Prop 65 warnings see page 2.

29

# **BLOWERS**



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

3 inflator nozzle attachments in 1 adapter. Fits both W50063 and W50069

30

W50069A\*

48

BAG

12



# **CLEANERS**



# performancetool.com

# SPECIALTY



- simplifying the lubrication process. Planetary gearbox and reciprocating piston provide 7,000 psi
- and 3 oz. of grease per minute. • Two way loading, 14 oz. grease cartridge or bulk.
- Knurled barrel for secure grip.
- Grease hose with heavy duty coupler, battery and 1 hour quick charger, heavy duty plastic storage case.

#### W50048

Includes two 18V batteries and a shoulder strap for easy portability.

	2	W50014

						Rechargeable			Charger			
Item #	IP	MP	PKG	PSI	Hose	Bat	ttery	Input	Output	Cord	Rated	
W50014* 5-PC	1	3	CBX	7,000	30"	14.4V	Ni-cd	120V 60Hz 70W	9.6-24V 1.5A	6'	cETL	
W50048* 6-PC	1	4	CBX	7,000	42"	18V	Ni-cd	120V 60Hz 45W	18.0V 1.3A	6'	cUL	
W11046* Battery	1	12	CLM	-	-	18V	Ni-cd	-	-	-	-	

in about 1-min.

# **120V AIR INFLATOR**

- Inflate air mattresses, rafts, or float tubes at home or on the go.
- Quickly and easily inflates or deflates large volume inflatables.
- High guality and made to last.
- Includes 3 valve adapters.
- cETL listed 3135568



	IP	MP	PKG	Length	AWG	Listing
60397 <b>*</b>	1	24	CBX	5.6'	18/2	cETL

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box





**12V AUTOMOTIVE** 



performancetool.com

\*California Residents Prop 65 warnings see page 2.

33

# HEAT GUNS



LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



performancetool.com

\*California Residents Prop 65 warnings see page 2.

# 35

# ENGRAVERS

36



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box


## **ROTARY TOOL & ACCESSORIES**



Item #	IP	MP	PKG
W50037*	4	16	CAS

### **89-PC ROTARY BIT ACCESSORY SET**

- Everything you need to cut, grind, sand, polish, sharpen and clean
- 2 sided flip case with crystal clear lids so you can easily find the needed bit
- For 1/8 inch collet rotary tools such as Performance Tool item number W50031, W50083 and W50003.





Item #	IP	MP	PKG
W9042*	4	24	LAB

performancetool.com

\*California Residents Prop 65 warnings see page 2.



## **CORDS & REELS**

Item #

38

W2275\*

IP

1

MP

6

PKG Length

20

CBX

Plug

18/3 SJTW



**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

Lead

4'

plug and 3 grounded

8 amp outlets.

Listing

CETL

Amp



## **CORDS & REELS**



### performancetool.com

\*California Residents Prop 65 warnings see page 2.

## **DROP LIGHTS**



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **DROP LIGHTS**



## **CORDED WORK LIGHTS**

42



				LED		Beam	Peak	Co	rd			Assemble	d
Item #	IP	MP	PKG	Count	Lumens	Distance	Intensity	Length	AWG	Listing	W	D	н
W2401*	6	12	CBX	12	1,030	65m	1,050cd	16"	18	-	6-1/4"	5-1/2"	9"
W2402*	1	8	CBX	46	2,138	-	-	6'	18	cETL	9"	7"	11-3/4"
W2230*	1	8	CBX	14	1,186	47.2m	556cd	5'	18	cETL	7-/12"	6-3/4"	12-1/2"
W2239*	4	8	CBX	52	2,633	66m	1,083cd	6'	18	cETL	7"	5-3/4"	11"

### **PORTABLE 500W WORK LIGHT** • Tempered glass lens with metal safety cage. • Durable powder coated finish. • Foam covered S-handle. • Weather proof On/Off switch. cUL listed E229796. Replacement 500W halogen bulb. 120 Volt. For use with Performance Tool Work light model W2264. Cord Assembled Bulb included. IP W Item # MP PKG Length AWG Listing D н W2264\* 9" 1 8 CBX 12 18 cUL 8-3/4" 12-1/4" W2280\* 2-PK 6 48 CRD 2-PK Bulbs



## **RECHARGEABLE WORK LIGHTS**

### **RECHARGEABLE LI-ION L.E.D. WORK LIGHT**

- Ultra high output of more than 1000 lumens.
- LED technology means unit stays cool enough to touch.
  Wide angle LEDs distribute large flood beam of light.
- Textured reflector distributes light more evenly.
- Rechargeable lithium ion battery with USB charging cable.

	Detterne		A	Assembled	l
	Battery		W	D	Н
Li-Ion	3.6V	2.5A	6-1/4"	5-1/2"	9"

				LED		Beam	Peak	Run
Item #	IP						Intensity	
W2406*	6	12	CBX	12	1,020	61m	924cd	1.5 Hr

### **RECHARGEABLE LI-ION UNDERHOOD L.E.D. WORK LIGHT**

- Wide angle LEDs provide over 500 lumens of flood light.
- Counterbalanced to always shine light
- downward where you need it.
- Padded hooks prevent scratching or denting. Magnets and hooks on back for added versatility.
- High and low beam settings.

Unique design spans up to a 78" wide hood, vet takes up less than 18" of space in your tool box.

included).





Retractable steel wires with end hooks to fit almost any size hood.

Item #	IP	MP	PKG	LED Count	Lumens	Beam Distance	Peak Intensity	Run time		rgeable tery	Overall Length	
W2404*	4	24	CRD	8	513 H 256 L	60m	924cd	1.25 Hr.	Li-Ion	18650	18"	

### **24 LED RECHARGEABLE WORK LIGHT**

- Cordless or corded operation.
- 24 Super bright white LEDs.
- 360° swivel hanging hook and heavy duty magnet.
- 4-5 hour continuous run time.
- Includes 12V car charger, 120V wall charger, charging base and built-in Ni-Mh Battery pack.

				LED		Charge		Overall
Item #	IP	MP	PKG	Count	Battery	Time	Listing	Length
W2480*	3	9	CLM	24	Ni-Mh	3-4 Hr	cUL	11-3/4"
W2480-BULK*	1	12	WBX	24	Ni-Mh	3-4 Hr	cUL	11-3/4"

SHOP/GARAGE

# **SPOT LIGHTS**





Item #	IP	MP	PKG	Reflector Diameter	Candle Power	Color	Halogen Bulb	Battery
W2409*	1	8	CBX	4-1/4"	1 million	Black	H3 55W	6V 4Ah
W2432*	1	8	CBX	4-1/4"	1 million	Camo	H3 55W	6V 4Ah
W2433 <b>*</b>	1	8	CBX	4-1/4"	2 million	Black	H3 55W	6V 4Ah







## **SPOT LIGHTS**

### **5 LED MINI HEAD LAMP**

- Adjustable elastic headband.
  Adjusts 90 degrees for use anywhere.
  Easy on and off, just twist.
  Spring loaded clip attaches to hats and other thin items.
  Batteries included.

					attery	
Item #	IP	MP	PKG	Qty.	Туре	
W2393 <b>*</b>	8	72	CLM	2	CR2032	
<ul> <li>PEN LI</li> <li>Super bri</li> <li>Convenie</li> <li>Batteries</li> </ul>	ight bu ent poo	ılb. cket cli	р			Performance
Item # W2416 <b>*</b>	<b>IP</b> 12	<b>MP</b> 144	PKG CRD	<b>B</b> Qty. 2	<b>attery</b> <b>Type</b> AAA	
L.E.D. • Energy e • Rubber o • Batteries	fficient	t Nichia bush bi	a LED r	never r	needs repl	Northwest Trail.
		NTra	hwest uil₀	) 		Northwest Trails
						Northwest Trails

					Ва	attery	
Item #	IP	MP	PKG	Length	Qty.	Туре	Colors
W2375*	16	128	BLK	2-3/4"	3	AG13	Red, Blue, Black, Silver

### performancetool.com



### EQUIPMENT



Item #	IP	MP	PKG		Lift Range	(max height)	L	W	н
W1606* Jack Only	y 1	1	CBX	Jacks	5-1/4 to 13"	42	17"	8"	5-1/2"
W1605* Jack & Si	ands 1	1	CBX	Stands	10-3/4 to 16-3/8"	-	6-11/16"	6-15/16"	16-3/8

## **FLOOR JACKS**

46

- Swivel casters for easy positioning.
- Durable flanged steel frame.
- Great for cars and light duty trucks.



						Pumps	Base	
Item #	Capacity	IP	MP	PKG	Lift Range	(to max height)	Length	Width
W1614*	2 Ton	1	1	CBX	5-1/4 to 15-1/2"	45	17"	8"
W1611* Blow Case	2-1/4 Ton	1	1	CBX	5-1/4 to 15-1/2"	45	17"	8"
W1640*	2-1/2 Ton	1	1	CBX	5 to 15-1/2"	42	21-5/8"	8"
W1612*	2-1/2 Ton	1	1	CBX	5 to 19-1/4"	22	28-3/4"	14"
W1616* Rapid Lift	3 Ton	1	1	CBX	4-5/8 to 19-3/4"	21	27"	13-1/2"
W1617*	3 Ton	1	1	CBX	5-1/2 to 21-1/4"	18	28-1/2"	13-5/8"



## LIFT EQUIPMENT



performancetool.com

\*California Residents Prop 65 warnings see page 2.



## LIFT EQUIPMENT



						Saddle	Base		
Item #	Capacity	IP	MP	PKG	Lift Range	Diameter	W	D	Wt.
W1621*	2 Ton	1	6	CBX	7-1/8 to 13-1/2"	5-3/64"	3-15/32"	3-25/32"	5.95
W1623*	4 Ton	1	6	CBX	7-5/8 to 14-5/8"	1-5/64"	3-5/8"	3-15/16"	7.7
W1625*	6 Ton	1	4	CBX	8-1/2 to 16-1/4"	1-7/32"	3-55/64"	4-21/64"	9.9
W1628*	8 Ton	1	4	CBX	9 to 18"	1-11/32"	4-3/32"	4-5/8"	13.2
W1632*	12 Ton	1	4	CBX	9-1/4 " 18-1/2"	1-21/32"	4-5/8"	5-9/32"	17.15
W1633*	20 Ton	1	2	CBX	9-1/2 to 17 3/4"	1-13/16"	5-45/64"	5-63/64"	24.2
W1636*	30 Ton	1	2	CBX	11-1/4 to 18-1/4"	2-1/8"	5-7/64"	6-3/4"	39.6
W1637*	50 Ton	1	1	CBX	11-3/4 to 18-7/8"	3-17/64"	6-7/8"	8-5/8"	72.6
W1643*	12 Ton Shorty	1	2	CBX	6-5/8 to 13"	1-11/16"	5-5/16"	5-25/64"	14.1
W1644*	20 Ton Shorty	1	2	CBX	7-1/2 to 13-1/8"	1-13/16"	6-1/8"	6-1/4"	20.9
W1637* W1643*	50 Ton 12 Ton Shorty	1 1 1 1	1 2	CBX CBX	11-3/4 to 18-7/8" 6-5/8 to 13"	3-17/64" 1-11/16"	6-7/8" 5-5/16"	8-5/8" 5-25/64"	72.0 14.

## **JACK STANDS**

- High-grade steel with for guality and durability.
- Large saddle surface area provides better contact.
- Ratchet style for easy adjustments.

2 Ton (Pair)

3 Ton (Pair)

Tough enamel finish.



2

2

CBX

CBX

1

1



W41023\* 6 Ton (Pair) 2 10 9-5/8" 10-15/16" 29.0 1 CBX 15-1/2 to 23-3/4" BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Lift Range

Item #

W41021\*

W41022\*



## WHEEL ACCESSORIES

### **RUBBER WHEEL CHOCK**

- Ideal to keep your vehicle or trailer in place in any climate.
- All weather construction with rubber traction pad.
- Oil resistant non-slip surface provides superior traction.
- Weighs less than 5 pounds.
- 45° slope angle.

Item #	IP	MP	PKG		W	D	н
W41001*	4	0		Wheel Contact	6-1/2"	6-7/8"	-
	1 8	0	LAB	Base	8-1/4"	6-7/8	6"

### 2-PC PLASTIC WHEEL CHOCKS

- Safety device for use with ramps or other lifting devices.
- Keeps tires from rolling.
- Heavy duty ABS plastic.



Item #	IP	MP	PKG		w	D	н
W41000 <b>*</b>	4	10	WBX	Wheel Contact	7"	4-1/2"	-
	1	48	VVDA	Base	8-1/8"	5-5/8	4-1/2"

### WHEEL DOLLY

- Move your car, riding mower, trailer and much more in any direction with just a push.
- Makes storage and service and restoration easier.
- 1,000 lbs. capacity per dolly.
- 3-1/2" cast iron swivel ball bearing casters.
- Accepts tires up to 14" wide.



## **ADJUSTABLE WHEEL STEP**

PKG

CBX

W

23-1/2"

D

15-1/2"

MP

1

• Non-slip surface.

Item #

W54013\*

• Fits tires up to 13" wide.

IP

1

300 lbs. rated capacity.



performancetool.com

Н

5-1/2"

Item #	IP	MP	PKG		W	D	н
W41039 <b>*</b>	-1	4	CDV	Folded	21-1/2"	9"	3-7/8"
	I	I	CBX	Open	21-1/2"	20-1/2"	14-1/8"

\*California Residents Prop 65 warnings see page 2.

## **ENGINE LIFT & SUPPORT**

50





### performancetool.com

\*California Residents Prop 65 warnings see page 2.

## **TRANSMISSION JACKS**

52





## **SHOP PRESSES**



				Continous	Adjust	Bed	Bed	Working	Stroke	Dimensions			
Item #	IP	MP	PKG	Force	Points	Opening	Depth	Range	Length	W	D	н	Wt.
W41062*	1	1	WBX	12 Ton	7	20"	7"	35-3/4"	7"	27-1/2"	19-3/4"	65"	152
W41063*	1	1	WBX	20 Ton	9	19-1/2"		35-3/4"	7-1/2"			69"	220

performancetool.com

## **ACCESSORY KIT**

- Designed to be used with presses up to 50-ton.
  Set includes six common
- Set includes six common accessories used in a variety of press applications.
  Constructed from high quality
- Constructed from high quality material to ensure long lasting durable performance.



				Steel	Bearing	Steel Plate		e(s)
Item #	IP	MP	PKG	Punches	Shield	W	D	Н
W41065*	1	1	CBX	1/2, 1 & 2"		14"	3"	1"

\*California Residents Prop 65 warnings see page 2.

# **CREEPERS & SEATS**



Item #	IP	MP	PKG	Size
W85017*	6	36	BAG	3" PVC
W85029*	6	36	BAG	3" Nylon
W85002*	1	90	WBX	2"
W85003*	1	90	WBX	2-1/2"
W85019*	6	36	WBX	2-1/2"

54





## **CREEPERS & SEATS**

Prop 65 warnings see page 2.



# **SEATS & BAR STOOLS**

### PNEUMATIC SHOP SEATS SHOP/GARAGE Pneumatic action adjusts from 15" to 24" height quickly and easily. Five Shielded casters allow easy 360 degree movement. Convenient 15" diameter tool tray. W85020 W85027 14-1/2" wide Foam padded seat. 5-1/2" 13" diameter high seat W85008 seat. back. Fully padded 12" diameter seat. 2-1/2" replacement caster assembly Performance Tool Part # W85003. Weight Base Height Lift Range IP MP Capacity Item # PKG Diameter Min Max W85008\* 1 4 CBX 15 to 20' 300 lbs. 15" 15' 20' • Five 2-1/2" hooded W85020\* 1 1 CBX 15 to 20" 300 lbs. 15" 15" 20" dual-caster wheels. W85027\* 19 to 24" 1 4 CBX 250 lbs. 12-1/2" 19" 24" Chrome plated frame and foot rest. **BAR STOOLS** • Durable & easy to clean New and improved cushion! • 14" diameter seat. Ball bearing swivel top. 300 lbs. weight capacity. W85023 Ring IP MP PKG Diameter Height Item # W85010\* 1 4 CBX 16-1/2" 30' W85023\* 1 4 CBX 16-1/2" 28-1/2" W85011 5-1/2" high seat back,14" diameter synthetic leather foam padded seat with 360° swivel. W85010 **PNEUMATIC BAR STOOL** • Pneumatic action adjusts seat height quickly and easily. Heavy duty steel tubing frame with • matte black powder coated finish. Wide foot stool base comes pre-assembled. • • 330 lbs. weight capacity. Lift Item # IP MP PKG W D н W85031 Range Oversized synthetic leather foam 26 to W85011 1 1 CBX 16" 16-3/4" 36" padded seat with 360 swivel. 32" Heavy duty 1-1/4" steel tubing frame 25 to with matte black powder coated finish. W85031\* CBX 42" 1 1 16.9" 16.9" 31"



W540

# SHOP/GARAGE

PLASTIC FOLDING SAWHORSES

- Compact and easy to store.
- Rubber anti skid buttons.
- SAE and Metric Markings.
- Handy cord wrap and tool tray. (except on W54011)

Cut away master box for instant floor display.

W54011



Item #	IP	MP	PKG	Capacity		W	D	н
<b>₩54009*</b> 2-PK	-1	1	91 V	000 lbc	Close	22-1/4"	1-3/4"	32-1/2"
W34009" 2-FIN	I	4	SLV	900 IDS.	Open	-	21-3/4"	30-3/8"
<b>W54011*</b> 2-PK	-	F	<u> </u>	200 lba	Close	22-3/8"	1-7/8"	31-1/4"
W34011 2-PK	I	С	SLV	300 105.	Open	-	16-1/2"	30"

W54009

### **METAL FOLDING SAWHORSE**

- Durable powder coated steel construction.
- Padded top to protect work.
- Convenient steel carrying handle.

Folded: 2 1/2" x 4" x 39".

Item #	IP	MP	PKG	Capacity		w	D	н
W54035*	4	4	CBY	250 lbs	Close	39"	4"	2-1/2"
	1	4	CBX	250 lbs.	Open	39"	19-1/4"	30-3/4"

### **2-PK SAWHORSE BRACKETS**

- Create your own sawhorse for supporting a variety of projects.
- Pre-drilled nail screw holes for easy assembly.
- Steel construction with rust resistant finish.
- Designed to hold standard 2 x 4 lumber.

Item #	IP	MP	PKG	W	D	н
W53994 <b>*</b>	6	24	SLV	3.7"	3.54"	5.75"

Do not exceed 150 lbs. weight capacity.

## **STANDS & BENCHES**



58





2-3/8" Jaw Opening, 1-5/8" Throat Depth.

PKG Item # IP MP W3900\* 1 10 CBX

6" Jaw Opening, 2-3/8" Throat Depth. Item # IP MP PKG W3901\* CBX 6

performancetool.com

\*California Residents

Size

4'

2-1/2

IP

1

1

MP

4

12



PKG

CBX

CBX

Prop 65 warnings see page 2.

W3902\*

W3939\*

Item #

## **STORAGE BIN RACKS**

SHOP/GARAGE	<ul> <li>DUAL A STORA</li> <li>Convenie the incluc rack, use mounting</li> <li>Light grey</li> <li>Steel racio</li> </ul>	GE ent Tri- led ba the pr to wa	SYS Rack s se and re-drille Il studs der coa	TEM system d frame ed 16" c s or peg ated rac	can be us as a stan on center l o board. k resists o	ding bin holes for	- 🛃 🖌		3		
S	Item #	IP	MP	PKG	W	D	н				
	W5170*	1	1	CBX	27-1/4"	11"	19-3/4"	_		-11	
● A til e: ● H	-PACK E dd on rails c t bins and st xpand your s loles are pre- wall studs c	an be andare storage drilled	use wi d Perfo e syste at 16"	th both ormance m. interva	dual posi e Tool bin Is for mou	s to		-			

Item #	IP	MP	PKG	W	D	н
W5169 <b>*</b>	1	8	SHK	31-3/4"	-	3-1/2"

### **DUAL ANGLE TILT BINS & DIVIDERS**

- 30% thicker walled than standard bins for strength and durability.
- Stack vertically without use of rack or align horizontally.
- Clear dividers available so you can maximize your storage options.







									Weight
Item #			IP	MP	PKG	W	D	н	Capacity
W5172 <b>*</b>	6-PC	Small	5	10	LAB	4-1/8"	7-1/2"	3-1/8"	4 lbs.
W5173*	4-PC	Medium	4	8	LAB	5-3/4"	9-1/8"	4-7/8"	6 lbs.
W5174 <b>*</b>	3-PC	Large <i>NON-TILT</i>	1	4	LAB	7-1/8"	11"	6-1/4"	8 lbs.
					Distates				

			, i	Jear	Dividei	S
W5175 <b>*</b>	6-PC	Small	6	36	CRD	
W5178*	4-PC	Medium	6	36	CRD	Used to divide bins in half to make the most of your storage options.
W5179 <b>*</b>	3-PC	Large	6	36	CRD	most of your storage options.

## **STORAGE BIN RAIL HOOKS**

- Hooks mount easily onto our bin rail set W5169 or with any of the rails that come with the Dual Position Tilt Bin line.
- · Easily moved anywhere along your bin rail for maximum flexibility.

60

Item #		IP	MP	PKG
W5161*	J-Hook	12	72	BLK
W5163*	L-Hook	12	72	BLK
W5165 <b>*</b>	Double Loop	12	72	BLK
W5167*	12-PC Set	1	24	CBX



LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **STORAGE BIN RACKS**

HOP/GARAGE



performancetool.com

16 Bins

1

CBX

1

\*California Residents Prop 65 warnings see page 2.

## **STORAGE BIN RACKS**



Item #			IP	MP	PKG	W	D	н	Weight Capacity	and the second
W5196*	4-PC	Large	4	8	LAB	6"	9-1/4"	5"	8 lbs.	
W5197*	8-PC	Small	5	10	LAB	4"	6-1/2"	3"	5 lbs.	
W5195 <b>*</b>	15-PC	Lg & Sm	1	4	LAB	(8	small & 6 Iar	ge)	-	

62



## **MATS & TRAYS**

### **HEAVY DUTY SHOP MAT**

- Closed cell vinyl construction is durable, easy to clean and stays flat
- Provides a large non-slip surface, is tear and abrasion resistant
- Beveled edges minimize tripping hazards

# Item # IP MP PKG Width Length W88983\* 1 6 LAB 35-1/2" 47-1/4"

### ANTI-FATIGUE MAT ROLLS

- Protects your floors from damage.
- Lightweight and easy to clean.
- Reduces noise and vibration.
- Cut to fit any size or shape.
- Shock absorbent.
- EVA Foam (Ethylene Vinyl Acetate).

						and the second second
Item #	IP	MP	PKG	Width	Length	Thick
W88980* Small	1	6	SHK	24"	70"	9/32"
W88981* Large	1	6	SHK	46"	93"	9/32"

### **INTERLOCKING ANTI-FATIGUE MATS**

- Add comfort and protection to any floor.
- 3/8" (12mm) thick interlocking mats.
- EVA (Ethylene Vinyl Acetate) Foam.
- Water resistant, easy to clean and light weight.





Borders included.

HEAVY DUTY SHOP



AUTI-FATIGU

HRIP MAT

Connect multiple packs for extended floor coverage.

Item #	IP	MP	PKG	Width	Length	Thick
W88988* 12-PC	1	6	SHK	12"	12"	3/8"
W88989* 6-PC	1	6	SHK	24"	24"	3/8"



- · Perfect for muddy and wet boots and shoes.
- Large enough to hold 3 pairs.
- Made of 100% recycled materials.



Item #	IP		PKG	Size
W89018*	12	12	LAB	26-1/2" x 13-1/2"

### **GRIP MATS**

- Revolutionary multi-purpose non-slip mat.
- Grips and protects almost any surface.
- Grip mat will not shift or move once placed.
- Mold and mildew resistant.
- 18 x 48" fully washable mat.

Item #	IP	MP	PKG	Colors
W88970*	8	8	LAB	Black
W88971*	8	8	LAB	Red
W88984*	16	16	CBX	Black & Red



performancetool.com



\*California Residents Prop 65 warnings see page 2.

## **UTILITY CARTS & MOVERS**

# SHOP/GARAGE

## **UTILITY CART WITH LOCKING DRAWER**

- 2 Shelf cart with locking drawer.
- Load Capacity: 350 lbs.
- 2 swivel casters for easy maneuvering.

	Item #	IP	MP	PKG		w	D	н
2					Cart	31-1/4"	16"	35-1/4"
Ξ	W54004 <b>*</b>	1	1	CBX	Shelf	30"	16"	3-1/2"
7					Drawer	27"	15"	3-3/4"





### **UTILITY CART WITH DRAWER**

- Four swivel casters (two locking).
- Organizer shelf with bins.
- Shelf with storage drawer.
- Foam drawer and tray liner.

Item #	IP	MP	PKG		w	D	н
				Cart	23-3/4	16"	31-3/8"
W54006 <b>*</b>	1	1	CBX	Shelf	23-1/2"	16"	2-5/8"
				Drawer	19"	14"	2-3/8"

## **COMPACT SHOP CART**

- Heavy duty steel construction.
- Durable powder coated finish.
- 200 lbs. max capacity.
- 4 Swivel casters 2 with locks.

## **COMPACT SHOP CART**

- Two shelf compact cart constructed of blow
- molded plastic with metal frame.
- Complete with 2-1/2" casters. •
- Some assembly required.



64



## **UTILITY CARTS & MOVERS**

# SHOP/GARAGE

### **INDUSTRIAL SHOP CART**

- Easy rolling cart with upper and lower trays.
- 2 shelf utility cart holds up to 500 lbs. total but is light weight and maneuverable.
- Industrial duty polypropylene construction won't rust, dent or chip.
- 5" diameter non marring casters, (two locked and two swivel).

Built-in cup holder.

Item #	IP	MP	PKG		W	D	н	
W53991*	-	-	CDV	Cart	17"	39-3/4"	33-1/4"	
W23991	I	I	СБХ	Trays	16"	30"	3"	

## **STEEL HAND TRUCK**

- Heavy duty design,
- 18 gauge 1" steel tube frame.
- Durable powder coated finish.
- 10" 4 ply pneumatic tires.
- Extra large 14 x 7-1/2" toe plate.
- 600 lbs. load capacity.

Item #	IP	MP	PKG	W	D	н
W41060*	1	1	LAB	21"	17-1/2"	51-1/2"

### **MOVING BLANKETS**

- Non-woven polyester outer shell with a cotton/polyester fill for padding.
- Double stitched non-woven fabric ensures your blanket will be durable enough for big moves and storage.
- All ends are finished to keep blanket from unweaving or fraying for long life.

Item #	IP	MP	PKG	L	W
W6044*	1	8	SLV	72"	40"
W6045*	1	4	LAB	72"	80"

### **3 WHEEL MOVERS DOLLY**

- Soft cushions protect objects being moved.
- Depressed center for objects with legs.
- Holds up to 132 lbs. evenly distributed.
- 1-1/2" casters for easy maneuvering.

Item #	IP	MP	PKG	
W54038*	6	36	CBX	





### **FENDER COVER**

- Heavy duty vinyl with foam backing.
- Convenient built in tool pockets.
- Fully sewn ribbed edge.

Item #	IP	MP	PKG	Size	
W80583*	1	12	BAG	33 x 24"	

\*California Residents Prop 65 warnings see page 2.



# **TOOL BOXES & BAGS**



- Helps protect tools and tool boxes from rust, scratches, sliding, and permanent damage.
- Easy, cut-to-fit design.

IP

12

MP

24

PKG

SLV

W

16'

L

96'

н

1/16"

Item #

W88996\*

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

Н

8-1/2"

8-1/2"

66

Item #

W54020\* 20

W54026\* 26"

TIML BO

IP

1

1

MP

6

4

PKG

SLV

SLV

W

19-1/2"

26"

D

8"

10"



## **TOOL BOXES & BAGS**



**# Pockets** IP MP PKG W D Outer н Item # Inner W88985\* 12" 6 24 SLV 3 12" 8-3/4" 8-1/2" 25 12" W88986\* 18" 1 6 SLV 18-1/2" 11-1/2" 11 W88987\* 17" 1 6 SLV 6 20 17-1/8" 10-1/4" 11-5/8" W88993\* 16" 6 LAB 5 1 11 W88990\* Pouch 6 48 SLV 12 13-3/4" 15-1/2" \_ \_

## **PLASTIC AMMO BOX**

- Heavy gauge polypropylene construction with reinforced lid.
- Corrosion resistant bail latch.
- Water resistant tongue and groove lid.
- Pre-drilled for padlock.



Item #	IP	MP	PKG		W	D	н
W5994 <b>*</b>	-1	10		O.D.	11.5"	5.25"	7.2"
W0994	I	10	LAD	I.D.	9.5"	4.25"	6"

## **26 COMPARTMENT ORGANIZER**

- Adjustable compartments for customizing.
- Clear cover for quick identification.
- Latch keeps compartments closed and secure.
- Heavy duty built in handle for portable use.



Item #	IP	MP	PKG	W	D	н
W54037*	6	12	SHK	18"	12-5/8"	3-1/8"



### **PLASTIC PARTS ORGANIZER**

- Durable injection molded plastic construction.
- Full height internal dividers to keep parts separated.
- Store flat or upright with built-in feet.

### W5189





Item #	IP	MP	PKG	W	D	н		
W5188*	1	12	SHK	13"	10-3/4"	3-1/2"		
W5189*	1	36	SHK	9-1/2"	7"	1-7/8"		

### **TOOL BOX TOTE**

- Top storage bin with durable, secure latch.
- 4 removable bins with 13 compartments each.
- Durable carry handle.
- Good for storing tools, nuts, bolts, screws & more.



Item #	IP	MP	PKG		W	D	н
WE4042*	4	10	сцк	Overall	11"	7"	10"
W54042*	I	12	SHK	Trays	9-1/4"	5"	1-1/4"

performancetool.com \*Califo Prop 65 w

\*California Residents Prop 65 warnings see page 2.



# **ORGANIZERS & MAGNETS**

Garagi e e b e b f e	ll steel c or use w ingle hol etter stal	onstruc ith star e hook oility I5 clips	ction wi ndard 1 s featu to hole	<b>DK ASSORTME</b> th zinc plated finish /8" and 1/4" pegboard re anchor pin for d peg hooks in place	Single Arm Double Arm U-Hooks V-Hooks L-Angled Hooks	Size 1" 2" 4" 1-1/4" 1-1/2" 3/4" 1" 1" 1-1/2"	Qty 4 5 1 1 6 6 11 5 6		Ø			3		ý V	
					Clips	-	45			L	٦	L			
Item #	IP	MP	PKG												
W5160 <sup>3</sup>	<b>1</b> 2	24	CRD	6 slot tool holder and 2	ool holder	S		-	5	-		. 7	1		
<ul> <li>Steel of</li> </ul>	onstruct	ion for	depen	RGANIZER dable and long service ench or any flat surface	life.							_	L		
<ul> <li>Steel c</li> <li>Easily</li> <li>Power and ot</li> </ul>	onstruct mount to ful full lei ner ferro Gre scr	ion for wall, w ngth m us obje at for ha ewdrive knifes, a	depend work be agnet t ects in p ammers ers, clan and muc	dable and long service ench or any flat surface o hold tools blace. , wrenches, nps, pliers, ch more.	life.			-							×
<ul> <li>Steel c</li> <li>Easily</li> <li>Power and ot</li> </ul>	onstruct mount to ful full lei ner ferro Gre scr IP	ion for o wall, w ngth m us obje at for ha ewdrive knifes, a <b>MP</b>	depend work be agnet t ects in p ammers ers, clan and muc <b>PKG</b>	dable and long service ench or any flat surface o hold tools blace. , wrenches, nps, pliers, ch more.	life.										F
<ul> <li>Steel c</li> <li>Easily</li> <li>Power and ot</li> </ul> Item # W1287*	onstruct mount to ful full lei ner ferro Gre scr l IP	ion for wall, ngth m us obje at for ha ewdrive knifes, a <b>MP</b> 24	depend work be agnet t ects in p ammers ers, clan and muc <b>PKG</b> DBL	dable and long service ench or any flat surface o hold tools blace. , wrenches, nps, pliers, ch more. Lengths 12 <sup>°</sup>	life.	-									F
<ul> <li>Steel c</li> <li>Easily</li> <li>Power and ot</li> </ul> Item # W1287 <sup>3</sup> W1288 <sup>3</sup>	onstruct mount to ful full len ner ferro Gre scr l IP 12 12	ion for wall, ngth m us objet at for have wdrive knifes, a <u>MP</u> 24 24	depend work be agnet t ects in p ammers ers, clan and muc <b>PKG</b> DBL DBL	dable and long service ench or any flat surface o hold tools blace. , wrenches, nps, pliers, ch more. Lengths 12" 18"	life.										,
<ul> <li>Steel c</li> <li>Easily</li> <li>Power and ot</li> </ul> Item # W1287*	onstruct mount to ful full len ner ferro Gre scr l IP 12 12 12	ion for wall, ngth m us obje at for ha ewdrive knifes, a <b>MP</b> 24	depend work be agnet t ects in p ammers ers, clan and muc <b>PKG</b> DBL	dable and long service ench or any flat surface o hold tools blace. , wrenches, nps, pliers, ch more. Lengths 12 <sup>°</sup>	life.										,

1	24	CBX	5-1/2"
1	20	CBX	9-1/2 x 5-1/2"
6	36	DBL	4" & 5-1/2"
12	24	CBX	6 x 10"
	6	1 20 6 36	1 20 CBX 6 36 DBL

## MAGNE

- Padded ma
- Keeps sma tools from o

			_			and the second s	AFOR		
	IP	MP	PKG	Sizes		(million	$\lambda / \alpha$		
	1	24	CBX	5-1/2"					R ON
	1	20	CBX	9-1/2 x 5	5-1/2"	6-24-25-25			1 House
2-PC	6	36	DBL	4" & 5-1/2	/2"	00/	1 No		31
	12	24	CBX	6 x 10"		Cas		9/	1 11
IETI(	C TF	<b>KAY</b>	& H	<b>OOK S</b>	SETS				
magne	etic tra	ays to p	orotect	t surfaces.	) <b>.</b>		T	5 5	
small m	ietal p	arts ar	nd					<b>`</b>	
m getti	ing los	st. 🥆		1				-	
		( H		曲			000		8
						VV I	260		
	-	<b>W</b> 1:	256	•				* 7	
		e lu			17		(件)	1 2	-
		単ノ	6	Ψ,			-		
		-							
	IP	MP	РКС	G Conten	nts				- 6 5
6-PC	6	24	DBL	<b>1-1/2</b> " h	hook magnets (4)	), 2-1/2 x 3-3/4"	trays (2)		
4-PC	6	24	DBI		hook magnets (2)			8-3/4" tray	8
					,				

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Item # W1256<mark>\*</mark>



- Strongest available Grade 8 ferrite ceramic magnets
- Corrosion resistant discs can be used in most any application
- Great for home, office, school, crafts, science projects, hobbies, manufacturing, refrigerators and more

## **CERAMIC BLOCKS**

Item #		IP	MP	PKG	Length	Width	Thickness
W12500*	8-PC	12	48	CLM	7/8"	1/4"	3/16"
W12505*	2-PC	12	48	CLM	1-7/8"	7/8"	3/8"

CERAMIC DISC W12502 Item # IP MP PKG Diameter Thickness

W12501*	8-PC	12	48	CLM	3/4"	3/16"
W12502*	6-PC	12	48	CLM	3/4"	1/8"
W12503*	10-PC	12	48	CLM	1/2"	3/16"
W12504*	6-PC	12	48	CLM	1"	3/16"

### **HOOKS & CLIPS**



Item #		IP	MP	PKG	Diameter	Rating	
W12506* 2-PC	Clip	12	24	CLM	1-3/8"	2.5 lbs.	
W12507*	Hook	6	24	CLM	2"	20 lbs.	
W12514* 2-PC	Hook Set	6	24	DBL	1-1/2"	8 lbs.	
W12509*	Base	6	24	CLM	2-1/2"	65 lbs.	W12509

## **2-PC WHITE ENAMEL MAGNETIC HOOKS**

White enamel covered hooks will stick to most any metal surface.

Item #	IP	MP	PKG	Diameter	Pull Rating
W12510* Hook	6	24	CLM	1"	9 lbs.
W12511* Hook	6	24	CLM	1-1/4"	14 lbs.

## **MAGNETIC TAPE ROLLS**

- Flexible magnetic tape with easy to use adhesive back.
- Tape cuts easily with regular utility scissors.
- Great for home, office, school, crafts, science projects, refrigerators and more.

Item #	IP	MP	PKG	Width	Length	Thick
W12520*	6	24	DBL	1"	30"	.06"
W12521*	4	24	DBL	1/2"	10'	.06"
W12522*	4	24	DBL	1"	10'	.06"
W12523*	6	24	DBL	1/2"	30"	.06"



W12500

W12501

Pull

W12520

W12514



W12505

W12504



W12507

\*California Residents Prop 65 warnings see page 2.

W12521

# **SAFETY GEAR**

## SAFETY GOGGLES

- Sealed goggle surround for maximum chemical and particulate protection.
- Adjustable elastic headband.
- Meets high impact requirements of ANSI Z87.1-2003.

Item #		IP	MP	PKG
W1024*	Ventilated	12	120	BAG
W1036*	Non-Vented	10	100	BAG

### **SAFETY GLASSES**

 Meets High Impact Requirement of ANSI Ž87.7-2003.







W1034

### W1031

SHOP/GARAGE

Item #		IP	MP	PKG	
W1031*	Adjustable	16	128	CRD	Comfortable molded nose bridge. Adjustable temple length. UV resistant.
W1032*	Flex Frame	16	128	CRD	Removable padded nose piece. Flexible frame for comfort. UV resistant.
W1033*	Clear Frame	16	128	CRD	Padded temple tips. Comfortable molded nose piece.
W1034*	Large Frame	16	128	CRD	Integral side shields. Fits over most prescription eyewear.
W1037*	Tinted	16	128	CRD	Scratch-resistant polycarbonate lens. Flexible arms for a comfortable fit.

## **PROTECTIVE EAR MUFFS**

- Folding design for easy storage.
- Foam-filled ear cups provide excellent noise reduction.
- Soft, wide ear cushions for comfortable fit. Noise reduction rating NRR: 25 db.

Item #	IP	MP	PKG
W50071*	6	24	CLM

### FOAM EAR PLUGS

- Cylindrical shape provides easy insertion and removal.
  Expand gradually for a secure, comfortable fit.
- Noise reduction rating NRR: 30 db.

W1501*         50-PK         12         48         CAS           W3216*         2-PK         30         360         BAG/Pg 315	Item #		IP	MP	PKG/MER
	W1501*	50-PK	12	48	CAS
	W3216*	2-PK	30	360	BAG/Pg 315
<b>W3239*</b> 8-PK 12 144 BAG/Pg 316	W3239*	8-PK	12	144	BAG/Pg 316

## **DUST MASK**

- 5 pieces per card.
- Easy to breathe and speak through.
- Adjustable contour nose piece.

IP	MP	PKG
6	72	CRD
	<b>IP</b> 6	IP         MP           6         72

### **MAGNETIC WRIST BAND**

- Perfect for home improvement projects.
- One-size-fits-all elastic band.
- Easy hook and loop closure.

Item #	IP	MP	PKG
W1275*	12	96	DBL

70







**TECH GLOVES** 

## SAFETY GLOVES

# SHOP/GARAGE



### Item # IP MP W88999\* Medium 12 72 W89000\* Large 12 72 BAG **W89001\*** X-Large 12 72 BAG

### **MECHANIC'S WORK GLOVES**

Comfortable, breathable, materials for maximum comfort.

 Designed and tested by mechanics for comfort and durability. • Thick enough to protect, thin enough to handle small objects.

- Polyurethane coated palm for improved grip.
- Reinforced saddle and thumb for high durability.
- 50% PU, 35% knit fabric, 10% spandex, 5% neoprene.

Item #	IP	MP	PKG
W89005* Medium	3	48	BAG
W89006* Large	3	48	BAG
W89007* X-Large	3	48	BAG

### **BLACK NITRILE GLOVES 20-PACK**

- Provides a protective barrier against dirt, grime, oil, chemicals and solvents.
- Textured fingertips for better grip. •
- Comfortable fit and feel.
- Powder/latex free.
- 5.5 mil.

Item #	IP	MP	PKG
W89016* Large	5	50	BAG
W89017* X-Large	5	50	BAG

## **100-PACK GLOVES**

• 5 mil.

Item #	IP	MP	PKG
W89011* Medium	1	10	CBX
W89012* Large	1	10	CBX
W89013* X-Large	1	10	CBX

### **HEAVY DUTY KNEE PADS**

- Impact resistant heavy duty polypropylene outer shell.
- Ribbed flat surface for better stability.
- Foam rubber inner with nylon liner.
- Quick release, adjustable hook and loop straps.













Item #	IP	MP	PKG
W88972*	1	12	BAG

### performancetool.com

### \*California Residents Prop 65 warnings see page 2.

## **CARGO CONTROL**



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

6

12

12

24

CLM

CLM

W1427\*

W1419\*

27

6'

2-pc cam buckle set

10,000 lbs.

900 lbs.

3,000 lbs.

300 lbs.

2"

1"

Item #

20160\*

W1424\*

IP

6

6

MP

24

24

PKG

DBL

DBL

**Break** 

900 lbs.

750 lbs.

Safe

300 lbs.

250 lbs.


## TOW ROPES & PULLERS

W1436

#### **LED TRAILER ALIGNMENT KIT**

- 2-in-1 magnetic trailer alignment kit features bright yellow foam balls for day use, and red flashing LEDs for night.
- Dual telescoping rods magnetically attach to your hitch and coupler.
- Telescoping sections extend to 41" tall.
- Stainless steel sections collapse down to 7-1/4" for easy storage.
- Includes 3-AG3 button cell batteries.



Item #	IP	MP	PKG	
W1276*	12	48	DBL	

#### **TREE SAVER STRAP**

- 8000 lbs. rating.
- Quality synthetic webbing.
- Protects trees and winch cables from damage.

IP

Item #

MP

PKG Size

EMER	GENCY	TOW	<b>STRAF</b>	S
------	-------	-----	--------------	---

- 2" weather & cut resistant polyester webbing.
- Will not rot, rust or mildew.
- Heavy duty zinc plated forged hooks.



Item #	IP	MP	PKG	Size	Break	Safe
W1420*	1	12	CLM	2" x 15'	8,500	2,833
W1422*	1	12	CLM	2" x 20'	10,000	3,300
W1423*	1	12	CLM	2" x 30'	10,000	3,300
W1423	I	12	CLIVI	2 X 30	10,000	3,300

- Durable polypropylene rope resists wear and tear. •
- Diamond braided to absorb shock.
- Lighter and stronger than chain.
- Zinc plated steel forged hooks
- Heavy-Duty stitching.
- W1435

ŀ



ltem #	IP	MP	PKG	Size	Break	Safe 🛕
W1435 <b>*</b>	1	6	CBX	5/8" x 14'	6,500	2,167
W1436*	1	6	CBX	3/4" x 17'	8,500	2,833
W1437*	1	6	CBX	7/8" x 20'	10,000	3,333

#### **COMPACT POWER PULLER**

- Collapsible with carrying case for easy storage and portability.
- Alloy hooks with approved safety latches.

IP

Item #

MP

PKG

Rolling

Lifting

 Removable handle with comfort grip for extra leverage.

Use for stretching fences and wire, hoisting motors, shafts and gears, vehicle recovery, farm/ranch,

W1416*	12	24	4 CL	.M 2" x 6	W4	<b>003*</b> 1	6	SLV	1 ton	1/2 to	on 6'	x 5mm	construct	ion and more.
POWEI • Drop forg • High grad • Automati release for	jed si de air c not	teel s craft ch-at-	afety h cable. ·a-time		1 °	» ·	• •	Drop fo High gr Versatil Automa	POV rged ste ade airce le hook o tatic notce ease for um	el safe raft ca design n at a	ety hoo ble.		en o	
Item #	IP	MP	PKG	Rolling	Lifting	Cable	It	em #	IP	MP	PKG	Rolling	Lifting	Cable
50-100 <b>*</b>	1	6	CBX	2 ton	1 ton	6' x 5mm	V	V4000D	<b>B*</b> 1	6	CBX	2 ton	1 ton	12' x 5mm
50-101*	1	4	CBX	4 ton	2 ton	10' x 6mm	۷	V4004D	<b>B*</b> 1	4	CBX	4 ton	2 ton	12' x 6mm

performancetool.com

\*California Residents Prop 65 warnings see page 2.

Cable



Intended for vehicle

recovery not for

prolonged towing.

TOW ROPES

Designed for use

4x4's and farm equipment.

with cars, trucks,

W1437

## **TARPS & STRAPS**

## TARP STRAPS

Heavy duty E.P.D.M. rubber construction.
Steel "S" hooks at each end.

Item #	IP	MP	PKG	L
W1410*	6	96	BAG	10"
W1411*	6	96	BAG	15"
W1412*	6	96	BAG	21"
W1413*	6	96	BAG	31"
W1414*	6	48	BAG	41"

## **BLUE TARPS**

- Water, mildew, tear and UV resistant.
- Double water proof surfaces.
- Double reinforced corners.

•	Rope	sewn	in a	along	edges	for	adc	led	strength	٦.
---	------	------	------	-------	-------	-----	-----	-----	----------	----

Item #	IP	MP	PKG	Cut Size	Finished	Mil
W6000*	1	50	BAG	5 x 7'	4' 6" x 6' 6"	4
W6002*	1	40	BAG	6 x 8'	5' 6" x 7' 6"	4
W6004*	1	20	BAG	8 x 10'	7' 6" x 9' 6"	4
W6006*	1	15	BAG	10 x 12'	9' 6" x 11' 6"	4
W6009*	1	8	BAG	10 x 20'	9' 6" x 19' 6"	4
W6011*	1	10	BAG	12 x 16'	11' 6" x 15' 6"	4
W6015*	1	5	BAG	16 x 20'	15' 6" x 19' 6"	4
W6020*	1	5	BAG	18 x 24'	17' 6" x 23' 6"	4
W6022*	1	3	BAG	20 x 30'	19' 6" x 29' 6"	4
W6025*	1	2	BAG	26 x 40'	25' 6" x 39' 6"	4
W6027*	1	1	BAG	30 x 60'	29' 6" x 59' 6"	4





## SILVER TARPS

Item #	IP	MP	PKG	Cut Size	Finished	Mil
W7002*	1	20	BAG	6 x 8'	5' 6" x 7' 6"	10
W7004*	1	10	BAG	8 x 10'	7' 6" x 9' 6"	10
W7006*	1	8	BAG	10 x 12'	9' 6" x 11' 6"	10

## **BOOT AND SHOE BRUSH**

- Wood blocks with heavy duty steel frame.
- Easily screwed down to any surface using the integrated tabs.
- Heavy poly bristles for long life.

Item #	IP	MP	PKG
W9451*	1	6	CBX

## **PLASTIC BOOT TRAY**

- Perfect for muddy and wet boots and shoes.
- Large enough to hold 3 pairs.
- Made of 100% recycled materials.

IP Item # MP PKG Size **W89018\*** 12 12 LAB 26-1/2 x 13-1/2"







BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **OUTDOOR ACCESSORIES**

## **STADIUM BINOCULARS**

- High quality glass lenses produce crisp, clear images.
- Ergonomic rubberized body for improved grip.
- Fold down rubber eye cups for use with glasses.
- Center wheel focus.
- Field of view 402 ft. at 1100 yards.

Item #	IP	MP	PKG	Magnification
W9460*	10	20	CBX	7x50

## **COMPACT BINOCULARS**

- 21mm objective ruby colored glass lenses produce crisp clear images.
  Ergonomic rubberized body for improved grip.
- Compact design so you can take them anywhere.
- Fold down rubber eye cups for use with glasses.
- Neck strap, carrying case and lens cleaning cloth included.
- Center wheel focus.
- Field of view 402 ft. at 1100 yards.

	Item #	IP	MP	PKG	Magnification
--	--------	----	----	-----	---------------

**W9461\*** 12 48 CBX 8x21

## SCREWDRIVER GRIP BOTTLE OPEN

- Ergonomic non slip molded grip for improved comfort and control.
- Alloy steel construction with corrosion resistant chrome finish.
- Works on foreign and domestic models.
- An essential in every tool box, tool chest, garage cabinet or junk drawer for both the professional and DIY.

tem #	IP	MP	PKG							
W30975*		72								
W30975	0	12	TAB							
CARAI	RIN	FRC					12 million		Locking cage preven	its tampe
Lightweig			onetruct	ion					or accidental opening	
Hundreds	s of us	es.	onstruct						45 lbs. limit.	
Not for Cl										
									W46	20
						0	W32		2019	
							W96	9		
					Incl	udes non			Ter.	a m P
		Ero	onomic e	5tt						0 0 0
		Erg	onomic s handle.	oft	line	r. 45 lbs.			SET.	0
		Erg grip	onomic s handle.	oft		r. 45 lbs.		2		
		Erg grip	onomic s handle.	oft	line	r. 45 lbs.		2		
W461		Erg grip	onomic s handle.	oft	line	r. 45 lbs.		2		10
20197		Erg grip	handle.		line W4	r. 45 lbs. 82		2		
20197 Item #		grip	handle.	MP	PKG	r. 45 lbs. 82 Size		2		
20197 Item # W461*	Jr. Jur	grip	handle.	<b>MP</b> 48	PKG CRD	r. 45 lbs. 82 Size 5"		2		
20197 Item # W461* 20197*	Jr. Jur	grip nbo nbo	IP 8 5	<b>MP</b> 48 30	PKG CRD Pg 321	r. 45 lbs. 82 Size 5" 5"		2	W2558	
20197 Item # W461 <b>*</b> 20197 <b>*</b> W463 <b>*</b>	Jr. Jur Jumbo	grip nbo nbo	IP 8 5 6	<b>MP</b> 48	PKG CRD	x 45 lbs. 82 Size 5" 5" 7"		2	W2558	
20197 Item # W461* 20197* W463* W3203*	Jr. Jur Jumbo	grip nbo nbo	IP 8 5	<b>MP</b> 48 30	PKG CRD Pg 321	r. 45 lbs. 82 Size 5" 5"		2	W2558	
20197 Item # W461* 20197* W463* W3203* W969*	Jr. Jur Jumbo with K	grip nbo nbo	IP 8 5 6	<b>MP</b> 48 30 48	PKG CRD Pg 321 CRD	x 45 lbs. 82 Size 5" 5" 7"		2	W2558	
20197 Item # W461* 20197* W463* W3203* W969*	Jr. Jur Jumbo with K	grip nbo nbo ey Ring ey Ring	handle.	MP 48 30 48 240	PKG CRD Pg 321 CRD Pg 315	x 45 lbs. 82 Size 5" 5" 7" 3"		2	W2558	
20197 tem # W461* 20197* W463* W3203* W969* W469*	Jr. Jur Jumbo with Ko with Ko	grip nbo nbo o ey Ring ey Ring ig	handle. IP 8 5 6 20 30	MP 48 30 48 240 180	PKG CRD Pg 321 CRD Pg 315 BLK	x 45 lbs. 82 Size 5" 5" 7" 3" 3" 3"		2	300 lbs. rated polyester	paracor
20197 Item # W461* 20197* W463* W3203* W3203* W969* W469* 20194*	Jr. Jur Jumbo with K with K Lockir	grip nbo nbo o ey Ring ey Ring ng	handle.	MP 48 30 48 240 180 72	PKG CRD Pg 321 CRD Pg 315 BLK Pg 318	x, 45 lbs. 82 Size 5" 5" 7" 3" 3" 3" 3"			MALLEI	ver 10' in

75

performancetool.com



## **BRUSHES & CLEANING**



## **3-PC WIRE BRUSH SETS** Useful for many utility cleaning purposes. Brass, stainless steel and nylon bristles. W1149 W1148 20140

Item #	IP	MP	PKG	Steel	Brass	Nylon
W1148*	6	144	CRD	7-1/8"	7-1/8"	7-1/8"
20140*	4	24	Pg 321	6-7/8"	6-7/8"	6-7/8"
W1149 <b>*</b>	6	72	CRD	9-1/8"	8-3/4, 7-1/8"	-

#### **UTILITY WIRE BRUSHES**

- Tough, all purpose steel bristles.
- Comfortable curved handle.
- leans rust, paint, dirt, and much more, quickly and easily.

	A los partes				
Item #	IP	MP	PKG	Handle Type	
W1150*	12	144	BLK	Plastic	
W1152*	12	144	CRD	Wood	

## **3-PC WIRE BRUSH SET**

- · Contoured plastic handles allow users to comfortably apply higher pressure than with conventional wire brushes.
- 33 gauge 7/8" long steel bristles.





DBL galvanized & brass



Item #		IP	MP	PKG	Sizes
W232C*	3-PC	12	288	CRD	1/2, 1, 2"
20124*	2-PC	4	24	Pg 320	1, 2"
20195 <b>*</b>	5-PC	4	24	BAG	1, 1-1/2, 2, 2-1/2, 3"

#### **12-PC DETAIL BRUSH KIT**

 Seamless steel ferrules won't rust or split and are double-crimped for long life.

**PKG** Includes

 Nvlon bristles and wooden handles with a smooth finish, for improved control.

> 3/8 round, 6 round, 3/8 angle, 4 angle, CRD 3/8 filbert, 3/8 saw tooth, 1/2 flat, 1/4 flat, 2 fan, 8 liner, 4 liner, 5/0 liner.

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

W228\*

Item #

IP

24

MP

72

Item #

W4990\*

# BRUSHES & CLEANING



CONFECTE

<ul> <li>Wood ha</li> <li>Zinc plate</li> </ul>	ed boc	lv									
		.y.				al a		-		1	
Item #	IP	MP		Blade	Length	200		,	W1460		
W1466*	10	50	BLK	8" Rubber	W/20" Handle			• Q	uality flexib	ole 📃	B
W1468*	10	50	BLK	8" Rubber	W/24" Handle			si	licone blad	е.	
W1472 <b>*</b>	10	50	BLK	10" Rubber	W/20" Handle						
W1460*	8	16	BLK	8" Silicone	-						
24 IN.	SHO	)P B	ROO	M	MANN	8		STE	EL DUS	STPAN	
				th to mediur	m	1				tubular steel	hand
surfaces	such a	as gara	age/shc	p floors,				<ul> <li>Com</li> </ul>	fortable rub	oberized grip	
finished o	concre	te, ma	sonry a	ind more.					ble powder	r	
<ul> <li>Durable   smooth te</li> </ul>	polypro	opylen	e fibers	sweep					ed finish ts rust and		
as darad	es sh	nns dr	rivewav	s, patios,	4				is rust and sion.		/
cement a	and mo	ore.	y	-, panoo,				00110			•
			Ecotu						MIN		
				res a universa ium ferule an		DM			A CLEWRY	1-1	
		and the second		hang hole	e.				1	a ar	
	Million	1111									
			mm	Inc	000						
		ALL STATE	<u>annann</u>	MAMPATTA	A	/					
				Contraction of the second second							
Item #	IP M	Р РК		Steel Handle		())))))))))))))))					
					A CONTRACTOR OF						
			Ler	igth Diamet				Item #	IP MP		
w28* 25 PA	1 1 CK S	2 SL Shoi	.V 6 P TO	0" 15/16 WELS				w29*	1 6		/2 x 9
W28*	1 1 <b>CK S</b> dirt, gr washa	2 SL SHOI rease a able.	P TO	0" 15/16 WELS		<ul> <li>Smooth</li> </ul>	wood s during for clea g, buffi	W29* JLTI G or rough g paint pr aning, ng	1 6 RADE S	LAB 16-1	/2 x 9
W28* 25 PA • Picks up • Machine	1 1 <b>CK S</b> dirt, gr washa	2 SL SHOI rease a able.	P TO	0" 15/16 WELS		<ul> <li>Smooth surfaces</li> <li>Perfect polishin</li> </ul>	wood s during for clea g, buffi	W29* JLTI G or rough g paint pr aning, ng	1 6 RADE S	LAB 16-1	/2 x 9
W28* 25 PA • Picks up • Machine	1 1 <b>CK S</b> dirt, gr washa	2 SL SHOI rease a able.	P TO	0" 15/16 WELS		<ul> <li>Smooth surfaces</li> <li>Perfect polishin</li> </ul>	wood s during for clea g, buffi	W29* JLTI G or rough g paint pr aning, ng	1 6 RADE S	LAB 16-1	/2 x 9
W28* 25 PA • Picks up • Machine	1 1 <b>CK S</b> dirt, gr washa	2 SL SHOI rease a able.	P TO	0" 15/16 WELS		<ul> <li>Smooth surfaces</li> <li>Perfect polishin</li> </ul>	wood s during for clea g, buffi	W29* JLTI G or rough g paint pr aning, ng	1 6 RADE S	LAB 16-1	/2 x 9
W28* 25 PA • Picks up • Machine	1 1 <b>CK S</b> dirt, gr washa	2 SL SHOI rease a able.	P TO	0" 15/16 WELS		<ul> <li>Smooth surfaces</li> <li>Perfect polishin</li> </ul>	wood s during for clea g, buffi	W29* JLTI G or rough g paint pr aning, ng	1 6 RADE S	LAB 16-1	/2 x 9
W28* 25 PA • Picks up • Machine • Soft all-c	1 1 CK S dirt, gu washa otton v	2 SL SHO rease a able. veave.	PTO and liqu	0" 15/16 WELS iids.		<ul> <li>Smooth surfaces</li> <li>Perfect polishin and refi</li> </ul>	wood s durin for clea g, buffi nishing	W29*	1 6 RADE 9 up metal ep.	LAB 16-1 STEEL V	/2 x 9
W28* 25 PA( • Picks up • Machine • Soft all-c	1 1 CK S dirt, g washa otton v	2 SL SHOO rease a able. veave.	P TO and liqu	0" 15/16 WELS ids.		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>Item #</li> </ul>	wood s durin for clea g, buffi nishing	W29*	1 6 RADE 9 up metal ep. G Includes	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c	1 1 CK S dirt, gu washa otton v	2 SL SHO rease a able. veave.	PTO and liqu	0" 15/16 WELS iids.		<ul> <li>Smooth surfaces</li> <li>Perfect polishin and refi</li> </ul>	wood s durin for clea g, buffi nishing	W29*	1 6 RADE 9 up metal ep. G Includes	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft all-c	1 1 CKS dirt, g washa otton v	2 SL SHOO rease a able. veave. MP 24	PTO and liqu	0" 15/16 WELS ids. Size 13-3/4 x 13"	41 14 15 16 16 16 16 16 16 16 16 16 16	<ul> <li>Smooth surfaces</li> <li>Perfect polishin and refi</li> <li>Item #</li> <li>W1253*</li> </ul>	wood s during for clea g, buffi nishing	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, #	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c Item # W1476* FINGE	1 1 CK S dirt, g washa otton v	2 SL SHO rease a able. veave. Veave. MP 24	P TO and liqu	0" 15/16 WELS ids. Size 13-3/4 × 13"		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>Item #</li> <li>W1253*</li> <li>PAR</li> </ul>	IP 12 TS C	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft all-c • Soft all-c • Soft all-c • Soft all-c	1 1 CK S dirt, gu washa otton v IP 1 RNA	2 SL SHOI rease a able. veave. Weave. MP 24	P TO and liqu	0" 15/16 WELS ids. Size 13-3/4 × 13"		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>Item #</li> <li>W1253*</li> <li>PAR</li> <li>Durate</li> </ul>	IP 12 IP 12 IS C 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft all-c • Soft all-c • Soft all-c • Soft all-c	1 1 CK S dirt, gu washa otton v IP 1 1 RNA o, plasiong las	2 SL SHOI rease a able. veave. Weave. MP 24	P TO and liqu	0" 15/16 WELS ids. Size 13-3/4 × 13"		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR</li> <li>Durat</li> <li>Esser</li> </ul>	IP 12 IP 12 IP 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft all-c • Soft all-c • Soft all-c • Soft all-c • Soft all-c	1 1 CK S dirt, gu washa otton v IP 1 1 RNA o, plasiong las	2 SL SHOI rease a able. veave. Weave. MP 24	P TO and liqu	0" 15/16 WELS ids. Size 13-3/4 × 13"		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR</li> <li>Durat</li> <li>Esser</li> </ul>	IP 12 IP 12 IP 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft a	1 1 CK S dirt, g washa otton v IP 1 1 RNA o, plasi stles.	2 SL SHOI rease a able. veave. Veave. MP 24 ML B tic han sting	P TO and liqu	0" 15/16 WELS ids. Size 13-3/4 x 13"		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR</li> <li>Durat</li> <li>Esser</li> </ul>	IP 12 IP 12 IP 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft a	1 1 CK S dirt, g washa otton v IP 1 I RNA o, plasi ong las stles.	2 SL SHOI rease a able. veave. Veave. MP 24 ML B tic han sting	P TO and liqu	0" 15/16 WELS ids. Size 13-3/4 × 13"		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR</li> <li>Durate</li> <li>Esser</li> </ul>	IP 12 IP 12 IP 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft a	1 1 CK S dirt, gy washa otton v IP 1 1 RNA o, plasi stles. ed han r grip.	2 SL Frease a able. veave. <b>MP</b> 24 <b>IL B</b> tic han sting	PTO and liqu PKG BAG BRUS die.	0" 15/16 WELS ids. Size 13-3/4 × 13"		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR</li> <li>Durate</li> <li>Esser</li> </ul>	IP 12 IP 12 IP 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft all-c • Soft all-c • Tough all • Easy grip • Tough, lo nylon bris W9163 Contourn for bette Item #	1 1 CK S dirt, g washa otton v IP 1 I RNA o, plasi ong las stles.	2 SL SHOI rease a able. veave. Veave. MP 24 ML B tic han sting	PTO and liqu PKG BAG BAG	0" 15/16 WELS hids.		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR</li> <li>Durate</li> <li>Esser</li> </ul>	IP 12 IP 12 IP 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft all-c • Soft all-c • Tough • Easy grip • Tough, lo nylon bris W9163 Contour for bette Item # 20127*	1 1 CK S dirt, gy washa otton v IP 1 1 RNA o, plasi ong las stles. ed han r grip. IP	2 SL Frease a able. veave. MP 24 MP 24 MP dle MP	PTO and liqu PKG BAG BAG BRUS dle.	0" 15/16 WELS ids. Size 13-3/4 × 13'		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR</li> <li>Durate</li> <li>Esser</li> </ul>	IP 12 IP 12 IP 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft all-c • Soft all-c • Tough log • Tough,	1 1 CK S dirt, gy washa otton v IP 1 RNA o, plast ong las stles. ed han r grip. IP 12	2 SL Crease a able. veave. MP 24 MP 24 MP 12 dle MP 72	P TO and liqu PKG BAG RUS dle. PKG Pg 320 Pg 315	0" 15/16 WELS ids. Size 13-3/4 x 13'		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR <ul> <li>Durat</li> <li>Esser keepi</li> </ul> </li> </ul>	IP 12 IP 12 IS C 12 IS C 12	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for build-up.	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA Picks up Machine Soft all-c Soft all-c V1476* FINGE Easy grip Tough, lo nylon bris W9163 Contourn for bette Item # 20127* W3229* W3300*	1 1 CKS dirt, gr washa otton v IP 1 RNA o, plasi ong las stles. ed han r grip. IP 12 12 12 12	2 SL rease a able. veave. 24 MP 24 MP 24 MP 24 MP 24 MP 24 MP 24 144 144	PTO and liqu PKG BAG RUS dle. PKG Pg 320 Pg 315 Pg 317	0" 15/16 WELS ids. Size 13-3/4 x 13'		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR</li> <li>Durate</li> <li>Esser keepi</li> <li>Item #</li> </ul>	IP 12 IP 12 IS C 12 IS C 12 II	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for build-up. PKG	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>
W28* 25 PA • Picks up • Machine • Soft all-c • Soft all-c • Soft all-c • Tough, lo nylon bris W9163 Contourn for bette Item # 20127* W3229*	1 1 CKS dirt, gr washa otton v IP 1 RNA o, plasi stles. ed han r grip. IP 12 12	2 SL Crease a able. veave. MP 24 MP 24 MP 24 MP 24 MP 24 MP 24 MP 24 MP 24 MP 24	P TO and liqu PKG BAG RUS dle. PKG Pg 320 Pg 315	0" 15/16 WELS ids. Size 13-3/4 x 13'		<ul> <li>Smooth surface:</li> <li>Perfect polishin and refi</li> <li>W1253*</li> <li>PAR <ul> <li>Durat</li> <li>Esser keepi</li> </ul> </li> </ul>	IP 12 IP 12 IS C ole PVC ntial arc ng part	W29*	1 6 RADE 9 up metal ep. G Includes G #0 fine, # ING BF shop for build-up.	LAB 16-1 STEEL V	/2 × 9 <b>VOO</b>

#### performancetool.com

**\*California Residents** Prop 65 warnings see page 2.

## **ROADSIDE ACCESSORIES**



Item #	IP	MP	PKG	Contents
W1555*	1	6	SLV	8' jumper cables (10ga), 2 ton 14' tow rope (1,333 lbs. working load), Krypton flashlight with 2-AA batteries, slip joint pliers, 2-in-1 screwdriver, bungee cords, rain poncho, first aid kit, gloves, ice scraper, tire gauge, knife, cable ties and electrical tape.
W1556*	1	10	SLV	8' jumper cables, flashlight with 2-AA batteries, tire gauge, knit gloves, whistle, 10-pc fuse and terminal kit, electrical tape, slip joint pliers, #2 Philips, 1/4" slotted screwdrivers. 1/4" dr sockets: 1/4, 5/16, 3/8, 7/16", 4, 6, 8, 10, 12mm, spinner handle.
60220*	1	4	SLV	12V 150 PSI tire inflator, 8' jumper cables (10ga), free standing warning triangle, flashlight, slip joint pliers, bungee cords, screwdriver, gloves, snap blade knife, rain poncho, tire gauge, electrical tape and cable ties.

W1499

W1498

#### **DOT WARNING TRIANGLES**

- This D.O.T. approved warning triangle is ideal for unexpected roadside emergencies.
- Total weight of 2.9 pounds for stability in windy conditions.
- Measures 17-1/2" x 17-1/4" tall.

Item #	IP	MP	PKG	
W1499*	1	4	LAB	
W1498*	1	4	LAB	3-PACK

#### **EMERGENCY TRACTION MAT**

- Emergency traction when your vehicle is stuck in snow, ice, mud or sandy conditions.
- Flexible heavy duty plastic, strong metal hinges, and raised nubs for superior traction.
- Lightweight, and folds to a compact size to store easily in your trunk.
  Comes as a set of 2 traction
- Comes as a set of 2 traction mats in safety yellow.

Best alternative for tire chains and easier to use, simply place it under your tires and drive up smoothly.

Convenient travel

triangles together

until needed.

case keeps all three



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box





## **AUTO ACCESSORIES**

#### **PORTABLE SAFE/LOCKBOX**

- Great for keeping your phone, wallet, documents, protection devices or other valuable articles secure.
- Ideal for use in cars, trucks, vans, boats, in the office, at home and more.
- Heavy duty steel construction with black powder coat finish.
- Soft, durable interior will not scratch stored articles.
- Includes bracket, mounting hardware, security cable and 2 keys.

Can be secured with the included mounting bracket and hardware or 3' security cable.

When box is locked it cannot be removed from

the mounting bracket.



SHOP/GARAGE

Item #		IP	MP	PKG		W	D	н
W53998*	Small	-1	10	CDV	O.D.	8-1/4"	5-7/8"	2-1/4"
W22880	Small	I	10	CDX	I.D.	7"	5-1/4"	2"
W53993 <b>*</b>	Lorgo	-	5	CDV	O.D.	11-5/16"	9-7/8"	2-1/4"
woo993 <del>*</del>	Large	1	5		I.D.	10"	6-3/8"	2"

#### **MAGNETIC KEY HOLDER**

 Strong magnetic sticks to metal surfaces.



IP	MP	PKG
24	288	CRD
10	120	Pg 315
	24	21 200

#### **BLIND SPOT MIRRORS**

- Provides essential wide angle view.
- Aluminum housing.
- Self adhesive back sticks to side view mirror.



Item #	IP	MP	PKG	Size
W29C*	12	288	CRD	3-3/4"
W30C*	12	288	CRD	3"
W30C*	12	288	CRD	3"
W3231*	25	300	Pg 316	2"
W36C*	12	144	CRD	4"x5-1/4"

#### LICENSE PLATE SCREWS

- Set of four Nylon fasteners.
- All weather, will not corrode.



PROP	ROD
Evtonde	from 16" to 10

ctends from 16" to 40". Simple twist-lock action.





Item # IP MP PKG W1475\* 60 BAG 1

#### EMERGENCY AUTO SAFETY TOOL

- Seat belt cutter to quickly exit vehicle.Bright LED flashlight and 9 flashing red
- LED lights to alert others.
- Glass breaker for emergency escapes.
- Magnetic base sticks to any steel surface.
- Powered by 2-AA batteries (not included).

Item # IP MP PKG W1553\* 6 48 DBL

#### HANDYMAN FIRST AID KIT

- 1 Non-woven triangular bandage.
- 5 Fabric bandages 3" x 1"
- 4 Fabric knuckle bandages.
- 4 Fabric Fingertip bandages.
- 1 Saline solution 0.5 oz.
- 2 Small dressing.
- 1 Finger dressing.
- 6 Safety pins.
- 2 Alcohol wipes.

Item #	IP	MP	PKG
W1554*	6	24	SLV

performancetool.com

*California Residents	
Prop 65 warnings see page 2.	



FIRST AID

## **MOBILE ACCESSORIES**



#### **3-PC CAR SEAT CONVENIENCE SET**

- Features tablet holder, utility clip and headrest bracket.
- Quick connect system with easy push button release.
- Foam padding reduce shock and vibration to your device.
- Adjustable depth clips allow you to keep your protective case on your tablet.
- Utility hook is great for hanging clothes, shopping bags, trash bags and more.
  Adjustable bracket fits headrests with openings from 4-1/4" to 5-1/2" wide.
- Fits tablets from 5-1/2" up to 9-3/4" wide/high.





Item # IP MP PKG W1284\* 1 24 CBX

#### 6 IN. USB MINI FAN

- Compact 4" aluminum blade and 6" frame delivers a lot of cooling air flow without taking up a lot of space.
- Brushless axial motor allowing for whisper quiet operation.
- Sturdy metal stand with rubber feet is adjustable with 360 degrees of rotation.
- Powered by a 3' USB cable that can operate from a computer, laptop, power bank and other USB outlet.



Perfect fan for the office, home, dorm, study, library, game room or garage.

					USB
Item #	IP	MP	PKG	Watts	Cable
W1663*	1	45	CBX	0.25	3'

#### **SELF PORTRAIT MONOPOD**

- Portable, compact, lightweight, sturdy and easy to use.
   Anti swivel groove to stabilize and prevent
- Anti-swivel groove to stabilize and prevent camera/phone from turning.
- Adjustable thumb screw provides flexibility for multiple angle shooting and 180° rotation.
  Connection cable allows operation without
- batteries, timers or a separate remote.



- rechargeable batteries: 9V, AA, AAA, C, D, 1.5V Button Type.
- Easy-to-read with Good, Low and Poor indicators.



Compact design,

			no batteries requir		
Item #		IP	MP	PKG	
W2986*	Digital	16	96	CRD	
W2987*	Analog	16	96	CRD	

#### 44-PC BUTTON CELL BATTERY PACK

- Wide range of popular button cell batteries.
- Includes: 12 of AG13 (LR44)
   6 of AG3 (LR41)
   12 of CR2032
   6 of CR2016
   4 of CR2025
   4 of CR1616



MP Item # IP PKG IP MP PKG Reach Item # W15033\* 8 48 Pg 313 12" to 43" W483\* 8 48 CRD/Pg 318

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



CAULK GUNS	• Use caul	s stand ks, and	dard 10 d adhes	oz sealants, ive cartridges.		SUPER • Bonds m			rubber
for	Built-in conve	hangin nient st	g loop orage.	4		<ul> <li>Bonds in ceramic a</li> <li>Works in</li> <li>Permane non-poro</li> </ul>	and po secor ent rep	orcelair nds. airs to	1.
W542	95							NUPER CLUE	NI W OA' of Cal
					00	Item #	IP	MP	PKG
				Built-in caulk tube		20135 <b>*</b>	12	72	Pg 320
Item #	IP	MP	PKG	nozzle tip cutter.		W3236*	20	240	Pg 316
W54250* Ratcheting	6	48	LAB	W54250					
W54295* Heavy Duty	6	36	LAB		<b>V</b>	RUBBI	ER C	:EMI	ENT

(n) :

W549

Ch

#### PTFE SEALING TAPE

 Perfect for fittings, pipes, valves, gauges and other threaded parts.

Item #	IP	MP	PKG	Size
M609C*	24	288	CRD	1/2" x 21'
W1909*	24	144	BLK	1/2" x 21'
W3245*	12	144	Pg 316	1/2" x 21'
W3303*	20	160	Pg 317	1/2" x 21'
<b>20100*</b> 2-PK	6	36	Pg 320	1/2" x 33'
W974 <b>*</b>	40	240	BLK	1/2" x 33'

## **ELECTRICAL TAPE**

- Flexible material conforms to sharp contours with firm gripping rubber resin adhesive.
- Suitable for use at no more than 600V and not more than 176°F (80°C). ULListed

• OL LISIEU.				
Item #	IP	MP	PKG	Size
W501*	10	500	SHK	3/4" x 30'
W502*	10	200	SHK	3/4" x 60'
W3244 <b>*</b>	12	144	Pg 316	3/4" x 30'
W3309*	15	120	Pg 317	3/4" x 30'
W501D*	24	144	BLK	3/4" x 30'
<b>20101*</b> 2-PK	6	36	Pg 320	3/4" x 30'

**5-PACK ROLLS SETS** 

W548*	Black	12	72	BAG	3/4" x 30'
W549 <b>*</b>	Colored	12	72	BAG	3/4" x 30'
20165 <b>*</b>	Colored	4	24	Pg 321	3/4" x 30'

## **DUCT TAPE**

- Heavy duty duct tape has thousands of uses around the home, garage or workshop.
- Strong polyethylene backed, rubber base adhesive for a strong hold. 17 mil thick (excludes 20102).

Item #		IP	MP	PKG	Size
W503*	Silver	1	24	LAB	2" x 150'
W504*	Black	1	24	LAB	2" x 150'
20102*	Silver	6	36	Pg 320	2-7/8" x 3



## performancetool.com

## **ADHESIVES & TAPES**

#### GENIENI

- For use with tire patches.
- Many uses around the house and garage.



Item #	IP
60210 <b>*</b>	10

MP	PKG	
100	CRD	

## 7 SECOND GLUE AND FILLER

- Works on rubber, glass, copper, aluminum, steel and most plastics.
- Included application pack with sand paper, razor blade, masking tape, glove, paddle, pin, precision applicator tube.



Not engineered to work on polyethylene, polypropylene plastics, Teflon, or fiber based materials like paper and cloth.

Item #	IP	MP	PKG
W481*	6	48	CRD/Pg 318

#### LENS REPAIR TAPE

- Use as a temporary fix on rear brake lights and turn signals.
- Red weather resistant self adhesive tape.



\*California Residents

# SHOP/GARAGE

## **CABLE TIES**



W2904*	100-PC	4"	Black	10	100	BAG	18 lbs.
W2905*	100-PC	5-1/2"	Black	10	100	BAG	40 lbs
W2910*	100-PC	8"	Black	10	100	BAG	40 lbs,
W2912*	100-PC	12"	Black	10	100	BAG	50 lbs.
W2915*	100-PC	14"	Black	10	100	BAG	50 lbs.
W2924*	50-PC	18"	Black	10	100	BAG	120 lbs.
W2906*	100-PC	4"	White	10	100	BAG	18 lbs.
W2907*	100-PC	5-1/2"	White	10	100	BAG	40 lbs
W2908*	100-PC	8"	White	10	100	BAG	40 lbs,
W2913*	100-PC	12"	White	10	100	BAG	50 lbs.
W2917*	100-PC	14"	White	10	100	BAG	50 lbs.
W2926*	50-PC	18"	White	10	100	BAG	120 lbs.
W2903*	50-PC	11"	B&W	20	80	BAG	40 lbs.
W2927*	24-PC	25"	B&W	10	40	BAG	175 lbs.
W2928*	24-PC	40"	B&W	10	40	BAG	250 lbs.

4"

50

6"

50

#### **150-PC NEON CABLE TIE SET**

• 50 pieces of each color. • Resealable Bag.

Item #	IP	MP	PKG	Contents
W2929*	10	100	BAG	4" Yellow, 8" Pink, 12"

#### 250-PC CABLE TIE ASSORTMENT

IP

1

Item #

82

W2918\*

- Variety of lengths, color coded.
- Handy assortment for the home, office, or shop.
- Clear plastic tubes keep small pieces in one place, easy to find.

MP

12

PKG

LAB



HIHAD

- 100 12" cable ties.
  Great for home, shop, office, RV, boat and so much more.

#### **8" Item # IP MP PKG** 150 **W2925\*** 6 12 LAB

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

Blue.



## 1,000-PC O-RING, SPRING, COTTER PIN ASSORTMENT

- Mountable rack with handle.Extra storage container included.

Cotter Pin	S	SAE O-ring	s	Metric O-rin	gs
1/16 x 1"	60	3/32 x 15/64"	10	3 x 1.5mm	10
3/32 x 1"	40	7/32 x 11/32"	15	4.4 x 2mm	15
3/32 x 1-1/2"	35	5/8 x 3/4"	10	5 x 2mm	20
1/8 x 1-1/4"	35	9/16 x 3/4"	10	7 x 1.5mm	20
1/8 x 2"	16	3/4 x 1"	10	10 x 1.5mm	20
5/32 x 2-1/2"	14	1/8 x 1/4"	20	13 x 1.5mm	15
3/16 x 3"	5	1/4 x 3/8"	15	10 x 2.5mm	15
1/4 x 2"	5	3/8 x 9/16"	10	11 x 2.5mm	15
1/4 x 3"	5	5/8 x 3/16"	10	13 x 2.5mm	10
5/16 x 2-1/2"	5	13/16 x 1-1/16"	10	14 x 2.5mm	10
		5/32 x 9/32"	20	16 x 2.5mm	60
Compress Sp	rings	5/16 x 7/16"	15	18 x 2.5mm	40
7/32 x 1-1/2"	20	7/16 x 5/8"	10	19 x 2.5mm	35
3/8 x 3/4"	20	11/16 x 7/8"	10	21 x 2.5mm	35
23/64 x 1-3/8"	20	7/8 x 1-1/8"	10	22 x 2.5mm	16
9/32 x 1/2"	20	3/16 x 5/16"	20	18 x 3.5mm	14
		3/8 x 1/2"	10	20 x 3.5mm	5
Extension Sp	rings	1/2 x 11/16"	10	22 x 3.5mm	5
5/16 x 1-1/8"	20	3/4 x 15/16"	10	23.5 x 3.5mm	5
3/16 x 1-3/4"	20	15/16 x1-3/16"	10	25 x 3.5mm	5
Item # IF		MP PKG			





## 1,200-PC NUT & BOLT ASSORTMENT

CBX

	Bolt		Nut	Washer
Size	Length	Qty	Qty	Qty
M3	16mm	20	25	25
M4 -	16mm	20	25	25
1014	25mm	20	25	25
M5	20mm	20	25	25
CIVI	25mm	20	25	25
M6	20mm	20	25	25
6	5/8"	20	25	25
8	5/8"	20	25	25
0	1"	20	25	25
10	3/4"	20	25	25
10 -	1"	20	25	25
1/4"	3/4"	20	25	25
Item #	ŧ IP	M	р рк	G

W5353\*

W5226\*

1

4

	Screw	
Size	Length	Qty
6	1/2"	40
0	3/4"	40
8	1/2"	30
	5/8"	20
	3/4"	30
10	1"	20
W	ood Scre	w
4	1/2"	40
	1/2"	40
6	5/8"	30
	3/4"	30
0	5/8"	20

1"

20

## **1,120-PC STAINLESS STEEL SCREW ASSORTMENT**

8

	Bolt		Nut	Washer		Screw		V	Vood Sc
	Length	Qty	Qty	Qty		Length	Qty		Length
	1/2"	30			6	3/4"	40	6	3/4"
6	1"	30	110	110	0	1"	35	0	1"
	3/4"	25				3/4"	30		3/4"
8			80	80	8	1"	25	8	1"
	1/2"	25				1-1/2"	25		1-1/2"
10	3/4"	20	50	50		3/4"	20		3/4"
10	1"	20	50	00	10	1"	20	10	1"
1/4"	3/4"	20	30	30		1-1/2"	15		1-1/2"
							-		

CBX

4

Item #	IP	MP	PKG
W5355 <b>*</b>	1	12	SLV

1

1644		v		
ngth	Qty		Length	Qty
4"	40	6	3/4"	40
"	35	0	1"	35
'4"	30		3/4"	30
"	25	8	1"	25
1/2"	25		1-1/2"	25
4"	20		3/4"	25
"	20	10	1"	20
1/2"	15		1-1/2"	15

row

#### performancetool.com



\*California Residents Prop 65 warnings see page 2.



LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box









35

720 WAS 0





IP Item # MP PKG W5245\* 6 24 CAS

#### **110-PC COPPER** WASHERS



Item # IP MP PKG W5217\* 6 24 CAS



IP MP PKG Item # W5218\* 6 24 CAS



Item # IP MP PKG W5200\* 6 24 CAS

SAE WERE	#6 Flat Washer 50 pcs	<b>#8</b> Flat Washer 40 pcs	<b>#10</b> Flat Washer 30 pcs	1/4" Flat Washer 25 pcs	<b>5/16"</b> Flat Washer 15 pcs	<b>3/8"</b> Flat Washer 15 pcs
	0	0	Ο	0	0	0
0101	#6 Lock Washer 50 pcs	#8 Lock Washer 40 pcs	#10 Lock Washer 30 pcs	1/4" Lock Washer 25 pcs	5/16" Lock Washer 15 pcs	3/8" Lock Washer 15 pcs
	0	0	0	0	0	0
METRIC: WISKS	<b>3mm Flat Washer</b> 50 pcs	4mm Flat Washer 40 pcs	5mm Flat Washer 30 pcs	6mm Flat Washer 25 pcs	8mm Flat Washer 15 pcs	<b>10mm Flat Washer</b> 15 pcs
0	0	0	Ο	Ο	0	0
01	<b>3mm Lock Washer</b> 50 pcs	4mm Lock Washer 40 pcs	5mm Lock Washer 30 pcs	6mm Lock Washer 25 pcs	8mm Lock Washer 15 pcs	10mm Lock Washer 15 pcs
	0	0	0	0	0	0
w5217	<b>1/4"</b> 30 pcs	<b>5/16"</b> 25 pcs	<b>3/8"</b> 20 pcs	<b>7/16"</b> 15 pcs	<b>1/2"</b> 10 pcs	<b>5/8"</b> 10 pcs
	30 pcs	25 pcs	20 pcs	15 pcs	10 pcs	10 pcs
	30 pcs	25 pcs	20 pcs	15 pcs	10 pcs	10 pcs
	30 pcs	25 pcs #8 Lock Washer 50 pcs #8 Washer 50 pcs #6 Washer 50 pcs	20 pcs	15 pcs	10 pcs	10 pcs 3/8" Lock Washer 20 pcs 3/8" Washer 20 pcs 3/8" Washer
	30 pcs	25 pcs <b>#8 Lock Washer</b> 50 pcs <b>#8 Washer</b>	20 pcs #10 Lock Washer 50 pcs #10 Washer #10 Washer	15 pcs	10 pcs	10 pcs

Compression: 9/32 x 1/2 in. 10 pcs Extension: 13/64 x 13/16 in. 10 pcs	Compression: 3/8 x 11/16 in. 10 pcs	Extension: 5/16 x 1-3/4 in. 10 pcs	Extension: 5/32 x 3-1/8 in. 10 pcs	<b>Compression:</b> 23/64 x 1-3/8 in. 10 pcs	Compression: 7/32 x 1-1/2 in. 10 pcs
Compression: 1/4 x 13/32 in. 10 pcs	Compression: 3/8 x 3/4 in. 10 pcs			Extension: 11/32 x 1-27/32 in. 10 pcs	
Extension: 7/32 x 1 in. 10 pcs		Extension: 9/32 x 1-1/2 in. 10 pcs	Extension: 3/16 x 1-3/4 in. 10 pcs	Extension: 9/32 x 2-13/16 in. 10 pcs	Compression: 9/32 x 3/4 in. 10 pcs
Compression: 7/32 x 11/16 in. 10 pcs Extension: 1/4 x 7/8 in. 10 pcs	Extension: 5/16 x 1-1/8 in. 10 pcs			Extension: 5/16 x 1-1/4 in. 10 pcs	Extension: 11/32 x 1-7/16 in. 10 pcs

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box











Item #	IP	MP	PKG
W5341*	6	24	CAS









4 x 7.5 x 19 mm 5 x 7.5 x 19 mm

10 pcs

1/8 x 1/4

10 pcs

x 41/64 in.

10 pcs

1/8 x 3/16

x 33/64 in.

10 pcs

WOODRUFF KE

**BINNIN** 

1210

3 x 6.5 x 16 mm

4 x 5 x 13 mm 10 pcs

5/32 x 3/16

x 33/64 in.

10 pcs

10 pcs

3 x 5 x 13 mm

4 x 6.5 x 16 mm 10 pcs

5/32 x 1/4

x 41/64 in.

10 pcs

10 pcs

5 x 9 x 22 mm

1/4 x 23/64

x 7/8 in.

10 pcs

10 pcs

6 x 9 x 22 mm

3/16 x 19/64 x 49/64 in.

10 pcs

10 pcs

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box





performancetool.com

\*California Residents Prop 65 warnings see page 2.



270-P	C H	INBR	<b>O-</b> R	INGS

- Use in applications requiring higher resistance to chemicals and higher Temperatures than NBR.
- Suitable for high dynamic loads and is abrasion resistant.

Hydrogenated Nitrile Butadiene Rubber.

Item #	IP	MP	PKG
W5201*	6	24	CAS

## **180-PC VITON® O-RINGS**

- Constructed of special Viton polymer which offers excellent high heat resistance up to 400° F.
- Compatibility with biodiesel, and ethanol; high resistance to permeation and chemical attack by alcohol, pure ethanol and blends of ethanol with hydrocarbon fuel.

Item #	IP	MP	PKG
W5239 <b>*</b>	6	24	CAS

#### 407-PC SAE NBR O-RINGS

- Suitable for many hydrocarbons, fats, oils, gas, etc.
- Temp range of -50 °F to 220 °F.
- High tensile strength.

Not suitab with brake		
Item #	IP	MP

6

W5202\*

W5203\*

90

	SAE	
High quality nitrite but     Every O-ring you're ex     Contains 32 sizes of C     Contains 14 in		
18 in sector - July (Steel listed on best	00000	00
Der	formanci	
All and	Nitrilo Butadio	na Rubhar

#### Part Nominal Size QL Number I/D O/D Section 1 R-01 1/8" 1/4" 1/16" R-02 3/16" 5/16" 1/16" R-03 1/4" 3/8" 1/16" R-04 5/16" 7/16" 1/16' B-05 3/8" 1/2" 1/16" 1/16" 3/32' 3/32" 16" 3/32" 3/32' 16" 3/32" 3/32" 16" 3/32' 3/32" 16" 3/32" 1/8'

uantity	Part	No	omina <b>l</b> s	Size	Quantity
n Kit	Number	I/D	O/D	Section	In Kit
20	R-17	13/16"	1-1/16"	1/8"	10
20	R-18	7/8"	1-1/8"	1/8"	10
20	R-19	15/16"	1-3/16"	1/8"	10
20	R-20	1"	1-1/4"	1/8"	10
20	R-21	1-1/16"	1-5/16"	1/8"	10
20	R-22	1-1/8"	1-3/8"	1/8"	10
13	R-23	1-3/16"	1-7/16"	1/8"	10
13	R-24	1-1/4"	1-1/2"	1/8"	10
13	R-25	1-5/16"	1-9/16"	1/8"	10
13	R-26	1-3/8"	1-5/8"	1/8"	10
13	R-27	1-7/16"	1-11/16"	1/8"	10
13	R-28	1-1/2"	1-3/4"	1/8"	10
13	R-29	1-5/8"	1-7/8"	1/8"	10
13	R-30	1-3/4"	2"	1/8"	10
13	R-31	1-7/8"	2-1/8"	1/8"	10
10	R-32	2"	2-1/4"	1/8"	10

3/8 x 9/16 in.

5 pcs

5/16 in. 20 pcs

#### 419-PC METRIC NB

24

24

PKG

CAS

- Suitable for many hydrocarbons, fats, oils, gas, etc.
- Temp range of -50 °F to 220 °F.
- High tensile strength.

Not suitable for use with brake fluids. Item # IP MP

6



Nitrile Butadiene Rubber.

Part		Sizes	Quantity	
Number	I/D	Section	In Kit	
R-01	3	1.5mm	20	
R-02	4.4	2.0mm	20	
R-03	5	2.0mm	18	
R-04	7	1.5mm	23	
R-05	10	1.5mm	23	
R-06	13	1.5mm	23	
R-07	10	2.5mm	14	
R-08	11	2.5mm	13	
R-09	13	2.5mm	14	
R-10	14	2.5mm	13	
R-11	16	2.5mm	14	
R-12	18	2.5mm	14	
R-13	19	2.5mm	13	
R-14	21	2.5mm	14	
R-15	22	2.5mm	13	
B-16	18	3.5mm	10	

antity	Part		Quantity	
n Kit	Number	I/D	Section	In Kit
20	R-17	20	3.5mm	10
20	R-18	22	3.5mm	10
18	R-19	23.5	3.5mm	10
23	R-20	25	3.5mm	10
23	R-21	26.5	3.5mm	10
23	R-22	28	3.5mm	10
14	R-23	30	3.5mm	10
13	R-24	31	3.5mm	10
14	R-25	33	3.5mm	10
13	R-26	34.5	3.5mm	10
14	R-27	36	3.5mm	10
14	R-28	38	3.5mm	10
13	R-29	41	3.5mm	10
14	R-30	44	3.5mm	10
13	R-31	47	3.5mm	10
10	R-32	50	3.5mm	10

se | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister BLK: B LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

	0	0	0	0	0	0
100	<b>3/8 in.</b> 20 pcs	1/2 in. 10 pcs	<b>5/8 in.</b> 5 pcs	<b>3/4 in.</b> 4 pcs	7/8 in. 3 pcs	1 in. 2 pcs
C						
W5201	<b>7/32" x 1/16"</b> <b>(5.55 x 1.58)</b> 20 pcs	1/4" x 1/16" (6.35 x 1.58) 20 pcs	<b>6.8 x 1.9</b> 20 pcs	<b>5/16" x 1/16"</b> ( <b>7.93 x 1.58</b> ) 20 pcs	<b>7.8 x 1.9</b> 20 pcs	<b>8 x 2</b> 20 pcs
RING	0	0	0	0	0	0
	<b>8.8 x 1.9</b> 20 pcs	7/16" x 1/16" (11.11 x 1.58) 15 pcs	7/16" x 3/32" (11.11 x 2.38) 15 pcs	<b>11 x 2</b> 15 pcs	<b>12 x 2</b> 15 pcs	<b>13.9 x 1.8</b> 10 pcs
ar	0	0	0	0	0	0
	9/16" x 3/32" (14.28 x 2.38) 10 pcs	<b>14 x 2</b> 10 pcs	<b>15 x 2</b> 10 pcs	<b>17 x 2</b> 10 pcs	11/16" x 1/16" (17.46 x 1.58) 10 pcs	<b>11/16" x 1/8"</b> ( <b>17.46 x 3.17)</b> 10 pcs
a Me	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\square$

1/4 x 1/2 in.

1/2 x 21/32 in.

7 pcs

4 pcs

5/16 x 17/32 in.

3 pcs

5/8 x 1 in.

3 pcs

3/8 x 1/2 in.

3/4 x 5/16 in

6 pcs

2 ncs

13.95 x 2.62mm 15.54 x 2.62mm 17.12 x 2.62mm 18.72 x 2.62mm 18.64 x 3.53mm 20.22 x 3.53mm 5 pcs 5 pcs 5 pcs 5 pcs 5 pcs 5 DCS 7.65 x 1.78mm 9.25 x 1.78mm 15.6 x 1.78mm 9.19 x 2.62mm 10.77 x 2.62mm 12.37 x 2.62mm 15 pcs 10 pcs 10 pcs 10 pcs 10 pcs 10 pcs 2.57 x 1.78mm 4.47 x 1.78mm 5.25 x 1.78mm 2.90 x 1.78mm 3.69 x 1.78mm 6.07 x 1.78mm 10 pcs 15 pcs 15 pcs 15 pcs 15 pcs 15 pcs 0 0 O 0 0

180 VI

PIECE ANTIS ASSERTION	R-06	1/2"	5/8"
High quality nitrile buildens nober (NIH)     High quality nitrile buildens nober (NIH)	R-07	3/8"	9/16
Every Oring York of Drings from	R-08	7/16"	5/8"
	R-09	1/2"	11/16
Till in section - S Link party (Sizes listed on back party)	R-10	9/16"	3/4"
00000000	R-11	5/8"	13/16
000000	R-12	11/16"	7/8"
000000000000000000000000000000000000000	R-13	3/4"	15/16
Fornitan	R-14	13/16"	1"
Deriu	R-15	7/8"	1-1/1
Nitrile Butadiene Rubber.	R-16	3/4"	1"
	-		
R O-RINGS	Part		Size
	Number	I/D	
SURF CONTRACTOR OF SURF	R-01	3	
	R-02	4.4	
And	R-03	5	

1/8 x 9/32 in.

3/8 x 3/4 in.

3 pcs

15 pcs

FLT RUBBER G

270 HNBR 0-

3/16 x 5/16 in.

7/16 x 3/4 in.

3 pcs

10 pcs

PKG	000
CAS	PER
ulk I CAS:	Storage Ca



Item #

Item #

W5231\*

W5348\*

## HARDWARE KITS



#### performancetool.com

\*California Residents Prop 65 warnings see page 2. 91



IP

6

IP

#### **60-PC OIL DRAIN PLUG GASKETS**

6

- General purpose oil drain plug gasket kit.
- Includes nylon and fiber gaskets.

Item #	IP	MP	PKG
W5234 <b>*</b>	5	25	CAS

#### **27-PC OVERSIZED OIL DRAIN PLUGS & GASKETS**

Item #	IP	MP	PKG
W5235*	5	25	CAS



 Contains the most popular drain plugs providing excellent coverage for most domestic and imported cars and light trucks.

Item #	IP	MP	PKG
W5236 <b>*</b>	2	10	CAS



 Item #
 IP
 MP
 PKG

 W5244\*
 1
 20
 CAS

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

ଐ



## **HARDWARE KITS**

Grommet for Body Side Fitting 25 pts

T

Push Type Retainer 25 pcs

Ŧ

SHOP/GARAGE

Interior Trim Push Type Retainer 20 pcs

Ŧ

Hood Insulation Retaining Clip 50 pcs

T

Bumper Cove Retainer 5 pcs

475-P( TRIM C • All the est fasteners for the au	sentia , and o to boo	S I retain clip nee dy pane	iers, eded		Push-Type Reta for Bumper (Sev Wheel Housing 15 pos	T	Retaining Clip 50 pcs	Bumper Retainer 5 pcs
Mazda ve Item # W5247*	hicles	<b>MP</b> 10	PKG CAS		Puch Typo Relationer 15 pos	Petainer 20 pos	Weatherstip Retainer 50 pcs	Med Guard Push- Type Resident 15 pcs
<b>290-PO TRIM O</b> • All the est fasteners for the au BMW veh	sentia , and o to boo	<b>S</b> I retain clip nee	eded			o pos	Push-Type 35 pcs	e Retainer Re 70
Item # W5248*	<b>IP</b> 1	<b>MP</b> 10	PKG CAS	812-1619				
<ul> <li>All the est fasteners for the au Volkswag</li> </ul>	sentia , and o to boo	S I retain clip nee dy pane	iers, eded			Door Molding Clip 30 pcs Unit 30 pcs Push-Type Retain 30 pcs	er Plastic Sc 25 pcs	Ret 30 p
ltem # W5249 <b>≭</b>	<b>IP</b> 1	<b>MP</b> 10	PKG CAS			1		
<ul> <li>160-P( TRIM 0</li> <li>All the est fasteners the auto b vehicles.</li> </ul>	sentia	<b>'S</b> I retain clip nee	eded for			Retainer 30 pcs Panel Clip 10 pcs	Side Mold Grommet 20 pcs	ing Doo Retain 5 pc
Item # W5256 <b>*</b>	<b>IP</b> 1	<b>MP</b> 10	PKG CAS					S
<b>270-PO TRIM O</b> • All the est fasteners for the au Mercedes	sentia , and o	S I retain clip nee dv pane	ers, eded			Round Barrel Nut 60 pcs	45 pcs	e Retainer Pus 10 p
			DVO	CONS.		10 pcs	5 pcs	5 pc
Item # W5257 <b>*</b>	<b>IP</b> 1	<b>MP</b> 10	PKG CAS	performal	ncet	• nol c		*
				perivrinal	IUGL	<i></i>	UIII	Pro

Interface			•	Ŷ		v	0	(394)	P/6
Image: Construction of the system of the		Weatherstrip Retainer 50 pcs	Mud Guard Push- Type Retainer 15 pcs	Rod End Clip (For Left) 20 pcs	Retainer Clip 40 pcs	Hood Insulation Retainer 30 pcs	Rod End Clip (For Right) 20 pcs	Retaining Clip 20 pcs	GAR
35 pcs       70 pcs       40 pcs       35 pcs       100 pcs         Image: Specific Cipe       Image: Specif		C.	ţ	v	T	T	<b>•</b> v	$\overline{\mathbf{V}}$	9
30 pcs       Image: Clip to post to po		Push-Type I 35 pcs	Retainer Re 70	taining Clip pcs	Push-Typ 40 pcs	e Retainer	Push-Type Reta 35 pcs	iner Round Ba 100 pcs	rrel Nut
30 pcs       Image: Clip to post to po		-	r		T		Ť		J
25 pcs       15 pcs       25 pcs       5 pcs       Retainer         Image: Side Molding Grommet 20 pcs       Door Trim Retainer       Push-Type Retainer 10 pcs       Push-Type Retainer 15 pcs       Panel Cip 10 pcs         Side Molding Grommet 20 pcs       Door Trim S pcs       Push-Type Retainer 10 pcs       Push-Type Retainer 10 pcs       Panel Cip 10 pcs         Retainer 35 pcs       Retaining Grommet S pcs       Retaining Grommet S pcs       Retainer S pcs       Panel Cip 10 pcs		Screw Gron 30 pcs	nmet Pur Re 30	tainer pcs	Retainer 20 pcs	Pla 15	pcs	Retainer 10 pcs	
Grommet     Petainer     10 pcs     15 pcs     10 pcs       20 pcs     5 pcs     Image: state	iner	Plastic Scre 25 pcs	w Nut Pla 15 r	stic Clip ccs	Retainer 25 pcs	Pet 5 pc	ainer SS	Retainer	
35 pcs 5 pcs 5 pcs 10 pcs	7	Grommet	Ret	ainer	Push-Type R 10 pcs	letainer Pus 15 p	the Type Retainer	Panel Clip 10 pcs	
		Retainer 35 pcs	Pet 5 pr	s (	5 pcs	5 pc	ainer <sup>25</sup>	Hood Strut Sock	ret

					v
ner	Retainer Clip 5 pcs	Retainer Grommet 5 pcs	Retainer Clip 40 pcs	Retainer Clip 5 pcs	Retainer Clip 20 pcs
		Ŵ	S	5	T
:0	<b>m</b>	*Califor Prop 65 wa	r <b>nia Resi</b> o rnings see		Ģ

Hood Insulation Retainer 30 pcs

Push-Type Retainer 30 pcs

Retainer Clip 10 pcs

Push-Type Retainer 10 pcs



#### **408-PC NISSAN TRIM CLIPS** • All the essential retainers,

 All the essential retainers, fasteners, and clip needed for the auto body panels on Nissan vehicles.

#### **Item # IP MP PKG ₩5258\*** 1 10 CAS

#### 113-PC VACUUM CONNECTORS

• Constructed from durable heat-resistant plastic for a long service life.



Item #	IP	MP	PKG
W5253*	1	20	CAS

## 80-PC VACUUM CAPS

 Nitrile Butadiene Rubber (NBR)
 Use them on carburetors, manifolds, etc., where various vacuum tube caps are needed for different sized vacuum ports.

Item #	IP	MP	PKG
W5232*	6	24	CAS

#### **GREASE FITTINGS**

- Corrosion resistant.
- Leak-proof fittings.













BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

	V		•			
VISS VACUUM CONNECTOR Asertent	1/8 X 1/8 in. Straight 30 pcs	3/16 X 3/16 in. Straight 10 pcs	1/4 X 1/4 in. Straight 8 pcs	5/32 X 5/32 X 5/32 in."T" 8 pcs	3/8 X 3/8 in. Straight 6 pcs	
	1/4 X 3/16 in. Reducer 10 pcs	1/8 X 1/8 X 1/8 in. "T" 12 pcs	5/16 X 5/16 in. Straight 6 pcs	3/16 X 3/16 X 3/16 in."T" 8 pcs	1/4 X 1/4 X 1/4 in. "T" 6 pcs	T
124	3/8 X 3/8 X3/8 3 pcs	in. "T"		3/8 X 1/4 in. 6 pcs	Reducer	-

1/4 in.

Vacuum Cap

10 pcs

Push-Type 15 pcs

P

Bumper C Retainer 5 pcs

T

U

╉

Interior Twist Panel Retainer 15 pcs

KI

5/32 in.

Vacuum Cap

20 pcs

Push-Typ 20 pcs

Push-Type 20 pcs

7/32 in. Vacuum Cap

20 pcs

T

Interior Pane Retainer 50 pcs

D

Screw Base Gro 65 pcs

3/16 in. Vacuum Cap

20 pcs

Screw G 10 pcs

Screw in

3/8 in.

Vacuum Cap

5 pcs

CHITE TRIM CLIP

113

BIT VAC

10000



5/16 in

Vacuum Cap

5 pcs



STANDARD



Item #		IP	MP	PKG	Туре	5 <b>A</b>	10A	15 <b>A</b>	20A	25A	30A
W5368*	120-PC	6	24	CAS	ATO	20	20	20	20	20	20
W5373*	60-PC	6	36	CAS	ATO	10	10	10	10	10	10
W5378 <b>*</b>	30-PC	6	36	CAS	ATO W/LED	5	5	5	5	5	5
W5369*	120-PC	6	24	CAS	Mini	20	20	20	20	20	20
W5371*	30-PC	6	36	CAS	Mini	5	5	5	5	5	5
W5377 <b>*</b>	30-PC	6	36	CAS	Mini W/LED	5	5	5	5	5	5
					ATO	4	5	-	3	-	3
W5370 <b>*</b>	33-PC	6	36	CAS	Mini	4	5	-	3	-	3
					Maxi	1 ea: 40	A, 50A, 6	60A			
W5376*	15-PC	6	36	CAS	Micro	2	3	3	3	2	2
W5375*	60-PC	6	36	CAS	AGC	10	10	10	10	10	10
W5374*	16-PC	6	36	CAS	Maxi	2 ea: 20	A, 30A, 4	0A, 50A,	60A, 70A	A, 80A, 10	A00



SHOP/GARAGE

## **171-PC HEAT SHRINK TUBES**

- Shrink ratio: 2:1.
- 100% polyolefin construction
- Operating temp -67 °F to 257 °F
  UL listed.



I	(7.9 X	( 2-61/64 in. ( 75 mm) .ACK	3/8 in. X 2 (9.5 X 7 BLA	5 mm)	(12.7 X	2-61/64 in. 75 mm) ACK
	1/8 in. X 1-25/32 in.	3/16 in. X 1-25/32 in.	1/4 in. X 1-25/32 in.	5/16 in. X 1-25/32 in.	3/8 in. X 1-25/32 in.	1/2 in. X 1-25/32 in.
	(3.2 X 45 mm)	(4.8 X 45 mm)	(6.4 X 45 mm)	(7.9 X 45 mm)	(9.5 X 45 mm)	(12.7 X 45 mm)
	RED/BLACK	RED/BLACK	RED/BLACK	RED	RED	RED

T

Item #	IP	MP	PKG
W540 <b>*</b>	10	40	CAS

#### **106-PC WEATHERPROOF HEAT SHRINK TUBES**

<ul> <li>Shrink Ratio: 3:1.</li> <li>Operating temp -49 °F to 257 °F</li> <li>UL listed.</li> </ul>		5/64 in. X 1-3/16 in. (2.0 X 30 mm) GREEN 5/64 in. X 1-3/16 in. (2.0 X 30 mm) WHITE	5/32 in. X 2-3/8 in. (4.0 X 60 mm) BLUE	3/16 in. X 2-3/8 in. (4.5 X 60 mm) BLACK	13/64 in. X 2-3/8 in. (5.0 X 60 mm) RED	15/64 in. X 2-3/8 in. (6.0 X 60 mm) WHITE	5/64 in. X 1-3/16 in. (2.0 X 30 mm) RED 5/64 in. X 1-3/16 in. (2.0 X 30 mm) BLACK
		23/64 in. X 3-9/16 in. (9.0 X 90 mm) BLUE	5/16 in. X 3-9/16 in. (8.0 X 90 mm) WHITE	25/64 in. X (10 X BL <i>I</i>	1 M)	23/32 in. X 3-9/16 in. (18 X 90 mm) YELLOW	15/32 in. X 3-9/16 in. (12 X 90 mm) GREEN
Item # IP MP	PKG						
<b>W541*</b> 10 40	CAS DUAL WALL						

performancetool.com



**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



	olds open							0
Performance Tool			Performance					
Wire Crimping Tool	1		11111					
6-12 Volt Tester	1				22	A STATISTICS		
Philips Screwdriver	1	100		s r i		- Andrew		
Electrical Tape 3/4" x 30'	1					181		
	2							
ATO Fuses	5							
ATO Fuses AGC Glass Fuses	5 5		000					
ATO Fuses AGC Glass Fuses Fuse Puller	5 5 1							
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll	5 5 1 1							
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps	5 5 1 1 10						5/32"	1 3/16"
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps	5 5 1 1 10 3		22-1 But	8ga Connector	22-18ga Spade Terminal	22-18ga Ring Terminal	5/32" Heat Shrink	3/16" Heat Shrink
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes	5 5 1 10 3 10		22-1 Butt 15 p	Connector	Spade Terminal 1.25-4L	Ring Terminal 1.25-4L		
32" Test Leads ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes 4" Cable Ties	5 5 1 10 3 10 30		Butt	Connector	Spade Terminal	Ring Terminal	Heat Shrink	Heat Shrink
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes 4" Cable Ties 6" Cable Ties	5 5 1 10 3 10 30 10		15 p	Connector cs	Spade Terminal 1.25-4L 20 pcs	Ring Terminal 1.25-4L 20 pcs	Heat Shrink 5 pcs	Heat Shrink 5 pcs
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes 4" Cable Ties 6" Cable Ties 7-1/2" Cable Ties	5 5 1 10 3 10 30 10 10 10		Butt 15 p 18-1 Butt	Connector cs 4ga Connector	Spade Terminal 1.25-4L 20 pcs 16-14ga Spade Terminal	Ring Terminal 1.25-4L 20 pcs 16-14ga Ring Terminal	Heat Shrink 5 pcs 16-14ga Ring Terminal	Heat Shrink 5 pcs 16-14ga Female Disconnect
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes 4" Cable Ties 6" Cable Ties 7-1/2" Cable Ties Rubber Grommets	5 5 1 10 3 10 30 10 10 10 6		Butt 15 p 18-1	Connector cs 4ga Connector	Spade Terminal 1.25-4L 20 pcs 16-14ga	Ring Terminal 1.25-4L 20 pcs 16-14ga	Heat Shrink 5 pcs	Heat Shrink 5 pcs
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes 4" Cable Ties 6" Cable Ties 7-1/2" Cable Ties Rubber Grommets Assorted Wire Nuts	5 5 1 10 3 10 30 10 10 10 6 26		Butt 15 p 18-1 Butt	Connector cs 4ga Connector	Spade Terminal 1.25-4L 20 pcs 16-14ga Spade Terminal 2-4M	Ring Terminal 1.25-4L 20 pcs 16-14ga Ring Terminal 2-4L	Heat Shrink 5 pcs 16-14ga Ring Terminal 2-5L	Heat Shrink 5 pcs 16-14ga Female Disconnect
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes 4" Cable Ties 6" Cable Ties 6" Cable Ties 7-1/2" Cable Ties Rubber Grommets Assorted Wire Nuts Assorted Terminals	5 5 1 10 3 10 30 10 10 10 6 26 160		Butt 15 p 18-1 Butt 10 p 12-1	Connector 29 4ga Connector Connector CS 00ga	Spade Terminal 1.25-4L 20 pcs 16-14ga Spade Terminal 2-4M	Ring Terminal 1.25-4L 20 pcs 16-14ga Ring Terminal 2-4L	Heat Shrink 5 pcs 16-14ga Ring Terminal 2-5L 20 pcs 12-10ga	Heat Shrink 5 pcs 16-14ga Female Disconnect 10 pcs 16-14ga
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes 4" Cable Ties 6" Cable Ties 6" Cable Ties 7-1/2" Cable Ties Rubber Grommets Assorted Wire Nuts Assorted Terminals	5 5 1 10 3 10 30 10 10 10 6 26 160		Butt 15 p 18-1 Butt 10 p 12-1 Butt 12-1 Butt	Connector Connector Connector Connector Connector	Spade Terminal 1.25-4L 20 pcs 16-14ga Spade Terminal 2-4M 15 pcs 12-10ga Spade Terminal	Ring Terminal 1.25-4L 20 pcs 16-14ga Ring Terminal 2-4L 20 pcs 12-10ga Ring Terminal	Heat Shrink 5 pcs 16-14ga Ring Terminal 2-5L 20 pcs 12-10ga Ring Terminal	Heat Shrink 5 pcs 16-14ga Female Disconnect 10 pcs 16-14ga Male Connector
ATO Fuses AGC Glass Fuses Fuse Puller 48" Primary Wire Roll 1/8" Wire Clamps 1/4" Wire Clamps Heat Shrink Tubes 4" Cable Ties 6" Cable Ties 7-1/2" Cable Ties Rubber Grommets Assorted Wire Nuts	5 5 1 10 3 10 30 10 10 10 6 26 160		Butt 15 p 18-1 Butt 10 p 12-1	Connector Connector Connector Connector Connector	Spade Terminal 1.25-4L 20 pcs 16-14ga Spade Terminal 2-4M 15 pcs 12-10ga	Ring Terminal 1.25-4L 20 pcs 16-14ga Ring Terminal 2-4L 20 pcs 12-10ga	Heat Shrink 5 pcs 16-14ga Ring Terminal 2-5L 20 pcs 12-10ga	Heat Shrink 5 pcs 16-14ga Female Disconnect 10 pcs 16-14ga



- A compact collection of useful hardware and storage.

- A compact collection of useful hardware and storage.
  Also includes two empty trays for your own organization.
  Great for hobby and craft materials, beads, buttons, fishing tackle, sewing notions and so much more.
  Carry handle and snap tight latch secures storage and portable use.

Wood Scre	WS	11	2		
Machine So	crews	48	3		
Washers		80	) 🧉		
Push pins		4(	C		
Plastic Anc	hors	3	1		
Sheet Meta	l	12	5		,
Screws		12	.5		1
Hex Nuts		6	1	4	
Picture Har	ngers	1(	C	and the second	
Nails		48	57	A	
Cup Hooks		6	;		
				O trans	
Item #	IP	MP	PKG		
W5199 <b>*</b>	-1	6	SHK	Overall	
W51991	I	0		Trays	



н

8"

1-1/8"

\*California Residents Prop 65 warnings see page 2.

## AUTO BODY



 Sets contain hydraulic hand pump, 6' jack hose, 4 /10 ton ram, spreader ram, extension tubes. male connector, flat base, 90 degrees V base, wedge head, spreader plunger toe, spreader ram toe, flex head and serrated saddle.

<u></u>		
	9.0	
	RAM	
	´ 📕 📕 👝	
(III.a.)		4



Item #		IP	MP	PKG		ity (lbs.) tensions	Ram Travel	Extension Pole (L)		Extension Lengths
W1650*	4 Ton	1	1	CBX	8,000	4,000	5"	5' 10-1/2"	•	3-3/4, 5, 8-1/2, 16-1/2"
W1651*	10 Ton	1	1	CBX	20,000	10,000	6"	5'	3-3/4" max	4-1/4, 10, 14-1/2, 20-1/2"



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### performancetool.com

\*California Residents Prop 65 warnings see page 2.

## **BATTERY CABLES & ACCESSORIES**

#### **SWITCH TO STARTER CABLES**

- 4 gauge cable with steel plated connectors transfers power from starter solenoid to starter. • For 6 and 12-volt battery systems.
- Full gauge stranded copper extends entire length of flattened lug, insures complete conductivity.
- PVC insulation with heat-shrunk ends.

Item #	IP	MP	PKG	Length	Gauge	Stud Hole
W16850*	10	60	CLM	10"	4	3/8"
W16851*	10	60	CLM	24"	4	3/8"
W16852*	10	60	CLM	32"	4	3/8"

## **CABLE EYELET LUGS**

- Ideal for ground connections, battery
- cables and general wiring purposes.
- Made from seamless copper tubing with electro-tin plating. Corrosion resistance.

Item #	IP	MP	PKG	Gauge	Stud Hole
W16853*	10	200	CLM	4	3/8"
W16854*	10	200	CLM	6	3/8"

#### **BATTERY POST CLEANERS**

- Scrapes stubborn corrosion from battery posts and terminals.
- W152C
- All metal construction. Cleans both battery post and terminals.

	199110			
Item #		IP	MP	PKG
W152C*	4-Way Cleaner	12	48	CRD
W147C*	2-IN-1 Brush	12	288	CRD
W147FB*	2-IN-1 Brush	20	120	BLK
W3235*	2-IN-1 Brush	6	72	Pg 316
W3302*	2-IN-1 Brush	10	80	Pg 317
20134*	2-IN-1 Brush	8	48	Pg 320

#### **BATTERY TERMINAL** PROTECTORS

- Designed to provide a barrier against acid fumes that seep through improperly sealed batteries.
- Will not dry out or evaporate.

100

Item #	IP	MP	PKG	Reach	Spread
W87120*	6	24	CRD	25mm	33mm

W16853

BATTERY TERMINAL PULLER

 Removes the battery cable clamp or windshield wiper arm from the

Spring-loaded sharp jaws get

Progressive screw action with simple spring

under the clamp for a secure grip

W16854

post without damage.

loaded release.

- Easily removes and replaces 5/16" side terminal battery bolts.
- IP MP PKG Item # W1652\* Wrap Around 200 CLM 10 IP MP PKG Item # W1658C\* Washers 12 576 CRD W1674\* 6 72 CRD

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **BATTERY TERMINALS**



performancetool.com

\*California Residents Prop 65 warnings see page 2.

## **BATTERY ACCESSORIES**

## **BATTERY HOLD DOWN BOLTS**

- Heavy gauge steel.
- Plated to resist corrosion.

Item #	IP	MP	PKG	Тур	be
W1694C*	6	72	CRD	8"	J
W1695C*	6	72	CRD	10"	J
W1696C*	6	72	CRD	12"	J
W1697C*	6	72	CRD	10"	L

#### **CROSSBAR BATTERY HOLD DOWN SET**

- Heavy duty steel construction.
- Vinyl coated to resist corrosion.
- Designed to hold battery securely in tray.
  Fits battery groups 22F, 24, 27 & 60.

Item #	IP	MP	PKG
W1691C*	6	72	CRD

#### **UNIVERSAL BATTERY HOLD DOWN**

- Solid rubber construction.
- Nylon inserts for strength.
- Fits most batteries.

Item #	IP	MP	PKG	
W1699C*	6	48	CRD	

## **PLASTIC BATTERY TRAY**

• Easy to install, acid resistant trays to fit standard size batteries.

Item #	IP	MP	PKG
W1692PC*	6	24	LAB

#### **BATTERY FILLER**

- 2 quart capacity. Spring loaded filler valve.
- Durable injection molded plastic.

Item #	IP	MP	PKG
W54274 <b>*</b>	1	10	LAB

#### **BATTERY FILLER**

- Acid resistant.
- 6 oz. bulb.
- 6" spout.

Item #	IP	MP	PKG
W1641*	12	96	CRD

W1641





W54274

BATTERY FILLER

S



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **BATTERY TESTERS**

#### **DIGITAL 12V BATTERY ANALYZER**

- Portable, fast, and very simple to use battery starting and charging system analyzer.
- Digital display indicates the condition of your battery and charging system.
- Tests 12VDC systems, guiding you through the testing process.
- Clear and easy to understand results to indicate systems condition.

Item #	IP	MP	PKG	Battery CCA	Battery Types	Voltage	Standards
W2998*	8	48	CRD	200-1,200	LA, AGM & VRLA	7-15VDC	SAE, DIN, EN,IEC, CA

#### **BATTERY LOAD TESTER**

- Accurately test the condition of your battery and charging systems.
- Performs both a voltage test and 15-second battery-load test.
- Reliable and highly accurate, works on both 6- and 12-volt batteries.
- Extra heavy leads with strain relief and color coded, insulated, copper plated steel clamps.

Item #	IP	MP	PKG	Capacity
W2988*	1	10	CBX	100 Amp

#### **BATTERY/ALTERNATOR TESTER**

- For all 12 volt systems.
- Easy to read L.E.D. lights.
- Determines battery state of charge and level of alternator output.

Item #	IP	MP	PKG
W2980*	6	72	CRD

#### **BATTERY/ALTERNATOR TESTER**

- Compact size, a handy item for your glove box so you know right away if the problem you have is related to the battery or alternator, simply plug into the 12v utility plug.
- 3 LED indicators to show the battery condition: weak, normal or strong.
- 3 LED indicators to check the status of the alternator voltage: low, normal or high.

Item #	IP	MP	PKG
W2989*	8	48	DBL

#### **BATTERY TESTERS**

- Test 6V, 12V and 24V batteries.
- Acid resistant.



Item #	IP	MP	PKG	Style
W1657C*	6	72	CRD	Dial
W1666C*	24	288	CRD	Mini Tube
W1653C*	6	72	CRD	Tube

W1666C Color coded balls for easy readings.

> W1653C Precision calibrated. Color coded indicator float.

#### performancetool.com

\*California Residents Prop 65 warnings see page 2.



## **BATTERY JUMP STARTERS**

## JUMP STARTER POWER BANKS

- Jump starts most passenger cars, trucks, vans and SUVs.
- Each model includes Smart Clamp Technology.
- Three mode LED light: on, strobe, S.O.S.
- Lithium battery provides longer shelf life.
- 5V USB port(s) charge various model smart phones.
- 12V output for vehicle jump and other 12V devices.



2.1A,1A

2.1A,1A

1A

PORTABLE JUMP STARTER/AIR COMPRESSOR

300

Smart clamp replacement

600

• Reverse polarity warning light and beep signal help prevent damaging unit or battery.

CBX

BAG

- Three LED Battery Level Indicator lets you know how much power you have left at all times.
- Features 7 Blue LED work light.

1

1

W16751\*

W1677-1\*

- Two 12V power adapter outlets.
- Automatic shut-off prevents over charging.

10

50

- ON/OFF safety switch for jumper cables.
- 12 Volt, 12AH sealed lead acid battery.
- UL Certified 120V/12V charging adapter.
- 300 psi air compressor with 24" air hose.

Item #	IP	MP	PKG	Peak AMP	Starting AMP
W1665*	1	2	CBX	900	400

#### SOLAR PANEL BATTERY MAINTAINER

- 2.5 watt solar panel for all your off the grid 12 volt battery charging and maintaining needs.
- Amorphous solar panels operate in all daylight conditions, even cloudy days.
- Durable ABS plastic housing with mounting holes.
- Includes 4 suction cups for easy mounting to the windshield, 1' from connector to adapter plug and 8' from adapter plug to solar panel, 12V DC plug and alligator battery clamps.





104

W2997\*

Item #

IP

1

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Includes home and car chargers, smart clamps and adapters for most popular cell phone and laptops.

11,000

6 hr

**900 JUMP STARTE** 

300 psi Air Compressor/Inflator for

charging cable.



## **BATTERY JUMPER CABLES**

<ul> <li>Heavy di</li> <li>All weath</li> </ul>	uty co	oper ja	oated c w clam	ables. Ips.			<u> A</u> Í	<u>r we</u> a		Standard+ side clip	
W1671	5			ANS							
			<u>ک</u>	W1672 <sup>4</sup>	-			12:	W1667	the second	Parro
				W1672 <sup>4</sup>		Peak	Starting	Clamp	W1667 100% Copper core	and a	
Item #	IP	MP	PKG		5 J.T	Peak AMP	Starting AMP			and a	Parro
ltem # W1670*	<b>IP</b> 6	<b>MP</b> 12	9	W1672 < <p>Length 12'</p>	5 J.T		-	Clamp Style Standard	100% Copper core	motorcycles	Parro
			PKG	Length	Gauge	AMP	AMP	Style	100% Copper core Application		Parro
W1670* W1671*	6	12	PKG SLV	Length	<b>Gauge</b> 10	<b>AMP</b> 250	<b>AMP</b> 150	<b>Style</b> Standard	100% Copper core Application Light duty cars & Medium duty cars	s & light trucks	
W1670* W1671* W1672*	6	12 12	PKG SLV SLV	<b>Length</b> 12' 12'	<b>Gauge</b> 10 8	<b>AMP</b> 250 300	<b>AMP</b> 150 250	Standard Standard+	100% Copper core Application Light duty cars & Medium duty cars	s & light trucks d-size cars & truck	
W1670*	6	12 12 6	PKG SLV SLV CBX	<b>Length</b> 12' 12' 16'	<b>Gauge</b> 10 8 6	AMP 250 300 500	AMP 150 250 400	Standard Standard+ Standard+	100% Copper core Application Light duty cars & Medium duty cars Standard duty mid	s & light trucks d-size cars & truck s, vans & SUV	

## CABLE ACCESSORIES

Item #	IP		PKG	
W1661*			CLM	Replacement Clamps
W16855*	12	48	BAG	Clamp Covers

#### **LIGHTED JUMPER CABLES**

- Clamps feature integrated LEDs to illuminate your working area at night or in a dark garage.
- LEDs are powered by individual batteries, each with an independent switch.
- Red/black non-conductive clamps for easy polarity identification with tangle-free rubber coated cables.
- Includes zippered vinyl pouch.



						Peak	Starting	Clamp	
				Length		AMP	AMP	Style	Application
W1675*	1	6	BAG	10'	4	400	220	Standard	Standard duty large cars & mid-size trucks

#### **12V BATTERY FLOAT CHARGERS**

- Used for maintaining wet or gel cell batteries that are stored or used periodically in boats, cars, snowmobiles, ATV's and tractors.
- This unit is for use on 12 volt DC batteries only.

				Ou	tput	Cable Length				Ort
Item #	IP	MP	PKG	Volts	Amps	Clamp	Charger	Overall	Listing	E/
W2985*	1	20	DBL	12V	0.6A	44"	78"	10'	cUL E241069	)

#### performancetool.com

\*California Residents Prop 65 warnings see page 2.



## ELECTRICAL TESTERS

20192\*

106

6

60

CRD 3 to 28v

## **DIGITAL CIRCUIT TESTERS**

- Ideally used to detect power, voltage, ground, and circuit integrity.
- Large LCD display provides a 'no guess' voltage value of the circuit tested.
  Surge protected circuitry displays DC Voltage from 3 to 48v.
  Backlit LED glows red for power and green for ground.

- Computer safe <10mA circuit draw for confident testing.
- LED indicates red for "power" or green for "ground".

on airbags W2990

Do not use

Item #	ŧ	IP	MP	PKG	Range DC	Resolution	Accuracy	Operating Temp	Cord Length	Probe Length
W299	0* Pro with case	6	24	CRD	3 to 48v	0.1v	± 0.3v	0 to 120°F	12' Recoil	3-1/2"
W299	2* Economy	6	24	CRD	3 to 48v	0.1v	± 0.3v	0 to 120°F	12' Recoil	3-1/2"

Quic     inclu     Tests	ving less th kly tests hi	an 7 m gh and uterizeo d groui	illiamps low vol d engine nd volta	a tages o e and b ges.	n all vehicle ody controls	e circuits,		Test the output on MAS, Cam, Crank, VSR sensors and much more.
Item #	IP	MP	PKG	Range	Cord Length	Probe Length	<b>AND</b>	
W299	<b>1*</b> 6	24	CRD	6/12/24	v 10' Reco	il 3-1/2"	-	
Long exter tight place     Bright hig     Item #     W2993*     CIRCUI     Insula     6 volt	steel prob bur hands f ended mold es or limite h intensity IP MF 12 48	e pierca or othe ded hoc d acces bulb ar P PKC CRE CRE	es and l r things ok allow ss. nd an in <b>G Ran</b> D 6/12/	ocks or ing test sulated <b>ge l</b> 24v	nto wires, ing in cord. <b>Cord F</b>	Probe ength 4"		
		au			the care and the contra			
	alligator clip		MP	PKG	Range	Cord	Probe	Reinforcing spring prevents damage to test lead at base of handle.
with a	Economy	IP	<b>MP</b> 288	PKG CRD	Range DC 6/12v	Cord Length 30"	Probe Length 2-5/8"	Reinforcing spring prevents damage to test lead at base of handle.
Item #	Economy Circuit Deluxe	IP			DC	Length	Length	prevents damage to test lead at base of handle.
Item # W2973C <b>*</b>	Economy Circuit	<b>IP</b> 12 12	288	CRD	<b>DC</b> 6/12v	Length 30"	Length 2-5/8"	prevents damage to test lead at base of handle. W2982
Item # W2973C <b>*</b> W2975C <b>*</b> W2982 <b>*</b>	Economy Circuit Deluxe Circuit	IP 12 12 12 y 6	288 144	CRD CRD	<b>DC</b> 6/12v	<b>Length</b> 30" 46"	Length 2-5/8" 3"	prevents damage to test lead at base of handle.
Item # W2973C* W2975C* W2982* W2983*	Economy Circuit Deluxe Circuit Continuity High/Low Circuit	IP 12 12 y 6 ' 6	288 144	CRD CRD	DC 6/12v 12v	Length 30" 46" 46"	Length 2-5/8" 3" 3" 3" 3"	prevents damage to test lead at base of handle. W2982 Self powered by AA battery (not included).
Item # W2973C <b>*</b> W2975C <b>*</b> W2982 <b>*</b>	Economy Circuit Deluxe Circuit Continuity High/Low Circuit Continuity	IP 12 12 y 6 ' 6	288 144 72	CRD CRD CRD	DC 6/12v 12v 6/12v	Length 30" 46" 46" 44"	Length 2-5/8" 3" 3" 3"	prevents damage to test lead at base of handle. W2982 Self powered by AA
Item # W2973C* W2975C* W2982* W2983*	Economy Circuit Deluxe Circuit Continuity High/Low Circuit	IP 12 12 y 6 ' 6	288 144 72	CRD CRD CRD	DC 6/12v 12v 6/12v	Length 30" 46" 46" 44" 44"	Length 2-5/8" 3" 3" 3" 3"	prevents damage to test lead at base of handle. W2982 Self powered by AA battery (not included).
Item # W2973C* W2975C* W2982* W2983* 3-PC	Economy Circuit Deluxe Circuit Continuity High/Low Circuit Continuity Heavy Duty	IP 12 12 12 12 12 12 12 12	288 144 72 24	CRD CRD CRD DBL	DC 6/12v 12v 6/12v 18/24/36v -	Length 30" 46" 46" 44" 44" 44"	Length 2-5/8" 3" 3" 3" 3" 3" 3"	prevents damage to test lead at base of handle. W2982 Self powered by AA battery (not included). W2978 Automatic voltage identification with blue LED (12v)

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **ELECTRICAL TESTERS**



#### **10-PC MULTICOLOR TEST LEAD SET**

 5 different colors, 2 of each including; green, yellow, red, white, and black.

Item #	IP	MP	PKG	Gauge	Length
W2936 <b>*</b>	20	60	CRD	22	21"

#### **20-PC BACK PROBE LEAD SET**

- Use with your meter to back probe harness connectors, fuel injectors and car sensors.
- Straight, 45 degree & 90 degree stainless steel probes in .027<sup>th</sup> and .040<sup>th</sup> diameters

performancetool.com

and matching leads.

Item #	IP	MP	PKG	Length
W2938*	6	36	CAS	12"

Insulated bodies for W2938 testing up to 30 volts.

W2936

\*California Residents Prop 65 warnings see page 2.

## LUG WRENCHES

## **4 WAY LUG WRENCHES**

- Drop forged steel.
- SAE and metric sizes.

W7 Chrome plated to resist

corrosion. Folds down for compact storage.

Item #	Size	IP	MP	PKG	SAE
W2 <b>*</b>	14"	1	12	BLK	11/16, 3/4, 13/16 & 7/8
W1*	20"	1	12	BLK	3/4, 13/16, & 7/8"
W11*	25"	1	6	BLK	7/8, 15/16, 1 & 1-1/16"
W7*	Folding	1	12	BAG	11/16, 3/4, 13/16 & 7/8

BAG	11/16, 3/4, 13/16 & 7/8	3" 17, 19

LUG	<b>WRENCHES</b> /
SPA	DE TIP

- Heavy duty drop forged steel.
- Spade tip for hub cap removal.

Item #	Size	IP	MP	PKG	SAE	Metric
W9 <b>*</b>	14"	1	12	BLK	3/4, 13/16 & 7/8"	19, 21 & 23 mm
W9A*	20"	1	12	BLK	3/4, 13/16, & 7/8"	19, 21 & 23 mm

## **4 WAY TRUCK LUG WRENCHES**

- For use on larger equipment including heavy duty trucks, buses and tractors.
- Drop-forged to provide strength and durability.
- Socket sizes provided fit most metric lug nuts on today's equipment.
- Wrenches have a center hole to accommodate a leverage bar.
- Stock: 1" (25 mm).

Item #	Size	IP	MP	PKG	
W13*	27"	1	2	BLK	24, 27, 30 & 33 mm
W14*	27"	1	2	BLK	1-1/16, 1-1/4, 1-1/2 & 13/1

#### **BREAKDOWN** LUG WRENCHES

- Full size lug wrench breaks down into two parts for compact storage.
- Two position center rod allows for applying added torque to those really tight lug nuts.
- Heavy duty heat treated steel with rust résistant chrome plated finish.
- Free spinning handle with push button release.

108

 Includes two 1/2" drive double ended sockets and a nylon storage pouch to keep everything together.

Item #	IP	MP	PKG	Socket 1	Socket 2	- Ir
W5* SAE	2	8	CLM	11/16 & 3/4"	13/16 & 15/16"	
W6* Metric	2	8	CLM	17 & 19 mm	21 & 23 mm	



W2

Metric

, 21 & 23 mm

**W9** 

W9A

17, 19, 21 & 23 mm

19 mm

W1

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box


# LUG NUT SOCKETS

#### 1/2 IN. DR. THIN WALL SOCKETS

- Hollow design allows room for removing longer bolts.
- Protective sleeves and plastic insert prevent scratching of wheels and lug nuts.
- Color coded for easy identification.
- Heavy duty chrome molybdenum.

Item #		IP	MP	PKG	Size	O.D. w/Sleeve
W32921*	Purple	4	24	TAB	13/16"	1.232" (31.3mm)
W32922*	Green	4	24	TAB	7/8"	1.307" (33.2mm)
W32923*	Blue	4	24	TAB	17mm	1.087" (27.6mm)
W32924*	Yellow	4	24	TAB	19mm	1.157" (29.4mm)
W32925*	Red	4	24	TAB	21mm	1.228" (31.2mm)
W32926*	Turquoise	4	24	TAB	22mm	
W32927*	Light Blue	4	24	TAB	17mm	Mercedes
W32902	5-PC Set	1	12	CAS	17, 19 (3/4"),	21mm, 13/16, 7/8"



M983

#### 1/2 IN. DR. LUG NUT REMOVER SOCKETS M982

- Use to remove lug nuts and locking lug nuts, if the lug nut key is misplaced, lost or lug nuts are worn, stripped or damaged.
- Oil resistant black phosphate finish (except M980).
- Heavy duty impact-grade chrome-moly steel will not split or crack.
- Sizes fit most lug nuts/bolts on most vehicles.

M981

Item #	IP	MP	PKG	Size
<b>M980*</b> 2-PC	6	72	CLM	13/16 & 1"
M981*	6	120	TAB	3/4" (19mm)
M982*	6	120	TAB	13/16" (21mm)
M983*	6	120	TAB	1" (25mm)
M984*	6	96	TAB	1-1/8" (28/29mm)

#### **CORDED IMPACT WRENCH**

- Rocker trigger for quick change between forward and reverse.
- CSA listed 216220

Includes 11/16, 3/4, 13/16, 7/8" impact sockets and sturdy carrying case

				Sturu	y can ying	<i>j</i> 0000.			4		
					Torque				6	3m	~
Item #	IP	MP	PKG	Drive	ft/lbs.	Listing					Contractory of
W50080*	1	4	CBX	1/2"	220	CSA					and the second s
DOT WATRIANG This D.O. warning tr for unexpe emergend	T. app iangle	S proved e is ide	al				<ul> <li>SAFET</li> <li>Make oth your vehi vehicle b</li> <li>Tough pla construct compact lightweight</li> </ul>	iers av icle ev attery astic ion is and	vare of en if th	e	RES
										1	
Item #	IP	MP	PKG				Item #	IP	MP	PKG	
tem # W1499 <b>*</b>	<b>IP</b>	<b>MP</b> 4	<b>PKG</b> LAB		_	0	Item # W2368 <b>*</b>	<b>IP</b> 6	<b>MP</b> 36	PKG CRD	





\*California Residents performancetool.com Prop 65 warnings see page 2.



# **TIRE PUMPS & INFLATORS**



W1635

#### **TIRE PUMPS**

- Braided hose with quick release thumb lock.
- Steel construction.



Item #	IP	MP	PKG	Туре	PSI	Hose
W1638DB*	1	16	CBX	Foot	100	23"
60405 <b>*</b>	1	16	CBX	Foot	100	23"
W1631*	4	16	CBX	Foot	100	24"
W1635*	1	6	BAG	Hand	60	17"
W1636PB*	1	6	BAG	Hand w/Tank	100	24"

#### HIGH CAPACITY FOOT PUMP

- Oversized 350ml capacity barrel delivers up to twice the amount of air per pump than standard foot pumps.
  Rubber feet provide stability during
- operation.

W1631

W1636PB



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

# TIRE PRESSURE GAUGES



#### DIGITAL DUAL HEAD TIRE PRESSURE GAUGE

- Professional quality for extended service life.
  Dual head air chuck, back light display with
- a LED spot for seeing valves at night. Gauges are accurate to ± 1 psi.
- Measures in PSI, BAR, KPA.

Performance Tool

W9107

Item #	IP	MP	PKG	PSI	Length	Application
60309 <b>*</b>	3	24	DBL	5 to 99	12"	Auto, trucks and RVs
60311*	3	24	DBL	5 to 150	12"	Larger truck and trailer rigs

#### **DIGITAL TIRE PRESSURE GAUGE**

- Triple function display shows PSI, BAR & kPa.
- Lighted nozzle and backlit display.
- Auto-off feature shuts off in 90
- seconds when not in use. Accurate to ±1 PSI.

Item #	IP	MP	PKG	PSI
W9107*	4	24	DBL/Pg 309	1 to 150

#### performancetool.com

\*California Residents Prop 65 warnings see page 2.

DIGI-TIRE

111

# TIRE REPAIR



60508 Avoid damaging the TPMS sensor caused by over tightening.

Item #		IP	MP	PKG	
60501*	Fishing	12	144	CRD	Deflator. Core remover. Valve stem puller.
60502 <b>*</b>	2 Way	12	144	CRD	Removes valve cores. Cleans cap threads.
60503 <b>*</b>	4 Way	12	144	CRD	Removes valve cores. Cleans cap threads. Aids in re-taping threads. Reams inside the valve.
60500*		12	144	CRD	Removes valve cores on both tire and air conditioning systems.
60508*	Torque	12	72	CRD	TPMS safe. Removes valve cores on both tire and air conditioning systems.
60114*	4-PC	12	144	CRD	High temp. Easy to install valve cores.

60500

112

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



# TIRE REPAIR

Large LCD display

for easy reading.



- Designed to facilitate quick and easy reading of tire tread depth.
- Metric/Inch system interchangeable.

					Ra	ange 🛡	Reso	lution
Item #		IP	MP	PKG	in.	mm	in.	mm
60310 <b>*</b>	Digital	25	100	CRD	0 to 1"	0 to 25.4	0.0005"	0.01
60504 <b>*</b>	Analog	12	144	CRD	0 to 1"	0 to 25	1/32"	1

- ----

ON

Clean up white walls.

60206

Zero setting at any position.

RUBBER

AINTENANCE

60207

60202

#### **TIRE MARKING CRAYON**

• Use to mark tires for repair.

Item #		IP	MP	PKG
60506 <b>*</b>	Yellow	10	100	CRD
60507 <b>*</b>	White	10	100	CRD

#### **TIRE PATCH KITS**

- For all tubeless, radial and/or bias ply tires.
- Each kit contains patches, rubber cement and metal scuffer.

Item #		IP	MP	PKG
60206 <b>*</b>	<b>Tubeless Radial</b>	10	100	CRD
60207*	Bias & Radial	10	100	CRD
60210 <b>*</b>	Rubber Cement	10	100	CRD

#### **TIRE REPAIR KITS**

- For all tubeless radial and bias ply tires.
- 4" long tire plugs

			60208					
Item #		IP	MP	PKG	Contents			
60200 <b>*</b>	7-PC	5	50	CRD	Deluxe T-handle Plugger, Reamer & 5 Plugs			
60201*		10	50	CRD	Plugger & 5 Plugs			
60202*	7-PC	5	50	CRD	Plugger, Reamer & 5 Plugs			
60208*		10	50	CRD	30 Plugs			
60209*	5-PK	10	100	CRD	5 Plugs			

#### TIRE REPAIR & MAINTENANCE KITS

- A must have for maintenance or emergency tire service.
- Kits includes valves, caps, valve cores, valve core remover, pressure gauge, rubber cement, scuffer, tubeless plugs, patches, plugger and reamer.



RUBBER

SOLUTION

60201



					Chrome	Plastic	Valve	Tubeless	Round	
Item #		IP	MP	PKG	Caps	Caps	Cores	Plugs	Patches	Additional content
60203 <b>*</b>	82-PC	5	30	CAS	8	8	8	20	15 small 2 large	Dual foot tire gauge, 2 long & 2 short tire valves, 8 valve extensions, tire chuck & 2 rectangular patches
60204*	35-PC	6	36	CAS	4	4	4	3	10 small	Pencil tire gauge & 4 way valve tool

#### performancetool.com



# **GREASE GUNS & ACCESSORIES**

# **PISTOL GRIP GREASE GUNS**

W54204 Comfort pistol grip handle. • 3-way loading, bulk, suction or 14 oz (3 oz on mini) cartridges. inererrer (i Coupler with protective PVC cap W54291 W54200 Includes hose & W54205 rigid extensions. Vented zinc die Heavy duty construction. cast head cap. Uses 3 oz. grease cartridge. Extension Item # IP PKG PSI MP Rigid Hose W54204\* Professional 12" 12 CBX 3,000 1 \_ W54291\* Aluminum 1 12 CBX 5-1/2" 12" 4,500 W54200\* Mini 4 20 CLM 4" \_ W54205\* Mini w/Grease 4 20 CLM 4" \_ . . Positive lock for easy filling.

Features	Barrel	Head Cap	Handle/Trigger	Loading
Professional	Knurled thick wall, chrome plated finish	Zinc die cast with bulk load and release valve	Zinc plated with rubber grip	3 Way
Aluminum	Textured rubber sleeve, red anodized aluminum	Zinc die cast with bulk load and release valve	Zinc plated with PVC grip	3 Way
Economy/Mini	Knurled thick wall, blue	Vented zinc die cast	Zinc plated	2 Way
Industrial	Knurled thick wall, maroon rust proof paint	Heavy duty cast with bulk load and release valve	Zinc plated with PVC grip	3 Way
Commercial	Textured rubber sleeve, blue rust proof paint	Heavy duty cast with release valve	Zinc plated with rubber grip	2 Way

#### LEVER ACTION GREASE GUNS

- Short stroke "lever action" for easy use in tight spaces.
- Vented zinc die cast head cap.
- Positive lock for easy filling.
- 3-way loading, bulk, suction or 14 oz cartridge.





114

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

# **GREASE GUNS & ACCESSORIES**



#### **CORDLESS GREASE GUNS** A well balanced design helps make hard-to-reach fittings easy to service, simplifying the lubrication process. • Two way loading, 14 oz. grease cartridge or bulk. • Knurled barrel for secure grip. The planetary gearbox and reciprocating piston provide 7,000 psi and approximately 3 oz. of W50014 grease per minute. Grease hose with heavy duty coupler, battery and 1 hour quick charger, heavy duty plastic storage case. W50048 Includes two 18V batteries and a shoulder strap for easy portability. W11046

						Recha	rgeable		Charg	er	
Item #	IP	MP	PKG	PSI	Hose	Bat	ttery	Input	Output	Cord	Rated
W50014* 5-PC	1	3	CBX	7,000	30"	14.4V	Ni-cd	90-132V 60Hz 70W	9.6-24V 1.5A	6'	cETL
W50048* 6-PC	1	4	CBX	7,000	42"	18V	Ni-cd	120V 60Hz 45W	18.0V 1.3A	6'	cUL
W11046* Battery	1	12	CLM	-	-	18V	Ni-cd	-	-	-	-



- For all types of grease lubrication applications.
- Accessories included (left to right)
  - 1.90 degree angle tip
  - Straight extension tip
     Slide on 90 degree coupler

  - 4. Rubber tipped nozzle
  - 5. Needle nozzle
  - 6. 360 degree coupler
  - 7. 12" hose extension

Item #	IP	MP	PKG
W50049*	1	12	SLV

#### WALL-MOUNT **GUN HOLDER**

- Center latch locks. Corrosion
- resistant finish.
- Holds Grease or Suction
- guns with Ž-1/4" OD
- barrel.

Item #	IP	MP	PKG	
W54271*	6	24	CRD	

	18V	Ni-cd	-	-	-	-	
<b>1</b> . <b>5</b> .	2.	3.	4.				

MULTI-PURPOSE LITHIU

MULTI-PURPOSE LITHIUM G

NLGI

#2

#2

#### **MULTI-PURPOSE LITHIUM GREASE**

- Multi-purpose lithium based grease is designed for light duty applications which require extended lubrication.
- For light duty automotive, industrial, agricultural or commercial equipment. Smooth consistency, water resistant
- and extremely stable.

Item #	IP	MP	PKG	Size
W54206* 2-PK	1	12	CLM	3 oz.
W54208*	1	24	LAB	14 oz.

performancetool.com

\*California Residents Prop 65 warnings see page 2.

115

# **GREASE GUN ACCESSORIES**

#### LOCK ON GREASE GUN COUPLER

- Allows you to lock on the fitting with just a slight push. releases with the same minimal effort.
- Positive seal prevents leakage while pumping grease. Once locked on both hands can be used to operate the grease gun.
- The small design allows you into tighter areas than other lock on couplers.

				NPT	Working
Item #	IP	MP	PKG	(F)	PSI
W54228*	10	100	CRD	1/8"	10,000

5		and operated g	
	W54212		

Item #

2-PC

W54214\* Seal-off



# **NEEDLE NOSE ADAPTERS**

• Dispenses a fine line of grease to confined areas.

24

144

CLM

1/8"

W54219

- Fits most hand operated grease guns.
- Great for 4WD (CV) universal joints.

Item #	IP	MP	PKG	Length	PSI
W54219 <b>*</b>	4	72	CLM	1-1/2"	3,000
W54216*	24	120	CLM	4"	3,000

#### **GREASE GUN FLEX HOSES**

W/Spring

Heavy Duty

12

12

144

144

- Use hoses for hard to reach areas. For use with hand and air powered
- grease guns.



10,500

16,000

W54216

fit standard

couplers.

Includes large and

W54221/

W54222

small sleeves to

W54225

W54226/ W54215

(2-PC Kit)

W54214/

W54215

111

W54223

(2-PC Kit)



CRD

CRD

1/8"

1/8"



Item #

W54210\*

W54211\*

W54221\*

W54222\*

W54223\*

W54252\*

12"

12"

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

3,500

8,000



# **GREASE GUN ACCESSORIES**

#### **GREASE FITTINGS**

 Corrosion resistant. Leak-proof fittings.

<b>J</b>				NDT							
	IP	MP	PKG		Straight	Short	30°	45°	60°	90°	
10-PK	12	144	CLM	1/8"	10	_	-	-	-	-	-
10-PK	12	144	CLM	1/8"	-	-	-	10	-	-	
10-PK	12	144	CLM	1/8"	-	-	-	-	-	10	
8-PK	24	144	CLM	1/4-28"	4	-	-	2	-	2	
10-PK	12	144	CLM	1/4-28"	10	-	-	-	-	-	
10-PK	12	144	CLM	1/4-28"	-	10	-	-	-	-	
10-PK	12	144	CLM	1/4-28"	-	-	-	-	-	10	
10-PK	12	144	CLM	1/4-28"	-	-	-	10	-	-	
10-PK	12	144	CLM	1/4-28"	-	-	-	5	-	5	
8-PK	24	144	CLM	6mm	4	-	-	2	-	2	
10-PK	12	144	CLM	6mm	10	-	-	-	-	-	_
10-PK	12	144	CLM	6mm	-	-	-	10	-	-	
10-PK	12	144	CLM	6mm	-	-	-	-	-	10	
10-PK	12	144	CLM	8mm	10	-	-	-	-	-	
10-PK	12	144	CLM	8mm	-	-	-	10	-	-	_
10-PK	12	144	CLM	10mm	-	10	-	-	-	-	
100-PC	6	24	CAS	1/8"	30	-	2	5	5	3	
					40	-	-	10	-	5	
					-	100	-	-	-	-	. /
100-PC	6	24	CAS	1/4-28"	-	-	-	100	-	-	
50-PC	6	24	CAS	1/4-28"	-	-	-	-	-	50	
100-PC	6	24		1/8"	-	100	-	-	-	-	
70-PC	6	24	CAS	1/8,1/4-2	28", 6, 8 &	10mm Se	ee Haro	dware I	Kits for	more	_
	10-PK 8-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PK 10-PC 100-PC 100-PC 50-PC 100-PC	10-PK       12         10-PK       12         10-PK       12         8-PK       24         10-PK       12         100-PC       6         100-PC       6         100-PC       6         100-PC       6	10-PK1214410-PK1214410-PK121448-PK2414410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK1214410-PK12144100-PC624100-PC624100-PC624100-PC624100-PC624100-PC624100-PC624100-PC624100-PC624	10-PK       12       144       CLM         10-PK       12       144       CLM         10-PK       12       144       CLM         8-PK       24       144       CLM         10-PK       12       144       CLM	10-PK         12         144         CLM         1/8"           8-PK         24         144         CLM         1/4-28"           10-PK         12         144         CLM         6mm           10-PK         12         144         CLM         6mm           10-PK         12         144         CLM         6mm           10-PK         12         144         CLM         8mm           10-PK         12         144         CLM         8mm           10-PK         12         144         CLM         8mm	IPMPPKG(m)Straight10-PK12144CLM1/8"1010-PK12144CLM1/8"-10-PK12144CLM1/8"-8-PK24144CLM1/4-28"1010-PK12144CLM1/4-28"1010-PK12144CLM1/4-28"-10-PK12144CLM1/4-28"-10-PK12144CLM1/4-28"-10-PK12144CLM1/4-28"-10-PK12144CLM6mm410-PK12144CLM6mm1010-PK12144CLM6mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK12144CLM8mm-10-PK224CAS1/4-28"-100-PC	IPMPPKG(m)StraightShort10-PK12144CLM1/8"10-10-PK12144CLM1/8"8-PK24144CLM1/8"4-10-PK12144CLM1/4-28"4-10-PK12144CLM1/4-28"10-10-PK12144CLM1/4-28"-1010-PK12144CLM1/4-28"10-PK12144CLM1/4-28"10-PK12144CLM1/4-28"10-PK12144CLM6mm4-10-PK12144CLM6mm10-10-PK12144CLM6mm10-PK12144CLM8mm100-10-PK12144CLM8mm10-10-PK12144CLM8mm10-PK12144CLM8mm10-PK12144CLM8mm10-PK12144CLM8mm10-PK12144CLM8mm10-PK12144CLM8mm10-PK12144CLM8mm10-PK12	IPMPPKG(m)StraightShort30°10-PK12144CLM1/8"1010-PK12144CLM1/8"8-PK24144CLM1/8"410-PK12144CLM1/4-28"1010-PK12144CLM1/4-28"1010-PK12144CLM1/4-28"1010-PK12144CLM1/4-28"10-PK12144CLM1/4-28"10-PK12144CLM1/4-28"10-PK12144CLM6mm410-PK12144CLM6mm1010-PK12144CLM6mm1010-PK12144CLM8mm1010-PK12144CLM8mm1010-PK12144CLM8mm1010-PK12144CLM8mm1010-PK12144CLM8mm1010-PK12144CLM8mm1010-PK12144CLM10m <t< th=""><th>IPMPPKG(m)StraightShort30°45°10-PK12144CLM1/8"101010-PK12144CLM1/8"1010-PK12144CLM1/8"428-PK24144CLM1/4-28"4210-PK12144CLM1/4-28"1010-PK12144CLM1/4-28"-101010-PK12144CLM1/4-28"1010-PK12144CLM1/4-28"10-58-PK24144CLM1/4-28"558-PK12144CLM1/4-28"10-510-PK12144CLM6mm101010-PK12144CLM6mm101010-PK12144CLM8mm1010</th><th><table-container>IPMPPKG(m)StraightShort30°45°60°10-PK12144CLM1/8"1010-PK12144CLM1/8"10-PK12144CLM1/8"8-PK24144CLM1/4-28"410-PK12144CLM1/4-28"-10010-PK12144CLM1/4-28"-10010-PK12144CLM1/4-28"10-PK12144CLM1/4-28"10-PK12144CLM1/4-28"<th><table-container>IPMPPKG(m)StraightShort30°45°60°90°10-PK12144CLM1/8"1010-PK12144CLM1/8"101010108-PK24144CLM1/4-28"42222210-PK12144CLM1/4-28"102-21010-PK12144CLM1/4-28"101010101010-PK12144CLM1/4-28"10</table-container></th></table-container></th></t<>	IPMPPKG(m)StraightShort30°45°10-PK12144CLM1/8"101010-PK12144CLM1/8"1010-PK12144CLM1/8"428-PK24144CLM1/4-28"4210-PK12144CLM1/4-28"1010-PK12144CLM1/4-28"-101010-PK12144CLM1/4-28"1010-PK12144CLM1/4-28"10-58-PK24144CLM1/4-28"558-PK12144CLM1/4-28"10-510-PK12144CLM6mm101010-PK12144CLM6mm101010-PK12144CLM8mm1010	<table-container>IPMPPKG(m)StraightShort30°45°60°10-PK12144CLM1/8"1010-PK12144CLM1/8"10-PK12144CLM1/8"8-PK24144CLM1/4-28"410-PK12144CLM1/4-28"-10010-PK12144CLM1/4-28"-10010-PK12144CLM1/4-28"10-PK12144CLM1/4-28"10-PK12144CLM1/4-28"<th><table-container>IPMPPKG(m)StraightShort30°45°60°90°10-PK12144CLM1/8"1010-PK12144CLM1/8"101010108-PK24144CLM1/4-28"42222210-PK12144CLM1/4-28"102-21010-PK12144CLM1/4-28"101010101010-PK12144CLM1/4-28"10</table-container></th></table-container>	<table-container>IPMPPKG(m)StraightShort30°45°60°90°10-PK12144CLM1/8"1010-PK12144CLM1/8"101010108-PK24144CLM1/4-28"42222210-PK12144CLM1/4-28"102-21010-PK12144CLM1/4-28"101010101010-PK12144CLM1/4-28"10</table-container>









#### ALL-IN-ONE GREASE FITTING TOOLS

- All-in-one fitting tool used to install and remove grease fittings.
- For tapping and thread chasing fitting holes.
- Has broken fitting spiral removal tool. Installs 30/45/65/90 degree grease fittings.

Item #	IP	MP	PKG	Thread	For Fittings
W54229*	24	144	CRD	1/8 NPT	1/8 & 7/16"
W54231*	24	144	CRD	1/4-28 NPT	1/4, 5/16 & 3/8

#### **UNIVERSAL BEARING PACKERS**

 Quickly and thoroughly packs bearings with new grease while forcing out old grease all in one easy operation.
Accommodates most roller and ball bearings.

<ul> <li>Acconnin</li> </ul>	ouales	5 11051	ioner ar	IC
Item #	IP	MP	PKG	
W1218*	6	36	CRD	
W1225*	6	36	CLM	

IP

10

Item #

W54209\*

#### **GREASE FITTING CLEANING TOOL**

PKG

CRD

performancetool.com

- Fits both angled and straight grease fittings.
- Clears grease fittings of hardened matter.

MP

50

• Simply draw oil or grease into the tool, place on fitting and strike with a hammer.





GREAS • Tempered • Can be ead or through • Includes p • For use w grease gu	d stair asily i bear protec rith ha	nless si nserted ring se stive co and	teel. d under als.		DLE	F
Item #	IP	MP	PKG	Gauge	PSI	
W54213*	24	144	CLM	18	3,000	
tool.com	,			ia Resid		/ 117

Prop 65 warnings see page 2.

# **OIL FILTER WRENCHES**





# **OIL FILTER WRENCHES**

#### **ADJUSTABLE PLIERS**

- Slip-joint design fits
- multiple size filters.Durable gripping teeth.
- Textured grip.

5 10 10 5 1				
Item #	IP	MP	PKG	Range
W54057* Offset Jaw	6	36	CRD	1-3/4 to 4"
WEADER'S Offered Laws	0	00		0 +- 5 1/01

W54058* Offset Jaw	6	36	CRD	2 to 5-1/2"
W54310* Straight Jaw	6	36	CRD	2-1/4 to 3-1/2"
W54311* Straight Jaw	6	48	CRD	3-1/4 to 4-1/2"

#### **JAW GRIP WRENCH**

- Serrated jaws for maximum grip.
- Adjustable to fit most filters.

Item #	IP	MP	PKG	Range
W157*	12	72	CRD	2-3/4 to 4-1/4"

# **STRAP WRENCHES**

- Durable non-slip rubber strap for industrial strength and added grip.
- Flexible strap fits any shape and works easily in confined areas.
- Versatile usage on automobiles, tractors, home applications and more.

Item #	IP	MP	PKG	Range
W54059* 2-PC Rubber	6	24	CRD	3/8 to 6-1/2"
W173C* Nylon	6	72	CRD	up to 6"

W54061

# **CHAIN WRENCHES**

 Steel chain for superior grip.
 Versatile usage on automobiles, tractors, home applications and more.

Item #	IP	MP	PKG	Range
W54060*	6	36	CRD	2-3/4 to 4-1/2"
W54061*	6	36	CRD	3/8 to 4-1/4"

#### **CLAMP WRENCH**

IP

6

MP

72

**PKG Range** 

2-3/4 to 3"

CRD

- Clamping action fits many filters.
- Positive grip.

Item #

W171C\*

Chrome plated.

#### Chrome plated steel bar. Turn with 1/2" ratchet.



W54059

11

2 Tone color handle with PVC coating for

extra control.

W54060

Durable aluminum handle.

Vinyl grip handle. Studded band.

#### **3-JAW WRENCH**

IP

6

MP

72

- Heat treated carbon steel construction.
   Tough black
- oxide finish.
  Use with 3/8"
- drive ratchet.

Item #

W270\*



performancetool.com

\*California Residents Prop 65 warnings see page 2.

CRD 2-1/2 to 3-7/8"

**PKG Range** 



# **OIL FILTER WRENCHES**

# **TOYOTA CANISTER WRENCH**

- Heavy gauge steel construction.
- Six cut outs to engage the tabs on the filter canisters.
- Use a 1/2" drive ratchet or 21 mm hex wrench.

Canister wrench for use on Toyota, Lexus and Scion cars.

2.3L 4-cylinder engines.

Mazda 3, Mazda 5, and Mazda 6 / Ford Fusion / Mercury Milan.

**MAZDA CAP WRENCH** 

• Use a 1/2" drive ratchet or

21 mm hex wrench.

Heavy gauge steel construction.Designed to fit 75.6mm 14 flute filters.

Item #	IP	MP	PKG						-	
W54076*	10	50	CRD	64MM 14 Flute	Item #	IP	MP	PKG		
W54120*	12	72	BLK	64MM 14 Flute	W54077*	10	50	CRD	75.6MM 14 Flute	

# **CAP WRENCHES**

• Steel construction for strength. Use with 3/8" drive tool. Fits multiple brands of oil filters.

Cap Size	Flute	IP	MP	CRD	BLK	Application
65mm	14	12	72	W54074 <b>*</b>	W54117*	
65/67mm	14	12	72	W54066 <b>*</b>	W54109 <b>*</b>	
68mm	14	12	72	W54067*	W54110*	
73mm	14	12	72	W54065*	W54108 <b>*</b>	
74mm	14	12	72	W54078 <b>*</b>	W54121*	
74mm	15	12	72	W54069*	W54112*	
74/76mm	15	12	72	W54062*	W54105 <b>*</b>	
75.6mm	14	12	72		W54104*	2.3L 4-cylinder engines. Mazda 3, Mazda 5, and Mazda 6 / Ford Fusion / Mercury Milan.
75mm	15	12	72	W54073 <b>*</b>	W54116 <b>*</b>	
76mm	14	12	72	W54063*	W54106 <b>*</b>	
80mm	15	12	72	W54068 <b>*</b>	W54111*	
80/82mm	15	12	72	W54071 <b>*</b>	W54114*	
86mm	16	12	72	W54079 <b>*</b>		Most Volvo S, C, V and XC models.
88mm	15	12	72	W54080*		Most Hyundai and Kia models.
90mm	15	12	72	W54070 <b>*</b>	W54113*	
93mm	15	12	72	W54064*	W54107*	
93mm	36	12	72	W54072 <b>*</b>	W54115 <b>*</b>	
Toyota	14	12	72	W54075 <b>*</b>	W54118 <b>*</b>	Selected Toyota, Scion (2007-on).









# **SPECIALTY FILTER REMOVAL**

#### **OIL/FUEL FILTER SOCKET**

- Chrome vanadium construction for strength and durability.
- Low profile socket are specially designed for operating clearance. Not for impact use.



Item #	IP	MP	PKG	Application	
<b>₩54085*</b> 7-PC	1	20	SLV	Set includes 24, 27, 29, 30, 32, 36 and 38 mm sockets.	W80676
W80683* 24 mn	n 12	72	DBL	Cadillac, BMW, Dodge, and Saturn.	
<b>W80684*</b> 27 mn	า 12	72	DBL	Mercedes, Volkswagen, Hyundai, Kia, Mini's, and Smart Car.	ß
W80676* 29 mn	n 12	72	DBL	Dodge Cummins 5.9L fuel filter.	
W80678* 32 mn	n 12	72	DBL	GM Ecotec 2.2L oil filter.	
W54119* 32 mn	n 12	72	BLK	Bulk version W80678.	5 8 7
<b>W80677*</b> 36 mn	n 12	72	DBL	Ford diesel pickups 6.0L filters.	W80678

W80681

### **VW DRAIN PLUG SOCKET**

- For transmission drain and fill plugs on Volkswagen and other German vehicles.
- Heat treated and zinc plated alloy steel. Not for impact use.

Item #	IP	MP	PKG	
W80681*	12	144	CRD	17mm hex
W80682*	12	288	CRD	Tamper Proof

#### 15-PC DRAIN PLUG SOCKET SET

Chrome vanadium

construction.
Includes socket rail.

-	E	WÉ
		1
<b>5</b>		

N-MI6

W80682

TENANCE

# PLUG

Item #	IP	MP	PKG		Application
				Hex	8 mm (BMW, Ford), GM, 9 mm (GM), 10 mm (Ford), 12 mm (Fiat, Lancia, Peugeot), 14 mm (Lancia, Mercedes) and 17 mm (Audi, Austin, BMW, VW)
W54287 <b>*</b>	10	20	CRD	Square	7 mm (BMW, Ford, Toyota, Renault), 8 mm (Citroen, Peugeot, Renault, Talbot, Volvo), 11 mm (Ford), 13 mm (Nissan, Subaru), 3/8" (Honda, Mazda, Renault, Saab, Volvo) and 5/16" (Domestic Models Oil Galley Plugs) 10 mm Female (gear boxes and differentials. BMW, Ford, Toyota and Renault)
				Other	Triangle: 10 mm (Renault). Triple Square Tamper Resistant: 16 mm (Audi, Boxster, Cayman, VW, Porsche Detroit Diesel Flywheel, Crank Pulley and Head Bolts)

# **VW AUDI OIL DRAIN PLUG TOOL**

- Remove and install the new plastic engine oil drain plugs without damage.
   Molded grip with the appealed tip to
- Molded grip with the special tip to mate perfectly with the drain plug.

Item #	IP	MP	PKG

₩54289<sup>★</sup> 10 120 CRD <sup>VW:</sup> CPKA, CPRA, CPPA, CBFA, CCTA, CBEA, CNTA, CXCA, CXBB, CXBA, CPKA, CNSB, and CNSA. Audi: A3, A4, also TT, TTS, 2014 to current

#### **OIL DRAIN PLUGS & GASKETS**

• Contains the most popular drain plugs & gaskets for most domestic and imported cars and light trucks.

5 2	25 (	CAS
0 1	_0 \	JAS
5 2	25 (	CAS
2 1	10 (	CAS
	-	







# **OIL DRAINAGE**



Item #	IP	MP	PKG		W	D	Н
<b>W54280*</b> 3.5 Gallon	1	12	BLK	Galvanized	16"	-	4"
W4070* 7 Quart	1	12	LAB	Plastic	13-1/2"	11"	4"
<b>W4071*</b> 4.5 Gallon	1	5	LAB	Polyethylene	10"	10-1/2"	5-3/4"
<b>W4072*</b> 7.5 Gallon	1	5	LAB	Polyethylene	33"	22"	8"

#### W4072

Heavy-wall construction stays rigid, even with hot engine oil.

#### **OIL LIFT DRAIN** • Telescopic tube adjusts to desired height. • Range 40-1/2" to 60" with 13-1/2" diameter funnel. • Comes complete with heavy duty 5 gallon container. • Telescopic tube and sturdy funnel. Tank IP Height Item # MP PKG Diameter W54282\* LAB 13-1/4" 11-1/2" 1 1 **TRANSMISSION PAN** • Heavy duty, high density polyethylene. Small diameter drain holes in bottom of pan prevent loss of pan bolts. IP MP PKG Diameter Item # W54281\* 1 5 BLK 24" **ROLLING BASE** • Heavy duty steel construction. • Baked enamel finish. Ball bearing type casters. Item # IP MP PKG W54283\* LAB 1 4

122

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



# **FUNNELS & SPOUTS**



performancetool.com

# **FLUID TRANSFER PUMPS**

#### **QUART & GALLON FLUID PUMPS**

- Patented double threaded cap fits both the guart and gallon size lubricants.
- Convenient and versatile for hard to reach places.

Fits both Quart and Gallon bottles.



					marine lower unit drain holes.
Item #		IP	MP	PKG	
W1139*1	4-PC	6	48	DBL	Pump, 24" dispenser tube, 4-1/2 & 5-1/2" intake tubes.
W54150*1	6-PC	12	48	DBL	Same as W1139, plus 3/8" (W54151) & 8 mm (W54152) marine adapters.
W54151*	3/8"	12	144	CLM	Fits: OMC, Mercruiser, Evinrude, Johnson, Volvo, Force, Honda (70hp and up), and Mercury US origin.
W54152*	8MM	12	144	CLM	Fits: Yamaha, Nissan, Tohatsu, small Honda's, and Mercury Japanese origin.
W1141* <sup>2</sup>	5-PC	1	6	DBL	Pump, 24" dispenser tube, "Quick Fit" nozzle, 3 & 5" intake tubes
<sup>1</sup> US Patent 7	857 172	$^{2}$ Fits	standa	rd gallo	on bottles only

<sup>2</sup>Fits standard gallon bottles only

#### MULTI-USE TRANSFER PUMPS

- · Quickly transfers low-viscosity fluids, such as water and oils. Also works as an air pump.
- Ideal for changing oil, inflating beach balls, siphoning fluids and more.
- Clear view barrel & hoses allows visual inspection.



2 adapters fit most

Not for use with caustic or flammable liquids.

Item #		IP	MP	PKG	Contents	
W1145 <b>*</b>		6	24	CLM	Transfer pump, Two 48" x 1/2"	Plus 48" x 1/64" hose & inflatable kit.
W1156*	Grip Clip™	6	24	CLM	hoses, 15" air pressure hose	Plus snap-shut valve & inflation needle.

# LIQUID TRANSFER SHAKER SIPHON

- Shaker Siphon helps you transfer fluids with ease.
- Simply shake the hose up and down to start the transfer.
- Moves up to 7 gallons a minute (GPM), through a 6' anti-static tube.



Item #	IP	MP	PKG	Diameter	Length	GPM
W54154 <b>*</b>	6	24	CRD	1/2"	6'	3.5
W54155*	12	24	TAB	3/4"	6'	7

diesel, water and many other liquids.



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

W1156

Unique couplers offer far more holding power - no more messes from hoses coming

loose. Quick change fittings for easy attach and release.



# **FLUID TRANSFER PUMPS**



performancetool.com



# **BARREL PUMPS**

W54285\*

126

1

6

CBX

Rotarv

White PP





7 gal.

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

40"

# **OILERS & DISPENSERS**



#### **MEASURING DISPENSERS**

- Tapered 1/2" OD tip swings into the necessary angle for hard to reach jobs.
- Recessed bottoms drain fully and guard against puncture.
- Rolled edge top helps prevent oil spillage.
- Designed for one hand operation.

Performance Tool

Thumb operated valve controls flow, flip action locks valve open.

Item #	IP	MP	PKG	Capacity	Spout
W54278*	1	6	LAB	4 qt.	7-1/2"
W5/1270*	1	4	LΔR	5 at	14"

#### SUCTION GUN

- Professional quality heavy duty construction and rust resistant paint for long service life.
- Knurled thick wall barrel for secure grip.

IP

1

MP

20

Zinc head cap.

Item #

W54220\*

No priming necessary.

Perfect for transmissions, differentials, gear cases, lower units, crankcases, etc.

Hose Capacity

1 pint

12"

PKG

CBX

#### **DRILL PUMP**

 Fits standard garden hose. Use with any power drill.

S MEASURING DISPENSER

200 N.H.M.M.

 Self priming pump.

Item #

W1143\*



MEASURING DISPENSE

12 36 CRD 1/4" performancetool.com

MP

IP

\*California Residents Prop 65 warnings see page 2.

**PKG Shank** 



# **DISC BRAKES**

#### DISC BRAKE CALIPER SERVICE KIT

- Great for installing new disc brake pads on many popular import and domestic 4 wheel disc brake vehicles.
- Winds back pistons in rear calipers with integral parking brake assemblies.







Includes <sup>1</sup> Center screw assembly and <sup>2</sup> Forcing plate

					Single Pin			D	ual Pin	<b>Triple Pin</b>	Step Bore	
Item #	IP	MP	PKG	3	4	5	6	7	8	11	10	9
W89200*	1	5	CBX	1-3/4"	1-15/16"	2-3/8"	1-1/4"	1-5/8"	1-5/8" (Shallow)	1-3/8" (3/8" dr)	1-15/16"	2-1/8"

### **DISC BRAKE PISTON TOOLS**

- Realigns piston slots to back of brake pad.
- Use with a 3/8" drive ratchet and extension.
- Not for use with air or impact tools.

W83165 Size: 1-7/8 and 2-1/8".

-					
	Item #	IP	MP	PKG	Application
	<b>W80621*</b> 5-IN-1	6	72	CRD	Chrysler, Ford and GM vehicles with 4 wheel disc brakes.
	<b>W83165*</b> 2-IN-1	12	96	CRD	Ford and GM vehicles equipped with rear wheel disc brakes.



# **DISC BRAKE CALIPER SPREADER**

- For installing pads on domestic and import cars and trucks that have the wind back pistons calipers.
- Wind back pistons on both left hand and right hand threaded piston calipers.

To place forcing plate onto center screw assembly, push T-handle to one side and thread forcing plate over handle and slide down to rest on retaining lip.

Item #	IP	MP	PKG
W89201*	6	24	CRD

# **RATCHETING BRAKE PAD SPREADER**

- Used to compress single, twin and quad disc brake pistons on fixed and floating calipers.
- Includes 2 sizes of plates to fit most passenger and commercial vehicle on the road today.
- The ratchet handle has a full 360° swing, for easy access when in difficult caliper angles.

Item #	IP	MP	PKG
W80110*	5	20	DBL

128

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



# **DISC BRAKES**

#### **DISC BRAKE PAD SPREADER**

- Used to compress pistons back into calipers when installing new brake pads.
- Durable, heavy duty construction.

Item #	IP	MP	PKG
W209*	6	24	CRD

#### **X-TYPE PAD SPREADER**

- Used to spread pads in calipers apart for reinstallation of calipers onto car.
- Quality alloy steel construction.

Item #	IP	MP	PKG
W80112* X-Type	6	72	CLM

#### **BRAKE CALIPER HANGER**

- Hold brake calipers out of the way, reducing the possibility of damage to calipers, brake hoses and other parts.
- Made from 1/4" heavy-duty steel.

Item #	IP	MP	PKG	
W80624*	20	100	CRD	

#### **4-PC BRAKE CALIPER HEX BIT SETS**

Heat treated allov steel.

Professional sand finish.

Additional hex bits on pg 180

W182

Item #	IP	MP	PKG	Drive	Length	Sizes
W86021*	6	36	CRD	3/8"	4"	1/4, 3/8, 5/16, 7/32"
W86022*	6	36	CRD	3/8"	4"	6, 7, 8, 10mm
W86020*	6	36	CRD	3/8"	4"	T40, T45, T47, T50

#### **BRAKE FLUID TESTER**

- Used to examine the quality of brake fluid by indicating the percentage of water in the fluid.
- 5 LED readout indicates percentage of moisture.
- Includes 1-AAA battery.

Item #	IP	MP	PKG	Suitable for
W181*	10	100	CRD	DOT 3, DOT 4
W182*	10	100	CRD	DOT 3, DOT 4, DOT 5.

#### **ELECTRONIC PARKING BRAKE TOOL**

- Read diagnostic trouble codes, data stream, ECU information, and parking brake system information.
- Deactivate/activate the SBC Sensotronic Brake Control.
- Reset the rear brake system after changing calipers, brake discs or pads.
  Reads and clears SBC trouble codes.
- Multilingual English and Spanish.
- Change brake fluid or bleed the brake system on Audi, VW, Mercedes and Volvos.
- Opens/closes the calipers for servicing pads on Volkswagen and Audi.

Item #	IP	MP	PKG
W3000*	12	36	DBL

#### performancetool.com



Prop 65 warnings see page 2.

W181

129

Perfect for a variety of automotive work, including tasks related to brakes. wheel bearings, axle shafts and suspension servicing.

# **DRUM BRAKES**



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

130



### **BRAKE BLEEDING**



DBL See Diagnostic section for more details.

performancetool.com

\*California Residents Prop 65 warnings see page 2. 131

# **FLARING TOOLS**

#### **DOUBLE FLARE TOOL SET**

- Easy to use level lock flaring bar.
- Floating cone for accurate alignment.
- Fits tubing sizes: 3/16, 1/4, 5/16, 3/8 and 1/2" Ŏ.D.

# W80679

Item #	IP	MP	PKG	Contents
W80670*	6	24	CRD	Includes flaring bar, yoke, and 5 double flare dies.
W80679*	1	120	CRD	3/16, 1/4, 5/16, 3/8, 1/2"

# **37 DEGREE FLARING TOOL SET** • Creates the proper angle for AN and JIC fittings.

- Floating cone for accurate alignment. • Fits tubing sizes: 3/16, 1/4, 5/16, 3/8 and 1/2" O.D.

For high performance applications only.



W80670





►	
_	
-	

5

Item #	IP	MP	PKG	Contents
W80671 <b>*</b>	6	24	CRD	Set includes flaring bar and yoke with center screw.

#### **ISO BUBBLE FLARING TOOL SET**

- Multiple die sizes for variety of jobs.
- Crack free flares in automotive brake system tubing.
- Fits tubing sizes: 4.75, 6, 8 and 10 mm.

Item #	IP	MP	PKG	Contents
W80672*	6	24	CRD	Set includes flaring bar,

672*	6	24	CRD	voke, dies and wrench.

# SINGLE FLARING TOOL

- Single flares copper, brass, aluminum and mild steel tubing.
- Easy to use lever lock flaring bar.
- Floating cone for accurate alignment.
- Fits tubing sizes: 3/16, 1/4, 5/16, 3/8, 1/2 and 5/8" Ŏ.D.

Item #	IP	MP	PKG	Contents
W701C*	6	24	CRD	Set includes flaring bar and yoke with center screw.



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



Item #

#### **TUBING BENDERS & CUTTERS**

#### TUBING BENDERS

- For copper and brass tubing, brake lines and bundy welding tubes.
- Durable die cast construction. •



Item #		IP	MP	PKG	Bends up to
W703*	Large	6	48	CRD	1/2" (13 mm) O.D.
W704C*	Small	6	48	CRD	5/16" (8 mm) O.D.

PRECISION TUBING BENDER

Accurately bends tubing to

angles up to 90 degrees. Markings for precise bend

angle and measurements

from left or right end of

tubing.

W82003

for corrosion resistance.

Highly polished, chrome plated

performancetool.com

#### W86013\* 6 48 CRD 3/16, 1/4, 5/16, 3/8" O.D.

**PKG Range** 

- **PROFESSIONAL TUBING BENDER**  Pliers action tube bender makes tight bends without collapsing tubing.
- Roller adapters included for each size and are locked into place with locating pin.

IP

MP

TUBING BENDER

• Heavy duty construction. Four grooves designed to fit

popular tubing sizes.

Quality alloy steel construction.



#### W80674\* 6 CRD 3/16, 1/4, 5/16, 3/8" O.D 24

#### TUBING CUTTERS

- Carbide steel wheel cuts to within 1/4" from end of tube.
- For use on hard and soft copper, aluminum, brass, thin wall steel and stainless steel lines.
- Wide rollers prevent spiral cut.

#### W700C





Item #	IP	MP	PKG Cuts O.D.
W82003* Professional	6	48	CRD 1/8 to 1-1/8" (3 to 28 mm)
W702C* Standard	6	72	CRD 1/8 to 1-1/8" (3 to 27 mm)
W700C* Mini	6	96	CRD 1/8 to 5/8" (3 to 16 mm)
W82005* Self Tensioning	6	36	CRD 1/8 to 3/4" (3 to 19 mm)



W82005

Self tensioning

Also cuts plastic and PVC tubing. Super strong internal spring keep constant cutting pressure. Retractable reamer blade for debarring.

Item # IP MP **PKG Range** W80675\*



# **AXLE NUT SOCKETS**

# **12 POINT FWD SOCKETS**

- · Designed for removal or installation of axle nuts on front wheel drive vehicles.
- Heavy duty chrome moly alloy steel.
- Use with 1/2" drive tool.

Item #	12 pt.	IP	MP	PKG
W83178 <b>*</b>	30mm	10	60	TAB
W83177*	32mm	10	60	TAB
W83179*	34mm	10	60	TAB
W83180*	36mm	12	48	TAB
W158*	39mm	6	24	TAB
W89316 <b>*</b>	5-PC	1	8	CBX
W09310		30, 32	34, 36	, 39mm

**BUDD WHEEL SOCKETS** • Heavy duty chrome moly construction.

1-1/2"

33mm

35mm

38mm

41mm

5-PC





Item #	6 pt.	IP	MP	PKG
W80548*	29mm	6	24	TAB
W153*	30mm	6	24	TAB
W80546*	31mm	6	24	TAB
W155*	32mm	6	24	TAB
W80553*	33mm	6	24	TAB
W156*	34mm	6	24	TAB
W80549*	35mm	6	24	TAB
W154*	36mm	6	24	TAB
W80550*	38mm	6	24	TAB
W89318*	9-PC	1	4	CBX
29, 30	, 31, 32,	33, 34	35, 36,	38mm

6 POINT FWD SOCKETS

#### **6 POINT CHROME**

- · Heat treated alloy steel.
- Polished chrome plated finish.
- Use with 1/2" drive tool. Not for impact use.

Item #	6 pt.	IP	MP	PKG
W1296*	30mm	6	24	TAB
W1297*	32mm	6	36	TAB
W1298*	34mm	6	24	TAB
W1299*	36mm	6	36	TAB







LOCK NUT SOCKETS	Item #		IP	MP	PKG	Years	Application
<ul> <li>Heavy duty chrome</li> </ul>	W83243 <b>*</b>	2-1/2" Hex	6	24	TAB		
<ul> <li>moly construction.</li> <li>Use with 1/2" drive tool. Not for impact use.</li> </ul>	W83244 <b>*</b>	2-1/2" Round	6	24	TAB	1995-96	Ford F-series 1/2 ton trucks and full-size Bronco with automatic hubs.
		0.0/0"				1984-92	Ford Ranger and Bronco Il with automatic hubs;
Round Type	W83240*	2-3/8" Hex	6	24	TAB	1993-97	Ford Ranger, Bronco II and Explorer with automatic hubs.
	W83241*	2-3/8" Round	6	24	TAB	1990-newer	Ford Ranger, Bronco II and Explorer with automatic hubs.
Langer Teel"	W83246*	2-3/4" Round	6	24	TAB	1995-98	Ford F-series 3/4 and 1 ton trucks with automatic hubs.
	W83245*	2-9/16" Hex	6	24	TAB	1990-93	Dodge truck with Dana 60 manual hubs.
Hex Type	W83255*	55mm Hex	6	24	TAB		Toyota FJ, LN and RN models.
Type	W89314 <b>*</b>	7-PC	1	4	CBX		: 2-3/8, 2-1/2", 55 mm. , 2-3/4, 2-9/16, 2-3/8"



T

Item #

W83030\*

W83033\*

W83035\*

W83038\*

W83041\*

W89315\*

#### BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



# LOCK NUT SOCKETS







# **WHEEL BEARINGS & HUBS**

#### SLIDE HAMMER PULLER SET Contains slide hammer with multiple attachments including 2/3 jaw, internal and external pullers, rear axle puller, locking pliers adapter, puller hook and dent puller. Item # IP MP PKG W89725\* 1 2 CBX **HUB REMOVER & INSTALLERS** To remove and install most front wheel drive hubs for servicing of wheel bearings, CV joints or transaxle. Installer ew (D Jam Nut (G) Puller Item # IP MP **PKG** Contents Puller Flange, Center Screw for Puller, Locknut for Puller, Center Screws for Installer W89324\* 5 CBX 1 INHEGS (large & small), Installer Collar/Bushings (large & small), Washer, Jam Nut. IIVERSAL HUB & DRUM PULLER · Puller frees frozen hubs, axle shafts, and other tough pulling applications. Adjustable sliding legs can be positioned anywhere on the center hub ring. Maximum bolt pattern 7-1/2" (190.2mm), also removes press-fit rear brake drums. • Designed to be used on most model cars. Item # MP PKG Contents IP W89325\* 2 CBX striking wrench and puller screw and three jaws. REAR AXLE BEARING PULLER SET The specially designed pullers allow for the removal of semi-floating rear axle bearings by firmly seizing and evenly extracting the bearing. • Use with 5/8" - 18 UNF thread slide hammer. Bearing Tube I.D. PKG IP Item # MP Min Max 1' 1 - 7/8

136

W89326\*

1

12

CBX

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

1-5/16

1-3/8"

2-3/8"

2-7/8"



Item #

# WHEEL BEARINGS & HUBS

#### **BEARING SPLITTERS**

- Separates and removes press-on style bearings.
- Knife-like edges allow for a secure grip.
- Forged steel

el cor	nstruct	ion.		15
IP	MP	PKG	Range	
1	50	CBX	3/8 to 1-1/4"	

3 to 4-1/2"

W84550 <b>*</b>	1	50	CBX	3/8 to 1-1/4"
W84551*	1	20	CBX	1-1/4 to 2-1/4"
W84552 <b>*</b>	1	12	CBX	2-1/4 to 3-1/2"
W84553*	1	10	CBX	3 to 4-1/2"
W87128 <b>*</b>	1	4	CBX	2-1/4 to 3-1/2"
W01120 -		4	ODA	0 +- 4 +/0"

Includes 2" and 3" bearing splitters and four sets of hex push puller legs, 5" puller cross-bar with 6-1/4" forcing screw can be used independently.

W87128

.5

#### WHEEL BEARING RACE **& SEAL INSTALLER SETS**

- Inserts tapered wheel bearing race and seals without damage to the component or axle housing.
- Includes driver handle with bolt.
- Fits most standard wheel bearings.

Item #	IP	MP	PKG	Sizes	
W83020* 7-PC	6	24	CLM	1.565,1.75, 1.965, 2.325, 2.47, 2.555"	
W89715* 10-PC	1	6	CBX	1.565,1.75, 1.965, 2.325, 2.47, 2.555, 2	.83, 2.995, 3.180"

#### WHEEL STUD PILOT PIN SET

- Wheel stud pilot pins are designed to easily remove and install wheels on many European vehicles that use screw in lug bolts.
- Set includes four pairs of metric threaded stud pins that allow you to hang the wheel.
- Models include Audi, BMW, VW, Mercedes and Porsche using the 14mm. Fiat, Dodge, and Chrysler using 12mm.

Item #	IP	MP	PKG	Sizes (2 each)			
W83017*	6	24	DBL	12mm x 1.25,	12mm x 1.5,	14mm x 1.25,	and 14mm x 1

performancetool.com

# 7-PC VW-AUDI-PORSCHE BIT SET

- For working with head bolts, disc brake calipers, axle shafts and other applications.
- For jobs requiring a triple square serrated bit.
- Feature CRV sockets with S2 steel bits for durability.
- Blow molded storage case.

Item #	IP	MP	PKG	Sizes (12 point)			
W83016 <b>*</b>	4	10	СВХ	3/8" Dr. Short: 12mm Long: 8mm, 10mm , 14mm			
W03010	1	12	CDA	1/2" Dr. Round Spreader			
				Bits 14mm, 16mm			

SPECIALIY



### DRIVETRAIN

# PILOT BEARING PULLER SET

• For removal of pilot bearings or any other items requiring an internal puller. T-handle with Hex Collet Main Shaft Fly Wh **PKG Contents** Item # IP

W89742\*

MP

CBX Includes four separate adapters for multiple applications. 1 5

#### **CLUTCH ALIGNMENT TOOLS**

- Plated aligning cone with graduated diameters for "automatic" fit to most clutch plates.
  Tapered cone for all others.

Item #		IP	MP	PKG	Sizes	
W1157P*	SAE	6	36	CRD	.590, .612, .624, .668, .749, .786, .808 and	d .904"
W1158P*	Metric	6	36	CRD	12, 12.6, 14, 15, 15.8, 16, 17, 18, 19 and 2	20 mm

Item #			8" open	with ing	and 1-1/2" offset
W02150		IP	MP	PKG	Application Ford light-duty trucks, Bronco II, Ranger, and Explorer. 1989 to current Thunderbird and Cougar. 1993 t
VVOJIJU	0* Ford	6	144	CRD	current Pontiac Grand Prix, Firebird Oldsmobile Cutlass Supreme, Buick Regal. 1993-94 Chevy Lumina
					1995 to current Chevrolet Monte Carlo. 2002-05 Dodge Neon.
					The bent end intended for NVG3500 and NV4500 manual transmissions works on 1996 to 2004 fullsize 2WD and 4WD trucks Chevrolet S-10 Blazer and pickups.
W83151	<b>1*</b> GM	6	24	CRD	The straight end is for 1993 to 1994 Chevrolet Lumina sedan 1995 to 2000 Chevrolet Monte Carlo 1993
					1999 Buick Regal 1998 to 2002 Olds Intrigue 1993 to 1997 Olds Cutlass Supreme and Pontiac Grand F
	IT BO TOOL				
		sonstruc	ction		
#	W83011 All steel c with vinyl	S construc grips.			pplication
# 011* C	TOOL W83011 All steel c with vinyl	S construc grips. IP M 6 4	<b>MP F</b> 48 C		pplication and-lt, Band-lt Jr. & open end

				CVJ Max		
Item #	IP	MP	PKG	Diameter	Length	
W83028*	1	5	CBX	3-3/4"	9"	

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

138



# **SPRING COMPRESSORS**



#### performancetool.com



# SUSPENSION



#### **INNER TIE ROD TOOL MASTER SET**

- Designed to remove, and install inner tie rods quickly and easily.
- Replaces the inner tie rod without removing the rack and pinion.
- Forged steel construction for durability,
- Not for "Saginaw"-type rack and pinion assemblies.

Item #	IP	MP	PKG	Sizes	
W89302*	4	0		SAE	1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16",1-1/2" W89302
W89302*	Ι	0	СВХ	MM	29mm, 32.5mm 33.6mm, 38.4mm, 40mm, 42mm
INNER '	TIE	ROD	TOC	DL	

140

- Use to easily turn inner tie rod ends that are smooth or have flats.
- An inexpensive way to remove inner tie rods without removing the outer tie rod first.

Item #	IP	MP	PKG	Application
W83027*	6	36	CRD	1-3/16 and 1-5/16" hex

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

W83027



# **SUSPENSION**



# BALL JOINT SERVICE KITS

 Includes all receiving tubes removing and installing adapters needed to work on most GM, Ford and Dodge two and four wheel drive pickups, vans and SUVs through 1997.
 Works on press fit upper and lower ball joints.

	0.D.	I.D.	Length		O.D.	I.D.	Length
	3"	==;; = ;; :		Installing	2"	1 3/4"	3"
Tubes	2 3/4"	2/7/16"	2 1/4"	Tubes	2"	1 3/4"	2 5/16"
Lup	2 1/2"	2 1/2" 2 1/4" 2 3/4"	Receiving	2 1/4"	1 7/8"	7/16"	
	2 7/8"	2 5/8"	2 7/8"	Cups	2 1/8"	1 3/4"	1/2"
- Lin	2 7/16"	2 3/16"	3 3/16"	Installer	1 7/16"	3/4"	1"
Cei	2 1/2"	2 1/4"	3/4"	Plug	7/8"	-	-
Receiving	2 1/4"	2"	2"	-	-	-	-
	2 1/2"	2 1/4"	1 1/2"	-	-	-	-

This set expands the service capabilities of the W89304 Ball Joint Service Set.





**GM TORSION BAR UNLOADING TOOL** 

PKG

CBX

- Premium tool is designed to hold the torsion bar while making adjustments, or replacing keys.
- Heavy duty forged steel with a larger 7/8" diameter threaded screw.

MP

3

- Designed to handle GM's K-3500 series trucks with heavy-duty chassis and a larger torsion bars.
- Features a larger C-frame opening to accommodate beefier torsion bars.

Item #	IP	MP	PKG
W83026*	1	6	CBX

IP

1

Item #

W89305\*



#### performancetool.com



# **BODY & INTERIOR**

#### **6-PC MULTI-WEDGE TOOL SET COMPOSITE TRIM** REMOVAL TOOL SET Works well to remove trim molding, bezels, and various clips and plastic fastens. For removing internal and external trim • Durable non-marring nylon prevents and molding fasteners. scratching to painted surfaces Anti-marring design prevents damage to and delicate panel surfaces. vehicle paint, upholstery, chrome or finish. Item # IP MP PKG W80647\* 6 24 CRD **10-IN-1 TRIM TOOL** Item # IP MP PKG All steel construction. W80648\* 24 CRD 6 Comfortable grip handle. • • 9-3/4" overall length. 2 PLASTIC CHISEL SET 3 1. Serrated edge for panel seam cleanup 2. Door clip remover High impact plastic handle (plastic clips) 3. Windshield molding clip withstands hammer blows 8 ↓ and includes hand guard. release tool 4. Headlight spring tool 5. Door handle clip . Trim pad removing tool . Door weather strip clip & remover Plastic blade can headlight screw remover be re-sharpened. Metal door trim clip installer Windshield wiper wrench 1/2" (13 mm) 10. Beveled edge for removing molding 5 IP MP PKG Item # IP W83199\* 1 & 2" PKG Item # MP 6 24 CRD W83201\* 24 144 CRD blades **CLIP REMOVAL PLIERS PUSH PIN PLIERS** DOOR PANEL Removes door upholstery Designed to remove push REMOVER and other trim anchors. pins with center locking pin. Removes panels 2 step tip for easy access. Quickly and easily removes without marring upholstery. Spring loaded handle plastic anchors without damage. • Heavy duty chrome plated shaft. for greater • 8-3/4" length. leverage. IP MP PKG Item # IP MP PKG Item # IP MP PKG Item # W80645\* 6 72 CRD W86556\* 6 36 CRD W86561\* 36 CRD 6 **DOOR/WINDOW DOOR SPRING TOOL** LOCK OUT TOOL HANDLE CLIP TOOL • Removes and installs door springs For emergency access when keys are locked inside. on most GM cars and trucks. · Removes and installs door handle • 1-1/4" x 24" with push • Alloy steel construction. and window crank retainer clips on and pull ends. • Use with 1/2" wrench or socket. many popular vehicles. MP PKG Item # IP PKG Item # IP MP PKG Item # IP MP W80646\* W84603\* GM 12 6 72 CRD 72 CRD W1147C\* 24 144 CRD

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

142



# **BODY & INTERIOR**



performancetool.com

\*California Residents Prop 65 warnings see page 2.

143

# **BELTS & HOSES**

#### ANODIZED ALUMINUM STRETCH BELT TOOLS

2001-2015 Ford: Escape, Edge, Fusion, Flex, Taurus 2006-2015 Lincoln: Zephyr, MKX, MKZ, MKT, MKS 2002-2015 Mazda: 3, 5, 6, Tribute, CX, MX-5 Miata 2005-2011 Mercury: Mariner, Milan, Sable 2009-2015 Chevrolet: Avalanche, Colorado, Express, Silverado, Suburban, Tahoe, Camaro 2009-2015 GMC: Canyon, Savana, Sierra, Yukon 2009-2015 Cadillac: Escalade 2008-2010 Hummer: H2, H3, H3T 2007-2010 Chrysler: Sebring 2007-2010 Dodge: Avenger, Nitro 2008-2015 Subaru: Forester, Impreza IP PKG Item # MP W84013\* Low Profile 10 100 CRD

	LOWITOIL	10	100	OND
W84014*	Universal	10	100	CRD
W84015*	Large Pulleys	10	100	CRD

#### **SERPENTINE BELT TOOL**

• Remove and install belts on serpentine systems using spring loaded idler pulleys.

- These tools are required to properly install stretch belts on vehicles that use stretch fit belt technology.
- Anodized aluminum construction.



						~ ~	Duis		
Item #	IP	MP	PKG	Hex Sockets	<b>Crowfoot Wrenches</b>	Length	End	Adapters	Screw
W84010*	<b>4010*</b> 1 6 DBL 15,16, 18mm		15 16 10mm	12 14 15mm	23"	3/8" dr.			
W84010 <sup>4</sup>	0	DDL	15,10, 181111	13, 14, 15mm	10"	1/2" dr.	-	-	
						23"	12mm v 10nt		
W89716*	-1	G	6 CBX	12 14 15 16 10mm	12 14 15mm	10"	13mm x 12pt 16mm x 6pt	3/8, 1/2"	3/8"-16
W89710	I	0		13, 14, 15, 16, 18mm	13, 14, 1311111	6"	τοιτιπιχορι	3/0, 1/2	UNC
						6"	5/8" GM		





**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box


# **BELTS & HOSES**



performancetool.com

\*California Residents Prop 65 warnings see page 2.

# WATER PUMP & FAN CLUTCH



146



# **SEALS & O-RINGS**

\*California Residents

Prop 65 warnings see page 2.

147

<ul> <li>SEAL</li> <li>For reme Two tip s applicati</li> <li>Large ea</li> </ul>	oval o sizes ions.	of grease accomn	e and oil : nodate m	seals. <sup>1</sup> any	7 <b>1220</b> 1 adjustm	ent points	S.	D		4			
dutý chr Item # W1219* W1220*	ome IP 6 6	MP 48 36	PKG CRD	Adjustable				0	W1219		0		
• Remove seals wir • Contains	RR es and thout s cork	EAR d installs removir	MAIN upper re ig engine emoval to	SEAL R	aft. e and	VER			<b>A</b>		ANAMAN	1910	0
Item # W84019*	<b>IP</b> 6	<mark>мр</mark> 72	PKG CRD 2	2 extra clips		C			5				SPE
<ul> <li>Insures</li> <li>Easily cities</li> </ul>	you h ups C	ave no o )-rings a	damage t nd seals	<b>G REM</b> to seals or the making then atigue and a	le surrou n simpler	to remo	rface. ve.			-65			SPECIALITY
Item # W80751*	<b>IP</b>	<b>MP</b> 48	PKG CRD							-0			
<ul> <li>9-PC</li> <li>Versatile inspection</li> <li>3 LED a features</li> </ul>	utilit on, re nodiz 1/4" nd pic	PECT w kit for moval a red alum hex holo ckup too	tion s automotiv nd retriev inum flas ler.	ve access, /al.	0								
-				er Capacity	Min	coping Max	Qty.	ttery Type				Drivers	
W949*	6 3	36 DBL	. 1-1/8"	3 lbs.	5-3/4"	20"	4	LR44	Straight, 90	D°, hook, do	uble angle	#0, 1/8"	

performancetool.com

# **PULLEY PULLERS**



- Service late model vehicles with either OWC or OAD alternator pulleys. • Remove the One Way Clutch or Decoupler
- pulleys found on 1997 to current vehicles.



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

disconnect tool.



# **GEAR PULLERS**

#### **PULLEY HOLDING TOOL**

- Adjustable jaw opening from 1/4 to 7/8".
- Long handle for extra leverage.





Item #	IP	MP	PKG	Length
W87023*	6	48	CRD	12"

# **GEAR PULLERS**

- Heat treated alloy steel.
- Drop forged for strength.
- Chrome plated finish.



Item #	Jaws	IP	MP	PKG	Spread	Reach
W139*	2	6	24	CRD	8"	8"
W140*	2	6	48	CRD	3-1/2"	3"
W141*	2	6	48	CRD	6"	6"

# 2/3 JAW GEAR PULLERS

- Heat treated alloy steel.Drop forged for strength.
- Drop forged for strengtr
   Chrome plated finish.





Item #		IP	MP	PKG	Spread	Reach
W135P*	2/3	6	48	CRD	3"	2-3/4"
W136P*	2/3	6	36	CRD	4"	3-1/2"
W137P*	2/3	1	12	CBX	6-1/4"	5-1/2"
W138P*	2/3	1	6	CBX	8-1/4"	7"
W134DB*	2/3	1	4	CBX	Includes	s 1 each

# **PROFESSIONAL GEAR PULLERS**

- Heavy duty chrome vanadium steel construction.
- Fine thread center bolt for smooth operation.
  Plated to resist corrosion.
- Heat treated jaws.



					-	
Item #	Jaws	IP	MP	PKG	Spread	Reach
W84500*	2	6	24	CLM	4"	3-1/2"
W84501*	2	6	12	CLM	6"	5-1/2"
W87122*	2	6	24	CLM	4"	3-1/4"
W87123*	2/3	6	24	CLM	4-3/4"	3-1/4"
W87124*	2	6	36	CLM	6"	5-1/4"
W87125*	2	6	18	CLM	6"	3-1/2"
W87126*	2/3	6	12	CLM	7"	3-1/4"
W87127*	2/3	6	12	CLM	7"	5-1/2"









\*California Residents Prop 65 warnings see page 2.

# **VALVES & VALVE SPRINGS**



150



# **VALVES & VALVE SPRINGS**

#### **OHV & OHC SPRING COMPRESSOR**

- Designed for use with the cylinder head still on the engine and in the car.
- A multi-point adjustable base to fit and bolt securely to a variety of heads on most domestic and import car engines.
- Applications include: Audi, Nissan, Toyota, Chrysler, Honda, Mazda, Mitsubishi, Porsche (924 & 928), Volvo, VW, BMW, Ford, Chevrolet, GMC, Lincoln, Saturn and more.

Item #	IP	MP	PKG
W89408*	1	4	CBX

#### **HYDRAULIC VALVE LIFTER REMOVER**

- Specially designed slide hammer easily frees tight or stuck lifters.
- Knurled handle for secure grip high quality steel construction.
- High quality steel construction.





#### **5-PC HEAD BOLT SOCKET SET**

- The 4-1/2" length reaches past cam and rocker assembly to service head bolts.
- Special 12 point socket design fits both the 6 and 12 point head bolts.
- Chrome-molybdenum alloy steel construction.

Item #	IP	MP	PKG	Sizes
W83183*	1	12	SLV	1/2", 10mm, 12mm, 13mm & 14mm

#### **SERRATED WRENCHES**

- Heat treated alloy steel.
- 1/2" hex drive shaft.

Item #	IP	MP	PKG	Sizes
W1395*	6	48	CRD	6, 8, 10, 12mm
W1397*	6	144	CRD	8 mm
W1398*	6	144	CRD	10 mm
W1399*	6	144	CRD	12 mm

#### **HEAD BOLT SOCKET BIT**

- Fits 1998 and later VW/Audi head bolts.
- Chrome vanadium.

Item #	IP	MP	PKG	Drive	Length
W83182*	12	48	CRD	1/2"	4-29/32"











#### performancetool.com

#### \*California Residents Prop 65 warnings see page 2.

12 point



# **CAMSHAFT & CRANKSHAFT**

					VANNOIL					
	NIVEF EARII			AMS	HAFT		utomobile en	umshaft bearir gines, from co		
		0			0005	dri	ving plates, dr	der sleeves, five iving collars, ny driving shaft and	lon	
0		,		C		<b>E</b>	00	0		12
Iter	n #	IP	MP	PKG	Bearing I.D					
					1.125 to 1.47 1.475 to 1.70		1-1/4" 1-1/4"			
\\/Q	9220*	1	2	СВХ	1.700 to 1.92	25 No. 2	1-3/4"			8
WO	9220 .	I	2	CDX	1.925 to 2.15 2.150 to 2.37		<u>1-3/4"</u> 1-3/4"			
					2.375 to 2.69		1-3/4"			
						-D			W89208	
-	_			_	Y HOLDE					Je Bernard Ber
• A	lso work	s on	injecti	on pum	stationary on ( p and other ge	ears and pulle	ys.			
• W	lorks on	man	у Тоус	ota, Nise	san, Mazda, a	nd other make	ës.			
	<b>II</b>									
	Item # W8920	)8 <b>*</b>	1P		PKG CRD			Fits most Hone Acura engines		
								Ĵ		
A	_		-		PULLEY					
	<ul> <li>For residue</li> <li>Hex s</li> </ul>	emov shane	al anc a fits h	l installa	ation of cranks enter of crank	shaft pulley bo shaft pulley	lt.			
SPECIA	Preve	ents	engine	from tu	urning when he	eld with break	er bar.		~	
	Item #		IP	MP	PKG Drive					
	W8316	68 <b>*</b>	6	36	CRD 1/2"				W83168	Not for impact use.
					- D					
	YWI					6				Performance Bod®
• G	stalling i	rings	or oth	er jobs	es, transmissio that require th	e				
CI	rankshaf	ft to b	e in a	certain	position. erneath the ve					
• S	pring ter	nsion	holds	tool on	to flywheel,		New York			
a	lowing f	ree u	se of b	ooth har	nds.					
Iter		IP	MP	PKG	_	-16				
8	0510*	6	36	CRD	_	Va do		Center Scre		
TI	MING	i Gl	EAR	PUL	LERS				ew I	Timing Gear Putter wates
• R	emoves	timir	ig gea	rs and o	other gears wi	th tapped hole	es. <sup>T-bar</sup>			Louis de louis     Louis de louis
• D • H	rop forge eat treat	ed yc ted ce	ke is j enter s	crew	o resist corros	ion.		Side	Screws	And and a second
	icludes t				i. 🚺	2 /			0	ALL MEMORY
						IR				
			W	87010				JOOODOO Gear	4	
Iter	n #	IP	MP	PKG				Shaft		Testes The
	7010 <b>*</b>	6	24	CLM		Contraction of the second			LD 7	
W8	9705*	1	10	CBX				W8	9705	





# **CAMSHAFT & CRANKSHAFT**

#### **COMPACT HARMONIC BALANCER PULLER KIT**

- Designed for removing damper pulleys in tight engine compartments, without removing the radiator.
- Jaw design provides greater strength, clevis pins allow jaws to be quickly removed and installed.
  Works on virtually all Chrysler, Mitsubishi and Dodge vehicles 1990 and later.
- GM and Cadillac 1988 and later, Ford 1995 and later with 3 spoke pressed on dampers.

item # IP	IVIE	FNG
W89712* 1	5	CBX

#### HARMONIC BALANCER PULLER

- Helps stop damage to pulley and shaft.
- Easily removes harmonic balancer.
- Drop forged alloy steel.

14 Assorted bolts:

- 3 5/16"-18 x 3" 2 - 3/8"-16 x 3"
- 3 3/8"-24 x 3"
- 3 8mm-1.25 x 80mm
- 3 10mm-1.5 x 75mm

Item #	IP	MP	PKG
W151P*	6	24	CLM

#### **HARMONIC BALANCER PULLERS & INSTALLERS**

- For removal and installation of harmonic balancers on most automotive and light truck applications.
- Master set includes necessary bolts and adapters for most applications.







#### W89710

Works on most European vehicles including BMW and VW as well as Toyota, Honda, Kia and Hyundai.

Item #	IP	MP	PKG	
W89711*	1	5	CBX	
W89710*	1	6	CBX	Expansion Kit



\*California Residents Prop 65 warnings see page 2. W89711

# **PISTON SERVICE**

154





# **SENSORS & SWITCHES**

# 7-PC SPECIALTY SWITCH SOCKET KIT

- Removes and installs sensors on computerized engine control vehicles.
- Heavy duty alloy steel construction.





	E	A	F	G	B	c	
vno		Sizo	Drivo	Itom #	ID	MD	

	Socket Type	Size	Drive	Item #	IP	MP	PKG
А	O2 Offset Extended	7/8"	1/2"	W80491*	12	72	CRD
В	O2 Offset Compact	7/8"	3/8"	W84008*	6	12	CRD
С	O2 Socket	7/8"	3/8"	W1267*	6	72	CRD
D	Vacuum Switch	7/8"	3/8"	W1266*	6	72	CRD
Е	Oil Switch	1-1/16"	3/8"	W80590*	6	48	CRD
F	Oil Sender Switch	1-3/16"	1/2"	W80591*	6	24	CRD
G	GM Thermo Sensor	1-1/16"	1/2"	-	-	-	-

# **OIL PRESSURE SWITCH SOCKET**

PKG

- · Removes and installs sensors on computerized engine control vehicles.
- Heavy duty alloy steel construction.

MP

72

Use with 3/8" Dr. ratchet or 1-1/8" wrench.



W1130\* CRD

#### **OXYGEN SENSOR WRENCH**

- Designed for all oxygen sensors with 7/8" (22mm) hex.
- Curved handle allows user to easily work around exhaust.
- Chrome vanadium steel.

IP

6

Item #	IP	MP	PKG	Overall Length
W84007*	10	40	TAB	10-1/4"

#### **TERMINAL RELEASE KIT**

 Contains terminal release tools for most domestic. European and Japanese cars and trucks.







BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Item #





removes clamp grooves.



W80662

Item #	IP	MP	PKG	Capacity
W80661*	6	24	CRD	1-1/2 to 2-7/16"
W80662*	6	12	CRD	2-1/8 to 3-7/16"

#### **TAIL PIPE CUTTER**

- · Easily cuts tailpipe and exhaust components.
- Adjustable 12" cutter chain allows for cutting action on pipe diameters from 3/4 to 3 1/2".



Item #	IP	MP	PKG	Capacity
W80664*	6	24	CRD	3/4 to 3-12"

#### **EXHAUST MANIFOLD SPREADER**

- Helps prevent cross-threading of manifold bolts.
  Designed for use on GM small-block V8s, but
- can also be used on many applications that
- need just the slightest spreading.
  Corrosion resistant zinc plating.
- Alloy steel construction.
- Adjust spreader width using 3/4" or 19 mm open-end wrench.

Item #	IP	MP	PKG	
W80663*	6	48	CRD	

#### **CHAIN BREAKER**

- Use this heavy duty chain breaker to repair your motorcycle or bicycle chains with strength and ease.
- Drop forged and heat treated for long life and dependable service.
- This kit will break, press, and rivet most #25 #35 and #428 - #630 standard and O-ring roller chains.
- Includes 3 pin sizes to fit a variety of chains.



removable handle for compact storage.

Item #	IP	MP	PKG
W89100*	<b>1</b>	10	CBX



\*California Residents Prop 65 warnings see page 2.



# **QUICK DISCONNECT TOOLS**

# FUEL LINE COUPLING

 Separates fuel line from pressure regulator on applications with guick disconnect style couplings.



Item #	IP	MP	PKG
W80542* Ford	6	288	CRD

#### **FUEL FILTER/LINE**

 Anodized aluminum construction. • Fits most 5/16" fuel and transmission oil cooler lines.



#### **OIL COOLER LINE** Separates automatic

transmission oil cooler lines on Ford Taurus and Escort with AXOD and ATX transmissions.

Performance Tool

IP

MP

PKG

Item #

W83133



FUEL, TRANS & A/C

A/Ċ, fuel and transmission

Separates spring lock in

line connectors. Spring loaded closed

clamp deflects

spray when

#### **FUEL & A/C LINE**

· Easily separates spring coupling fitting on fuel lines and air conditioning systems.



#### **CLUTCH LINE**

 For removing hydraulic clutch lines from clutch slave cylinders on some manual transmissions.

> Performance Tool W83150

> > IP

MP

PKG

Item #



FUEL, TRANS & A/C

pin connectors and

transmission

cooler lines.

Separates quick disconnect style

fittings on EFI fuel lines with hair

#### FUEL LINE

 Easily separates quick disconnect style fittings on 5/16 and 3/8" fuel lines.



Item #	IP	MP	PKG
W83114* 2-IN-1	6	72	CRD

#### CLUTCH LINE

 2-in-1 disconnect tool for removing clutch lines from slave cylinders.



IP

MP

PKG



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Item #



# **QUICK DISCONNECT TOOLS**

#### **MASTER DISCONNECT SET**

- Includes disconnect tools for air conditioning, fuel, heater, transmission, and power steering lines.
- Tool identification number included.
- Tools color coded for easy identification.



 Item #
 IP
 MP
 PKG

 W89331\* 21-PC
 1
 5
 CBX



#### 7-PC FUEL & TRANS LINE SET 6-PC A/C & FUEL LINE SET Anodized aluminum · Easily disconnects air conditioning construction. lines and quick connect fuel lines. Set contains six release tools that disengages the spring lock coupling W831305/16" Fuel Line on Ford and Chrysler W831313/8" Fuel Line W831321/4" Fuel Line air conditioning lines. 1. : W83133Oil Cooler Line W83111 Oil Cooler Line FY HOT W80542 Fuel Line Coupling Tool W83102Quick Disconnect Coupler Includes: 5/16, 3/8, 1/2, 5/8, 3/4 and 7/8' Fuel Filter Fuel Filter Fuel Filter Item # MP PKG IP MP PKG IP Item # W89330\* 7-PC 1 12 CBX W83149\* 6-PC 12 72 CRD 9-PC SPRING LOCK SET 6-PC FUEL & TRANS SET Separates spring lock in air conditioning, • For separating quick disconnect fittings on fuel and cooler lines. fuel and transmission line connectors. Color coded, compact size for Spring loaded closed clamp deflects spray quick selection & easy storage when disconnecting lines. Injection molded plastic Fuel lines: Grey 5/16" and Light Blue 3/8" A/C lines: Dark Red 1/2" Dark Blue 5/8", Black 3/4" and White 7/8" Inner Fuel Line Fitting A/C lines: Red 3/8", Blue 1/2" Black 5/8" and White 3/4" Fuel lines: Yellow 3/8". Green 1/2", Gray 5/16" and Blue 3/8" IP MP PKG IP MP PKG Item # Item # W83148\* 6-PC W86550\* 9-PC CRD 6 72 12 120 CRD

performancetool.com

\*California Residents Prop 65 warnings see page 2.



# **SPARK PLUGS & IGNITION**

#### **SPARK PLUG GAUGE & GAP TOOLS**

Item #	IP	MP	PKG	Sizes	P
W80535*	12	288	CRD	SAE .020 to .100". Metric 0.5 to 2.5mm.	
W80540*	25	200	BLK	Bulk	G
W162C*	24	720	CRD	SAE: .020, .025, .028, .030, .032, .035 and .040". Metric: .50, .63, .71, .76, .81, .89, and 1.00 mm	
W163C* H.E.I.	24	720	CRD	SAE: .025, .030, .035, .040, .044, .054, .060 and .080". Metric: .635, .762, .889, 1.01, 1.11, 1.37, 1.52 and 2.03 mm	W W



WRENCHES

Chrome plated.

Drop forged steel.

Tapered

hole adjusts electrode.

#### **IGNITION POINT FILE**

- High grade steel construction.
- Precise double cut file pattern.
- Quickly cleans ignition points.

Doubles as a light duty file.

 Heat treated carbon steel shank.

Item #

MODULE TOOL

Knurled aluminum knob.



#### on Ford ignition. MP PKG IP

#### W1216\* CRD 6 72

W84600

Item # IP W1186\* 12 W1189C\* 12

1/2, 48 CRD 9/16"

CRD

MP

48

**PKG Sizes** 

13,

15mm

#### Troubleshoot dirty spark plug connections, defective points, bad cables or connections, and more.

IP

12

MP

240

on spark

PKG

CRD

Easily checks if there is sufficient energy for spark plug to ignite.

Item #	IP	MP	PKG
W86554* Inline	24	48	CRD
W84600* H.E.I.	6	72	CRD
W86553*	12	96	CRD

Tests standard, electronic or DIS KV

systems. Works on DIS and HEI electronic ignition systems.

#### W86554

W86553

Easily connects between the spark plug and spark plug wire. 5" spark plug connector, 8-1/2" overall length.

SPARK PLUG

WIRE TESTER



 Tester flashes in sync with spark plug firing until it runs across a break in wire.



i	Item #	IP	MP	PKG	
	W80530*	6	72	CRD	

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Item # W123C\*



# **SPARK PLUG SOCKETS**



Item #	IP	MP	PKG	
W1131C*	6	24	CRD	

domestic autos and light trucks.

Heat treated alloy steel.

3/8" dr. ratchet,

6" extension,

5/8" and 13/16"

spark plug sockets.

#### **5-PC SOCKET SET**

- Chrome vanadium alloy steel.
- Polished nickel chrome plated finish.
- SAE: 5/8, 3/4 and 13/16<sup>''</sup>.
- Metric: 14 and 18 mm.



4-PC IGNITION TUNE-UP KIT

#### Item # W30936\* 6 RAC 24

- SPARK PLUG WRENCH Simple compact tools for easy
- spark plug removal. Fits both 5/8" and 13/16" plugs.

Includes handle for leverage.



Item #	Length	IP	MP	PKG
W165*	3-1/2"	12	144	CRD
W166*	5"	6	144	CRD

# **3/8 IN DR. SPARK PLUG SOCKETS**

- Chrome vanadium alloy steel construction for strength and durability.
- Socket openings are designed to reduce fastener rounding.
- Polished nickel chrome plated finish resists corrosion.
- Rubber insert holds and protects plugs.
- Recessed edges.



Item #	Sizes	IP	MP	PKG			
W38160*	5/8"	6	48	TAB			
W38164*	13/16"	6	48	TAB			
W38170*	9/16"	6	48	TAB			
W38163*	3/4"	6	48	TAB			
W38166*	14 mm	6	48	TAB			
W38171*	14 mm (12 pt)	6	48	TAB			
W38167*	16 mm	6	48	TAB			
W38168*	18 mm	6	48	TAB			
W38169*	21 mm	6	48	TAB			
1/2 Drive Sockets							
W32160*	5/8"	6	48	TAB			
W32163*	13/16"	6	48	TAB			



• Drop forged steel construction. Chrome plated and heat treated.

Item #	Sizes	IP	MP	PKG
W1128C*	5/8"	12	120	CRD
W1126C*	13/16"	12	72	CRD

# **MAGNETIC SOCKETS**

• Internal magnet aids in retrieval and replacement of spark plugs.



Item # Sizes	IP	MP	PKG
W38172* 5/8"	6	48	TAB
W38173* 13/16"	6	48	TAB

#### performancetool.com



Item #	Sizes	IP	MP	PKG
W1125C*	13/16"	6	72	CRD
W1129C*	5/8"	6	72	CRD



Item #	Sizes	IP	MP	PKG
W38161*	5/8"	6	48	TAB
W38165*	13/16"	6	48	TAB

#### LONG REACH SOCKETS

 Knurled design offers better grip when hand turning.



Item #	Sizes	IP	MP	PKG
W80533*	5/8"	6	72	CRD
W38162*	5/8"	6	48	TAB

\*California Residents Prop 65 warnings see page 2.



# FEELER GAUGES

						21/2	<b>.</b>
THICK	NESS GAU(	GES	Item #	IP	MP	PKG	Sizes Features a .010" brass blade for transistorized ignitions.
	d and tempered h eel thickness blac	des.	W125C* 32 Blades	6	192	CRD	SAE: .0015, .002, .0025, .003, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, .025, .026, .028, .030, .032, .035". Metric: .04, .05, .06, .08, .10, .13, .15, .18, .20, .23, .25, .28, .30, .33, .35, .38, .40, .43, .45, .48, .50, .53, .55, .58, .60, .63, .65, .70, .75, .80, .88 mm.
STAND	ARD R GAUGES	W129C electrode adjuster	<b>W129C*</b> 15 Blades	6	192	CRD	Features 9 straight 2" thickness blades, 6 flat 1" spark plug blades, 2" steel rule and electrode adjuster. Straight Blade SAE: .002, .003, .004, .006, .008, .010, .015, .017, .018, .019, .020 and .025". Metric: .05, .08, .10, .15, .20, .25, .38, .432, .457, .483, .50 and .63 mm. Flat Blade SAE: .020, .025, .028, .030, .035 and .040". Metric: .50, .64, .70, .75, .88 and 1.02 mm
<ul> <li>Check fo ignition p</li> </ul>	r accurate clearar oints, valve lash, Metric sizes.		<b>W131C*</b> 15 Blades	6	192	CRD	SAE:       .002,       .003,       .004,       .005,       .006,       .008,       .011,         .012,       .013,       .014,       .016,       .018,       .020,       .022 and       .025".         Metric:       .05,       .08,       .10,       .13,       .15,       .20,       .28,       .30,         .33,       .35,       .40,       .45,       .50,       .55       and       .63       mm.
	W80527/ W80528		<b>W80527*</b> 25 Blades	12	192	CRD	Metric: .04, .05, .06, .07, .08, .09, .10, .15, .20, .25, .30, .35, .40, .45, .50, .55, .60, .65,
	19 19 19 19 19 19 19 19 19 19 19 19 19 1		<b>W80528</b> * 26 Blades	12	192	CRD	.70, .75, .80, .85, .90, .95 and 1.00 mm SAE: .0015, .002, .0025, .003, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024 and .025". Metric: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .457, .492, .508, .522, .550, .584, .610, and .625 mm
SPECIALTY		0	<b>W80526*</b> 6 Blades	12	192	CRD	.457, .483, .508, .533, .559, .584, .610 and .635 mm SAE: .006, .008, .010, .012, .014 and .016". Metric: .152, .203, .254, .305, .356 and .406 mm
S PE			<b>W80525*</b> 17 Blades	12	192	CRD	SAE: .010, .012, .013, .015, .016, .017, .018, .019, .020, .022, .024, .025, .026, .028, .030, .032 and .035"
non m	agnetic blades.		<b>W80541*</b> 20 Blades	6	36	CRD	SAE: .002, .004, .006, .008, .010, .012, .014, .016, .018, .020, .022, .024, .026, .028, .030, .032, .034, .036, .038, .040"
	12 x 1/2"	W80541	See Engine	NAT JP ( 12 str. brass d elect	<b>FION</b> GAUC aight s blades trode a	GE teel bla s, 6 wir idjuste	ades, re test
			Item #	IP	MP	PKG	Steel Blade SAE: .010, .012, .015, .016, .017, .018,
	Mar Transformer	<b>W80525</b> 1-1/2 x 1/4"	W80529 <b>*</b> 18 Blades 6 Loops	12	192	CRD	Steel Blade SAE: .010, .012, .013, .016, .017, .018, .019, .020, .022, .024, .025 and .026". Metric: .254, .305, .381, .406, .432, .457, .483, .508, .559, .610, .635 and .660 mm. Magnetic Blade SAE: .006, .008, .010, .012, .014 and .016". Metric: .152, .203, .254, .305, .356 and .406 mm. Wire Test Loop SAE: .025, .030, .034, .035, .040 and .045"



# THREAD CHASERS



#### SPARK PLUG RETHREAD KIT

- Used to repair damaged threads of spark plug holes.
- Heat treated alloy steel construction.

Item #	IP	MP	PKG	Thread	Inserts
W83164*		96	CRD	M14 x 1.25	3/8, 7/16, 1/2, 3/4"
W80537*	6	72	CRD	M14 x 1.25	

#### **SPARK PLUG HOLE CHASER LIMITED ACCESS**

- The narrow profile and long length allows access to spark plug holes in confined spaces.
- Use with 3/8" drive ratchet and extension.

Item #	IP	MP	PKG	Thread
W83193 <b>*</b>	12	96	CRD	M14 x 1.25 Limited Access

#### SPARK PLUG HOLE CHASER

 Quickly and easily cleans dirt, carbon and metal particles from spark plug hole.

Item #	IP	MP	PKG	Thread
W80539*	6	72	CRD	M14 x 1.25 & M18 x 1.5
W83163*	12	96	CRD	M10 x 1.0 & M14 x 1.25

# **OXYGEN SENSOR THREAD CHASER**

- Cleans threads in oxygen sensor holes.
- Size M18 x 1.5 also works on M18 x 1.5 spark plug threads.

Item #	IP		PKG	Thread
W84006*	12	144	CRD	M18 X 1.5



Prop 65 warnings see page 2.



# DIAGNOSTIC

# **CAN OBDII DIAGNOSTIC SCAN TOOL**

- Works with MOST 1996 and later include American, European and Asian cars.
- Supports all OBD2 protocols including the newer (CAN) Controller Area Network.

W2976

CERCI

- Reads and displays your (DTC) Diagnostic Trouble Codes on an easy to read screen.
- Erases (DTC) trouble codes and resets the OBD2 system. •
- Turns off check engine light (MIL).
- No batteries needed (powered via cable).
- Includes a user manual with the most current trouble codes.

Displays code number and description.



Supports five languages including; English, Spanish, German, French, and Dutch.

Item #	IP	MP	PKG	
W2976*	10	60	DBL	Multilingual
W2977 <b>*</b>	10	60	DBL	

# DIGITAL LASER TACHOMETER

- Use to accurately measure the RPM without touching the object, displays it on a LCD screen.
- Measures the rotational speed with a visible red LED beam.
- High intensity class II laser measures from 2.5 99,999 RPM.
- Auto zero adjustment, stores last, minimum and maximum readings. Includes a handy storage case, 9v battery, 24" of reflective tape to
- aid measurements and operating manual.



#### INFRARED THERMOMETERS

- Measures surface temperature without making contact.
- Easy to read large digital display with backlight.
- Laser pointer for accurate use.
- Fahrenheit or Celsius readings.
- Battery included.



W89722 **Temperature Range** Distance Battery IP PKG Item # MP Accuracy °F °C Spot Ratio Qty. Type W89720\* 5 20 CLM 0 to 960 -18 to 520 8:1 ±1.5% 1 9V W89721\* CLM 12:1 2 10 20 -58 to 716 -50 to 380  $\pm 1.5\%$ AAA W89722\* 10 60 CLM -58 to 626 -50 to 330 12:1 ±1.5% 9V 1 W89724\* 5 12:1 10 CLM -58 to 1382 -50 to 750 ±2% 1 9V



calculation.

W2977





# DIAGNOSTIC

W80581

W80582

165

<b>DIGITAL ADVANCE TIM</b>	<b>IING LIGHT</b>
----------------------------	-------------------

- Professional set initial and advance timing to obtain total timing and peak performance.
- Super bright xenon flash, and LED display.
- Designed for precise tuning and diagnostic work.
- Display engine speed up to 9,000 RPM, and ignition spark advance from 0-90°.
- Push button control to adjust advance and switch between 4 and 2 cycle engines.
- Tough ABS shell, 60" inductive pickup leads and works with 12 volt systems.

	12 0010	oyotomo.
Р	PKG	
~	01.1.4	



# **SELF-POWERED TIMING LIGHT**

- Detachable inductive pick up can be easily hooked up.
- Designed for all gas engines, outdoor power equipment, motorcycle, snow mobile, mowers and tractors.
- Works with magnetos.

Item #	IP	MP	PKG	Battery		
item#	IF		FKG	Qty.	Туре	
W80578*	6	24	CRD	2	D	

#### **REMOTE STARTER SWITCH**

- Allows one person to start and crank the engine from either side of the vehicle.
- A high current push button switch provides long life and reliable operation.
- A red light glows when starter switch is connected to a hot circuit.
- High current clips with protective boots. Features above apply to W80586 model only

#### W80586

12-gauge oil and grease resistant wire.

Item #	IP	MP	PKG	Length
W80586* Heavy Duty	6	24	CRD	5'
W80581* Economy	6	48	CRD	5'

#### **COMPUTER MEMORY KEEPER**

- For maintaining voltage continuity to engine computer, clock, and radio memory when vehicle battery is disconnected.
- Retains radio presets, ECM codes, and learned procedures up to four hours.
- Plugs into vehicle's cigarette lighter outlet.
- Uses 9 volt battery (not included).

Item #	IP	MP	PKG	W89203
W89203*	12	144	CRD	

#### **AUTOMOTIVE STETHOSCOPE**

- Helps identify noises in automotive assemblies including engine, transmission, rear axle, transfer case, valve train, etc.
- Super sensitive.

		MP	PKG	
W80582*	6	48	CRD	11" probe tip

performancetool.com

\*California Residents Prop 65 warnings see page 2.

# **COMPRESSION & VACUUM**

166



# **COMPRESSION & VACUUM**



Performance Tool

performancetool.com

\*California Residents Prop 65 warnings see page 2.



# **DIESEL & FUEL INJECTION**

#### **DIESEL COMPRESSION TEST KIT**

- Tests compression through both glow plug and injector holes.
- Includes adapters for popular Asian, European and Domestic cars and trucks

		Qty
Quick	7/16"-20 (F)	3
Couplers	ZG 1/8" (M)	1
	M12 x 1.25 (M)-7/16"-20 (M)	3
	M12 x 1.25 (F)-M18 x 1.5 (M)	2
Adapters	M10 x 1 (M)	1
	M10 x 1.25 Short	1
	M10 x 1.25 Long	1
	ZG 1/8" (F)-M24 x 2 (M)	1
	ZG 1/8" (M)-M24 x 1.5 (M)	1
	Adapter Sleeve	1
Connector	7/16"-20 (M)-7/16" x 20 (F) 90°	1
	Quick Connect with Ball Tip	1
Additional	1/2"-19 Lock Nut	1
	Copper Washers	2

Item #	IP			Gauge				Hose w/Coupler		
		IP	MP	PKG	Dia.	PSI	kPa	±	Length	I.D.
W89731*	1	5	CBX	2-1/2"	1 000	7 000	2%	16"	15/64"	1/8"

1. 1. 1. 1. °o

# **DIESEL COMPRESSION TESTER KIT**

- Diesel compression Tester set includes all the necessary components to test diesel compression on most diesel trucks, cars and tractors.
- Constructed of durable carbon steel with a chrome plated gauge for accurate measurements in harsh environments.
- Swivel end coupler allows quick and easy change-out of adapters.
- Includes adapters for most diesel engines including farm equipment.



Fuel Injection Harness Connector

uel Injector

					Gaug	ge		Hose w/Coupler
Item #	IP	MP	PKG	Dia.	PSI	Bar	±	Length
W89735 <b>*</b>	1	3	CAS	3"	1,000	70	2%	14-1/2"

#### **NOID & IAC LIGHT SETS**

- Tests electronic fuel injection systems on GM TBI, Bosch PFI, Ford TBI, GM PFI, Geo TBI, GM SCPI, Bosch 2 and GM MULTEC2 equipped vehicles.
- Straight IAC Signal Tester for use on 1987 to current GM No. 700 TBI and PFI Fuel Injection Systems with flat 4 pin connectors.
- 90° IAC Signal Tester for use on 1982 to current GM TBI and PFI Fuel Injection System with square 4 pin connectors.

168

						C	1		25					
						TBI		F	PFI	SCPI	MULTEC2		IAC	2
tem #	IP	MP	PKG		GM	Ford	Geo	GM	Bosch	GM	GM	Bosch 2	Straight	<b>90</b> °
V89500*	6	24	CBX	6-PC	х	Х	Х	х	Х	х	-	-	-	-
N89501*	6	36	CBX	10-PC	Х	Х	Х	Х	Х	Х	х	Х	Х	Х

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

Test Light



#### **MASTER FUEL INJECTION TEST KIT**

- Quickly and accurately diagnose fuel injection problems.
  Adapters for most foreign and domestic fuel systems.
- Includes universal inline adapter for unique systems.

#	Adapters	#	Adapters
1	Gauge w/Boot & Hang-Up H	ook	
2	GM 2.5L & 5.7L Fuel Injection Pressure Test	17	8mm - 1.00 (M) with O-Ring
3	GM 2.2L Fuel Injection Pressure Test Adapter	18	8mm - 1.00 (M) (Long)
4	Hose Clamps & Hoses	19	10mm - 1.00 (F)
5	GM TBI Fuel Pressure	20	10mm - 1.00 (M)
6	Seals, Tank Valve & Gasket	21	12mm-1.50 (F) Swivel
7	Double End Barbed Hose	22	14mm-1.50 (M) & (F) Swivel
8	Single End Barbed Hose	23	1/4" BSPT (M) & (F) Swivel
9	6mm-1.00 Honda & Acura Multi-Port (PGM-FI)	24	16mm-1.50 (M) & (F) Swivel
10	8mm - 1.00 Banjo Bolt	25	Pressure Testing & Bleed-Off Assy.
11	10mm - 1.00 Banjo Bolt	26	Schrader Valve for Ford
12	12mm - 1.25 Banjo Bolt	27	Schrader Valve for GM & Chrysler
13	12mm - 1.50 Banjo Bolt	28	5/16" Hair Pin for Ford CFI
14	14mm - 1.50 Banjo Bolt	29	3/8" Hair Pin for GM & Chrysler
15	8mm - 1.00 (Long)	30	Spring Lock for Ford EFI
16	8mm - 1.00 (F)	31	CIS Testing Assy. w/Ball Valve

<b>DIESEL &amp; FUEL INJECTION</b>	
------------------------------------	--





					Gauge	
Item #	IP	MP	PKG	Dia.	PSI	Bar
W89726*	1	4	CBX	4"	100	7

# FUEL INJECTION PRESSURE TESTER

- Quickly and accurately diagnose drivability problems relating to the fuel injection system.
- Identify low pressure, faulty pressure regulator, leaking injectors, leaks or clogged fuel filters.
  Includes Ford, GM and Chrysler test adapters and a Tee adapter for import vehicles and 6' bleed-off hose with solid brass fittings.



				Gauge			Hose w/0	Coupler
Item #	IP	MP	PKG	Dia.	PSI	Bar	Length	I.D.
W80595*	6	24	DBL	2"	100	7	16"	1/4"

# SPECIALTY



#### performancetool.com

# **COOLING SYSTEM**

#### **COOLING SYSTEM PRESSURE TESTER**

- Quickly reveals external cooling system leaks.
- Detects internal engine leaks caused by blown head gaskets and/or cracked block or heads.
- Includes high quality hand pump and 12 adapters to fit the most popular domestic/import cars & light trucks.

			_		Gauge		Hose
Item #	IP	MP	PKG	Dia.	PSI	Bar	Length
W89733 <b>*</b>	1	5	CBX	3"	35	2.5"	21"

# **UNIVERSAL COOLANT FILLING SET**

- · Efficiently refill and bleed the cooling system on passenger and light commercial vehicles.
- Raises the coolant filler point for removal of air pockets trapped in the cooling system.
- Clear air locks on vehicles that have radiators mounted lower than the intake manifold.
- Filler Cone features brass flow shut off valve, air bleeder line and built-in handle.

Item #	IP	MP	PKG	Adapters
W89738*	1	10	СВХ	31mm, 35mm, 40mm, 42mm and 45mm

and a cone design for Asian vehicles

# **PROFESSIONAL DEF TESTER**

- Professional disc type DEF, Diesel Exhaust Fluid tester.
- For most diesel power cars, light duty and semi-trucks from 2010 to current.
- Design to test the urea purity to Floating discs will accurately
- display urea levels.
- Tests accurately hot or cold. temperature compensating.

Item #	IP	MP	PKG
W16500*	6	24	CRD

# DIGITAL THERMOMETER

- Displays digital temperature guickly and accurately.
- Large easy-to-read display window.
- Auto shut-off after 3 minutes.

170

<ul> <li>Stainless</li> </ul>	steel	probe	resists r	ust and corrosion.	
				Temperature Range	
Item #	IP	MP	PKG	°F	
W89723*	6	72	CRD	-40 to 390	

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

W89723



# **COOLING SYSTEM**

# **ANTIFREEZE TESTERS**



Color coded balls for easy readings.

#### W1656C

Freezing to boiling points for anti-freeze. calibrated in °C and °F.



Item #		IP	MP	PKG
W1656C*		6	72	CRD
W1655C*	Mini Tube	24	288	CRD
W1654C*	Tube	6	72	CRD
W1660C*	Temperature Compensation	6	72	CRD

#### **MULTIFUNCTION REFRACTOMETER**

- Refractometers measure refraction index to calculate the composition of various materials.
- Measurements are on the Brix scale in varying
- mages depending on what's tested.
  Measures DEF, Ethylene Glycol, Propylene Glycol, Battery Fluid, and Cleaning Fluids. ATC (Automatic Temperature Compensation).
- Heavy duty lightweight aluminum construction, includes a protective storage case.

Item #	IP	MP	PKG
W80158*	1	20	CLM

#### **PLASTIC RADIATOR FILLER**

- Tough polyethylene won't damage automotive finishes.
- Impervious to oil, gasoline and antifreeze.

Item #	IP	MP	PKG	Capacity
W54273*	1	4	LAB	2.5 Gallons

#### A/C R134A MANIFOLD TEST KIT

- 50" hose length.
- High quality brass fittings.
- 0-120 psi low side,
- 0-500 psi high side.

Item #	IP	MP	PKG
W89730*	1	5	CBX

\*California Residents Prop 65 warnings see page 2. 171

#### W1660C

Easy to use. precise color coded glass float indicates anti-freeze content.



# **SOCKET & RATCHET SETS**

#### **240-PC MASTER MECHANIC'S TOOL SET**

- Complete starter kit for the weekend warrior or aspiring professional.
- Includes everything you need.
   128 standard and deep wall sockets:
   18 drive tools and accessories, Item # IP MP PKG 35 combination and flare wrenches, W30500\* 1 1 CBX 59 general tools and enough socket rails for all 128 sockets. Constanting of the second Statesticking 0 0 1 FT

Some tools not pictured.

	1/4"	3/8"	1/2"				
		SOCKETS					
Standard Sockets	6pt: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	12pt: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"	12pt: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"				
	6pt: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm	12pt: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	12pt: 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm				
Deep Sockets	6pt: 7/32, 1/4, 5/16, 3/8, 7/16, 1/2"	12pt: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 13/16, 7/8, 15/16"	12pt: 9/16, 5/8, 3/4, 13/16, 7/8, 15/16"				
SUCKEIS	6pt: 4, 6, 7, 8, 10, 12mm	12pt: 8, 10, 12, 13, 14, 15, 16, 17, 18, 19mm	12pt: 14, 15, 17, 18, 19, 21mm				
Bit Type	T10, T15, T20, T25, T27, T30	T40, T45, T47, T50, T55	T60				
Spark plug	-	9/16, 5/8, 13/16" sockets	5/8, 13/16" sockets				
		ACCESSORIES					
Pro Ratchet	5-1/2"	7-5/8"	9-1/2"				
Flex Handle	-	-	15"				
Spinner Handle	4"	-	-				
Extensions	3, 6"	3, 6, 10"	5"				
Adapters	1/4 (F) × 3/8" (M)	3/8 (F) x 1/2" (M) 3/8 (F) x 1/4" (M)	1/2 (F) × 3/8" (M)				
Universal joints	1/4"	3/8"	1/2"				
Socket Rails	2-pcs	3-pcs	3-pcs				
	v	VRENCHES					
Combination	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 7, 8, 10, 11, 12, 13, 14, 15, 16	5/8, 3/4, 7/8, 15/16, 1, 1-1/16, 1- 17 18 19 22mm	-1/8, 1-1/4"				
Flare Nut	3/8 x 7/16, 1/2 x 9/16, 5/8 x 11	/16, 3/4 × 7/8"					
That's Hut	10 x 12, 16 x 18, 13 x 14, 9 x <sup>-</sup>						
Pliers	6" Diagonal, 7 Curve jaw lock 8" Adjustable, 10" Groove joint	grip, 8" Slip joint, 8" Long nose, t, 11" Long handle nose					
	#0 x 2-1/2, #1 x 3 , #2 x 4, #2 x 1-1/2, #3 x 6"						
Screwdrivers	1/8 x 3, 3/16 x 3, 1/4 x 4, 5/16 T15, T20, T25	x 6, 3/8 x 8, 1/4 x 1-1/2"					
Hex Keys		4, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	8"				
Additional		2, 17-3/4" pry bars, spark plug o	apper				
/ waitional			Juppoi				



# **SOCKET & RATCHET SETS**



# **SOCKET & RATCHET SETS**

# 1/4 IN. DR. 6 POINT SOCKET SETS

- Recessed edges, socket openings are designed to reduce fastener rounding.
  Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- Features high torque quick release ratchet.
- 108 gear teeth for 3.3 degree sweep.





Item #	IP	MP	PKG	Standard	Deep	Additional Contents
W36901*	1	10	SLV	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	Quick release ratchet, universal joint,
W36904*	1	10	SLV	4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm	6, 7, 8, 9, 10, 11, 12, 13mm.	2 and 6" extensions



It	em #	IP	MP	PKG	Standard	Deep	Spark Plug	Additional Contents
W	/38911*	1	5	SLV	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"	5/8, 13/16"	Quick release ratchet
W	/38914*	1	5	SLV	10, 11, 13, 14, 15, 16, 17, 19mm	10, 11, 12, 13, 14, 15, 16, 17, 19mm	16, 21mm	universal joint, 3 and 6" extensions



Item #	IP	MP	PKG	Standard	Deep	Spark Plug	Additional Contents
W32901*	1	5	SLV	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"	5/8, 13/16"	Quick release ratchet 10" flex handle
W32904 <b>*</b>	1	5	SLV	SLV 12, 13, 14, 16, 17, 19, 21, 22, 23, 24, 27mm	13, 14, 15, 16, 17, 18, 19, 21mm	16, 21mm	<ul> <li>universal joint,</li> <li>3 and 5" extensions</li> </ul>





W38337\*

Black Skt

W38302\* 17-PC

19-PC

6

6

24

12

RAC

RAC

3/8"

1/2"

72

45

# **SOCKET & RATCHET SETS**



performancetool.com

13/16"

13/16"

5/16, 3/8, 7/16, 1/2,

3/8, 7/16, 1/2, 9/16,

5/8, 11/16, 3/4,

9/16, 5/8, 11/16, 3/4,

\*California Residents Prop 65 warnings see page 2.

175

9, 10, 11, 12,

13, 14, 15,

17, 19mm

10, 11, 12,

13, 14, 15,

17, 19mm

# **PROFESSIONAL SOCKETS**

- Socket openings are designed to reduce fastener rounding.
- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- Large stamping for quick identification.
- Recessed edges. Storage rack.

# **SOCKET SETS**





	1/4" Dr	6 point	2/0" Dr	6 point	1/2" Dr	6 point
	1/4 DI.	Deep	3/0 DI.	Deep	1/2 DI.	Deep
	W36002*		W29002*	W38300*	W32002*	
	IP: 6 MP:24	IP: 6 MP:24	IP: 6 MP:24		IP: 6 MP:12	IP: 6 MP:12
E /00"		-	IP: 0 IVIP:24	IP: 0 IVIP: 12	IP: 0 IVIP: 12	IP: 0 IVIP: 12
5/32"	Х	Х	-	-	-	-
3/16"	Х	Х	-	-	-	-
7/32"	Х	Х	-	-	-	-
1/4"	Х	Х	х	-	-	-
9/32"	Х	Х	-	-	-	-
5/16"	Х	Х	Х	-	-	-
11/32"	Х	Х	-	-	-	_
3/8"	Х	Х	Х	Х	-	-
7/16"	Х	Х	Х	Х	-	-
1/2"	Х	Х	Х	Х	Х	Х
9/16"	-	-	Х	Х	Х	Х
5/8"	-	-	Х	Х	Х	Х
11/16"	-	-	Х	Х	Х	Х
3/4"	-	-	Х	Х	Х	Х
13/16"	-	-	Х	Х	Х	Х
7/8"	-	-	-	Х	Х	Х
15/16"	-	-	-	Х	Х	Х
1"	-	-	-	-	Х	-

3/8" Dr.	12 point	1/2" Dr. 12 point
	Deep	Deep
W38500*	W38600*	W32600*
IP: 6 MP:24	IP: 6 MP:12	IP: 6 MP:12
-	-	-
-	-	-
-	-	-
Х	-	-
-	-	-
Х	-	-
-	-	-
Х	Х	-
Х	Х	-
Х	Х	Х
Х	Х	Х
Х	Х	Х
Х	Х	Х
Х	Х	Х
X	Х	Х
-	Х	Х
-	Х	Х
-	-	-

# **OPEN STOCK**

	1/4" Dr. 6 point		3/8" Dr. 6 point		1/2" Dr.	3/8	
		Deep		Deep		Deep	
5/32"	W36005*	W36305*	-	-	-	-	-
3/16"	W36006*	W36306*	-	-	-	-	-
7/32"	W36007*	W36307*	-	-	-	-	-
1/4"	W36008*	W36308*	W38008*	W38308*	-	-	-
9/32"	W36009*	W36309*	-	-	-	-	-
5/16"	W36010*	W36310*	W38010*	W38310*	-	-	W385
11/32"	W36011*	W36311*	-	-	-	-	-
3/8"	W36012*	W36312*	W38012*	W38312*	W32012*	-	W385
7/16"	W36014*	W36314*	W38014*	W38314*	W32014*	-	W385
1/2"	W36016*	W36316*	W38016*	W38316*	W32016*	W32316*	W385
9/16"	-	-	W38018*	W38318*	W32018*	W32318*	W385
5/8"	-	-	W38020*	W38320*	W32020*	W32320*	W385
11/16"	-	-	W38022*	W38322*	W32022*	W32322*	W385
3/4"	-	-	W38024*	W38324*	W32024*	W32324*	W385
13/16"	-	-	W38026*	W38326*	W32026*	W32326*	W385
7/8"	-	-	W38028*	W38328*	W32028*	W32328*	W385
15/16"	-	-	W38030*	W38330*	W32030*	W32330*	
1"	-	-	W38032*	W38332*	W32032*	W32332*	-
1-1/16"	-	-	-	-	W32034*	W32334*	-
1-1/8"	-	-	-	-	W32036*	W32336*	-
1-3/16"	-	-	-	-	W32038*	-	-
1-1/4"	-	-	-	-	W32040*	W32340*	-

IP MP PKG 6

48 TAB

3/8" Dr.	12 point	1/2" Dr. 12 point		
	Deep		Deep	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
W38510*	-	-	-	
-	-	-	-	
W38512*	W38612*	W32512*	-	
W38514*	W38614*	W32514*	-	
W38516*	W38616*	W32516*	W32616*	
W38518*	W38618*	W32518*	W32618*	
W38520*	W38620*	W32520*	W32620*	
W38522*	W38622*	W32522*	W32622*	
W38524*	W38624*	W32524*	W32624*	
W38526*	W38626*	W32526*	W32626*	
W38528*	W38628*	W32528*	W32628*	
	W38630*	W32530*	W32630*	
-	-	W32532*	-	
-	-	W32534*	-	
-	-	W32536*	W32636*	
-	-	W32538*	-	
-	-	W32540*	-	







Deep

W32400\*

IP: 6 MP:12

-

Х

Х

Х

Х

Х

Х

Х

Х

SOCI SETS	KET 📟		Performan	re lool Per		
	1/4" Dr.	6 point	3/8" Dr.	. 6 point	1/2" Dr.	6 point
		Deep		Deep		Deep
	W36202*	W36400*	W38202*1	W38402*1	W32202*	W3240
	IP: 6 MP:24	IP: 6 MP:24	IP: 6 MP:24	IP: 6 MP:12	IP: 6 MP:24	IP: 6 MP
4mm	Х	Х	-	-	-	-
5mm	Х	Х	-	-	-	-
6mm	Х	Х	-	-	-	-
7mm	Х	Х	-	-	-	-
8mm	Х	Х	-	-	-	-
9mm	Х	Х	-	-	-	-
10mm	Х	Х	Х	х	-	-

Х

Х

Х

\_

\_

\_

\_

\_

-

3/8" Dr.	1/2" Dr. 12 point	
	Deep	Deep
W38800*	W38700*	W32700*
IP: 6 MP:12	IP: 6 MP:12	IP: 6 MP:12
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
Х	Х	-
Х	Х	-
Х	Х	Х
Х	Х	Х
Х	Х	Х
Х	Х	Х
Х	Х	Х
Х	Х	Х
Х	Х	Х
Х	Х	Х
-	-	-

IP

6

MP

48

PKG

TAB

<sup>1</sup> Available in black laser etched socket set W38201 and deep socket set W38401.

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

Х

-

Х

Х

Х

Х

Х

Х

Х

Х

Х

# **OPEN STOCK**

Х

Х

Х

\_

\_

\_

\_

\_

\_

11mm

12mm

13mm

14mm

15mm

16mm

17mm

18mm

19mm

21mm

	1/4" Dr. 6 point		3/8" Dr.	6 point	1/2" Dr. 6 point		
		Deep		Deep		Deep	
4mm	W36204*	W36404*	-	-	-	-	
5mm	W36205*	W36405*	-	-	-	-	
6mm	W36206*	W36406*	W38206*	-	-	-	
7mm	W36207*	W36407*	W38207*	W38407*	-	-	
8mm	W36208*	W36408 <b>*</b>	W38208*	W38408 <b>*</b>	-	-	
9mm	W36209*	W36409 <b>*</b>	W38209*	W38409*	-	-	
10mm	W36210*	W36410*	W38210*	W38410*	W32210*	W32410*	
11mm	W36211*	W36411*	W38211*	W38411*	W32211*	W32411*	
12mm	W36212*	W36412 <b>*</b>	W38212*	W38412*	W32212*	W32412*	
13mm	W36213*	W36413 <b>*</b>	W38213 <b>*</b>	W38413 <b>*</b>	W32213 <b>*</b>	W32413*	
14mm	-	-	W38214 <b>*</b>	W38414*	W32214 <b>*</b>	W32414*	
15mm	-	-	W38215*	W38415 <b>*</b>	W32215 <b>*</b>	W32415*	
16mm	-	-	W38216*	W38416*	W32216*	W32416*	
17mm	-	-	W38217*	W38417 <b>*</b>	W32217 <b>*</b>	W32417*	
18mm	-	-	W38218*	W38418*	W32218*	W32418*	
19mm	-	-	W38219*	W38419 <b>*</b>	W32219*	W32419*	
20mm	-	-	W38220*	-	W32220*	W32420*	
21mm	-	-	W38221*	W38421*	W32221*	W32421*	
22mm	-	-	W38222*	W38422*	W32222*	W32422*	
23mm	-	-	-	-	W32223*	W32423*	
24mm	-	-	-	-	W32224*	W32424*	
25mm	-	-	-	-	W32225*	-	
26mm	-	-	-	-	W32226*	-	
27mm	-	-	-	-	W32227*	W32427*	
28mm	-	-	-	-	W32228*	-	
30mm	-	-	-	-	W32230*	-	
32mm	-	-	-	-	W32232*	-	

3/8" Dr.	12 point	1/2" Dr. 12	2 point
	Deep		Deep
-	-	-	-
-	-	-	-
-	-	-	-
W38807*		-	-
W38808*	W38708 <b>*</b>	-	-
W38809*	W38709 <b>*</b>	-	-
W38810*	W38710 <b>*</b>	W32810*	-
W38811*	W38711 <b>*</b>	W32811*	-
W38812*	W38712 <b>*</b>	W32812*	-
W38813*	W38713 <b>*</b>	W32813*	-
W38814*	W38714 <b>*</b>	W32814*	-
W38815*	W38715 <b>*</b>	W32815*	-
W38816*	W38716*	W32816*	-
W38817*	W38717*	W32817*	-
W38818*	W38718 <b>*</b>	W32818*	-
W38819*	W38719 <b>*</b>	W32819*	-
W38820*	-	W32820*	-
W38821*	-	W32821*	-
W38822*	-	W32822*	-
-	-	W32823*	-
-	-	W32824*	-
-	-	W32825*	-
-	-	W32826*	-
-	-	W32827*	-
-	-	W32828*	-
-	-	W32830*	-
-	-	W32832*	-

#### performancetool.com

#### \*California Residents Prop 65 warnings see page 2.



# 3/4 IN. DR. 12 POINT SOCKETS

- Chrome vanadium alloy steel construction.
- Polished nickel chrome plated finish resists corrosion.



16-PC MM

9-PC SAE



See Ratchets

& Sockets for

additional sets

	N 2100				
					W1179*
IP	MP	PKG	3/4"	W34524*	-
3	12	TAB	7/8"	W34528*	-
			15/16"	W34530*	-
		W34906*	1"	W34532*	-
22mm	W34822*	Х	1-1/16"	W34534*	-
23mm	W34823*	Х	1-1/8"	W34536*	-
24mm	W34824*	Х	1-3/16"	W34538*	-
25mm	W34825*	-	1-1/4"	W34540*	-
26mm	W34826*	Х	1-5/16"	W34542*	-
27mm	W34827*	Х	1-3/8"	W34544 <b>*</b>	-
28mm	W34828*	-	1-7/16"	W34546*	-
29mm	W34829*	Х	1-1/2"	W34548*	-
30mm	W34830*	X	1-9/16"	W34550*	-
32mm	W34832*	Х	1-5/8"	W34552*	-
33mm	W34833*	Х	1-11/16"	W34554 <b>*</b>	-
35mm	W34835*	Х	1-3/4"	W34556*	-
36mm	W34836*	X	1-13/16"	W34558*	-
38mm	W34838*	Х	1-7/8"	W34560*	-
40mm	W34840*	X	2"	W34564*	-
41mm	W34841*	X	2-1/16"	W34566*	Х
42mm	W34842*	-	2-1/8"	W34568*	Х
46mm	W34846*	X	2-3/16"	W34570*	Х
50mm	W34850*	X	2-1/4"	W34572*	Х
L L ma ma			0.0/0"		

2-3/8"

W34574\*

Х

**ODEN CTOCK** 

55mm W34855\*

#### 3/8 IN. DR. SPARK PLUG SOCKETS

1

1

• Chrome vanadium alloy steel construction for strength and durability.

3

3

CBX

СВХ

- Socket openings are designed to reduce fastener rounding.
- Polished nickel chrome plated finish resists corrosion.
- Rubber insert holds and protects plugs.
- Recessed edges.

W34906\*

W1179\*

Item #	Size	IP	MP	PKG
W38160*	5/8"	6	48	TAB
W38164*	13/16"	6	48	TAB
W38170*	9/16"	6	48	TAB
W38163*	3/4"	6	48	TAB
W38166*	14mm	6	48	TAB
W38171*	14mm 12pt	6	48	TAB
W38167*	16mm	6	48	TAB
W38168*	18mm	6	48	TAB
W38169*	21mm	6	48	TAB
	Stand	dard		
W1128C*	5/8"	12	120	CRD
W1126C*	13/16"	12	72	CRD
	with U-	Joint		
W38161*	5/8"	6	48	TAB
W38165*	13/16"	6	48	TAB
	U	Reach		
W80533*	5/8"	6	72	CRD
W38162*	5/8"	6	48	TAB
	Magn	etic		
W38172*	5/8"	6	48	TAB
W38173*	13/16"	6	48	TAB
1	/2" Drive	Sock	ets	
W32160*	5/8"	6	48	TAB
W32163*	13/16"	6	48	TAB



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

HAND TOOLS



ងគ្នីនៃ៣

#### **FLEX JOINT SOCKET SETS**

- Socket openings are designed to reduce fastener rounding.
- Polished nickel chrome plated finish resists corrosion.
- Chrome vanadium alloy steel construction.
- Large stamping for quick identification.
- Includes metal clip socket rail.



Item #	IP	MP	PKG	Drive	
W36980* 6-PC	6	48	CRD	1/4"	1/4, 5/16, 3/8, 7/16, 1/2, 9/16"
W38980* 7-PC	20	40	CRD	3/8"	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
W36981* 9-PC	6	48	CRD	1/4"	6, 7, 8, 9, 10, 11, 12, 13, 14mm
W38981* 10-PC	12	24	CRD	3/8"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### 10-PC 3/8 IN. DR. SOCKET SET

- Universal spine design offers a tighter fit on proper size fasteners for better tightening.
- Also works on SAE/MET sizes, 6pt, 12pt, external star, square.
- Black phosphate finish with polished edges make sizes easy to read.
- Chrome vanadium alloy steel construction for strength and durability.
- Convenient storage rack.

Note: due to varying tolerances, check
fastener to ensure proper fit before use.

Item #	IP	MP	PKG	Sizes									
W38194*	G	04		9/32"									
W30194	0	24	IAB	7mm	8mm	9mm	10mm	11mm	13mm	14mm	16mm	17mm	18mm

#### 1/2 IN. DR. THIN WALL SOCKETS

- Protective sleeves and plastic inserts prevent scratching of wheels and lug nuts.
- Hollow design allows room for removing longer bolts.
- Color coded for easy identification.
- Heavy duty chrome molybdenum.

Item #	IP	MP	PKG	Size	O.D. w/Sleeve
W32921* Purp	le 4	24	TAB	13/16"	1.232" (31.3mm)
W32922* Gree	n 4	24	TAB	7/8"	1.307" (33.2mm)
W32923* Blue	4	24	TAB	17mm	1.087" (27.6mm)
W32924* Yello	w 4	24	TAB	19mm	1.157" (29.4mm)
W32925* Red	4	24	TAB	21mm	1.228" (31.2mm)
W32926* Lime	4	24	TAB	22mm	
W32927* L Blu	ie 4	24	TAB	17mm	Mercedes
W32902* 5-PC	1	12	CAS	17, 19 (3/4"	), 21mm, 13/16 & 7/8"

performancetool.com



W32902

# **HEX BIT SOCKETS**

#### **8-PC HEX BIT SOCKET SETS**

- Polished nickel chrome plated finish resists corrosion.
- Chrome vanadium alloy steel construction.
- Heat treated for strength.
- Recessed edges.



<b>W38870*</b> 6 24 RAC 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8".	Item #	IP	MP	PKG	Sizes
	W38870*	6	24	RAC	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8".

#### **8-PC HEX BIT SOCKET SETS**

- Polished nickel chrome plated finish resists corrosion.
- Chrome vanadium alloy steel construction.
- Heat treated for strength.
- Recessed edges.



 Item #
 IP
 MP
 PKG
 Sizes

 W38890\*
 6
 24
 RAC
 3, 4, 5, 6, 7, 8, 9, 10mm

#### 6-PC 1/2 IN DR. HEX BIT SOCKET SETS

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- Heat treated for strength.
- Recessed edges.

Item # W38886\*

180

Bonus storage rail included.

IP	MP	PKG	Size	s	
0	0.4		0/0	1/0	01

6 24 CRD 3/8, 1/2, 9/16", 12, 14, 17mm

	07001				
UPEN	STOC	(			
Drive	Size	Item #	IP	MP	PKG
1/4" Dr	5/64"	W36801*	12	144	TAB
1/4 DI	3/32"	W36802*	12	144	TAB
	7/64"	W36803*	12	144	TAB
	1/8"	W38874*	6	48	TAB
	9/64"	W38875*	6	48	TAB
0 /0 !!	5/32"	W38876*	6	48	TAB
3/8" Dr.	3/16"	W38877*	6	48	TAB
Ы.	7/32"	W38878*	6	48	TAB
	1/4"	W38879*	6	48	TAB
	5/16"	W38880*	6	48	TAB
	3/8"	W38881*	6	48	TAB
	7/16"	W32880*	6	48	TAB
	1/2"	W32881*	6	48	TAB
	9/16"	W32882*	6	48	TAB
	5/8"	W32883*	6	48	TAB
1/2"	11/16"	W32884*	6	48	TAB
Dr.	3/4"	W32885*	6	48	TAB
	13/16"	W32886*	6	48	TAB
	7/8"	W32887*	6	48	TAB
	15/16"	W32888*	6	48	TAB
	1"	W32889 <b>*</b>	6	48	TAB
Drive	Size	Item #	IP	MP	PKG
1/4"	2mm	W36902*	12	144	TAB
Dr.	2.5mm	W36903*	12	144	TAB
	3mm	W38893*	6	48	TAB
	4mm	W38894*	6	48	TAB
	5mm	W38895*	6	48	TAB
	5.5mm	W38892*	12	144	TAB

3/8" Dr.	0.011111	100032	12	177	IT LD
	6mm	W38896*	6	48	TAB
	7mm	W38897*	6	48	TAB
	8mm	W38898*	6	48	TAB
	9mm	W38899 <b>*</b>	6	48	TAB
	10mm	W38900*	6	48	TAB
1/2" Dr.	11mm	W32981*	6	48	TAB
	12mm	W32982 <b>*</b>	6	48	TAB
	13mm	W32983 <b>*</b>	6	48	TAB
	14mm	W32984 <b>*</b>	6	48	TAB
	15mm	W32985*	6	48	TAB
	16mm	W32986*	6	48	TAB
	17mm	W32987*	6	48	TAB
	18mm	W32988 <b>*</b>	6	48	TAB
	19mm	W32989*	6	48	TAB
	20mm	W32990*	6	48	TAB
	21mm	W32991*	6	48	TAB
	22mm	W32992 <b>*</b>	6	48	TAB


Item #

W38750\* 7-PC

W38751\* 7-PC

W38752\* 10-PC

## **HEX BIT SOCKETS**

#### **EXTENDED BIT SOCKET SETS**

- Chrome vanadium steel sockets with S2 bits for strength and durability.
- Polished nickel chrome plated finish resists corrosion.

MP

24

24

24

- Extended length bits for hard to reach fasteners.
- Includes plastic storage and organizing tray.

IP

6

6

6



## BIT SOCKET SETS

• Chrome vanadium alloy steel construction for strength and durability.

PKG

CRD

CRD

CRD

Drive

3/8"

3/8"

3/8"

Sizes

5/16, 3/8

1/8, 5/32, 3/16, 7/32, 1/4,

3, 4, 5, 6, 7, 8, 10mm T10, T15, T20, T25, T27,

T30, T40, T45, T50, T55

• Heat treated for strength with professional sand finish.

Includes storage rail.

Item #		IP	MP	PKG	Drive	Sizes						
				S	AE							
W1339*	4-PC	6	72	CRD	3/8"	1/4, 3/8, 5/16, 7/32"						
W1387*	10-PC	6	24	CRD	3/8"	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"						
METRIC												
W1341*	3-PC	6	72	CRD	3/8"	7, 8, 10mm						
W1388*	10-PC	6	24	CRD	3/8"	2, 3, 4, 5, 5.5, 6, 7, 8, 9, 10 mm						
	STAR											
W1337*	3-PC	6	72	CRD	3/8"	T40, T45, T50						
W1178 <b>*</b>	9-PC	6	48	CRD	3/8"	T10, T15, T20, T25, T27, T30, T40, T45, T50						
					1/4"	T10, T15, T20, T25, T27, T30						
W1335*	12-PC	6	36	CRD	3/8"	T40, T45, T47, T50, T55						
					1/2"	T60						
W1313*	15-PC	6	24	CRD	1/4"	T10, T15, T20, T25, T27, T30						
W1010	1010	0	27	OND	3/8"	T40, T45, T47, T50, T55, T60						
		;	STAR	ТАМРЕ	R RESI	STANT						
W1385*	9-PC	6	36	CRD	1/4"	T10, T15, T20, T25, T27, T30						
11000	5-1 0	0	00		3/8"	T40, T45, T50						







## EXTERNAL STAR SOCKETS

- Heat treated alloy steel.
- Polish chrome plated finish.
- Bonus storage rail and 3/8" (F) to 1/4" (M) adapter included.

										<b>OPEN STOCK</b>			
	(	10	1	-	ALL TO THE REAL OF	Drive	Size	Item #	IP	MP	PKG		
			1	- He			E6	W81006*	6	288	CRD		
			Mer -	12		1/4" Dr.	E7	W81007*	6	288	CRD		
		-				_	E8	W81008*	6	288	CRD		
	100						E10	W81010*	6	288	CRD		
							E12	W81012 <b>*</b>	6	288	CRD		
Item #	IP	MP	PKG	Drive	Sizes	3/8" Dr.	E14	W81014 <b>*</b>	6	288	CRD		
-				1/4"	E5, E6, E7, E8		E16	W81016*	6	288	CRD		
W1338 <b>*</b>	6	36	CRD	3/8"	E10, E12, E14, E16		E18	W81018*	6	288	CRD		

#### performancetool.com



## **STAR BIT SOCKETS**

## **12-PC STAR BIT SOCKET SET**

Chrome vanadium alloy steel

construction for strength and durability.
Polished nickel chrome plated finish resists corrosion.



	Drive	Size	Item #	IP	MP	PKG
3		T10	W36810*	6	48	TAB
õ		T15	W36815 <b>*</b>	6	48	TAB
STOCK	1/4"	T20	W36820*	6	48	TAB
5	Dr.	T25	W36825 <b>*</b>	6	48	TAB
Z		T27	W36827 <b>*</b>	6	48	TAB
		T30	W36830*	6	48	TAB
<b>OPEN</b>	_	T25	W38825 <b>*</b>	6	48	TAB
	_	T40	W38840*	6	48	TAB
	3/8"	T45	W38845 <b>*</b>	6	48	TAB
	Dr.	T47	W38847*	6	48	TAB
	_	T50	W38850*	6	48	TAB
		T55	W38855*	6	48	TAB
	Phill	ps #3	W38933*	6	48	TAB
2	1/2"	T60	W32860*	6	48	TAB
	Dr.	T70	W32870*	6	48	TAB
I	ТАМРІ	ER RESI	STANT	IP	MP	PKG
		T10	W36910*	12	144	TAB
20		T15	W36915*	12	144	TAB
	1/4"	T20	W36920*	12	144	TAB
W00000	Dr.	T25	W36925*	12	144	TAB
W38933		T27	W36927*	12	144	TAB
		T30	W36930*	12	144	TAB
		T40	W38940*	12	144	TAB
	0/01	T45	W38945 <b>*</b>	12	144	TAB
, T30	3/8" Dr.	T47	W38947 <b>*</b>	12	144	TAB
)	Ы.	T50	W38950*	12	144	TAB
		T55	W38955 <b>*</b>	12	144	TAB
	1/2" Dr.	T60	W32960*	12	144	TAB

Item #	IP	MP	PKG	Drive	Sizes
				1/4"	T10, T15, T20, T25, T27, T30
W38802*	6	24	RAC	3/8"	T40, T45, T47, T50, T55
				1/2"	T60

## **12-PC STAR PLUS BIT SOCKET SET**

- Improved star design virtually eliminates cam-out and damage to fastener by using wider points and more contact area.
- Precision machined bits and straight drive angle help reduce fastener wear.

,	reduce	

**AND TOOLS** 

Item #	IP	MP	PKG	Drive	Sizes
				1/4"	TP8, TP10, TP15, TP20, TP25, TP27, TP30
W38804*	6	24	SLV	3/8"	TP40, TP45, TP50, TP55
				1/2"	TP60

#### **5-PC MORTORQ BIT SOCKET SET**

- Special designed driver provides full contact resulting in higher torque capability.
- Sockets are made of heat-treated alloy steel.
- Bits are S2 steel with a zinc phosphate finish.

Item #	IP	MP	PKG	Drive	Sizes
W13500*	6	72	CRD	3/8"	MTS-0, MTS-1, MTS-2, MTS-3 MTS-4

## **10-PC 5 LOBE SOCKET SET**

- Chrome vanadium steel construction.
- Equivalent to IPR (Internal Tamper Resistant Pentalobe) sizes.
- Bonus storage rail included.

Item #	IP	MP	PKG	Drive	Sizes
W80564 <b>*</b>	6	24	CRD	3/8"	10, 15, 20, 25, 27, 30, 40, 45, 50, 55

W38804



W80564



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

W13500



## **IMPACT BIT SOCKETS**



Prop 65 warnings see page 2.

183

## **IMPACT SOCKETS**

#### **IMPACT SOCKET SETS**

- Drop forged chrome vanadium steel for strength and durability.
  Rounded corners for a tighter grip.

	3/8" Dr.	6 point	1/2" Dr.	6 point
		Deep		Deep
	M588DB*	M594DB*	M592DB*	M590DB*
	IP:10 MP:40	IP:5 MP:20	IP:4 MP:16	IP:5 MP:10
5/16"	Х	-	-	-
11/32"	-	-	-	-
3/8"	Х	Х	-	Х
7/16"	Х	Х	Х	Х
1/2"	Х	Х	Х	Х
9/16"	Х	Х	Х	Х
5/8"	Х	Х	Х	Х
11/16"	Х	Х	Х	Х
3/4"	Х	Х	Х	Х
13/16"	-	Х	Х	Х
7/8"	-	-	Х	Х
15/16"	-	-	Х	Х
1"	-	-	Х	Х



	3/8" Dr. 6 point								1/2" Dr. 6 point					
			IP	MP	Deep	IP	MP		IP	MP	Deep	IP	MP	
X	5/16"	M891*	6	144	M931*	6	144	-	-	-	-	-	-	
STOCK	3/8"	M892*	6	144	M932*	6	144	M800*	6	144	M839*	6	72	
Z	7/16"	M893*	6	144	M933 <b>*</b>	6	144	M801*	6	144	M840*	6	72	
S	1/2"	M894*	6	144	M934*	6	144	M802*	6	144	M841*	6	72	
Z	9/16"	M895*	6	144	M935*	6	72	M803*	6	144	M842*	6	72	
PEN	5/8"	M896*	6	144	M936*	6	72	M804*	6	144	M843*	6	72	
9	11/16"	M897*	6	144	M937 <b>*</b>	6	72	M805*	6	144	M844*	6	72	
0	3/4"	M898*	6	144	M938*	6	72	M806*	6	144	M845*	6	72	
	13/16"	M899*	6	144	M939 <b>*</b>	6	72	M807*	6	72	M846*	6	72	
	7/8"	M900*	6	144	M940*	6	72	M808*	6	72	M847*	6	72	
	15/16"	-	-	-	-	-	-	M809*	6	72	M848*	6	36	
	1"	-	-	-	-	-	-	M810*	6	72	M849*	6	36	
	1-1/16"	-	-	-	-	-	-	M811*	6	36	M850*	6	36	
	1-1/8"	-	-	-	-	-	-	M812*	6	36	M851*	6	36	
	1-3/16"	-	-	-	-	-	-	M813*	6	36	M852*	6	36	
2	1-1/4"	-	-	-	-	-	-	M814*	6	36	M853*	6	36	
	1-5/16"	-	-	-	-	-	-	M818*	6	72	-	-	-	
5	1-3/8"	-	-	-	-	-	-	-	-	-	-	-	-	
$\mathbf{D}$	1-1/2"	-	-	-	-	-	-	M817*	6	72	-	-	-	

	3/4" Dr. point							" Dr.	6 poiı	nt		
		IP	MP	Deep	IP	MP		IP	MP	Deep	IP	MP
3/4"	M740-24*	5	25	-	-	-	-	-	-	-	-	-
13/16"	M740-26*	5	25	-	-	-	-	-	-	-	-	-
7/8"	M740-28*	5	25	-	-	-	M745-12*	5	25	-	-	-
15/16"	M740-30*	5	25	-	-	-	M745-14*	5	25	-	-	-
1"	M740-32*	5	25	-	-	-	M745-16*	5	25	-	-	-
1-1/16"	M740-34*	5	25	-	-	-	-	-	-	-	-	-
1-1/8"	M740-36*	5	25	M742-36*	5	25	-	-	-	-	-	_
1-3/16"	M740-38*	5	25	-	-	-	M745-22*	5	25	-	-	-
1-1/4"	M740-40*	5	25	M742-40*	5	25	-	-	-	M747-20*	5	10
1-5/16"	M740-42*	5	25	M742-42*	5	10	-	-	-	-	-	-
1-3/8"	M740-44*	5	25	M742-44*	5	10	-	-	-	-	-	-
1-7/16"	M740-46*	5	25	M742-46*	5	10	-	-	-	-	-	-
1-1/2"	M740-48*	5	25	M742-48*	5	10	M745-32*	5	25	M747-30*	5	10
1-7/8"	M1263*	3	18	-	-	-	-	-	-	-	-	-
33mm	-	-	-	-	-	-	-	-	-	M743-33*	5	25

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **IMPACT SOCKETS**

	3/8" Dr.	6 point	1/2" Dr.	6 point
		Deep		Deep
	M589DB*	M595DB*	M593DB*	M591DB*
	IP:10 MP:40	IP: 5 MP:20	IP:4 MP:16	IP:5 MP:10
8mm	Х	-	-	-
9mm	-	-	-	-
10mm	х	Х	Х	Х
11mm	Х	Х	-	-
12mm	Х	Х	-	Х
13mm	Х	Х	Х	Х
14mm	Х	Х	Х	Х
15mm	-	-	Х	х
16mm	-	Х	Х	Х
17mm	Х	Х	Х	Х
18mm	-	-	Х	Х
19mm	Х	Х	Х	х
21mm	-	-	Х	х
22mm	-	-	Х	Х

#### **SOCKET SETS**



ODEN	CTOCK		3/8" Dr	. 6point					1/2" Dr.	6 point		
UPEN	STOCK	IP	MP	Deep	IP	MP		IP	MP	Deep	IP	MP
9mm	M909*	6	144	M949*	6	144	-	-	-	-	-	-
10mm	M910*	6	144	M950*	6	144	M820*	6	144	M860*	6	72
11mm	M911*	6	144	M951*	6	144	M821*	6	144	M861*	6	72
12mm	M912*	6	144	M952*	6	144	M822*	6	144	M862*	6	72
13mm	M913*	6	144	M953*	6	144	M823*	6	144	M863*	6	72
14mm	M914*	6	144	M954*	6	72	M824*	6	144	M864*	6	72
15mm	M915*	6	144	M955*	6	72	M825*	6	144	M865*	6	72
16mm	M916*	6	144	M956*	6	72	M826*	6	144	M866*	6	72
17mm	M917*	6	144	M957*	6	72	M827*	6	144	M867*	6	72
18mm	M918*	6	144	M958*	6	72	M828*	6	144	M868*	6	72
19mm	M919*	6	144	M959*	6	72	M829*	6	144	M869*	6	72
20mm	-	-	-	-	-	-	M830*	6	144	M870*	6	72
21mm	-	-	-	-	-	-	M831*	6	72	M871*	6	72
22mm	-	-	-	-	-	-	M832*	6	72	M872*	6	36
24mm	-	-	-	-	-	-	M834*	6	72	M873*	6	36
26mm	-	-	-	-	-	-	M836*	6	72	M874*	6	36
27mm	-	-	-	-	-	-	M837 <b>*</b>	6	72	M876*	6	36
23mm	-	-	-	-	-	-	-	-	-	M877*	6	36
30mm	-	-	-	-	-	-	-	-	-	M880*	6	36
32mm	-	-	-	-	-	-	-	-	-	M882*	6	36

## **IMPACT SQUARE BUDD SOCKETS**

• Optimum wall thickness for strength and access on fasteners with restrictions.

Item #	IP	MP	PKG	Drive	Sizes
M745-10*	5	25	TAB	1"	13/16"
M740-27*	5	25	TAB	3/4"	13/16"
M782*	5	10	TAB	3/4"	1-1/2 x 13/16"
M783*	5	10	TAB	1"	1-1/2 x 13/16"

## **IMPACT FLIP SOCKETS**

- Drop forged chrome molybdenum steel.
  Thinner walls provide better access in tight areas.
  Rounded corners for a tighter grip.

Item #	IP	MP		Item #	IP	MP	PKG	Drive	Side A	Side B
			Х	M587C*	6	72	TAB	1/2"	13/16"	3/4"
			Х	M771 <b>*</b>	6	72	TAB	1/2"	17mm	19mm
M774* 4-PC Set	6	24	Х	M772 <b>*</b>	6	72	TAB	1/2"	7/8"	21mm
ડલા			-	M773*	6	96	TAB	1/2"	22mm	22.5mm
			Х	M969*	6	72	TAB	1/2"	Extension	

performancetool.com







185

## **IMPACT SOCKETS**

#### **38-PC IMPACT SOCKET SET**

- Drop forged chrome vanadium steel for strength and durability.
- Large size laser etching for easy identification.
- Rounded corners for a tighter grip.
- Includes SAE & Metric, deep and standard sizes and 1/2" (F) to 3/8" (M) adapter.
- Storage / Carrying Case.

Item # IF	P MP	PKG	Drive	Sizes
			3/8"	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4",
<b>M796*</b> 1	5	LAB	Deep	
	÷		1/2"	7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1",
				11, 12, 13, 14, 16, 17, 18, 21, 22, 24mm
Corrosion an High quality	nd oil resis chrome n	stant bla nolybde	ack pho num al	
Corrosion an High quality	nd oil resis chrome n	stant bla nolybde	ack pho num al	bsphate finish. N792
Corrosion an High quality	nd oil resis chrome n	stant bla nolybde	ack pho num al	psphate finish. lloy steel.
	nd oil resis chrome n	stant bla nolybde	ack pho num al	bsphate finish. N792

7/8, 15/16 (24mm), 1, 1-1/16 (27mm), 1-1/8, 1-3/16, 1-1/4,         W34902* 21-PC 1       1         SLV       13/16"         1-5/16, 1-3/8 (35mm), 1-7/16         1-1/2 (38mm), 1-5/8 (41mm),         1-3/4, 1-13/16 (41mm),         1-3/4, 1-13/16 (41mm),         1-3/4, 1-13/16 (41mm),		
	W34902 <b>*</b>	n), 1-1/8, 1-3/16, 1-1/4, 5, 1-3/8 (35mm), 1-7/16, (38mm), 1-5/8 (41mm),
M792* 11-PC 1 4 SLV 13/16" 3/4, 13/16, 7/8, 15/16, 1, 1-1/ 1-1/8, 1-3/16, 1-1/4, 1-1/2"	M792 <b>*</b>	3/16, 7/8, 15/16, 1, 1-1/16, 1-3/16, 1-1/4, 1-1/2"

## 8-PC 3/8 IN. DR. LOW PROFILE SOCKET SETS

- At less than an inch deep these are 20% shorter than standard shallow wall sockets.
- Corrosion and oil resistant black phosphate finish.
- High quality chrome molybdenum alloy steel.
- Includes socket storage tray.



	Item #	IP	MP	PKG	Sizes
-	W38590* Metric	4	16	CRD	8, 10, 12, 13, 14, 15, 17, 18 mm
	W38592* SAE	4	16	CRD	5/16, 3/8, 7/16, 1/2, 9/16, 11/16, 3/4"

## **8-PC IMPACT ADAPTER SET**

- Chrome molybdenum steel for strength and durability.
- Impact grade with oil resistant finish.

Item #	IP	MP	PKG		1/4" (M)	3/8" (M)	1/2" (M)	3/4" (M)	1" (M)
				1/4" (F)	-	Х	-	-	-
				3/8" (F)	Х	-	Х	-	-
M795*	1	12	SLV	1/2" (F)	-	Х	-	Х	-
				3/4" (F)	-	-	Х	-	Х
				1" (F)	-	-	-	Х	-

Also includes a 19-3/4" quick release ratchet, 18" sliding T-Bar, 5 and 10" extensions.



S IUUL U

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **IMPACT DRIVE ACCESSORIES**

#### **IMPACT EXTENSIONS**

- Drop forged chrome molybdenum steel for strength and durability.
- Large size laser etching for easy identification.



#### **IMPACT ADAPTERS**

- Drop forged chrome molybdenum steel for strength and durability.
  Large size laser etching for easy
- identification.

	$\frown$	
	M975	
$\mathbf{k}$		
	$\smile$	

Item #	IP	MP	PKG	(F)	3/8" (M)	1/2" (M)	3/4" (M)	1" (M)
M962 <b>*</b>	6	144	TAB	3/8"	-	Х	-	-
M963 <b>*</b>	6	144	TAB	1/2"	Х	-	-	-
M966 Wobble*	6	144	TAB	1/2"	Х	-	-	-
M974 36"*	6	12	TAB	1/2"	Х	-	-	-
M975 30"*	6	18	TAB	1/2"	Х	-	-	-
M964 <b>*</b>	6	72	TAB	1/2"	-	-	Х	-
M765 <b>*</b>	5	100	TAB	3/4"	-	Х	-	-
M780*	5	25	TAB	3/4"	-	-	-	Х
M785 <b>*</b>	5	25	TAB	1"	-	-	Х	-



#### **IMPACT STUBBY ADAPTER SET**

- Chrome molybdenum steel for strength and durability.
- Impact grade with oil resistant finish.

Item #	0	IP	MP	PKG	Drive	1/4" (M)	3/8" (M)	1/2" (M)
					3/8" (F)	Х	-	-
M793 <b>*</b>	3-PC	12	96	TAB	1/2" (F)	-	Х	-
					3/4" (F)	-	-	Х

#### **IMPACT U-JOINTS**

- Drop forged chrome molybdenum steel for strength and durability.
- Large size laser etching for easy identification.

Item #	Drive	IP	MP	PKG
M967*	3/8"	6	144	TAB
M968*	1/2"	6	72	TAB

## 7-PC U-JOINT & ADAPTER SET

- Drop forged chrome molybdenum steel for strength and durability.
- Contains 3 U-joint sizes and 4 adapter sizes.

Item #	IP	MP	PKG	Drive	1/4" (M)	3/8" (M)	1/2" (M)	U-Joint
				1/4" (F)	-	Х	-	1/4"
W30937*	6	24	RAC	3/8" (F)	Х	-	Х	3/8"
				1/2" (F)	-	Х	-	1/2"

#### **RETAINER PIN & O-RING**

For use with impact sockets and accessories.

						O-F	ling
Item #	Drive	IP	MP	PKG	Pin	OD	ID
M976*	3/4"	12	96	BAG	4mm	1-3/4"	1-1/2"
M977 <b>*</b>	1"	12	96	BAG	5mm	2-3/4"	1-3/4"

W30937

187



Prop 65 warnings see page 2.

G

## **BREAKER BARS & ACCESSORIES**

## **FLEX HANDLES**

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- Knurled handle for better grip.

Item #	IP	MP	PKG	Drive	Length
W36118*	6	48	TAB	1/4"	6"
W38118*	6	48	TAB	3/8"	10"
W32118*	6	48	TAB	1/2"	10"
W32119*	6	24	TAB	1/2"	15"
W32120*	6	24	TAB	1/2"	18"
W32121*	6	24	TAB	1/2"	24"
M3008B*	1	10	BLK	3/4"	8"
W34120*	1	6	TAB	3/4"	19"
W31110*	2	4	BLK	1"	40"
W32127*	2	8	TAB	1/2"	18"
WJZ1Z/1	2	0	IAD	with pry ba	ar

ength and durability. sion. W32118 W34120 W34120 W34120 W32127

## **HEAVY DUTY BREAKER BARS**

- Heavy duty chrome vanadium steel handles up to 1000 ft./lbs.
- Corrosion resistant chrome plated and black oxide finish.
- 180° swivel head.

Item #	IP	MP	PKG	Drive	Length
W38121*	6	12	TAB	3/8"	18"
W32126*	6	12	BLK	1/2"	30"
W34122*	2	6	TAB	3/4"	40"

## **RATCHETING BREAKER BAR**

• Heavy duty chrome vanadium steel construction.

• 3 way ratcheting action: right hand, left hand or locked.

Item #	IP	MP	PKG	Drive	Length
W32124*	6	12	TAB	1/2"	18"

## **SLIDING T-HANDLE**

- Chrome vanadium alloy steel construction for strength and durability.
   Palished nickel shrome plated finish
- Polished nickel chrome plated finish resists corrosion.

Item #	IP	MP	PKG	Drive	Length
W38120*	6	48	TAB	3/8"	7"
W32129*	6	48	TAB	1/2"	12"
W34121*	1	6	TAB	3/4"	18"

## **SPEEDER HANDLES**

- Ergonomic handle for comfort and control.
- Chrome vanadium alloy steel construction.
- Polished nickel chrome plated finish resists corrosion.
- Diamond knurled grip for positive grip.

Item #	IP	MP	PKG	Drive	Length
W38128*	1	20	TAB	3/8"	17"
W32128*	1	20	TAB	1/2"	17-3/4"

#### **SPINNER HANDLE**

• Ergonomic handle for comfort and control.

Item #	IP	MP	PKG	Drive
W36124*	6	48	TAB	1/4"



W32124

180° swivel head black oxide finish.

W32129

W34121

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

W38121

HAND TOOLS

188



## **BREAKER BARS & ACCESSORIES**

٩

300

#### **RATCHETING ADAPTERS**

- Converts any breaker bar or sliding T-handle into a ratchet.
- Hex bolster for use with an open end or adjustable wrench.
- Works independently as a thumb wheel ratchet.
- Heavy duty chrome vanadium construction.
- Oil resistant black phosphate finish.

Item #	IP	MP	PKG	Drive	Finish
W38137*	24	96	TAB	3/8"	Red
W32137*	12	96	TAB	1/2"	Blue

#### **RATCHETING ADAPTER**

- Convert your breaker bar, flex handle or t-handle into a ratchet.
- Also works as a palm ratchet.
- Chrome vanadium construction.





## THUMB WHEEL RATCHETS

- Black oxide coated drive surfaces for long life.
- High torque non-slip grips.

Drive

1/4"

3/8"

1/2"

3-PC

Quick release.

Item #

W36125\*

W38125\*

W32125\*

W1716\*





# HAND TOOLS

## **DIGITAL TORQUE ADAPTER**

• Rotatable adapter is rotatable for ease of use.

Green

Red

Blue

Set

- Audible and LED torque limit indicator.
- Automatic sleep mode after 3 minutes of non-activity.
- 1/2" drive (includes adapters for 3/8" and 1/4" drive).

IP

6

6

6

6

MP

144

96

96

36

PKG

ТАВ

TAB

TAB

CLM

43

72

72

8.4°

5°

5°

43, 72 8.4, 5.0

Blow molded storage case.



Item #	IP	MP	PKG	Drive	Torque Range	Accuracy	Battery
M206*	6	48	CLM	1/2"	30 - 150 ft/lbs. also kg/cm kg/m in/lbs. N/m	±2%	CR2032

#### performancetool.com



## RATCHETS

#### **PT HANDLE RATCHET**

- Chrome vanadium alloy steel construction for strength and durability.
- Black phosphate finish resists oil and corrosion.
- Double-injection molded handle.
- US Patent D693201S1.

	Quick					Gear		
Item #	Release	IP	MP	PKG	Drive	Teeth	Sweep	Length
W38100*	х	6	24	TAB	3/8"	108	3.3°	8-11/16"
W32100*	х	3	12	TAB	1/2"	108	3.3°	10-3/4"

## LONG HANDLE TEARDROP RATCHET

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- Double-injection molded handle.
- US Patent D693201S1.



Available in fixed or	
locking flex head.	

Fixed Head	Flex Head	IP	MP	PKG	Drive	Teeth	Sweep	Length
W36180*	W36181*	6	36	TAB	1/4"	108	3.3°	12"
W38180*	W38181*	6	24	TAB	3/8"	108	3.3°	18"
W32180*	W32181*	6	12	TAB	1/2"	108	3.3°	24"



## **TEARDROP RATCHETS**

- Quick release feature for quick and easy socket changes.
- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.

	- 1
0	

	Quick							
Item #	Release	IP	MP	PKG	Drive	Teeth	Sweep	Length
W36101*	х	6	48	TAB	1/4"	72	5°	5-1/2"
W38101*	Х	6	24	TAB	3/8"	72	5°	7-5/8"
W32101*	х	6	24	TAB	1/2"	72	5°	9-1/2"

## **SEALED HEAD RATCHETS**

- Chrome vanadium alloy steel construction for strength and durability.
- Oversized aluminum handle for a more positive grip.
- Fully sealed head for easy cleanup.



	Quick					Gear		
Item #	Release	IP	MP	PKG	Drive	Teeth	Sweep	Length
W36131*		6	24	TAB	1/4"	90	4°	6"
W38131*		6	24	TAB	3/8"	90	4°	9"
W32131*		6	24	TAB	1/2"	90	4°	10-1/2"



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## RATCHETS

## **TEARDROP RATCHETS**

- Quick Release feature for quick and easy socket changes.
- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- Extended length for extra leverage.

1	04	-	
	-		

	Quick							
Item #	Release	IP	MP	PKG	Drive	Teeth	Sweep	Length
W38122*	х	6	12	TAB	3/8"	24	15°	15"
W32122*	х	6	12	TAB	1/2"	24	15°	15"
W34100*	х	1	6	TAB	3/4"	24	15°	19-1/2"

## **FLEX HEAD TEARDROP RATCHETS**

• Flex head for hard-to-reach spots.

	Quick							
Item #	Release	IP	MP	PKG	Drive	Teeth	Sweep	Length
W36102*	х	6	48	TAB	1/4"	72	5°	5-1/2"
W38102*	х	6	24	TAB	3/8"	24	15°	11-1/2"
W32102*	Х	6	24	TAB	1/2"	24	15°	11-1/2"

## ROUND HEAD RATCHETS

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.

Quick

• Quick Release feature on for quick and easy socket changes on some models.

Item #	Release	IP	MP	PKG	Drive	Teeth	Sweep	Length
W36113*	-	6	48	TAB	1/4"	45	8°	3-3/4"
W36106*	-	6	48	TAB	1/4"	45	8°	5-1/2"
W38112*	-	6	48	TAB	3/8"	41	8.8°	3-15/16"
W38113*	х	6	48	TAB	3/8"	41	8.8°	3-15/16"
W38106*	-	6	24	TAB	3/8"	41	8.8°	7-7/8"
W38107*	х	6	48	TAB	3/8"	41	8.8°	7-7/8"
W32106*	-	6	24	TAB	1/2"	45	8°	9-1/2"
W34101*	-	1	6	TAB	3/4"	43	8.4°	19-1/2"



## **ROUND FLEX HEAD RATCHETS**

Flex head for hard-to-reach spots.

	QUICK							
Item #	Release	IP	MP	PKG	Drive	Teeth	Sweep	Length
W36114*	-	6	48	TAB	1/4"	45	8°	4-1/2"
W38114*	-	6	48	TAB	3/8"	41	8.8°	5"
W38115*	х	6	48	TAB	3/8"	41	8.8°	5"
W38108*	-	6	24	TAB	3/8"	41	8.8°	11"

## **ROUND HEAD RATCHET**

- Drop forged steel construction.
- Chrome plated to resist corrosion.
- Comfortable rubber grip handle.

Item #	IP	MP	PKG	Drive	Teeth	Sweep	Length	
W17C*	6	36	CRD	0/0"	20	0.00	<b></b>	(
20104*	6	36	Pg 320	3/8	39	9.2	Э	



## performancetool.com



## **TORQUE WRENCHES**



Item #	IP	MP	PKG	Drive	Torque	Range	Accuracy	Length
M201*	1	12	CLM	1/4"	20-200	in/lbs.	±4%	10-1/2"
M202-P*	6	24	CLM	3/8"	120-960	in/lbs.	±4%	10-1/4"
M200DB*	1	12	CLM	1/2"	10-150	ft/lbs.	±4%	17-1/2"

192

Compact size for tight spots.

	K	CIE		))
		Children and Child	Ľ	

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **TORQUE WRENCHES**



performancetool.com

## EXTENSIONS

EXTENSIONS		Drive	Length	Item #	IP	MP	PKG
Chrome vanadium alloy			2"	W36142*	6	48	TAB
steel construction for		1/4"	3"	W36143*	6	48	TAB
strength and durability.			6"	W36146*	6	48	TAB
<ul> <li>Polished nickel chrome plated finish resists</li> </ul>			1-3/4"	W38140*	6	48	TAB
corrosion.	2.00		3"	W38143*	6	48	TAB
	e a	0/0"	6"	W38146*	6	48	TAB
1 and 1		3/8"	8"	W38148*	6	48	TAB
a start			10"	W38150*	6	48	TAB
			18"	W38156*	6	48	TAB
			3"	W32143*	6	48	TAB
e		1/0"	5"	W32145*	6	48	TAB
	0	1/2"	10"	W32150*	6	48	TAB
	0		20"	W32153*	6	24	TAB
	W38154		4"	W34144 <b>*</b>	6	24	TAB
	Push button	3/4"	8"	W34148*	6	24	TAB
e	quick release.		16"	W34151*	6	12	TAB
Item # IP MP P	2KG Drive 1-3/4" 2"	3"	5"	6"	8'		10"

Item #		IP	MP	PKG	Drive	1-3/4"	2"	3"	5"	6"	8"	10"
W36940*	3-PC	6	48	TAB	1/4"	-	Х	Х	-	Х	-	-
W38152*	4-PC	6	48	TAB	3/8"	Х	-	Х	-	Х	Х	-
W38155*	3-PC	6	24	TAB	3/8"	Х	-	Х	-	-	Х	-
W38154*	3-PC LOCKING	6	36	TAB	3/8"	-	-	Х	-	Х	-	Х
W32140*	3-PC	6	24	TAB	1/2"	-	-	Х	Х	-	-	Х

## **WOBBLE EXTENSIONS**

- Increased angle flexibility.Chrome vanadium alloy
- steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.



Drive	Length	Item #	IP	MP	PKG
	1-3/4"	W38141*	6	48	TAB
	3"	W38144 <b>*</b>	6	48	TAB
3/8"	6"	W38147*	6	48	TAB
	8"	W38149 <b>*</b>	6	48	TAB
	10"	W38151*	6	48	TAB

	Item #	IP	MP	PKG	Drive	1-3/4"	2"	3"	5"	8"	10"
1					1/4"	-	Х	-	-	-	-
	W30957* 3-PC	6	48	TAB	3/8"	х	-	-	-	-	-
					1/2"	-	Х	-	-	-	-
	W38157* 3-PC	6	24	TAB	3/8"	-	-	Х	Х	-	х
	W32141* 3-PC	6	24	TAB	1/2"	х	-	Х	-	Х	-

## LONG EXTENSION SETS

- Extended length for hard to reach nuts & bolts.
- Chrome vanadium steel for strength and durability.
  Chrome plated finish with knurled grip.

	le plateu il li	SITWILLIN	nuneu yn	ip.		a su na an	1000 and 1000			
				0		JET W.		and a delete	-	
0									(in part	
Item #	_	IP	MP	PKG	Drive	12"	15"	18"	24"	30"
W36139*	3-PC	6	24	TAB	1/4"	Х	х	х	-	-
W38139*	3-PC	6	12	TAB	3/8"	-	-	Х	х	Х
W32139*	3-PC		6	TAB	1/2"					

194

HAND TOOLS

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **ADAPTERS & U-JOINTS**

#### **DRIVE ADAPTERS**

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.

Item #	IP	MP	PKG	Size	1/4" (M)	3/8" (M)	1/2" (M)	3/4" (M)	1" (M)	W3
W36157*	6	48	TAB	1/4" (F	) -	Х	-	-	-	
W38159*	6	48	TAB	2/0"/E	, x	-	-	-	-	
W38158*	6	48	TAB	- 3/8" (F	) –	-	Х	-	-	
W32157*	6	48	TAB		-	Х	-	-	-	
W1136C*	12	120	CRD	1/2" (F	) –	Х	-	-	-	
W32158*	6	48	TAB		-	-	-	Х	-	
W34157*	6	24	TAB	0/4"/[		-	Х	-	-	10
W34158*	6	24	TAB	3/4" (F	)	-	-	-	Х	
Item #	IP	MP	PKG	Size	1/4" (M)	3/8" (N	/l) 1/2"	(M)	1	
<b>W30934*</b> 4-PC	6	48	TAB	1/4" (F) 3/8" (F) 1/2" (F)	- X -	- X	- >	. (	E	
				, (.)						

performancetool.com

## **6-PC DRIVE ADAPTER SET**

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- Storage / carrying case.

Item #	IP	MP	PKG	Size	1/4" (M)	3/8" (M)	1/2" (M)	3/4" (M)	1" (M)
				1/4" (F)	-	x	-	-	-
w20020*	C	0.4		3/8" (F)	Х	-	Х	-	-
W30939*	6	24	CLM	1/2" (F)	-	Х	-	Х	-
				3/4" (F)	-	-	Х	-	-

## **U-JOINTS**

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.

Item #	IP	MP	PKG	Item #	Drive	IP	MP	PKG
<b>W30933*</b> 3-PC Set				W36130	1/4"	6	48	TAB
	6	48	TAB	W38130	3/8"	6	48	TAB
				W32130	1/2"	6	48	TAB
-	-	-	-	W34130	3/4"	6	24	TAB

## **FLEX UNIVERSAL JOINT**

- Spring loaded for smooth operation.
- Unique space saving ball and pin design.
- High polish chrome vanadium steel.

Item #	Drive	IP	MP	PKG
W36136*	1/4"	6	96	TAB
W38136*	3/8"	6	96	TAB
W32136*	1/2"	6	96	TAB







DRIVE ADAPTOR SET





\*California Residents

Prop 65 warnings see page 2.

195

## ADAPTERS & U-JOINTS

## **DRIVE ACCESSORY SETS**

- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.

Item #

	Ø								
-									
#	IP	MP	PKG	Drive	1/4" (M)	3/8" (M)	1/2" (M)	U-Joint	Extension
r		IVII	TRO	1/4" (F)	-	×	-	1/4"	-
10.PC	Λ	16		3/8" (E)	V		V	3/8"	3 6 10"

					1/1 (1)		Λ		1/ 1	
W30938*	10-PC	4	16	CLM	3/8" (F)	Х	-	Х	3/8"	3, 6, 10"
					1/2" (F)	-	Х	-	1/2"	-
					1/4" (F)	-	Х	-	1/4"	-
W30935*	7-PC	6	24	RAC	3/8" (F)	Х	-	Х	3/8"	-
					1/2" (F)	-	Х	-	1/2"	-

## **3-PC MAGNETIC EXTENSION SET**

- Strong magnetic tips protrude through socket to help prevent dropped fasteners.
- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- Designed for use with standard shallow wall sockets.

Item #	IP	MP	PKG	1/4"	3/8"	1/2"
W30932*	6	48	TAB	1-1/4"	1-7/8"	2-1/2"

## **2-PC FLEXIBLE EXTENSION SET**

- Flexible shafts allow improved access in tight spaces without sacrificing torque.
- Chrome vanadium alloy steel construction.
- Polished nickel chrome plated finish.

S	<ul> <li>Polished r</li> </ul>	nickel	chrom	e plateo	d finish.	G
000						
	Item #	IP	MP	PKG	1/4"	3/8"
	W30931*	10	100	TAB	6"	8"

#### **SOCKET RAILS**

- Convenient way to organize sockets.
- Rail contains 16 socket clips.
- Easily mounts to wall or tool box.

Item #	IP	MP	PKG	С	apacity
W14-SKH*	12	48	CRD	1/4"	16 sockets
W38-SKH*	12	48	TAB	3/8"	16 sockets
W12-SKH*	12	48	CRD	1/2"	16 sockets
W3-SKH*	6	48	CRD	3-PC	
	W	/ITH F	IANDL	ES	
W36000*	6	36	TAB	1/4"	14 sockets

W36000*	6	36	TAB	1/4"	14 sockets
W38000*	6	36	TAB	3/8"	14 sockets
W32000*	6	36	TAB	1/2"	14 sockets





BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **SOCKET RAILS & TRAYS**

#### ALUMINUM DUAL SIDED SOCKET RAILS

- Clips feature spring loaded ball bearings for easy on/off.
- Double sided for efficient use of space.

Item #	IP	MP	PKG			Capacity	
W36001*	6	72	TAB	Green	1/4"	18 sockets	
W38004*	6	72	TAB	Red	3/8"	16 sockets	
W32004*	6	72	TAB	Blue	1/2"	14 sockets	

## **MAGNETIC SOCKET RAILS**

- Heavy duty rare earth magnets hold to any ferrous surface.
- Clips feature spring loaded ball bearings for easy on/off.
- EVA foam backing won't scratch delicate finishes.

Item #	IP	MP	PKG			Capacity	
W36003*	6	36	CLM	Green	1/4"	20 sockets	
W38003*	6	36	CLM	Red	3/8"	20 sockets	
W32003*	6	36	CLM	Blue	1/2"	14 sockets	

## **10-PC RAIL REPLACEMENT CLIPS**

• Clips feature spring loaded ball bearings for easy on/off.

item #		IP	IVIP	PKG	Use with
W32003-1*	1/2"	20	200	BAG	W36001 & W36003
W36003-1*	1/4"	20	200	BAG	W38004 & W38003
W38003-1*	3/8"	20	200	BAG	W32004 & W32003

# MAGNETIC SOCKET RAILS WITH TWIST LOCK

- Heavy duty magnet holds to any ferrous surface.
- Sliding clips allow for a variety of socket sizes.
- Unique twist lock feature place socket on clip, rotate 90° to lock on, turn again to remove.

Item #	IP	MP	PKG			Capacity
W36190*	6	24	CRD	Green	1/4"	14 sockets
W38190*	6	24	CRD	Red	3/8"	14 sockets
W32190*	6	24	CRD	Blue	1/2"	10 sockets

## **SOCKET HOLDER TRAYS**

- Securely holds and organizes standard and deep sockets and accessories.
- Pre-marked with appropriate standard size markings for quick and easy viewing.
- Designed for standard and deep wall sockets and/or accessories.

Item #	IP	MP	PKG	Holds	Drive	& Markings
W773*	6	96	SHK	22	1/4"	3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8"
W776*	6	96	SHK	28	1/4	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm
W774*	6	48	SHK	26	3/8"	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1". 3/8"
W778*	6	48	SHK	30	3/0	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
W775*	6	48	SHK	28	1/2"	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"
W779*	6	48	SHK	34	1/2	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27mm



## PROFESSIONAL WRENCHES

#### **7-PC PR0 COMBINATION** WRENCH SETS

- Premium quality drop forged and hardened chrome alloy steel.
- Nickel chrome plated to resist corrosion and fully polished for easy cleanup.
- Box end features rounded corners for increased torque.



Item #	IP	MP	PKG	Sizes	7 N
W30001*	6	24	RAC	10, 12, 13, 14, 15, 16, 18mm	4
W30200*	6	24	RAC	5/16, 3/8, 7/16. 1/2, 9/16, 5/8, 3/4"	

10

# **10-PC PRO** ENCH SETS

- Premium quality drop forged and hardened chrome alloy steel.
- Nickel chrome plated to resist corrosion and fully polished for easy cleanup.
- Box end features rounded corners for increased torque.

AND TOOLS



COMBINATION

WRENCH SET

Item #	IP	MP	PKG	Sizes
W30002*	3	12	CAS	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
W30202*	3	12	CAS	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"

<b>OPEN STOCK</b>									
Size	Item #	IP	MP						
1/4"	W30208*	6	72						
5/16"	W30210*	6	72						
11/32"	W30211*	6	72						





PKG

TAB



## **OPEN STOCK**

Size	Item #	IP	MP	PKG	
6mm	W30006*	6	72	TAB	
7mm	W30007*	6	72	TAB	
8mm	W30008*	6	72	TAB	
9mm	W30009 <b>*</b>	6	72	TAB	
10mm	W30010*	6	72	TAB	1
11mm	W30011*	6	72	TAB	ľ
12mm	W30012*	6	72	TAB	
13mm	W30013*	6	72	TAB	
14mm	W30014*	6	72	TAB	
15mm	W30015*	6	72	TAB	
16mm	W30016*	6	72	TAB	
17mm	W30017*	6	72	TAB	
18mm	W30018*	6	72	TAB	
19mm	W30019 <b>*</b>	6	72	TAB	
20mm	W30020*	6	72	TAB	
21mm	W30021*	6	72	TAB	
22mm	W30022*	6	72	TAB	
23mm	W30023*	6	48	TAB	
24mm	W30024*	6	36	TAB	
25mm	W30025*	6	36	TAB	
26mm	W30026*	6	36	TAB	
27mm	W30027*	6	36	TAB	
28mm	W30028*	6	36	TAB	
29mm	W30029*	6	24	TAB	
30mm	W30030 <b>*</b>	6	24	TAB	
32mm	W30032 <b>*</b>	6	24	TAB	







## **PROFESSIONAL WRENCHES**

MP

96

PKG

TAB

IP

6

#### 7-PC STUBBY **WRENCH SETS**

- Premium quality drop forged and hardened chrome alloy steel.
- Nickel chrome plated to resist corrosion
- Stubby length for easy access to tight areas.



Item #	IP	MP	PKG	Sizes
W30507*	6	24	RAC	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
W30607*	6	24	RAC	10, 12, 13, 14, 15, 18, 19mm

#### **4-PC FLARE NUT** WRENCH SETS

- Premium quality drop forged and hardened chrome alloy steel.
- Nickel chrome plated to resist corrosion and fully polished for easy cleanup.

IP

6

6

MP

24

24

15 degree offset.

Item #

W30430\*

W30431\*



Sizes

С

1/2"

9/16"

13mm

14mm

D

5/8"

11/16" 16mm

18mm

performancetool.com

В

3/8"

7/16"

10mm

12mm

7/16"	W30514 <b>*</b>	6	96	TAB
1/2"	W30516*	6	96	TAB
9/16"	W30518*	6	96	TAB
5/8"	W30520*	6	96	TAB
11/16"	W30522*	6	96	TAB
3/4"	W30524 <b>*</b>	6	96	TAB
10mm	W30610 <b>*</b>	6	96	TAB
11mm	W30611*	6	96	TAB
12mm	W30612*	6	96	TAB
13mm	W30613 <b>*</b>	6	96	TAB
14mm	W30614 <b>*</b>	6	96	TAB
15mm	W30615 <b>*</b>	6	96	TAB
16mm	W30616*	6	96	TAB
17mm	W30617*	6	96	TAB
18mm	W30618*	6	96	TAB
19mm	W30619 <b>*</b>	6	96	TAB

**OPEN STOCK** 

**OPEN STOCK** 

Item #

W30512\*

Size

3/8"









Item #	Siz	zes	IP	MP	PKG	
W30402*	3/8"	7/16"	6	48	TAB	
W30403*	1/2"	9/16"	6	48	TAB	
W30404*	5/8"	11/16"	6	48	TAB	
W30405*	3/4"	7/8"	6	48	TAB	
W30409*	9mm	11mm	6	48	TAB	
W30410*	10mm	12mm	6	48	TAB	
W30413*	13mm	14mm	6	48	TAB	
W30415*	15mm	17mm	6	48	TAB	1
W30416*	16mm	18mm	6	48	TAB	
W30419*	19mm	21mm	6	48	TAB	

## **10-PC IGNITION WRENCH SETS**

PKG

RAC

RAC

Α

1/4"

5/16"

9mm

11mm

- Mini wrench set includes popular metric sizes perfect for use in tight spaces.
- Fully polished chrome plated finish.
- Vinyl pouch for easy storage.



Item #	IP	MP	PKG	Sizes
W30681*	6	48	BAG	5/32, 3/16, 13/64, 7/32, 15/64, 1/4, 9/32, 5/16, 3/8, 7/16"
W30682*	6	48	BAG	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11mm





METRIC

## **PROFESSIONAL RATCHETING WRENCHES**

#### **12-PC RATCHETING WRENCH SETS OPEN STOCK**

RATCHETING WRENCH SET

- Premium quality drop forged chrome vanadium steel.
- Triple chrome plated to resist corrosion and fully polished for easy cleanup.
- Low profile head for access in tight spaces.
- 100 gear teeth for a precise 3.6° sweep.

Size	Item #	IP	MP	PKG
1/4"	W30250*	10	100	TAB
5/16"	W30251*	10	100	TAB
3/8"	W30252*	10	100	TAB
7/16"	W30253 <b>*</b>	10	100	TAB
1/2"	W30254 <b>*</b>	10	100	TAB
9/16"	W30255 <b>*</b>	10	100	TAB
5/8"	W30256*	10	100	TAB
11/16"	W30257 <b>*</b>	10	100	TAB
3/4"	W30258 <b>*</b>	10	100	TAB
13/16"	W30259 <b>*</b>	10	50	TAB
7/8"	W30260*	10	50	TAB
15/16"	W30261*	10	50	TAB
1"	W30262*	10	50	TAB



# **OPEN STOCK**

8mm	W30348 <b>*</b>	10	100	TAB
9mm	W30349 <b>*</b>	10	100	TAB
10mm	W30350*	10	100	TAB
11mm	W30351*	10	100	TAB
12mm	W30352 <b>*</b>	10	100	TAB
13mm	W30353 <b>*</b>	10	100	TAB
14mm	W30354 <b>*</b>	10	100	TAB
15mm	W30355 <b>*</b>	10	100	TAB
16mm	W30356 <b>*</b>	10	100	TAB
17mm	W30357 <b>*</b>	10	100	TAB
18mm	W30358 <b>*</b>	10	100	TAB
19mm	W30359 <b>*</b>	10	100	TAB
21mm	W30361*	10	50	TAB
22mm	W30362 <b>*</b>	10	50	TAB



Item #	IP	MP	PKG	Sizes
W30641 <b>*</b>	3	6	RAC	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"
W30642 <b>*</b>	3	6	RAC	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

## 7-PC RATCHETING WRENCH SETS

- Premium quality drop forged chrome vanadium steel.
- Triple chrome plated to resist corrosion and fully
- polished for easy cleanup.
- Low profile head for access in tight spaces.
- 100 gear teeth for a precise 3.6° sweep.







Item #	IP	MP	PKG	Sizes
W30630*	3	12	RAC	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"
W30631*	З	12	RAC	8, 10, 12, 13, 14, 15, 18mm



HAND TOOLS

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **PROFESSIONAL RATCHETING WRENCHES**

Performance Tool

**RATCHETING WRENCH SET** 

#### **7-PC STUBBY RATCHETING WRENCH SETS**

- 100 gear teeth for a precise 3.6° sweep.
  Triple chrome plated to resist corrosion and fully polished for easy cleanup.
- Low profile head for access in tight spaces.
- Premium quality drop forged chrome vanadium steel.



IP MP PKG Sizes Item # W30634\* RAC 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4" 6 24 W30635\* 6 24 RAC 8, 10, 12, 13, 14, 15, 18mm

**PKG Sizes** 

RAC

RAC

Exclusive magnetic stop ring holds fastener to wrench.

**PKG Sizes** 

11/16, 3/4"

5/16, 3/8, 7/16, 1/2, 9/16, 5/8,

8, 10, 12, 13, 14, 15, 17, 18mm

**8-PC MAGNETIC RATCHETING** 

## **4-PC JUMBO RATCHETING WRENCH SET**

- Premium quality drop forged chrome vanadium steel.
- Triple chrome plated to resist corrosion and fully polished for easy cleanup.
- Low profile head for access in tight spaces.
- 72 gear teeth for a precise 5° sweep.

MP

6

6

IP

1

WRENCH SETS

IP

3

З

MP

18

18

• Drop forged chrome vanadium. Triple chrome plated finish. 72 Gear teeth for 5° sweep.

Item #

Item #

W30643\*

W30644\*

W30632\*

W30633\*













#### **8-PC MAGNETIC FLEX HEAD RATCHETING WRENCH SETS**

RAC

RAC

- Exclusive magnetic stop ring holds fastener to wrench.
- Drop forged chrome vanadium.
- Triple chrome plated finish.
- 72 Gear teeth for 5° sweep.

Performance Fool	3/	4	G	
Item #	IP	MP	PKG	Sizes
W30645 <b>*</b>	3	18	RAC	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
W30646*	3	18	RAC	8, 10, 12, 13, 14, 15, 17, 18mm







## **RATCHETING WRENCHES**

## 7-PC RATCHETING WRENCH SETS

- 72 Gear teeth for 5° sweep.
- Drop forged chrome vanadium.
- Mirror polish finish.



Item #	IP	MP	PKG	Sizes
W1091*	-	5	RAC	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"
W1092*	-	5	RAC	8, 10, 12, 13, 14, 15, 18mm

# **6-PC BLACK RATCHET WRENCH SETS**

- Oil and corrosion resistant black finish.
- 72 Gear teeth for 5° sweep.
- Drop forged alloy steel.

Item #	IP	MP	PKG	Sizes
W1166*	5	20	RAC	5/16, 3/8, 7/16, 1/2, 9/16, 5/8"
W1167*	5	20	RAC	8, 10, 12, 13, 14, 17mm
	-	-	-	-1 -1 1 -1 1

## **5-PC RATCHETING WRENCH SET**

- Reversible for easy on and off application.
  12 point heat treated box ends\*.
- \*1/4" is 6 point



						Sizes		
Item #	IP	MP	PKG	Α	В	С	D	E
W709*	6	24	RAC	1/4"	3/8"	1/2"	5/8"	11/16"
W/09**	0	24	NAC	5/16"	7/16"	9/16"	11/16"	7/8"

## **RATCHETING BOX WRENCHES**

- 100 gear teeth for a precise 3.6 degree sweep.
- Premium quality drop forged chrome vanadium steel.
- Triple chrome plated to resist corrosion and fully polished.
- Low profile head for access in tight spaces.

IP	MP	PKG	Sizes
10	100	TAB	E6 & E8
10	100	TAB	E10 & E12
10	100	TAB	E14 & E18
10	100	TAB	E20 & E24
	10 10 10	10         100           10         100           10         100           10         100	10         100         TAB           10         100         TAB           10         100         TAB           10         100         TAB

## **RATCHETING WRENCH ADAPTER SET**

- Convert your ratcheting wrench into a ratchet or bit driver.
- Fits 3/8, 1/2 and 3/4" size ratcheting wrenches.
- 1/4, 3/8 and 1/2" drive, and 1/4" hex.
- Chrome vanadium construction.

Item #	IP	MP	PKG
W30602*	10	100	CRD







202



## WRENCH SETS



- Raised panel design.
- Roll pouch for storage.



performancetool.com





## WRENCH SETS

#### **11-PC WRENCH SETS**

- Chrome vanadium steel construction.
- Fully polished finish.
- Handy storage rack.





Sizes

10, 11, 12,

13, 14, 15mm

5/16, 3/8,

7/16, 1/2,

9/16, 5/8"

Item #	IP	MP	PKG	
W1061*	2	8	RAC	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
W1062*	2	8	RAC	9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### **12-PC STUBBY WRENCH SETS**

- Fully polished chrome vanadium steel construction.
- Handy storage rack.

Item #

W1157\*

IP

6

Heat treated allov steel.

MP

24

**5-PC WRENCH SETS** 

	1/4"	W320C*	12	72	TAB
	5/16"	W321C*	12	72	TAB
	3/8"	W322C*	12	72	TAB
1	7/16"	W323C*	12	72	TAB
	1/2"	W324C*	12	72	TAB
	9/16"	W325C*	12	72	TAB
	5/8"	W326C*	6	36	TAB
	11/16"	W327C*	6	36	TAB
	3/4"	W328C*	6	36	TAB
	13/16"	W329C*	6	36	TAB
	7/8"	W330C*	3	36	TAB
	15/16"	W331C*	12	36	TAB
-	1"	W332C*	12	36	TAB
	1-1/16"	W333C*	12	36	TAB
	1-1/8"	W334C*	3	36	TAB
	1-1/4"	W340C*	3	36	TAB
	1-5/16"	W376B*	3	12	BLK
	1-3/8"	W343B*	3	12	BLK
	1-7/16"	W377B*	3	12	BLK
	1-1/2"	W344B*	3	12	BLK
	1-5/8"	W345B*	3	12	BLK
	1-11/16"	W378B*	3	12	BLK
	1-3/4"	W346B*	3	12	BLK
	1-13/16"	W379B*	3	12	BLK
	1-7/8"	W347B*	3	12	BLK
	2"	W348B*	3	12	BLK
	2-1/8"	W353B*	3	6	BLK
	2-1/4"	W354B*	3	6	BLK
	2-3/8"	W355B*	3	6	BLK
	2-1/2"	W356B*	3	6	BLK

**OPEN STOCK** 

Item #

IP

MP

PKG

PKG

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB

TAB TAB

TAB

TAB

TAB

TAB

TAB

TAB

Size





C	
C	
-	
C	
-	
<	

7



PKG

RAC

Item #	IP	MP	PKG	Sizes
W15P*	6	48	CRD	3/8, 7/16, 1/2, 9/16, 5/8"
W15MP*	6	48	CRD	8, 10, 12, 14, 17mm



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Size

6mm

7mm

8mm

9mm

10mm

11mm

12mm

13mm

14mm

15mm

16mm

17mm

18mm

19mm

21mm

22mm

24mm

Item #

W308C\*

W309C\*

W310C\*

W311C\*

W312C\*

W313C\*

W314C\*

W315C\*

W316C\*

W317C\*

W307C\*

W318C\*

W349C\*

W319C\*

W341C\*

W342C\*

W368C\*

IP

12

6

12

12

12

6

12

12

12

12

6

6

12

6

3

З

З

MP

72

72

72

72

72

72

72

72

72

72

72

48

36

36

36

36

36



## WRENCH SETS

#### **JUMBO COMBINATION WRENCH SETS**

- Drop forged alloy steel construction.
- Fully polished for easy cleanup.
- Nickel plated to resist corrosion.

Item #		IP	MP	PKG	Sizes
W1104M* 13-F	С	1	4	CBX	20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32mm
W1104S* 6-P	C	1	8	CBX	7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

#### SUPER JUMBO WRENCH SETS

- Heat treated alloy steel.
- Full pattern raised panel design.

Item #		IP	MP	PKG	Sizes
S/4*	4-PC	1	2	CBX	2-1/8, 2-1/4, 2-3/8, 2-1/2"
S/6*	6-PC	1	2	CBX	1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

# **3-PC FLARE NUT WRENCH SETS**

- Heat treated alloy steel.
- Drop forged for strength.
- Polished chrome plated finish.

				Sizes			
Item #	IP	MP	PKG	Α	В	С	
W350*	6	96	CRD	3/8"	1/2"	5/8"	
W350T	0	90	CRD	7/16"	9/16"	11/16"	
W350M*	6	06	CRD	10mm	13mm	16mm	
W350W	6 96		CHD	12mm	14mm	18mm	

## **CROWFOOT WRENCH SETS**

- Heat treated alloy steel.
  Drop forged for strength.
  Polished chrome plated finish.
- Ideal for hard to reach fasteners.
- Bonus storage rail.

#### W352

Item #		IP	MP	PKG	Drive	Sizes
W351*	8-PC	6	36	CRD	3/8"	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8"
W352*	8-PC	6	36	CRD	3/8"	10, 11, 13, 14, 15, 17, 18, 22mm
W452*	10-PC	6	36	DBL	3/8"	10, 12, 13, 14, 15, 16, 17, 18, 19, 21mm
W453*	10-PC	6	36	DBL	3/8"	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"

#### **EMPTY WRENCH SET RACKS**

- Durable impact resistant construction.
- Comfortable molded handle.

Item #	IP	MP	PKG	Markings
W30600*	3	6	SHK	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
W30601*	3	6	SHK	6, 8, 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm



205

W452

#### **PROFESSIONAL GRIP**

- Ergonomic non slip molded grips for improved comfort and control.
- Premium quality drop forged and hardened chrome vanadium steel.
- US Patent D704523S1.

## **SLIP JOINT PLIERS**

• Precision machined jaws for maximum gripping power.

Item #	IP	MP	PKG	Length
W30720 <b>*</b>	6	36	CRD	6"
W30721*	6	36	CRD	8"
W30722*	6	36	CRD	10"

## **LINESMAN PLIERS**

• Induction hardened and precision sharpened cutting edges.

Item #	IP	MP	PKG	Length
W30728*	6	36	CRD	8"

## LONG NOSE PLIERS

• Induction hardened and precision sharpened cutting edges.

Item #	IP	MP	PKG	Length	Angle
W30736*	12	144	CRD	5"	-
W30731*	6	36	CRD	6"	-
W30732*	6	36	CRD	6"	45°
W30733*	6	36	CRD	8"	-

#### **DIAGONAL PLIERS**

• Induction hardened and precision sharpened cutting edges.

Item #	IP	MP	PKG	Length
W30737*	12	144	CRD	5"
W30725*	6	36	CRD	6"
W30726*	6	36	CRD	8"

#### **4-PC PROFESSIONAL GRIP PLIERS SET**

• Drop forged chrome vanadium steel.

- Induction hardened cutting edges.
- Precision machined jaws.



Item #IPMPPKGSlip JointDiagonal CutterLong NoseLinesmanW30765\*612CRD6"6"6"7"



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

HAND TOOL



## **PROFESSIONAL PLIERS**

#### LONG REACH PLIERS



Item #	IP	MP	PKG	Length	Angle
W30771*	6	48	CRD	11"	-
W30772*	6	48	CRD	11"	45°
W30773*	6	48	CRD	11"	90°
W30774*	6	48	CRD	11"	Offset
W30775*	6	48	CRD	11"	1/2" Hose

## **GROOVE JOINT PLIERS**

Item #	IP	MP	PKG	Length	Capacity
W30762*	6	36	CRD	8"	7/8"
W30741*	6	36	CRD	10"	1-3/8"
W30743*	6	36	CRD	12"	1-5/8"
W30745*	6	12	CRD	16"	3-1/4"

## WATER PUMP PLIERS

- Unique design quickly adjusts and maintains position.
- Double guide box design for added stability.
- 7-position adjustment.
- US Patent D704523S1.

Item #	IP	MP	PKG	Length	Capacity
W30740*	6	36	CRD	10"	1/4 to 1-1/4"

#### **CABLE CUTTERS**

- Precision sharpened cutting edges.
- Cuts up to: 2/0 (1/2") soft aluminum, 4/0 (3/8") soft copper, and 7/8" coaxial cable. • US Patent D704523S1.

Item #	IP	MP	PKG	Length
W30729*	6	36	CRD	10"

## **CRIMPING PLIERS**

- Slim nose shape for tight places.
- Designed for crimping of both insulated and non-insulated solderless connections and terminals.
- US Patent D704523S1.

Item #	IP	MP	PKG	Length	Capacity
W30764*	6	24	CRD	9-1/2"	10-22 AWG

## ANGLED FLUSH CUTTER

• Offset at 30° to produce closer and more precise flush cuts.

performancetool.com

- For use on copper and soft wire up to 16 gauge (1.3mm).
- Spring loaded jaws.
- US Patent D704523S1.

Item #	IP	MP	PKG	Length	Capacity
W30763*	12	144	CRD	5"	16 AWG







#### perfect for detailed flush cutting such as wire, mono and braid knots and zip-tie ends.

The flush cutter is

#### \*California Residents Prop 65 warnings see page 2.

207

## **STANDARD PLIERS**

#### **SLIP JOINT PLIERS**

- Ergonomic cushion grip handles for comfort and control.
  Heat treated cutting edges for added hardness.
- Drop forged alloy steel construction.
- Machine ground and polished jaws.

Item #	IP	MP	PKG	Length
W1120PC*	6	60	CRD	6"
W1121PC*	6	72	CRD	8"

## LINESMAN PLIERS

Item #	IP	MP	PKG	Length
W1118*	6	72	CRD	7"

## LONG NOSE PLIERS

Item #	IP	MP	PKG	Length
W1117C*	6	72	CRD	6"
W1102*	6	48	CRD	8"

## **DIAGONAL PLIERS**

Item #	IP	MP	PKG	Length
W1122C*	6	72	CRD	6"
W1103 <b>*</b>	6	48	CRD	7"

## LONG REACH PLIERS





H	Item #	IP	MP	PKG	Length	Angle
$\mathbf{E}$	W1044*	6	48	CRD	11"	-
	W1045*	6	48	CRD	11"	45°
	W1046*	6	48	CRD	11"	90°
-	W1047*	6	48	CRD	11"	Offset
	W1048*	6	48	CRD	11"	1/2" Hose

## **GROOVE JOINT PLIERS**

Item #	IP	MP	PKG	Length	Capacity
W1119C*	6	48	CRD	9-1/2"	1-1/4"
W1101*	6	24	CRD	12"	1-5/8"

#### **FENCE PLIERS**

- Drop forged alloy steel construction.
- Machine ground and polished jaws.
- Hammer head, pick end and wire cutters.

	G Length
<b>W1500*</b> 6 36 CR	D 10"







BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box





performancetool.com

\*California Residents Prop 65 warnings see page 2. 209

## **ADJUSTABLE WRENCHES**

#### **PROFESSIONAL GRADE ADJUSTABLE WRENCHES**

- Wide I-Beam handle design for increased comfort and torque.
- SAE and Metric graduations for accurate sizing.

1.....

• Premium quality drop forged and hardened chrome alloy steel.



		Jaw									
L	ength	Capacity	Pro Series	IP	MP	PKG	Standard	IP	MP	PKG	•
	4"	9/16"	W30704*	6	48	CRD	-	-	-	-	
	6"	3/4"	W30706*	6	48	CRD	W6C*	6	120	CRD	•
	8"	1"	W30708*	6	48	CRD	W8C*	5	100	CRD	
	10"	1-1/4"	W30710*	6	48	CRD	W10C*	6	60	CRD	
	12"	1-1/2"	W30712 <b>*</b>	6	24	CRD	W12C*	6	48	CRD	
	15"		-	-	-	BLK	W415C*	2	12	BLK	
	18"		-	-	-	BLK	W418P*	2	12	BLK	
	24"		-	-	-	BLK	W424P*	1	6	BLK	

#### **STANDARD**

- Precision crafted for smooth operation.
- Heat treated alloy steel.
- Polished heads.

## **CONSTRUCTION WRENCH**

- Corrosion resistant industrial black finish.
- SAE and Metric graduations.
- Drop forged alloy steel.

Tapered handle for aligning bolt holes.

Item #	IP	MP	PKG	Length	Jaw Capacity
W30766*	4	24	CRD	16"	1-5/8"

## **3-PC ADJUSTABLE WRENCH SET**

- Soft cushion grips with ergonomic shape for safe easy use.
- Machine polished finish and drop forged for long life.
- Precision SAE and Metric rule on wrench heads for accuracy.

Box ends in handles

				۱ I	Wrench 1			Wrench 2			Wrench 3	
Item #	IP	MP	PKG	Length	Capacity	Box	Length	Capacity	Box	Length	Capacity	Box
W30703*	6	12	CLM	6"	3/4"	3/8"	8"	1"	9/16"	12"	1-1/2"	3/4"

## **FACE SPANNER WRENCH**

- Corrosion and oil resistant black phosphate finish
- High quality chrome vanadium alloy steel

Item #	IP	MP	PKG	Range
W30781*	6	48	CRD	6"

#### **W30781\*** 6 48 CRD

- **HOOK WRENCHES**
- Corrosion and oil resistant black phosphate finish
- High quality chrome vanadium alloy steel
- Use for service collars and lock nut rings

W30783*         6         36         CRD         1-1/4 to 3"           W30784*         6         36         CRD         2 to 4-3/4"	Item #	IP	MP	PKG	Range
	W30783*	6	36	CRD	1-1/4 to 3"
	W30784 <b>*</b>	6	36	CRD	2 to 4-3/4"
W30782 <sup>•</sup> 6 36 CRD 3/4 to 2"	W30782*	6	36	CRD	3/4 to 2"
<b>W30785*</b> 6 36 CRD 4-1/2 to 6-1/4"	W30785 <b>*</b>	6	36	CRD	4-1/2 to 6-1/4"





BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **LOCKING PLIERS**

#### **LOCK GRIP PLIERS**

- Premium guality drop forged and hardened chrome vanadium steel.
- Precision machined jaws with integrated wire cutter.
- Triple riveted and welded center point for added strength.
- Knurled adjustment screw for guick loosening and tightening.

Item #		Length	IP	MP	PKG
W30758*	Long Nooo	6-1/2"	6	48	CRD
W30760*	Long Nose	9"	6	48	CRD
W30752*		5"	6	48	CRD
W30754*	Curved Jaw	7"	6	48	CRD
W30756*		10"	6	48	CRD
W30757*	Straight Jaw	10"	6	48	CRD

## **LOCK GRIP PLIERS**

- Drop forged steel construction.
- Hardened and tempered milled teeth.

Item #		Length	IP	MP	PKG
W1039*	Curved Jaw	7"	6	48	CRD
W1116C*	Curved Jaw	10"	6	48	CRD

## **LOCKING C-CLAMP**

- Heavy duty construction.
- Quickly adjusts to right size before use.
- Locks to work with squeeze of one hand. • Unlocks easily by squeezing release lever.

		-	-		
Item #	IP	MP	PKG	Length	Capacity
W5100*	6	48	SLV	6"	2"
W5101*	6	48	SLV	8"	2-3/8"
W5102*	6	24	SI V	11"	3-1/2"

## **3-PC LOCKING PLIERS SET**

- Machine polish finish and drop forged for long life
- Indispensable tool set for the home or shop
- Ergonomic cushion grip handles

Item #	IP	MP	PKG	Contents
W30713 <b>*</b>	6	12	DBL	6-1/2" long nose, 7" curved jaw, 10" curved jaw pliers

## **3-PC LOCKING PLIERS SET**

MP

24

**PKG Contents** 

CRD

• Drop forged steel construction.

IP

6

Item #

W1107DB\*

- Hardened and tempered milled teeth.
- Wire cutters and guick release levers.





performancetool.com



## **SNAP RING PLIERS**



- Professional quality construction.
- Adjustable tips for 0°, 45° or 90° use.
- Tips are tapered for better hold.

					Сар	acity	Та	apered Tij	os
Item #	IP	MP	PKG		Min	Max	<b>0°</b>	<b>45°</b>	<b>90°</b>
W88010*	6	72	CRD	Internal	3/8"	1-1/4"	1mm	1.5mm	2mm
W88011*	6	72	CRD	External	3/8"	1-1/4"	1mm	1.5mm	2mm

45

٥°

#### 5-PC COMBINATION SNAP RING PLIER SET

- Two straight, one 45° and one 90°.
- One spring retainer assembly.
- Vinyl grip handles.
- For internal or external snap rings.

						$\bigcirc$					
				Сар	acity		Tips				
Item #	IP	MP	PKG	Min	Max	<b>0</b> °	45°	90°			
W1159*	6	60	CRD	1/8"	2"	1mm 1.4mr	n 1.4mm	1.4mm			

#### **REVERSIBLE SNAP RING PLIERS**

- Unique design switches easily from internal/external operation.
- Comfortable cushion grips feature storage for spare tips.
- Change tips easily with included hex key.

			Capacity Tips				ps	
Item #	IP	MP	PKG		Min	Max	<b>0°</b>	90°
W88013*	e	10		Internal	7/8"	1-7/8"	1.2mm	1.2mm
W00013	0	40	CRD	Internal External	5/16"	1-7/8"	1.8mm	1.8mm

## **INTERNAL / EXTERNAL SNAP RING PLIERS**

- Push button lever arm converts pliers for internal or external snap rings.
- Includes 4 sets of tips in handy storage case.
- Two straight, one 45° and one 90°.

	J, -									
			Cap	acity		Tapered Tips				
Item #	IP	MP	PKG	Min	Max	(	)°	45°	90°	
W1151 <b>*</b>	6	70	CRD	1/8"	1"	1mm	1.4mm	1.4mm	1.4mm	
WIISI	0	12	UND	1/8"	2"	1111111	1.4000	1.4000	1.4000	

#### **SNAP RING PLIER SET**

- Internal and external pliers.
- Includes straight, 90° and 45° tips.

				Сар	acity	Tapered Tips			(
Item # IP	IP	MP	PKG	Min	Max	C	)°	<b>45°</b>	90°
W1150S*	G	40	CRD	1/8"	7/8"	1.000	1 1 mm	1 1 0000	1 1 mm
W11505	0	48	CRD	1/8"	1-3/4"	1mm	1.4mm	1.4mm	1.4mm

#### **4-PCS MINI SNAP RING PLIER SET**

- Spring loaded for precise movement and control in tight working areas.
- Chrome molybdenum steel with vinyl coated handles.

Item #

212

W88012\*

- IP MP PKG Contents
- 12 48 CRD Internal straight pliers, internal 45° pliers, External straight and external 45° pliers.

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

|| ||

11

11

Switches easily

from internal/ external



## **SPECIALTY PLIERS**

W88002

#### LOCK RING PLIERS

- Knurled outer tips hold rings securely.
- Spring loaded jaws.
- Vinyl grip handles.

Item #	IP	MP	PKG
W88001*	6	72	CRD

## **HOG RING PLIERS**

- Many applications like: upholstery, fencing, craft, rope, bungee cords, bag closures, furniture and much more.
- Specially designed head to roll the hog ring closed.
- Heavy duty steel construction.

Item #	IP	MP	PKG
W88002* Straight	12	48	CRD
W88003* Angled	12	48	CRD

#### **AVIATION TIN SNIPS**

- Forged, heat treated steel blades.
- Spring-loaded for self-opening action.
- Non-slip serrated jaws.
- Ergonomic grip.

Item #		IP			Snips
W2040*	3-PK	6	12	DBL	Left cut, Right cut, Center cut
W2043*		6	24	DBL	Center cut

## **MULTI-FUNCTION SHEARS**

- High quality stainless steel blades.
- Ergonomic non-slip molded grips for improved comfort and control.
- Ideal for cutting, slicing, trimming, pealing and more.

Great for working in the kitchen, home office, camping, hunting, fishing and more.

Item #	IP	MP	PKG		Functions	Additional
W9354*	12	36	CRD	6-IN-1	Shears, chef knife, scraping blade,	-
W9353*	6	36	CRD	9-IN-1	scaler, paring blade, bottle opener	nut cracker, peeler, lid lifter

W9353

0

W88003 Angled head for easy access.

## **3-IN-1 MULTI-CUTTER**

- Three tools in one anvil cutter, wire cutter and box cutters.
- Heat treated and hardened carbon steel blades are
- stronger and last longer.
  Titanium coated wire cutter makes it easy to trim 7mm diameter copper, aluminum and soft steel wire or cable and up to 4mm diameter nails.
- Retractable anvil exposes 3/8" (10mm) of the blade for cutting boxes, carpet, drywall and more.

Item #		IP	MP	PKG	Includes
W2045*	Cutter	6	24	CRD	3 extra blades stored in handle.
W2045-1*	Blades	12	144	CRD	2 cartridges with 3 blades each.

W2045

performancetool.com

\*California Residents Prop 65 warnings see page 2.

W2045-1

W9354

Separate for individual

use as knives.



## **PROFESSIONAL SCREWDRIVERS & SETS**

## TRILOBULAR HANDLES

- Ergonomic non-slip molded grips for improved comfort and control.
- Chrome vanadium steel shafts with corrosion resistant satin finish.
- Magnetic tips for added convenience.
- US Patent D693201S1

## **OPEN STOCK PHILLIPS**

Item #	Size	(L)	IP	MP	PKG
W30960*	#0	2-1/2"	12	120	TAB
W30961*	#1	3"	12	120	TAB
W30962*	#1	6"	12	120	TAB
W30967*	#2	1-1/2"	12	120	TAB
W30963*	#2	4"	12	120	TAB
W30964*	#2	6"	12	120	TAB
W30965*	#2	8"	6	60	TAB
W30968*	#3	6"	6	60	TAB
W30969*	#4	8"	6	60	TAB

# **OPEN STOCK SLOTTED**

Item #	Size	(L)	IP	MP	PKG
W30970*	1/8"	3"	12	120	TAB
W30986*	3/16"	3"	12	120	TAB
W30987*	3/16"	6"	12	120	TAB
W30994*	1/4"	1-1/2"	12	120	TAB
W30988*	1/4"	4"	12	120	TAB
W30989*	1/4"	6"	12	120	TAB
W30990*	1/4"	8"	6	60	TAB
W30991*	5/16"	6"	6	60	TAB
W30995*	5/16"	8"	6	60	TAB
W30992*	3/8"	8"	6	60	TAB
W30993*	3/8"	10"	6	60	TAB
W30983*	3/8"	12"	6	60	TAB

## **6-PC SCREWDRIVER SET**

- Ergonomic non-slip molded grips for improved comfort and control.
- US Patent D693201S1

В	
B	
В	
0	

HAND TOOLS	<ul> <li>Ergonomic improved c</li> <li>US Patent</li> </ul>	comfor	t and c	lded gri control.	ps for				0	0
						Phillips			Slotted	
	Item #	IP	MP	PKG	#0	#1	#2	1/8"	3/16"	1/4"
	W30896*	6	12	CRD	2-1/2"	3"	4"	3"	3"	4"

#### **6-PC JUMBO** SCREWDRIVER SET

IP

6

• Ergonomic non-slip molded grips for improved comfort and control.

MP

12

PKG

CRD

US Patent D693201S1

ps for				
Phil	lips	Slot	ted	
#2	#3	1/4"	5/16"	
10, 12"	24"	10, 12"	24"	



W30989\*

Item #

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

#### **PROFESSIONAL STAR DRIVERS**

- Comfortable non-slip molded grips.
- Chrome vanadium steel shafts with magnetic tips.
- US Patent D693201S1

Item #	Size	(L)	IP	MP	PKG
W30810*	T10	4"	12	120	TAB
W30815*	T15	4"	12	120	TAB
W30820*	T20	4"	12	120	TAB
W30825*	T25	4"	12	120	TAB
W30827*	T27	4"	12	120	TAB
W30830*	T30	4"	12	120	TAB



## **5-PC STAR DRIVER SET**

																					Star			
Item #	IP	MP	PKG	T10	T15	T20	T25	T27																
W30899*	6	10	CRD	4"	4"	4"	4"	4"																
W20099	0	12	CRD	W30810	W30815	W30820	W30825	W30827																

## **PROFESSIONAL NUT DRIVERS**

- Ergonomic non-slip molded grips for improved comfort and control.
- Chrome vanadium steel construction with corrosion resistant chrome plating.
- Color coded for easy size identification.
- Hollow shafts.
- US Patent D693201S1

Item #		(L)	IP	MP	PKG
W30920*	3/16"	3"	6	48	TAB
W30921*	7/32"	3"	6	48	TAB
W30922*	1/4"	3"	6	48	TAB
W30923*	5/16"	3"	6	48	TAB
W30924*	11/32"	3"	6	48	TAB
W30925*	3/8"	3"	6	48	TAB
W30926*	7/16"	3"	6	48	TAB
W30927*	1/2"	3"	6	48	TAB
W30905*	5mm	3"	6	48	TAB
W30906*	6mm	3"	6	48	TAB
W30907*	7mm	3"	6	48	TAB
W30908*	8mm	3"	6	48	TAB
W30909*	9mm	3"	6	48	TAB
W30910*	10mm	3"	6	48	TAB
W30911*	11mm	3"	6	48	TAB
W30912*	12mm	3"	6	48	TAB

## **8-PC NUT DRIVER SETS**

US Patent D693201S1

Item #	IP	MP	PKG	
W30900* SAE	6	24	CLM	3/16, 7/32, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"
W30901* Metric	6	24	CLM	5, 6, 7, 8, 9, 10, 11, 12mm

W30901

#### **performancetool.com** \*California Residents Prop 65 warnings see page 2.

W30900

215

HAND TOOLS

## **SCREWDRIVERS & SETS**



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

HAND TOOLS


#### **100-PC SCREWDRIVER SET**

Slotted

1/8, 3/16"

5/32, 3/16, 1/4"

3/16, 1/4

5/16"

5/16 Precision

1/16, 3/32"

Slotted

1/8, 9/64, 5/32,

11/64, 3/16,

7/32, 1/4, 17/64,

9/32, 5/16".

- Comfortable non-slip molded grips.
- Chrome vanadium blades and power bits.
- Satin finish with magnetic tips.

Phillips

#0, #1

#1, #2

#1, #2

#00, #0

Phillips

2ea: #0, #1

3ea: #2, #3

(Pozi sizes/

quantities)

3"

4"

6' 8"

10"

2"

Hex

Screwdrivers

ţ

ä

Organizing zippered carrying case.

## **SCREWDRIVERS & SETS**



#### 3/16, 7/32, 5/16, 3/8, 7/16, 1/2" Nut Offset sizes: 1/4 x #2 and 3/16" x #1. Item # IP MP PKG

SAE

5/32, 3/16, 1/4, 5/16, 3/8"

W1721\* 4 DBL 1

#### **30-PC DRIVER & BIT SET**

- Comfortable non-slip molded grips.
- Chrome vanadium blades and power bits with magnetic tips and satin finish.
- Compact storage rack keeps all tools organized.

	•	•	•	
		Phillips	Slotted	Star
	1-1/2"	#1	1/4"	-
ers	3"	#1	3/16"	-
<u>Š</u>	4"	#2	1/4"	-
٨d	6"	-	5/16"	-
Screwdrivers		Pre	cision	
Sc	2"	#00, #0	1/16, 3/32, 1/8"	T6, T8
		Phillips	Slotted	Star
lits		#1, #2, #3 (Pozi sizes)	5/32, 3/16, 1/4"	T6, T7, T10

. <u></u>		(Pozi sizes)	3/10, 1/4	110
	Hex	3/16, 1/4"		

Item #	IP	MP	PKG
W1718*	4	8	RAC

#### **18-PC DRIVER SET**

- Soft handle screwdriver and precision screwdriver set.
- Chrome vanadium blades with satin finish and magnetic tips.
- Organizing rack stands or mounts on wall.

		Phillips	Slotted	Star
	1-1/2"	#2	1/4"	-
ers	3"	#1	3/16"	-
Ľ.	4"	#2	1/4"	-
٨d	6"	#3	5/16"	-
Lē/		F	recision	
Screwdrivers	1-1/2"	#00, #0	3/32, 1/8"	T5, T6, T7, T8, T9, T10

Item #	IP	MP	PKG
W1710 <b>*</b>	6	12	DBL



#### **SCREWDRIVERS & SETS**

#### 22-PC SCREWDRIVER SET

- · Heavy duty easy grip color coded handles.
- Chrome vanadium steel shafts with magnetic tips.
- Hex bolster on larger sizes

Phillips (Yellow), Slotted (Red), Star (Blue), Nut drivers (Green) and Tack puller (Blue).

Item #	IP	MP	PKG	
W80022*	6	12	LAB	

#### SCREWDRIVER SETS

 Chrome vanadium heat treated shafts with magnetic tips.

2. #2x4"

Professional style heat • resistant handles.



		Phillips	Slotted
	1-1/2"	#2	1/4"
Screwdrivers	3"	#0, #1	1/8"
ĽŚ.	4"	#2	3/16, 1/4,
Ŋ	4	#2	5/32"
rev	6"	#3	1/4"
SC	8"	-	5/16"
0,	10"	-	3/8"
Star	4"	T10, T15, T20	)
Hex	4"	3/16, 1/4, 5/1	6, 3/8, 7/16"



#### **NUT DRIVER SETS**



W80015 also includes 4" Square (R2) driver, scratch awl and dual offset driver 3/16" & #1



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

& 4'

& 4"



### **SCREWDRIVERS & SETS**



performancetool.com

\*California Residents Prop 65 warnings see page 2.



#### **SPECIALTY DRIVERS**





220

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **MULTI-BIT DRIVERS**



#### **SPECIALTY DRIVERS**

#### **HI-VIZ LED BIT DRIVER**

- Three bright white LEDs illuminate your work area
- Ergonomic non-slip molded handle.
- On-board bit storage. •



Item #	IP	MP	PKG	Phillips	Slotted	Star
W1728*	12	24	CRD	#1, #2, #3	5/32, 3/16, 1/4"	T10, T15, T20

222

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **13-PC IMPACT DRIVER BIT SET**

- Impact grade S2 steel with black phosphate finish.
- Color coded bits for easy identification.
- Includes quick change bit holder and 3/8" dr. socket adapter.

Phillips	2"	#1, #2		- Y		•
Star	2"	T15, T30	Item #	IP	MP	PKG
Square	2"	S1, S2	W9025*	4	24	CAS
Magnetic Nut Setter	2"	1/4, 5/16, 3/8, 7/16, 1/2"	W9179*	4	24	CAS/Pg 311

#### **38-PC RATCHETING DRIVER & BIT SET**

- Includes 36 popular bits and 1 driver.
- Features forward, reverse and lock positions.
- Compact. stubby design for those hard to reach areas.
- Rubber, cushion grip handle.

Phillips	1"	#0, #1, #2 (2), #3		
Pozi	1"	#0, #1, #2 (2), #3		
Slotted	1"	3, 4, 5, 6, 7mm		
Star	1"	T10, T15, T20, T25, T27, T30, T35, T40	Item #	IP
Square	1"	S0, S1, S2, S3	W9159*	
	1"	1/8, 5/32, 3/16, 7/32, 1/4"		4
Hex	1	2, 3, 4, 5, 6mm	20151*	3

#### 67-PC BIT SET

- Chrome vanadium construction.
- 1/4" magnetic bit holder.

Phillips	1"	#0 (2), #1 (2), #2 (2), #3 (3)
Pozi	1"	#0 (3), #1 (3), #2 (6), #3 (3)
Slotted	1"	3, 4, 4.5, 5, 5.5, 6, 6.5, 7mm
Star	1"	T8, T9, T10, T15, T20,
Star	I	T25, T27, T30, T35, T40
Square	1"	S0, S1, S2, S3
		1/16, 5/64, 3/32, 7/64, 1/8,
Hex	1"	9/64, 5/32, 3/16, 7/32,1/4"
		1.5. 2. 2.5. 3. 3.5. 4. 4.5. 5. 5.5. 6mm

#### 23-PC BIT & SOCKET SET

- Compact stubby design for those hard to reach areas
  Includes 8 sockets, 12 bits, 1/4" dr. rubber cushion grip handle stubby ratchet, 1/4" dr. coupler and 2"
- extension.

Phillips	1"	#1, #2, #3
Slotted	1"	5/32, 3/16, 1/4"
Star	1"	T15, T20, T25
Hex	1"	5/32, 3/16, 1/4"
Socket	1/4"	3/16, 1/4, 9/32, 5/16,
	dr.	11/32, 3/8, 7/16, 1/2"



#### **33-PC PRECISION BIT SET**

 Includes bits for various projects, precision screwdriver handle, 1" magnifier and 8" flexible extension shaft.

Phillips	1"	#000, #00, #0, #1			1	
Pozi	1"	#0, #1	Item #	IP	MP	PKG
Slotted	1"	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm				
Star	1"	T4, T5, T6, T7, T8, T9, T10, T15, T20	W9178*	4	24	CAS/Pg 311
Hex	1"	0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm	20154*	3	18	CAS/Pg 321



MP

24

PKG CAS/Pg 310



Item #	IP	MP	PKG
W9172 <b>*</b>	4	24	CAS/Pg 310
20145*	3	18	CAS/Pg 321





## **BITS SETS - FLIP CASES**

#### 75-PC SPECIALTY BIT DRIVER SET

75 Specialty bit driver set with the most popular fastener styles so you should be ready to tackle most common jobs.
Includes 2-1/2" magnetic bit holder, 1/4" and 3/8" socket adapters.

Dhilling	1"	#0, (2) #1, #2 (4), #3
Phillips	2"	#1, #2 (3), #3
Pozi	1"	#2 (2), #3
Slotted	1"	1/8, 13/64, 7/32, 15/64, 5/16"
Siotted	2"	13/64, 15/64"
	1"	T8, T9, T10, T15, T20, T15, T20, T25, T27,
Star	1	T30, T35, T40
	2"	T25
TR	1"	T10, T15, T20, T25, T27, T30, T35
Causero	1"	S0, S1, S2, S3, S4
Square	2"	S2, S4 (2)
Hex	1"	1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8mm
TR	1"	2, 2.5, 3, 4, 5, 6, 7mm
Spanner	1"	#4, #6, #8, #10

Item #	IP	MP	PKG	
W9027*	4	24	CAS	

#### **28-PC DRILL BIT & DRIVER SET**

 1/4" driver and titanium drill bit set is well equipped to tackle most common jobs.,
 Includes 1/4" and 3/8" socket adapters

	des 1/4	and 3/8" socket adapters .
Phillips	s 2"	#1, #2 (3), #3
Slotted	d 2"	13/64, 15/64"
Star	2"	T25
Square	e 2"	S2
		1/16, 1/8, 9/64, 5/32, 11/64, 3/16,
Drill Bit	.5 -	13/64, 7/32, 15/64, 1/4, 9/32, 5/16"



6" X 3-1/2" small footprint

Peg hook hanger tab

can be pulled out for hanging or pushed

flush into the case for

compact storage.



2 sided flip case with crystal clear lids so you can easily find the needed bit.



Item #	IP	MP	PKG	
W9040*	4	24	CAS	

#### **117-PC MICRO BIT SET**

- Micro screwdriver repair kit is the perfect choice for the electronics enthusiast.
- Additional tools included magnetizer, suction cup, narrow and wide pry bars, triangle prying tool, tweezers, aluminum screwdriver handle with 6cm straight and 13cm flexible extender.

Phillips #000 (2), #00 (2), #0 (2), #1 (2), #2 (2) #00 (2), #0 (2), #1 (2), #2 (2), 2.0mm, 1" Pozi 3.0mm 1.0mm (2), 1.5mm (2), 2.0mm (2), 2.5mm (2), 3.0mm (2), 3.5mm (2), Slotted 1" 4.0mm (2), 1/16 (2), 5/64 (2), 3/32 (2), 7/64, 1/8 9/64, 5/32" 0.8 (2), 1.2mm (2), 1.5mm (2), 2.0mm Star 1" (2), T3, T4 (2), T5 (2), T6 (2), T7 (2), T8 (2), T9 (2), T10 (2), T15 (2), T20 (2) 0.7, 0.9, 1.3 (2), 1.5 (2), 2.0 (2), 2.5 (2), 3.0 (2), 3.5, 4.0 (2), 1/16, 5/64, 3/32, Hex 7/64, 1/8, 9/64, 5/32" Nut Driver 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm Tri Wing #2.0, #2.3, #2.7, #3.0 Spanner 1" #2.6

PKG

CAS

Every bit you might need to open and repair you electronic and small devices.





////



W9041\*

Item #

IP

4

MP

24

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

HAND TOOLS



#### **BIT SETS - FLIP CASES**

#### **89-PC ROTARY BIT ACCESSORY SET**

- Everything you need to cut, grind, sand, polish, sharpen and clean
- 2 sided flip case with crystal clear lids so you can easily find the needed bit
- For 1/8" collet rotary tools such as Performance Tool item number W50031, W50083 and W50003
- 4-pcs small and large sanding bands,
- 2-pcs red and green silicon carbide grinding wheel
- 3-pcs cut-off wheels
- 4-pcs drills bit: 2-1.6 and 2-2.3
- 2-pcs 9 hole cutting wheel
- 4-pcs small and large felt polishing wheels
- 36-pcs cut-off wheels in container
- 9-pcs diamond wheel head
- 2-pcs grinding mandrels
- 3-pcs orange and green silicon carbide grinding wheel
- 1-pc small and large rubber wheel,
- 1-pc nylon, steel and brass brushes
- 1-pc round steel brush
- 1 container of grinding paste

Item #	IP	MP	PKG
W9042*	4	24	LAB

#### **102-PC DRILL & BIT DRIVER SET**

- 102-pc drill & bit driver set with the most popular fastener styles.
- Includes 2" magnetic bit holder, 1/4, 3/8, and 1/2" socket adapters.

Item #		P MP PKG
Drill Bits		1.5(3), 2(3), 2.5(3), 3(2), 3.2(2), 3.5(2), 4, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 8
	1"	2, 2.5, 3, 4, 5, 6, 7mm
Hex TR	1"	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"
	2"	2.5mm(2)
Hex	1"	1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6mm
Square	2"	S2, S4(2)
Square	1"	S1, S2, S3, S4
TR	1"	T35
		T10, T15, T20, T25, T27, T30,
Star	1"	T8, T9, T10, T15, T20, T25, T27, T30, T35, T40
Siotteu	2"	3/16, 1/4"
Slotted	1"	1/8, 3/16, 7/32, 1/4, 5/16"
	5"	#2 (2)
Phillips	2"	#1, #2(3), #3
Dhilling	1"	#0, #1(2), #2(4), #3

W9060\*

4

8

CAS

----

2 sided flip case with crystal clear lids so you can easily find the needed bit.

7-3/4" X 5-1/2" large footprint 6" X 3-1/2" small footprint



1		1				LAN A					
1						N-HAVE			and and	average of	
1	1	-		ų		MUNS	2		8	0	
1	-	ranch	10000				121-121				
	1	1	1			1	1				
Ì	Î	Î	Î	Î	İ	Î	K	1	10UB	ED	

DRILL AND DRIVER BIT SE

# D TOOLS

#### performancetool.com

\*California Residents Prop 65 warnings see page 2.



#### **148-PC MASTER BIT SET**

• Huge assortment of popular and hard-to-find bits for a wide range of applications.

Phillips	1"	#00 (3), #0 (3), #1 (3), #2 (5), #3 (3) , #4 (3)	
T TIIIIp3	2"	#1, #2, #3 3" #1, #2 (2), #3	
Pozi	1"	#0, #1, #2 (3), #3, #4	
FUZI	2"	#2, #3 3" -	
	1"	1/8 (2), 9/64, 5/32 (2), 11/64, 3/16 (4), 7/32,	Item #
Slotted	1	1/4 (4), 17/64, 9/32, 5/16"	W1725*
	2"	- 3" 3/16, 1/4"	11125
	1"	T5, T6, T7, T8, T9, T10, T15, T20, T25, T27,	
Star	1	T30, T40, T45 (also as Tamper Resistant)	
	2"	T10, T15, T20, T25, T27, T30, T40	
Causara	1"	S1, S2 (2), S3	
Square	2"	S2 3" S1, S2 (2), S3	
	1"	1/16 (2), 5/64 (2), 3/32 (2), 7/64 (2),	
Hex	1	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	
Hex	2"	3/16, 7/32, 1/4"	
	1"	1.5 (2), 2 (2), 2.5 (2), 3 (2), 4, 5, 5.5, 6, 8mm	
Spline		M5, M6, M8	
Spanner		#4, #6, #8, #10	
Tri Wing	1"	#1, #2, #3, #4	
Four Wing		#6, #8, #10	
Clutch		C1, C2, C3	



#### **101-PC RATCHETING BIT DRIVER SET**

- Hi-torque ergonomic cushion grip ratcheting screwdriver.
- High quality S2 alloy steel bits for superior strength & durability. Includes 1/4" drive socket adapter (1" and 2"), 1" wing nut driver, 2-1/4" magnetic bit holder, 1" coupler.

Phillips	1"	#0 (0) #1 (0) #0 (0) #0 (0)
		#0 (2), #1 (2), #2 (3), #3 (2)
Pozi	1"	#0, #1 (2), #2 (3), #3 (2)
Slotted	1"	3, 4, 5, 6mm
0.4-1-1		T8, T10 (2), T15 (2), T20 (2), T25 (2), T27, T30, T40,
Star	1"	T45
Tamper Resistant	'	T8, T10, T15, T20, T25, T27, T30, T40, T45
Square	1"	S0, S1, S2, S3
Llav	1"	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
Hex	I	1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6mm
Tamper	1"	5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
Resistant	1	2, 2.5, 3, 4, 5, 6mm
Spline		M5, M6, M8
Spanner		#4, #6, #8, #10
Tri Wing	1"	#1, #2, #3, #4
Four Wing		#6, #8, #10
Clutch		C1, C2, C3

item #	IP	IVIP	PKG	
W1719*	6	12	DBL	

#### **29-PC QUICK CHANGE DRIVER SET**

- Chrome vanadium steel construction.
- Heat treated for longer life.
- 3-3/16" magnetic screw guide with retracting sleeve.

Phillips	1"	#1, #2 (4), #3
Fillips	2"	#2
Pozi	1"	#2, #3
Slotted	1"	6-8, 8-10, 10-12
Star	1"	T10, T20, T30
Causara	1"	S1 (2), S2 (4), S3 (2)
Square	2"	S2
Nut Setter	1"	1/4, 5/16"

Item #	IP	MP	PKG
W9024 <b>*</b>	6	24	DBL









BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

IP

6



## **BIT SETS**

#### **100-PC BIT SET**

- Use with screwdrivers, electric drills or socket wrenches.
- Includes 1 and 2" bit adapters, 2-3/8" magnetic bit holder, "Y" style bits, couplers, Phillips, pozi, square, slotted, spanner, star, torque, tamper resistant star, hex triwing, clutch head and spline bits.

tanip oi		an star, nox triving, olutor n
Phillips	1"	#0, #1, #2 (5), #3
Pozi	1"	#0, #1, #2 (5), #3
Slotted	1"	3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8mm
Star	1"	T8, T10, T15, T20, T25, T27, T30,
Star	I	T40, T45 (also as Tamper Resistant)
Square	1"	S0, S1, S2, S3
		1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,
Hex	1"	3/16, 7/32, 1/4"
		1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8mm
Tamper	1"	5/32, 9/64, 1/8, 7/64, 3/32, 5/64"
Resistant	I	2, 2.5, 3, 4, 5, 6 mm
Spline		M5, M6, M8
Spanner		#0, #1, #2, #3
Tri Wing	1"	#1, #2, #3, #4
Four Wing		#6, #8, #10
Clutch		#1, #2, #3

Item #	IP	MP	PKG	
W1389*	6	12	DBL	

#### **45-PC POWER BIT SET**

- 27 assorted chrome vanadium bits: Slotted. Phillips, Star, Pozi and Square.
  1/4" hex adapter.
- 7 chrome vanadium 6 point nut drivers.
- Magnetic Hex extension.
- 5 drill bits, 3 bit holders.

	2-1/2"	#2, #3 double ended					
Phillips	4-1/4"	#2 (3) double 4" #2 ended 4" #2					
Pozi	2-1/2"	#1, #2, #3 double ended					
FUZI	4"	#2					
Slotted	1"	3/16, 1/4"					
Siotteu	1-3/4"	1/4"					
Star	2-1/2"	T10, T15, T20, T25, T30, T40					
Square	2-1/2"	S1, S2					
Hex	1"	1/8, 5/32, 3/16, 1/4"					
Nut Driver		7/32, 1/4, 9/32, 5/16, 3/8, 7/16, 1/2"					
Drill Bits		1/16, 3/32, 1/8, 5/32, 3/16"					

Item #	IP	MP	PKG	
W1352*	6	12	DBL	

#### **25-PC RAPID CHANGE DRILL BIT SET**

• Contains: 1 quick change holder, 3 nut drivers, 12 assorted 2" length CRV bits: Phillips and slotted, 7 titanium coated drill bits with hex shank, handy storage case.

Phillips	2"	#1, #2 (3), #3
Fillips	6"	#2
Slotted	2"	6-8, 8-10 (2), 10-12
Sioted	6"	8-10
Square	2"	S1, S2, S3
Nut Setter	1-1/2"	1/4, 5/16, 3/8"
Drill Bits		1/16, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"

Item #	IP	MP	PKG
W1343*	6	24	DBL









TITANUUM COATED BUS

#### performancetool.com

\*California Residents Prop 65 warnings see page 2.

• 3' • S tri Ph F Slo Sta Sta Tri Fou	' bits fi et inclu- i-wing illips Pozi otted ar TR anner Wing r Wing <b>B-P(</b>	t mo udes bits, 3" 3" 3" 3" 3" 3" 3" 3" 3" 3" 3" 5	the motorque #1, #2 #1, #2, #3 1/4" T8, T10, T35, T40 2, 2.5, 3, #4, #6, #1 #1, #2, #3 #6, #8, # ECUF	er drills; st com bits, sp 3 T15, T20, 4, 5, 6mr 8, #10 3, #4 10	, screw mon ta panner T25, T27 n BIT	guns a mper p bits and T30, SET	nd magnetic roof sizes, in hex bits. <b>Item #</b> <b>W8659*</b>	e drivers including IP 12	S. J, MP 24	PKG CRD							
• To • In Sta	op and	d bot	pular siz tom bit l /2" mag T8, T10, <sup>-</sup> T35, T40 5/56, 3/32 2, 2.5, 3,	boots. Inetic b T15, T20, 2, 7/64, 1	<b>bit holde</b> T25, T27 /8, 9/64, 5	<b>er.</b> , T30,	asteners.			55	iii						
	anner	1"	#4, #6, #8	B, <b>#1</b> 0			Item #	IP	MP	PKG			01	1			
	Wing r Wing	1" 1"	#1, #2, #3 #6, #8, #				W1384*	12	72	CRD				$\circ$			
Ph Ski S	illips otted Star Hex 88887 <sup>3</sup> 88887 <sup>3</sup> 88887 <sup>4</sup> 91/4 • Hea	1-1/8" 1-1/8" 1-1/8" 1-1/8" 1-1/8" II <b>PC</b> " hey at tree		6, 3/8" 5, T50, T5 5, 750, T5 5, 750, T5 5, 750, T5 5, 750, T5 6, 750, T5 7, 750, 750, T5 7, 750, T5, 750, T5	10, 12mm G D <b>T SE</b> e drive el.	T	r.									B AND	
	Item	#	IP	MP	PKG				T	1 10	1			18	15		Althe Alth
	W13	86 <mark>*</mark>	6	144	CRD		15, T20, 27, T30, T40		3							4	
Ph Ski Sc Iten	Tel     1/4     you     vou     Chu     2-1      illips     otted     Star     uare	esco and ir po rome	apping sc         3/8" so         wer drill         avanadi         agnetic         #1, #2, #:         3/16", 1/4         T15, T20         S1, S2	rew gu cket ac into a ium ste bit ex 3 3 3 3	ide hel dapters power eel con:	ACC ps drive transfo nut driv struction	ESSOR e screws with				S1 SQUA	S2 SD O C RE ST	15 SD20 AR DRIVE	M	agnetic	3.8" SOCKET	1/4" ADAPTER
00							ase   CBX: C	olor Bo	x   CR	D: Carde	d I CLI	M: Cla	mshel		: Dou	ible Blis	ster



**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



#### **13-PC TAMPER RESISTANT 1 IN. BIT SETS**

- · Impact grade chrome vanadium bits for strength and durability.
- 1/4 and 3/8" drive bit holders.
- Convenient storage holder with magnetic base.

Item #	IP	MP	PKG	Sizes
W38971* Blue	8	48	DBL	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8, 10mm
W38972* Red	8	48	DBL	1/16, 3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16"
W38970* Green	8	48	DBL	T8, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55

#### **13-PC TAMPER RESISTANT 2 IN. BIT SETS**

- Impact grade chrome vanadium bits for strength and durability.
  1/4 and 3/8" drive bit holders.
- Convenient storage holder with magnetic base.

Item #	IP	MP	PKG	Sizes
W38974* Blue	4	24	DBL	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8, 10mm
W38975* Red	4	24	DBL	1/16, 3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16"
W38973* Green	4	24	DBL	T8, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55

#### **10-PC IMPACT BIT SETS**

- Impact grade chrome vanadium steel.
- Heat-treated to resist breakage.

Item #	IP	MP	PKG	Sizes	
_			Pa	Phillips	#1, #2, #3
W3246*	12	144	Pg 316	Slotted	3/16, 1/4, 9/32"
			310	Square	S1, S2, S3
W3247 <b>*</b>	12	144	Pg	0.1	T8, T10, T15, T20, T25,
	12	144	Pg 316	Star	T27, T30, T40, T45, T50

#### **15-PC STAR BIT SOCKET SET**

- Includes fourteen 6 point star bits in two lengths and twelve popular sizes.
- Chrome vanadium alloy steel construction for strength and durability.
- Polished nickel chrome plated finish resists corrosion.
- 3/8" drive 10mm hex bit holder.



Item #	IP	MP	PKG	Length	Sizes
W38805*	e	04	CRD	30mm	T10, T15, T20, T27 & T30
W300031	0	24	СПД	75mm	T20, T25, T30, T40, T45, T47, T50, T55 & T60

BIT <u>Sets</u>

## 



\*California Residents Prop 65 warnings see page 2.



HAND TOOLS

## **HEX & STAR KEYS**

HEX KE W/HOL		• Black oxide f • Heat treated • Includes har	alloy	steel.		W80281	
Item #			IP	MP	PKG	Plastic holder folds open or	
W80280*	22-PC	SAE/Metric Ball End	6	24	CRD	separates for versatile storage.	10
W80281*	25-PC	SAE/Metric	6	24	CRD		
W1391*	12-PC	SAE	6	48	CRD		
W86102*	11-PC	SAE	6	72	CRD		٦
W1392 <b>*</b>	9-PC	Metric	6	48	CRD		
W86100*	10-PC	Metric	6	72	CRD		
		Extended Reach					
W1393*	12-PC	SAE	6	48	CRD		
W86101*	12-PC	SAE	6	48	CRD		
W1394*	9-PC	Metric	6	48	CRD	25 Performance local	
W86103*	9-PC	Metric	6	48	CRD		0.00
01		ess to screw heads at es up to 25 degrees.		W8028	0		

.050"

1/16"

8mm

10mm

Ball End

Х

Х





5/64"	Х	Х	х	х	х	х	х	Х
3/32"	Х	Х	х	Х	Х	х	Х	Х
7/64"	Х	Х	х	-	Х	-	-	-
1/8"	Х	Х	Х	Х	Х	Х	Х	Х
9/64"	Х	Х	Х	-	Х	-	-	-
5/32"	Х	Х	х	Х	Х	Х	Х	Х
3/16"	Х	Х	х	Х	Х	Х	Х	Х
7/32"	Х	Х	х	Х	Х	Х	Х	-
1/4'	Х	Х	х	Х	Х	Х	Х	Х
5/16"	Х	Х	х	Х	Х	Х	-	Х
3/8"	Х	Х	-	Х	-	Х	-	Х
	-	-	W1392*	W86100*	W1394*	W86103*	W1108C*	W1113C*
1.27mm	-	Х	_	х	_	-	_	-
1.5mm	Х	Х	х	х	х	х	х	-
2mm	Х	Х	х	х	х	х	х	X
2.5mm	Х	-	х	х	х	х	х	х
3mm	Х	-	х	х	х	Х	Х	Х
4mm	Х	Х	х	х	х	Х	х	х
4.5mm	-	Х	-	-	-	-	-	-
1.011111								
5mm	Х	Х	Х	х	х	Х	Х	Х
	X -	X X	X -	X -	X -	X -	X X	- X
5mm			- X	- X				

Х

Х

Х

Х

Х

Х

Standard

Х

Х

#### **KEY RING HEX KEY SETS**

Х

Х

Х

Х

Tough, chrome plated steel.
Complete with handy "key ring" style holder to keep wrenches organized.

Item #		IP	MP	PKG
W1109C*		6	120	CRD
W1110C*	8-PC	6	72	CRD
W1108C*	8-PC	6	120	CRD
W1113C*	8-PC	6	72	CRD
W1315 <b>*</b>	8-PC	6	60	CRD



**Key Ring** 

Х

Х

Х

-

\_

Long Reach

Х

Х

W80280\*W80281\*W1391\*W86101\*W1393\*W86102\*W1109C\*W1110C\*

Х

Х

Х

Х

Star: T9, T10, T15, T20, T25, T27, T30, T40

Х

Х

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### W86103

Long shank for access to confined areas.





#### **HEX & STAR KEYS**

#### **10-PC T-HANDLE HEX KEY SET**

- Heat treated alloy steel shafts.
- Plastic grips add comfort and turning power.
- Bonus storage tray mounts on wall or bench.





Item #	IP	MP	PKG	Sizes
W80274 <b>*</b>	1	10	CBX	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

#### **10-PC T-HANDLE HEX KEY SET**

- Heat treated alloy steel shafts.
- Plastic grips add comfort and turning power.
- Bonus štorage tray mounts on wall or bench.





IP Item # MP **PKG Sizes** 

W80275\* 10 CBX 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8, 10mm 1

#### **10-PC T-HANDLE STAR KEY SET**

- · Heat treated alloy steel shafts.
- Plastic grips add comfort and turning power.
- Bonus storage tray mounts on wall or bench.





Item # I			PKG	Sizes
W80276*	1	10	CBX	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

#### **10-PC T-HANDLE HEX KEY SET**

Heat treated alloy steel shafts.High visibility PVC T-handles for

Item #

W80277\*

- added comfort, identification and torque.
- Red SAE Wrenches and Blue Metric wrenches.

CBX

Bonus storage tray mounts on wall or bench.



10

1

- **Red Handle Blue Handle** 1/8, 5/32, 3/16, 5/16, 3/8"
  - 3, 4, 5, 6, 8mm









231

## **HEX & STAR KEYS**

#### 6-PC JUMBO Hex key sets

- Alloy steel wrenches are heat treated and black-oxide finished.
- Precisely-sized, chamfered ends insert smoothly into fastener head, reducing wear.
- Long arm wrenches provide extra reach and greater torque.



Easy-to-read sizes marked on case for

fast wrench selection.

Item #		IP	MP	PKG	Sizes
W1938*	Metric	2	8	DBL	8, 10, 12, 14, 17, 19mm
W1939*	SAE	2	8	DBL	3/8, 7/16, 1/2, 9/16, 5/8, 3/4"

#### 7-PC T-HANDLE HEX & STAR DRIVER SETS

- Comfortable non-slip molded grips.
  Single piece construction runs
- Ongle piece construction runs through handle for greater strength.
  Chrome plated shafts.

Two drive ends: long end for hard to reach areas, short end for extra torque.

Item #	IP	MP	PKG	Color	Sizes
W1711*	6	24	DBL	Red	3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8"
W1712*	6	24	DBL	Blue	2.5, 3, 4, 5, 6, 8, 10mm
W1713 <b>*</b>	6	24	DBL	Green	T10, T15, T20, T25, T27, T30, T40

#### L-TYPE STAR KEY SET

• Chrome vanadium steel construction.



24

CRD

6

## **30-PC HEX KEY SET**

- Long and short shank hex keys.
- Alloy steel construction.

W1319\* 6-PC

• Includes handy organizer.

Item #	IP	MP	PKG	Size	s
W80288 <b>*</b>	6	12	DBL	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	.7, .9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm





BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

HAND TOOLS



<ul> <li>Heat trea</li> <li>Rust resist</li> <li>Item #</li> </ul>	IP	MP	PKG		T15, T20, T25, T27,	
<ul> <li>Heat trea</li> </ul>	stant b	lack ox	ude fin	ish.		
8-PC F	ted all	ov stee	l const	truction.	SET	
J-FV				Green	T9, T10, T15, T20, T25, T27, T30, T40	
<b>W80291*</b> 3-PC	6	24	CLM	Red Blue	9/64, 5/32, 3/16, 1/4" 1.5, 2, 2.5, 3, 4, 5, 6, 8mm	T8 T10 T15 T20 T25 T27 T30 T40
tem #	IP	MP	PKG	Color	<b>Sizes</b> 1/16, 5/64, 3/32, 1/8,	
angles up Keys con easy stor	venier	° for ob htly fold	structe	ed areas. mpact	1/16 5/64 3/32 1/8 9/64 5/32 3/16 1/4	15 2 25 3 4 5 6 8 Star keys work on regular and tamper proof star fasteners
<ul> <li>Lightweig</li> <li>body and</li> <li>construct</li> <li>Ball end of</li> </ul>	ht and chron ion for on hex	dized a ne vana streng keys a	alumini adium s th and allow us	um steel durability se at	AR KEY SET	
N80287*	6	24	TAB	3-PC Se	T25, T27, T30, T40 t Includes one of each.	
V80283*	6	24	TAB	Green	4, 5, 6, 8mm T9, T10, T15, T20,	
N80282*	6	24 24	TAB TAB	Red	5/32, 3/16, 1/4, 5/16" 1.5, 2, 2.5, 3,	
-	IP	MP		Color	Sizes 1/16, 5/64, 3/32, 1/8,	
Item #						



#### **40-PC SOCKET SET**

- Ratchet, extension bar, 1/4" spinner handle, spin disc, spark plug socket, adapter and more.
- Sturdy blow molded case.

			-	
Item #	IP	MP	PKG	
W1173*	1	10	SLV	60
W1541*	5	10	SLV	C

Drive		Sockets	Additional Contents
1/4"	6pt	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32". 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm	3/8" Dr. 3" extension, _ 3/8" (F) to 1/4" (M) adapter
	8pt	1/4, 5/16, 3/8"	3/8" Dr. 39 gear teeth 6" ratchet,
3/8"	6pt	1/2, 9/16, 5/8, 3/4". 14, 16, 17mm	3/8" Dr. 5/8" spark plug socket

#### 52-PC SOCKET SET

- Ratchet, extension bar, 1/4" spinner handle, spin disc, spark plug socket, adapter and more.
- Sturdy blow molded case.

Item #	IP	MP	PKG	
W1172*	1	5	SLV	

#### Sockets Drive

1/4"	6pt	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2" 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
	8pt	1/4, 5/16, 3/8"
3/8"	6pt	9/16, 11/16, 3/4". 14, 16, 17mm
1/2"	6pt	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8"

3/8" Dr. 3" extension, 3/8" (F) to 1/4" (M) adapter 3/8" & 1/2" Dr. 39 gear teeth 6" ratchets, 3/8" Dr. 5/8" & 13/16" spark plug socket

1

#### **60-PC SOCKET & BIT SET**

- 1/4" drive spinner handle, 1/4" drive bit Sturdy blow molded case.

Item #	IP	MP	PKG
W1168*	6	12	SLV

Drive		Sockets	Additional Contents	The second state of the se
1/4"	6pt	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32", 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	3/8" Dr. 3" extension, 3/8" (F) to 1/4" (M) adapter 3/8" Dr. 39 gear teeth 6" ratchet	
3/8"	6pt	1/2, 9/16",15, 16 mm		
		Phillips: #0, #1, #2, #3	Pozi: #1, #2, #3	
1" Bi	ito	Slotted: 3/16, 1/4 & 9/32"	Square: S1, S2, S3	
I DI	lis	Star: T10, T15, T20, T25, T30, T40	Hex: 1/8, 5/32, 3/16, 7/32, 4, 5, 6mm	

HAND TOOLS

234

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



100-PC	SOCKET &	& BIT SET
--------	----------	-----------

- Magnetic bit driver and 22 1" bits with holders,16 hex keys on rings
- Storage / carrying case.

Item #	IP	MP	PKG
W1198*	1	5	CBX

Drive		Sockets		Manager and a second and a se
1/4"	6pt	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8", 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9, 10mm		
3/8"	6pt	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4", 10, 11, 12, 13, 14, 15, 17 18mm	3/8" Dr. 3" extension, 3/8" Dr. U-joint	
	Deep	3/8, 7/16, 1/2, 9/16", 10, 11, 12, 13mm	3/8" (F) to 1/4" (M) adapter 1/2" (F) to 3/8" (M) adapter	
1/2"	6pt	15/8, 11/16, 3/4, 13/16, 7/8", 14, 15, 17, 18, 19mm	3/8" Dr. 39 gear teeth 6" ratchet, 1/2" Dr. 39 gear teeth 8" ratchet	
		Phillips: #1, #2, #3	Pozi: #1, #2, #3	
1" E	Bits	Slotted: 5/32, 3/16, 1/4,	Star: T15, T20, T25, T27, T30, T40	
		7/32, 9/32, 5/16"	Hex: 5/32, 3/16, 7/32, 1/4"	
Hex	Keys	1/16, 5/64, 3/32, 1/8, 5/32, 3/	16, 7/32, 1/4", 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm	

#### **85-PC SOCKET SET**

- Drop forged chrome plated carbon steel.
- Wide range of SAE and Metric sockets in 3 drive sizes.
- Ratchet, extension bar, 1/4" spinner handle, spin disc, spark plug socket, adapter and hex keys.
- Sturdy blow molded case.

Item #	IP	MP	PKG
W1183*	1	5	SLV



Driv	е	Sockets			
1/4	" 6pt	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16". 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13, 14mm	- - 3/8" Dr. 3" ex	tension	
	8pt	1/4, 5/16, 3/8"		" (M) adapter	
3/8	" 6pt	7/16, 15/32, 1/2, 9/16, 5/8, 11/16" 11, 12, 13, 14, 15, 17mm	3/8" Dr. 39 ge	ear teeth 6" ratchet, spark plug socket	
1/2	" 6pt	11/16, 3/4, 13/16, 7/8	1/2" Dr. 39 ge	ear teeth 8" ratchet	_
		Phillips: #0, #1, #2	_	1/16, 5/64, 3/32, 1/8, 5/32,	
1	" Bits	Slotted: 5/32, 3/16, 1/4"	Hex Keys	3/16, 1/4, 5/16, 3/8", 1.5, 2,	
		Star: T15, T20, T30		2.5, 3, 4, 5, 6, 8,10mm	

performancetool.com

\*California Residents Prop 65 warnings see page 2.



#### **119-PC TOOL SET**

• Set includes 8" wire crimper, 12V circuit tester, 44 wire terminals set, 3/4" x 30' electrical tape, brass detail brush, break-away utility knife, magnetic bit driver, and durable blow molded storage case

Drive		Sockets	Additional Contents
1/4"	6pt	1/4, 9/32, 5/16, 11/32", 7, 8, 9, 10mm	3/8" dr. accessories: ratchet, 3" extension, u-joint, 3/8 (F)
3/8"	6pt	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4", 11, 12, 13, 14, 15, 16, 17, 18, 19mm	to 1/4" (M) adapter, spark plug sockets 5/8", 13/16"
Wrenches		3/8, 7/16, 1/2, 9/16, 5/8"	10, 12, 13, 14, 15mm
Plie	rs	6" adjustable wrench, 6" diagonal, 5" lo	ong nose
Screwd	rivers	#1 x 3", #2 x 4", 3/16 x 4"	
		Phillips: #1, #2, #3	Slotted: 3/16, 1/4, 9/32"
1" B	its	Star: T10, T15, T20	Square: S1, S2, S3
		Hex: 1/8, 5/32, 3/16, 7/32" 4, 5, 6mm.	1/4" hex adapter

Item #	IP	MP	PKG
W1193*	1	5	CBX

#### **38-PC COMPACT AUTO TOOL KIT**

• Set includes breakaway utility knife, brass detail brush, compact flashlight, tire gauge, 12 volt tester, 3/4" x 30' electrical tape and handy zipper case.

Drive	Sockets	
1/4" 6pt	3/16, 7/32, 1/4, 9/32, 5/16, 11/ 5, 6, 7, 8, 9, 10, 11, 12, 13mm	
1" Bits	Phillips #1, #2,	Slotted 4, 5.5, 7mm
I DIIS	Star T10, T15, T20, T25	1/4" hex adapter
Pliers 6" slip joint, 6" adjustable wrench		nch
Driver	1/4" dr spinner handle, 1/4" dr	. coupler

Item #	IP	MP	PKG
W1197*	6	24	SLV

#### **45-PC STUBBY SET**

- Dual drive ratchet: 1/4" and 3/8" drives in one ratchet.
- Ratcheting screwdriver: clockwise, counter clockwise and locking positions.
- Stubby adjustable wrench has 1" rule on head for precision adjustments.
  Alloy steel construction for strength and durability.
- Comfortable cushion grip handles.
- Adapters and extension.

HAND TOOLS	<ul> <li>Dual drive ratchet: 1/4" and 3/8" drives in one ratchet.</li> <li>Ratcheting screwdriver: clockwise, counter clockwise and locking personal study adjustable wrench has 1" rule on head for precision adjustment of a strength and durability.</li> <li>Comfortable cushion grip handles.</li> <li>Adapters and extension.</li> </ul>			
	Drive		Sockets	Additional Contents
Ŧ	1/4"	6pt	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2", 4, 4.5, 5, 6, 7, 8, 9, 10 11, 12mm	3/8" dr. accessories: ratchet, 3" extension, 3/8" (F) to 1/4" (M)
	3/8"	6pt	9/16, 5/8, 3/4", 13, 14, 15, 17mm	adapter
	Wrench		8" stubby adjustable wrench	
	1" Bits		Phillips: #1 (2), #2 (2), #3	Slotted: #1 (2), #2 (2), #3
			Star T10, T15	Hex: 1/8, 1/4"
	-			



236







#### 94-PC MECHANICS PRODUCT TOOL SET

• 3/8" drive reversible ratchet, SAE and metric sockets and accessories. pliers, adjustable wrench, screwdrivers, magnetic bit driver, assorted hex bits and hex key wrenches and heavy duty case for organized storage.

Drive		Sockets	Additional Contents
1/4"	6pt	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 17/32, 1/2, 9/16", 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13, 14mm	3/8" dr. accessories: ratchet, 3" extension, 3/8 (F) to 1/4" (M) adapter, 5/8" spark plug
3/8"	6pt	3/8, 7/16, 15/32, 1/2, 9/16, 5/8", 11, 12, 13, 14, 15, 16mm	
Plie	ers	6" long nose, 6" adjustable wrench	
Screwo	driver	#2 x 3", 1/4 x 4"	
		Phillips: #1, #2, #3	Slotted: 3/16, 1/4, 9/32
1" B	lits	Star: T10, T20	Square: S1, S2
		Hex: 3/32, 1/8, 5/32, 3/16, 1/4"	Hex: 2.5, 3, 4, 5, 6mm
		.05, 1/16, 5/64, 3/32, 1/8, 9/64, 5/32	2, 3/16, 7/32, 1/4"
Hex Keys		1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.	.5, 6mm
Item #		IP MP PKG	
W1538	3*	1 4 LAB	



TTATATA

mun

#### **107-PC HOME & AUTO TOOL SET**

 3/8" drive reversible ratchet. SAE and metric sockets and accessories, pliers, wrenches, bit driver hammer, tape measure, knife, adjustable wrench, precision screwdrivers, hex key wrenches, 50 piece fastener assortment and heavy duty case for organized storage.

Drive	Sockets	Additional Contents	
1/4" 6pt	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 17/32, 1/2", 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm	3/8" dr. accessories: ratchet, 3" extension, 3/8 (F) to 1/4" (M) adapter	
12pt	1/4, 5/16, 3/8"		
3/8" 6pt	9/16, 5/8", 14, 16mm		
Pliers	6" long nose, 6" adjustable wrench		
Wrenches	1/4, 5/16, 3/8, 7/16, 1/2"		
Screwdriver	#0, #1, #2, #3, 1.4, 2.0, 2.4, 3.0mm	12	
	Phillips: #0, #1, #2, #3	Pozi: #1, #2, #3	
1" Bits	Slotted: 5/32, 3/16, 1/4, 9/32"	Square: S1, S2, S3	
I Dits	Star: T10, T15, T20, T25, T27, T30,	T40	
	Hex: 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"		
Hex Keys	0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/6	64, 5/32, 3/16, 7/32, 1/4"	
1102 17642	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.	5 6mm	

HAND TOOLS

## **75-PC HOMEOWNERS TOOL SET**

CBX

4

 8 oz. steel hammer with rubber grip. 2 screwdrivers, 6 precision screwdrivers, 12' tape measure, snapblade Knife. torpedo level, assorted fastener kit and storage/carrying case.

W1532\*

IP	MP	PKG	Screwdrivers	Precision
-1	10	<u> </u>	#2 X 4"	#0, #00, #000
I	10	SLV	1/4 x 4"	1/16, 3/32, 1/8"
	<b>IP</b> 1	IP         MP           1         10	IP         MP         PKG           1         10         SLV	1 10 SLV #2 X 4"

performancetool.com



#### 125-PC SOCKET & WRENCH TOOL SET

- Extremely versatile set for repairs around your home, auto, garage, workshop, R.V. or boat.
- Set features: ratchets, SAE and metric sockets with accessories, screwdrivers, wrenches, pliers, hex key sets, bit driver with bits and much more.

Item #	IP	MP	PKG
W1525*	1	4	CBX

Drive		Sockets	
1/4"	6pt	5/32, 3/16, 7/32,1/4, 9/32, 5/16, 11/32, 3/8", 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9, 10mm	1/2" dr. & 3/8" dr. ratchet, 3" extension,
3/8"	6pt	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" 10, 11, 12, 13, 14, 15, 16, 17, 18mm	3/8 (F) to 1/4" (M), 1/2 (F) to 3/8" (M) adapters,
-, -	Deep	3/8, 7/16, 1/2, 9/16", 10, 11, 12, 13mm	spark plug sockets 5/8",
1/2"	Deep	5/8, 11/16, 3/4, 13/16, 7/8" 14, 15, 17, 18, 19mm	13/16"
Wrer	nches	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" 9, 10,	11, 12, 13, 14, 15, 16,17mm
		Phillips: #1, #2, #3	Pozi: #1, #2, #3
1" Bits		Slotted: 5/32, 3/16, 1/4, 7/32, 5/16"	
		Star: T15, T20, T25, T27, T30, T40	
Hex Keys		.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6 mm	7/32, 1/4"

**123-PC MECHANIC'S TOOL SET** • Comprehensive selection of tools including sockets, wrenches, pliers, screwdrivers, hex keys, 1/4" square drive adapter, bit storage boots, ratcheting bit driver, 4-in-1 screwdriver with 2 bits and blow molded storage/carrying case.

	<b>I</b>	Drive	Sockets
HAND TOOLS		1/4" 6p	5/32, 3/16, 7/32, 1/4, 3/8" dr. 9/32, 5/16, 11/32, ratchet, 3" 3/8, 7/16", 4.5, 5, 6, extension, 7, 8, 9, 10, 11, 12mm 3/8 (F) to
		3/8" 12	3/8, 7/16, 1/2, 9/16, 1/4" (M) ot 5/8, 3/4", 10, 12, 13, adapter 14, 17, 19mm
H		Pliers	6" long nose, 6" diagonal, 8" adjustable
		Wrenche	3/8, 7/16, 1/2, 9/16, 5/8" 10, 12, 13, 14, 15mm
	TTA	Screwdriv	er #1 x 3", #2 x 4", 3/16 x 3", 1/4 x 4"
	(ASP)	Precisior	
l			Phillips: #0, #1, #2, #3 Slotted: 1/8, 5/32, 3/16, 1/4"
		1" Bits	Star: T15, T20, T25, Square: S1, T27, T30,T40 S2, S3
			Hex: 3/32,1/8, 5/32", 3, 4, 5, 6, 7mm
		Hex Keys	1/16 5/6/ 2/22 1/2 5/22 2/16 7/22
		Item # W1801 <b>*</b>	IP         MP         PKG           1         3         CBX

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box





IP

1

Item #

W1519\*

W1802\*

1

3

**265-PC TOOL SET** Fully polished 3/8" drive pro style ratchet. Magnetic bit driver with 20 pc bit set with holders. Stainless steel scissors. Wire crimper with 44 assorted terminals in storage box. Detail brush, break-away knife, electrical tape, 10 ft. tape measure.

Drive		Sockets	
1/4"	6pt	1/4, 9/32, 5/16, 11/32", 7, 8, 9, 10mm	3/8" dr. ratchet, 3" extension, 3/8 (F) to 1/4"
3/8"	6pt	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4", 11, 12, 13, 14, 15, 16, 17, 18, 19mm	(M) adapter, spark plug sockets 5/8", 13/16"
Plie	ers	6" long nose, 6" diagonal, 6" adjustab	le wrench
Wrenches		7/16, 1/2, 9/16, 5/8", 10, 12, 13, 14, 1	5mm
		Phillips: #1, #2, #3	Slotted: 3/16, 1/4, 9/32"
1" B	Bits	Star: T10, T15, T20	Square: S1, S2, S3
		Hex: 1/8, 5/32, 3/16, 7/32", 4, 5, 6mm	

#### **157-PC HOMEOWNER'S**

MP

5

PKG

CBX

Set contains 13 oz. claw hammer with fiberglass handle, 3 vial aluminum level, 2 lbs. magnetic pickup tool, magnetic bit driver with 3" shaft, 2-3/8" magnetic bit extension, 1/4" square drive socket adapter and blow molded storage case. ٠

Drive		Sockets	DILEXICISION
1/4"	6pt	5/32, 3/16, 7/32, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16", 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9,10,11,12,13, 14mm	3/8" dr. ratchet, 3" extension, 3/8 (F) to 1/4" (M) adapter 5/8" spark plug socket
	6pt	1/4, 5/16, 3/8"	
3/8"	12pt	7/16, 1/2, 9/16, 5/8" 12, 13, 14, 15mm	
Plie	ers	6" long nose, 6" linesmar	n, 8" adjustable
Wren	iches	3/8, 7/16, 1/2, 9/16, 5/8" 10, 12, 13, 14, 15mm	
Screw	/driver	#1 x 3",#2 x 4",1/4 x 3",3/	16 x 4",1/4 x 4"
Precision		1.0, 1.2, 1.6, 2.0mm x 2"	
		Phillips: #0, #1, #2, #3	Slotted: 1/8, 3/16, 1/4, 9/32"
1" E	Bits	Star: T10, T15, T20, T25	Square: S1, S2, S3
		Hex: 3/32, 1/8, 5/32, 3/16 2, 3, 4, 5, 6mm	6, 7/32"
Hex Keys		1/16, 5/64, 3/32, 1/8, 5/3 1.5, 2, 2.5, 3, 4, 5, 5.5, 6	
Nut Setter		3/16, 7/32, 1/4, 9/32, 5/10 5, 6, 7, 8, 9, 10, 11mm	6, 3/8, 7/16"
Drill Bits		1/16, 5/64, 3/32, 7/64, 1/3 3/16, 13/64, 7/32, 15/34,	
Item #	ŧ	IP MP PKG Gaug	e ruler



CBX 0.51, 0.61, 0.71, 0.81, 0.91, 1.02mm



#### **DRILL BIT SETS**

#### **204-PC DRILL BIT SET**

- Unique four panel case folds three ways.
  Use with power drill, press or bit drivers.
  Set features: Drill bits, titanium coated drill bits, pilot drill bits, wood boring drill bits, flat wood bits, masonry drill bits.
- Also contains nut drivers, drill stoppers, cupped nail setters, center punch, counter sink, screw finders, steel drill gauge, bit holder and hex key.



BITS	Twist	3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32 (4), 3/16,
	Black	13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 5/16, 11/32, 3/8"
	Twist	3/64, 1/16, 5/64, 3/32, 1/8, 9/64 (5), 7/64, 5/32 (6),
HSS	Titanium	13/64 (2), 11/64, 7/32, 15/64, 1/4, 17/64, 9/32, 5/16"
-	Pilot	5/64, 7/64, 5/32"
S	Wood Boring	5/32 (2), 3/16, 1/4, 9/32, 5/16, 11/32, 3/8"
BIT	Flat Wood	3/8, 1/2, 5/8, 3/4, 7/8, 1-1/4"
	12" Flat Wood	5/16, 3/8, 1/2, 9/16"
SPECIALTY	Masonry	1/8, 5/32, 11/64, 3/16, 7/32,
C	widsoniny	15/64, 1/4, 17/64, 5/16, 11/32, 3/8"
Ш	12" Masonry	5/16, 3/8, 1/2"
0	Hole Saw	1-1/4, 1-1/2, 1-3/4, 2-1/8"
	Phillips	#0, #1, #2, #3. 2" Bits: #0, #1, #2 (2), #3
	Pozi:	#1, #2, #3
S	Slotted	1/8, 3/16, 1/4, 5/16"
Bits	Slotted	2" Bits: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16
2	Star	T10, 15, 20, 25, 27, 30
1= &		2" Bits: T10, 15, 20, 25, 27, 30, 40, 45
1-	Square	\$1, \$2
	Hex	3/16, 1/4, 5/16, 3/8", 6, 7, 8, 10mm
	Nut Driver	5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
5	Drill Stopper	7/64, 13/64, 5/16"
Other	Nail Setter	1/16, 3/32, 1/8"
0	Punch	1/32"

Item #	IP	MP	PKG
W1368*	1	4	CBX

#### **T-HANDLE DRILL & BIT SET**

- For wood, metal and masonry.
- Includes T-handle, 2-3/8" magnetic bit holder and mini-bubble level.

Drill Bits		5/64, 1/8, 5/32, 3/16, 15/64, 5/16"
Masonry		3/16, 1/4, 1/4, 5/16, 5/16, 3/8"
Brad Point		5/32, 3/16, 15/64, 5/16, 3/8"
Phillips	1"	#0, #1, #2 (2), #3
Pozi	1"	#1, #2, #3
Slotted	1"	1/8, 5/32, 3/16, 1/4, 9/32"
Star	1"	T10, T15, T20, T25,
Star	I	T27, T30, T35, T40
Square	1"	S1, S2, S3
Hex	1"	3, 4, 5 (2), 6mm (2)





HAND TOOLS

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **DRILL BIT SETS**

W9019

W9016

Drill Bit Set

#### **21-PC TITANIUM DRILL BIT SETS**

- Assorted bit sizes from 1/16" to 3/8".
- Great for drilling plastic, wood and metal.
- Handy storage case.

Item #		IP	MP	PKG	Coating	Sizes
W9016*	21-PC	6	24	CAS	Titanium	1/16, 5/64, 3/32, 7/64,
W9018*	21-PC	4	24	CAS	manium	1/8, 9/64, 5/32, 11/64,
W9019 <b>*</b>	21-PC	4	24	CAS	Black	<ul> <li>3/16, 13/64, 7/32,</li> <li>15/64, 1/4, 17/64, 9/32,</li> <li>19/64, 5/16, 21/64,</li> <li>11/32, 23/64, 3/8"</li> </ul>
W9014 <b>*</b>	13-PC HSS	12	48	CAS	Black	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4"

#### **29-PC TITANIUM COATED DRILL BIT SET**

- Durable titanium nitride coated high speed steel.
- Sizes: 1/16" through 1/2" in 64th increments.
- Handy steel storage box included.

Item #	IP	MP	PKG	Sizes
W9017 <b>*</b>	1	12	СВХ	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64, 13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2"

#### **6-PC HEX SHANK DRILL BIT SET**

- 1/4" hex shanks prevent slippage in drill chuck.
- High speed steel with 135° angle tips.
- Use for metal, wood, or plastic.

#### Item # IP MP PKG Sizes

**W8692\*** 6 72 CRD 1/16, 3/32, 7/64, 1/8, 5/32, 1/4"

#### **STEP DRILL SET**

- Titanium nitride coated high speed steel.
- For use with metal, wood and plastic.
- Starts on contact, no center punch needed.
- Automatically deburrs holes as you drill.
- 1/4" hex shank.

	-



Item #		IP	MP	PKG	Steps	Sizes
					6	3/16, 1/4, 5/16, 3/8, 7/16, 1/2"
W9003 <b>*</b>	3-PC	10	80	CLM	9	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
					12	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2"
W9004*		10	48	CLM	11	1/4, 25/64, 35/64, 11/16, 13/16, 7/8, 1, 1-1/8, 1-7/32, 1-1/4, 1-3/8"
VV9004 - 2-	2-60	12	40	CLIVI	12	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16. 5/8, 11/16, 3/4, 13/16, 7/8"

#### **16-PC HOLE SAW SET**

- 16-pc hole saw set made of durable carbon steel.
- Set includes large / small arbors, hex key, metal plate and plastic carrying case to keep all the components together.

Item #	IP	MP	PKG	Diameters
W9071 <b>*</b>	1	20	SLV	3/4, 7/8, 1-1/8, 1-1/4, 1-1/2, 1-3/4, 2, 2-1/2, 3, 3-1/2, 4, 5".



performancetool.com

\*California Residents Prop 65 warnings see page 2.



#### TITANIUM DRILL BITS

- Durable titanium nitride coated high speed steel.
- Great for drilling plastic, wood and metal.

Drill Bit Item # IP MP PK	IP: 5 MP: 240	
		IP: 5 MP: 120
1/16" W8561* 2-PK 5 240 CF	1D	
5/64" <b>W8562* 2-PK</b> 5 240 CF	RD	<b>W8663*</b> #1
3/32" W8563* 2-PK 5 240 CF	RD	• -
7/64" <b>W8564* 2-PK</b> 5 240 CF	RD	<b>W8664*</b> #2
1/8" <b>W8565* 2-PK</b> 5 240 CF	RD	
9/64" <b>W8566*</b> 5 240 CF	RD	
5/32" <b>W8567*</b> 24 240 CF	*D	<b>W8665*</b> #3
3/16" <b>W8569*</b> 5 240 CF	RD	
13/64" <b>W8570*</b> 5 240 CF	RD W8630* 1/4"-20 NC	<b>.</b> -
7/32" <b>W8571*</b> 5 240 CF	*D	• -
1/4" <b>W8573*</b> 5 240 CF	1D	• -
17/64" <b>W8574*</b> 5 240 CF	RD W8632* 5/16"-18 NC	• -
9/32" <b>W8575*</b> 5 240 CF	RD W8633* 5/16"-24 NF	
19/64"	<b>-</b>	<b>W8667*</b> #5
5/16" <b>W8577*</b> 24 240 CF	*D	<b>.</b> -
21/64" <b>W8578*</b> 5 240 CF	*D	• -
11/32" <b>W8579*</b> 5 240 CF	1D	<b>-</b> -
3/8" <b>W8581*</b> 5 240 CF	RD W8636* 7/16"-14 NC	
25/64" <b>W8582*</b> 5 240 CF	RD W8637* 7/16"-20 NF	• -
13/32" <b>W8583*</b> 5 240 CF	10 <b>-</b> -	<b>W8668*</b> #6
7/16" <b>W8585*</b> 5 240 CF		<b>.</b> -
29/64"	W8639* 1/26"-20 NF	
1/2" <b>W8589*</b> 5 240 CF	1D	
5.0mm	W8615* 6mm X 1	
6.8mm	<b>W8617*</b> 8mm X 1.25	<b>-</b> -
8.8mm	<b>W8618*</b> 10mm X 1.25	
12mm	W8662* 12mm X 1.25	



#### **10-PC SCREW EXTRACTOR SET**

- Reverse threaded drill bits for tapping broken or stripped screws.
- Multi-fluted, machined alloy extractors for screw removal.
- Includes durable metal storage box.

Item #	IP	MP	PKG	Reverse Bits	Extractors
W8697 <b>*</b>	6	36	CRD	5/64, 7/64, 5/32, 1/4, 19/64"	#1, #2, #3, #4, #5
10 DC		ти			IT CET

#### 13-PC LEFT HANDED DRILL BIT SET

- 135 degree split point design for drilling of most metals.
  High speed M2 steel with Titanium Nitride coating for
- High speed M2 steel with Titanium Nitride coating to long lasting quick drilling.
- Useful for extracting broken screws and studs.
- Comes with metal storage case.

Item #	IP	MP	PKG	Sizes
W9011 <b>*</b>	10	60	CRD	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64"

242 BLK: Bulk | C LAB: Color La

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



#### **6-PC TAP WRENCH KITS**

- Cuts and renews internal threads for standard pipe sizes.
- Wrench features dual holding jaws for large and small sized taps.
- Tungsten steel for strength and durability.
- T-handle with positive grip chuck.

Item #	IP	MP	PKG	Sizes
W8651*	6	36	CRD	1/4"-20 NC, 5/16"-18 NC, 3/8"- 16 NC, 7/16"-14 NC, 1/2"-13 NC
W8652 <b>*</b>	6	36	CRD	M6 x 1, M7 x 1, M8 x 1.25, M10 x1 .5, M12 x 1.75

#### **T-HANDLE TAP WRENCHES**

Item #	IP	MP	PKG	Range
W8654*	5	120	CRD	
W8669*	5	120	CRD	1/4 to 1/2"

#### **6-IN-1 TAPPING DRIVER TOOL**

- Double sided shaft includes 6 different tap sizes in one tool.
- Comfortable double-injection molded handle.

Item #	IP	MP	PKG	Sizes
W8650*	6	36	CRD	#6-32, #8-32, #10-32, #10-24, #12-24 & 1/4-20"

#### **THREAD PITCH GAUGE SET**

- Used to determining thread per inch/cm on screws, bolts or in a tapped holes.
- Common thread angle, 60 degrees.

Item #	IP	MP	PKG	Blades	Sizes
W8655*	25	050		28 SAE	4 to 62 threads per inch.
	25 250 C		UND	24 Metric	4 to 62 threads per inch. 0.25 to 6.0 threads per cm.





**\*California Residents** Prop 65 warnings see page 2.



243

#### **8-PC SCREW EXTRACTOR SET**

- Use with T-handle or wrench to remove broken and stripped screws.
- Drop forged, heat treated carbon steel for long life.
- Tapered counter clockwise threads.

	Pre-Drill Size	Square Drive	Overall Length	Screw or bo SAE	olt size to be Metric	removed Pipe
#1	5/64"	1/8"	2"	3/32 - 5/32"	2.5 - 4mm	No. 6
#2	7/64"	5/32"	2-1/4"	5/32 - 7/32"	4 - 6mm	No. 12
#3	5/32"	7/32"	2-1/2"	7/32 - 9/32"	6 - 8mm	No. 14
#4	1/4"	1/4"	2-15/16"	9/32 - 3/8"	8 - 10mm	1/8" NPT
#5	19/64"	11/32"	3-1/8"	3/8 - 5/8"	10 - 16mm	1/4" NPT
#6	13/32"	15/32"	3-1/2"	5/8 - 7/8"	16 - 22mm	3/8" NPT
#7	17/32"	9/16"	3-3/4"	7/8 - 1-1/8"	22 - 27mm	1/2" NPT
<b>#8</b>	13/16"	3/4"	4"	1-1/8 - 1-3/8"	27 - 36mm	3/4" NPT

Item #	IP	MP	PKG	
W2968*	12	24	CRD	

#### **5-PC SCREW EXTRACTOR SET**

- Removes damaged screws, broken studs, set screws and pipe fittings.
- Hardened alloy steel construction.
- Includes storage case.

	Pre-Drill Size	Square Drive	Overall Length	Screw or bo SAE	olt size to be Metric	removed Pipe
#1	5/64"	1/8"	2"	3/32 - 5/32"	2.5 - 4mm	No. 6
#2	7/64"	5/32"	2-1/4"	5/32 - 7/32"	4 - 6mm	No. 12
#3	5/32"	7/32"	2-1/2"	7/32 - 9/32"	6 - 8mm	No. 14
#4	1/4"	1/4"	2-15/16"	9/32 - 3/8"	8 - 10mm	1/8" NPT
#5	*17/64" 19/64"	11/32"	3-1/8"	3/8 - 5/8"	10 - 16mm	1/4" NPT
	* 17/61 avail	obla in 11/20	RE only			

\* 17/64 available in W2965 only

Item #	IP	MP	PKG	
W2965*	6	120	CRD	-
W2966*	12	24	CRD	Chrom

#### 12 24 CRD Chrome Moly

- **5-PC BOLT EXTRACTOR SET**
- Heat treated high strength steel.
- Removes bolts without wedging or binding.
- Works on left or right threaded bolts.

	Screw	Drill	Square	Overall			
	Size	Size	Drive	Length			
#1	1/4"	1/8"	1/4"	1-1/2"			
<b>#2</b>	5/16"	11/64"	1/4"	1-1/2"			
#3	3/8"	15/64"	19/64"	1-1/2"			
#4	7/16"	9/32"	5/16"	1-1/2"			
#5	1/2"	3/8"	3/8"	1-1/2"			
ltem	#		PKG				

Item #	IP	MP	PKG	
W80635*	6	72	CRD	

#### **5-PC TAPERED EXTRACTOR SET**

- Removes broken studs, screws, bolts, pipes and pipe fittings.
- Chrome vanadium steel.
- Features flutes for more positive grip.

Item #	IP	MP	PKG	Sizes
W80562*	12	120	CRD	1/8, 3/16, 15/64, 5/16, 3/8"
W8605*	5	120	CRD	#1, #2, #3, #4, #5









**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



#### **BOLT & SCREW EXTRACTORS**

#### **5-PC DEEP BOLT EXTRACTOR SET**

- Patented gripping edges remove old, stripped, rusted or painted nuts and bolts.
- Deep wall sockets for hard to reach fasteners, exposed studs and recessed nuts/bolts.
- Chrome molybdenum steel for strength and durability.
- Storage/carrying case.
  Use with a 3/8" drive tool.



Item #	IP	MP	PKG	Sizes
W38920*	6	24	CLM	3/8" (10mm), 7/16" (11mm), 1/2" (13mm), 9/16" (14mm), 5/8" (16mm)

#### **5-PC BOLT EXTRACTOR SETS**

- Chrome molybdenum steel for strength and durability.
- Use with a 3/8" drive tool.

W38919

Features additional storage for 5-pc add-on set W38918.

Item #	IP	MP	PKG	Sizes
W38918*	6	48	CLM	5/16" (8mm), 3/8" (10mm), 1/2" (13mm), 11/16", 3/4" (19mm)
W38919*	6	24	CLM	7/16" (11mm), 12mm, 9/16" (14mm), 15mm, 5/8" (16mm)

#### 9-PC BOLT EXTRACTOR SETS

- Chrome molybdenum steel for strength and durability.
- Storage/carrying case.
- Use with a 3/8" drive tool.



Item #	IP	MP	PKG	Sizes
W38916*	6	24	CRD	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 3/4, 11/16, 5/8"
W38917*	6	24	CRD	8, 10, 11, 12, 13, 14, 16, 17, 19mm

\*California Residents Prop 65 warnings see page 2.



#### EXTRACTORS

#### **4-PC STUD PULLER SET**

- Quickly and easily removes right or left threaded studs with no damage to threads.
- Turn with 3/8" or 1/2" square drive tool or 13/16" wrench.
- Chrome vanadium steel construction.
- For hand use only.



Item #	IP	MP	PKG	3/8" Dr.	1/2" Dr.	
W89413*	6	24	CRD	1/4", 5/16"	3/8", 7/16"	
W89414*	6	24	CRD	6, 8mm	10, 12mm	

#### **STUD EXTRACTOR**

- Used to remove seized or broken studs and bolts.
- Designed to fit into small areas, where studs may be hard to reach.
- Use on a low setting with your 3/8" impact gun.
- Remove stripped, rusted, broken, or smooth studs.
- Hex shaft can be a used with a wrench, ratchet, or impact tool and socket.





4 pc SAE STUD PULLER SET

1133

Item #	IP	MP	PKG	Capa	city
	~	0.0			1/01/01

**W83203\*** 6 36 DBL 1/4 to 1/2" (6 to 12mm)

#### **STUD EXTRACTOR**

- For removing broken or seized studs, bolts, etc from 1/4" to 3/4" diameter.
- Knurled roller uses cam action to grasp stud firmly while minimizing damage.
- Use 1/2" drive ratchet.

 Item #
 IP
 MP
 PKG
 Capacity

 W83202\*
 6
 24
 CRD
 1/4 to 3/4"

#### **HEAVY DUTY NUT SPLITTER**

- Removes rusted, stripped and stubborn nuts.
- Self centering wobble tip.
- Offset design for easier operation.
- Drop forged steel construction.
- Plated to resist corrosion.
- Heat treated chisel.



 Item #
 IP
 MP
 PKG
 Capacity

 W88030\*
 12
 72
 CRD
 7/16 to 3/4"

246

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



#### EXTRACTORS

#### **3-PC INTERNAL PIPE EXTRACTOR**

- Designed to easily remove broken pipe threads, plugs and fittings.
- Multiple uses including broken heater hose
- fittings, household plumbing, to HVAC connections. Machined heat-treated cams mounted
- on alloy steel hex shafts. Use with a standard socket and
- ratchet or your open-box end wrench.

Item #	IP	MP	PKG	Sizes
W83204*	6	24	CRD	3/8, 1/2, 3/4"

#### **2-PC TAPERED REAMER SET**

- Tapered reamers will help align holes, remove burrs from cut pipe, tubing, and conduit, and enlarge and countersink holes in sheet metal, plastic, and other materials.
- Heat treated #45 high carbon steel for longer service life.
- T-handle design for easy turning and sure handling.

Item #	IP	MP	PKG	Capacity
W2967*	1	72	CRD	1/8 to 1/2" (3 to 13mm) 5/32 to 7/8" (4 to 22mm)

#### **1/2 IN. IMPACT DRIVER**

- Ideal for loosening firmly tightened or rusted screws or bolts.
- Removable hex bit adapter allows use with 1/2" drive sockets & accessories.
- Oversized molded grip provides a more positive grip and reduces the risk of overstrike.
- Heavy duty mechanism delivers up to 200ft/lbs. of torgue per blow.

				Bit		
Item #	IP	MP	PKG	Length	Phillips	Slotted
W2504*	4	24	CL M	35mm	#2, #3	5/16, 3/8"
W2304	4	24	CLIVI	79mm	#2, #3	5/16, 3/8"

#### 3/8 IN. IMPACT DRIVER SET

- Ideal for loosening firmly tightened or rusted screws or bolts.
- Removable hex adapter allows use with 3/8" drive sockets and accessories.
- Heavy duty blow molded storage case.

	VVZ300-301VIIVI
	replacement bits.
+	

W2500 26MM

				DIL		
Item #	IP	MP	PKG	Length	Phillips	Slotted
W2500P*	4	24	CRD	26mm	#2, #3	5/16,
W2500-36MM*	24	288	CRD	3011111	#2, #3	3/8"

Di

#### 1/4 IN. IMPACT DRIVER & EXTRACTOR

- Ideal for loosening or removing firmly tightened or rusted screws or bolts.
- Convenient 1/4" receiver allows use of any 1/4" bit tip or hex nut driver.

W2503-50MM replacement bits.



Bit								Screw or bolt size to be removed			
Item #	IP	MP	PKG	Length	Phillips	Slotted	Extractor		SAE	Metric	Pipe
W2503*	12	24	CRD				#1	1/8 to 15/16"	3/32 - 5/32"	2.5 - 4mm	No. 6
	12	72	CRD	50mm	#1, #2	3/16	#2	15/16 to 5/16"	5/32 - 7/32"	4 - 6mm	No. 12
W2503-50MM*	12	12	UND				#3	5/16 to 7/16"	7/32 - 9/32"	6 - 8mm	No. 14





# IAND TOOLS



## **RIVET GUNS & RIVETS**

#### **67-PC HAND RIVETER KIT**

- Heavy duty hand rivet gun with four nose pieces.
- Nose pieces and wrench store conveniently in handle.
- Vinyl grip handles provide more comfort and better grip.
- Tough black finish resists corrosion.
- Includes storage case.

Item # IP MP **PKG Rivets Included** W2017C\* 5 20 CAS 15 ea. 3/32, 1/8, 5/32 & 3/16"

#### **PROFESSIONAL HAND RIVETER**

- Precision die cast aluminum alloy body.
- Handles 1/8" through 1/4" aluminum and steel rivets and 1/8" and 5/32" stainless steel rivets
- Drop forged carbon steel upper handle and thick cushion-molded vinyl grips.
- Four mounted nosepieces: 3/32, 1/8, 5/32, and 3/16".

Item #	IP	MP	PKG
W2009*	5	30	CBX

#### **HEAVY DUTY HAND RIVETER**

- Heavy duty steel construction.
- Handles 1/8" through 1/4" aluminum and steel rivets.
- Cushion grip handles with nosepiece storage.
- Double compound action to maximize leverage.
- Handy collection bottle for easy disposal.

Item #	IP	MP	PKG
W2008*	1	20	CBX

#### **AIR RIVETER**

- Air hydraulic riveter is ideal for setting blind rivets in aluminum.
- steel and stainless with professional results the first time.
- Air relief valve prevents overloading.

Includes four nose pieces: 3/32", 1/8", 5/32" and 3/16", spanner, spanner gauge, safety cap, and replacement O-rings.

<b>H</b> =			DKO	DOI	Avg.	Pull Max (Ibs) Capacity		0
Item #	IP				CEM	(IDS)	Capacity	Compressor
M680*	1	10	CBX	90	4	1,584	3/16"	20 Gal

#### **RIVET REFILL KITS**

- Contains the most popular rivets sizes.
- For Performance Tool rivet guns and air riveter.

					Diameter	3/3	3/32" 1/8"		5/32"	3/1	6"		
Item #		IP	MP	PKG	Length	7/32"	5/16"	1/4"	5/16"	3/8"	7/32"	5/16"	3/8"
W2018*	Steel	6	72	CRD	100-PC	25	-	-	25	-	25	25	-
W2011*	Aluminum	6	72	CRD	100-PC	25	25	25	25	-	-	-	-
W5228 <b>*</b>	Aluminum	6	24	CAS	500-PC	-	-	120	120	120	-	120	120



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



Mounted nosepieces.



•

•

#### **RIVET GUNS & RIVETS**

#### **POLY RIVET KIT & REFILLS** Set all sizes of poly Ergonomically designed for one-handed operation. rivets perfectly in Self-adjusting jaws help set rivets perfectly in a single a single stroke stroke without re-gripping or prematurely breaking the stem. without changing the Provides easy access to confined areas with the long forward nose. nosepiece. Will not cause damage to painted or delicate surfaces. Perfect for fastening door panels and various automotive trims. Additional rivets sold separately (W5250). Item # IP MP PKG Diameter 5mm 6.3mm 6.6mm W2005 W2005\* 41-PC CRD 6 24 10 ea. Includes 40 industrial strength 15.8mm 17.2mm 17.2mm 25.2mm Polyoxymethylene (POM) rivets. W5250\* 80-PC 6 24 CAS 20 ea. Long handle with THREADED INSERT RIVET KIT & REFILLS comfort grips. • Used to Insert threaded rivet style fasteners into thin metal, plastic or fiberglass. Each set includes 4 threaded mandrels and nosepieces. Comes with 10 of each size aluminum threaded rivet-nuts. • Formed blow molded case to keep the inserts organized. Additional inserts sold separately (W5251 & W5252). ISTSTETS W2007 11111 TATATATAT IP MP PKG Item # W2006\* 45-PC Kit 6 12 CBX 10 ea. 6-32, 8-32, 10-24, 1/4-20 W5251\* 120-PC Refill 6 24 CAS 30 ea. See Hardware Kits for more details. W2007\* 45-PC Kit 6 12 CBX 10 ea. 3mm, 4mm, 5mm, 6mm W5252\* 120-PC Refill 6 24 CAS See Hardware Kits for more details. 30 ea. 0 D **3-IN-1 STAPLE GUN & REFILLS** 3-INT STAPLE GUN Easy slide open staple loading feature. Comfort grip handle for extended use. Easy smooth squeeze. Handy storage case. SUD U-SHAPE STAPLE Item # IP MP PKG Staples **U-Shaped Brad Nails** W2050\* Kit 6 24 CAS 300 300 300 W2051\* Refill CRD 300 300 4 24 300 \*California Residents performancetool.com

249 Prop 65 warnings see page 2.

#### <u>CLAMPS</u>

#### **RATCHETING BAR CLAMPS**

- Nylon clamps with durable carbon steel bar.
- Pistol action, rubberized comfort grip handle.
- Quickly converts from a clamp to a spreader without the use of tools.
- Removable jaw pads protect surfaces from marring and damage.

Smaller jaw can be positioned anywhere along bar.

> Converts from a clamp to a spreader

Quick release button releases clamp at the touch of a finger.

Item #	IP	MP	PKG	Bar Length	Throat Depth	Spread Capacity	Clamping Pressure
<b>W3943*</b> 2-PC	6	48	CRD	4"	1-3/8"	7-3/8"	
W3944 <b>*</b>	12	48	LAB	6"	2-1/2"	12-3/8"	
W3945 <b>*</b>	6	24	TAB	6"	2-3/4"	13-1/2"	300 lbs.
W3946 <b>*</b>	6	24	TAB	12"	2-3/4"	19-1/2"	300 lbs.
W3948 <b>*</b>	6	24	TAB	24"	2-3/4"	31-1/2"	300 lbs.

#### **F-STYLE BAR CLAMPS**

- Ideal for gluing, hold down work, and general purpose clamping.
- F-Style clutch bar clamps come with cast heads with powdercoated finish to resist corrosion and chipping.
- Zinc finished rail with a two piece clutch plate system for instant adjustment, secure hold, and easy release.
- Rubber comfort grip handle for more torque and less user fatigue.

Item #	IP	MP	PKG	Bar Length	Throat Depth	Clamping Pressure
W3952 <b>*</b>	5	30	TAB	12"	2-1/2"	600 lbs.
W3954*	5	20	TAB	24"	2-1/2"	600 lbs.

#### **C-CLAMPS**

- Ductile Iron construction for superior strength and corrosion resistance.
- Larger swivel pad head for better contact on angled surfaces.
- Precision crafted chrome plated screw and spindle for smooth operation.

	Item #	IP	MP	PKG	Opening	Throat Depth
				-		Deptil
	W3970*	12	72	TAB	1"	
5	W221*	12	72	LAB	2"	1"
5	W206C*	6	48	LAB	3"	1-1/2"
	W207C*	6	36	LAB	4"	2"
	W213C*	4	24	LAB	5"	2-1/4"
2	W214C*	4	12	LAB	6"	
	W215C*	2	12	LAB	8"	2-3/4"
	W86012*	5	20	LAB	1, 2, 3"	-
	W284* QR	6	24	LAB	4"	2-1/4"
	W286* QR	6	12	LAB	6"	2-7/8"

#### **DEEP C-CLAMPS**

- Heavy cast Iron construction with a powdercoat finish for rust resistance and long life.
- Built with heavy sliding t-handle and extralarge swivel base for easy and quick tightening.

Item #	IP	MP	PKG	Opening	Throat Depth
W3980*	10	40	TAB	2-3/4"	3-1/2"
W3981*	15	30	TAB	2-3/4"	5"
W3982*	10	20	TAB	3"	8"

Ideal for projects where extra deep clamping is needed.

250	

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Tough enamel finish for years of service.

W284 / W286 Malleable iron construction.

#### W3970

5

Industrial grade cast iron body



#### **CLAMPS**

#### **RATCHETING CLAMPS**

- High strength rubber grip nylon handle.
- Quick release trigger allows for fast and easy operation.
- Pivoting soft jaws with V-groove for round applications.

						Throat	Clamping
Item #	IP	MP	PKG	Length	Opening	Depth	Pressure
W5090*	12	120	TAB	5"	1-1/2"	1-3/4"	17 lbs.
W5091*	12	120	TAB	6-1/4"	2"	2-1/4"	33 lbs.
W5092*	12	96	TAB	9"	3"	3-3/4"	55 lbs.

#### **METAL SPRING CLAMPS**

- Heavy duty spring for extra gripping power.
- Corrosion resistant nickel plating.
- Non-marring rubber tips.

Item #	IP	MP	PKG	Length	Opening	Clamping Pressure
W5081*	18	108	BLK	1"	1"	3.5 lbs.
W5082*	12	72	BLK	6"	2"	4.5 lbs.
W5083*	8	32	BLK	9"	3"	6.5 lbs.
<b>W5080*</b> 4-PC	12	48	CRD	2"	1/2"	2.5 lbs.

#### **NYLON SPRING CLAMPS**

- Heavy duty fiberglass reinforced nylon body.
- Non-maring swivel pads at the ends to adjust to irregular shapes.
- Inner gripping teeth for larger clamping applications.

					Throat		Clamping
Item #	IP	MP	PKG	Length	Depth	Opening	Pressure
W5088*	50	400	TAB	2"	3/4"	1/2"	1.5 lbs.
W5087*	50	400	TAB	3"	1"	1"	2 lbs.
W5089*	6	72	BLK	3"	1"	1"	2lbs.

#### **PIPE CLAMPS**

- The quick release four plate clutch produces up to 1,950 pounds of clamping pressure.
- Cast steel construction provide durability for years of service.



Item #	IP	MP	PKG	Pipe (NPT)	Throat Depth	Clamping Pressure
W3960*	6	24	CLM	1/2"	3/4"	1,250 lbs.
W3961*	6	24	CLM	3/4"	3/4"	1.950 lbs.

#### LOCKING C-CLAMP

- Heavy duty construction.
- Quickly adjusts to right size before use.
- Locks to work with squeeze of one hand.
- Unlocks easily by squeezing release lever.

Item #	IP	MP	PKG	Length	Capacity
W5100*	6	48	SLV	6"	2"
W5101*	6	48	SLV	8"	2-3/8"
W5102*	6	24	SLV	11"	3-1/2"

performancetool.com











#### **BOLT CUTTERS & PIPE WRENCHES**



Item #	IP	MP	PKG	Length	Max Capacity	Head	IP	MP	PKG
BC-8*	10	60	CRD	8"		-	-	-	-
BC-14*	1	12	BLK	14"	1/4" (6mm)	-	-	-	-
BC-18*	1	20	BLK	18"	5/16" (8mm)	-	-	-	_
BC-24*	1	10	BLK	24"	3/8" (10mm)	BC-24-1*	12	24	WBX
BC-30*	1	5	BLK	30"	15/32" (12mm)	BC-30-1*	12	24	WBX
BC-36*	1	5	BLK	36"	9/16" (14mm)	BC-36-1*	12	24	WBX



## CAST IRON PIPE WRENCHES

- Precision milled and drop forged steel jaws.
- Durable protective enamel paint.
- Heavy duty finish.

Item #	IP	MP	PKG	Length	Capacity
W1133-8B*	6	36	BLK	8"	
W1133-10B*	6	24	BLK	10"	1-1/2"
W1133-12B*	6	12	BLK	12"	2"
W1133-14B*	6	12	BLK	14"	2"
W1133-18B*	6	12	BLK	18"	2-1/8"
W1133-24B*	2	6	BLK	24"	2-7/8"
W1133-36B*	1	1	BLK	36"	3"
<b>W1136*</b> 4-PC	1	4	CBX	8", 10, 14, 24"	-

#### **ALUMINUM PIPE WRENCHES**

- Precision milled and drop forged steel jaws.
- Strong and lightweight aluminum handles.

2	Item #	IP	MP	PKG	Length	Capacity
	W2110*	6	12	BLK	10"	1-1/2"
HAND	W2114*	6	12	BLK	14"	2-1/2"
2	W2118*	1	6	BLK	18"	3"
	W2124*	1	6	BLK	24"	3-1/2"
	W2136*	1	1	BLK	36"	4"
	W2148*	1	1	BLK	48"	4-1/2"

#### ADJUSTABLE PIPE WRENCH

- Easy one handed operation.
- Size adjusts quickly to your application.
- Serrated jaw teeth for a secure grip.
  Lighter than standard 14" cast iron pipe wrench.

Item #	IP	MP	PKG	Length	Capacity
W2149*	5	20	DBL	14"	2-1/4"









BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box


## **SLEDGE HAMMERS**

#### **SLEDGE HAMMERS**

- Heavy duty fiberglass handles for strength and durability.
- Anti-shock, rubber cushion grips.
- Black matte finished head.

						Overall		
Item #	IP	MP	PKG	Weight	Length	Diameter	Length	
M7101*	1	4	LAB	4 lbs.	5"	1-1/2"	14-7/8"	
M7102*	2	4	LAB	6 lbs.	5-7/8"	2"	33-1/2"	
M7103*	1	4	LAB	8 lbs.	6-1/2"	2-1/8"	33-5/8"	
M7114*	2	4	LAB	10 lbs.	6-5/8"	2-1/4"	33-3/4"	
M7115*	2	4	LAB	12 lbs.	7"	2-5/8"	34"	
M7116*	1	2	LAB	16 lbs.	7-3/4"	2-3/4"	34-1/4"	

#### **SPLITTING MAULS**

- Heavy duty fiberglass handles for strength and durability.
  Anti-shock, rubber cushion grips.
- Black matte finished head.

					Overall		
Item #	IP	MP	PKG	Weight	Length	Blade	Length
M7113*	1	4	LAB	6 lbs.	8-1/4"	3-1/2"	33"
M7111*	1	4	LAB	8 lbs.	9"	4"	35"

#### **AXES**

- Heavy duty fiberglass handles for strength and durability.
- Anti-shock, rubber cushion grips.



M7104

performancetool.com

-

M7100

PT

California Residents

Prop 65 warnings see page 2.

					Overall		
Item #	IP	MP	PKG	Weight	Length	Blade	Length
M7109*	1	6	LAB	3.5 lbs.	7-5/8"	4-7/8"	33-7/8"
M7112*	1	6	LAB	1.25 lbs.	5-3/8"	3"	14"

# **SLEDGE & CROSS PEIN HAMMERS**

- Heavy duty fiberglass handles.Drop forged high carbon
- steel construction.
- Black matte finished head.
- Anti-shock cushion grips.

				Overall		
IP	MP	PKG	Weight	Length	Diameter	Length
4	8	LAB	3 lbs.	4-5/8"	1-5/8"	14"
1	4	LAB	3 lbs.	5"	1/5/8"	14"
2	4	SLV	2-PC Co	mbo Set		
	4	4 8 1 4	4 8 LAB 1 4 LAB	4 8 LAB 3 lbs. 1 4 LAB 3 lbs.	4         8         LAB         3 lbs.         4-5/8"           1         4         LAB         3 lbs.         5"	IP         MP         PKG         Weight         Length         Diameter           4         8         LAB         3 lbs.         4-5/8"         1-5/8"           1         4         LAB         3 lbs.         5"         1/5/8"





253

#### **HAMMERS & MALLETS**

#### **DEAD BLOW HAMMERS**

- Steel shot filled canister maximizes force, reduces rebound, and absorbs the shock of impact.
- The non-sparking, chemical resistant molded urethane covering is bright orange for high visibility and safety.

					Head		Overall
Item #	IP	MP	PKG	Weight	Length	Diameter	Length
M7008B*	6	24	TAB	8 oz.	3-1/4"	1-3/8"	10-1/2"
M7216*	6	12	TAB	16 oz.	3-7/8"	1-5/8"	11-5/8"
M7224*	6	12	TAB	24 oz.	3-7/8"	1-5/8"	12-1/2"
M7232*	6	12	TAB	32 oz.	3-7/8"	1-7/8"	13"
M7248*	6	12	TAB	48 oz.	4-5/8"	2-1/4"	13-3/4"
M7264*	6	12	TAB	64 oz.	5-1/4"	2-1/2"	14-1/8"

#### **3-PC DEAD BLOW HAMMER SET**

- 12 oz. brass platted cap hammer can be used for non-sparking applications.
- 16 oz. hammer's steel face and pein allows for conventional use in striking punches and chisels as well as shaping and straightening unhardened metals.
- 24 oz. urethane coated hammer is used for non-marring/non-sparking applications.

				Head		Overall	
Item #	IP	MP	PKG	Weight	Length	Diameter	Length
				12 oz.	3-1/4"	2"	10-1/2"
M7234*	6	12	CLM	16 oz.	3"	1"	8-1/2"
				24 oz.	4"	1-1/4"	10-1/2"

#### **RUBBER MALLETS**

- Non-marring rubber head.
- Rubber cushion grip\*.
- Many uses around home and shop.

					Head		Overall
Item #	IP	MP	PKG	Weight	Length	Diameter	Length
W1154*	6	36	CLM	8 oz.	2-7/8"	1-1/2"	10-1/4"
W1153*	6	36	CLM	16 oz.	3-1/2"	2-1/4"	12"
Tubular chro	me pla	ted har	ndles.				
M7132*	6	24	LAB	32 oz.	5"	2-1/2"	14"
Heavy duty f	ibergla	ss hand	dle.				
W1146*	6	24	BLK	32 oz.	4-1/4"	2"	13"
Hardwood h	andle.	*No rub	ber arir	)			

#### Hardwood handle. \*No rubber grip

#### **4-IN-1 QUICK CHANGE HAMMER**

- Plastic heads won't mark or spark, preventing surface damage and protecting both product and user.
- Shock absorbing fiberglass handle reduces vibration.
- Non-slip rubber grip for comfort and durability.
- Convex striking surfaces minimize bounce.
- Includes soft, medium, hard plastic heads and a high grade carbon steel head.

				He	Overall	
Item #	IP	MP	PKG	Length	Diameter	Length
M7215*	6	12	CRD	4"	1-1/2"	11-3/4"



Performance Tool

Performance Tool



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **HAMMERS & MALLETS**



performancetool.com



**W2033\*** 1 450 BLK 30" 7/8"



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **PRY BARS**



performancetool.com

# **CHISELS, PUNCHES & PINS**

- Hardened and tempered high carbon steel construction.
- Vinyl covered shank absorbs shock and reduces vibration.



						$\leq$	ノー							
			Item #	IP	MP	PKG	W750	W751	W752	W753			WEA	IR SAFETY GOOGL
	3/8"	6"	-	-	-	-	Х	-	-	-				
_	3/8"	7"	W5434 <b>*</b>	12	72	CRD	-	-	-	Х		1		
Ш	1/2"	6"	-	-	-	-	Х	Х	-	-				
CHISEL	1/2"	7"	W5432 <b>*</b>	12	72	CRD	-	-	-	-				atter sa
U I	5/8"	6"	-	-	-	-	Х	-	-	-		1		
2	5/8"	7"	-	-	-	-	-	Х	-	-				
COLD	3/4"	7"	W5436 <b>*</b>	12	72	CRD	-	-	-	-				
0	3/4"	7-1/2"	-	-	-	-	-	Х	-	-				
	7/8"	8"	-	-	-	-	-	Х	-	-				AR SAFETY GOOD
													W	Answ
	1/16"	4"	W5414 <b>*</b>	12	72	CRD	-	-	-	-				
- H	1/8"	6"	W5417 <b>*</b>	12	72	CRD	-	-	Х	Х				
PIN	5/32"	6"	-	-	-	-	-	Х	Х	-				INT OFFICE
_ 5	3/16"	6"	-	-	-	-	Х	-	Х	-				LA LL
	1/4"	6"	W5420*	12	72	CRD	-	Х	Х	-		1		
												1		
	1/8"	8"	W5427 <b>*</b>	12	72	CRD	Х	-	-	-				
TAPER	5/32"	8"	-	-	-	-	-	-	-	Х				
āž.	3/16"	6"	-	-	-	-	Х	Х	-	-				
E L	3/16"	10"	-	-	-	-	-	Х	-	-	Item #	IP	MP	PKG
	1/4"	6"	-	-	-	-	-	Х	-	-	W750* 7-PC	6	24	DBL
											W751* 12-PC	6	12	DBL
ICH	1/4"	4-1/2"	W5424 <b>*</b>	12	72	CRD	-	-	-	х	Plus 3/16 x 6" cape p chisel	ounch, 1	/2 x 6" co	ncrete
CENTER	3/8"	6"	-	-	-	-	х	х	-	-	W752* 4-PC W753* 4-PC	6 6	60 60	CRD CRD

#### **28-PC PUNCH & CHISEL SET**

- Contains 16 chrome vanadium (CrV) and 12 high carbon steel (CS) punches, chisels and pins.
- Complete with roll-up vinyl storage pouch.



CENTER TAPER

	and the second designed in the second designe

					Cold	Chisel	Pin F	Punch	Taper
Item #	IP	MP	PKG		CrV	CS	CrV	CS	CrV
				3/32"	-	-	4-1/4"	-	5-1/4"
				1/8"	-	-	4-3/4"	6"	5-3/4"
	-1	6	CBX	5/32"	-	-	5"	-	6"
W754 <b>*</b>	I	0	CBX	3/16"	-	-	5-1/4"	10-1/8"	6-1/4"
				1/4"	-	-	5-1/4"	-	6-3/4"
				3/8"	5-1/2"	-		8", 10"	-
				1/2"	6"	6-3/4"	-	-	-
Also incluc	les ch	nisel pu	inch	5/8"	6-1/2"	7"	-	-	-
gauge, 1/8" X 5", 3/16" X 6" (CrV),1/8" x 5-3/4", 3/16" x		3/4"	-	8"	-	-	-		
		13/16"	-	8"	-	-	-		
7-7/8" (CS) center punches.			7/8"	-	10"	-	-	-	
				1"	_	10"	_	_	_



W752



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **CHISELS, PUNCHES & PINS**

#### **16-PC PUNCH & CHISEL SET**

- All pieces are made from the strongest 6150 chrome vanadium steel to keep edges honed, and are heat treated and tempered for longer life.
- Designed for professional auto mechanics and heavy duty applications.

Item #	IP	MP	PKG			Center Punch	Pin Punch	Taper
				3/32"	-	-	4-1/4"	5-1/4"
				1/8"	-	5"	4-3/4"	5-3/4"
W7540 <b>*</b>	5	10	CLM	5/32"	-	-	5"	6"
W/540**	5	10	CLIVI	3/16"	-	6"	5-1/4"	6-1/4"
				1/4"	-	-	5-3/4"	
				3/8"	5-1/2"	-	-	-
				1/2"	6"	-	-	-
				5/8"	6-1/2"	-	-	-
Also include	s 1 cl	hisel pi	unch	3/4"	-	-	-	-
gauge and b	bonus	storag	ge tray.	13/16"	-	-	-	-
				7/8"	-	-	-	-
				1"	-	-	_	_



#### 9-PC ROLL PIN PUNCH SET

- Drop forged, heat treated & knurled steel for maximum durability, grip, workability.
- Reverse taper tip for easy alignment and
- end of pin punch won't stick in pin hole.
  Comes with fitted nylon roll-up storage/
- carry pouch.

No. of Concession, Name of Con

#### Item # IP MP PKG Sizes

W7559 <b>*</b>	6	26	ופח	1/16 x 2-3/4", 5/64 x 3-1/4", 3/32 x 3-1/2", 1/8 x 4-7/8",
W/559"	0	30	DDL	5/32 x 4-1/2", 3/16 x 4-3/4", 7/32 x 5", 1/4 x 5-3/8", 5/16 x 6-1/4"

#### **5-PC 8 IN. LONG PIN PUNCH SETS**

- 8" Long to reach deeply set pins in obstructed areas.
- Carbon steel construction with hardened tips for long life.
- Knurled steel handles for sure grip in every application.

#### Item # IP MP PKG Sizes

W758* Steel	5	30	CRD	1/8, 3/16, 1/4, 5/16, 3/8"
W759* Brass	5	30	CRD	1/0, 3/10, 1/4, 3/10, 3/0

#### **3-PC NAIL PUNCH SET**

- Drop forged, heat treated steel with knurled body.
- Large, square striking surface and precision point.

#### Item # IP MP PKG Sizes

w/J/	12	12	UND	1/52, 1/10, 5/52

#### LETTER/NUMBER STEEL STAMP SETS

- Stamp a number or letter combination onto most items for identification.
- 26 letters A-Z and the "&" sign.
- 9 numbers 0-8 (uses the 6 upside down for 9).
- Handy storage box.

Item #	IP	MP	PKG	Shank Size
W5421*	6	36	CBX	1/8"
W5422*	6	12	CBX	1/4"



W759



#### performancetool.com



## **WIRE STRIPPERS & CRIMPERS**



W200\*

IP

12

Item #

260

PKG

CRD

Strips AWG

18, 14, 12, 10, 8

MP

24

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



#### **WIRE STRIPPERS & CRIMPERS**



- Stainless steel tube and hollow handle aids in installing wires for radios, alarms and electronic equipment.
- Feed wires safely through the firewall grommet, allowing them to be accessed from the opposite side.

ng	

Item #	IP	MP	PKG
W2935*	6	48	CRD

#### performancetool.com

\*California Residents Prop 65 warnings see page 2.

261

#### TELESCOPING MIRRORS

- Multi swivel feature for confined areas.
- Telescopes to a lengths up to 28" for hard to reach areas.
- Includes a convenient pocket clip.
- Chrome plated corrosion resistant shaft.

	Contraction of the local division of the loc					
				Mirror	Teles	coping
Item #	IP	MP	PKG	Diameter	Min	Max
W1258*	6	144	CRD	1-7/8" x 1"	7-1/2"	28"
W1259*	6	144	CRD	2-1/8"	5-1/4"	22"
W3230*	12	144	Pg 316	1-1/8"	6-1/2"	18-1/2"
W3304*	20	160	Pg 317	1-1/8"	6-1/2"	20"
W9103*	12	72	Pg 308	1-1/8"	6-1/2"	18-1/2"
20128*	12	72	Pg 308	1-1/8"	6-1/2"	18-1/2"

#### JUMBO INSPECTION MIRRORS

- Comfortable injection molded grip.
- Double ball joint swivel.
- Indispensable for visual access in confined areas.

				Mirror	Telesc	oping
Item #	IP	MP	PKG	Diameter	Min	Max
W9124 <b>*</b>	8	48	Pg 309	2"	9-3/4"	36"
W9141*	4	24	Pg 309	3-1/2"	11-3/8"	30"

#### **TELESCOPING MIRROR** WITH VINYL GRIPS

- Multi direction swivel for visual access to confined areas.
- Chrome plated corrosion resistant shaft.

							1	
					Mirro		scoping	
Item #		IP	N	IP PK	G Size	Min	Max	_ (
W126		12	1	20 CR	D 2"	11-1/2"	18"	_ \}
W860	)11*	12	Ş	96 CR	D 2" x 3-1	/2" 12-3/4"	19-1/4	' X
0 11			CDI	TOTIC				
			_	_	)N TOO			
					esistant sha	aft.		
				es up to	3 lbs.		Pr. v	
• Han	ay po	скет	clip.			2		
	,			<b>D</b> KO	Mirror		coping	Lift
Item #		IP	MP	PKG	Diamete	er Min	Max	Capacity
W910		12 8	72 48	Pg 306	<u> </u>	6-1/2"	15"	3 lbs.
				Pg 321				JIDS.

W1258

W9124

W86011

Pr

Pg 312 2-5/8 x 1-5/8" 10-3/8" 34" 48



262

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

2

CR2032



Item #

W1261\*

W1904\*

W3234\*

W3301\*

W1908\*

W9100\*

20126\*

#### **MAGNETIC PICKUP TOOLS**



Lift

Capacity

3 lbs.

4-5/8"

4-3/4

4-3/4"

4-3/4"

Telescoping handle extends magnet up to 25".

PKG

CRD

BLK

Pg 316

Pg 317

Pg 312

Pg 308

Pg 320

Compact size with pocket clip.

IP

6

30

12

20

25

15

12

 Easily retrieves small parts from confined or hard to reach areas.

MP

144

180

144

160

300

90

72

coping
Max
18-1/2"
25"
18-1/2"
18-1/2"
25"
25"
18-1/2"

Performance To

W1254

W1200C

W9101/

20129

performancetool.com

#### TELESCOPIC MAGNETIC PICKUP TOOLS

- Heavy duty magnetic tip.
- Handy pocket clip.

				Lift		coping	W86010
Item #	IP	MP	PKG	Capacity	Min	Max	
W1254*	12	48	CRD	3.5 lbs.	5"	24-3/4"	
W86010*	12	144	CRD	3.5 lbs.	5"	25-1/2"	<u> </u>

#### **TELESCOPIC MAGNETIC PICKUP TOOL**

- Telescoping handle extends magnet to 24".
- Ball joint allows head to swivel 90 degrees. Easily retrieves small parts from confined
- or hard to reach areas.

MP

144

	Lift	Teles	coping	
PKG	Capacity	Min	Max	W9115
CRD	8 lbs	14"	24"	

#### **HEAVY DUTY TELESCOPIC MAGNETIC PICKUP TOOLS**

- Heavy duty magnetic tip retrieves up to 16 lbs.
- Cushion grip handle.

IP

Handy pocket clip.

Item #

W1200C\* 12

			Teleso	coping		
Item #	IP	MP	PKG	Capacity	Min	Max
W9101*	12	72	Pg 308	8 lbs.	6-1/2"	24"
20129*	12	72	Pg 320	o ips.	0-1/2	24
W9115 <b>*</b>	12	72	Pg 309	16 lbs.	7"	30"

#### BACK SCRATCHER PICKUP TOOL

- Pickup tool and back scratcher in one
- Claw hand features integrated bottle opener.

				Lift	Teles	coping	W9144
Item #	IP	MP	PKG	Capacity	Min	Max	Straight
W9144 <b>*</b>	9	54	Pg 310	2 lba	8-1/2"	20"	claw hand.
20193*	6	36	BLK	2 lbs.	0-1/2	20	
W9204 <b>*</b>	9	54	Pg 311	2 lbs.	8-1/2"	27-1/2	11

W9204 Angled claw hand. HAND TOOLS

\*California Residents Prop 65 warnings see page 2.

Performance Tool

Performance Tool



## LIGHTED PICKUP TOOLS

#### LIGHTED MAGNETIC PICKUP TOOL

- Bright LED light helps you retrieve lost tools and parts.
- Easily retrieves objects from confined areas.
- Cushion grip handle.



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

AG13

24"

2 lbs.

З

W83196\*

264

6

72

CRD



## **FLEXIBLE PICKUP TOOLS**



performancetool.com



## **MAGNIFYING GLASSES**

## RETRIEVING MAGNETS

 Use as retriever or to move metal items Note: Rating based on on direct contact with 1/4" thick, flat, and smooth ferrous steel plate while pulling magnet perpendicular to plate. Metal with lower iron content will have less pull

Powerful magnet encased in red plastic case with rubber side bumpers. Eye bolt can be mounted either in horizontally or vertically orientation

W12512

2-7/8

/8

#### W12508 Red enamel

coating over grade 8 ferrite magnets.



W	/12513
Ma	agnet assembly made of steel
wi	th all-welded construction.

			Lift		
Item #		IP	MP	PKG	Capacity
W12508*		12	24	CLM	25 lbs.
	Heavy Duty	6	24	CLM	40 lbs.
W12513*	Extreme Duty	4	12	CLM	150 lbs.

#### **4X MAGNIFYING GLASS**

- 4x Power non-distorting optical grade glass lens.
- Comfortable rubber grip handle.
- Over molded frame for extra protection.

Item #	IP	MP	PKG	Lens	Length	Color(s)
W15029*	8	48	Pg 313	2-7/8"	7-1/4"	Red, Blue, Green, Orange
W15038*	12	72	CRD	2-7/8"	7-1/4"	Red
20169 <b>*</b>	4	24	Pg 321	2-7/8"	7-1/4"	Red, Blue

#### **3X JUMBO MAGNIFYING GLASS**

- 3X Power non-distorting optical grade glass lens.
- Comfortable rubber grip handle.
- Over molded frame for extra protection.

Item #	IP	MP	PKG	Lens	Length	Color(s)	
W15032*	5	40	Pg 313	4-1/2"	10"	Red	

#### **4X LIGHTED MAGNIFYING GLASS**

- Wide angle LED lights up work area.
- 4X Power non-distorting optical grade glass lens.
- Comfortable rubber grip handle.
- Over molded frame for extra protection.
- Batteries included.

						Ba	ttery	
Item #	IP	MP	PKG	Lens	Length	Qty.	Туре	Color(s)
W15028*	6	48	CRD	2-7/8"	7-1/4"	3	AG13	Yellow
W15036*	8	48	Pg 313	2-7/8"	7-1/4"	3	AG13	Red, Blue, Green, Orange

#### 5X-7X LIGHTED MAGNIFYING LENS

- Adjusts from 5x-7x magnification by simply rotating the outer ring
- Features 3 LEDs for better illumination.
- Optical grade glass and impact resistant housing.
- Dual mode operation: on/off, and touch mode - touch the outer ring to activate the LEDs.
- Batteries included.

- 0	



						В	attery
Item #	IP	MP	PKG	Lens	Diameter	Qty.	Тур
W15035*	12	48	CRD	2-5/8"	3-1/2"	2	CR20
	_						



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

Туре CR2016



#### performancetool.com

\*California Residents Prop 65 warnings see page 2.

267

#### **MEASURING & LEVELING**

#### **DIGITAL MEASURING WHEEL**

- 6-1/4" digital measuring wheel handle mounted backlit display that is easy to read from a standing position.
- Displays measurements up to 10,000'/meters with an accuracy of 1" per 100'.
- Memory stores up to 5 measurement values that can be quickly recalled.
- Comes in a convenient carrying case with shoulder strap.

asurement recalled. rrying

Integrated

kickstand.

W5006

Telescopic aluminum handle allows for height adjustment and quick, easy storage.

					_	Teleso	coping	Battery		
Item #	IP	MP	PKG	Range	Accuracy	Min	Max	Qty.	Туре	
W5704 <b>*</b>	1	10	CBX	0 to 10,000'	±.3%	28"	40"	2	AAA	

#### TAPE MEASURES

- Convenient and quick fractional readout every 1/8".
- Durable casing stands up to rough treatment.

#### W5025BP readout (other may vary)

Item #	IP	MP	PKG	Length	Width	
W5006*	12	48	DBL	6'	1/4"	Key ring
W5020*	6	36	CRD	12'	5/8"	-
W5022*	6	36	CRD	16'	3/4"	-
W5024*	6	36	CRD	25'	1"	-
W5035*	4	16	CRD	35'	1"	Magnetic
W5025BP*	6	12	CRD	12'	5/8"	
W50250P	0	12	UND	25'	1"	-

#### **TAPE MEASURE SAE/METRIC**

- Convenient and quick fractional readout every 1/8".
  - Both SAE and Metric markings on tape measure blade.

• [	Dur	able	e ca	sing	g sta	nds	s up	to	rou	ıgh	tre	eatr	ner	nt.
g g	addated she	P 2 P	1 8 4 8	A 7 1			S 7 8 1	No. 1	l i g i				R 1	
Δ	5	6	7	8		0 1	2	3	Δ	5	6	7	8	9

Item #	IP	MP	PKG	Length	Width				
W5124 <b>*</b>	6	36	DBL	25'	1"				
W5124BP*	6	12	DBI	12'	5/8"				
WJIZ4DP	0	12	DDL	25'	1"				

#### **CLEAR TAPE MEASURE**

- Clear polycarbonate housing.
- Double sided hook for easy measuring.
- Convenient belt hook and wrist strap.

3 4 2FT 5 6 7 8									
Item #	IP	MP	PKG	Length	Width				
W5040*	6	48	BLK	25'	4"				
W5041*	8	48	TAB	23	I				

W5124BP W5124BP Printing on both sides of tape, with both horizontal and vertical incremental measurements.



W5035



**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box

W5024



#### **MEASURING & LEVELING**

<ul> <li>FOLDII</li> <li>This verse measure quickly, e pipes, or</li> <li>Also can straight e and obst</li> </ul>	satile h s prec even a on sta be us edge a	inged l isely a round o airs. ed as a round o	level nd corners a reliabl	e									
Item #	IP	MP	PKG		bbles 45° 90°		W	D	Н				
W5703*	16	64	SLV	2	1 1	Open Folded	23-1/2" 4-3/4"	2" 3-19/32"	3/4" 3-3/4"				
HIGH I • High imp • Three ea	act pla	astic co	onstructi	on.		bbles				GE		Ø	
Item # W5701*	<b>IP</b> 4	<b>MP</b>	PKG LAB	Length		<b>45° 90°</b> 1 1		-					
<ul> <li>Aluminur</li> <li>Permane</li> <li>Works as</li> <li>Item #</li> <li>W5052*</li> <li>STRAI</li> <li>SAE and</li> <li>36" long</li> </ul>	IP 6 CHT 6 CHT	et gradu guide f <u>MP</u> 36 <b>ED(</b> c marki	uations or 45 ar PKG CRD	on both s	sides.	at tinish.							ж
Item # W5702 <b>*</b>	<b>IP</b> 50	<b>MP</b> 200	PKG LAB		1 4 7 1		a a management	ALL DESCRIPTION OF THE PARTY OF	and the loss and will doe too had to				
• Detects r AC wire • Accurate • Audible a • Battery n	FINI metal a up to 1 withir and LE	<b>DER</b> and wo 1-1/4" c 1/8" o ED indic	od stud leep. f stud.						ĹĹ		-)) 	.9	HAND TOOLS
Item # W5763 <b>*</b>	<b>IP</b> 6	<b>MP</b> 48	PKG DBL	Bat Qty. 1	<b>tery</b> Type 9V		No.						
<b>3-PC (</b> • 100' chal • Reel can • Line leve • 4 oz. red	lk reel be us el for he	with du ed as a orizonta	urable z a plumb	inc alloy bob for	housing. vertical m	arking.	× 914		A	e			
ltem # W5512 <b>*</b>	<b>IP</b> 6	<b>MP</b> 24	PKG CRD	<b>Line L</b> 10					× I				

performancetool.com

\*California Residents Prop 65 warnings see page 2.

269

## PRECISION MEASURING

#### **DIGITAL CALIPER** Includes depth measurement bar SAE to metric conversion with a push of a button. 12323678 P Performance Zero setting at any position 100 110 120 10 20 within measuring range. Thumb wheel with lock. Stainless steel construction. Battery and storage case • Measures included. outside, inside, step and depth. Outside Inside Depth Battery Resolution **Throat Depth** Max Range Accuracy ± Overall IP Qty. Item # MP PKG inch mm inch mm inch mm O.D. I.D. Length Type W80152\* 12 48 CRD 6 150 0.0005 0.01 0.001 0.03 1-9/16 13/16 9-3/8" LR44 **COMPOSITE** W80160 **DIGITAL CALIPERS** PT 130

- Lightweight and durable carbon fiber construction.
- Measures outside and inside dimensions.
- Large easy to read LCD display.
- Zero setting at any position within measuring range.

W80155 W80157

Great tool for gathering accurate measurements on just about anything from projects around the home or office, to automotive repairs, carpentry or laboratory applications.

				Max F	Range	Reso	lution	Accu	acy ±	Throat	Depth	Overall	Ba	ittery
Item #	IP	MP	PKG	inch	mm	inch	mm	inch	mm	O.D.	I.D.	Length	Qty.	Туре
W80157*	12	72	CRD	4	100	0.01	0.1	0.01	0.2	1-1/8"	11/16"	7"	1	LR44
W80155*	25	100	CRD	6	150	0.01	0.1	0.01	0.2	1-9/16"	13/16"	9-1/2"	1	SR44
W80160*	12	48	CRD	8	200	0.01	0.1	0.01	0.2	2-29/32"	13/16"	11-1/8"	1	LR44

#### **DIAL CALIPER**

- Measures outside, inside, step and depth.
- Stainless steel construction.



<ul> <li>Measures outside, inside, step and depth.</li> <li>Stainless steel construction.</li> </ul>							40 40	nariyana (sizana an	สารหรือสารที่ได้	iterration and a state of the			
				_	Max F	Range	Grac	duations	Revol	utions	Throat	Depth	Overall
Item #		IP	MP	PKG	inch	mm	inch	mm	inch	mm	0.D.	I.D.	Length
W80151	∗ -	12	48	CRD	6	150	0.001	1 0.02	0.01	0.2	1-9/16"	13/16"	9-1/4"
						100						10,10	0 1/1
LASTIC way meas	<b>C</b> Suren	<b>ALII</b> ments	PER for ou	utside,				Participant of the second		28m TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	ມດໂດຍາດມູ້ແຕ່ກາງແຕ່ກາ		
LASTIC way meas nside, step	suren and	ALII ments depth	PER for on	utside, Max	Rang	e T	hroat D	Depth	Overall	28m TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	·		
Mastic way meas hside, step	<b>C</b> Suren	<b>ALII</b> ments	PER for ou	Max i inch	Rang	e T n O		Participant of the second		28m TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	·		



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

# Performance Tool"

## **PRECISION MEASURING**



## **FILES & SETS**

#### **6-PC FILE SET**

- Two durable black rubber handles with plastic inserts for comfort and convenience.
- Heat treated carbon steel files.
  Contents: 6" mill file, 8" mill file, 6" round file and 8" half round file.



Item #	IP	MP	PKG
W5390*	6	36	DBL

#### **FILES WITH HANDLE**

- Durable black rubber handles with plastic inserts for comfort and convenience.
- Heat treated carbon steel files.

		Item #	IP	MP	PKG
Round	6"	W5400*	6	72	TAB
Round	8"	W5399 <b>*</b>	6	72	TAB
Half	6"	W5403 <b>*</b>	6	72	TAB
Round	8"	W5398 <b>*</b>	6	72	TAB
	6"	W5406*	6	72	TAB
Mill	8"	W5394 <b>*</b>	6	72	TAB
	10"	W5393 <b>*</b>	6	72	TAB





#### **13-PC MICRO FILE SET**

- Diamond and carbon surfaces for quick removal.
- Precision sizes for fine detail work.
- Nylon storage case keeps everything organized.
- Comfortable non-slip molded handle with quick change 1/4" hex chuck.



#### HALF ROUND SHAPER FILE

• Fits most 10" adjustable handles.

• Use on body filler putty or glaze.

Item #	IP	MP	PKG	Size
W1023*	6	240	CRD	10"





BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **SAWS & BLADES**

#### **ADJUSTABLE HACKSAW**

- Adjustable for 10 or 12" blades.
- Comfortable handle.



#### Item # IP MP PKG Length Length W730\* 6 36 SLV 10, 12" 17-1/4" 10, 12" 18-5/8" W731\* 6 36 SLV

Blade

#### **PROFESSIONAL HACKSAW**

- Comfortable die cast aluminum handle.
- 45 and 90° blade positioning.
- Extra blades store in top bar.
- Works as a keyhole saw.

				Blade	Overall
Item #	IP	MP	PKG	Length	Length
W732*	6	36	SLV	12"	15-1/4"

#### **MINI HACKSAW**

- Sturdy I-Beam cast aluminum construction with protective powder coat finish.
- 6 blade angle settings.
- Uses standard coping saw blades.

				Blade	Overall
Item #	IP	MP	PKG	Length	Length
W725*	12	96	SLV	5-3/4"	10"

#### **UTILITY HACKSAW**

- Comfort grip handle.
- Compact design for confined work areas.
- Works with several blade sizes.

				Blade	Overall
Item #	IP	MP	PKG	Length	Length
W733*	12	48	CRD	10, 12"	10-1/2"

#### **SPRING LOADED HACKSAW**

- Pistol grip handle with spring loaded blade guide.
- Rubber foot on end adds stability to ensure straight cuts.
- Comfortable molded handle with rubberized grip.
- Includes high quality bi-metal 10" blade.

				Blade	Overall
Item #	IP	MP	PKG	Length	Length
W726*	6	72	CRD	10, 12"	10-1/2"

#### **4-PC HACKSAW BLADE SETS**

- High carbon steel.
- Each set contains two 18 and 24 teeth per inch blades.

				Blade
Item #	IP	MP	PKG	Length
W739 <b>*</b>	12	72	CRD	12"
W740C*	12	144	CRD	10"
W741C*	12	144	CRD	12"









	12"X½X24T
	12"X%X18T
W739	12"X½X24T
VV / 39	

#### performancetool.com



#### **SAWS & BLADES**

#### **JAB SAW**

- Sharp blade tip for easy wallboard penetration.
- Aggressive crosscut tooth pattern.
- Comfortable injection molded grip.
- Includes storage pouch.



Item #	IP	MP	PKG	Blade Length	Teeth Per In.	
W5150*	12	48	DBL	15"	8	_

#### **36-PC HOBBY KNIFE SET**

- Useful for numerous hobbies and crafts projects.
- Excellent for detail work on sculptures, carvings and model work.
- Easy carrying storage case and deluxe knife handles with SK5 blades. Set contains:
- 28 pcs. SK5 hobby knife blades,
- 2 pcs. TPR cushion knife handles,
- 2 pcs. needles,
- 1 pc. tweezers,
- 1 pc. 2mm slotted screwdriver.
- 1 pc. 3".vernier caliper.





Item # IP MP PKG W1709\* 6 12 DBL

#### 7-PC HOBBY KNIFE SET

- 6 assorted knife blades for multiple applications.
- Includes flat chisels style and most popular scalpel style blades.

$\sim$

Item # IP MP PKG W748\* 12 144 CRD

#### **KNIFE SETS**

- Includes blade
- Co • 14
- Sto

<ul> <li>Comforta</li> </ul>	blades for various pr able contoured handle sion hobby blades. case.		s.		Performan	nce '	W9170
Item #		IP	MP	PKG			
W9170*	15-PC Hobby Knife	4	24	CAS/Pg 310	W9171		
W9171*	21-PC Utility Knife	4	24	CAS/Pg 310	W9171		



> BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **SCRAPERS**

#### **PRO GRIP SCRAPERS**

- Rigid stainless steel blade with sharp chisel tip.
- Ergonomic grip w/broad hilt for greater comfort and control.

#### W9183

6-in-1 painter's tool: scraper, spreader, gouger, putty remover painter roller cleaner, nail & tack puller.



					Ler	ngth
Item #		IP	MP	PKG	Blade	Overall
W5489 <b>*</b>	Offset	8	48	CRD	1-1/4"	10"
W9181*	Straight	6	36	Pg 311	1-1/4"	9-1/2"
W9183 <b>*</b>	Painter's	6	36	Pg 311	3"	9-3/4"

#### WALL SCRAPER

- Tempered and ground steel blade.
- High impact plastic handle with hang hole.
- Rigid blade.

				Length			
Item #	IP	MP	PKG	Blade	Overall		
W5486*	12	144	TAB	1-1/4"	7-3/8"		

#### **PUTTY KNIFE & SCRAPER SET**

• Tough natural wood handles.

• Includes 3" wall scraper and 1-1/4" putty knife.

				Length		
Item #	IP	MP	PKG	Blade	Overall	
W3013 <b>*</b>	6 60	60		1-1/4"	7-1/8"	
W3013	6 60		CRD	3"	7-7/8"	

#### **CARBON & GASKET SCRAPER**

- Alloy steel construction.
- Plated to resist corrosion.

				Length		
Item #	IP	MP	PKG	Blade	Overall	
W234C*	6	72	CRD	1"	10-7/8"	

#### 5-PC SCRAPER & REMOVER SET

- Durable alloy steel shafts.
- Tough plastic handles.

				Scr	aper	Hose	Scratch	Cotter Pin	
Item #	IP	MP	PKG	Blade	Overall	Remover	Awl	Puller	
W235*	e	04		1"	8"	7"	0"	0"	1
WZ334	0	24	CRD	1"	11"	1	9	Э	



#### performancetool.com

\*California Residents Prop 65 warnings see page 2.

•



W5489 Offset design for hard to reach areas.

W9181

## **SCRAPERS & KNIVES**

#### **BX5 RAZOR SCRAPERS**

- BX5 blades last up to 5 times longer than standard blades.
- Ergonomic non-slip molded grip for greater comfort and control.
- Compact size for confined or hard to reach places.
- Includes 1 BX5 scraper blade.



#### W5750

Item #		IP	MP	PKG	Length
W5750*	Mini	6	48	DBL	4-1/2"
W7502*	Stubby	12	72	CRD	5"
W7508*	Extended	6	24	CRD	9-1/2"

#### **EXTENDED SCRAPER**

• Reaches confined areas.

6

- Extra blades storage in handle.
- Includes 3 razor blades and
- 3 plastic blades.

W233\*

#### IP Length Item # MP PKG 72



#### **RETRACTABLE SAFETY SCRAPER**

CRD

12"

- Zinc plated for corrosion resistance.
- Blade retracts for safety when not in use.
- Includes box with 5 replacement blades.

#### Item # IP MP PKG Length W743\* 6 144 CRD 4"

#### **3 POSITION RAZOR SCRAPER**

- Folds out and locks in 3 positions.
- Blade retracts and locks into handle for compact storage and safety.

Item #	IP	MP	PKG	Length
W749 <b>*</b>	6	36	CRD	8-1/4"

#### **BX5 RAZOR BLADES**

- High quality SK2 steel lasts up to 5X longer than standard steel blades.
- Fits standard razor scrapers.

Item #		IP	MP	PKG	
W7506*	5-PK	40	200	CRD	BX5
W7507*	50-PK	8	32	CRD	BX5
W742 <b>*</b>	12-PK	24	240	CRD	-
W747 <b>*</b>	100-PK	6	36	CRD	-

#### PLASTIC RAZOR BLADES

• High quality polycarbonate plastic.

Item #		IP	MP	PKG
W7504*	20-PK	24	144	CRD



W7508

W7502

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

HAND TOOLS

276



# **SCRAPERS & KNIVES**

#### **BX5 FOLDING UTILITY KNIFE**

- Compact design folds down to 4" for easy storage & portability.
- Locks in open and closed positions for safety.
- Change blades with the push of a button.

Item #	IP	MP	PKG	
	10	70	000	0.0

CRD 3 BX5 utility blades. W695\* 12 72

#### **AUTO-LOADING UTILITY KNIFE**

- Auto-loading blade chamber.
- Quick change blade mechanism.
- Heavy duty compact design.

12

#### IP PKG Item # MP Length 72

8 heavy duty utility blades. 5-1/2"

On-board blade storage

for up to 7 spare blades.

#### **QUICK CHANGE UTILITY KNIFE**

CRD

• High grade steel blade.

W694\*

- Push button auto open and easy lock.
- Durable rubber grip handle.

Item #	IP	MP	PKG	Length
W746*	12	48	CRD	7"

#### **UTILITY KNIFE**

- 3 position retractable blade.
- Extra blade included stores in handle.
- Indispensable around the home, shop & office.

Item #	IP	MP	PKG	Length
W745C*	6	144	CRD	5-3/4"

#### **52-PC FOLDING UTILITY KNIFE SET**

- Combines the strength of a fixed blade with convenience of pocket knife.
- Compact design folds down to 3-9/16" for easy storage & portability.
- Change blades with the push of a button.
- Blade locks in open position for safety.

Item #		IP	MP	PKG	
W1720*	52-PC	6	24	DBL	Red, blue knife, 50 blades with storage
W2600*	6-PC	6	48	DBL	Red knife, 5 blades
W2601*	6-PC	6	48	DBL	Blue knife, 5 blades
W12113*	6-PC	6	48	CRD	Silver knife, 5 blades

#### **BX5 UTILITY KNIFE BLADES**

- High quality SK2 steel lasts up to 5X longer than standard steel blades.
- Heavy duty blades precision honed to razor edge

, i i i i i i i i i i i i i i i i i i i	· · <b>,</b>				
Item #		IP	MP	PKG	
W7503*	5-PK	24	144	CRD	BX5
W7505*	50-PK	4	24	CRD	BX5
W744*	5-PK	24	240	CRD	-
W7500*	10-PK	20	240	CRD	-
W7501*	100-PK	4	24	CRD	-

#### **HOOK BLADES**

Fits standard utility knives.

Item #		IP	MP	PKG
W756*	5-PK	20	240	CRD

W7503

W7501 W7505

performancetool.com









#### POCKET KNIVES

#### STAINLESS STEEL KNIFE

- Stainless steel straight back blade.
- In handle locking safety mechanism.
- Nylon case for storage.

IP MP Item # PKG Blade Closed Open W458\* 72 DBL 4" 4-1/2" 6 7-3/4"

## THE KAMPALA CAMO POCKET KNIFE

- Stainless steel partially serrated blade.
- Thumb stud for easy one hand operation. Inline blade lock/reléase mechanism.

#### IP Item # MP PKG Blade Closed Open

W9351\* 6 48 DBL 3-1/4 4-1/4 8"

# **RESCUE KNIFE**

Black tactical finish.

Aluminum handle.

Black anodized finish.

() orti

Seat belt cutter.

Seat belt cutter.

Tempered glass breaker.

Tempered glass breaker.

#### Stainless steel partially serrated blade

- Dual thumb studs for easy opening.
- Liner lock with pocket clip.

Item #	IP	MP	PKG	Blade	Closed	Open
W9341*	6	48	DBI	3-1/2"	5"	8-1/2"

## THE KYOTERA POCKET KNIFE

- Straight edge Tanto blade with black finish.
- Thumb stud for easy one hand operation.
- In-line blade lock/release mechanism with pocket clip.

					Closed	Open
W9356 <b>*</b>	6	48	DBL	3"	4-1/2"	7-1/2"

#### MASAKA FOLDING KNIFE

- Stainless steel non-reflective black Tanto blade.
- Thumb stud for easy one hand operation.
- In-line blade lock/release mechanism with pocket clip.

Item #						
W9357*	6	48	DBL	3-1/4"	4-1/2"	8-1/4"

#### **PARACORD HANDLE KNIFE**

- Stainless steel drop point blade with polished face.
- Thumb stud for easy one hand operation.
- In-line blade lock/release mechanism with pocket clip.

Item #	IP	MP	PKG	Blade	Closed	Open
W9360*	6	48	DBL	3-1/2"	4-3/4"	8-1/2"

# Includes 30" of paracord

•

Special edition dual tone camo pattern.

#### SANGA CARBON FIBER KNIFE

- Stainless steel roller bearing pivot point.
- Finger flipper and thumb stud for one hand operation. In-line blade lock/release mechanism with pocket clip.

Item #	IP	MP	PKG	Blade	Closed	Open
W9363*	6	48	DBL	3-1/4"	4-1/2"	7-3/4"

#### WOOD HANDLE KNIFE

- Spring loaded assisted opening mechanism.
- Stainless steel drop point blade.
- Finger flipper and in-line blade lock/release mechanism.

#### Item # IP MP PKG Blade Closed Open W9364\* 6



Comfortable natural wood handle.



278

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



**POCKET KNIVES** 

LI-IO							Bright white L.E.D Carabiner clip
<ul> <li>Features</li> <li>Straight</li> <li>Includes</li> </ul>	edge s	stainle	ss stee	el Tanto I	blade.	ner clip	
Item #	<b>IP</b>	<b>MP</b> 8	PKG DBL	Blade 3"	<b>Closed</b> 4-5/8"	<b>Open</b> 7-5/8"	Battery Li-lon
W9362*	1	0	DBL	3	4-3/8	0/C-1	Li-Ion Tempered glass breaker
<ul> <li>Stainless</li> <li>Thumb s</li> <li>Blade loss</li> </ul>	s steel stud fo	blade r easy	with ta one ha	actical bl	ration.		Q OF FEREN
Item #	IP	MP	PKG	Blade	Closed	Open	
W9333*	6	48	DBL	3-1/4"	4-1/2"	7-3/4"	-
<ul> <li>Stainless</li> <li>Dual thu</li> <li>Liner loc</li> </ul>	s steel mb sti	blade uds for	with ta	actical bl	ack finish.		
Item # W9339*	<b>IP</b> 6	<b>MP</b> 48	PKG DBL	Blade 3-1/2"	<b>Closed</b> 4-9/16"	<b>Open</b> 8"	Aluminum handle with digital camo finish
<ul> <li>Stainless</li> <li>Thumb s</li> </ul>	s steel stud fo	partia r easy	ally serr	ated bla and opei	de. ration.	p.	000000
<ul> <li>Stainless</li> <li>Thumb s</li> <li>Blade log</li> <li>Item #</li> </ul>	s steel stud fo	partia r easy	ally serr	ated bla and opei	de. ration.	p. <b>Open</b> 8"	0.09890.
<ul> <li>Stainless</li> <li>Thumb s</li> <li>Blade loo</li> <li>Item #</li> <li>W9328*</li> <li>POCK</li> <li>Stainless</li> <li>Thumb s</li> </ul>	s steel stud fo ck/rele 6 (ET s steel stud fo	partia r easy ase m <u>MP</u> 48 <b>KNI</b> partia r easy	nlly serr one ha nechan DBL DBL	rated bla and oper ism and Blade 3-1/2"	de. ration. pocket cli <u>Closed</u> 4-1/2" de. ration.	<b>Open</b> 8 <sup>ª</sup>	
POLIS • Stainless • Thumb s • Blade loo Item # W9328* POCK • Stainless • Thumb s • Blade loo	s steel stud fo ck/rele 6 <b>ET</b> s steel stud fo ck/rele	partia r easy ase m 48 <b>MP</b> 48 <b>KNI</b> partia r easy ase m	Ally serr one ha hechan PKG DBL FE Ally serr one ha hechan	rated bla and oper ism and Blade 3-1/2" rated bla and oper ism and	de. ration. pocket cli <u>Closed</u> 4-1/2" de. ration. pocket cli	0pen 8"	
<ul> <li>Stainless</li> <li>Thumb s</li> <li>Blade loo</li> <li>Item #</li> <li>W9328*</li> <li>POCK</li> <li>Stainless</li> <li>Thumb s</li> </ul>	s steel stud fo ck/rele 6 (ET s steel stud fo	partia r easy ase m <u>MP</u> 48 <b>KNI</b> partia r easy	nlly serr one ha nechan DBL DBL	rated bla and oper ism and Blade 3-1/2"	de. ration. pocket cli <u>Closed</u> 4-1/2" de. ration.	<b>Open</b> 8 <sup>ª</sup>	
<ul> <li>Stainless</li> <li>Thumb s</li> <li>Blade loo</li> <li>Item #</li> <li>W9328*</li> <li>POCK</li> <li>Stainless</li> <li>Blade loo</li> <li>Item #</li> <li>W9332*</li> <li>CLASS</li> <li>Stainless</li> <li>Lock bac</li> </ul>	s steel stud fo ck/rele iP 6 (ET s steel stud fo ck/rele iP 6 SIC s steel ck blac	partia r easy ase m 48 <b>KNI</b> partia r easy base m <u>MP</u> 48 <b>LO</b> clip p de rele	ally serr one ha hechani PKG DBL FE ally serr one ha hechani PKG DBL CK I oint bla	rated bla and oper ism and Blade 3-1/2" rated bla and oper ism and Blade 2-3/4" BACH ade.	de. ration. pocket cli <u>Closed</u> 4-1/2" de. ration. pocket cli <u>Closed</u> 3-3/4" <b>KKNII</b>	ореп 8" р. Ореп 6-1/2"	
<ul> <li>Stainless</li> <li>Thumb s</li> <li>Blade loo</li> <li>Item #</li> <li>W9328*</li> <li>POCK</li> <li>Stainless</li> <li>Thumb s</li> <li>Blade loo</li> <li>Item #</li> <li>W9332*</li> <li>CLASS</li> <li>Stainless</li> <li>Lock bac</li> <li>Thumb g</li> <li>Item #</li> </ul>	s steel trud fo ck/rele iP 6 (ET s steel stud fo ck/rele iP 6 SIC s steel ck blac groove	partia r easy ase m 48 <b>KNI</b> partia r easy ase m 48 <b>LO</b> clip p de rele	Ally serr one ha bechani PKG DBL FE Ally serr one ha bechani PKG OBL CK I oint bla sase me PKG	rated bla and oper ism and Blade 3-1/2" rated bla and oper ism and Blade 2-3/4" BACP ade. echanism	de. ration. pocket cli <u>Closed</u> 4-1/2" de. ration. pocket cli <u>Closed</u> a-3/4" <b>KNII</b> n. Closed	• • • • • • • • • • • • • •	Polished hardwood handle. Solid brass linings and bolsters
<ul> <li>Stainless</li> <li>Thumb s</li> <li>Blade loo</li> <li>Item #</li> <li>W9328*</li> <li>POCK</li> <li>Stainless</li> <li>Thumb s</li> <li>Blade loo</li> <li>Item #</li> <li>W9332*</li> <li>CLASS</li> <li>Lock bad</li> <li>Thumb s</li> <li>Item #</li> <li>W9313*</li> <li>MEDI</li> <li>Stainless</li> <li>1-3/4" sh</li> </ul>	s steel trud fo ck/rele iP 6 (ET s steel stud fo ck/rele iP 6 SIC s steel ck blac groove iP 6 UM s steel ck blac groove	partia r easy ase m 48 KNI partia r easy ase m MP 48 LO clip p de rele	Illy serr one ha hechani PKG DBL FE Illy serr one ha hechani PKG DBL CKK I oint bla ease me PKG DBL	rated bla and oper ism and Blade 3-1/2" rated bla and oper ism and Blade 2-3/4" BACP ade. echanisr Blade 3-1/2"	de. ration. pocket cli <u>Closed</u> 4-1/2" de. ration. pocket cli <u>Closed</u> 3-3/4" <b>KNIII</b> n. <u>Closed</u> 5" <b>KNIII</b> e.	Open 8" p. Open 6-1/2" FE	Polished hardwood hardle. Solid brass
<ul> <li>Stainless</li> <li>Thumb s</li> <li>Blade loo</li> <li>Item #</li> <li>W9328*</li> <li>POCKX</li> <li>Stainless</li> <li>Blade loo</li> <li>Item #</li> <li>W9332*</li> <li>CLASS</li> <li>Stainless</li> <li>Lock bad</li> <li>Thumb g</li> <li>Item #</li> <li>W9313*</li> </ul>	s steel trud fo ck/rele iP 6 (ET s steel stud fo ck/rele iP 6 SIC s steel ck blac groove iP 6 UM s steel ck blac groove	partia r easy ase m 48 KNI partia r easy ase m MP 48 LO clip p de rele	Illy serr one ha hechani PKG DBL FE Illy serr one ha hechani PKG DBL CKK I oint bla ease me PKG DBL	rated bla and oper ism and Blade 3-1/2" rated bla and oper ism and Blade 2-3/4" BACP ade. echanism Blade 3-1/2" RACP	de. ration. pocket cli <u>Closed</u> 4-1/2" de. ration. pocket cli <u>Closed</u> 3-3/4" <b>KNIII</b> n. <u>Closed</u> 5" <b>KNIII</b> e.	Open 8" p. Open 6-1/2" FE	Polished hardwood

performancetool.com



## POCKET KNIFE SETS

#### TACTICAL KNIFE & SETS

- Stainless steel blade with black finish.
- Thumb stud for easy one hand operation.
- Blade lock/release mechanism and pocket clip.

Item #		IP	MP	PKG	Blade	Closed	Open
W9340*	Knife Only	6	48	DBL	3-3/8"	4-1/2"	7-7/8"
W9345*	w/Sharpener	12	72	DBL	See W2	554	
W2491*	w/Flashlight	8	32	DBL	See W2	456	

Built in bottle

openers.

# **2-PC POCKET KNIFE SET**

- Stainless steel blades.
- Built in bottle openers.
- Thumb stud for easy one hand operation.

Item #	IP	MP	PKG	Blade	Closed	Open
W9309 <b>*</b>	6	48	DBL	1-1/4"	2-1/2"	3-1/8"

## 2-PC CAMO KNIFE GIFT SET

- Stainless steel blades.
- Thumb stud for easy one hand operation.
- Blade lock/release mechanism and pocket clip.

Item #	IP	MP	PKG	Blade	Closed	Open
W9323*	6	48	DBI	2-1/2"	3-3/4"	6-1/4"
W9323	6	40	DBL	3"	4-1/2"	7-1/2"

#### **2-PC TACTICAL KNIFE SET**

- Stainless steel partially serrated blade.
- Thumb stud for easy one hand operation.
- Blade lock/release mechanism and pocket clip.



Includ	es pocket	
size sl	narpening	stone.

Item #	IP	MP	PKG	Blade	Closed	Open
W9344*	8	32	DBI	3-3/8"	4-1/2	7-1/2"
W9344	0	32	DDL	3-1/4"	4-3/8"	7-3/4"

# **3-PC ALUMINUM CAMO KNIFE SET**

- Stainless steel blades.
- Aluminum handles with camo finish.
- Includes fixed blade knife, folding knife with belt clip, 2 blade stockman knife and lithographed collector's tin.

Item #	IP	MP	PKG	Blade	Closed	Open
				3-1/2"	-	8"
W9335 <b>*</b>	8	32	DBI	2-5/8"	3-3/4"	6-1/2"
W9333.			DBL	2"	3"	5"
				1-5/8"	3	4-5/8"



High impact resistant ABS handles.



Knurled black aluminum handle with pocket clip



Polished steel handle with pocket clip.

length.

6-5/8" overall

280

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **MULTI TOOLS & SHARPNERS**



#### 3/8 IN. IMPACT WRENCHES

- Ideal for changing tires, shock/spring work, and other automotive jobs.
- Push button direction change for quick and easy operation.
- Built-in air regulator for precise speed control.
- Lightweight cast aluminum housing.



#### 1/2 IN. IMPACT WRENCHES

- Ideal for changing tires, shock/spring work, and other automotive jobs.
- Comfortable composite housing is compact and lightweight.
- Balanced design for low vibration.



550

25 - 250

8

7,000

1/4"

5.7

60 Gallon

#### **HEAVY DUTY IMPACT WRENCHES**

- Built-in air regulator for precise speed control.
- Pin lock hole for oversized sockets.

Twin Hammer

Ring socket retainer allows for rapid socket changes.

1

8

CBX

<b>M634</b> Heavy du	ty blow molded carrying and	Tapid S			Max	M627 Lever selec direction ch for quick ar easy opera Working	nange nd	P. Marer		
T.					Torque	Torque	Avg		Inlet	
Item #		IP	MP	PKG	(ft/lbs)	(ft/lbs)	CFM	RPM	(NPT)	Wt (Ibs)
M627*	3/4" Dr. Heavy Duty	1	4	CBX	950	75 - 450	7	4,600	3/8"	10.7
M634*	1" Dr. Extended Anvil	1	1	CBX	1623	200 - 1200	12	3,900	1/2"	23.1

282

M625\*

**BLK:** Bulk | **CAS:** Storage Case | **CBX:** Color Box | **CRD:** Carded | **CLM:** Clamshell | **DBL:** Double Blister **LAB:** Color Label | **RAC:** Storage Rack | **SHK:** Shrink Wrap | **SLV:** Sleeve | **TAB:** Hang Tab | **WBX:** White Box



## **AIR RATCHETS & DRILLS**





Contents: 3/8" Dr. air ratchet, 3" Impact Ext, 3 Impact Bits and 3" Bit Ext, Impact u-joint, 7 SAE Impact Sockets: 3/8", 7/16", 1/2". 9/16", 5/8", 11/16" & 3/4", Storage case.

					Working					
Item #	Drive	IP	MP	PKG	Torque (ft/lbs)	Avg CFM	RPM	Inlet (NPT)	Wt (Ibs)	Recommended Compressor
M637*	1/4"	1	20	CBX	5 - 12	4	250	1/4"	1.2	20 Gallon
M560DB*	3/8"	1	10	CBX	10 - 50	4	150	1/4"	2.65	20 Gallon
M561*	1/2"	1	20	CBX	10 - 50	4	150	1/4"	2.65	20 Gallon
M639*	1/2" HD	1	10	CBX	90	5.3	150	1/4"	4.4	20 Gallon
M564DB*	3/8"	1	5	SLV	10 - 50	4	150	1/4"	2.65	20 Gallon

#### **REVERSIBLE AIR DRILLS**

M651

gear design.





#### IVI64

- Keyless 3/8 in chuck for fast and easy bit changes.
- Convenient fingertip reverse for replacing screws or when binding occurs.
- Long lasting multiple planetary gears with ball bearings.

					Chuck	Avg		Inlet		Recommended
Item #	Chuck Size	IP	MP	PKG	Capacity	CFM	RPM	(NPT)	Wt (Ibs)	Compressor
M648*	3/8"	1	10	CBX	3/64"- 3/8"	4	1800	1/4"	2.5	20 Gallon
M651*	1/2"	1	10	CBX	1/16"- 1/2"	4	600	1/4"	3.6	20 Gallon

#### **ANGLE AIR DRILL**

• Variable speed throttle.

- Balanced and easy to use for pinpoint accurance and less fatiguing.
- Lightweight aluminum alloy housing with compact design.
- 90 degree angle head for drilling in confined areas.
- Planetary gear drive for longer life.

Quality construction triple planetary

Šide handle for better grip and control.

• Non-slip grip provides added comfort.



					Chuck	Avg		Inlet		Recommended
Item #	Chuck Size	IP	MP	PKG	Capacity	CFM	RPM	(NPT)	Wt (Ibs)	Compressor
M649 <b>*</b>	3/8"	1	20	CBX	3/64"- 3/8"	4	1900	1/4"	2.4	20 Gallon

#### performancetool.com

\*California Residents Prop 65 warnings see page 2.



#### AIR HAMMERS

- Ideal for general repairs, panel cutting, hole punching, removing rivets and exhaust work.
- Built-in regulator for precise speed control. •
- Single piece assembly for longer tool life.
- Quick change coil spring retainer.
- Use replacement chisel set M620.

Item #	Accessories	IP	MP	PKG
M669*	Needle Scale	1	20	CRD
M696*	Retainer Springs	12	36	CRD
M620*	4-PC Chisels	6	36	CRD



retainer springs for air hammers. Weld buster, cold chisel, tapered punch and round nose panel cutter M620

M550DB Includes 4 chisels: flat, spot weld breaker, tapered punch, rivet cutter.

M668

Includes 5 chisels: flat, round, spot weld breaker, tapered punch, rivet cutter.



				Bore	Stroke	Avg		Inlet	Wt	Recommended
Item #	IP	MP	PKG	Size	Length	CFM	BPM	(NPT)	(lbs)	Compressor
M668* w/5 Chisels	1	10	CBX	3/4"	2.6"	4.8	3,500	1/4"	3.1	20 Gallon
M550DB* w/4 Chisels	1	10	CBX	3/4"	1.7"	4	4,500	1/4"	2.2	20 Gallon

M660

#### RECIPROCATING AIR BODY SAW

- Cuts a wide range of materials, trims and shapes light plate steel, sheet metal and plastics.
- Adjustable blade guard for controlling depth of cuts.
- Lightweight slim design for access to tight spaces.
- Handles up to 16 gauge sheet metal.
- Rugged die cast aluminum. body with rubber grip.

body with	TUDDE	a grip.							M555-24
Item #	IP	MP	PKG	Cutting Capacity	Avg CFM	SPM	Inlet (NPT)	Wt (Ibs)	M555-32 Recommended Compressor
M660*	1	20	CBX	16GA	6	9,000	1/4"	1.4	60 Gallon
M555-24*	12	96	BAG	24 TPI BI	ades	-	-	-	-
M555-32*	12	96	BAG	32 TPI BI	ades	-	-	-	-

#### **3-IN-1 AIR NAILER**

- This patented tool can drive Brads, Staples, and Finish nails.

- •
- Quick release latch for easy





BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



## **AIR CUTTING TOOLS**



performancetool.com



#### **AIR DIE GRINDERS**

#### **1/4 IN. DIE GRINDERS**

- Compact design allows for easy use in tight spaces.
- Built-in air regulator for precise speed control.
- Variable speed safety throttle.
- Lightweight and durable aluminum housing. • Rear exhaust directs air away from work area.



Die Grinder, (5) 1/4" shank mounted stones, (5) 1/8" shank mounted stones, 1/4" and 1/8" collets, 2 collet wrenches, storage case.

M656 90 degree angle head design

allows use in confined areas.

> M566DB Includes 5 of the

> > M535

popular grinding stones.



Includes: 6 roll lock sanding pads, 1

surface conditioning roll lock pad, 1 backing pad with mandrel.

						Avg		Inlet	Wt	Recommended
Item #		IP	MP	PKG	Collet Sizes	CFM	RPM	(NPT)	(lbs)	Compressor
M656*	Angle Head	1	20	CBX	1/8 & 1/4"	4	20,000	1/4"	1.3	20 Gallon
M566DB*	Straight Head	1	20	CBX	1/8 & 1/4"	4	22,000	1/4"	1.3	20 Gallon
M567DB*	14-PC Kit	1	20	SLV	1/8 & 1/4"	4	22,000	1/4"	2.2	20 Gallon

## **DIE GRINDERS ACCESSORIES**

For use with drills and die grinders.

#### W5313

Rust resistant zinc plated. 25,000 maximum RPM. Fits 1/4 and 3/8" arbors.





#### M565C

Includes five 1/8" shank and five 1/4" shank mounted stones in assorted sizes.

Item #		IP	MP	PKG	Collet Sizes
W5313 <b>*</b>	Cut-Off Wheel Mandrel	1	20	CBX	1/8 & 1/4"
M565C*	10-PC Mounted Stone Set	1	20	CBX	1/8 & 1/4"
M535 <b>*</b>	8-PC Surface PrepKit	1	20	SLV	1/8 & 1/4"

## **1/8 IN. MICRO DIE GRINDER**

- Lightweight and powerful micro design.
- Slim and comfortable design is ideal for detail work.
- Variable speed with infinitely adjustable throttle.
- Vibration-free ball bearing construction.
- Compact and durable aluminum body.
- Easy twist on/off switch.

286

- 10pc precision mounted stone kit stores in blow case.
- 42
- In

				2" protective s male plug, and		nes. 🥣	in the second	1	
					Avg		Inlet	Wt	Recommended
Item #	IP	MP	PKG	Collet Size	CFM	RPM	(NPT)	(lbs)	Compressor
M547*	1	10	SLV	1/8"	2	54,000	1/4"	1.8	5 Gallon



BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box



#### **IMPACT SOCKETS**

#### **IMPACT SOCKET SETS**

- Drop forged chrome vanadium steel for strength and durability.
  Rounded corners for a tighter grip.
- Large size laser etching for easy identification.

	3/8" Dr.	6 point	1/2" Dr.	6 point
		Deep		Deep
	M588DB*	M594DB*	M592DB*	M590DB*
	IP:10 MP:40	IP:5 MP:20	IP:4 MP:16	IP:5 MP:10
5/16"	Х	-	-	-
11/32"	-	-	-	-
3/8"	Х	Х	-	Х
7/16"	Х	Х	Х	Х
1/2"	Х	Х	Х	Х
9/16"	Х	Х	Х	Х
5/8"	Х	Х	Х	Х
11/16"	Х	Х	Х	Х
3/4"	Х	Х	Х	Х
13/16"	-	Х	Х	Х
7/8"	-	-	Х	Х
15/16"	-	-	Х	Х
1"	-	-	Х	Х

	M589DB*	M595DB*	M593DB*	M591DB*
	IP:10 MP:40	IP: 5 MP:20	IP:4 MP:16	IP:5 MP:10
8mm	Х	-	-	-
9mm	-	-	-	-
10mm	Х	Х	Х	Х
11mm	Х	Х	-	-
12mm	X	Х	-	Х
13mm	X	Х	Х	Х
14mm	Х	Х	Х	Х
15mm	-	-	Х	Х
16mm	-	Х	Х	Х
17mm	Х	Х	Х	Х
18mm	-	-	Х	Х
19mm	Х	Х	Х	Х
21mm	-	-	Х	Х
22mm	-	-	Х	Х



- Helps apply torque to the correct tolerances and prevent over tightening.
- Color coded for easy identification. ببيما من بطريام

•	Heavy	duty	chron	ne mo	olybde	num.
			_			

Item #	IP	MP	PKG	Length	Torque Range
W32903 <b>*</b>	1		CAS		75 ft./lbs. Black
					80 ft./lbs. Yellow
		12		7-5/8"	90 ft./lbs. Red
					100 ft./lbs. Blue
					110 ft./lbs. Orange

#### **8-PC IMPACT ADAPTER SET**

- Chrome moly steel for strength and durability.
- Impact grade with oil resistant finish.

Item #	IP	MP	PKG	Size	1/4" (M)	3/8" (M)	1/2" (M)	3/4" (M)	1" (M)
M795 <b>*</b>		12	SLV	1/4" (F)	-	х	-	-	-
				3/8" (F)	Х	-	Х	-	-
	1			1/2" (F)	-	Х	-	Х	-
				3/4" (F)	-	-	Х	-	Х
			-	1" (F)	-	-	-	Х	-







**AIR TOOLS** 

#### performancetool.com

## **AIR SANDERS & POLISHERS**

#### **5 IN. SANDERS**

- Use for sanding, feather edging, scuffing, finishing and blending metals, plastics, fiberglass and body filler.
- Built-in air regulator for precise speed control.
- Specially balanced design for less vibration.
- Compact design allows maximum control.

#### M573DB

Compact but powerful 1/2 HP ball bearing motor. Lightweight and durable aluminum housing. Includes three resin fiber backing pads: 3", 4.5", 5.5".

M548

Rotary and orbital action produces swirl-free finishes. Hardened steel cylinders extend the life of the tool. Hook and loop backing pad.

100000

M568DB

Item #		IP	MP	PKG	Pad Diameter	Avg CFM	RPM	Inlet (NPT)	Wt (Ibs)	Recommended Compressor
M548*	Random Orbital	1	10	CBX	5"	6	10,000	1/4"	2.4	60 Gallon
M573DB*	High Speed	1	10	CBX	5"	4.2	18,000	1/4"	2.2	20 Gallon

M641

#### **6 IN. SANDERS**

- Rotary and orbital motion produces swirl-free finishes.
- Cast iron cylinder with larger shaft for better balance.
- Built-in air regulator for precise speed control.
- Specially balanced design for less vibration.
- Insulated grip provides added comfort.
- Heavy duty ball bearing construction.
- Great for body work and paint preparation.
- Works with stick-on adhesive backed sand paper.

SAN	M689 5/16" - 24 size threads.	AL SAUDIN	M6	97
Item #		IP	MP	PKG
M689*	5" Pad Replacement	6	36	BAG
M697*	6" Pad Replacement	6	36	CRD

Item #		IP	MP	PKG	Pad Diameter	Avg CFM	RPM	Inlet (NPT)	Wt (Ibs)	Recommended Compressor
M568DB*	Dual Action	1	10	CBX	6"	5	10,000	1/4"	3.3	60 Gallon
M641*	HD Dual Action	1	10	CBX	6"	5	10,000	1/4"	3.3	60 Gallon

#### **JITTERBUG AIR SANDER**

IP

1

- Orbital sanding action provides a smooth, fine finish.
- Balanced ball bearing design for low vibration and longer-life.
- Contoured palm grip with rubber over-molding.
- Built-in air regulator for precise speed control.
- Useful for general sanding, paint preparation, smooth and rough wood surfaces and more.
- Uses standard 3-3/4" x 9" sandpaper.

MP

10

and moi 9" sar	re. ndpaper.								
PKG	Pad Diameter	Avg CFM	SPM	Inlet (NPT)	Wt (Ibs)	Recommended Compressor			
CBX	3.5 x 6.75"	6	7,000	1/4"	4.2	60 Gallon			

**VIR TOOLS** 



Item #

M569DB\*

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box
## **AIR SANDERS & POLISHERS**



### **AIR ANGLE GRINDERS**

- Hardened bevel gears provide extended life.
- Built-in air regulator for precise speed control.
- Handle mounts on either side for right or left hand operation.
- Contoured throttle control for easy handling.



## **AIR ANGLE SANDER/POLISHER**

- Hardened bevel gears provide extended life.
- Built-in air regulator for precise speed control.
- Handle mounts on either side for right or left hand operation.
- Contoured throttle control for easy handling.

Includes 6-3/4" sanding backing pad.

				Pad		Avg		Inlet		Recommended
Item #	IP	MP	PKG	Diameter	PSI	CFM	RPM	(NPT)	Wt (Ibs)	Compressor
M643 <b>*</b>	1	10	CBX	4"	90	12	4,500	3/8"	4.2	60 Gallon

## **STRAIGHT LINE AIR SANDER**

- Twin piston design provides ample power and prevents stalling.
- 2.75" x 16.75" sanding pad for smooth sanding of large flat surfaces.
- Ideal for flat sanding of body filler, shaping, leveling and finishing.
- Place on firm surface, and pull back on handles to realign pistons.
- Two handle design for comfortable operation.
- Quick action paper clamps.
- NOTE: Sander may need realigning during normal use.



					Avg		Inlet	Wt	Recommended
Item #	IP	MP	PKG	Pad Diameter	CFM	SPM	(NPT)	(lbs)	Compressor
M574DB*	1	10	CBX	2.75 x 16.75"	5	2,500	1/4"	5.6	60 Gallon

**AIR TOOLS** 

# **SPECIALTY AIR TOOLS**

### **MULTIFUNCTION AIR TOOL**

- Spindle & blade arbor design provide 7 forward positions for added versatility.
- Incredibly versatile air tool perfect for cutting, scraping and sanding.
- Comfortable soft touch finish for improved comfort and control.
- Level trigger for variable speed control.



29

M584DB\*

1

40

CBX

90

4

1/4"



# **SPECIALTY AIR TOOLS**



performancetool.com

\*California Residents Prop 65 warnings see page 2.

291

# **SPRAY GUNS & ACCESSORIES**

## **H.V.L.P. GRAVITY FEED SPRAY GUN SETS**

- Integrated fine adjustment knob on each gun for precise air flow control and results.
- Fully adjustable spray pattern of 3-7".
  Each kit includes HVLP spray guns, regulator with gauge, connectors, socket, filter, multi-wrench and cleaning brush.



Locking air pressure regulator for precise air flow control.



					Paint	Spray	Avg	Inlet	31
Item #	Nozzle	IP	MP	PKG	Cup	Pattern	CFM	(NPT)	Compressor
M706* 2-PC	1.3 & 1.5mm	1	5	CBX	1000cc	3-7"	7-9	1/4"	60 Gallon
M707* 3-PC	1.3, 1.5 & 1.7mm	1	5	CBX	1000cc	3-7"	7-9	1/4"	60 Gallon
<b>M503*</b> 2-PC	1.2 & 1.5mm	1	6	CBX	200cc & 600cc	3-7"	7-9	1/4"	60 Gallon

# **H.V.L.P. GRAVITY FEED SPRAY GUNS**

- All-purpose gun sprays primers, base coats & clear coats.
- Fully adjustable spray pattern of 6-8".
- Locking pressure regulator with pressure gauge.
- Each Include wall mount hanger, multi-wrench, cleaning brush, socket and fluid filter.



					Paint	Spray	Avg	Inlet	
Item #	Nozzle	IP	MP	PKG	Cup	Pattern	CFM	(NPT)	Compressor
M708*	1.3mm	1	5	CBX	700cc	6-8"	7-9	1/4"	60 Gallon
M4710*	1.4mm	5	10	CBX	600cc	6-8"	7-9	1/4"	60 Gallon
M710*	1.5mm	1	5	CBX	700cc	6-8"	7-9	1/4"	60 Gallon
M711*	1.8mm	1	5	CBX	700cc	6-8"	7-9	1/4"	60 Gallon

## **H.V.L.P. GRAVITY FEED TOUCH UP GUN**

- All-purpose gun sprays primers, base coats & clear coats.
- Fully adjustable spray pattern.
- Locking pressure regulator with pressure gauge.
- Includes multi-wrench, cleaning brush, socket and fluid filter.

Item	#	Nozzle	IP	MP	PKG	Paint Cup	Spray Pattern	Avg CFM	Inlet (NPT)	Compressor		1
M70	5*	1.2mm	1	10	CBX	2000cc	3-4"	3.1	1/4"	5 Gallon		1
	H.V. FEE	L.P. (		VITY ′ GU		M710K	kit for Porfe		Taal		 -	

Rebuild kit for Performance Tool JENA ACCESSORIES Spray Guns. M731 For Performance IP MP PKG Tool items Rebuild Kit M710K\* 1 20 BAG M503, M708, M710 and M711. M731\* 700cc Cup 1 20 WBX

292

Item #

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

M4710 Hose size:

M503

3/8" ID. Performance Tool repair kit: M710K.

M705



## **SPRAY GUNS & ACCESSORIES**



	hopiacement oup		20	VV D/	100000				
M701*	1.2mm	1	10	CBX	800cc	6.5"	2	1/4"	
M702*	1.2mm	1	6	CBX	2000cc	10-12"	3.5-11	1/4"	
			_	_	_				

### **H.V.L.P. SIPHON FEED TOUCH UP GUN**

- · For detail and touch-up painting applications.
- Fully adjustable spray pattern.
- Fluid regulator adjusts the volume of paint sprayed.
- Precision machined brass construction.



5 Gallon 20 Gallon

Item #	Nozzle	IP	MP	PKG	Paint Cup	- I - 7	Avg CFM	Inlet (NPT)	Compressor
M578DB*	1.6mm	1	10	CBX	200cc	5-6"	4	1/4"	20 Gallon



### performancetool.com

\*California Residents Prop 65 warnings see page 2. AIR TOOLS

# **PLUGS & CONNECTORS**

# AIR ACCESSORY SET

- Includes Blow gun, 4" blow gun nozzle, rubber blow gun nozzle, blow gun adapter, dual head chuck, tire gauge, ball chuck, tapered inflation needle, two pin inflation needles, safety nozzle and thread tape.
- 1/4" by 25' PE coil hose
- (2) 1/4" (F) couplers
- (2) 1/4" (F) NPT plugs
- (3) 1/4" (M) NPT plugs
- 1/4" NPT (M) connector
- 1/4" NPT (F) connector



## AIR ACCESSORY SET

- Includes blow gun with 4 nozzles, inflation needle, 120 PSI air gauge, power wire brush, dual tire chuck.
- (2) 1/4" (F) couplers
  (2) 1/4" NPT (F) plugs
  (2) 1/4" NPT (M) plugs





CRD



294

## FEMALE BRASS COUPLERS

- Fits industrial (Milton), automotive (Truflate) and aro type fittings.
- One touch design for quick
- engage and release. Brass construction.



Item #	IP	MP	PKG	Size
M461*	6	144	CRD	1/4" NPT (F)
M462*	6	144	CRD	3/8" NPT (F)

### **ONE TOUCH BRASS COUPLERS**

- One touch design for quick engage and release.
- Brass construction.

Item #	IP	MP	PKG	Size
M504C*	10	200	CRD	1/4" NPT (M)
60613 <b>*</b>	24	240	CRD	1/4" NPT (F)

### **2-PC BRASS** PLUG SETS M-Type.

Brass construction.

Item #	IP	MP	PKG	Size	1
M505C*	24	288	CRD	1/4" NPT (M)	0
60611*	24	288	CRD	1/4" NPT (M)	
60612 <b>*</b>	24	288	CRD	1/4" NPT (F)	-

## HOSE COUPLERS

- Fits industrial (Milton), automotive (Truflate) and aro type fittings.
- One touch design for quick engage and release.

Item #	IP	MP	PKG	Size
M464*	6	144	CRD	1/4" I.D.
M465*	6	144	CRD	3/8" I.D.

## STEEL COUPLER SETS

- Set includes a NPT (F) coupler, NPT (F) plug and three ŇPT (M) plugs.
- Steel construction.

		r	1		
Item #		IP	MP	PKG	Size
M604C*	5-PC	12	72	CRD	1/4" NPT
M466*	2-PC	6	144	CRD	1/4" NPT (M) plugs only



## **PLUGS & CONNECTORS**

### **3-IN-1 AIR CONTROL UNIT**

• Air filter, regulator with gauge and lubricator.



### **OIL & WATER SEPARATOR**

- Eliminates moisture for maximum air tool efficiency.
- Removes oil for a clean air spray job.
- 90 PSI maximum.



Item #	IP	MP	PKG	Size
M695*	10	100	CRD	1/4" NPT

## **ADAPTERS & CONNECTORS**

Brass construction.

M482	
Converts 3/8" NPT (M) to 1/4" NPT (M). Brass	
construction.	



M483 Converts 1/4" NPT (M) to 3/8" NPT (M).



Item #		IP	MP	PKG	Size
M482*	Reducing Adapter	6	144	CRD	3/8 (F) X 1/4" NPT (M)
M483*	Increasing Adapter	6	144	CRD	3/8 (M) X 1/4" NPT (F)
M487*	Increasing Adapter	6	144	CRD	1/2 (M) X 3/8" NPT (F)
M481*	2- Pack Connectors	6	144	CRD	1/4 (F) X 1/4" NPT (F)
M484*	T-Type Connector	6	144	CRD	1/4" NPT (FMF)

### AIR REGULATOR WITH GAUGE

- Inline 1/4" locking pressure regulator with gauge.
- Attaches to all conventional and HVLP spray guns.

• 0-180 PSI.			rea	essure gauge ds up to 160 PSI. ass construction.
Item #	IP	MP	PKG	Size
M688* Locking	10	100	CRD	1/4 (M) x 1/4" (F) NPT
M693*	10	100	CRD	1/4 (M) x 1/4" (F) NPT

### AIR REGULATOR

- Use at the tool end of the air line for precise regulation.
- Brass construction.



Item #	IP	MP	PKG	Size
M694*	10	100	CRD	1/4 (M) x 1/4" (F) NPT

### **BALL VALVE**

- Change tools without depressurizing systems.
- High capacity airflow design. Brass body with plated steel
- ball.



Item #	IP	MP	PKG	Size
M486*	6	144	CRD	1/4" NPT (F) X (M)

M481



M484 Supplies two air tools from one source. 1/4" NPT (F) x 1/4" NPT (M) x 1/4" NPT (F)



\*California Residents Prop 65 warnings see page 2. 295

**AIR TOOLS** 

M487

(M).

Converts 3/8" NPT

(M) to 1/2" NPT

# **AIR HOSES & REELS**



nem #	IF	IVIE	FKG	Capacity		INFI		Lengui	WOIN	Duisi	vv	D	
M610*	1	1	CBX	100'	1/4" (M)	1/4" (M)	3/8"	50'	250	500	10-5/8"	14"	12-11/16"
M672*	1	1	CBX	50'	1/4" (F)	1/4" (M)	3/8"	50'	300	600	10-1/2"	9-3/4"	13-1/8"
M635*	1	1	CBX	50'	3/8" (F)	1/4" (F)		Reel	only		10-3/8"	9-3/8"	10-7/8"

### **AUTO REWIND HOSE REEL**



### **RED RUBBER AIR HOSE**

- Red rubber air hose with polyester yarn reinforcement is used for a wide range of commercial and industrial applications.
- Features a class C oil, solvent, weather and abrasion
- resistant outer coating tough conditions.

296

• Remains flexible from -20 to +165 degrees Fahrenheit (-29 to 74 C).

				Inlet	Outlet	ŀ	lose	Р	SI	
Item #	IP	MP	PKG	NPT	NPT	ID	Length	Work	Burst	
M606*	1	12	LAB	1/4	" (M)	1/4"	25'	300	800	

Bend restrictors at each end for long life.



# **AIR HOSES & REELS**

### **AUTO REWIND HOSE REEL** WITH HYBRID HOSE

- Retractable reel with fully enclosed case.
- Automatic roller guide ensures smooth and even recoil.
- Extremely flexible blend of rubber and PVC.
- Adjustable rubber stop.







					Inlet	Outlet	Hose		PSI	
Item #		IP	MP	PKG	NPT	NPT	ID	Length	Work	Burst
M613*	Reel	1	2	CBX	4 / 4 11	4 / 4 11	3/8"	50'	300	600
M628*	25' Hose	1	10	CLB	1/4" (M)	1/4" (M)	3/8"	25'	300	600
M617*	50' Hose	1	3	CBX	(171)	(101)	3/8"	50'	300	600

Bend restrictors at each end for long life.

## **RUBBER AIR HOSES**

- Lightweight and flexible rubber construction.
- Kink, abrasion, ozone and weather resistant.
- Oil resistant cover.

				Inlet Outlet		F	lose	PSI	
Item #	IP	MP	PKG	NPT	NPT	ID	Length	Work	Burst
M601P*	1	8	SHK	1/4	" (M)	3/8"	25'	300	600
M603P*	1	5	SHK	1/4'	" (M)	3/8"	50'	300	600

### **RECOIL AIR HOSE**

• 1/4" NPT with spring guards.

01	Inlet	0
<ul> <li>200 PSI working pressure.</li> </ul>		

				Inlet	Outlet	Hose		PSI
Item #	IP	MP	PKG	NPT	NPT	ID	Length	Work
M602P*	1	40	BAG	1/4	" (M)	1/4"	25'	200

### **HOSE REPAIR KITS** M479

ullet	Brass construction.

**AIR LINE KITS** 

• $1/4$ INF I (IVI).				3/0 I.L	
Item #	IP	MP	PKG		
M478*	6	144	CRD	1/4" I.D.	Kita ingluda 1 baga apligar 2
M479*	6	144	CRD	3/8" I.D.	Kits include 1 hose splicer, 2 hose ends and 4 hose clamps.

**HOSE MENDERS** 

•	Brass construction.	
		The second

• Diass (	201151	uction.			222
Item #	IP	MP	PKG		
M476*	6	144	CRD	1/4" I.D.	M476
M477*	6	144	CRD	3/8" I.D.	1/4" I.D.

- **GRIP CLIP SHOP** • Allows drop down air lines on 1 or 2 walls, keeping your shop organized.
  - Installs quick, and easy to modify if changes are desired.

Designed to operate with a maximum air pressure of 150 PSI.

						╔╍╺╦══		Contents	60700	60750
کا حکا حکا	کا ک				Ļ		8	Shut-Off Valve	1	1
2. 2.	ат. <u>ат.</u>	4				Ĩ	Ē.	90 Degree Elbow	6	4
6666	666					h I.		T-Connector	3	-
000=		/////	6	0750				Union	4	-
()= ()		//////		cludes		C		Check Valve	1	-
				)' of 1/2"				Brass Fitting	-	2
				h grade				Brass Fitting	-	2
	0	<u>W</u>	🔪 nylo	n tubing.		C07		Connector (M)	3	6
					1 AL	607		Connector (F)	3	-
	olic							Industrial Coupler (F)	3	-
and the second second	0	0			2			Industrial Plug (F)	1	3
		-			5.2 × 1		Selection of the select	Reducer	2	-
					No and		and a construction	Tubing Clamps	16	-
ltom #	IP	MD	DKC	Sizes			- 3 - A	Wall-Mounted Outlet	3	2
Item #	IP	MP						Manifold	-	1
60700*	1	6		3/8" x 60'	A			Tubing Cutter	1	1
60750 <b>*</b>	1	4	CBX	1/2" x 100'	·	- C		Nylon Tubing	1	1

performancetool.com

\*California Residents Prop 65 warnings see page 2.



**AIR TOOLS** 

# **AIR TANKS & ACCESSORIES**



- Lightweight, portable with handle for easy transport.
  Safety pressure bypass valve
- Salety pressure bypass valve with manual override.
- On/off air adjustment dial.
- Industrial grade air hose with standard tire air chuck.
- 125 PSI maximum.

Item #	IP	MP	PKG	Capacity
W10005*	1	1	CBX	5 Gal
W10011*	1	1	CBX	11 Gal

### **3-PC REPAIR KIT**

- Air tank gauge (W10055) easy to read two color gauge. 0 to 200 PSI.
- Air tank manifold (W10056) made of brass construction.
   4' Air hose (W10057) with tire chuck with 1/4" (F) NPT tire chuck

Item #	IP	MP	PKG	Item #	IP	MP	PKG
3-PC				W10055* Gauge	12	72	CRD
<b>W10058*</b> Repair	12	48	CRD	W10056* Manifold	12	72	CRD
Kit				W10057* 4' Hose	12	72	CRD

## **AIR BLOW GUNS**

- Rubber tip prevents
   scratching or sparking
- scratching or sparking.
  1/4" female NPT
- air inlet.

298

M518		2
Angled tip extends	C	5

1/8" NPT

1/2" NPT (M) to tank. 1/4" NPT (F) to hose. 1/8" gauge port.

M524

W10058

(M) thread.

				from 16 to 24"	
Item #		IP	MP	PKG Contents	
M524*	7-PC	6	48	CRD Includes safety nozzle, 4" nozzle, rubber tip, tapered nozzle, inflation needle and adapter	
M586C*	2-PC	12	36	CRD Includes safety tip and rubber nozzle	
M518*	Extended	6	48	DBL Includes 24" telescoping nozzle	

### **POCKET BLOW GUN INLINE BLOW GUN BLOW GUN TIP** • Rubber tip prevents • Adjustable air pressure knob. Fits permanently scratching and sparking. Non-slip knurled grip. between hose Built in shutoff. Convenient pocket clip. and coupler. Bend tip to operate. Natural angle, 1/4" female NPT air compact and inlet. durable. No need to disconnect. Item # IP MP PKG Item # IP MP PKG Item # IP MP PKG M519\* M522\* M685\* 6 144 CRD CRD 12 BLK 6 144 144 **3-PC ANGLED AIR 4 IN. ANGLED BLOW GUN AIR BLOW GUN** Comfort grip handle. Insulated fiberglass reinforced nylon grip. 3" extension nozzle. comfort grip handle, Contoured handle for better control. quick connect coupler. 4" long barrel angled at 15 degrees. Brass air flow valve. IP MP PKG Item # Item # IP MP PKG M686\* 6 24 CRD M687\* 6 36 CRD



## **AIR TANKS & ACCESSORIES**



Item #	IP	MP	PKG
60505 <b>*</b>	12	144	CRD

# performancetool.com

\*California Residents Prop 65 warnings see page 2.

299

## TOOL TABLE - YELLOW



300

MP: 24

MP: 24

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

MP: 24

MP: 48

MP: 24





performancetool.com

\*California Residents Prop 65 warnings see page 2.

301

# **TOOL TABLE - YELLOW/RED**





IP: 4 MP: 24

### **2-WAY RATCHET**





100000

1413\*

MP: 24

IP: 4



1414\*

MP: 24

IP: 4



### **6-PC MINI STUBBY SCREWDRIVER SET**



### **ADHESIVE DASH GRIP PAD**



3-PC 3/8 IN. DR. SPARK PLUG SOCKET SET

**16-PC STAR BIT SET** 













**6-PC LONG REACH** 

SCREWDRIVER SET

1423\*

MP: 24

PLIERS

PUNCH

1436\*

MP: 24

1441\*

**TUBULAR FRAME** 

HACKSAW

IP: 4

**8 IN. LINESMAN** 

**REVOLVING LEATHER** 

**IP:** 4

**16-PC PRECISION** 

**IP:** 4 MP: 24

1429\*

MP: 24

IP: 4









**13-PC HOBBY KNIFE SET** 



MP: 24



6-PC 6 IN. FILE SET



**5-PC POLYESTER PAINT BRUSH SET** 









**RATCHETING TIE DOWN** 





6-1/2 IN. LONG NOSE LOCKING PLIERS

**AVIATION TIN SNIP -STRAIGHT CUT** 



**CLOSE QUARTERS** 



HACKSAW



**2-PC WOOD HANDLE WIRE** BRUSH

10 IN. CURVED JAW LOCKING PLIERS

**11 IN. LONG REACH** 

**MINI MULTIFUNCTION** 

**PLIERS - BENT TIP** 

1426\*

MP: 24

1433\*

MP: 24

TOOL

1438\*

MP: 48

**12-PC HACKSAW** 

IP: 4

IP: 4

**IP:** 4

	•	
	*******	
IP	<b>450*</b> 1: 4 <b>P:</b> 24	







**8 IN. LONG NOSE PLIERS** 



2-PC 6 IN. PLIER SET



MP: 24 **50-PC UTILITY KNIFE** 



16 IN. HAND SAW



**12-PC LONG HANDLE ARTIST BRUSH** 



**13-PC HSS DRILL BIT SET** 



\*California Residents Prop 65 warnings see page 2.







MP: 24

1455\*

MP: 24

performancetool.com

**IP:** 4

















**10-PC STRETCH CORD SET** 











## **TOOL TABLE - RED**



304



### **15-PC PAINT BRUSH SET**



MP: 24

**3-PC POWER DRIVE ADAPTERS** 



**2-IN-1 TRUNK ORGANIZER** 



IP: 4 MP: 24





90° POST & **CORNER LEVEL** 



**13-PC BALL END** SAE HEX KEY SET





**12-PC UTILITY KNIFE SET** 



**8-PC STORAGE HOOKS** 

MP: 24



**12-PK GLOWING BALL** BUNGEES



**16-PC DRILL ADAPTER** & BIT SET



### **120Z FIBERGLASS CLAW** HAMMER





**13-PC BALL END MET HEX KEY SET** 

1901\*

MP: 24

**IP:** 4



**7-PC TWEEZERS SET** 

1499\* **IP:** 4 MP: 24

**2-PC JUMBO WIRE TIES** 



**TAPE GUN W/PACKING** TAPE



**SLIP-ON SHOE ICE GRIPS** 





**2-PC STRAP WRENCH SET** 



### performancetool.com

# **TOOL TABLE - RED/BLUE**

**5-PC BRUSH SET** 

**3-PC SOFT GRIP MINI BRUSH SET** 

1502\*

MP: 24

1513\*

MP: 24

IP: 6

IP: 4

SAFETY GLASSES & EARPLUG COMBO



**2-PC SCRAPER SET** 



10 IN. TIRE & WHEEL BRUSH



**2 IN. WATER RESISTANT** LOCK



**40-WATT HEAVY DUTY GLUE GUN** 

1982\* IP: 4

MP: 24

1904\*

MP: 24

**IP:** 4

1/2 IN. DR.

RATCHET

0 4



1906\*

MP: 24

**IP:** 4

\*California Residents Prop 65 warnings see page 2.



305





WINDOW MOUNT CELL **PHONE HOLDER** 





See 1159 for glue sticks

## **TOOL TABLE - BLUE**



306

MP: 24

MP: 8

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

MP: 24

MP: 24

MP: 24



1943<sup>‡</sup>

MP: 16

**IP:** 4

1,000-PC CABLE TIES

### **TOOL TABLE - BLUE** MIRROR & HD MAGNETIC PICKUP TOOL SET 13-PC HARMONIC BALANCER PULLER **3-WAY STAPLE GUN**



84-PC RATCHETING DRIVER SET



**3-PACK MAGNETIC TRAYS** 



12 IN. STEEL **DUST PAN** 



**LED HEADLAMP & FLASHLIGHT KIT** 



















1958 IP: 4 MP: 24



















IP: 4 MP: 24

1967\*



**12 LED** WORK LIGHT











3-PC EYE, EAR & NOSE SAFETY KIT

1979\* **IP:** 4 MP: 24











**3-PC DETAIL BRUSH SET** 















**BATTERY JUMPER CABLES** 







**3-PC TELESCOPING TOOL KIT** 



**35 IN. EXTENDED REACH** GRABBER









**14 IN. FOLDING LUG** WRENCH

1978\*

MP: 16

**IP:** 4



MP: 24





**RIVET GUN WITH** 

The state

**40 RIVETS** 

1944\*

MP: 24

**6 OUTLET POWER STRIP** 

**IP:** 4

**IP:** 4 MP: 24

1962\*

MP: 24

IP: 4

LIGHTED TWEEZERS

1957\*



1945\*

MP: 24

**IP:** 4



1946\* **IP:** 4 MP: 24 **40-PC SOCKET SET** 

## **SOLDIER PACK DISPLAYS**

# **SOLDIER PACKS**

- Angled informational panel.
- Bulk and pegable items.



### **MAGNETIC PICKUP TOOL**

### **MAGNETIC PICKUP TOOL**

Performance Tool

### LIGHTED MAGNETIC PICKUP

MP

72

IP

12

IP

12

TIRE PRESSURE

1 to 60 PSI range

PKG

BLK

PKG

BLK

3 lbs.



### **INSPECTION MIRROR**



Item #	IP	MP	PKG	
W9103 <b>*</b>	12	72	BLK	

MP

24

PKG

BLK



1 to 100 PSI range

IP

6

Item # W9106\*



### TIRE PRESSURE GAUGE



IP Item # MP PKG W9104\* 12 BLK 72

### TIRE PRESSURE GAUGE

### 8 IN. ADJUSTABLE WRENCH

MP

48



Item #

W9102\*

GAUGE

Item #

W9105\*

308



# **SOLDIER PACK DISPLAYS BATCHET DUAL DRIVE RATCHET**



performancetool.com

\*California Residents Prop 65 warnings see page 2. 309

## **SOLDIER PACK DISPLAYS**

310

<b>SULDIER PACK DISPL</b>		
9-PC SAE	9-PC METRIC	9-PC STAR KEY SET
HEX KEY SET	HEX KEY SET	Tamper resistant
State State State 1. (1)	State State	
Item # IP MP PKG W9135* 4 24 DBL	Item #         IP         MP         PKG           W9136*         4         24         DBL	Item #         IP         MP         PKG           W9137*         4         24         DBL
BACK SCRATCHER PICKUP TOOL	GEARLESS BIT DRIVER	9-PC PRECISION BIT DRIVER Phillips and slotted bits
and the second s	Includes 10 bits	
Item #         IP         MP         PKG           W9144*         9         54         BLK	Item #         IP         MP         PKG           W9146*         4         24         CRD	Item #         IP         MP         PKG           W9147*         6         36         DBL
9-PC PRECISION BIT DRIVER	HAGNETIC TRAY 4-1/4"	MINI RAZOR SCRAPER
Item # IP MP PKG	diameter Item # IP MP PKG	Item # IP MP PKG
<b>W9148*</b> 6 36 DBL	<b>W9155*</b> 5 30 BLK	₩9158* 8 48 BLK
W9148*       6       36       DBL         38-PC RATCHET       SCREWDRIVER       SET         Includes 36       popular bits.       Set	W9155* 5 30 BLK LED SCREWDRIVER Bits: #1, #2, 3/16, 1/4"	W9158* 8 48 BLK 3-IN-1 LASER POINTER PEN
38-PC RATCHET SCREWDRIVER SET	LED SCREWDRIVER	
38-PC RATCHET         SCREWDRIVER         SET         Includes 36         opular bits.         Item #       IP       MP       PKG	LED SCREWDRIVER Bits: #1, #2, 3/16, 1/4" Item # IP MP PKG	Item # IP MP PKG
38-PC RATCHET SCREWDRIVERIncludes 36 popular bits.Includes 36 popular bits.Item #IPMPPKGW9159*424CASImage: Colspan="3">Image: Colspan="3" Image: Colspan="3" Ima	LED SCREWDRIVER           Image: Screw of the state of the s	3-IN-1 LASER POINTER PEN         Image: Constraint of the second
38-PC RATCHET         SCREWDRIVER         SET         Includes 36         popular bits.         Item #       IP       MP       PKG         W9159*       4       24       CAS         Is-PC PRECESION       Image: Comparison of the second se	LED SCREWDRIVER Bits: #1, #2, 3/16, 1/4" Item # IP MP PKG W9161* 12 72 BLK T5-PC HOBBY KNIFE SET Item # IP MP PKG	JIEM #       IP       MP       PKG         W9168*       15       90       BLK         Z1-PC       UTILITY       UTILITY       UTILITY         KNIFE       SET       UTILITY       UTILITY         Item #       IP       MP       PKG



33-PC PRECISION SCREWDRIVER SET	13-PC IMPACT DRIVER BIT SET
Includes slotted phillips, pozi, star & hex bits.	Impact grade S2 steel with black phosphate finish.
Item #         IP         MP         PKG           W9178*         4         24         CAS	Item #         IP         MP         PKG         I           W9179*         4         24         CAS         N
6-IN-1 PAINTER SCRAPER	17-PC SAE HEX KEY SET
Item #         IP         MP         PKG           W9183*         6         36         BLK	Item #         IP         MP         PKG         I           W9184*         6         48         CRD         N
16-PC STAR KEY SET	18-PC BIT DRIVER SET
Item # IP MP PKG W9186* 6 48 CRD	Item #         IP         MP         PKG         I           W9187*         6         36         CAS         N
LED BIT DRIVER Includes #1, #2 Phillips bits, and 3/16" and 1/4" slotted bits.	PRECISION LED BIT DRIVER Includes 6 bits: 1.5, 2 & 3mm slotted, #1, #0 & #00 Phillips.
Item # IP MP PKG W9193* 6 24 BLK	Item #         IP         MP         PKG         I           W9194*         6         24         CRD         N
12-IN-1 MINI MULTIFUNCTION TOOL	3 LED HEADLAMP
Item #         IP         MP         PKG           W9198*         6         36         CRD	Item #         IP         MP         PKG         I           W9199*         18         72         CRD         N
BACK SCRATCHER PICKUP TOOL	4-in-1 uses seat belt cutter, window
- All	punch, 2.1A USB charger and 12v accessory socket

## performancetool.com

# **SOLDIER PACK DISPLAYS**

### **RIGID SCRAPER**



Item #	IP	MP	PKG	
W9181*	6	36	BLK	

### **17-PC METRIC HEX KEY SET**



### **SNAP BLADE KNIFE**



 Includes five 7-point blades

 Item #
 IP
 MP
 PKG

 W9188\*
 5
 30
 CRD

### DOOR LOCK DE-ICER

Integrated LED for use in low light.



Item #	IP	MP	PKG	
W9195 <b>*</b>	6	24	CRD	





 Item #
 IP
 MP
 PKG

 W9305\*
 5
 30
 CRD

 \*California Residents

\*California Residents Prop 65 warnings see page 2. 311

# **COUNTER TOPS**



312



## **COUNTER TOPS**



performancetool.com

\*California Residents Prop 65 warnings see page 2.



## DISPENSERS



- Rack can be used as a freestanding counter display unit, or mounted on pegboard using built-in hang hooks.
- Holds six (6) fishbowl displays: six (6) small, or three (3) small and three (3) large fishbowls.
- Compact 12" x 8" footprint.
- Heavy duty steel construction.
- Durable powder coated finish.

Item #	IP	MP	PKG
W59278*	1	4	BLK

Note: Large fishbowls must be displayed on bottom tier of display rack



314

formance Tool"		SM	ALL FISHBOWLS
MINI RAZOR SCRAPER	BOTTLE OPENER SCREWDRIVER	PERMANENT MARKER	CARABINER
	#2, 1/4"	Black	
W3200* IP MP 40 480	W3201* IP MP 20 240	W3202*           IP         MP           32         384	W3203* IP MP 20 240
SPARK PLUG GAP GAUGE	FINGERNAIL CLIPPER	4-IN-1 SCREWDRIVER	PULL APART KEY CHAIN
W3204* IP MP 50 600	W3205* IP MP 50 600	W3207*         #0, #1,           IP         MP           15         180	W3208* IP MP 40 480
MINI POCKET KNIFE	CARABINER POCKET KNIFE	WHISTLE	40 480 CARABINER POCKET KNIFE
handle W3209* IP MP 20 240	W3210*           IP         MP           20         240	W3211* IP MP 40 480	W3212*           IP         MP           20         240
MAGNIFYING GLASS TWEEZERS	EYEGLASS REPAIR KIT	MINI SCREWDRIVERS	2-PC EAR PLUGS
W3213*           IP         MP           25         300	W3214*           IP         MP           25         300	W3215*           IP         MP           20         240           1/4" red	W3216*           IP         MP           30         360
SMALL PILL FOB	LARGE PILL FOB	POWER BIT REPLACEMENT	BIT HOLDER Magnetic
W3217*	W3218* IP MP 20 240	W3219*         #2 x 2"           IP         MP           50         600	W3220*           IP         MP           50         600
	LED KEY CHAIN		BRASS COUPLER
HOLDER		w/bottle opener	
W3221* IP MP 10 120	W3222*           IP         MP           25         300	W3223*           IP         MP           24         288	W3225*           IP         MP           15         180           1/4" NPT (F)
<b>BRASS COUPLER</b>	BRASS PLUG	BRASS PLUG	FINGERNAIL BRUSH
1/4" NPT (M) W3226* IP MP 15 180	1/4" NPT (F) W3227* IP MP 25 300	1/4" NPT (M) W3228* IP MP 25 300	Also Large Fishbowl W3200 W3229* IP MP 12 144

Peri

performancetool.com

\*California Residents Prop 65 warnings see page 2.

315

# **SMALL FISHBOWLS**

316





**UTILITY KNIFE** 

W3323\*

MP

200

W59281\* Small

W59282\* Large

**3 FISHBOWL RACKS** 

 Heavy duty steel construction. Durable powder coated finish.

IP

25

Item #

2-1/2" length

IP

1

6

MP

8

36

Item #

PKG

BLK

BLK

# LARGE FISHBOWLS



performancetool.com

\*California Residents Prop 65 warnings see page 2. 317

# **MERCHANDISING STRIPS**





## **IMPULSE BULK TOOLS**



### MERCHANDISING SOLUTIONS THAT INFLUENCE SALES!

- Interlocking display bin system showcases impulse merchandise with a captivating and uniform look
- Durable and refillable plastic bins
- Interlocking bins are designed for use on flat or tilted shelving without the use of fencingfronts
- Bin dimensions are 4" wide x 9.75" deep
- 9 bins fill a 3' shelf and 12 bins on a 4' shelf.
  For matching bin: Item number plus "-B".
- (example 20106-B)

# **IMPULSE PRODUCTS**

 Over 60 impulse products to choose from: unique innovations to basic tools and supplies to get the job done.

PINK FIREPOINT LED FLASHLIGHT IP MP Item # 20204\* 12 72 MINI UTILITY KNIFE 7-PC QUICK RELEASE **MINI RAZOR** /INI FOLDING **BIT SET** SCRAPER POCKET KNIFE Lock back. IP Item # IP MP Item # MP Item # IP MP Item # IP MP 20205\* 20206\* 20207\* 20208\* 6 72 12 72 40 480 20 240 3-PC QUICK LINK SET **COB WORK LIGHT** LED SLIDELIGHT 12-PC MULTI-COLOR KEY 350 lumen. TAGS 248 lumens. IP IP Item # MP Item # IP MP Item # IP MP Item # MP 20210\* 20212\* 20209\* 4 24 24 20213\* 12 144 4 4 144 LED MOONSTICK RETRACTABLE LED **EMERGENCY AUTO** KEYRING CLAMPING SAFETY TOOL WORK 48" cord, LIGHT 2" diameter. Item # IP MP Item # IP MP Item # IP MP Item # IP MP 20214\* 4 144 20215\* 12 72 20216\* 6 36 20217\* 24 4 **LED KEY CHAIN** LED CARABINER **CLIP-ON LED** COMPOSITE **KEY CHAIN** Integrated bottle LIGHT FLASHLIGH opener. LIGHT 65 lumens. US Patent D659870 Item # ÍΡ MP Item # IP MP IP MP IP MP Item # Item # 20218\* 20219\* 180 20220\* 15 180 20221\* 15 120 15 12 144

performancetool.com

\*California Residents Prop 65 warnings see page 2.

319

## **IMPULSE BULK TOOLS**

320

2-PK PTFE TAPE	2-PK ELECTRICAL		6 IN. EXTENSION BAR
	ТАРЕ		3/8" dr.
1/2" x 33'	3/4" x 30'	2-7/8" x 30'	
Item #         IP         MP           20100*         6         36	Item #         IP         MP           20101*         6         36	Item #         IP         MP           20102*         6         36	Item #         IP         MP           20103*         6         36
3/8 IN. DR. RATCHET	UNIVERSAL JOINT	SPARK PLUG SOCKET 5/8 IN.	SPARK PLUG SOCKET 13/16 IN.
39 gear teeth.	3/8" dr.	3/8" dr.	3/8" dr.
Item #         IP         MP           20104*         6         36	<b>Item # IP MP</b> <b>20105*</b> 10 60	Item #IPMP20106*848	Item #         IP         MP           20107*         8         48
6 IN. SLIP JOINT PLIERS	7 IN. CURVE JAW LOCKING PLIERS	6 IN. LONG NOSE PLIERS	8 IN. ADJUSTABLE WRENCH
2.6			
<b>Item # IP MP</b> <b>20108*</b> 6 36	Item #IPMP20109*636	Item #IPMP20110*636	Item #IPMP20111*636
SCREWDRIVER 6-IN-1	SCREWDRIVER PHILLIPS	SCREWDRIVER SLOTTED	SNAP BLADE KNIFE
Unit I	#2 x 4"		
	a de la companya de la compa	1/4" x 4"	8 point
Item #         IP         MP           20116*         6         36	Item #IPMP20117*636	Item #         IP         MP           20118*         6         36	Item #IPMP20119*1060
3 IN. C-CLAMP	TAPE MEASURE	2-PC PAINT BRUSH SET	MAGNETIC Pickup tool
			3 lbs.
Item # IP MP	5/8" x 12'	Item # IP MP	Item # IP MP
<b>20120*</b> 4 24	<b>20122*</b> 4 24	<b>20124*</b> 4 24	<b>20126*</b> 12 72
FINGERNAIL BRUSH	INSPECTION MIRROR	HD MAGNETIC PICKUP TOOL	SINGLE BLADE SCRAPER
		8 lbs.	1
Item #IPMP20127*1272	Item #IPMP20128*1272	Item #IPMP20129*1272	Item #IPMP20130*1272
25-PC SAE/	BATTERY TERMINAL BRUSH	SUPER GLUE	3-PC CLEANING BRUSHES
KEY SET		Per en san	
<b>Item # IP MP</b> <b>20133*</b> 4 24	<b>Item # IP MP</b> <b>20134*</b> 8 48	<b>Item # IP MP</b> <b>20135*</b> 12 72	Item # IP MP 20140* 4 24
		Sox   CRD: Carded   CLM: Clamst	



5-PC METRIC WRENCH SET	5-PC SAE WRENCH SET	67-PC BIT SET	9-PC SAE HEX KEY
			SET CONTRACTOR
Item #IPMP20142*530	Item #IPMP20143*530	Item #IPMP20145*318	Item #IPMP20146*424
10-PC STAR KEY SET	7-PC METRIC HEX KEY SET	RATCHETING SCREWDRIVER	LIGHTED MAGNETIC PICKUP TOOL
SEI	SEI () () () () () () () () () () () () ()	(A) (B)	
<b>Item # IP MP</b> <b>20147</b> <sup>★</sup> 4 24	Item # IP MP 20148* 4 24	Item #IPMP20149*424	Item #IPMP20150*848
38-PC RATCHETING DRIVER SET	SCREWDRIVER 6-IN-1	DUAL DRIVE RATCHET	33-PC PRECISION DRIVER SET
		<b>3/8 &amp; 1/4" dr.</b>	Constant of the second
Item # IP MP 20151* 3 18	Item # IP MP 20152* 4 24	Item #         IP         MP           20153*         4         24	Item # IP MP 20154* 3 18
STUBBY ADJUSTABLE WRENCH	23-PC BIT & Socket	MAGNETIC PARTS	6 IN. DIAGONAL Pliers
Performance Tools	SET	TRAY     4-1/4"	
Item #         IP         MP           20155*         4         24	Item # IP MP 20156* 3 18	Item #         IP         MP           20157*         4         24	<b>Item # IP MP</b> <b>20162</b> <sup>★</sup> 6 36
5-PK COLORED ELECTRICAL	4X Magnifying	2-IN-1 INSPECTION TOOL	LED BIT DRIVER
	GLASS	6	0
Item # IP MP 20165* 4 24	Item # IP MP 20169* 4 24	<b>Item # IP MP</b> 20170* 8 48	Item # IP MP 20171* 4 24
WRENCH	PARTS CLEANING BRUSH	STUBBY CLAW HAMMER	MULTI-PURPOSE Scissors
1/2"	in the second	8 oz.	
Item # IP MP 20177* 15 90	Item # IP MP 20180* 6 36	Item #         IP         MP           20181*         4         24	Item #         IP         MP           20183*         8         48
JUNIOR JUMBO CARABINER	BENT NOSE PLIERS	MINI LED Bat light	MINI LED Bat light
5"	4-1/2"		61.)
Item # IP MP 20197* 5 30	Item # IP MP 20200* 6 36	<b>Item # IP MP</b> 20202 <sup>★</sup> 12 72	Item # IP MP 20203* 12 72
	norformonoo	*Califor	nia Residents

performancetool.com

\*California Residents Prop 65 warnings see page 2.

321

# **IMPULSE BULK TOOLS**

# **ATAK LIGHTING**

### **PRO-FOCUS™ FLASHLIGHTS**

- Adjustable beam goes from spot to flood.
- Aluminum housing.
- Water and impact resistant.



							Run	Beam	Bat	tery		Head
Item #		IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
535 <b>*</b>	2 Pack	4	16	CRD	Ν	340	1	200m	4	AAA	5.125"	1.5"
538 <b>*</b>	2 Pack	4	16	DBL	Y	500	3.5	172m	3	С	8.625"	1.75"
540 <b>*</b>	2 Pack	4	16	DBL	Ν	500	3.5	172m	3	С	8.625"	1.75"
541 <b>*</b>		6	24	DBL	Y	1000	6	203m	9	AA	9"	2"
549 <b>*</b>	XL	6	24	DBL	Y	1500	5	201m	9	AA	12.5"	2"

### FLASHLIGHTS WITH COB TECH

• Includes new chip on board (COB) technology that Includes red provides a higher lumen output and longer life. safety flasher

541

- Durable aluminum housing.
- Water and impact resistant.



**ATAK**<sup>®</sup>

606

operation

546

Dattory

ATAK

Doom



Hood

**ATAK**<sup>®</sup>

						Run	Deam	Da	llery		пеай
Item #		IP	MP	PKG	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
546 <b>*</b>	W/ Slide COB Work Light	6	24	DBL	1000	6	201m	9	AA	11.375"	2"
615 <b>*</b>	W/ COB Work Light	6	36	DBL	250	3	188m	4	AAA	7.625"	1.5"
606 <b>*</b>	COB Pen Light	6	48	CRD	200	1.5	100	2	AA	6.75"	1"

### **LED TIRE THUMPER**

- Adjustable beam goes from spot to flood.
- Anodized aluminum housing.
- Water and impact resistant.

	The rest of the local division in which the rest of the local division is not the local division in the local division is not the local division in the local division is not the local division in the local division is not the
ATAR	

Dun

					Run	Beam	B	attery		Head	
tem #	IP	MP	PKG	Lumens	Time	Distance	Qty.	Туре	Length	Diameter	
<u>204*</u>	6	24	DBL	200	17	220m	4	AA	16"	1.25"	
B-PC	701	MD		ГЛТ							

					Run	Beam	Battery		He	
Item #	IP	MP	PKG	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
626 <b>*</b>	6	24	DBL	70	6.5	98ft	2	AAA	5"	0.5"





## **ATAK LIGHTING**

ATAK

Charging port for smart phones or tablets (*flashlights only*)

### **RECHARGEABLE FLASHLIGHTS**

- Adjustable Pro-Focus beam goes from spot to flood.
- Powered by 3.7V lithium ion rechargeable battery.
- High grade aircraft aluminum housing.
- Includes micro USB charging cable.



563	NH DOW

623

551

						Run	Beam	Battery			Head
Item #		IP	MP	PKG	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
550 <b>*</b>	Flashlight	8	24	DBL	320	1.5	220m	1	18650 Li-ion	6"	1.5"
551 <b>*</b>	Flashlight	6	24	DBL	500	1	178m	1	18650 Li-ion	7.625"	2.75"
552 <b>*</b>	Flashlight	6	24	DBL	1000	1.5	188m	2	18650 Li-ion	10.25"	2"
560 <b>*</b>	Head Lamp	6	24	DBL	560	2	150m	2	18650 Li-ion	1.25"	-
563 <b>*</b>	Head Lamp	12	48	DBL	600	1.2	90m	1	16340 Li-ion	3"	0.75"
623 <b>*</b>	Penlight	6	24	DBL	130	3.5	-	1	14500 Li-ion	6.625"	0.75"

## **FLASHLIGHT & HEADLAMP**

- Uses professional grade lifetime LED.
  Steel belt / pocket clip.
  Soft touch technology on/off button.

**ATAK**°





										Run	Beam	Battery		
Item #	IP	MP	PKG	Item #		IP	MP	PKG	Lumens	Time	Distance	Qty.	Туре	Length
<b>585*</b> 2-PC Set	8	32	DBI	396 <b>*</b>	Headlamp	8	32	DBL	210	-	-	3	AAA	2.5"
Set	0	02	DDL	581 <b>*</b>	Flashlight	12	72	DBL	420	2	82m	1	AA	4.25"

<ul> <li>Adjust</li> </ul>	LAMPS table head band aximum comfort		3	95				K	Adjustable	HEALI	Strobe am
						Run	Beam	E	Battery	Head	
Item #		IP	MP	PKG	Lumens	Time	Distance	Qty.	Туре	Diameter	
365*	Pro-Focus	8	48	DBL	120	8	199m	3	AAA	1"	
								0			
070*	000	0	00		200	4 5	00	3	AAA		
372*	COB	8	32	DBL	300	1.5	60m -	<u> </u>	CR2032	2.5"	
		-	-					3 1 3		_	
372 <b>*</b> 373 <b>*</b> 395 <b>*</b>	COB COB w/ Hi-Viz Housing	8	32 32	DBL DBL	300 300	1.5 5	60m -	1	CR2032	2.5" 2.5"	

### performancetool.com

\*California Residents Prop 65 warnings see page 2.

# ATAK LIGHTING



						Run	Beam	Ba	ttery			
Item #		IP	MP	PKG	Lumens	Time	Distance	Qty.	Туре	Width	Depth	Height
397 <b>*</b>	COB Multi-function	10	20	CBX	300	2	5m	3	AA	3"	3"	6.25"
398 <b>*</b>	COB Rechargeable	10	20	CBX	315	2	20m	2	18650 li-ion	3.75"	3.75"	7.5"
403 <b>*</b>	COB Rechargeable	1	9	CBX	1000	3	20m	2	18650 li-ion	5"	5.375"	9.75"





• 3 functions: high. low and strobe 3-watt wireless Bluetooth speaker. 424

> Works with most digital devices such as Smart Phones, Tablets, Laptops etc.

							Run	Beam	Battery				
Item #		IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Width	Depth	Height
418*	Mini	6	48	SLV	Y	83	10	11m	4	AA	2.75"	2"	6"
420*	Triangle	4	8	LAB	Y	143	50	20m	4	D	4.75"	4.5"	8.5"
422*	Collapsible	6	36	SLV	Y	100	20	11m	4	А	2.75"	1.875"	5.875"
424*	W/ Speaker	6	18	CRD	Ν	120	64	12m	4	С	4"	2.5"	7"

### SPECIALTY LANTERNS Great for camping, fishing, boating, tailgating, power outages and more. Batteries not included ATAK 375 3 functions: 33%, 100%, strobe. 405 Locking swivel handle. ATAK Non-slip rubber shell. Flashlight and lantern all-in-one 410 3 functions: 50%. features bonus 100% and strobe amber LED Run Beam Battery Item # IP MP PKG Lumens Time Distance Qty. Туре Width Depth Height 375\* 6 24 CBX 250 2 7" 5.5" Spot Light 304m З 4" AA 405\* 21

25

25

324

410\*

Flashlight/Lantern

Multi-function

6

1

48

9

LAB

CBX

610

BLK: Bulk | CAS: Storage Case | CBX: Color Box | CRD: Carded | CLM: Clamshell | DBL: Double Blister LAB: Color Label | RAC: Storage Rack | SHK: Shrink Wrap | SLV: Sleeve | TAB: Hang Tab | WBX: White Box

50m

22m

3

6

AA

D

2.25"

4.375"

2.75

4.75"

8"

9.875"


# ATAK LIGHTING

### **SOLAR MOTION SENSE LIGHTS**

- Uses professional grade lifetime licensed COB technology strips.
- 8-10 hr solar charging time.
- Output: 30 second intervals when motion is detected in the dark.
- Includes (1) 18650 3.7v 1500mAh lithium ion rechargeable battery.





										Lum	nens			
Item #		IP	MP	PKG	Item #		IP	MP	PKG	High	Low	Width	Height	Depth
700*	Small	6	24	DBL	705*	2 Pack	6	24	DBL	350	175	4-3/4"	3-7/8"	2"
701*	Medium	6	24	DBL	706*	2 Pack	6	24	DBL	460	230	6"	4-1/8"	2"
702*	Large	6	24	DBL	-	-	6	24	DBL	900	450	11-3/4"	4-1/8"	2"



#### performancetool.com

\*California Residents Prop 65 warnings see page 2.



# PT POWER FLASHLIGHTS



FirePoint X flashlights feature a heavy duty design with improved thermal efficiency resulting in up to 20% better performance than comparable flashlights.



						Run	Beam	Bat	tery		Head
Item #	IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
W2649*	6	24	CRD	N	200+	3	80m	1	ÂĂ	4.25"	1.125"
W2651*	6	24	CRD	Ν	400+	2	110m	2	AA	6.25"	1.125"
W2652*	6	24	CRD	Ν	500+	4	139m	4	AAA	5.50"	1.43"
W2653*	6	24	CRD	Ν	1250+	7	265m	6	AA	7.75"	1.98"
W2654*	6	24	CRD	Ν	1700+	5	295	9	AA	9.625"	1.98"
W2656*	12	48	BLK	Y	100+	4.5	128m	3	AAA	4.625"	1.28"

## **FIREPOINT X LI-ION RECHARGEABLE FLASHLIGHTS**

• FirePoint X flashlights feature a heavy duty design with improved thermal efficiency resulting in up to 20% better performance than comparable flashlights.

I)

- Adjustable DuoFocus beam goes from spot to flood.
- Anodized tactical aluminum housing.
- Water and impact resistant.



Recharge up to 1200 times whether fully or partially drained.



100



Battery Run Beam Head Туре Item # IP MP PKG Display Lumens Time Distance Qtv. Lenath Diameter W2655\* Li-Ion 6 24 CRD Ν 3000+ 3 208m 2 18650 8.125 1.43" 18650/ W2658\* 1000 +4 1/3 1.43" Li-Ion 6 24 CRD Ν 110m 5.50" AAA W2655B\* Battery 6 24 CRD Ν Capacity: 2600mAh; Voltage3.7V. 2.62" .72" W2655C\* Input: DC 5V; Output: 4.2V; Current: 650mA (x2) Charger 6 24 CRD Ν 4.125" x 2.325"

# **FIREPOINT X 300LM PEN LIGHT**

- Adjustable DuoFocus beam goes from spot to flood
- Super Bright Cree LED never needs replacing.
- Anodized tactical aluminum housing.
- Water and impact resistant.

d.	

						Run	Beam	Bat	tery		Head
Item #	IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
W2657* Orange	6	24	CRD	N	300+	3	88m	3	AAA	6.50"	.975"





# **PT POWER FLASHLIGHTS**

## FIREPOINT BEACON LIGHTS

- Anodized aluminum housing with swivel clip.
- High strength magnetic base.

Fold-out tri-wing feet for added stability.



#### W2320

- Versatile light provides up to 2000 lumens in 360°.
- Power control dial allows operations of 1, 2, 3, or 4 lighted panels.
- Rotary dial switch allows full adjustment of light output at any setting.

W2321 Handy carabiner clip.

						Run	Battery			
Item #	IP	MP	PKG	Display	Lumens	Time	Qty.	Туре	Length	Diameter
W2320* XL	4	24	CRD	Ν	2000+	2.5	9	AA	9.5"	1.75"
W2321* Compact	12	72	CRD	Ν	400+	4	3	AAA	4.125"	1.125"

# FIREPOINT LED PEN LIGHT

- Anodized aluminum housing with pocket clip.
- Compact design fits anywhere.
- US Patent D685,939.



						Run	Beam	Battery			Head
Item #	IP	MP		Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
W2338*	12	72	CRD	Ν	243	2.5	72m	3	AAA	6.625	0.75"

### LED HEAD LAMP

- High output wide angle LEDs create a large flood of light.
- Low profile design with adjustable head strap.
- Comfortable and lightweight design.



						Run	Beam	Battery			
	IP				Lumens	Time	Distance	Qty.	Туре	Length	Diameter
W2334*	6	24	CRD	Ν	180	5	72m	3	AAA	2.25"	1.125"

### FIREPOINT RECHARGEABLE LED FLASHLIGHT SET

- Rechargeable li-ion battery.Includes 12V & 120V chargers.
- Red preserves night vision.
- Green good for night hunting/fishing.
- Blue for leak detection.
- Aircraft grade aluminum flashlight.
- Padded nylon belt pouch.





							веат			Head
Item #	IP	MP	PKG	Display	Lumen	Run Time	Distance	Battery	Length	Diameter
W2475* Arctic Camo	1	8	CBX	N	330	2.5	200m	Li-Ion	6.05"	1.325"

### performancetool.com

\*California Residents Prop 65 warnings see page 2.

327

#### **POWER FLASHLIGHTS** PT

#### FIREPOINT DUOFOCUS FLASHLIGHT

- Adjustable DuoFocus beam goes from spot to flood.
- Anodized tactical aluminum housing.
- Water and impact resistant.





								Beam	Bat	tery		Head
Item #		IP	MP	PKG	Display	Lumens	Run Time	Distance	Qty.	Туре	Length	Diameter
W2405*	Pewter	6	24	CRD	N	2,369	1.5	135m	9	AA	11.5""	2"
W2499*	Black	2	12	CRD	Ν	1,068	13	346m	9	AA	9.25"	2"
W2493*	Black	6	24	CRD	Ν	408	9.5	250m	3	С	8"	1.625"
W2482*	Black	8	48	CRD	Ν	294	4	129m	3	AAA	5.25"	1.325"

# FIREPOINT LED FLASHLIGH

W2478

- Aircraft grade aluminum flashlight.
- Water and impact resistant.
- Anodized tactical aluminum housing.



TS	@	e Potter
W2481	W2650	

							Run	Beam	Bat	tery		Head
Item #		IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
W2478*	Pewter	8	48	CRD	Ν	419	5.5	250m	4	AAA	5.25"	1.625"
W2458*	Gun Metal	8	32	BLK	Y	271	2.5	105m	3	AAA	5"	1.325"
W2476*	2-PK Black	4	16	CRD	Ν	265	2.5	150m	3	AAA	5"	1.325"
W2481*	Gun Metal	8	48	CRD	Y	103	2	121m	3	AAA	4.375"	1.325"
W2474*	Gun Metal	6	48	BLK	Y	75	3.5	100m	3	AAA	4.75"	1.325"
W2490*	Mini Black	12	48	BLK	Y	33	7	58m	1	AA	3.875"	1.025"
W2650*	Gun Metal	6	24	CRD	Ν	210	3	80m	1	AA	4.625"	1.28"

### **FIREPOINT SLIM** LED FLASHLIGHTS

- Super Bright Nichia® LED never needs replacing.
- Aircraft grade aluminum flashlight.



REMER

Pr

							-1	50			
						Run	Beam	Bat	tery		Head
Item #	IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
W2471* Pink Camo	8	32	CRD	Y	169	6	76m	2	AA	5.875"	1.035"
W2473* Arctic Camo	8	32	CRD	Y	169	6	76m	2	AA	5.875"	1.035"
W2488* Black	12	48	CRD	Ν	169	6	76m	2	AA	5.875"	1.035"

#### FIREPOINT LED/LASER FLASHLIGHTS

- · Features high output flashlight, laser pointer and UV light.
- Anodized tactical aluminum housing.



				W24	72		4	47			W2444 W2468
					Run	Beam	Bat	tery		Head	
Item #	IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
W2444* UV/Laser	12	48	CRD	N	43	7.5	41m	3	AAA	5.25"	1.325"
W2468* UV/Laser	12	48	CRD	Ν	43	7.5	41m	3	AAA	5.25"	1.325"
W2472* Laser	8	48	CRD	Y	119	3	79m	3	AAA	4.75"	1.325"





# **PT POWER FLASHLIGHTS**

Flashlig	Bright Nichia ht submersi ent D659870	ble to	one m	eter.				STO	MPOSI			
USFale	W2			ALL DE LE DE								
	VV Z	409		a						-J		
N2497				e							W244	19
	Cullin			e f	-8	1				Ð	5	
	$\mathbf{C}$		J			W24 W24	83					FOXER
tem #		IP	MP	PKG	Display	Lumens	Run Time	Beam Distance	Bat Qty.	Type	Length	Head Diamete
V2456*	Black	12	48	BLK	Y	65	6.5	76m	3	AAA	3.75"	1.25"
V2477*	Black	12	144	CRD	N	65	6.5	76m	3	AAA	3.75"	1.25"
V2455*	Camo	12	48	BLK	Y	65	6.5	76m	3	AAA	3.75"	1.25"
V2455*		12	48	CRD	N	65	6.5	76m	3	AAA	3.75	1.25
V2483*		12	144	BLK	Y	65	6.5	76m	3	AAA	3.75	1.25
-	3-PK Color	6	24	CRD	Ý	65	6.5	76m	3	AAA	3.75"	1.25"
		8	32	DBL	Y	65	6.5	76m	3	AAA	3.75"	1.25"
		8	32	CRD	Y	65	6.5	76m	3	AAA	3.75	1.25
	Z-PACK	0	32	CRD	ľ	05			-	AAA		1.ZO
V2453 <del>*</del>	21 401					100	7 5	110.00	0		0.75	1 05
		6	48	CRD	N	108	7.5	142m	2	D	3.75	1.25
V2449* V2497* <b>B-PC</b> Multi-Pa Compace	2-Pack Magnetic LED FL ack set great ct Product D	12 ASH t for or	48 48 ILIGI utdoors	CRD CRD	Ν	65 65	7.5 6.5 6.5	142m 76m 76m	2 3 3	D AAA AAA	3.75 7.125 3.75"	1.25 2.1 1.25"
N2449* N2497* <b>B-PC</b> Multi-Pa	2-Pack Magnetic LED FL ack set great ct Product D	12 ASH t for or	48 48 ILIGI utdoors for	CRD CRD	Ν	65 65	6.5	76m	3	AAA	7.125	2.1
V2449* V2497* <b>B-PC</b> Multi-Pa Compace	2-Pack Magnetic LED FL ack set great ct Product D insport.	12 ASH t for or Design	48 48 ILIGI utdoors for	CRD CRD HT &	Ν	65 65 TERN	6.5 6.5 Beam _	76m 76m 2 2 Battery	33	AAA AAA	7.125 3.75" 3.75	2.1
V2449* V2497* B-PC Multi-Pa Compac easy tra	2-Pack Magnetic LED FL ack set great ct Product D insport.	12 ASH t for or	48 48 ILIGI utdoors for	CRD CRD HT & 3.	N LANT	65 65 FERN	6.5 6.5 Beam_ Distance	76m 76m 2 2 Battery Qty. Type	3 3 Length	AAA AAA	7.125 3.75" 3.75"	2.1
V2449* V2497* B-PC Multi-Pa Compace easy tra	2-Pack Magnetic LED FL ack set great ct Product D insport.	12 ASH t for or besign	48 48 ILIGI utdoors for	CRD CRD HT & s.	N LANT 1 Lumens 65	65 65 TERN	6.5 6.5 Beam _	76m 76m 2 2 Battery Gty. Type 3 AAA	33	AAA AAA Head Diame 1.25	7.125 3.75" 3.75"	2.1
V2449* V2497* B-PC Multi-Pa Compace easy tra	2-Pack Magnetic LED FL ack set great ct Product D insport.	12 ASH t for or Design	48 48 ILIGI utdoors for	CRD CRD HT & 3.	N LANT	65 65 FERN	6.5 6.5 Beam_ Distance	76m 76m 2 2 Battery Qty. Type	3 3 Length	AAA AAA	7.125 3.75" 3.75"	2.1
B-PC Multi-Pa Compace easy transport tem # N2341* ESSEI Super B	2-Pack Magnetic LED FL ack set great ct Product D insport.	12 ASH t for or besign CRD CRD	48 48 ILIGI utdoors for Displa N FLA	CRD CRD HT & s.	N LANT 1 50 Lumens 65 60 50 GHTS	65 65 FERN	6.5 6.5 Beam_ Distance	76m 76m 2 2 3 3 4AA 2 4A	3 3 	AAA AAA Head Diame 1.25 7.75	7.125 3.75" 3.75" 3	2.1
V2449* V2497* B-PC Multi-Pa Compace easy tra tem # V2341* ESSEI Super B Anodize	2-Pack Magnetic LED FLA ack set great ct Product D insport.	12 ASH t for or Design PKG CRD CRD	48 48 ILIGI utdoors for Displa N FLAA never r light.	CRD CRD HT & s.	N LANT 1 50 Lumens 65 60 50 GHTS	65 65 ERN ERN ERN 6.5 -	6.5 6.5 <b>Beam</b> <b>Distance</b> 76m 	76m 76m 2 2 3 3 4 4 4 4 4 4	3 3	AAA AAA Heac Diame 1.25 7.75 2.125 COXX	7.125 3.75" 3.75" 3	2.1 1.25"
V2449* V2497* B-PC Multi-Pa Compace easy tra tem # V2341* ESSEI Super B Anodize	2-Pack Magnetic LED FLA ack set great ct Product D insport.	12 ASH t for on Design CRD CRD CRD LED flash	48 48 ULIGI utdoors for Displa N FLA never n light.	CRD CRD HT & s.	N LANT LANT Constant	65 65 <b>ERN</b> <b>Run</b> Time D 6.5 -	6.5 6.5 <b>Beam</b> <b>Distance</b> 76m -	76m 76m 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	3 3 <b>Length</b> 3.75" - 6" <b>C</b>	AAA AAA Head Diame 1.25 7.75 2.125 From Kery	7.125 3.75"	2.1 1.25"
V2449* V2497* B-PC Multi-Pa Compace easy tra tem # V2341* ESSEI Super B Anodize	2-Pack Magnetic LED FLA ack set great ct Product D insport. IP MP 3 12 NTIAL L Bright Nichia acd aluminum	12 ASH t for on Design CRD CRD CRD LED D flash	48 48 ULIGI utdoors for Displa N FLA never n light.	CRD CRD HT & s. M/ = ? ay 1 2 3 SHLI needs r SHLI needs r	N LANT LANT Control Co	65 65 ERN ERN 0 6.5 - -	6.5 6.5	76m 76m 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	3 3 	AAA AAA Head Diame 1.25 7.75 2.125 COMA COMA	7.125 3.75"	2.1 1.25"
V2449* V2497* B-PC Multi-Pa Compace easy tra tem # V2341* ESSEI Super B Anodize	2-Pack Magnetic LED FLA ack set great ct Product D insport. IP MP 3 12 NTIAL L Bright Nichia acd aluminum ESSS	12 ASH t for on Design PKG CRD CRD LED flash EN	48 48 ILIGI utdoors for Displi N FLA never r light.	CRD CRD HT & s.	N LANT LANT Control Co	65 65 ERN 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6.5 6.5 <b>Beam</b> <b>Distance</b> 76m - - <b>Run</b> <b>Time</b> 9.5	76m 76m 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	3 3 	AAA AAA Head Diame 1.25 7.75 2.125 Covern Covern Ecry Type AAA	7.125 3.75" 3.75" 3.75" 3.75" 3.75" 3.75" 3.75" 5.75"	2.1 1.25"
V2449* V2497* B-PC Multi-Pa Compace easy tra tem # V2341* ESSEI Super B Anodize	2-Pack Magnetic LED FL/ ack set great ct Product D insport. IP MP 3 12 NTIAL L Bright Nichia cd aluminum ESSS Black Multi-Color	12 ASH t for on Design PKG CRD LED h flash EN	48 48 ILIGI utdoors for Displi N FLAA never r light.	CRD CRD HT & 3. Ay 1 2 3 Ay 1 2 3 SHLI Needs r SHLI Needs r CRD BLK	N LANT LANT Constant	65 65 ERN ERN 6.5 - - -	6.5 6.5 <b>Beam</b> <b>Distance</b> 76m - - -	76m 76m 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	3 3 	ААА ААА ААА Неас Diame 1.25 7.75 2.125 ГЕСИИ СССССССССССССССССССССССССССССССССС	7.125 3.75" 3.75" 3.625"	2.1 1.25"
V2449* V2497* B-PC Multi-Pa Compace easy tra easy tra V2341* ESSEI Super B Anodize UED tem # V2450* V2450* V2451* V2452*	2-Pack Magnetic LED FLA ack set great ct Product D insport. IP MP 3 12 NTIAL L Bright Nichia ad aluminum ESSS Black Multi-Color Camo	12 ASH t for on Design PKG CRD LED t flash EN EN	48 48 ILIGI utdoors for Displa N FLAA never r light.	CRD CRD HT & 3. Ay 1 2 3 Ay 1 2 3 SHLI Deeds r SHLI Deeds r CRD BLK BLK	N LANT LANT Constant	65 65 <b>ERN</b> <b>Run</b> <b>D</b> 6.5 - - - - - - - - - - - - -	6.5 6.5 <b>Beam</b> <b>Distance</b> 76m - - -	76m   76m   2   3 AAA   2 AA   4 AA   5 Feam   00m 100m   100m 100m	3 3 	ААА ААА ААА Неас Diame 1.25 7.75 2.125 <i>PECM</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>Commentary</i> <i>C</i>	7.125 3.75" 3.75" 3.625" 3.625" 3.625"	2.1 1.25"
V2449* V2497* B-PC Multi-Pa Compace easy tra tem # V2341* ESSEI Super B Anodize	2-Pack Magnetic LED FLA ack set great ct Product D insport. IP MP 3 12 NTIAL L Bright Nichia ad aluminum ESSS Black Multi-Color Camo 2-Pack	12 ASH t for on Design PKG CRD LED h flash EN	48 48 ILIGI utdoors for Displi N FLAA never r light.	CRD CRD HT & 3. Ay 1 2 3 Ay 1 2 3 SHLI Needs r SHLI Needs r CRD BLK	N LANT LANT Constant	65 65 ERN ERN 6.5 - - -	6.5 6.5 <b>Beam</b> <b>Distance</b> 76m - - -	76m 76m 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	3 3 	ААА ААА ААА Неас Diame 1.25 7.75 2.125 ГЕСИИ СССССССССССССССССССССССССССССССССС	7.125 3.75" 3.75" 3.625"	2.1 1.25"

# **HEADLAMPS**



# **LED WORK LIGHTS**

W2342\* Brim Clip

W2336\* Brim Clip

Wide angle high output white LED.

8

12

48

72

CRD

CRD

Ν

Ν

Rare earth magnet on back for hands free work.



58m

17.8m

3.5

1.5

106

200

360° swivel hook for added versatility.

4"

2.125"

AAA

Li-Ion

3

1



See Power Tool Section for more details.

							Run	Beam	Ва	ttery		Head
Item #		IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
W2362*	Silver	6	48	BLK	Ν	123	2	33m	3	AAA	2.875"	1.875"
W2363*	Silver	8	48	CRD	Ν	123	2	33m	3	AAA	2.875"	1.875"
W2367*	Silver	8	48	BLK	Y	123	2	33m	3	AAA	2.875"	1.875"
W2464*	Silver	3	48	BLK	Ν	123	2	13m	3	AAA	2.875"	1.875"
W2364*	Multi-Color	8	32	BLK	Y	123	2	13m	3	AAA	2.875"	1.875"
W2462*	Camo	8	48	CRD	Y	123	2	13m	3	AAA	2.875"	1.875"
W2484*	2-Pack Mini	8	48	CRD	Y	32	4	13m	2	CR2032	2"	1.2"
W2404*	Underhood	4	24	CRD	Ν	513	1.25	60m	2	Li-Ion	16"	2.5"





# **SPECIALTY LIGHTING**



#### Beam Battery Run Item # IP MP PKG Time Distance Width **Display Lumens** Qty. Length Type W2419\* 12+1 Slim 542 4.25 13.5" 1.5" 1 12 CBX Ν 43m З AA W2422\* 8 LED 280 AAA 6 48 CRD Ν 1 28m 3 4.625 2.125 W2424\* 3 LED 248 11 3 12 24 CLM Ν 27 AA 8" 2.5" W2348\* 3 +1 LED 3 154 6.5 8.5" 24 BLK 4.6m 3 AA 2.25" Y W2358\* 3+1 LED 6 48 CRD Ν 154 6.5 4.6m 3 AA 8.5" 2.25"



							Run	Beam	Bat	tery		Head
Item #		IP	MP	PKG	Display	Lumens	Time	Distance	Qty.	Туре	Length	Diameter
		6	24	CRD	Ν	452	10.25	34m	3	AA	7.5"	0.75"
W2354*	6 +1 LED	12	48	BLK	Y	106	5.5	23m	3	AAA	6.75"	0.725"
W2420*	3 +1 LED	12	48	BLK	Y	136	16	24m	3	AAA	6.375"	0.75"
W2421*	3 +1 LED	6	36	CRD	Ν	136	16	24m	3	AAA	6.375"	0.75"
W2428*	3 +1 LED UV	6	48	CRD	Ν	39	16	24m	3	AAA	6.375"	0.75"
W2330*	FirePoint	12	72	BLK	Y	243	2.5	72m	3	AAA	6.625	0.75"
W2352*	Essential	12	72	CRD	Ν	72	4.5	73m	3	AAA	6.625"	0.665"
W2356*	Essential	12	72	BLK	Y	72	4.5	73m	3	AAA	6.625"	0.665"
W2366*	Swivel	12	72	CRD	Y	7.5	11	21m	2	AA	6.25"	0.655"
W2359*	Pickup Tool	8	32	CRD	Y	56	2	35m	3	AAA	6.25"	1"

### performancetool.com

\*California Residents Prop 65 warnings see page 2.

331

# **SPECIALTY LIGHTING**



# **LED SAFETY FLARES**

W2322\* Clip Light

• Tough plastic construction is compact and lightweight.

12

- 12 bright red LEDs last up to 50 hours.
- 5 light patterns: 3 LED area light, rotate, blink, flash, 12 LED light.

48

BLK

Υ

Swivel hook and magnet on back for hands free use.



AAA

4.25"

-

3

							Beam	Bat	tery		Head
Item #	IP	MP	PKG	Display	Lumen	Run Time	Distance	Qty.	Туре	Length	Diameter
W2343* 3-PK	4	32	CRD	Ν	-	50+	N/A	3	AAA	1.375"	3.785"
W2368*	6	36	CRD	Ν	-	50+	N/A	3	AAA	1.375"	3.785"

192

1.5

# **LED MOONSTICKS**

- Make yourself visible at night.
- Safe alternative to chemical glow sticks.
- LED never needs replacing.
- On and blink functions.
- Wrist lanyard.

						Beam	Bat	tery		
Item #	IP	MP	PKG	Display	Lumen	Run Time	Distance	Qty.	Туре	Length
W2349* 4-PK	6	24	CRD	Y	-	12	N/A	3	AG13	8.5"
W2357 <b>*</b>	12	72	BLK	Y	-	12	N/A	3	AG13	8.5"





Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page
204										60611		M570C	
339				1481					75	60612		M571C	
357		1150		1482	304			20195	76	60613	294	M573DB	
364								20197	39,75,321	60700		M574DB	
365				1484 1485				20200	321 321	60750 50-100		M575 M576DB	285 293
372 373				1485						50-100		M577B	
375										BC-8		M578DB	
395										BC-14	252	M579C	
396		1161	302		304				319	BC-18	252	M580C	285
397				1490						BC-24	252	M582DB	
398 403				1491 1493				20208	319 319	BC-24-1 BC-30		M584DB M585DB	291
405				1495		1973				BC-30-1		M586C	
410								20212		BC-36		M587C	
418	324		302	1498		1976		20213	319	BC-36-1	252	M588DB	.184,287
420				1499						M194		M589DB	.185,287
422		1404		1500		1978		20215		M195		M590DB	.184,287
424 535		1405		1502		1979				M196 M197		M591DB M592DB	18/ 287
538				1507		1981		20217		M198		M593DB	.185.287
540		1408						20219	319	M199		M594DB	.184,287
541			302	1512						M200DB	192	M595DB	.185,287
546		1410		1513		2011				M201		M598DB	
549 550				1515		2012				M202-P M203		M601P M602P	297 297
551				1516 1518		20100	81,320	60102		M204		M603P	297
552				1519		20102	81,320	60103		M205			
560		1416		1520		20103		60104	112	M206		M606	
563			302	1522		20104	191,320	60105	112	M461		M608	
581				1523						M462		M609C	
585 606					305 305			60107	112 112	M464 M465		M610 M611	
615		1421				20107				M466		M613	
623		1422		1528						M476		M617	
626			303	1529				60111	112	M477		M619	
700										M478		M620	
701 702				1901			222,320			M479 M481		M622	
702				1903						M482		M624 M625	
706				1906						M483		M627	
800	325	1432		1907		20120		60202	113	M484	295	M628	297
1100				1908					113	M486		M634	
1101						20124	76,320			M487		M635	
1103 1105		1435		1910			263,320			M503 M504C	292 294	M637 M639	283 283
1106		1437		1912		20127	262,320	60207		M505C		M641	
1107		1438		1913		20129	263,320	60209	113	M516C		M643	
1108		1439		1914		20130		60210	81,113	M517	299	M647	289
1109						20133				M518		M648	
1110 1111				1917			100,320			M519 M520		M649 M651	
1112				1922			76,320			M521		M655	
1114		1445		1923		20142			111	M522		M656	
1115	300	1446	303	1924		20143		60304	111	M523	294	M658	289
1116				1925		20145	223,321	60305		M524		M660	
1117 1119	300			1927		20146		60306		M525 M535		M661 M662	285 285
1120				1920		20147		60309		M545	200	M664	
1121				1930		20149		60310		M546		M668	
1122	301	1453		1932		20150	264,321	60311	111	M547		M669	284
1123				1933		20151	223,321	60397	32	M548		M672	
1124				1934		20152	222,321	60398		M549		M673	
1125 1126				1935		20153		60399	110 110	M550DB M552DB		M676 M680	293
1127				1937		20154	223,321 321	60401		M553C		M685	
1128				1938		20156	223,321	60402	110	M554C		M686	
1129	301	1463	304	1939		20157	321	60404	110	M555-24 .	284	M687	
1131				1940		20160		60405		M555-32.		M688	
1135 1136				1941		20162				M558DB M560DB		M689 M693	
1136				1942	307 307	20100	81,321	60507		M561		M694	295 295
1139				1944		20170	262,321	60503		M562DB		M695	
1140	301	1472	304	1945		20171	222,321	60504	113	M563DB	285	M696	
1141		1473	304			20177		60505		M564DB		M697	
1142	301			194/		20180	77,321	60506		M565C		M701	
1144 1145	301 301	1475		1948 1949	307 307	20101	321 321	60508	113 112	M566DB M567DB	286 286	M702 M705	293 292
1146		1478		1950		20187		60605		M568DB		M706	
1147			304				106			M569DB		M707	

performancetool.com





Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page
M708	292					W15P	204	W235	275	W480		W1010	98,255
M710				M962		W17C					81,318	W1012	98,255
M710K M711						W26C W28			127 127		75,318 80,318	W1013 W1014	98,255 98
M715						W29						W1014	
M731	292	M839	184	M967	187	W29C	79	W284	250	W501	81	W1019	99
M740-24						W30C						W1020	
M740-26 M740-27	184 185					W31C W36C		W307C W308C			81 81	W1021 W1023	
M740-28						W38-SKH						W1020	
M740-30						W116		W310C.			81	W1026	70
M740-32 M740-34	184			M973		W123C W125		W311C W312C	204 204		61 95	W1028 W1029	
M740-34						W125C		W312C	204			W1029	
M740-38	184	M848	184	M976	187	W129C		W314C	204	W548	81	W1032	70
M740-40		M849				W130C		W315C.				W1033	
M740-42 M740-44						W131C W134DB		W316C W317C			277 277	W1034 W1036	
M740-46						W135P				W700C	133	W1037	
M740-48	184		184	M983	109	W136P	149	W319C	204	W701C	132	W1039	211
M742-32						W137P		W320C.				W1044 W1045	
M742-34 M742-36	184 184					W138P W139		W321C W322C	204 204			W1045 W1046	
M742-40						W140		W323C.		W709		W1047	
M742-42	184			M7007	98	W141	149	W324C		W721	24	W1048	
M742-44 M742-46	184			M7008B	254 312	W142	140	W325C W326C	204 204	W725	273 273	W1061	204 204
M742-46 M742-48		M867				W147C W147FB.		W326C W327C	204		273	W1062 W1069	
M743-33	184	M868		M7030B	255	W150	143	W328C.	204	W731	273	W1076	
M745-10				M7032B		W151P		W329C.				W1084	203
M745-12 M745-14				M7034B M7036B	255 255	W152C W153		W330C W331C			273 273	W1091 W1092	202 202
M745-14						W153 W154		W332C				W1092	
M745-22	184	M873	185	M7100	253	W155	134	W333C	204	W741C	273	W1101	208
M745-32				M7101		W156		W334C.				W1102	
M747-20 M747-30	184 184	M877	185 185	M7102 M7103	253 253	W157 W158		W340C W341C			276 277	W1103 W1104M	
M765		M880		M7104		W158C		W342C		W745C		W1104S.	
M771	185	M882	185	M7109	253	W159C		W343B	204	W746	277	W1107DE	3211
M772		M891	184 184			W162C		W344B				W1108C.	
M773 M774				M7112	253 253	W163C W165		W345B W346B			274 276	W1109C. W1110C.	230
M780	187	M894	184	M7114	253	W166		W347B	204	W750	258	W1113C.	
M782				M7115		W170C		W348B				W1114	203
M783 M785	185 187	M896		M7116 M7132	253 254	W171C W173C		W349C	204 205	W752	258 258	W1114M W1116C.	203
M786		M898		M7134		W175		W350M .				W1117C.	
M787	187	M899	184	M7215	254	W178C	130	W351	205	W756	277	W1118	208
M792 M793				M7216	254 254	W179C				W757	259 259	W1119C.	
M795			185 185	M7232	254 254	W180 W181	130 129	W354B	204 204		259	W1120PC W1121PC	/208 208
M796		M911		M7234		W182		W355B		W773		W1122C.	
M800					254	W185						W1125C.	
M801 M802			185 185	M/264	254 59	W186 W186C			204 204	W776		W1126C. W1128C.	161,178
M803						W189C			204	W778		W1129C.	
M804	184	M916	185	MV5	59	W190C		W378B	204	W779		W1130	156
M805		M917				W191C				W900S	218	W1131C.	161
M806 M807			185 185	MV10	59 59	W192C W193C	111	W407C W415C		W9015	218 143	W1133-10 W1133-12	
M808		M931	184			W196C		W418P	210	W904	218	W1133-14	
M809		M932				W197B		W424P	210	W904GN	I219	W1133-18	
M810 M811	184	M933	184 184			W197C W199C		W452	205 205	W907	220 219	W1133-24 W1133-36	1B252
M812						W1000				W941		W1133-8	3252
M813	184	M936	184	W5	108	W202		W459	281,318	W942		W1134-16	6255
M814						W206C		W461			145	W1136	
M817 M818		M939	184 184	W7	210 108	W207C W209		W463	.39,75,318	W9445 W948	220 267	W1136C. W1137	
M820		M940		W8C		W213C		W465	77,318	W949	147,267	W1139	
M821		M949	185	W9	108	W214C	250	W467	39,318	W950	218	W1141	124
M822 M823				W9A	108	W215C		W469	75,318			W1142 W1143	
M823 M824			185 185		210 108	W219 W220		W472	318 22,318	W909	75 81	W1143 W1144	123
M825		M953	185	W12C	210	W221	250	W473	23,318	W975	222,312	W1145	124
M826		M954		W12-SKF	H196	W227		W4742	23,228,318	W985	77	W1146	
M827 M828		M955	185 185			W228 W232C		W4/5			77 99	W1147C. W1148	142 76
M829					H	W2320		W477				W1148 W1149	
M830					204	W234C			221,318		B98	W1150	





Item #		Item #		Item #	Page			Item #		Item #		Item #	Page
W1150S	212			W1555			274	W2239			328		
W1151				W1556				W2250					
W1152 W1153			230 220	W1600 W1601	47		232 232	W2251 W2252		W2460			
W1154				W1605	47 /6		232	W2260		W2402			
W1156				W1606	46			W2261					
W1157				W1607		W1716		W2262					247
W1157P	138			W1609	47		209	W2263					
W1158P	138		181	W1611		W1718	217	W2264		W2472			
W1159	212	W1338	181	W1612			226	W2270			328		107
W1166				W1614				W2271					
W1167	202	W1341.		W1616				W2272 W2273		W2475	327 328	W2972	
W1168 W1172			227 227	W1617 W1621			226 216	W2273 W2274					
W1172				W1623				W2274 W2275					
W1178				W1625		W1728		W2277					
W1179	175,178			W1627			219	W2278			43		
W1180	175		228	W1628	48	W1730	219	W2280			3ULK43		
W1182C	265	W1387	181	W1630			216	W2281	41	W2481	328		
W1183			181	W1631			220	W2320			328		107
W1184C				W1632				W2321		W2483			
W1185	155			W1633		W1802		W2322					
W1186 W1187	160 165		230 230	W1635 W1636				W2330 W2331					
W1189C	160	W1392	230	W1636PB.		W1904	263,312	W2333					
W1193	236	W1394		W1637				W2334					
W1197				W1638DB		W1915	111,312	W2336			280,329		80
W1198	235		151	W1640			111,312	W2338	327				
W1200C	263		151	W1641	102		264	W2341	329		328		
W1204P	140		151	W1642			264	W2342			329		106
W1205	140			W1643				W2343					
W1206P	140	W1400-5	572	W1644				W2345		W2499			
W1208C W1209			72 72	W1645 W1646			264 232	W2348 W2349		W2500-3	6MM .247		
W1209				W1650	98		232	W2349 W2350					
W1212				W1651				W2351			50MM .247	W3000	
W1213			74	W1652			35	W2352				W3001C	
W1214C		W1411	74	W1653C	103	W2002	36	W2354	331	W2550	314	W3013	275
W1215	23		74	W1654C			36	W2356			314	W3033	257
W1216	160		74	W1655C				W2357		W2552			
W1218	11/		74	W1656C	1/1			W2358			281,314		
W1219 W1220	147		73 72	W1657C W1658			249 248	W2359 W2362			314 75,314		315 75,315
W1220				W1658C				W2363		W2559			
W1222			72	W1660C				W2364					
W1223		W1422	73	W1661	105		248	W2366			277	W3207	
W1224			73	W1663			35	W2367		W2601	277		315
W1225			72	W1665	104		35	W2368			326		
W1231	N/A			W1666C			35	W2369					
W1253 W1254			72 72	W1667 W1669									
W1256				W1670				W2375 W2380		W2653			
	262			W1671				W2381		W2654		W3214	
W1259			73	W1672	105		35	W2393				W3215	
W1260			73	W1673	105	W2020	257	W2401	42	W2655B	328	W3216	70,315
W1261			72	W1674			257	W2402			328	W3217	315
W1262C				W1675				W2404				W3218	
W1264				W1677	104			W2405				W3219	21,315
W1265 W1266			111 77	W1677-1 W1679C	104		B98 256	W2406 W2409				W322U	21,315 79,315
W1267	156			W1680C	101	W2030		W2409		W2903		W32221	
W1269			77	W1681C		W2033		W2419				W3223	
W1270		W1472	77	W1682C				W2420				W3225	
W1271	135	W1474	312	W1683	101	W2040	213	W2421		W2906	82	W3226	
W1272		W1475	79	W1684	101	W2043	213	W2422	331	W2907	82	W3227	315
W1273	135	W1476	77	W1685C	101	W2045	213	W2424		W2908	82	W3228	
W1275				W1686B				W2425					77,315
W1276				W1686C				W2432		W2911			262,316
W1279 W1280	33 68	W1498.	78,109 78,109	W1687 W1688		₩2031 ₩2070	249 265	W2433 W2435	45 11	W2912	82 82	vv3∠31 ₩/3232	79,316 316
W1284		W1500		W1688-2C	101			W2433 W2444				W3233	
W1285				W1691C				W2447				W3234	263,316
W1286	68	W1519.		W1692PC.	102			W2428		W2918		W3235	100,316
W1287	68	W1525	238	W1694C	102	W2118	252	W2449		W2919	82	W3236	81,316
W1288	68	W1532	237	W1695C		W2124	252	W2450		W2924	82	W3237	
W1289		W1538		W1696C				W2451		W2925		W3238	111,316
W1296	134	W1541.		W1697C	102			W2452		W2926.		W3239	70,316
W1297 W1298		W1553	237 79	W1699C W1703	102 219		252 42	W2453 W2455		W2921	82 82	₩3240	
W1298				W1703		W2237		W2455					
										0_0			

performancetool.com

\*California Residents Prop 65 warnings see page 2.



Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page
	281,316						74				263,311	W25934	
W3244 . W3245	81,316	W5080 W5081				W7004	74 74	W9036	22 224		222,313	W30001 W30002	
W3246.	229,316	W5082				W7500		W9041		W9305.	281,311	W30006	
W3247.	229,316	W5083							37,224			W30007	
	35,316 316	W5087 W5088		W5250.	89,249 89,249	W7502 W7503	276 277		224 241	W9313.	279 279	W30008 W30009	198 198
		W5089		W5252.	89,249	W7503			263,308	W9323 .		W30010	
W3251.	316	W5090	251	W5253.	94	W7505	277	W9101	263,308	W9328.	279	W30011	198
		W5091				W7506			264,308			W30012	
	316 316	W5092 W5100		W5255.	96 93	W7507 W7508			262,308	W9335	279 280	W30013 W30014	
W3255.	316	W5101	211,251	W5257.	93	W7540			111,308	W9339.		W30015	
W3256.		W5102	211,251		94				111,308			W30016	
W3257. W3300	316 77,317	W5124 W5124BP			286 85	W8655 W8561	246 242		111,308	W9341. W9344.	278 280	W30017 W30018	198 198
W3301.	263,317	W5150				W8562		W9109	262,309			W30019	
W3302.	100,317	W5160				W8563	242	W9111		W9351.		W30020	
W3303.	81,317 262,317	W5161 W5163				W8564	242 242	W9112			213 213	W30021 W30022	
W3304.	202,317	W5165				W8566	242	W9115 W9115	263,309		213	W30022 W30023	
W3306.	317	W5167	60	W5348.	91	W8567	242	W9116		W9357	278	W30024	
W3307.		W5169	60	W5353 .		W8569			265,309			W30025	
W3309. W3311	81,317 317	W5170 W5172	60 60		83 84	11/0571	242			W9360 . W9362 .	278 279	W30026 W30027	
W3312.		W5173	60	W5359.				W9122				W30028	
W3313.	317	W5174	60			W8574		W9124	262,309	W9364.		W30029	
W3314.	317 317	W5175 W5178		W5369.	95 95	W8575 W8577		W9125		W9400.	281 281	W30030 W30032	198
		W5178 W5179				W8578		W9127 W9128				W30032 W30200	
W3317.		W5182	61	W5372.	257	W8579	242	W9130		W9460.	75	W30202	
W3318.		W5183				W8581		W9132		W9461.	75	W30208	
W3319. W3321	317 317	W5185 W5186			95 95	W8582 W8583	242 242	W9134 W9135		W10005	298 298	W30210 W30211	
		W5188				W8585				W10012		W30212	198
W3323.		W5189	67		95		242	W9137		W10055	298	W30214	198
W3900.	59 59	W5190 W5193			95 272		21 22	W9141	262,309 263,310	W10056	298 298	W30216 W30218	198
W3907.		W5195		W5390.					262,312			W30210	
W3903.	59	W5196	62	W5393.	272	W8608	24	W9146	221,310	W11046	32,115	W30222	198
		W5197 W5199		W5394.		W8615		W9147	221,310			W30224 W30226	
W3905 . W3939	59 27,59	W5199 W5200		W5398.	272 272	W8617 W8618	242 242	W9148 W9155	221,310	W11091 W11092	313 313	W30226 W30228	
W3943.	250	W5201	90	W5400.	272	W8630	242	W9157	221	W12113	277	W30230	
		W5202	90	W5403.		W8632					69	W30232	
W3945.	250 250	W5203 W5204	90 87	W5404 .	31 272	W8633 W8636			223,310	W12501	69 69	W30234 W30236	
		W5205	87			W8637			77,312	W12503	69	W30238	
	250	W5206			258	W8639	242				69	W30240	198
		W5207 W5208			258 259		243 243		123,312 310			W30250	
W3960. W3961.	251 251	W5208		W5421.	259	W8652		W9169	221,310	W12500	69 69	W30251 W30252	
W3970.	250	W5210		W5424.	258	W8654	243	W9170	274,310	W12508		W30253	200
W3980.		W5212				W8659		W9171	274,310 223,310	W12509	69	W30254	
	250 250	W5213 W5214			258 258	W8662 W8663	242	W9172 W9173			69 69	W30255 W30256	200
W4000D	B73	W5215	95,117	W5436.	258	W8664	242	W9174	221,310	W12512		W30257	200
W4001D	B243	W5216				W8665	242	W9176		W12513		W30258	200
	B243 73	W5217 W5218			275 269		242 242	W9178 W0170	223,311 223,311		69 69	W30259 W30260	200
	B73	W5210				W8669		W9181	275,311		69	W30261	
	B51	W5220	84	W5702.		W8692	241	W9183	275,311	W12522	69	W30262	200
W4007.		W5221		W5703.			242 25	W9184		W12523	69 182	W30348 W30349	200
W4015. W4034.		W5222 W5226			268 276	W9003		W9185				W30349 W30350	
W4064.	123	W5228	89,248	W5763.		W9004	241	W9187		W15029	266,313	W30351	200
W4070.		W5230			67			W9188		W15032	266,313	W30352	
W4071. W4072	122 122	W5231 W5232			74 74	W9014 W9016		W9189		W15033	80,313 266	W30353 W30354	200
W4990.	76	W5233		W6004.	74	W9017	241	W9191		W15036	266,313	W30355	
W5006.	268	W5234	91,121	W6006.	74	W9018		W9193	222,311	W15038		W30356	200
		W5235	91,121		74 74		241	W9194	221,311 313		170 104	W30357 W30358	
		W5236 W5237			74		21,226					W30358	
W5022.		W5238	85	W6020.	74	W9025		W9198	281,311	W16850	100	W30361	200
W5024.		W5239			74			W9199		W16851		W30362	
W5025B	P268 268	W5240 W5241			74 74	W9027	224 22	W9200	281,313 281,313	W16852		W30402 W30403	
W5040.	268	W5242	92	W6044.	65	W9030	22	W9202	313	W16854	100	W30404	199
W5041.		W5243	92	W6045.	65	W9034	22	W9203		W16855	105	W30405	199





# NDEX

ltom # Dogo	ltom # Dogo	ltem # Dege	ltom # Dogo	ltom # Dogo	ltom # Dogo	ltom # Dogo
<b>Item # Page</b> W30409 199	Item # Page W30760211	Item # Page W32002 176	<b>Item # Page</b> W32320176	<b>Item # Page</b> W32884180	<b>Item # Page</b> W34840178	Item # Page W36815 182
W30409	W30762207	W32002	W32322	W32885 180	W34841 178	W36820 182
W30413 199	W30763 207, 261	W32003-1 197	W32324 176	W32886	W34842 178	W36825 182
W30415199	W30764207	W32004197	W32326176	W32887180	W34846178	W36827182
W30416 199	W30765206	W32012 176	W32328 176	W32888180	W34850178	W36830182
W30419 199	W30766210	W32014 176	W32330 176	W32889 180	W34855 178	W36901 174
W30430 199 W30431 199	W30771207	W32016	W32332	W32901174 W32902109,179	W34902	W36902
W30450	W30772207 W30773207	W32018 176 W32020 176	W32334176 W32336176	W32902 109, 179 W32903 193,287	W34904175 W34906175,178	W36903180 W36904174
W30451202	W30774207	W32022 176	W32340 176	W32904 174	W36000 196	W36905 173
W30452202	W30775207	W32024176	W32400177	W32905173	W36001 197	W36910182
W30453202	W30781210	W32026 176	W32410 177	W32921 109, 179	W36002 176	W36915182
W30500 172	W30782210	W32028 176	W32411 177	W32922 109, 179	W36003 197	W36920
W30507 199 W30512 199	W30783210 W30784210	W32030 176 W32032 176	W32412177 W32413177	W32923 109, 179 W32924 109, 179	W36003-1197 W36005176	W36925 182 W36927 182
W30512	W30785210	W32034 176	W32413177	W32925 109, 179	W36006 176	W36930 182
W30516 199	W30810215	W32036 176	W32415 177	W32926 109, 179	W36007 176	W36940 194
W30518199	W30815215	W32038176	W32416177	W32927 109, 179	W36008176	W36980179
W30520 199	W30820215	W32040 176	W32417177	W32960 182	W36009 176	W36981179
W30522 199	W30825215	W32090 183	W32418 177	W32981 180	W36010 176	W38000 196
W30524199 W30600205	W30827215 W30830215	W32092 183 W32100 190	W32419177 W32420177	W32982 180 W32983 180	W36011176 W36012176	W38002176 W38003197
W30601205	W30896214	W32100	W32420 177 W32421 177	W32984 180	W36012	W38003-1197
W30602202	W30897219	W32102 191	W32422 177	W32985 180	W36016 176	W38004 197
W30607 199	W30898214	W32106 191	W32423177	W32986180	W36101190	W38008 176
W30610199	W30899215	W32110313	W32424177	W32987180	W36102191	W38010176
W30611199	W30900215	W32114	W32427 177	W32988 180	W36106191	W38012 176
W30612199	W30901215	W32118	W32512 176	W32989 180	W36113	W38014 176
W30613 199 W30614 199	W30905215 W30906215	W32119	W32514176 W32516176	W32990 180 W32991 180	W36114191 W36118188	W38016 176 W38018 176
W30615 199	W30907215	W32121	W32518 176	W32992 180	W36124 188	W38020 176
W30616 199	W30908215	W32122 191	W32520 176	W34100 191	W36125 189	W38022 176
W30617199	W30909215	W32124188	W32522176	W34101191	W36130195	W38024176
W30618 199	W30910215	W32125 189	W32524 176	W34120188	W36131 190	W38026 176
W30619199	W30911215	W32126	W32526 176	W34121	W36136 195	W38028 176
W30630200 W30631200	W30912215 W30920215	W32127188 W32128188	W32528176 W32530176	W34122 188 W34130 195	W36139194 W36142194	W38030 176 W38032 176
W30632201	W30921215	W32129	W32532 176	W34144 194	W36143 194	W38100 190
W30633201	W30922215	W32130 195	W32534 176	W34148 194	W36146 194	W38101 190
W30634201	W30923215	W32136 195	W32536176	W34151194	W36157 195	W38102191
W30635201	W30924215	W32137189	W32538 176	W34157 195	W36180 190	W38106 191
W30641200	W30925	W32139 194 W32140 194	W32540 176	W34158	W36181 190	W38107 191
W30642200 W30643201	W30926215 W30927215	W32140 194 W32141 194	W32600176 W32616176	W34524178 W34528178	W36190197 W36202177	W38108 191 W38112 191
W30644201	W30931 196	W32143 194	W32618	W34530 178	W36204 177	W38113 191
W30645201	W30932 196	W32145 194	W32620 176	W34532178	W36205 177	W38114191
W30646201	W30933195	W32150 194	W32622176	W34534178	W36206177	W38115191
W30681 199	W30934 195	W32153 194	W32624 176	W34536 178	W36207 177	W38118
W30682	W30935 196 W30936 161	W32157	W32626 176	W34538	W36208 177	W38120
W30703210 W30704210	W30937	W32158	W32628176 W32630176	W34540178 W34542178	W36209 177 W36210 177	W38122 191
W30706210	W30938 196	W32163 161,178	W32636	W34544	W36211177	W38125 189
W30708210	W30939 195	W32180	W32700177	W34546178	W36212177	W38128188
W30710210	W30957 194	W32181 190	W32810177	W34548178	W36213177	W38130 195
W30712210	W30960214	W32190 197	W32811177	W34550 178	W36300 176	W38131 190
W30713211 W30714209	W30961214 W30962214	W32202 177 W32210 177	W32812177 W32813177	W34552178 W34554178	W36305 176 W36306 176	W38136 195 W38137 189
W30715209	W30963214	W32210	W32814177	W34556 178	W36307 176	W38139 194
W30720206	W30964214	W32212 177	W32815 177	W34558 178	W36308176	W38140 194
W30721206	W30965214	W32213177	W32816177	W34560178	W36309176	W38141194
W30722206	W30967214	W32214 177	W32817 177	W34564178	W36310176	W38143 194
W30725206	W30968214	W32215 177	W32818 177	W34566 178	W36311 176	W38144 194
W30726206 W30728206	W30969214 W30970214	W32216 177 W32217 177	W32819177 W32820177	W34568 178 W34570 178	W36312 176 W36314 176	W38146194 W38147194
W30729207	W3097575	W32218 177	W32821 177	W34572 178	W36316 176	W38148 194
W30731206	W30980220	W32219 177	W32822 177	W34574178	W36400177	W38149 194
W30732206	W30983214	W32220177	W32823177	W34822178	W36404177	W38150 194
W30733206	W30986214	W32221 177	W32824177	W34823178	W36405 177	W38151 194
W30736206	W30987214	W32222	W32825 177	W34824	W36406 177	W38152 194
W30737206 W30740207	W30988214 W30989214	W32223 177 W32224 177	W32826177 W32827177	W34825178 W34826178	W36407 177 W36408 177	W38154194 W38155194
W30741207	W30990214	W32225 177	W32828 177	W34827178	W36409 177	W38156 194
W30743207	W30991214	W32226177	W32830177	W34828 178	W36410 177	W38157 194
W30745207	W30992214	W32227 177	W32832 177	W34829178	W36411 177	W38158195
W30752211	W30993214	W32228 177	W32860	W34830 178	W36412 177	W38159 195
W30754211 W30756211	W30994214 W30995214	W32230177 W32232177	W32870 182 W32880 180	W34832178 W34833178	W36413 177 W36801 180	W38160 161,178 W38161 161,178
W30757211	W30995	W32300 176	W32881 180	W34835178	W36802 180	W38162 161,178
W30758211	W32131 190	W32316	W32882	W34836 178	W36803 180	W38163 161,178
W30759209	W32000 196	W32318176	W32883180	W34838178	W36810 182	W38164 161, 178

performancetool.com





Item # Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page	Item #	Page
W38165 161, 178	W38600		W38918		W50058	27	W54064	120	W54240		W80280	
W38166 161,178	W38612		W38919		W50060		W54065		W54241		W80281	
W38167 161,178 W38168 161,178	W38614 W38616		W38920 W38927		W50061 W50063		W54066 W54067		W54242 W54243		W80282 W80283	
W38169 161, 178	W38618		W38933		W50068		W54068		W54244		W80284	
W38170 161, 178	W38620	176	W38937	313	W50069		W54069	120	W54245	117	W80287	233
W38171161,178	W38622		W38940		W50069A		W54070		W54246	117	W80288	232
W38172 161,178 W38173 161,178	W38624 W38626		W38945 W38947	182	W50071 W50072		W54071 W54072		W54247 W54248	11/ 117	W80291 W80490	
W38180 190	W38628		W38950		W50072		W54072 W54073		W54248 W54249		W80490 W80491	
W38181 190	W38630		W38955		W50076		W54074		W54250		W80498	146
W38190 197	W38700		W38961		W50076A		W54075		W54251		W80510	
W38194 179	W38708	1//	W38962		W50077		W54076		W54252 W54253		W80524	
W38201177 W38202177	W38709 W38710		W38963 W38964		W50078 W50079		W54077 W54078		W54253 W54254		W80525 W80526	
W38206 177	W38711		W38965		W50080		W54079		W54255		W80527	
W38207177	W38712		W38970	229	W50083		W54080		W54256	94,117	W80528	162
W38208 177	W38713		W38971		W50084		W54085		W54258		W80529	
W38209177 W38210177	W38714 W38715		W38972 W38973		W50084A W50086	25 21	W54090 W54104		W54259 W54260		W80530 W80531	
W38211 177	W38716		W38980		W50087		W54105		W54261		W80532	
W38212177	W38717	177	W38981	179	W50087A	25	W54106		W54263	127	W80533	.161,178
W38213177	W38718		W39000		W50089		W54107		W54264		W80535	160
W38214 177 W38215 177	W38719 W38750		W41000		W50089A		W54108 W54109		W54265		W80537	
W38216 177	W38750 W38751		W41001 W41003		W50090 W50091		W54109 W54110		W54266 W54267		W80539 W80540	
W38217 177	W38752		W41018		W50092		W54111		W54268		W80541	
W38218177	W38800	177	W41021		W50092B		W54112	120	W54269	126	W80542	158
W38219 177	W38802		W41022		W50092C		W54113		W54270		W80546	
W38220 177 W38221 177	W38803 W38804		W41023 W41025		W50093 W50094		W54114 W54115		W54271 W54272	115 123	W80548 W80549	
W38222 177	W38805		W41025 W41027		W50094	20	W54116		W54272		W80550	
W38300 176	W38807		W41029	50	W50095B		W54117		W54274		W80553	
W38301175	W38808	177	W41030		W50095C		W54118	120	W54275		W80554	
W38302 175	W38809		W41031		W53991		W54119		W54276		W80555	
W38304 175 W38308 176	W38810 W38811		W41032 W41034		W53992 W53993		W54120 W54121		W54278 W54279	127	W80556 W80557	
W38310 176	W38812		W41035				W54150		W54280		W80559	
W38312 176	W38813	177	W41036		W53995	64	W54151	124	W54281	122	W80560	155
W38314 176	W38814		W41037		W53998		W54152		W54282		W80561	
W38316 176 W38318 176	W38815 W38816		W41039 W41044		W54004 W54006		W54154 W54155		W54283 W54285		W80562 W80564	
W38320 176	W38817		W41044 W41060		W54000		W54156		W54286		W80567	
W38322176	W38818	177	W41061	52	W54011	57	W54170		W54287	121	W80570	150
W38324176	W38819		W41062		W54012		W54171		W54289	121	W80571	
W38326 176 W38328 176	W38820 W38821	1//	W41063 W41065		W54013 W54016		W54172 W54173		W54290 W54291		W80572 W80573	
W38330 176	W38822		W41003 W41291		W54010		W54200		W54291		W80574	
W38332176	W38825		W41292		W54019		W54201		W54295		W80575	
W38337175	W38840		W41293	99	W54020		W54202		W54310		W80576	
W38401 177	W38845		W41294		W54024		W54203		W54311		W80577	
W38402 177 W38407 177	W38847 W38850		W50001 W50003		W54025 W54026		W54204 W54205	114 114	W59276 W59277		W80578 W80579	
W38408 177	W38855		W50005		W54032		W54206		W59278		W80580	
W38409177	W38870		W50007		W54035	57	W54207	114	W59281	317	W80581	165
W38410 177	W38874		W50008		W54037		W54208		W59282		W80582	167
W38411177 W38412177	W38875 W38876		W50009 W50010		W54038 W54039		W54209 W54210		W75933 W80004		W80583 W80584	
W38413 177	W38877		W50010		W54033		W54210		W80004		W80585	
W38414177	W38878		W50012		W54043	31	W54212	116	W80006	218	W80586	165
W38415177	W38879	180	W50014	32,115	W54044		W54213	117	W80007	218	W80587	
W38416 177	W38880		W50031 W50033		W54045		W54214		W80008		W80590	
W38417177 W38418177	W38881 W38886		W50033 W50035		W54046 W54047		W54215 W54216	110	W80015 W80022		W80591 W80594	
W38419 177	W38887		W50036		W54048		W54217		W80036		W80595	
W38421177	W38890	180	W50037	37	W54049		W54218	117	W80110	128	W80616	131
W38422 177	W38892		W50042		W54050		W54219		W80112		W80617	
W38500176 W38510176	W38893 W38894		W50043 W50044		W54051 W54052		W54220 W54221	.114,125	W80150 W80151		W80619 W80620	
W38512 176	W38895		W50044 W50045		W54052		W54221		W80151 W80152		W80620 W80621	
W38514176	W38896		W50045-2		W54054		W54223		W80155		W80622	
W38516176	W38897	180	W50046	29	W54055	118	W54224	116	W80156	271	W80624	129
W38518	W38898		W50048	32,115	W54056		W54225		W80157		W80625	131
W38520 176 W38522 176	W38899 W38900		W50049 W50053		W54057 W54058		W54226 W54227		W80158 W80160		W80626 W80629	131 121
W38524 176	W38900 W38905		W50053 W50054		W54058		W54227 W54228		W80100		W80630	
W38526 176	W38911	174	W50055		W54060	119	W54229	117	W80274	231	W80631	131
W38528 176	W38914		W50056	26	W54061		W54231		W80275	231	W80632	131
W38590	W38916		W50057.		W54062		W54232		W80276		W80633	
W38592186	W38917	243	W50057-1		W54063	120	W54234		W80277	231	W80634	131





Item # Page	Item # Page	Item # Page	Item # Page	Item # Page	Item # Page	Item # Page
W80635	W81018	W83178 134	W84551	W86503260	W8898463	W89325 136
W80641	W82003 133	W83179 134	W84552 137	W86504260	W8898567	W89326 136
W80645	W82004 130	W83180 134	W84553	W86505260	W8898667	W89330 159
W80646142	W82005 133	W83182 151	W84600 160	W86506	W8898767	W89331 159
W80647 142	W82006 145	W83183 151	W84602163	W86550 159	W8898863	W89333 156
W80648 142	W83005 135	W83192265	W84603 142	W86551143	W8898963	W89399 146
W80649143	W83006 135	W83193 163	W8500255	W86552 150	W8899067	W89400 146
W80650 143	W83008 135	W83194265	W8500355	W86553160	W8899366	W89408 151
W80651143	W83010 135	W83195265	W8500454	W86554 160	W8899566	W89409 150
W80652 143	W83011138	W83196264	W8500554	W86555 143	W8899666	W89410 154
W80653 148	W83013	W83197265	W8500654	W86556 142	W8899971	W89413246
W80654145	W83016 137	W83198265	W8500755	W86557130	W8900071	W89414246
W80656 145	W83017 137	W83199142	W8500856	W86561 142	W8900171	W89500 168
W80657 145	W83020 137	W83201142	W8501056	W87010 152	W8900571	W89501 168
W80661157	W83021140	W83202246	W8501156	W87020 148	W8900671	W89704 143
W80662157	W83022 140	W83203246	W8501454	W87021 148	W8900771	W89705 152
W80663 157	W83025140	W83204247	W8501755	W87022148	W8901171	W89708148
W80664157	W83026141	W83205 145	W8501955	W87023 149	W8901271	W89710153
W80668 155	W83027140	W83240 134	W8502056	W87024 148	W8901371	W89711153
W80670132	W83028138	W83241 134	W8502155	W87030 131, 166	W8901671	W89712153
W80671132	W83030134	W83243 134	W8502356	W87120 100	W8901771	W89715137
W80672132	W83033134	W83244134	W8502456	W87122149	W8901863,74	W89716144
W80674133	W83035134	W83245 134	W8502555	W87123149	W89100 157	W89719 164,271
W80675133	W83038134	W83246 134	W8502655	W87124149	W89200 128	W89720 164,271
W80676121	W83041134	W83255134	W8502756	W87125149	W89201 128	W89721 164,271
W80677121	W83102158	W84001150	W8502854	W87126149	W89203 165	W89722 164,271
W80678121	W83108158	W84002 150	W8502955	W87127149	W89208 152	W89723170
W80679132	W83113158	W84003 150, 167	W8503156	W87128137	W89210 146	W89724 164,271
W80681121	W83114158	W84004151	W86010263	W88001213	W89220 152	W89725136
W80682121	W83115155	W84005 150, 167	W86011262	W88002213	W89302 140	W89726169
W80683121	W83118158	W84006163	W86012250	W88003213	W89303140	W89727 131,166
W80684121	W83130158	W84007156	W86013133	W88010212	W89304141	W89729166
W80749267	W83133158	W84008156	W86020129	W88011212	W89305141	W89730171
W80750267	W83148159	W84010144	W86021129	W88012212	W89310140	W89731168
W80751147	W83149159	W84012144	W86022129	W88013212	W89311139	W89732156
W81006181	W83150138	W84013144	W86023181	W88030246	W89314134	W89733170
W81007181	W83151138	W84014144	W86100230	W8897063	W89315134	W89735168
W81008181	W83163163	W84015144	W86101230	W8897163	W89316134	W89737146
W81010181	W83164163	W84019147	W86102230	W8897271	W89318134	W89738170
W81012181	W83165128	W84500 149	W86103230	W8898063	W89319135	W89742138
W81014181	W83168152	W84501149	W86500261	W8898163	W89322139	
W81016181	W83177134	W84550137	W86502260	W8898363	W89324136	

© Copyright 2018 Wilmar Corporation. This material is being furnished for the exclusive use of Wilmar Corporation customers and may only be used in connection with the sale of Wilmar®, airTiGHT, Northwest Trail®, Performance Tool®, Project Pro®, PT Power®, Mechanics Products® and ATAK® merchandise. Any other use is strictly prohibited. Illustrations and photographs are intended for reference only. Actual products may vary. On occasion, after printing of our catalogs, flyers or other sales aids is completed, the manufacturers may make changes and/or modifications to merchandise which will not be reflected in this literature. Accordingly, when ordering, please inquire of our sales representative as to any such changes or modifications which have been made following publication. Wilmar is not responsible for typographical errors.

WARRANTIES: PERFORMANCE TOOL extends only the following warranties, and only to original retail purchasers. These warranties give specific legal rights. Except where prohibited by local law, the law of the State of Washington governs all warranties and all exclusions and limitations of warranties and remedies. There may be other rights which vary from state to state. Hand Tools:

Lifetime Replacement Warranty: If any tool ever fails to give complete satisfaction, it may be returned, along with original sales receipt, for a free replacement of like grade and quality, postage prepaid to PERFORMANCE TOOL, P.O. Box 88259 Tukwila, WA 98138

#### Hydraulic Jacks & Heavy Duty Equipment:

PERFORMANCE TOOL warrants the product to be free from defects in materials and workmanship under normal use and service. A defective product may be returned for a free replacement within 90 days from the date of purchase, provided that product is returned to place of purchase immediately after discovery of defect. After 90 days and up to 1 year from date of purchase, PERFORMANCE TOOL will replace at no charge any parts which our examination shall disclose to be defective and under warranty. These warranties shall be valid only when a sales receipt showing the date of purchase accompanies the defective product or defective part(s) being returned. For part(s) after 90 days, please remit your request, postage prepaid to: PERFORMANCE TOOL, P.O. Box 88259 Tukwila, WA 98138

#### **Torque Wrenches:**

PERFORMANCE TOOL warrants torque wrenches that are calibrated and serviced regularly to be free from defects in materials and workmanship under normal use and service for a period of 90 days from date of purchase, during which time a defective product may be returned for a free replacement when accompanied by the original sales receipt. Calibration and servicing must be done regularly and are the owner's responsibility.

#### Air Tools, Drill Press & Grinders:

PERFORMANCE TOOL warrants these products when serviced regularly to be free from defects in materials and workmanship under normal use and service for a period of 1 year from date of purchase, during which time a defective product may be returned for a free replacement when accompanied by the original sales receipt. Servicing must be done regularly and are the owner's responsibility.

#### Exclusions:

These warranties exclude blades, bits, punches, dies, bulbs, fuses, grinding wheels, belts and other consumable which must be replaced under normal use and service. These warranties shall not apply to any product or part which is used for a purpose for which it is not designed, or which has been repaired or altered in any way so as to affect adversely its performance or reliability, nor shall these warranties apply to any product or part which has been subject to misuse, neglect, accident or wear and tear incident to normal use & service.

PERFORMANCE TOOL does not authorize any other person to make any warranty or to assume any liability in connection with its products. Except for warranties of title and the limited express warranties set forth above, PERFORMANCE TOOL makes no express or implied warranties of any kind with respect to its products. In particular, PERFORMANCE TOOL makes no implied warranty of merchantability and no implied warranty of fitness for any particular purpose, except that for goods purchased primarily for personal, family or household use and not for commercial or business use, PERFORMANCE TOOL makes an implied warranty of merchantability (and, if otherwise applicable, an implied warranty of fitness for a particular purpose), but only for the particular qualities or characteristics, and for the duration, expressly warranted above. The laws on limitation of implied warranties may differ from state to state, so the above limitations may not apply in all cases.

PERFORMANCE TOOL shall not be liable for consequential, incidental or special damages resulting from or in any manner related to any product, or to the design, use, or any inability to use the product. The sole and exclusive remedy for a defective product or part shall be the repair, or replacement thereof as provided above. The laws on limitation of remedies or on consequential, incidental or special damages may vary from state to state, so the above limitations may not apply in all cases.





339



**P.O. Box 88259 Tukwila, WA 98138** ph: 1-800-426-1262 . fx: 1-800-352-9185 email: tools@wilmarcorp.com



© 2018 Wilmar Corporation . CAT-101