





Street and the



a quality brand of



**QEP Co., Inc.** was founded in 1979 in the New York family garage of Lewis and Susan Gould. The very first QEP branded tiling product was a "Do-It-Yourself" Bathtub Edging Kit. There was nothing like it on the market. As the popularity of tile floors began to rise in the United States, so did the demand for DIY installation tools and accessories. This demand quickly opened the doors of opportunity for the QEP brand throughout the national tile tool market. The QEP brand continued to grow and evolve, eventually expanding into the professional market. In 1984, QEP released the world's first "dual rail" tile cutter, and in 1989 began manufacturing their own professional tile spacers.

In the late 90's, QEP Co., Inc. continued to expand its reach and began selling the QEP brand into Canada, Mexico and South America. Over the next decade, the QEP brand made its way into Australia, New Zealand, England, France and China. Today, QEP has become an recognized professional brand, specializing in installation tools and accessories for tile, porcelain and natural stone. QEP products can be found in all 50 States and in countries throughout the world.

QEP continually introduces new and innovative products that address the challenges of today's market. To establish a stronger presence in the professional tiling industry, QEP has just unveiled their most innovative line of tools yet - The Xtreme Series. Advanced designs have enhanced the professional-grade features of this new tool line that has been *Engineered by the Pro, For the Pro*.

# CONTENTS







FLOOR CUTTERS, HAND TOOLS, NAILERS, STAPLERS, CLEATS, STAPLES, PUTTY

**TILE SAWS & CUTTERS** 

SAWS, DIAMOND BLADES, TILE CUTTERS. FLOOR CUTTERS







**TILE SPACERS** 





<b>UNDERLAYMENTS &amp; BARRIERS</b>
CORK, AQUABAR



BACKERBOARD TOOLS BACKERBOARD, KNIVES, CEMENT BOARD, SCREWS, SEAM TAPE







SCRAPERS, HAND TOOLS

**TEAR-OUT TOOLS** 

04



7

36

38

**43** 

45

47

51

## **TILE SAWS & CUTTERS**

# **SAWS & CUTTERS**

TOOLS

#### 30" Bridge Saw



- Ideal for cutting large format tile including ceramic, porcelain, granite, stone and marble tile
- Rips up to 30" tile and can diagonally cut up to 21" tile
- Adjustable pivoting rail for miter cuts and rip/angle cuts
- Plunging motor head for interior cutting
- One year limited warranty

#### 24" Bridge Saw





- Direct drive 1 HP, 3420 RPM brushless motor is ideal for cutting marble, granite, porcelain, stone and tile\*
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable pivoting rail allows easy angle positioning from 90° to 45° for fast and consistent miter cuts
- One year limited warranty
- \* For porcelain and hard tiles, we recommend QEP's Black Widow (#6-8008BW)

#### SPECIFICATIONS

83250Q
1-1/3 HP / 120 V-60 Hz / 11.3 Amps
1350
3420
8"
5/8"
30" Tile
21" Tile
1-3/8"
37" L x 18" W x 47-1/2" H (w/legs)
116.6 lbs (w/stand)

#### **ACCESSORIES INCLUDED**

- 8" Black Widow<sup>®</sup> diamond blade
- Fold-out stand with wheels
- High volume water pump (#60098)
- Full length side extension table
- Angle cutting guide
- Slide out handle
- 2 wrenches



#### SPECIFICATIONS

ltem No	83200Q
Motor	1 HP / 120 V-60 Hz / 9.5 Amps
Watts	1100
RPM	3420
Blade Capacity	8"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	1-3/8"
Size	43" L x 24" W x 47" H (w/stand)
Weight	106 lbs (w/stand)

#### ACCESSORIES INCLUDED

- 8" continuous rim wet diamond blade for porcelain
- Fold-out stand with wheel attachments
- Rear wheel attachments (#63036)
- High volume water pump (#60098)
- Angle/rip cutting guide
- Handles



#### 10" 900XT Pro Tile Saw



- Ideal for cutting large format tile including ceramic, porcelain, granite, stone and marble tile
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable plunging and pivoting motor head for interior cutting, miter cuts and rip/angle cuts
- One year limited warranty

61900Q-31 High Volume Water Pump (1/cs)

#### 24" Professional Tile Saw



- Powerful 3450 RPM motor cuts the toughest marble, granite, stone, porcelain & masonry products, as well as all types of tile\*
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable tilting head offers quick and easy 45° to 90° miter cuts

\* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-1008BW)


- · Plunge cutting for interior cut out of tile
- One year limited warranty

#### **SPECIFICATIONS**

ltem No	61900Q
Motor	2.25 HP / 120V-60Hz / 15 Amps
Watts	1750
RPM	3600
Blade Capacity	10"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	3-3/4"
Size	51" L x 33" W x 45" H (w/stand)
Weight	96 lbs (w/stand)

#### **ACCESSORIES INCLUDED**

- Premium porcelain rated 10" blade
- Fold-out stand with heavy duty wheels
- High volume water pump (#61900Q-31)
- Laser cutting guide & LED work area light
- Side extension table
- Full coverage splash guard water containment system
- Rip/Angle cutting guide
- 2 wrenches DIAGONAL RIP



#### SPECIFICATIONS

Item No	61024BR
Motor	1-1/2 HP / 120 V ~ 60 Hz / 9.5 Amps
Watts	1100
RPM	3450
Blade Capacity	10"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	2-3/8"
Size	40" L x 21.5" W x 48.3" H (w/stand)
Weight	105.8 lbs (w/stand)

#### **ACCESSORIES INCLUDED**

- 10" continuous rim wet diamond blade
- Easy fold-out stand with 3" wheels
- High volume water pump (#60095)
- Side table pull-out extension
- 45° 90° angle/rip guide
- Rear water tray
- 2 wrenches



TROWELS

EAR-OUT

# SAWS & CUTTERS

# SPACERS

## **KNEEPADS**

# **TEAR-OUT**

## CEILING

#### 24" Heavy Duty Tile Saw




- Dual-speed 2 HP, 1750/2450 RPM motor cuts the toughest marble, granite, stone, porcelain & masonry products, as well as all types of tile\*
- Rips up to a 24" tile and can diagonally cut a 14" tile
- Angle/rip guide and miter block make production cuts fast and consistent
- One year limited warranty
- \* For porcelain and hard tiles, we recommend QEP's Black Widow (#6-1008BW)

#### **SPECIFICATIONS**

ltem No	60020SQ
Motor	2 HP / 120 V ~ 60 Hz / 15 Amps
Watts	1500
RPM	1750 / 2450 (dual speed)
Blade Capacity	10"
Arbor	5/8"
Rip Cut	20" Tile (center) or 24" Tile (10" wide
Diagonal Cut	14" Tile
Depth of Cut	3-1/4"
Size	40" L x 22" W x 47" H (w/stand)
Weight	116 lbs (w/stand)

#### **ACCESSORIES INCLUDED**

- 10" continuous rim wet diamond blade
- Folding stand
- High volume water pump (#60095)
- 45° miter block
- 45° 90° Angle/rip guide
- Wrenches and two hex keys



#### 7" Power Pro 1HP Tile Saw

QEP



- Tested and Compliant Exceeds the new OSHA Silica Rule 29 CFR 1926.1153
- Cuts porcelain tile, ceramic tile, marble, slate and stone\*
- Angle and rip guides for precise cutting
- Non-slip feet and fold-out bench stop keep saw in place during use
- Locking on/off switch with security key
- Interior water baffle minimize water-spray and reduces refills
- Oversized die cast aluminum table
- Tilt-up cutting table for precision 15°, 30° and 45° miter cuts
- \* For porcelain and hard tiles, we recommend QEP's Black Widow (#6-7008BW)

#### SPECIFICATIONS

ltem No	22900Q
Motor	1 HP / 120 V ~ 60 Hz. / 6.5 Amps
Watts	750
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/8"
Size	22.5" L x 18" W x 8" H
Weight	29 lbs

#### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- Locking rip guide
- Angle cutting guide
- Bench stop

#### 7" 750XT Tile Wet Saw

#### QEP



- Tested and Compliant Exceeds the new OSHA Silica Rule 29 CFR 1926.1153
- Unique back extension table to support large format tile during cut
- Powerful 3/4 Peak HP motor for cutting ceramic, slate, marble, granite and porcelain\*
- Interior water baffle minimizes water spray and reduces refills
- Tilt-up cutting table for precision 22.5° and 45° miter cuts
- Locking adjustable angle and rip guides for accurate cuts
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

#### SPECIFICATIONS

Item No	22750Q
Motor	3/4-Peak HP/120V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	21" L x 22.2" W x 9.5" H
Weight	21.4 lbs

#### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- 45° angle guide
- Blade guard
- Rip guide
- Rear extension table

#### 7" 700XT Tile Wet Saw

#### QEP



- Powerful 3/4 Peak HP motor for cutting ceramic, marble, stone, travertine, and porcelain\*
- Water recirculation channel
- Lock-down rip guide for fast, multiple cuts
- Non-slip feet for stability
- + 22.5° and 45° angle guide for diagonal cutting
- Extension side table
- Deep water tray means no refilling
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

#### SPECIFICATIONS

ltem No	22700Q
Motor	3/4-Peak HP/120V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	20.08" L x 15.74" W x 9.88" H
Weight	23 lbs

#### ACCESSORIES INCLUDED

- 7" continuous rim diamond blade
- Rip guide
- Angle guide
- Extension table
- Blade wrench

TOOLS

EAR-OUT

TOOLS

SPACERS

**KNEEPADS** 

TROWELS

UNDERLAYMENTS

BACKERBOARD

**TEAR-OUT** 

#### 7" 650XT Tile Wet Saw



- Tested and Compliant Exceeds the new OSHA Silica Rule 29 CFR 1926.1153
- Powerful 3/4 Peak HP motor for cutting ceramic, slate, marble, granite and porcelain\*
- 8" extension table attaches to either side to support larger tiles
- Interior water baffle minimizes water spray and reduces refills
- Tilt-up cutting table for precision 22.5° and 45° miter cuts
- Locking adjustable angle and rip guides for accurate cuts
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

#### SPECIFICATIONS

ltem No	22650Q
Motor	3/4-Peak HP/120V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	20.08" L x 15.74" W x 9.88" H
Weight	23 lbs

#### **ACCESSORIES INCLUDED**

- 7" continuous rim wet diamond blade
- 45° angle guide
- Rip guide
- Universal wrench

#### 7" Tile Wet Saw

QEP



- Powerful 2/3 Peak HP motor for cutting ceramic, slate, marble, granite and porcelain\*
- Interior water baffle minimizes water spray and reduces refills
- Tilt-up cutting table for precision 22.5° and 45° miter cuts
- Locking adjustable angle and rip guides for accurate cuts
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

#### SPECIFICATIONS

ltem No	22660Q
Motor	2/3 HP / 120 V ~ 60 Hz. / 4.4 Amps
Watts	500
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/8"
Size	17.25" L x 19" W x 6.75" H
Weight	15 lbs

#### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- 45° angle guide
- Rip guide
- Universal wrench

#### 4" Torque Master XT Portable Tile Saw

#### **OEP**

TOOLS

# (VL

- 3/5 HP, hi-torque geared motor for maximum cutting performance
- Dual extension tables add extra 5" of cutting surface
- Cuts ceramic tile, porcelain tile\*, marble, slate and stone
- Fully adjustable miter guide with unique ratchet mechanism
- Cutting table is hinged to adjust for making 22.5° and 45° miter cuts
- Water recirculation system saves time when replenishing water supply and keep work area drier
- 4" diamond blade (6-4001Q)
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-4008BW)

#### SPECIFICATIONS

Item No	22400Q
Motor	3/5-Peak HP / 120 V ~ 60 Hz. / 4 Amps
Watts	450
RPM	4600
Blade Capacity	4"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	3/4"
Size	14.3" L x 15.8" W x 4.6" H
Weight	8 lbs

#### **ACCESSORIES INCLUDED**

- 4" continuous rim diamond blade (#6-4003Q)
- 45° angle guide
- Blade guard
- Rip guide
- Rear extension table

#### 4" Handheld Tile Saw



- Ideal for brick, concrete, granite, marble, slate, stone, ceramic tile and porcelain
- Adjustable steel base to change cutting depth and angle
- Compact and lightweight
- Great for removing grout
- Bevel cuts from 0° 45°
- \* saw is not UL approved with water adapter kit attached

#### SPECIFICATIONS

Item No	21643Q
Motor	1-3/5 HP / 120 V ~ 60 Hz. / 10 Amps
Watts	1200
RPM	11800
Blade Capacity	4"
Arbor	4/5"
Depth of Cut	1-1/4" at 90°, 1-1/8" at 45°
Weight	11 lbs

#### **ACCESSORIES INCLUDED**

- 4" continuous rim diamond blade (#6-4003Q)
- 45° angle guide
- Blade guard
- Rip guide
- Box wrench
- Blade socket wrench
- User manual

#### **TILE SAWS AT A GLANCE**

#### **Standing Saws**

ITEM NO.	DESCRIPTION	SIZE (L x W x H)	WEIGHT (lbs)	BLADE	ARBOR	HP	AMPS	WATTS	RPM	RIP CUT (Tile Size)	DIAGONAL (Tile Size)	CUTTING Depth	WATER PUMP	ACCESSORIES INCLUDED
83250Q	30" Bridge Saw	37" x 18" x 47.5" (w/ stand)	116.6	8"	5/8''	1-1/3	11.3	1350	3420	30"	21"	1-3/8"	#60098	A, B, C, D, F, G, I, K, L, M
83200Q	24" Bridge Saw	43" x 24" x 47" (w/ stand)	106	8"	5/8''	1	9.5	1100	3420	24"	18"	1-3/8''	#60098	A, B, D, E, G, I, J, K, L
61900Q	10" 900XT Pro Tile Saw	45" x 51" x 33" (w/ stand)	96	10"	5/8''	2.25	15	1750	3600	24"	18"	3-3/4"	#61900Q- 31	A, B, D, F, G, I, J, K, L, M
61024BR	24" Professional Tile Saw	40" x 21.5" x 48.3" (w/ stand)	105.8	10"	5/8''	1-1/2	9.5	1100	3450	24"	18"	2-3/8''	#60095	A, B, D, F, G, K, J, L, M
60020SQ	24'' Heavy Duty Tile Saw	40" x 22" x 47" (w/ stand)	116	10"	5/8''	2	15	1500	1750/ 2450	20"	14''	3-1/4"	#60095	A, B, C, G, H, I, K

#### **Table Saws**

ITEM NO.	DESCRIPTION	SIZE (L x W x H)	WEIGHT (lbs)	BLADE	ARBOR	HP	AMPS	WATTS	RPM	RIP CUT (Tile Size)	DIAGONAL (Tile Size)	CUTTING Depth	Water Pump	ACCESSORIES INCLUDED
22900Q	7" Power Pro Tile Saw	22.5" x 18" x 8"	29	7"	5/8''	1	6.5	750	3600	Unlimited	Unlimited	1-1/8"	N/A	B, G, H, I, K, N
22750Q	7" 750XT Tile Wet Saw	21" x 22.2" x 9.5"	21.4	7"	5/8''	3/4	4.8	550	3600	Unlimited	Unlimited	1-1/4"	N/A	B, F, G, H, I, K, N
22700Q	7" 700XT Tile Wet Saw	20" x 15.7" x 9.8"	23	7"	5/8''	3/4	4.8	550	3600	Unlimited	Unlimited	1-1/4"	N/A	B, F, G, H, K, N
22650Q	7" 650XT Tile Wet Saw	20" x 15.7" x 9.8"	23	7"	5/8''	3/4	4.8	550	3600	Unlimited	Unlimited	1-1/4"	N/A	B, F, G, H, K, N
22660Q	7" Tile Wet Saw	17.25" x 19" x 6.75"	15	7"	5/8''	2/3	4.4	500	3600	Unlimited	Unlimited	1-1/8"	N/A	B, G, H, I, K, N
22400Q	4" Torque Master XT Portable Tile Saw	14.3" x 15.8" x 4.6"	8	4"	5/8''	3/5	4	450	4600	Unlimited	Unlimited	3/4"	N/A	B, F, G, H, N

I. Handle(s)

L. Tilting head

J. Laser cutting guide

K. Wrench, wrenches and/or hex keys

#### ACCESSORY GUIDE:

A. Water Pump

- B. Continuous rim wet diamond blade
- C. Heavy duty legs / fold-out stand
- E. Rear wheel attachments F. Side/rear extension table(s)
- G. Angle/rip cutting guide
- D. Folding stand w/ locking wheels H. 45° miter cutting guide / block

#### **Tile Saw Water Pumps**

#### QEP

For 83250Q and 83200Q Tile Saws

- Pumps 60 Gal (227.4 L) per hour using 2' tubing (tubing not included)
- Corrosion resistant plastic housing for increased durability
- Removable easy-to-clean filter included

#### For 61024BR and 60020SQ Tile Saws

- Pumps 54 Gal (203 L) per hour using 2' long tubing (tubing not included)
- Corrosion resistant plastic housing for increased durability

M. Plunge cut capable

N. Self contained water reservoir

• Extra large intake reservoir with removable easy-to-clean filter

60095 120 V Submersible Tile Saw Water Pump (1/cs)

8" Flooring Cutter



#### Applications

- Laminate
- LVT
- LVP
- Cuts laminate up to 8" wide and 12 mm thick
- Heavy duty steel frame for maximum stability
- Positionable "V" support keeps planks level while cutting
- 10-37 8" Flooring Cutter (2/cs)

TOOLS

SPACERS

<sup>60098 120</sup> V Submersible Tile Saw Water Pump (1/cs)

#### **Diamond Blades**

The Q.E.P. diamond blade line offers a blade for every application and budget. Whether your tile project requires the cutting of ceramic, porcelain, marble, granite, glass, slate, concrete pavers or stone, Q.E.P. has a blade that will cut it quickly and efficiently. The high quality of Q.E.P.'s diamond blades is due to our stringent testing and exact specifications assuring the user a wobble-free blade that produces smooth and precise cuts.

#### Black Series

General purpose blade for wet or dry cutting of ceramic tile.



#### **Gold Series**

Premium blade for wet or dry cutting of ceramic, porcelain and marble tile.



#### **Glass Series**

▲WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 59, \*Prop 65 - 1.

Premium blade for wet cutting of glass tile.

Item No.	Description	Application	Rim Height	Width	Arbor Size	Max RPM	No. in Case
6-4001Q	4" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	4
6-7001Q	7" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	8730	4
6-8001Q	8" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	7640	4
6-1001Q	10" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	6115	4
6-4003Q	4" Continuous Rim	Ceramic, Porcelain, Marble- Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	4
6-7003Q	7" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	8730	4
6-8003Q	8" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	7640	4
6-1003Q	10" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	6115	4
6-4006GLQ	4" Continuous Rim	Glass - Wet	7 mm	.060	5/8" - 20 mm - 7/8"	15000	3
6-7006GLQ	7" Continuous Rim	Glass - Wet	7 mm	.060	5/8"	8730	3
6-7006GLQC	7" Continuous Rim Only available in Canada	Glass - Wet	7 mm	.060	5/8"	8730	3

#### **Black Widow® Blades**

The Black Widow<sup>®</sup> Premium-Grade, thin-rim Diamond Blades quickly cut through the toughest ceramic, porcelain, marble and granite. Independent lab test results have proven Black Widow Blades continuously out perform the competition in durability.



- Premium-grade, thin-rim diamond blade for fast wet cutting of porcelain, ceramic, granite and marble tile
- Ideal for high speed cutting of hard masonry tile
- Unique diamond-shaped laser cutouts prevent blade wobble and keep blade cooler for a longer life
- 7 mm rim height for a longer life and for increased cutting contact with the blade

▲WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 59, \*Prop 65 - 1.

Item No.	Description	Application	Rim Height	Width	Arbor Size	Max RPM	No. in Case
6-4008BW	4" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	5
6-7008BW	7" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	8730	5
6-8008BW	8" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	7640	5
6-1008BW	10" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	6115	5

TOOLS

TOOLS

# SPACERS KNEEPADS

UNDERLAYMENTS

BACKERBOARD

**TEAR-OUT** 





- Allows thick materials to be easily cut
- Cuts porcelain, floor tile, mosaics, and other materials
- Ball bearings in the cutting head allow for accurate and easy scoring
- Breaking System Lever produces max amount of pressure
- Locking slide to prevent damage in transport
- Locking swivel angle and measurement bar
- Dual breaker bar for narrow and wide tile
- Handle and wheels for easy mobility
- Breaking pads are mounted on springs for better shock absorption
- Comfort grip handle

Large breaker bar and spring loaded pads for easy snapping of tile

 Cut-out under breaking pads allows for tile cuttings to fall through for easy cleaning

10480Q	48" LFT Manual Cutter (1/cs)
	Cuts tile up to 48", 34" diagonally, 5/8" thick
21178Q	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel
	(3/cs)





#### SLIMLINE

- Lightweight and easy to carry from site to site
- Narrow width, less bulky than regular cutters
- Metal rip guide
- Equipped with replaceable tungsten-carbide 7/8" cutting wheel
- Reinforced thick steel base with tile support arms
- Die cast aluminum rail supports
- 10636Q
   36" Slimline Manual Tile Cutter, with 4 legs (1/cs) Cuts tile up to 36", 25" diagonally, 1/2" thick

   10632Q
   30" Slimline Manual Tile Cutter, with 2 legs (1/cs)
- Cuts tile up to 30", 21" diagonally, 1/2" thick
- 10624Q24" Slimline Manual Tile Cutter, with 2 legs (1/cs)Cuts tile up to 24", 18" diagonally, 1/2" thick
- 21178Q 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel [3/cs]

#### 35" & 24" Professional Tile Cutters



27" & 22-1/2" Big Clinker Tile Cutters

Available in 2 Sizes:

27" & 22-1/2"

- Ball bearing slide for smooth scoring
- Multipurpose cutter for most large format tile including ceramic and porcelain
- Side arm extensions to support large format tiles
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
- 10900Q 35" Professional Tile Cutter (2/cs) Cuts tile up to 35", 24" diagonally, 1/2" thick 10630Q 24" Professional Tile Cutter (1/cs)
- Cuts tile up to 24", 17.5" diagonally, 1/2" thick 7/8" Titanium-Coated Tungsten Carbide Cutting Wh
- 1125 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (6/cs)

#### Multipurpose cutter for most tile including ceramic and porcelain

- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Side arm extensions to support large format tiles
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
- Heavy duty cast aluminum base
- 10800 27" Big Clinker Tile Cutter (1/cs) Cuts tile up to 27", 20" diagonally, 1/2" thick
- 1050022-1/2" Big Clinker Tile Cutter (1/cs)Cuts tile up to 22-1/2", 16" diagonally, 1/2" thick

21123Q 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (1/cs)



- Cuts wall and floor tile up to 25", 18" diagonally, 5/8" thick
- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Side arm extensions to support large format tiles
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
- Heavy duty cast aluminum base
- Extra thick 3/8" padding

10600BR 25" Big Clinker Tile Cutter (1/cs)

21123Q 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel [1/cs]

QEP

©. IGHÍ

# SAWS & CUTTERS

**TEAR-OUT** 

#### 21" Pro Tile Cutter



- Cuts wall and floor tile up to 21", 15" diagonally, 3/8" thick
- Cuts ceramic, porcelain, and mosaics

Cuts ceramic and porcelain tile

reduces fatigue

Soft grip handle

10221Q 21127Q

post scoring wheel

- Straight edge adjustable measurement guide
- Dual chrome-plated solid steel rails for smooth scoring
- Soft grip handle
- Includes replaceable titanium tungsten carbide 7/8" cutting wheel
- Powder coated steel base with extra reinforcement

10521021" Pro Tile Cutter (2/cs)2117807/8" Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs)

• Cuts wall and floor tile up to 21", 15" diagonally, 3/8" thick

Durable chrome-plated solid steel rails for smooth scoring

• High leverage, padded handle makes cutting easier and

Includes replaceable tungsten carbide 10 mm

21" Professional Tile Cutter (2/cs)

10 mm Post Scoring Wheel (6/cs)

Powder coated steel base with extra reinforcement

#### 21" Professional Tile Cutter



#### <u>20"</u> Tile Cutter



- Cuts wall and floor tile up to 20", 14" diagonally, 1/2" thick
- Equipped with two replaceable 7/8 titanium-coated tungsten carbide cutting wheels
- Heavy duty die cast aluminum base

10552BR 20" Tile Cutter (1/cs)

- 10117 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs)
- 10119Q 7/8" Tungsten Carbide Cutting Wheel (3/cs)
- 10117QC 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs) Only available in Canada

#### 20" Professional Tile Cutter

QEP



- Cuts wall and floor tile up to 20", 14" diagonally, 1/2" thick
- Equipped with replaceable 7/8" ball bearing, titaniumcoated tungsten carbide cutting wheel
- Dual chrome-plated rugged steel rails
- Adjustable rip guide designed to help make repetitive cuts faster and easier
- High-leverage handle makes cutting easier with less effort
- Thick, heavy duty rubber pad protects tile
- Ball bearing slides for smooth scoring

10675Q 20" Professional Tile Cutter (2/cs)

- 10675Q-41 7/8" Ball Bearing Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs)
- 15

#### 20" & 14" Professional Tile Cutter



- Equipped with replaceable 1/2" titanium-coated tungsten carbide cutting wheel
- Reinforced steel base
- 10220020" Professional Tile Cutter [4/cs]<br/>Cuts tile up to 20", 14" diagonally, 1/2" thick10214014" Professional Tile Cutter [6/cs]<br/>Cuts tile up to 14", 10" diagonally, 1/2" thick
- 10010HD 1/2" Tungsten Carbide Cutting Wheel (12/cs)

#### 13" Tile Cutter



- Cuts wall and floor tile up to 13", 8" diagonally
- Equipped with long lasting 1/2" tungsten carbide cutting wheel

10268B13" Tile Cutter (1/cs)10010HD1/2" Tungsten Carbide Cutting Wheel (12/cs)

#### **Replacement Wheels for Tile Cutters**

ITEM NO.	DESCRIPTION	21127Q 10 mm Wheel	10010HD 1/2" Wheel	10117 7/8" Wheel	10119Q 7/8" Wheel	10675Q-41 7/8" Wheel	21123Q 7/8" Wheel	21125 7/8" Wheel	21178Q 7/8" Wheel
10480Q	48" LFT Manual Tile Cutter								•
10636Q	36" Slimline Tile Cutter								•
10632Q	30" Slimline Tile Cutter								•
10624Q	24" Slimline Cutter								•
10900Q	35" Tile Cutter							•	
10800	27" Big Clinker Tile Cutter						•		
10630Q	24" Tile Cutter							•	
10600BR	24" Big Clinker Tile Cutter						•		
10521Q	21" Pro Tile Cutter								•
10221Q	21" Professional Tile Cutter	•							
10675Q	20" Tile Cutter					•			
10500	22-1/2" Big Clinker Tile Cutter						•		
10552BR	20" Tile Cutter			٠	•				
10220Q	20" QEP Tile Cutter		•						
10214Q	14" QEP Tile Cutter		•						
10268B	13" Tile Cutter		•						

TOOLS

**TEAR-OUT** 

### **INSTALLATION TOOLS**

#### **Power Mixer Pro**

#### QEP



- Mix thinset, grout, mortar, and other viscous materials with minimal effort
- Strong enough to mix cement
- High quality, powerful 1300 Watt motor
- High torque 2- speed motor: 1st gear: 180-460 RPM 2nd gear: 300-700 RPM
- Male-threaded 2-piece paddle specially designed to completely mix full bucket loads of viscous materials
- Variable speed dial controls RPM's, which prevents splashing at start-up
- Includes chuck kit for use with non-threaded mixer paddles


21665Q Power Mixer w/ Paddle (1/cs)

21661 One-piece replacement paddle (1/cs)

#### SPECIFICATIONS

Item No	21665Q
Motor	120 V ~ 1300 Watts - 2-speed 1st gear: 180 - 460 RPM, 2nd gear: 300 - 700 RPM
Amps	11
Weight	13 lbs

#### **Professional Mixing Paddle**



- Replacement paddle for 21660Q, 21665Q or any mixer that accepts M-14 thread
- Specially designed paddle for fast and effective mixing of thick and dense materials
- M-14 thread design for paddle stability during mixing
- Shaft diameter 1/2", length 24", blade width 5-1/2"
- 21661 Professional Mixing Paddle (1/cs)

#### 30" XL Spiral Pro Mixer

#### QEP



- Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials
- Longer shaft length for more comfort
- Designed to reduce introduction of air into mixture
- Fits standard 3/8" or 1/2" drill chuck
- Shaft diameter 3/8", length 30", blade width 5-1/2"

61230Q 30" XL Spiral Pro Mixer (6/cs)

TOOLS

EAR-OUT

18

### TOOLS

**TEAR-OUT** 

#### Thinset and Grout Mixing Paddle



- Mixes grouts, thinsets and other setting materials with a minimum amount of air
- Fits standard 1/2" or 3/8" drill chuck
- Shaft diameter 3/8", length 23-1/2", blade width 8-1/4"

 Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials

• Shaft diameter 3/8", length 23-1/2", blade width 4-7/8"

75001Q Thinset and Grout Mixing Paddle (6/cs)

• Fits standard 1/2" or 3/8" drill chuck

Professional Mixing Paddle (6/cs)

Chrome plated steel

QEP Canada (English/French Packaging) 61205QC Professional Mixing Paddle (6/cs)

61205Q

#### **Professional Mixing Paddle**



#### **Universal Mixing Paddle**

QEP



- The special design of the blades takes the stress and high torque off the drill, excellent for cordless drills
- The optimal mixing tool for small volumes of thinsets, mortars, cement, plaster and similar viscous materials
- Fits standard 1/2" or 3/8" drill chuck
- Shaft diameter 3/8", length 16", blade width 3-1/4"
- Powder coated steel

61210Q Universal Mixing Paddle (12/cs)

QEP Canada (English/French Packaging) 61210QC Universal Mixing Paddle (12/cs)

#### **Plastic Mixing Buckets**

QEP



- Durable white opaque plastic buckets with handles
- 78200 5 Gallon Plastic Mixing Bucket White (6/cs)
- 78208 3-1/2 Gallon Plastic Mixing Bucket White (1/cs)
- 78300 10 Litre Plastic Mixing Bucket White (1/cs)
- 78201 Pour Spout Lid for 78200, 78217 & 78300 (1/cs)
- 78217 15 Litre Plastic Mixing Bucket White (1/cs) Only available in Canada

#### **Compound Tile Nipper**



- Compound mechanism delivers 3 times more force with less effort
- Use to make irregular cuts on all types of tiles, including porcelain
- Durable tungsten carbide tip provides a long cutting life

32035Q Compound Tile Nipper (6/cs)

QEP Canada (English/French Packaging) 32035QC Compound Tile Nipper (6/cs)

10003Q Tile Nipper (12/cs)

• 8" carbide tipped nippers with offset jaws

Ideal for cutting ceramic and porcelain tile
5/8" carbide tipped offset jaws and center spring

#### Tile Nipper



QEP



#### **Glass Tile Nipper**

#### QEP



- Cuts glass from 1/32" to 1/4" in thickness
- Ideal for quickly cutting small mosaic pieces of glass and removing tiny points from glass tile

32010Q Glass Tile Nipper (6/cs)

QEP Canada (English/French Packaging) 32010QC Glass Tile Nipper (6/cs)

#### **Tile Cutter**





• Uses a durable tungsten carbide wheel for scoring and a breaker bar to "snap" ceramic tile

32024Q Tile Cutter (6/cs)

QEP Canada (English/French Packaging) 32024QC Tile Cutter (6/cs)

TOOLS

**TEAR-OUT** 

20

#### Diamond Drill Bit with Water Delivery System

#### QEP



- Ideal for cutting holes when installing towel bars, soap dishes, shelves, cabinets and shower door frames
- Diamond Grit edge drills through ceramic, glass, marble, porcelain and granite
- Drill guide and water delivery system included (use wet-only)
- Fits standard 1/2" or 3/8" drill chucks
- 10566Q 5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)
- 10568Q 1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

QEP Canada (English/French Packaging)

- 10566QC 5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)
- 10568QC 1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

#### Diamond Hole Saw with Water Delivery System

#### QEP



- For cutting 1-3/8" diameter holes in glass, ceramic, porcelain, marble and granite
- Special diamond grit edge for faster smoother cuts
- Included drill guide and water cooling cup easily supplies water to drill bit (use wet-only)
- Fits standard 1/2" or 3/8" drill chucks
- 10569Q 1-3/8 Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System (6/cs)
- 10570 1-3/8 Hole Saw Mounting Tape (12 pc/bag) (6/cs)

QEP Canada (English/French Packaging)

10569QC 1-3/8 Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System (6/cs)

#### wetDRY Diamond Drill Bit / Hole Saw



- For cutting holes in glass, ceramic, porcelain, marble and granite
- Special diamond grit edge for faster smoother cuts, with less water
- Does not require water cooling guide or cup
- Fits standard 1/2" or 3/8" drill chucks

10075Q 1/4" Diamond Drill Bit (6/cs)

10080Q 5/16" Diamond Drill Bit (6/cs)

10087Q 1-3/8" Diamond Hole Saw (6/cs)



TOOLS

22

# TOOLS

**TEAR-OUT** 

#### Locking Contour Gauge



#### **Contour Gauge**

QEP



• Duplicates any shape for easy transfer to tile and other surfaces

• Easily copy irregular shapes to tile, laminate, engineered wood, solid wood and vinyl flooring for precise cutting

Locking ensures irregular shape are not altered
Durable plastic teeth will not rust or deform

Locking Contour Gauge (6/cs)

• Total length: 6 in.

10036Q

• Durable plastic teeth will not rust or deform

10038Q 6" Contour Gauge (6/cs)

#### **Tile Scorer**

QEP



- Tungsten carbide tip is built to last
- Suitable for scoring both wall and floor tile
- Can be used for ceramic and porcelain tile

10589QC Tile Scorer (10/cs) Only available in Canada

#### **Tile & Stone File** QEP • Extra wide 1" x 7-3/4" carbide dual grit filing surfaces • Fine grit for minor smoothing, coarse grit for smoothing harder surfaces • Smooths and shapes marble, stone and ceramic tile edges • Also good for use on saltillo tile • Comfort grip handle 10091Q Tile & Stone File (6/cs) QEP Canada (English/French Packaging) 10091QC Tile & Stone File (6/cs) **PRO Diamond Grit File** QEP • The high quality diamond bond strength maintains a tough grit surface for working with the hardest materials, including ceramic, porcelain, glass and stone • Flat/round profiles allow for smoothing both straight and curved edges 10586Q PRO Diamond Grit File (6/cs) **Rubbing Stone** QEP • Dual grit surfaces smooth rough edges on freshly cut ceramic & porcelain tile, stone, marble and brick • Medium 60-grit on one side and fine 80-grit on the other • Great for dressing diamond blades 10022Q Rubbing Stone (6" x 2" x 1") (6/cs) QEP Canada (English/French Packaging) 10022QC Rubbing Stone (6" x 2" x 1") (6/cs)

#### Sharpening Stone

#### QEP

- For diamond blades
- Exposes fresh diamonds in the blade rim
- Maximizes blade efficiency and quality of cuts

10024Q Sharpening Stone (6/cs)

CEILING

TOOLS

**UNDERLAYMENTS** 

BACKERBOARD

EAR-OUT

25

#### **Double Suction Cup**



#### **REGROUT®** Tool

#### QEP



- Patent pending variable speed tool for precision grout removal up to 1/8" wide
- Easiest way to refresh any tiled area
- Includes 2 grout tips

62962Q REGROUT® Tool (4/cs)

#### Grout Grabber

#### QEP



- Attach to any reciprocating saw for quick grout removal
- Use any combination of 1 to 4 blades for grout joints from 1/16" up to 1/2" wide
- Curved carbide grit edge removes grout quickly & easily

75009QGrout Grabber w/ two blades (12/cs)75011QReplacement Grout Saw Blades 2 pack (6/cs)

#### Pro Grout Saw

#### QEP



- Curved heavy duty carbide blades easily remove stubborn grout
- Specially designed handle design provides control and leverage

10092QPro Grout Saw (6/cs)75011QReplacement Grout Saw Blades 2 pack (6/cs)

QEP Canada (English/French Packaging) 10092QC Pro Grout Saw (6/cs)

**Grout Saw** 



- For stripping, cleaning and removing old grout
- Equipped with: 1 carbide grit edge and 1 steel tooth blade
- Use 2 blades for floor grout removal, 1 steel blade for walls

10012QGrout Saw (12/cs)10025QReplacement Grout Saw Blade Set (1 grit edge/1 steel) (6/cs)

QEP Canada (English/French Packaging)

10012QC Grout Saw (12/cs) 10025QC Replacement Grout Saw Blade Set (1 grit edge/1 steel) (6/cs)

TOOLS



#### **Tile Installation Kit**

#### QEP



- Complete kit containing all the tools necessary to install ceramic tile on floors
- Kit contains: 1/4" x 1/4" x 1/4" square notch floor trowel, 1/4" x 3/8" x 1/4" square notch floor trowel, rubber grout float, handheld tile cutter, sponge, multipurpose gloves, washable kneepads, and reusable 2.5 gallon plastic bucket with complete installation instructions

78250Q Floor & Wall Tile Installation Kit (1/cs)

#### **Tile Installation Kit**

#### QEP



- Complete kit containing all the tools necessary to install ceramic tile on floors
- Kit contains: Molded rubber float, 1/4" x 3/8" x 1/4" square notch floor trowel, 8" tile nippers, sponge, disposable gloves and reusable 2.5 gallon plastic bucket with complete installation instructions

78220Q Tile Installation Kit (1/cs)

QEP Canada (English/French Packaging) 78220QC Tile Installation Kit (1/cs)

TOOLS

**TEAR-OUT** 

#### **Microfiber Polishing Sponge**



#### • Microfiber side ideal for cleaning grout, applying sealer and polishing tile

• Sponge side is great for washing and polishing cars, boats, countertops and furniture

Professional hydrophiliated grout sponge on one side and

Scrubbing Sponge, Individually bagged (24/cs)

Scrubbing Sponge, Individually bagged (36/cs)

Scrubbing Sponge, Individually bagged in dump display

scrubbing sponge on the other creates dual usageRounded edges minimize "digging out" or marring of grout

• 7-1/2" x 5-1/2" x 2"

• 7-1/2" x 5-1/4" x 1.875"

QEP Canada (English/French Packaging)

(144/cs)

70007Q-24

70007QC 70007QC-D

70010Q Microfiber Polishing Sponge (24/cs)

QEP Canada (English/French Packaging) 70010QC Microfiber Polishing Sponge (24/cs)

#### Scrubbing Sponge



#### Heavy Duty All-Purpose Sponge

QEP



- Professional extra large premium sponge for grouting and clean up
- Unique hydrophiliated design provides high water holding capacity
- Rounded edges minimize "digging out" or marring of grout
- 7-1/2" x 5-1/2" x 1.875"

70005Q-24	Heavy Duty All-Purpose Sponge, Individually bagged (24/cs)
70005Q-144	Heavy Duty All-Purpose Sponge, Individually bagged in
	dump display (144/cs)
70005Q-6D	Heavy Duty All-Purpose Sponge, Value 6 Pack in
	dump display (24/cs)
70005Q-500	Heavy Duty All-Purpose Sponge, Bulk Bale (500/bale)
QEP Canada (E	nglish/French Packaging)
70005QC	XL All-Purpose Sponge, Individually bagged (36/cs)
70005QC-144	XL All-Purpose Sponge, Individually bagged in dump display
	(144/cs)
70005QC-6D	XL All-Purpose Sponge, Value 6 Pack in dump display
	(24/cs)

#### **Sponge Sheets**

QEP



- Superior strength provides durability for all general purpose cleaning
- Can easily be cut to desired shape or size
- Large size to cover more surface area
- Flexible, thinner- able to roll, fit in odd areas
- 10" x 12" x 1/2"

70004Q-32 Sponge Sheet (32/cs)

#### **Microfiber Grout Cleaning Cloth**



- Virtually eliminates grout haze
- Heavy duty 325 gram contractor grade, double-sided
- Excellent for general purpose cleaning

70018Q Microfiber Grout Cleaning Cloth 18" x 18" (12/cs)

QEP Canada (English/French Packaging) 70018QC Microfiber Grout Cleaning Cloth 18" x 18" (12/cs)

• High absorbency cloth absorbs up to 5 times its weight

• Rows of micro-bristles safely scrub away dried grout and

• Soft microfiber on one side, non-abrasive scrubbing

70019Q Microfiber Surface Cleaning Cloth 14" x 14" (12/cs)

#### Microfiber Surface Cleaning Cloth



- Polishing Cheesecloth
- QEP



- For removing grout haze after installation
- 5 square yards (36" x 180")

micro-bristles on the other

tough to remove dirt and grime

• For maximum cleaning performance

in water

• Machine washable

- Great for polishing most tile surfaces to a bright shiny finish
- 100% cotton, professional grade fine mesh

76030Q Polishing Cheesecloth (12/cs)

QEP Canada (English/French Packaging) 76030QC Polishing Cheesecloth (12/cs)

#### XL Grout Scrubber

#### QEP



- Ideal for removing dried or hard grout during and after installation
- Non-abrasive pad will not scratch tiles
- Easily cleaned with soap and warm water
- 10-1/4" x 4-1/2"

10076Q XL Grout Scrubber (12/cs)

TOOLS

TEAR-OUT

## TOOLS



- 38229 Toilet Installation Kit with 12" Connector (1/cs) Includes: Wm Harvey No-Seep® No. 50 Extra Thick Wax Gasket with Polyethylene Flange, Fluidmaster® 12" SS Braided Toilet Connector, Bolt Kit - 1/4" x 2-1/4" brass-plated closet bolts with nuts and washers
- 38233 No-Seep Wax Ring, No. 50 (1/cs)

#### Heavy Duty Multipurpose Gloves

QEP



#### Tiler's Gloves

QEP



100% heavy duty latex is puncture and tear resistant
One size fits all

· Protects hands from the corrosive action of grout,

- Non-slip ribbing on thumb and finger surfaces
- 21591Q Heavy Duty Multipurpose Gloves (24/cs)

chemicals and other harsh substances

- Provides excellent grip and dexterity when handling tile and stone
- Nitrile dipped palm protects from rough materials and small cuts
- 2 pair of gloves per set

21592Q Tiler's Gloves (20 pairs of gloves) (10/cs)

▲WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 59, \*Prop 65 - 1.

#### **Grout Bag**





- Reinforced tip for smooth application and long life
- Protects hands from grout and other harsh substances
- Made of puncture and tear resistant coated vinyl

76000Q Grout Bag (12/cs)

QEP Canada (English/French Packaging)76000QCGrout Bag(12/cs)

## TILE SPACERS


#### QEP

#### For perfect tile-to-tile leveling


The patented LASH<sup>®</sup> Tile Leveling Clips system is designed for quick installation and reduces costly call backs by insuring that the finished floor surface is lippage-free. This time-saving system helps adjust the height of the tiles and evenly holds their edges throughout the curing process of the setting material.

made in

- Durable nylon construction for a secure installation
- High-visibility yellow wedges are easy to distinguish on the job site
- Specially designed break-off point on clips for swift removal
- Produces 1/16" joint spacing
- May be combined with regular tile spacers for wider joints - up to 1/4"
- Wedges are reusable



LASH<sup>®</sup> Curved Clip with Wedge



LASH<sup>®</sup> Flat Clip with Wedge

99722Q	LASH <sup>®</sup> Curved Clips, Bag	96 Qty	(8/cs)
99753Q	LASH <sup>®</sup> Curved Clips, Box	300 pc.	(4/cs)
99702	LASH <sup>®</sup> Curved Clips, Box	4800 pc. Co	ntractor Pack
99724Q	LASH <sup>®</sup> Curved Slotted Clips, Bag	96 Qty	(8/cs)
99758Q	LASH <sup>®</sup> Curved Slotted Clips, Box	300 pc.	(4/cs)
99730Q	LASH <sup>®</sup> Flat Slotted Clips, Bag	96 Qty	(8/cs)
99731Q	LASH <sup>®</sup> Flat Slotted Clips, Box	300 pc.	(4/cs)
99740Q	LASH <sup>®</sup> Flat Slotted Clips, Box	1000 pc.	(1/cs)
99707Q	LASH <sup>®</sup> Flat Slotted Clips, Box	4800 pc. Co	ntractor Pack
99726Q	LASH® Wedges, Bag	96 Qty	(8/cs)
99703	LASH <sup>®</sup> Wedges, Box	3600 pc. Co	ntractor Pack
QEP Cana	da (English/French Packaging)		
99720QC	LASH <sup>®</sup> Curved Clips, Bag	96 Qty	(8/cs)
99724QC	LASH <sup>®</sup> Curved Slotted Clips, Bag	96 Qty	(8/cs)
99726QC	LASH <sup>®</sup> Wedge, Bag	96 Qty	(8/cs)
99730QC	LASH <sup>®</sup> Flat Clips, Bag	96 Qty	(8/cs)

NO MORE

#### Watch a demonstration video at: www.lashspacer.com



**TEAR-OUT** 


#### Wall & Floor Tile Leveling System



#### CLEARVIEW 2-in-1 Tile Spacers




10067Q



10068Q

Spacer wings fit perfectly on corner and angle applications! Two Spacers In One! Offers the option of two different grout joint widths



#### Leave-In Tile Spacers





- For tiles up to 1/2" thick
- Levels, aligns, spaces & holds tiles for an even tile installation
- Extra wide, flat base design is ideal for wall tile installations

99710QWall & Floor Tile Leveling Clips, Bags 100 Qty. (8/cs)99756QWall & Floor Tile Leveling Clips, Box 2,000 pc. (1/cs)99715QWall & Floor Tile Leveling Wedges, Bags 100 Qty. (8/cs)

ClearView Spacers are an economical and user-friendly solution for creating evenly spaced grout joints. The unique, patented design keeps the spacers out of the thinset and provides a clear view of grout lines and corners.

One Spacer does the job of four traditional spacers thus reducing the amount of total spacers needed for each job.

Each bag of Spacers comes with 100 spacer rings and 50 miniwing spacers for use on corners along walls and angles. These spacers are easy to remove, reusable and perfect for floor and wall tile applications.

These spacers provide an unobstructed view of grout lines for dead on accuracy.

- Helps install tiles quickly and precisely
- One replaces four conventional style spacers
- Open center design allows the installer to instantly align tile corners
- 10067Q 1/16" & 3/16" CLEARVIEW, Bags (8/cs) 100 Spacers & 50 Spacer Wings
- 10068Q 1/8" & 1/4" CLEARVIEW, Bags (8/cs) 100 Spacers & 50 Spacer Wings

QEP Canada (English/French Packaging)

10067QC 1/16" & 3/16" CLEARVIEW, Bags (8/cs) 100 Spacers & 50 Spacer Wings

10068QC 1/8" & 1/4" CLEARVIEW, Bags (8/cs) 100 Spacers & 50 Spacer Wings

- Leave-In design reduces installation time
- Works great on large format tiles rigid plastic will not compress
- Easy to handle, extra long prongs assure perfect 90° grout corners

10330Q-20	1/16" Leave-In Spacers, Bag	300 Qty	(20/cs)
10336Q	1/16" Leave-In Spacers, Clamshell	1000 Qty	(6/cs)
10331Q-20	1/8" Leave-In Spacers, Bag	200 Qty	(20/cs)
10337Q	1/8" Leave-In Spacers, Clamshell	1000 Qty	(6/cs)
10332Q	3/16" Tile Spacers, Bag	100 Qty	(12/cs)
10338Q	3/16" Leave-In Spacers, Clamshell	500 Qty	(6/cs)
10333Q	1/4" Leave-In Spacers, Bag	100 Qty	(12/cs)
10339Q	1/4" Leave-In Spacers, Clamshell	500 Qty	(6/cs)

TOOLS

TROWELS

#### QEP



- Non compressive
- Ideal for marble, granite, stone, large format tiles and vertical installations.
- Allows user to lift both corners and align the joints from tile to tile

10320Q	1/16" Horseshoe Shims, Tub	200 Qty	(6/cs)
10321Q	1/8" Horseshoe Shims, Tub	150 Qty	(6/cs)
10322Q	3/16" Horseshoe Shims, Tub	100 Qty	(6/cs)
10323Q	1/4" Horseshoe Shims, Tub	75 Qty	(6/cs)

#### **Tile Spacers**

QEP



- Precision cut for accuracy
- Evenly space tiles for uniform grout lines
- Provide quick, professional looking results
- Works with all sizes of ceramic tile, porcelain, stone and marble

10006Q	1/16" Tile Spacers, Bag	250 Qty	(24/cs)	
10253Q	1/16" Tile Spacers, Bag	500 Qty	(24/cs)	
10026Q	1/8" Tile Spacers, Bag	250 Qty	(24/cs)	
10281Q	1/8" Tile Spacers, Bag	1000 Qty	(12/cs)	
10316Q	3/16" Tile Spacers, Bag	200 Qty	(24/cs)	
10284Q	3/16" Tile Spacers, Bag	500 Qty	(12/cs)	
10005Q	1/4" Tile Spacers, Bag	200 Qty	(24/cs)	
10027Q	3/8" Tile Spacers, Bag	100 Qty	(24/cs)	
QEP Canada (English/French Packaging)				
10006QC	1/16" Tile Spacers, Bag	250 Qty	(24/cs)	
10026QC	1/8" Tile Spacers, Bag	250 Qty	(24/cs)	
10281QC	1/8" Tile Spacers, Bag	1000 Qty	(12/cs)	
10316QC	3/16" Tile Spacers, Bag	200 Qty	(24/cs)	
10284QC	3/16" Tile Spacers, Bag	500 Qty	(12/cs)	
10005QC	1/4" Tile Spacers, Bag	200 Qty	(24/cs)	

Wedge Tile Spacers

QEP



- Crucial for achieving a level first row of wall tile
- Ideal for maintaining level horizontal grout lines during installation
- Avoids tile slippage on vertical surfaces will not compress
- Can be used for up to 1/8" (3 mm)

10285Q	Wedge Tile Spacers, Bag	500 Qty	(12/cs)	
QEP Canada (English/French Packaging)				
10285QC	Wedge Tile Spacers, Bag	500 Qty	(12/cs)	

**KNEEPADS** 

CEILING

**TEAR-OUT** 



## KNEEPADS



## **TROWELS & FLOATS**

111111

X-TREME Cork Handle Notched Trowels	Comfort Grip Stainless Steel Notched Trowels	Wood Handle Notched Trowels	Economy Notched Trowels
TREATE			madle in USA
<ul> <li>QEP X-TREME Series trowels are engineered by the pros for the pros</li> <li>Rustproof 12" x 4-1/2"stainless steel blade designed for long lasting durability</li> <li>New Cork Comfort Grip for better cushion and anti- slippage in the hand</li> <li>Extra handle-to-shank distance allows maximum hand clearance</li> <li>Longer shank with reinforced exposed rivets for added strength</li> <li>No. in case 12</li> </ul>	<ul> <li>High quality 11" x 4-1/2" trowel designed for the professional</li> <li>Rustproof stainless steel blade</li> <li>Large, contoured and cushioned grip handles for comfort</li> <li>Durable 230 mm zinc die-cast shank</li> <li>Extra handle-to-shank clearance to allow for complete hand rotation</li> <li>Longer shank with 9 rivets</li> <li>First and last rivet reinforced and welded</li> <li>No. in case 12</li> </ul>	<ul> <li>Quality trowel measuring 11" x 4-1/2" designed for the professional installer</li> <li>Hardened and tempered steel blade, grounded and polished for long lasting durability</li> <li>Large wooden handle for an easy grip</li> <li>Aluminum die-cast shank</li> <li>Some notches available in 16" lengths</li> <li>No. in case 12</li> </ul>	<ul> <li>Quality trowel measuring 9" x 4"</li> <li>Hard, cold-rolled steel blade for longer wear</li> <li>High-impact black plastic handle</li> <li>No. in case 30</li> </ul>

#### For Tile, Marble and Stone

#### Cork Handle **Comfort Grip** Wood Handle **Notch Size** Application Economy (12" Blade) (11" Blade) (11" Blade) For plastic, wall, ceramic & metal 3/16" x 5/32" V tile 6" x 6" or smaller and mosaics 49917Q(C) 49715Q(C) 10115Q on drywall. Also for wall base. 1/4" x 3/16" V For ceramic, metal & aluminum wall tile 6" x 6" up to 12" x 12" 10116 Canada Only 49716Q 1/4" x 1/4" x 1/4" SQ For thinset application of ceramic tile 8" x 8" or smaller, laminated 49950Q 49915Q(C) 49713Q(C) 10113Q wood plank flooring, flat milled solid & shorts or plywood 1/4" x 3/8" x 1/4" SQ Thinset application of ceramic tile 8" x 8" up to 16" x 16" 49951Q 49714Q(C) 10114Q 49916Q(C) 1/2" x 1/2" x 1/2" SQ Thinset or medium bed mortar application of natural stone, quarry 49952Q 49919Q(C) 49720Q(C) 10120Q tile, pavers, saltillo and ceramic tiles 12" x 12" and larger 3/4" x 9/16" x 3/8" U Thinset or medium bed mortar application of natural stone, quarry 49795Q tile, pavers, saltillo and ceramic tiles 12" x 12" and larger

Always check adhesive/mortar manufacturer's trowel recommendations before selecting a trowel notch. All Trowels Measure: Width x Depth x Space Apart

Recommended notch sizes by NTCA (National Tile Contractors Association)

## APART WIDTH



CEILING

**SAWS & CUTTERS** 

TOOLS

SPACERS KNEEPADS

TROWELS

(C) Also available in Canada

ELS

#### Patch & Finishing Trowel

SAWS & CUTTERS



- For leveling, patching and finishing
- 49708Q Patch & Finishing Trowel 11" x 4-1/2"- No Notch (12/cs)

#### Margin Trowel



- For patch jobs, hard-to-reach areas and spreading thinset on v-cap or bullnose tile
- Cushion grip handle for comfort
- 42110Q 6" x 2" Comfort Grip Margin Trowel No Notch (12/cs)
- 42111Q 6" x 2" Margin Trowel Square Notch 1/4" x 1/4" x 1/4" (12/cs)

#### **Bucket Scoop**

#### QEP



- Quickly scoop setting materials, stucco and more
- Large comfort grip, contoured cushion handle
- 33% longer blade to hold more material
- Curved blade fits 5 gallon buckets
- Stainless steel blade

42113Q Bucket Scoop (6/cs)

CEILING

TOOLS



- Non-stick gum rubber ensures smooth application for all grout types including epoxy
- 2- rounded corners prevent gouging of grout joints
- 2- square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints.
- Comfortable, contoured and cushioned grip handle reduces fatigue

10074Q Universal Grout Float 9-1/2" x 4" (8/cs)

QEP Canada (English/French Packaging) 10074QC Universal Grout Float 9-1/2" x 4" (8/cs)

#### **Gum Rubber Grout Float**



- Non-stick gum rubber ensures smooth application
- 2-rounded corners prevent gouging of grout joints
- 2-square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints
- Premium gum rubber laminated to lightweight, closed cell core is built to last

 10063Q
 Gum Rubber Grout Float, Wood Handle, 12" x 4" (6/cs)

 10061Q
 Gum Rubber Grout Float, Wood Handle, 9-1/2" x 4" (12/cs)

QEP Canada (English/French Packaging)

10061QCGum Rubber Grout Float, Wood Handle, 9-1/2" x 4" (12/cs)10063QCGum Rubber Grout Float, Wood Handle, 12" x 4" (6/cs)

#### Stone Grout Float



- Soft body design provides maximum flex and leverage for working grout into tile joints, with sanded and non-sanded grouts, for textured tile and natural stone
- For all grout types, including epoxy
- Inner aluminum backing plate offers strength and stability
- Comfortable, contoured and cushioned handle reduces fatigue
- Beveled sides hold edge longer
- Squared corners ensure complete coverage in corners

10069Q Stone Grout Float, 10" x 3-1/2" (12/cs)

CEILING

QEP



• Completely molded rubber pad prevents absorption of materials

10060Q Molded Rubber Grout Float 9-1/2" x 4" (12/cs)

QEP Canada (English/French Packaging) 10060QC Molded Rubber Grout Float 9-1/2" x 4" (12/cs)

#### Economy Rubber Grout Float



• High-impact plastic handle with closed cell foam rubber pad for a smooth application

#### **Margin Float**

#### QEP



- Ideal for hard-to-reach areas such as kitchen backsplashes or under bath and kitchen counters
- 6" x 2"
- 42115Q 6" Margin Float, Comfort Grip (12/cs)

**TEAR-OUT** 

<sup>10062</sup>Q Economy Rubber Grout Float 9" x 4" (24/cs)

## UNDERLAYMENTS

G

Se son

#### **Natural Cork Sheets**

#### QEP



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems
- Each sheet: 2' x 3'

QEP	
72025	2.5 mm Sheets – 696 sq. ft./case, (116/cs)
	Only available in Canada
72004	3/16" (4 mm) Sheets – 456 sq. ft./case, (76/cs)
	Only available in Canada
72005Q	1/4" (6 mm) Sheets - 30 sq. ft./pack,(5 sh/pk)(8/cs)
72001Q	1/2" (12 mm) Sheets - 150 sq. ft./case, (25 sh/pk) (1/cs)

Test Results	IIC Rating	STC Rating	$\Delta$ Rating*
72025 - with 6" cement slab and suspended ceiling	60	59	22
72005Q - with 6" cement slab	51	52	22
72005Q - with 6" cement slab and suspended ceiling	61	60	22

#### Natural Cork Roll

# OEP

- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems

72000Q	1/4" (6 mm) Natural Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)
72003Q	1/4" (6 mm) Natural Cork Roll – 100 sq. ft. roll, 48" x 25' (1/cs)
72008Q	1/8" (3 mm) Natural Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)

Test Results	IIC Rating	STC Rating	$\Delta$ Rating*
72000Q - with 6" cement slab	51	52	22
72000Q - with 6" cement slab & suspended ceiling	61	60	22
72003Q - with 6" cement slab	51	52	22
72003Q - with 6" cement slab & suspended ceiling	61	60	22



- Sub-floor barrier helps prevent buckling, cupping and cracking
- Ideal for interior installations of: ceramic, porcelain or stone over cement board, plywood or concrete; and, finished or unfinished wood floors over plywood or concrete

70-195 500 sq. ft. roll - 36 in. x 167 ft. (1/cs)

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50.

EAR-OUT

## **BACKERBOARD & TOOLS**

#### X-TREME Cement Backer Board

QEP



	Ratings
R- Value	0.493 / in.
K-Value	2.03 BTU / ºF-ft2-H

#### **Cement Board Screws**

#### QEP





A better environmental alternative and upgrade to replace gypsum and cement backer boards for walls, floors and countertops

- Meets and exceeds International Building Standards
- Contains no silica, no asbestos, no VOCs, no harmful additives
- Contains up to 30% post-industrial recycled content and is recyclable
- Contributes to LEED credits and NAHB Green Building Program Credits
- Zero fire and smoke rating
- Unaffected by water or water vapor, will not swell, rot, delaminate or disintegrate
- Absorbs sound better than gypsum products
- Mold and mildew resistant
- Excellent for use with in-floor heat systems

73000	Ceramic Tile Backerboard, 1/4" Thick, 36" x 60" (50/pallet)	
73001	Ceramic Tile Backerboard, 1/4" Thick, 48" x 96" (70/pallet)	
73002	Ceramic Tile Backerboard, 1/2" Thick, 36" x 60" (50/pallet)	
73004	Ceramic Tile Backerboard, 1/2" Thick, 48" x 96" (35/pallet)	

- For use in the attachment of Durock<sup>®</sup>, Wonderboard<sup>®</sup> and HardieBacker<sup>®</sup> cement board
- No pre-drilling necessary
- Corrosion resistant coating
- Wafer head with ribbed countersinking profile for flush seating

99602 1-1/4" - # 8 High Low Cement Board Screws, (200 screws/pkg) (12/case)

#### Board Seam Tape

#### QEP



- For use in seaming all types of cement backerboard and tile underlayment
- Alkali resistant fiberglass mesh, self-adhesive tape reduces taping time
- Resists tears and will not shrink

99600Q	Board Seam Tape – 2" x 50' roll	(24/cs)
99605Q	Board Seam Tape – 2" x 150' roll	(18/cs)

QEP Canada (English/French Packaging) 99600QC Board Seam Tape - 2" x 50' roll (24/cs)

EAR-OUT

CEILING



#### 14" Surface Scraper

MIXING

CUTTING &

TOOLS

SPACERS

**KNEEPADS** 

TROWELS

UNDERLAYMENTS

QEP

made in USA



- Flexible 14" blade helps remove old floors and cleans up excess debris
- 5' long handle and flex blade made of premium quality carbon steel offer long-lasting durability

20900Q14" Surface Scraper with Blade (6/cs)21000Q14" Replacement Blade (3/cs)

 QEP Canada (English/French Packaging)

 20902QC
 14" Surface Scraper with Blade (6/cs)

- Lifetime warranty reinforced fiberglass handle
- Removes tile, wood, laminate, adhesive, stone and carpet
- Resharpens quickly with file or grinder No replacement blade necessary

62995Q 12" Super Scraper (3/cs)



12" Super Scraper



- Unique reversible hardened steel blade can easily be converted from 5" to 3" wide (ideal for scraping in tight areas)
- Double angled design offers increased leverage during scraping and prying
- Great for removing tile, wood, laminate, stone, carpet, ice and roofing
- Resharpenable hard steel (use file or grinder)
- Galvanized steel ergonomic handle reduces fatigue

62965Q Demolition Scraper (3/cs)

QEP



**7" Heavy Duty Floor Scraper** 

- Thick, professional high-carbon steel 7" blade scrapes up concrete, marble, ceramic tile and wood floors
- All welded construction made of pipe steel with a replaceable rigid blade
- Rips up roofing, asphalt, tile and chips away cement and plaster
- 4' long handle includes foot peg for better leverage on difficult projects
- Great for ice removal

75006Q7" Heavy-Duty Floor Scraper with Blade (6/cs)75007Q7" Replacement Blade (3/cs)

QEP Canada (English/French Packaging) 75015QC 7" Heavy-Duty Floor Scraper with Blade (6/cs)

# SPACERS KNEEPADS

TOOLS

#### 8" Adjustable Razor Floor Scraper



- Twist lock adjustable telescoping handle adjusts from 3' to 6' in length
- Removes old tile, adhesive, vinyl, carpet and other floor covering materials
- Deluxe cushioned grip handle provides added comfort
- 15° angled 8" blade head for ease of comfort when scraping
- Canvas blade guard included

62909Q	8" Adjustable Razor Floor Stripper (6/cs)
62904Q	8" Stripper Blade (3 on a skincard) (10/cs)
62907Q	8" Stripper Blades (10 on a skincard) (1/cs)

QEP Canada (English/French Packaging) 62909QC 8" Adjustable Razor Floor Stripper (6/cs)

#### Floor and Wall Scraper



- Quick thumbscrew blade change
- Built-in screwdriver in cap
- Cap can attach to a threaded pole for an extended arm
- Five 4" blades included

62924Q Floor and Wall Scraper (12/cs)

#### 4" Razor Scraper

QEP



- Scrapes residue off subfloors, windows and walls
- Great for wallpaper removal
- Complete with 4" blade

62900Q	4" Razor Scraper (12/cs)
62901Q	4" Razor Scraper Replacement Blades
	(5 on a skincard) (6/cs)
QEP Canada	a (English/French Packaging)
62900QC	4" Razor Scraper (12/cs)
62901QC	4" Razor Scraper Replacement Blades
	(5 on a skincard) (6/cs)

#### **Chisel Scraper**

#### QEP



- 3" stainless steel blade
- Multi-functioning tool ideal to remove debris, adhesive and residue from most surfaces
- Hammer end for quick strike use on stubborn material
- Cap can attach to a threaded pole for an extended arm

62973Q Chisel Scraper (6/cs)

#### Chisel Scraper

QEP



- 3" stainless steel blade
- Multi-functioning tool ideal to remove debris, adhesive and residue from most surfaces
- Hammer end for quick strike use on stubborn material

62970Q Chisel Scraper (6/cs)

QEP Canada (English/French Packaging) 62970QC Chisel Scraper (6/cs)

#### Multi-Use Power Scrapers



- Fits most reciprocating saws
- Heavy duty resharpenable blade blasts through thinset, linoleum, drywall mud, paint and glue
- Twisted shank keeps interchangeable blades at a comfortable angle

62985Q	2" Power-Scraper (6/cs)	
62986Q	Multi-Use Power Scraper	(2", 4" & 6") (6/cs)

TEAR-OUT



۲

Cr-CT

#### 12 Gauge Hanger Wire - 100' SUSPEND-IT • Suspends main tees from eye lag screws in commercial applications • Made of galvanized metal 8850-6 12 Gauge Hanger Wire - 100 ft. (12/case) 18 Gauge Hanger Wire - 300' SUSPEND-IT • Suspends main tees from eye lag screws in commercial applications • Made of galvanized metal 8851-6 18 Gauge Hanger Wire - 300 ft. (12/cs) **Light Duty Hanger Wire Installation Kit** SUSPEND-IT • Suspends main tees in residential applications of approximately 192 sq. ft. with a maximum drop of 18" • Made of galvanized metal Contains: - 12 pieces of 30" long, 18 gauge hanger wire - 12 eye lag screws for wood joists 8854 Light Duty Hanger Wire Installation Kit (12/cs)

#### Wire-Fastening Nail Hooks



- Attaches ceiling hanger wire to wood
- Made of galvanized metal
- 8855 Wire-Fastening Nail Hooks 20 pack (12/cs)

#### Eye Lag Screws for Wood Joist

#### SUSPEND-IT

SUSPEND-IT




- Attaches ceiling hanger wire to wood joists
- 1/4" x 3" self-tapping sharp point
- Made of galvanized metal

TOOLS

TROWELS

52

TEAR-OUT



#### Panel Clips

#### SUSPEND-IT



- Holds ceiling tile panels secure against the grid in drafty areas
- 8863-6 Panel Clips 20 pack (12/cs)

#### **Light-Duty Ceiling Hooks**

#### SUSPEND-IT



- Hangs lightweight objects such as plants, signs and decorations from ceiling tees
- 8864-6 Light-Duty Ceiling Hooks 4 pack (24/cs)

#### **Grid Installation Kit**

#### SUSPEND-IT



Value pack contains tools and hardware to install ceiling grid in a 20' x 20' room (400 sq. ft.)

Kit contains:

- 18 gauge hanger wire 64'
- 2 grid clamps
- 1 eye lag screw drill adapter
- 50' leveling line
- 20 white rivets
- 16 eye lag screws for wood joists

8865-6 Grid Installation Kit (12/cs)

#### 1/8" Grid Punch

#### SUSPEND-IT



- For punching holes in main tees for hanger wire attachment
- For punching pilot holes in wall angle, in main tees or cross tees that need to be secured with rivets

8866-2DS 1/8" Grid Punch (2/cs)

TOOLS

TROWELS

CEILING

#### **INDEX** By Item Number

	•	
ltem #	Description	Page
6-1001Q	10" Continuous Rim Diamond Blade- Black Series	12
6-1003Q	10" Continuous Rim Diamond Blade- Gold Series	12
6-1008BW	10" Black Widow <sup>®</sup> Blade	12
6-4001Q	4" Continuous Rim Diamond Blade- Black Series	12
6-4003Q	4" Continuous Rim Diamond Blade- Gold Series	12
6-4006GLQ	4" Continuous Rim Diamond Blade- Glass Series	12
6-4008BW	4" Black Widow® Blade	12
6-7001Q	7" Continuous Rim Diamond Blade- Black Series	12
6-7003Q	7" Continuous Rim Diamond Blade- Gold Series	12
6-7006GLQ (-C)	7" Continuous Rim Diamond Blade- Glass Series	12
6-7008BW	7" Black Widow <sup>®</sup> Blade	12
6-8001Q	8" Continuous Rim Diamond Blade- Black Series	12
6-8003Q	8" Continuous Rim Diamond Blade- Gold Series	12
6-8008BW	8" Black Widow® Blade	12
10-37	8" Flooring Cutter	11
70-195	Aquabar <sup>®</sup> "B" Moisture Vapor Barrier	44
8850-6	12 Gauge Hanger Wire	51
8851-6	18 Gauge Hanger Wire	51
8854	Light Duty Hanger Wire Installation Kit	52
8855	Wire-Fastening Nail Hooks	52
8856-6	Eye Lag Screws for Wood Joists	52
8857-6	Eye Lag Screws for Metal Joist	53
8858-6	Eye Lag Screw Drill Adapter	53
8859-6	Rivets	53
8860-6	Leveling Line	53
8861-6	Grid Clamps	53
8863-6	Panel Clips	54
8864-6	Light-Duty Ceiling Hooks	54
8865-6	Grid Installation Kit	54
8866-2DS	1/8" Grid Punch	54
10001QC	Grout Saw	27
10003Q	Tile Nipper	20
10005Q (-C)	1/4" Tile Spacers	35
10006Q (-C)	1/16" Tile Spacers	35
10010HD	1/2" Tungsten Carbide Cutting Wheel	16
10012Q (-C)	Grout Saw	26
10014QC	3" Saber Saw Blade	22
10020Q (-C)	Grout Remover	27
10022Q (-C)	Rubbing Stone	24
10024Q	Sharpening Stone	24
10025Q (-C)	Replacement Grout Saw Blade Set	26
10026Q (-C)	1/8" Tile Spacers	35

ltem #	Description	Page
10027Q	3/8" Tile Spacers	35
10036Q	Locking Contour Gauge	23
10038Q (-C)	6" Contour Gauge	23
10041Q	Handi Vice	22
10060Q (-C)	Molded Rubber Grout Float	42
10061Q (-C)	Gum Rubber Grout Float, Wood Handle	41
10062Q	Economy Rubber Grout Float	42
10063Q (-C)	Gum Rubber Grout Float, Wood Handle	41
10067Q (-C)	1/16" & 3/16" CLEARVIEW	34
10068Q (-C)	1/8" & 1/4" CLEARVIEW	34
10069Q	Stone Grout Float	41
10074Q (-C)	Universal Grout Float	41
10075Q	1/4" Diamond Drill Bit	21
10076Q	XL Grout Scrubber	30
10080Q	5/16" Diamond Drill Bit	21
10087Q	1-3/8" Diamond Hole Saw	21
10091Q (-C)	Tile & Stone File	24
10092Q (-C)	Pro Grout Saw	26
10113Q	Economy Notched Trowel	39
10114Q	Economy Notched Trowel	39
10115Q	Economy Notched Trowel	39
10116	Economy Notched Trowel	39
10117	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	15, 16
10119Q	7/8" Tungsten Carbide Cutting Wheel	15, 16
10120Q	Economy Notched Trowel	39
10214Q	14" Professional Tile Cutter	16
10220Q	20" Professional Tile Cutter	16
10221Q	21" Professional Tile Cutter	15, 16
10253Q	1/16" Tile Spacers	35
10268B	13" Tile Cutter	16
10279Q	Grout Sealer Applicator	27
10281Q (-C)	1/8" Tile Spacers	35
10284Q (-C)	3/16" Tile Spacers	35
10285Q (-C)	Wedge Tile Spacers	35
10316Q (-C)	3/16" Tile Spacers	35
10320Q	1/16" Horseshoe Shims	35
10321Q	1/8" Horseshoe Shims	35
10322Q	3/16" Horseshoe Shims	35
10323Q	1/4" Horseshoe Shims	35
10330Q-20	1/16" Leave-In Spacers	34
10331Q-20	1/8" Leave-In Spacers	34
10332Q	3/16" Tile Spacers	34

#### **INDEX** By Item Number Continued

Item #	Description	Page	ltem #
10333Q	1/4" Leave-In Spacers	34	22750Q
10336Q	1/16" Leave-In Spacers	34	22900Q
10337Q	1/8" Leave-In Spacers	34	32010Q (-C)
10338Q	3/16" Tile Spacers	34	32024Q (-C)
10339Q	1/4" Leave-In Spacers	34	32035Q (-C)
10480Q	48" LFT Manual Cutter	13, 16	38229
10500	22-1/2" Big Clinker Tile Cutter	14, 16	38233
10521Q	21" Pro Tile Cutter	15, 16	42110Q
10552BR	20" Tile Cutter	15, 16	42111Q
10566Q (-C)	5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System	21	42113Q
10568Q (-C)	1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water	21	42115Q
10569Q (-C)	Cooling System 1-3/8 Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System	21	49708Q
10570	1-3/8 Hole Saw Mounting Tape	21	49713Q (-C)
10585Q	3" PRO Diamond Jigsaw Blade	22	49714Q (-C)
10586Q	PRO Diamond Grit File	24	49715Q (-C)
10600BR	25" Big Clinker Tile Cutter	14, 16	49716Q
10624Q	X-TREME Series 24" Slimline Manual Tile Cutter	13, 16	49720Q (-C)
10630Q	24" Professional Tile Cutter	14, 16	49795Q
10632Q	X-TREME Series 30" Slimline Manual Tile Cutter	13, 16	49915 (-C)
10636Q	X-TREME Series 36" Slimline Manual Tile Cutter	13, 16	49916Q (-C)
10675Q	20" Professional Tile Cutter	15, 16	49917Q (-C)
10675Q-41	7/8" Ball Bearing Titanium-Coated Tungsten Carbide	15, 16	49919Q (-C)
10711Q	Multi-Use Trim Shears	22	49950Q
10800	27" Big Clinker Tile Cutter	14, 16	49951Q
10900Q	35" Professional Tile Cutter	14, 16	49952Q
20840Q (-C)	Grout Brush	27	60020SQ
20900Q	14" Surface Scraper with Blade	48	60095
20902QC	14" Surface Scraper with Blade	48	60098
21000Q	14" Replacement Blade	48	61024BR
21123Q	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	14, 16	61205Q (-C)
21125	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	14, 16	61210Q (-C)
21127Q	10 mm Post Scoring Wheel	15, 16	61230Q
21178Q	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	13, 15, 16	61613
21591Q	Heavy Duty Multipurpose Gloves	31	61620Q
21592Q	Tiler's Gloves	31	61900Q
21643Q	4" Handheld Tile Saw	10, 11	61900Q-31
21661	Professional Mixing Paddle	18	62900Q (-C)
21665Q	Power Mixer Pro	18	62901Q (-C)
22400Q	4" Torque Master XT Portable Tile Saw	10, 11	62904Q
22650Q	7" 650XT Tile Wet Saw	9, 11	62907Q
22660Q	7" Tile Wet Saw	9, 11	62909Q (-C)
22700Q	7" 700XT Tile Wet Saw	8, 11	62924Q
		,	

ltem #	Description	Page
22750Q	7" 750XT Tile Wet Saw	8, 11
22900Q	7" Power Pro 1HP Tile Saw	7, 11
32010Q (-C)	Glass Tile Nipper	20
32024Q (-C)	Tile Cutter	20
32035Q (-C)	Compound Tile Nipper	20
38229	Toilet Installation Kit	30
38233	No-Seep Wax Ring, No. 50	31
42110Q	Comfort Grip Margin Trowel	40
42111Q	Margin Trowel Square Notch	40
42113Q	Bucket Scoop	40
42115Q	Margin Float, Comfort Grip	42
49708Q	Patch & Finishing Trowel	40
49713Q (-C)	Wood Handle Notched Trowel	39
49714Q (-C)	Wood Handle Notched Trowel	39
49715Q (-C)	Wood Handle Notched Trowel	39
49716Q	Wood Handle Notched Trowel	39
49720Q (-C)	Wood Handle Notched Trowel	39
49795Q	Wood Handle Notched Trowel	39
49915 (-C)	Comfort Grip Stainless Steel Notched Trowel	39
49916Q (-C)	Comfort Grip Stainless Steel Notched Trowel	39
49917Q (-C)	Comfort Grip Stainless Steel Notched Trowel	39
49919Q (-C)	Comfort Grip Stainless Steel Notched Trowel	39
49950Q	X-TREME Cork Handle Notched Trowel	39
49951Q	X-TREME Cork Handle Notched Trowel	39
49952Q	X-TREME Cork Handle Notched Trowel	39
60020SQ	24" Heavy Duty Tile Saw	7, 11
60095	120 V Submersible Tile Saw Water Pump	11
60098	120 V Submersible Tile Saw Water Pump	11
61024BR	24" Professional Tile Saw	6, 11
61205Q (-C)	Professional Mixing Paddle	19
61210Q (-C)	Universal Mixing Paddle	19
61230Q	30" XL Spiral Pro Mixer	18
61613	White Rubber Mallet	25
61620Q	Tile Mallet	25
61900Q	10" 900XT Pro Tile Saw	6, 11
61900Q-31	61900Q-31 High Volume Water Pump	6, 11
62900Q (-C)	4" Razor Scraper	49
62901Q (-C)	4" Razor Scraper Replacement Blades	49
62904Q	8" Stripper Blade	49
62907Q	8" Stripper Blade	49
62909Q (-C)	8" Adjustable Razor Floor Stripper	49
62924Q	Floor and Wall Scraper	49

#### **INDEX** By Item Number Continued

	2)	
ltem #	Description	Page
62962Q	REGROUT® Tool	26
62965Q	Demolition Scraper	48
62970Q (-C)	Chisel Scraper	50
62973Q	Chisel Scraper	50
62985Q	2" Power-Scraper	50
62986Q	Multi-Use Power Scraper	50
62995Q	12" Super Scraper	48
70004Q-32	Sponge Sheet	29
70005Q-144	Heavy Duty All-Purpose Sponge	29
70005Q-24	Heavy Duty All-Purpose Sponge	29
70005Q-500	Heavy Duty All-Purpose Sponge	29
70005Q-6D	Heavy Duty All-Purpose Sponge	29
70005QC	XL All-Purpose Sponge	29
70005QC-144	XL All-Purpose Sponge	29
70005QC-6D	XL All-Purpose Sponge	29
70007Q-24	Scrubbing Sponge	29
70007QC	Scrubbing Sponge	29
70007QC-D	Scrubbing Sponge	29
70010Q (-C)	Microfiber Polishing Sponge	29
70018Q (-C)	Microfiber Grout Cleaning Cloth	30
70019Q	Microfiber Surface Cleaning Cloth	30
72000Q	Natural Cork Roll	44
72001Q	Natural Cork Sheets	44
72003Q	Natural Cork Roll	44
72004	Natural Cork Sheets	44
72005Q	Natural Cork Sheets	44
72008Q	Natural Cork Roll	44
72025	Natural Cork Sheets	44
73000	X-TREME Board - 1/4", thick, 36" x 60"	46
73001	X-TREME Board - 1/4", thick, 48" x 96"	46
73002	X-TREME Board - 1/2", thick, 36" x 60"	46
73004	X-TREME Board - 1/2", thick, 48" x 96"	46
75000Q (-C)	Suction Cup	25
75001Q	Thinset and Grout Mixing Paddle	19
75003Q	Double Suction Cup	25
75006Q	7" Heavy-Duty Floor Scraper with Blade	48
75007Q	7" Replacement Blade	48
75009Q	Grout Grabber w/ two blades	26
75011Q	Replacement Grout Saw Blades 2 pack	26
75011Q	Replacement Grout Saw Blades 2 pack	26
75015QC	7" Heavy-Duty Floor Scraper with Blade	48
76000Q (-C)	Grout Bag	31

ltem #	Description	Page
76030Q (-C)	Polishing Cheesecloth	30
78200	5 Gallon Plastic Mixing Bucket	19
78201	Pour Spout Lid for 78200, 78217 & 78300	19
78208	3-1/2 Gallon Plastic Mixing Bucket	19
78217	15 Litre Plastic Mixing Bucket	19
78220Q (-C)	Tile Installation Kit	28
78250Q	Floor & Wall Tile Installation Kit	28
78300	10 Litre Plastic Mixing Bucket	19
79631Q	Washable Knee Pads	37
79639Q	Ultra Fit Professional Knee Pads	37
79642Q	F3 Stabilizer Professional Knee Pads	37
79650Q	XL Professional Knee Pads	37
83200Q	24" Bridge Saw	5, 11
83250Q	30" Bridge Saw	5, 11
99600Q (-C)	Board Seam Tape	46
99602	Cement Board Screws	46
99605Q	Board Seam Tape	46
99702	LASH <sup>®</sup> Curved Clips	33
99703	LASH <sup>®</sup> Wedges	33
99707Q	LASH® Flat Slotted Clips	33
99710Q	Wall & Floor Tile Leveling Clips	34
99715Q	Wall & Floor Tile Leveling Wedges	34
99720QC	LASH <sup>®</sup> Curved Clips	33
99722Q	LASH <sup>®</sup> Curved Clips	33
99724Q (-C)	LASH <sup>®</sup> Curved Slotted Clips	33
99726Q (-C)	LASH <sup>®</sup> Wedges	33
99730Q (-C)	LASH <sup>®</sup> Flat Slotted Clips	33
99731Q	LASH® Flat Slotted Clips	33
99740Q	LASH <sup>®</sup> Flat Slotted Clips	33
99750Q	LASH <sup>®</sup> Pliers	33
99753Q	LASH <sup>®</sup> Curved Clips	33
99756Q	Wall & Floor Tile Leveling Clips	34
99757Q	LASH® Pro Pliers	33
99758Q	LASH <sup>®</sup> Curved Slotted Clips	33

### **INDEX** By Description

Description	Page
В	
Blades, Diamond	12
Blades, Grout Saw	22
Blades, Jigsaw	20
Blades, Scraper	48-50
Bridge Saws	5, 11
Bucket Scoop	40
Buckets	19
C	
Ceiling Hooks	54
Cheesecloth	30
Clamps	22
Contour Gauge	23
Cutting Wheels	13-16
D	
Drill Bits	21
F	
Files	24
Floats	41-42
Flooring Cutters	11
G	
Gloves	31
Grid Clamps	53
Grid Punch	54
Grout Bag	31
Grout Brush	27
Grout Saw	26-27
н	
Hanger Wire	52
Hole Saws	21
Horseshoe Shims	35
1	
Installation Kits	28
K	
Knee Pads	37
L	
Leveling Line	53

Description	Page
M	
Mallets	25
Microfiber Cloth	30
Mixers	19
Mixing Paddle	18-19
Moisture Barriers	44
N	
Nail Hooks	52
Nippers	20
Р	
Panel Clips	54
R	
Rivets	53
S	
Scrapers	48-50
Screws, Cement Board	46
Screws, Eye Lag	52-53
Sealer Applicators	27
Sharpening Stones	24
Sponges	29
Suction Cups	25
T	
Tape, Cement Board	46
Tile Cutters	13-16, 20
Tile Leveling Systems	33,34
Tile Saws	6-11
Tile Spacers	33-35
Toilet Installation	31
Trim Shears	22
Trowels	39-40
U	
Underlayment, Cork	44
W	
Water Pumps	6-7, 11
x	
X-TREME Board	46

### INDUSTRY PARTNERSHIPS



#### **About California Proposition 65**

Proposition 65 is a California regulatory law that requires businesses to notify California consumers about specific chemicals in the products they purchase so they can make informed decisions about protecting themselves from exposure to these chemicals. This law requires companies to properly label products that contain chemical(s) above certain threshold levels.

As part of Q.E.P. Co. Inc.'s continued best business practice and compliance program, we comply with Proposition 65 warning requirements and provide product-associated warnings. We are dedicated to meeting consumer product safety requirements applicable to our products and strive to provide high quality and safe products.

#### For more information on California Proposition 65, go to www.P65Warnings.ca.gov.

\*Prop 65 - 1. **WARNING**: This product can expose you to chemicals including DEHP, which is known to the State of California to cause cancer, birth defects and other reproductive harm.

QEP®, LASH®, Black Widow®, Brutus®, Porta-Nails® and Suspend-It® are registered trademarks of Q.E.P. Co., Inc.

Vitrex® is a registered trademark of Q.E.P. Co., Inc.

Aquabar® "B" is a registered trademark of Fortifiber LLC.

CRI™ is a trademark of The Carpet and Rug Institute

DUROCK<sup>®</sup> is a registered trademark of United States Gypsum Company

Fluidmaster® is a registered trademark of Fluidmaster, Inc.

HardieBacker® is a registered trademark of James Hardie Technology Limited

johni-ring® is a registered trademark of HCC Holdings, Inc.

REGROUT® is a registered trademark of Michael L. Taylor



1001 Broken Sound Parkway, NW | Suite A Boca Raton, Florida 33487

www.qepcorporate.com

www.qep.com www.robertsconsolidated.com www.porta-nails.com For more information call 866-435-8665

The products, specifications, and Prop 65 Warnings listed in this catalog are current as of the printed date of this catalog and are subject to change. Access product data sheets, technical bulletins, warranties and SDS documents 24 hours a day, 7 days a week through our continuously updated website.