



 **ROBERTS**

 **PORTA-NAILS**

**Suspend-It**  
◦ DROP CEILING INSTALLATION ◦

**MASTER TOOL  
CATALOG**



quality brands of



**Q.E.P. Co., Inc.**, founded in 1979, is a world class, worldwide provider of innovative, quality and value-driven flooring and industrial solutions. As a leading worldwide manufacturer, marketer and distributor, QEP delivers a comprehensive line of hardwood and engineered wood flooring, flooring installation tools, adhesives and flooring related products targeted for the PROFESSIONAL INSTALLER as well as the DO-IT-YOURSELFER. In addition the company provides industrial tools with cutting edge technology to all of the industrial trades.

The Company continues to build its reputation for offering its customers the most comprehensive flooring installation product line and wood flooring available from one company. The company markets over 7,000 products under various brand names that are well respected in their market niches. Brand names include QEP®, ROBERTS®, Capitol®, Harris Wood®, Faus Floors®, Homelux®, TileRite®, Nupla®, HISCO®, Ludell®, Vitrex®, Plasplugs®, PRCI®, Porta-Nails®, Tomecanic®, Bénètiere® and Elastiment®. Strategically located around the world, QEP currently has distribution and manufacturing capabilities located throughout the United States, Canada, Australia, New Zealand, United Kingdom, France and China.

QEP continually enhances its market leadership positions through selective acquisitions that extend its geographic reach, add proprietary product lines and broaden distribution capabilities, enabling the Company to capitalize on cross-selling opportunities. Additionally, the Company continues to develop and introduce innovative products and ideas for the professional installer in all target markets. Customer Service and Technical Support are key elements in this business and QEP prides itself on supplying the quality service that customers expect.



# CONTENTS



## TILE TOOLS

SAWS, DIAMOND BLADES, MIXERS, TILE CUTTERS, HAND TOOLS, KNEE PADS

04



## CARPET TOOLS

STRETCHERS, KNEE KICKERS, HEAT BOND IRONS, HAND TOOLS, SHEARS

37



## LAMINATE & WOOD TOOLS

FLOOR CUTTERS, HAND TOOLS, NAILERS, STAPLERS, CLEATS, STAPLES, PUTTY


53



## VINYL TOOLS

ROLLERS, CUTTERS, HAND TOOLS

61



## UNDERLAYMENTS & BARRIERS

LAMINATE, WOOD, LVT, VINYL, CARPET, TILE


65



## TROWELS

TILE, VINYL, CARPET, WOOD

71



## KNIVES, BLADES, SCREWS & NAILS

TILE, VINYL, CARPET, WOOD, BACKERBOARD, CEMENT BOARD


75



## TAPE

INSTALLATION TAPE, RUG GRIPPER™, UNDERLAYMENT SEAM TAPE

81



## TEAR-OUT TOOLS

SCRAPERS, HAND TOOLS

84



## CEILING TOOLS

SUSPEND-IT®

89



# TILE TOOLS

## 30" Bridge Saw

QEP




- Ideal for cutting large format tile including ceramic, porcelain, granite, stone and marble tile
- Rips up to 30" tile and can diagonally cut up to 21" tile
- Adjustable pivoting rail for miter cuts and rip/angle cuts
- Plunging motor head for interior cutting
- One year limited warranty

### SPECIFICATIONS

Item No	83250Q
Motor	1-1/3 HP / 120 V-60 Hz / 11.3 Amps
Watts	1350
RPM	3420
Blade Capacity	8"
Arbor	5/8"
Rip Cut	30" Tile
Diagonal Cut	21" Tile
Depth of Cut	1-3/8"
Size	37" L x 18" W x 47-1/2" H (w/legs)
Weight	116.6 lbs (w/stand)

### ACCESSORIES INCLUDED

- 8" Black Widow® diamond blade
- Fold-out stand with wheels
- High volume water pump (#60098)
- Full length side extension table
- Angle cutting guide
- Slide out handle
- 2 wrenches



## 24" Bridge Saw

QEP



- Direct drive 1 HP, 3420 RPM brushless motor is ideal for cutting marble, granite, porcelain, stone and tile\*
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable pivoting rail allows easy angle positioning from 90° to 45° for fast and consistent miter cuts
- One year limited warranty


\* for porcelain and hard tiles, we recommend QEP's Black Widow (#6-8008BW)

### SPECIFICATIONS

Item No	83200Q
Motor	1 HP / 120 V-60 Hz / 9.5 Amps
Watts	1100
RPM	3420
Blade Capacity	8"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	1-3/8"
Size	43" L x 24" W x 47" H (w/stand)
Weight	106 lbs (w/stand)

### ACCESSORIES INCLUDED

- 8" continuous rim wet diamond blade for porcelain
- Fold-out stand with wheel attachments
- Rear wheel attachments (#63036)
- Convenient storage shelf
- High volume water pump (#60098)
- Laser cutting guide
- Angle/rip cutting guide
- Handles



## 10" 900XT Pro Tile Saw

QEP




- Ideal for cutting large format tile including ceramic, porcelain, granite, stone and marble tile
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable plunging and pivoting motor head for interior cutting, miter cuts and rip/angle cuts
- One year limited warranty

### SPECIFICATIONS

Item No	61900Q
Motor	2.25 HP / 120V-60Hz / 15 Amps
Watts	1750
RPM	3600
Blade Capacity	10"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	3-3/4"
Size	51" L x 33" W x 45" H (w/stand)
Weight	96 lbs (w/stand)

### ACCESSORIES INCLUDED

- Premium porcelain rated 10" blade
- Fold-out stand with heavy duty wheels
- High volume water pump (#61900Q-31)
- Laser cutting guide & LED work area light
- Side extension table
- Full coverage splash guard water containment system
- Rip/Angle cutting guide
- 2 wrenches



## 24" Professional Tile Saw

BRUTUS




- Powerful 3450 RPM motor cuts the toughest marble, granite, stone, porcelain & masonry products, as well as all types of tile\*
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable tilting head offers quick and easy 45° to 90° miter cuts
- Plunge cutting for interior cut out of tile
- One year limited warranty

### SPECIFICATIONS

Item No	61024BR
Motor	1-1/2 HP / 120 V ~ 60 Hz / 9.5 Amps
Watts	1100
RPM	3450
Blade Capacity	10"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	2-3/8"
Size	40" L x 21.5" W x 48.3" H (w/stand)
Weight	105.8 lbs. (w/stand)

### ACCESSORIES INCLUDED

- 10" continuous rim wet diamond blade
- Easy fold-out stand with 3" wheels
- High volume water pump (#60095)
- Side table pull-out extension
- 45° - 90° angle/rip guide
- Rear water tray
- 2 wrenches



\* for porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-1008BW)

## 24" Heavy Duty Tile Saw

QEP



- Dual-speed 2 HP, 1750/2450 RPM motor cuts the toughest marble, granite, stone, porcelain & masonry products, as well as all types of tile\*
- Rips up to a 24" tile and can diagonally cut a 14" tile
- Angle/rip guide and miter block make production cuts fast and consistent
- One year limited warranty


\* for porcelain and hard tiles, we recommend QEP's Black Widow (#6-1008BW)

### SPECIFICATIONS

Item No	60020SQ
Motor	2 HP / 120 V ~ 60 Hz / 15 Amps
Watts	1500
RPM	1750 / 2450 (dual speed)
Blade Capacity	10"
Arbor	5/8"
Rip Cut	20" Tile (center) or 24" Tile (10" wide)
Diagonal Cut	14" Tile
Depth of Cut	3-1/4"
Size	40" L x 22" W x 47" H (w/stand)
Weight	116 lbs. (w/stand)

### ACCESSORIES INCLUDED

- 10" continuous rim wet diamond blade
- Folding stand
- High volume water pump (#60095)
- 45° miter block
- 45° - 90° Angle/rip guide
- Wrenches and two hex keys



## 7" Power Pro 1HP Tile Saw

QEP



- Cuts porcelain tile, ceramic tile, marble, slate and stone\*
- Angle and rip guides for precise cutting
- Non-slip feet and fold-out bench stop keep saw in place during use
- Locking on/off switch with security key
- Interior water baffle minimize waterspray and reduces refills
- Oversized die cast aluminum table
- Tilt-up cutting table for precision 15°, 30° and 45° miter cuts

\* for porcelain and hard tiles, we recommend QEP's Black Widow (#6-7008BW)

### SPECIFICATIONS

Item No	22900Q
Motor	1 HP / 120 V ~ 60 Hz. / 6.5 Amps
Watts	750
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/8"
Size	22.5" L x 18" W x 8" H
Weight	39 lbs.

### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- Locking rip guide
- Angle cutting guide
- Bench stop

## 7" 750XT Tile Wet Saw

QEP



- Unique back extension table to support large format tile during cut
- Powerful 3/4 Peak HP motor for cutting ceramic, slate, marble, granite and porcelain\*
- Interior water baffle minimizes water spray and reduces refills
- Tilt-up cutting table for precision 22.5° and 45° miter cuts
- Locking adjustable angle and rip guides for accurate cuts

\* for porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

### SPECIFICATIONS

Item No	22750Q
Motor	3/4-Peak HP/120V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	21" L x 22.2" W x 9.5" H
Weight	21.4 lbs.

### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- 45° angle guide
- Blade guard
- Rip guide
- Rear extension table

## 7" 650XT Tile Wet Saw

QEP



- Powerful 3/4 Peak HP motor for cutting ceramic, slate, marble, granite and porcelain\*
- 8" extension table attaches to either side to support larger tiles
- Interior water baffle minimizes water spray and reduces refills
- Tilt-up cutting table for precision 22.5° and 45° miter cuts
- Locking adjustable angle and rip guides for accurate cuts

\* for porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

### SPECIFICATIONS

Item No	22650Q
Motor	3/4-Peak HP/120V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	20.08" L x 15.74" W x 9.88" H
Weight	23 lbs.

### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- 45° angle guide
- Rip guide
- Universal wrench

## 7" Tile Wet Saw

QEP



### SPECIFICATIONS

Item No	22660Q
Motor	2/3 HP / 120 V ~ 60 Hz. / 4.4 Amps
Watts	500
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/8"
Size	17.25" L x 19" W x 6.75" H
Weight	15 lbs.

- Powerful 2/3 Peak HP motor for cutting ceramic, slate, marble, granite and porcelain\*
- Interior water baffle minimizes water spray and reduces refills
- Tilt-up cutting table for precision 22.5° and 45° miter cuts
- Locking adjustable angle and rip guides for accurate cuts

\* for porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- 45° angle guide
- Rip guide
- Universal wrench

## 4" Torque Master XT Portable Tile Saw

QEP



### SPECIFICATIONS

Item No	22400Q
Motor	3/5-Peak HP / 120 V ~ 60 Hz. / 4 Amps
Watts	450
RPM	4600
Blade Capacity	4"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	3/4"
Size	14.3" L x 15.8" W x 4.6" H
Weight	8 lbs.

- 3/5 HP, hi-torque geared motor for maximum cutting performance
- Dual extension tables add extra 5" of cutting surface
- Cuts ceramic tile, porcelain tile\*, marble, slate and stone
- Fully adjustable miter guide with unique ratchet mechanism
- Cutting table is hinged to adjust for making 22.5° and 45° miter cuts
- Water recirculation system saves time when replenishing water supply and keep work area drier
- 4" diamond blade (6-4001Q)

\* for porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-4008BW)

### ACCESSORIES INCLUDED

- 4" continuous rim diamond blade (#6-4003Q)
- 45° angle guide
- Blade guard
- Rip guide
- Rear extension table

## 4" Handheld Tile Saw

QEP



- Ideal for brick, concrete, granite, marble, slate, stone, ceramic tile and porcelain
- Adjustable steel base to change cutting depth and angle
- Compact and lightweight
- Great for removing grout
- Bevel cuts from 0° - 45°

\* saw is not UL approved with water adapter kit attached

### SPECIFICATIONS

Item No	21643Q
Motor	1-3/5 HP / 120 V ~ 60 Hz. / 10 Amps
Watts	1200
RPM	11800
Blade Capacity	4"
Arbor	4/5"
Depth of Cut	1-1/4" at 90°, 1-1/8" at 45°
Weight	11 lbs.

### ACCESSORIES INCLUDED

- 4" continuous rim diamond blade (#6-4003Q)
- 45° angle guide
- Blade guard
- Rip guide
- Box wrench
- Blade socket wrench
- User manual

## Submersible Tile Saw Water Pump

QEP



For 83250Q and 83200Q Tile Saws

- Pumps 60 Gal (227.4 L) per hour using 2' tubing (tubing not included)
- Corrosion resistant plastic housing for increased durability
- Removable easy-to-clean filter included

60098 120 V Submersible Tile Saw Water Pump (1/cs)

## Submersible Tile Saw Water Pump

QEP



For 61024BR and 60020SQ Tile Saws

- Pumps 54 Gal (203 L) per hour using 2' long tubing (tubing not included)
- Corrosion resistant plastic housing for increased durability
- Extra large intake reservoir with removable easy-to-clean filter

60095 120 V Submersible Tile Saw Water Pump (1/cs)

# TILE SAWS AT A GLANCE

## Standing Saws

ITEM NO.	DESCRIPTION	SIZE (L x W x H)	WEIGHT (lbs.)	BLADE	ARBOR	HP	AMPS	WATTS	RPM	RIP CUT (Tile Size)	DIAGONAL (Tile Size)	CUTTING DEPTH	WATER PUMP	ACCESSORIES INCLUDED
83250Q	30" Bridge Saw	37" x 18" x 47.5" (w/stand)	116.6	8"	5/8"	1-1/3	11.3	1350	3420	30"	21"	1-1/8"	#60098	A, B, C, D, F, G, I, K, L, M
83200Q	24" Bridge Saw	37" x 18" x 47.5" (w/stand)	82.32	8"	5/8"	1-1/2	9.2	1100	3550	24"	18"	1-1/2"	#60098	A, B, D, E, G, I, J, K, L
61900Q	10" 900XT Pro Tile Saw	45" x 51" x 33" (w/stand)	96	10"	5/8"	2.25	15	1750	3600	24"	18"	3-3/4"	#61900Q-31	A, B, D, F, G, I, J, K, L, M
61024BR	24" Professional Tile Saw	40" x 21.5" x 48.3" (w/stand)	105.8	10"	5/8"	1-1/2	9.5	1100	3450	24"	18"	2-3/8"	#60095	A, B, D, F, G, K, J, L, M
60020SQ	24" Dual Speed Tile Saw	40" x 22" x 47" (w/stand)	116	10"	5/8"	2	15	1500	1750/2450	20"	14"	3-1/4"	#60095	A, B, C, G, H, I, K

## Table Saws

ITEM NO.	DESCRIPTION	SIZE (L x W x H)	WEIGHT (lbs.)	BLADE	ARBOR	HP	AMPS	WATTS	RPM	RIP CUT (Tile Size)	DIAGONAL (Tile Size)	CUTTING DEPTH	WATER PUMP	ACCESSORIES INCLUDED
22900Q	7" Pro Tile Saw	22.5" x 18" x 8"	39	7"	5/8"	1	6.5	750	3600	Unlimited	Unlimited	1-1/8"	N/A	B, G, H, I, K, N
22750Q	7" 750XT Tile Wet Saw	21" x 22.2" x 9.5"	21.4	7"	5/8"	3/4	4.8	550	3600	Unlimited	Unlimited	1-1/4"	N/A	B, F, G, H, I, K, N
22650Q	7" 650XT Tile Wet Saw	20" x 15.7" x 9.8"	19.2	7"	5/8"	3/4	4.8	550	3600	Unlimited	Unlimited	2-1/4"	N/A	B, F, G, H, K, N
22660Q	7" Tile Wet Saw	17.25" x 19" x 6.75"	15	7"	5/8"	2/3	4.4	500	3600	Unlimited	Unlimited	1-1/8"	N/A	B, G, H, I, K, N
22400Q	4" Torque Master XT Portable Tile Saw	14.3" x 15.8" x 4.6"	8	4"	5/8"	3/5	4	450	4600	Unlimited	Unlimited	3/4"	N/A	B, F, G, H, N

### ACCESSORY GUIDE:

- |                                     |                                    |                                     |                                   |
|-------------------------------------|------------------------------------|-------------------------------------|-----------------------------------|
| A. Water Pump                       | E. Rear wheel attachments          | I. Handle(s)                        | M. Plunge cut capable             |
| B. Continuous rim wet diamond blade | F. Side/rear extension table(s)    | J. Laser cutting guide              | N. Self contained water reservoir |
| C. Heavy duty legs / fold-out stand | G. Angle/rip cutting guide         | K. Wrench, wrenches and/or hex keys |                                   |
| D. Folding stand w/ locking wheels  | H. 45° miter cutting guide / block | L. Tilting head                     |                                   |

TILE  
CARPET  
WOOD  
VINYL  
UNDERLAYMENT  
TROWELS  
BLADES & KNIVES  
TAPE  
TEAR-OUT  
CEILING

## Diamond Blades

The Q.E.P. diamond blade line offers a blade for every application and budget. Whether your tile project requires the cutting of ceramic, porcelain, marble, granite, glass, slate, concrete pavers or stone, Q.E.P. has a blade that will cut it quickly and efficiently. The high quality of Q.E.P.'s diamond blades is due to our stringent testing and exact specifications assuring the user a wobble-free blade that produces smooth and precise cuts.



### Black Series

General purpose blade for wet or dry cutting of ceramic tile.



### Gold Series

Premium blade for wet or dry cutting of ceramic, porcelain and marble tile.



### Glass Series

Premium blade for wet cutting of glass tile.

Item No.	Description	Application	Rim Height	Width	Arbor Size	Max RPM	No. in Case
6-4001Q	4" Continuous Rim	Ceramic tile - Wet/Dry	7mm	.060	5/8"-20 mm-7/8"	15000	4
6-7001Q	7" Continuous Rim	Ceramic tile - Wet/Dry	7mm	.060	7/8"-5/8"-DM	8730	4
6-8001Q	8" Continuous Rim	Ceramic tile - Wet/Dry	7mm	.060	7/8"-5/8"-DM	7640	4
6-1001Q	10" Continuous Rim	Ceramic tile - Wet/Dry	7mm	.060	7/8"-5/8"-DM	6115	4
6-4003Q	4" Continuous Rim	Ceramic, Porcelain, Marble- Wet/Dry	7mm	.060	5/8"-20 mm-7/8"	15000	4
6-7003Q	7" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7mm	.060	5/8"	8730	4
6-8003Q	8" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7mm	.060	5/8"	7640	4
6-1003Q	10" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7mm	.060	5/8"	6115	4
6-4006GLQ	4" Continuous Rim	Glass - Wet	7mm	.060	5/8"-20 mm-7/8"	15000	3
6-7006GLQ	7" Continuous Rim	Glass - Wet	7mm	.060	5/8"	8730	3
6-7006GLQC	7" Continuous Rim Only available in Canada	Glass - Wet	7mm	.060	5/8"	8730	3

## Black Widow® Blades

The Black Widow® Premium-Grade, thin-rim Diamond Blades quickly cut through the toughest ceramic, porcelain, marble and granite. Independent lab test results have proven Black Widow Blades continuously out perform the competition in durability.



- Premium-grade, thin-rim diamond blade for fast wet cutting of porcelain, ceramic, granite and marble tile
- Ideal for high speed cutting of hard masonry tile
- Unique diamond-shaped laser cutouts prevent blade wobble and keep blade cooler for a longer life
- 7 mm rim height for a longer life and for increased cutting contact with the blade



Item No.	Description	Application	Rim Height	Width	Arbor Size	Max RPM	No. in Case
6-4008BW	4" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet/Dry	7mm	.060	5/8"-20mm-7/8"	15000	1
6-7008BW	7" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7mm	.060	5/8"	8730	1
6-8008BW	8" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7mm	.060	5/8"	7640	1
6-1008BW	10" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7mm	.060	5/8"	6115	1

## Diamond Drill Bit with Water Delivery System

QEP



- Ideal for cutting holes when installing towel bars, soap dishes, shelves, cabinets and shower door frames
- Diamond Grit edge drills through ceramic, glass, marble, porcelain and granite
- Drill guide and water delivery system included (use wet-only)
- Fits standard 1/2" or 3/8" drill chucks

10566Q 5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

10568Q 1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

10567 Diamond Drill Bit Mounting Tape (12 pc/bag)


QEP Canada (English/French Packaging)

10566QC 5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

10568QC 1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

## Diamond Hole Saw with Water Delivery System

QEP



- For cutting 1-3/8" diameter holes in glass, ceramic, porcelain, marble and granite
- Special diamond grit edge for faster smoother cuts
- Included drill guide and water cooling cup easily supplies water to drill bit (use wet-only)
- Fits standard 1/2" or 3/8" drill chucks

10569Q 1-3/8 Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System (6/cs)

10570 1-3/8 Hole Saw Mounting Tape (12 pc/bag) (6/cs)

QEP Canada (English/French Packaging)

10569QC 1-3/8 Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System (6/cs)

## wetDRY Diamond Drill Bit / Hole Saw

QEP



- For cutting holes in glass, ceramic, porcelain, marble and granite
- Special diamond grit edge for faster smoother cuts, with less water
- Does not require water cooling guide or cup
- Fits standard 1/2" or 3/8" drill chucks

10075Q 1/4" Diamond Drill Bit (6/cs)

10080Q 5/16" Diamond Drill Bit (6/cs)

10087Q 1-3/8" Diamond Hole Saw (6/cs)

## Power Mixer Pro

QEP



Included Chuck Kit



- Mix thinset, grout, mortar, and other viscous materials with minimal effort
- Strong enough to mix cement
- High quality, powerful 1300 Watt motor
- High torque 2- speed motor:  
1st gear: 180-460 RPM  
2nd gear: 300-700 RPM
- Male-threaded 2-piece paddle specially designed to completely mix full bucket loads of viscous materials
- Variable speed dial controls RPM's, which prevents splashing at start-up
- Includes chuck kit for use with non-threaded mixer paddles

21665Q Power Mixer w/ Paddle (1/cs)

21661 One-piece replacement paddle (1/cs)

### SPECIFICATIONS

Item No	21665Q
Motor	120 V ~ 1300 Watts - 2-speed 1st gear: 180 - 460 RPM, 2nd gear: 300 - 700 RPM
Amps	11
Weight	13 lbs.

## Professional Mixing Paddle

QEP



M-14 thread



- Replacement paddle for 21660Q, 21665Q or any mixer that accepts M14 thread
- Specially designed paddle for fast and effective mixing of thick and dense materials
- M-14 thread design for paddle stability during mixing
- Shaft diameter 1/2", length 24", blade width 5-1/2"

21661 Professional Mixing Paddle (1/cs)

## 30" XL Spiral Pro Mixer

QEP



- Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials
- Longer shaft length for more comfort
- Designed to reduce introduction of air into mixture
- Fits standard 3/8" or 1/2" drill chuck
- Shaft diameter 3/8", length 30", blade width 5-1/2"

61230Q 30" XL Spiral Pro Mixer (6/cs)

## Thinset and Grout Mixing Paddle

QEP



- Mixes grouts, thinsets and other setting materials with a minimum amount of air
- Fits standard 1/2" or 3/8" drill chuck
- Shaft diameter 3/8", length 23-1/2", blade width 8-1/4"

75001Q Thinset and Grout Mixing Paddle (6/cs)

## Professional Mixing Paddle

QEP



- Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials
- Fits standard 1/2" or 3/8" drill chuck
- Shaft diameter 3/8", length 23-1/2", blade width 4-7/8"
- Chrome plated steel


61205Q Professional Mixing Paddle (6/cs)

QEP Canada (English/French Packaging)

61205QC Professional Mixing Paddle (6/cs)

## Universal Mixing Paddle

QEP



- The special design of the blades takes the stress and high torque off the drill, excellent for cordless drills
- The optimal mixing tool for small volumes of thinsets, mortars, cement, plaster and similar viscous materials
- Fits standard 1/2" or 3/8" drill chuck
- Shaft diameter 3/8", length 16", blade width 3-1/4"
- Powder coated steel

61210Q Universal Mixing Paddle (12/cs)

QEP Canada (English/French Packaging)

61210QC Universal Mixing Paddle (12/cs)

## Plastic Mixing Buckets

QEP



- Durable white opaque plastic buckets with handles

78200 5 Gallon Plastic Mixing Bucket - White (6/cs)

78208 3-1/2 Gallon Plastic Mixing Bucket - White (1/cs)

78300 10 Litre Plastic Mixing Bucket - White (1/cs)

78201 Pour Spout Lid for 78200, 78217 & 78300 (1/cs)

78217 15 Litre Plastic Mixing Bucket - White (1/cs)  
Only available in Canada

## 35" & 24" Professional Tile Cutters

QEP

Available in 2 Sizes:  
35" & 24"




- Ball bearing slide for smooth scoring
- Multipurpose cutter for most large format tile including ceramic and porcelain
- Side arm extensions to support large format tiles
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts

10900Q	35" Professional Tile Cutter (2/cs) Cuts tile up to 35", 24" diagonally, 1/2" thick
10630Q	24" Professional Tile Cutter (1/cs) Cuts tile up to 24", 17.5" diagonally, 1/2" thick
21125	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (6/cs)

## 27" & 20" Big Clinker Tile Cutters

QEP

Available in 2 Sizes:  
27" & 20"



- Multipurpose cutter for most tile including ceramic and porcelain
- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Side arm extensions to support large format tiles
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
- Heavy duty cast aluminum base

10800	27" Big Clinker Tile Cutter (1/cs) Cuts tile up to 27", 20" diagonally, 1/2" thick
10500	20" Big Clinker Tile Cutter (1/cs) Cuts tile up to 20", 16" diagonally, 1/2" thick
21123Q	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (1/cs)

## 24" Big Clinker Tile Cutter

BRUTUS



- Cuts wall and floor tile up to 24", 18" diagonally, 1/2" thick
- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Side arm extensions to support large format tiles
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
- Heavy duty cast aluminum base
- Extra thick 3/8" padding

10600BR	24" Big Clinker Tile Cutter (1/cs)
21123Q	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (1/cs)

## 24" & 20" WISHBONE Professional Tile Cutter

QEP

Available in 2 Sizes:  
24" & 20"




- Wishbone handle design provides a clear view of cutting alignment. (Patent pending)
- Unique breaker bar design applied even breaking pressure and is ideal for even small mosaic tiles.
- Side arm extensions to support large format tiles
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Wide, comfort non-slip grip curved handle designed for maximum leverage
- Ball bearing carriage and dual rail provide a smooth glide for clean cuts

10424Q	24" WISHBONE Professional Tile Cutter (1/cs)
	Cuts tile up to 24", 18" diagonally, 1/2" thick
10420Q	20" WISHBONE Professional Tile Cutter (1/cs)
	Cuts tile up to 20", 14" diagonally, 1/2" thick
21125	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (6/cs)

## 21" Professional Tile Cutter

QEP



- Cuts wall and floor tile up to 21 in, 15 in diagonally, 3/8 thick
- Cuts ceramic and porcelain tile
- High leverage, padded handle makes cutting easier and reduces fatigue
- Durable chrome-plated solid steel rails for smooth scoring
- Soft grip handle
- Includes replaceable tungsten carbide 10 mm postscoring wheel
- Powder coated steel base with extra reinforcement

10221Q	21" Professional Tile Cutter (2/cs)
21127Q	10 mm Post Scoring Wheel (6/cs)

## 20" Tile Cutter

BRUTUS

BONUS:  
Extra Cutting Wheel



- Cuts wall and floor tile up to 20", 14" diagonally, 1/2" thick
- Equipped with two replaceable 7/8" titanium-coated tungsten carbide cutting wheels
- Heavy duty die cast aluminum base

10552BR	20" Tile Cutter (1/cs)
10117	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs)
10119Q	7/8" Tungsten Carbide Cutting Wheel (3/cs)
10117QC	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs) Only available in Canada

## 20" Professional Tile Cutter

QEP



- Cuts wall and floor tile up to 20", 14" diagonally, 1/2" thick
- Equipped with replaceable 7/8" ball bearing, titanium-coated tungsten carbide cutting wheel
- Dual chrome-plated rugged steel rails
- Adjustable rip guide designed to help make repetitive cuts faster and easier
- High-leverage handle makes cutting easier with less effort
- Thick, heavy duty rubber pad protects tile
- Ball bearing slides for smooth scoring

10675Q 20" Professional Tile Cutter (2/cs)

10675Q-41 7/8" Ball Bearing Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs)

## 20" & 14" Professional Tile Cutter

QEP



Available in 2 Sizes:  
20" & 14"

- Equipped with replaceable 1/2" titanium-coated tungsten carbide cutting wheel
- Reinforced steel base

10220Q 20" Professional Tile Cutter (4/cs)

Cuts tile up to 20", 14" diagonally, 1/2" thick

10214Q 14" Professional Tile Cutter (6/cs)

Cuts tile up to 14", 10" diagonally, 1/2" thick

10010HD 1/2" Titanium-Coated Tungsten Carbide Cutting Wheel (12/cs)

## 13" Tile Cutter

QEP



- Cuts wall and floor tile up to 13", 8" diagonally
- Equipped with long lasting 1/2" tungsten carbide cutting wheel

10268B 13" Tile Cutter (1/cs)

10010HD 1/2" Tungsten Carbide Cutting Wheel (12/cs)

## Replacement Wheels for Tile Cutters

ITEM NO.	DESCRIPTION	21127Q 10mm Wheel	10010HD 1/2" Wheel	10117 7/8" Wheel	10119Q 7/8" Wheel	10675Q-41 7/8" Wheel	21123Q 7/8" Wheel	21125 7/8" Wheel
10900Q	35" Tile Cutter							•
10800	27" Big Clinker Tile Cutter						•	
10630Q	24" Tile Cutter							•
10600BR	24" Big Clinker Tile Cutter						•	
10424Q	24" WISHBONE Professional Tile Cutter							•
10221Q	21" Professional Tile Cutter	•						
10675Q	20" Tile Cutter					•		
10500	20" Big Clinker Tile Cutter						•	
10552BR	20" Tile Cutter			•	•			
10220Q	20" QEP Tile Cutter		•					
10420Q	20" WISHBONE Professional Tile Cutter							•
10214Q	14" QEP Tile Cutter		•					
10268B	13" Tile Cutter		•					

## Compound Tile Nipper

QEP



- Compound mechanism delivers 3 times more force with less effort
- Use to make irregular cuts on all types of tiles, including porcelain
- Durable tungsten carbide tip provides a long cutting life

32035Q Compound Tile Nipper (6/cs)

QEP Canada (English/French Packaging)  
32035QC Compound Tile Nipper (6/cs)

## Tile Nipper

QEP



- 8" carbide tipped nippers with offset jaws
- Ideal for cutting ceramic and porcelain tile
- 5/8" carbide tipped offset jaws and center spring

10003Q Tile Nipper (12/cs)

## Glass Tile Nipper

QEP



- Cuts glass from 1/32" to 1/4" in thickness
- Ideal for quickly cutting small mosaic pieces of glass and removing tiny points from glass tile

32010Q Glass Tile Nipper (6/cs)

QEP Canada (English/French Packaging)  
32010QC Glass Tile Nipper (6/cs)

## Tile Cutter

QEP



- Uses a durable tungsten carbide wheel for scoring and a breaker bar to "snap" ceramic tile

32024Q Tile Cutter (6/cs)

QEP Canada (English/French Packaging)  
32024QC Tile Cutter (6/cs)

## 3" PRO Diamond Jigsaw Blade

QEP



- Cuts hard materials including porcelain, ceramic and glass tile
- Cuts faster and cleaner than standard carbide blades

10585Q 3" PRO Diamond Jigsaw Blade (6/cs)

## 3" Saber Saw Blade

QEP



- For cutting shapes in ceramic tile

10014QC 3" Saber Saw Blade (5/cs)  
Only available in Canada

## Undercut Saw

QEP



- 10-point aggressive tooth design for faster, cleaner cuts
- High-carbon steel blade for added strength
- Ideal for undercutting door jambs
- Ergonomic comfort grip handle

10096Q Undercut Saw (6/cs)

## Multi-Use Trim Shears

QEP



- Easily cuts tile trim, PVC piping, quarter round, tackstrip and other light materials
- Attached miter guide for precise cutting of angles
- Pre-notched guide at 45°, 60°, 75°, 90°, 105° and 120°

10711Q Multi-Use Trim Shears (6/cs)

## Contour Gauge

QEP



- Duplicates any shape for easy transfer to tile and other surfaces
- Durable plastic teeth - will not rust

10032Q 10" Contour Gauge (6/cs)  
10038Q 6" Contour Gauge (6/cs)

QEP Canada (English/French Packaging)  
10032QC 10" Contour Gauge (6/cs)

## Chalk and Line Reel

ROBERTS



- Special formula prevents caking and clotting

10-303S Chalk Reel (6/cs)  
10-321 White Chalk Refil, 8 oz. (24/cs)

## Tile Scorer

QEP



- Tungsten carbide tip is built to last
- Suitable for scoring both wall and floor tile
- Can be used for ceramic and porcelain tile

10589QC Tile Scorer (10/cs)  
Only available in Canada

## Tile & Stone File

QEP



- Extra wide 1" x 7-3/4" carbide dual grit filing surfaces
- Fine grit for minor smoothing, coarse grit for smoothing harder surfaces
- Smooths and shapes marble, stone and ceramic tile edges
- Also good for use on saltillo tile
- Comfort grip handle

10091Q Tile & Stone File (6/cs)

QEP Canada (English/French Packaging)

10091QC Tile & Stone File (6/cs)

## PRO Diamond Grit File

QEP



- The high quality diamond bond strength maintains a tough grit surface for working with the hardest materials, including ceramic, porcelain, glass and stone
- Flat/round profiles allow for smoothing both straight and curved edges

10586Q PRO Diamond Grit File (6/cs)

## Rubbing Stone

QEP



- Dual grit surfaces smooth rough edges on freshly cut ceramic & porcelain tile, stone, marble and brick
- Medium 60-grit on one side and fine 80-grit on the other
- Great for dressing diamond blades

10022Q Rubbing Stone (6" x 2" x 1") (6/cs)

QEP Canada (English/French Packaging)

10022QC Rubbing Stone (6" x 2" x 1") (6/cs)

## Sharpening Stone

QEP



- For diamond blades
- Exposes fresh diamonds in the blade rim
- Maximizes blade efficiency and quality of cuts

10024Q Sharpening Stone (6/cs)

## Double Suction Cup

QEP



- Maximum vacuum hold to move smooth, non-porous tile, stone and cultured marble
- Vacuum holds up to 88 lbs.
- Heavy duty, aluminum frame

75003Q Double Suction Cup (3/cs)

## Suction Cup

QEP



- For easy handling of non-porous tile, marble and glass during installation
- Holds up to 12 lbs.
- Suction cup pad is 4-1/2" in diameter
- 3-1/2" wide handle opening easily accommodates large hands

75000Q Suction Cup (6/cs)

QEP Canada (English/French Packaging)  
75000QC Suction Cup (6/cs)

## Tile Mallet

QEP



- 16 oz. premium non-marring head
- Lifetime warranted fiberglass handle – twice as strong as wood
- Softer mallet head designed specially for tile installations
- Comfort grip non-slip handle helps reduce hand fatigue
- Unique roll pin design prevents head from detaching, extending life of mallet
- 12-1/2" in length, 2" diameter rubber head

61620Q Tile Mallet (3/cs)

made in  
**USA**

## White Rubber Mallet

QEP



- 16 oz. non-marring rubber head securely mounted on hardwood handle
- 12-1/2" in length, 2" diameter rubber head

61613 White Rubber Mallet (12/cs)

## REGROUT® Tool

QEP



- Patent pending variable speed tool for precision grout removal up to 1/8 in. wide
- Easiest way to refresh any tiled area
- Includes 2 grout tips

62962Q REGROUT® Tool (4/cs)

## Grout Grabber

QEP



- Attach to any reciprocating saw for quick grout removal
- Use any combination of 1 to 4 blades for grout joints from 1/16" up to 1/2" wide
- Curved carbide grit edge removes grout quickly & easily

75009Q Grout Grabber w/ two blades (12/cs)

75011Q Replacement Grout Saw Blades 2 pack (6/cs)

## Pro Grout Saw

QEP



- Curved heavy duty carbide blades easily remove stubborn grout
- Specially designed handle design provides control and leverage

10092Q Pro Grout Saw (6/cs)

75011Q Replacement Grout Saw Blades 2 pack (6/cs)

QEP Canada (English/French Packaging)

10092QC Pro Grout Saw (6/cs)

## Grout Saw

QEP



- For stripping, cleaning and removing old grout
- Equipped with: 1 carbide grit edge and 1 steel tooth blade
- Use 2 blades for floor grout removal, 1 steel blade for walls

10012Q Grout Saw (12/cs)

10025Q Replacement Grout Saw Blade Set (1 grit edge/1 steel) (6/cs)

QEP Canada (English/French Packaging)

10012QC Grout Saw (12/cs)

10025QC Replacement Grout Saw Blade Set (1 grit edge/1 steel) (6/cs)

## Grout Saw

QEP



- Removes old and dirty grout
- For grout joints 1/8 in. or wider
- Curved handle for comfort grip

10001QC Grout Saw (12/cs)

Only available in Canada

## Grout Remover

QEP



- For removing unwanted grout, mortar, thinset, calcium, caulking and surface rust
- Durable carbide tips are reversible, providing six scraping edges for longer tool life
- Ergonomic comfort grip handle

10020Q Grout Remover (12/cs)

QEP Canada (English/French Packaging)  
10020QC Grout Remover (12/cs)

## Grout Brush

QEP



- Thick, durable nylon bristles clean in corners and grout lines
- Contoured padded handle for firm grip and comfort

20840Q Grout Brush (12/cs)

20840QC Grout Brush (12/cs)

QEP Canada (English/French Packaging)  
20840QC Grout Brush (12/cs)

## Grout Sealer Applicator

QEP



- Includes (2) roller wheels for multiple grout widths:  
Use 1/8" wheel for grout joints 1/8" and smaller  
Use 1/4" wheel for grout joints 1/4" and larger
- Works with all grout sealers
- Patented roller wheel system provides complete coverage
- Holds 12 oz. (355 ml)

10279Q Grout Sealer Applicator (12/cs)

## Tile Installation Kit

QEP



- Complete kit containing all the tools necessary to install ceramic tile on floors
- Kit contains: Molded rubber float, 1/4" x 3/8" x 1/4" square notch floor trowel, 8" tile nippers, sponge, disposable gloves and reusable 2.5 gallon plastic bucket with complete installation instructions

78220Q Tile Installation Kit (1/cs)

QEP Canada (English/French Packaging)  
78220QC Tile Installation Kit (1/cs)

## Tile Caddy

QEP



- Tough ABS plastic supports up to 200 lbs.
- Four durable "Easy Roll" casters
- Large deck is extra stable for large loads
- Built-in handle allows for easy transport on the job

10576Q Tile Caddy (3/cs)

## Jobsite Tough Bag

QEP



- Industrial woven polypropylene construction
- Ideal for construction, lawn and garden, moving and more
- Resistant to tears - made of heavy-duty, woven polypropylene with a plastic coating
- Thick webbed carry straps sewn along sides to support weight of debris
- Re-usable, rinse clean
- Bag measures 25" x 17" x 13", and holds up to 300 lbs

62976Q Jobsite Tough Bag (6/cs)

## Microfiber Polishing Sponge

QEP



- Microfiber side ideal for cleaning grout, applying sealer and polishing tile
- Sponge side is great for washing and polishing cars, boats, countertops and furniture
- 7-1/2" x 5-1/2" x 2"

70010Q Microfiber Polishing Sponge (24/cs)

QEP Canada (English/French Packaging)

70010QC Microfiber Polishing Sponge (24/cs)

## Scrubbing Sponge

QEP



- Professional hydrophilated grout sponge on one side and scrubbing sponge on the other creates dual usage
- Rounded edges minimize "digging out" or marring of grout
- 7-1/2" x 5-1/4" x 1.875"

70007Q-24 Scrubbing Sponge, Individually bagged (24/cs)

QEP Canada (English/French Packaging)

70007QC Scrubbing Sponge, Individually bagged (36/cs)

70007QC-D Scrubbing Sponge, Individually bagged in dump display (144/cs)

## Heavy Duty All-Purpose Sponge

QEP



- Professional extra large premium sponge for grouting and clean up
- Unique hydrophilated design provides high water holding capacity
- Rounded edges minimize "digging out" or marring of grout
- 7-1/2" x 5-1/2" x 1.875"

70005Q-24 Heavy Duty All-Purpose Sponge, Individually bagged (24/cs)

70005Q-144 Heavy Duty All-Purpose Sponge, Individually bagged in dump display (144/cs)

70005Q-6D Heavy Duty All-Purpose Sponge, Value 6 Pack in dump display (24/cs)

70005Q-500 Heavy Duty All-Purpose Sponge, Bulk Bale (500/bale)

QEP Canada (English/French Packaging)

70005QC XL All-Purpose Sponge, Individually bagged (36/cs)

70005QC-144 XL All-Purpose Sponge, Individually bagged in dump display (144/cs)

70005QC-6D XL All-Purpose Sponge, Value 6 Pack in dump display (24/cs)

## Epoxy Grout Sponge

QEP



- Fast and easy way to clean up and remove stubborn epoxy grout
- Designed to hold up under tough conditions
- 7" x 5" x 2.5"

70020Q Extra Large Epoxy Grout Sponge, Individually bagged (18/cs) Only available in Canada

## XL Grout Scrubber

QEP



- Ideal for removing dried or hard grout during and after installation
- Non-abrasive pad will not scratch tiles
- Easily cleaned with soap and warm water
- 10-1/4" x 4-1/2"

10076Q XL Grout Scrubber (12/cs)

## Microfiber Grout Cleaning Cloth

QEP



- Virtually eliminates grout haze
- Heavy duty 325 gram contractor grade, double sided
- Excellent for general purpose cleaning

70018Q Microfiber Grout Cleaning Cloth 18" x 18" (12/cs)

QEP Canada (English/French Packaging)

70018QC Microfiber Grout Cleaning Cloth 18" x 18" (12/cs)

## Polishing Cheesecloth

QEP



- For removing grout haze after installation
- 5 square yards (36" x 180")
- Great for polishing most tile surfaces to a bright shiny finish
- 100% cotton, professional grade fine mesh

76030Q Polishing Cheesecloth (12/cs)

QEP Canada (English/French Packaging)

76030QC Polishing Cheesecloth (12/cs)

## F3 Stabilizer Pro Knee Pads

QEP



### Comfort Wrap Technology with Memory Foam



- Memory foam conforms to the shape of the knee for a custom fit
- XL Patella Gel Zone with extended core for total knee support
- Soft Cap Stabilizer for hard or soft surfaces
- 6 Layer Comfort System provides cushion for your whole knee



79642Q F3 Stabilizer Pro Knee Pads (6/cs)

## Professional Knee Pads

QEP



- Extra large area offers maximum protection
- Comfort form-fitting foam padding
- Soft perspiration wicking fabric next to knee for maximum absorption
- Fast drying

79650Q XL Professional Knee Pads (4/cs)

## Ultra Fit Pro Knee Pads

QEP



- Lightweight neoprene knee pads offer all day comfort
- Form-fitting
- Washable and fast drying

79639Q Ultra Fit Pro Knee Pads (6/cs)

## Hard Cap Knee Pads

ROBERTS



- Hard cap glides easily on soft flooring
- Nylon fabric with foam cushion
- Adjustable Velcro® straps

79023-6 Hard Cap Knee Pads (6/cs)

## Washable Knee Pads

QEP




- Removable pad and washable shell
- Lightweight, all-purpose protection

79631Q Washable Knee Pads (12/cs)

## Toilet Installation Kit & Accessories

QEP



38229 Toilet Installation Kit with 12" Connector (1/cs)  
Includes: Wm Harvey No-Seep® No. 50 Extra Thick Wax Gasket with Polyethylene Flange, Fluidmaster® 12" SS Braided Toilet Connector, Bolt Kit - 1/4" x 2-1/4" brass-plated closet bolts with nuts and washers

38232 Fluidmaster® 12" SS Braided Toilet Connector (1/cs)

38233 No-Seep Wax Ring, No. 50 (1/cs)

## Heavy Duty Multipurpose Gloves

QEP



- Protects hands from the corrosive action of grout, chemicals and other harsh substances
- 100% heavy duty latex is puncture and tear resistant
- One size fits all
- Non-slip ribbing on thumb and finger surfaces

21591Q Heavy Duty Multipurpose Gloves (24/cs)

## Tiler's Gloves

QEP



- Provides excellent grip and dexterity when handling tile and stone
- Nitrile dipped palm protects from rough materials and small cuts

21592Q Tiler's Gloves (10/cs)

## Grout Bag

QEP



- Reinforced tip for smooth application and long life
- Protects hands from grout and other harsh substances
- Made of puncture and tear resistant coated vinyl

76000Q Grout Bag (12/cs)

QEP Canada (English/French Packaging)

76000QC Grout Bag (12/cs)

## Universal Grout Float

QEP



- Non-stick gum rubber ensures smooth application for all grout types including epoxy
- 2- rounded corners prevent gouging of grout joints
- 2- square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints.
- Comfortable, contoured and cushioned grip handle reduces fatigue

10074Q Universal Grout Float 9-1/2" x 4" (8/cs)

QEP Canada (English/French Packaging)

10074QC Universal Grout Float 9-1/2" x 4" (8/cs)

## Gum Rubber Grout Float

QEP

Available in 2 Sizes:  
12" & 9½"



- Non-stick gum rubber ensures smooth application
- 2-rounded corners prevent gouging of grout joints
- 2-square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints
- Premium gum rubber laminated to lightweight, closed cell core is built to last

10061Q Gum Rubber Grout Float, Wood Handle, 9-1/2" x 4" (12/cs)

10063Q Gum Rubber Grout Float, Wood Handle, 12" x 4" (6/cs)

QEP Canada (English/French Packaging)

10061QC Gum Rubber Grout Float, Wood Handle, 9-1/2" x 4" (12/cs)

10063QC Gum Rubber Grout Float, Wood Handle, 12" x 4" (6/cs)

## Molded Rubber Grout Float

QEP



- Completely molded rubber pad prevents absorption of materials

10060Q Molded Rubber Grout Float 9-1/2" x 4" (12/cs)

QEP Canada (English/French Packaging)

10060QC Molded Rubber Grout Float 9-1/2" x 4" (12/cs)

## Economy Rubber Grout Float

QEP



- High-impact plastic handle with closed cell foam rubber pad for a smooth application

10062Q Economy Rubber Grout Float 9" x 4" (24/cs)

## Red Rubber Finishing Float

QEP




- Ideal for fine textured finishes on concrete and plaster

62413 Red Rubber Finishing Float 9-1/2" x 4" (12/cs)

## Margin Float

QEP



- Ideal for hard-to-reach areas such as kitchen backsplashes or under bath and kitchen counters
- 6" x 2"


42115Q 6" Margin Float, Comfort Grip (12/cs)

QEP Canada (English/French Packaging)


10073QC 6" Margin Float, Wood Handle (12/cs)

## LASH® Tile Leveling System

QEP



Available in  
2 Sizes:



**A + B** for 3/16 in. to 7/16 in. tile

**XL A + XL B** for 1/2 in. to 3/4 in. tile

Watch a demonstration video at:  
[www.lashspacer.com](http://www.lashspacer.com)

made in  
**USA**



### For perfect tile-to-tile leveling

The patented LASH® Tile Leveling Clips system is designed for quick installation and reduces costly call backs by insuring that the finished floor surface is lippage-free.

This time-saving system helps adjust the height of the tiles and evenly holds their edges throughout the curing process of the setting material.

- Durable nylon construction for a secure installation
- High-visibility yellow wedges are easy to distinguish on the job site
- Specially designed break-off point on clips for swift removal
- Produces 1/16" joint spacing
- May be combined with regular tile spacers for wider joints - up to 1/4"
- Wedges are reusable

#### Advantages to the installer:

- Very easy to learn and use at any skill level
- Great for use with tiles of varied thickness
- Requires minimal effort to install and remove
- Virtually eliminates lippage
- Prevents tile from moving during the installation
- Speeds up installations
- Less time at the job = more jobs in one day = more profit
- Decreases call-backs due to poor installation


99760Q	XL LASH® Clips, Bag	50 Qty	(8/cs)
99765Q	XL LASH® Wedges, Bag	50 Qty	(8/cs)
99720Q	LASH® Clips, Bag	96 Qty	(8/cs)
99725Q	LASH® Wedges, Bag	96 Qty	(8/cs)
99702	LASH® Clips, Bag	4800 pc. Contractor Pack	
99703	LASH® Wedges, Bag	3600 pc. Contractor Pack	
99751Q	LASH® Clips, Box	300 Bx	(4/cs)

QEP Canada (English/French Packaging)

99720QC	LASH® Clips, Bag	96 Qty	(8/cs)
99725QC	LASH® Wedges, Bag	96 Qty	(8/cs)

## LASH® Pliers

QEP




- Efficiently and easily pushes wedge into leveling clip
- Speeds up tile installation when using QEP LASH Tile Leveling System


99750Q	LASH® Pliers (6/cs)
--------	---------------------

## CLEARVIEW/BULLS•EYE 2-in-1 Tile Spacers

QEP




Spacer wings fit perfectly on corner and angle applications!



10067Q

10068Q

**Two Spacers In One!**  
Offers the option of two different grout joint widths



ClearView & Bulls•Eye Spacers are an economical and user-friendly solution for creating evenly spaced grout joints. The unique, patented design keeps the spacers out of the thinset and provides a clear view of grout lines and corners.

One Spacer does the job of four traditional spacers thus reducing the amount of total spacers needed for each job.

Each bag of Spacers comes with 100 spacer rings and 50 mini-wing spacers for use on corners along walls and angles. These spacers are easy to remove, reusable and perfect for floor and wall tile applications.

These spacers provide an unobstructed view of grout lines for dead on accuracy.

- Helps install tiles quickly and precisely
- One replaces four conventional style spacers
- Open center design allows the installer to instantly align tile corners

10067Q	1/16" & 3/16" CLEARVIEW, Bags (8/cs)
	100 Spacers & 50 Spacer Wings
10068Q	1/8" & 1/4" CLEARVIEW, Bags (8/cs)
	100 Spacers & 50 Spacer Wings

QEP Canada (English/French Packaging)

10067QC	1/16" & 3/16" CLEARVIEW, Bags (8/cs)
	100 Spacers & 50 Spacer Wings
10068QC	1/8" & 1/4" CLEARVIEW, Bags (8/cs)
	100 Spacers & 50 Spacer Wings

## Leave-In Tile Spacers

QEP



- Leave-In design reduces installation time
- Works great on large format tiles - rigid plastic will not compress
- Easy to handle, extra long prongs assure perfect 90° grout corners

10330Q	1/16" Leave-In Spacers, Bag	300 Qty	(12/cs)
10336Q	1/16" Leave-In Spacers, Clamshell	1000 Qty	(6/cs)
10331Q	1/8" Leave-In Spacers, Bag	200 Qty	(12/cs)
10337Q	1/8" Leave-In Spacers, Clamshell	1000 Qty	(6/cs)
10332Q	3/16" Tile Spacers, Bag	100 Qty	(12/cs)
10338Q	3/16" Leave-In Spacers, Clamshell	500 Qty	(6/cs)
10333Q	1/4" Leave-In Spacers, Bag	100 Qty	(12/cs)
10339Q	1/4" Leave-In Spacers, Clamshell	500 Qty	(6/cs)

## Horseshoe Shims

QEP



- Non compressive
- Ideal for marble, granite, stone, large format tiles and vertical installations.
- Allows user to lift both corners and align the joints from tile to tile

10320Q	1/16" Horseshoe Shims, Tub	200 Qty	(6/cs)
10321Q	1/8" Horseshoe Shims, Tub	150 Qty	(6/cs)
10322Q	3/16" Horseshoe Shims, Tub	100 Qty	(6/cs)
10323Q	1/4" Horseshoe Shims, Tub	75 Qty	(6/cs)

## Tile Spacers

QEP



made in  
**USA**

- Precision cut for accuracy
- Evenly space tiles for uniform grout lines
- Provide quick, professional looking results
- Works with all sizes of ceramic tile, porcelain, stone and marble

10006Q	1/16" Tile Spacers, Bag	250 Qty	(24/cs)
10026Q	1/8" Tile Spacers, Bag	250 Qty	(24/cs)
10281Q	1/8" Tile Spacers, Bag	1000 Qty	(12/cs)
10316Q	3/16" Tile Spacers, Bag	200 Qty	(24/cs)
10284Q	3/16" Tile Spacers, Bag	500 Qty	(12/cs)
10005Q	1/4" Tile Spacers, Bag	200 Qty	(24/cs)
10282Q	1/4" Tile Spacers, Bag	400 Qty	(12/cs)
10027Q	3/8" Tile Spacers, Bag	100 Qty	(24/cs)

QEP Canada (English/French Packaging)

10006QC	1/16" Tile Spacers, Bag	250 Qty	(24/cs)
10026QC	1/8" Tile Spacers, Bag	250 Qty	(24/cs)
10281QC	1/8" Tile Spacers, Bag	1000 Qty	(12/cs)
10316QC	3/16" Tile Spacers, Bag	200 Qty	(24/cs)
10284QC	3/16" Tile Spacers, Bag	500 Qty	(12/cs)
10005QC	1/4" Tile Spacers, Bag	200 Qty	(24/cs)

## Wedge Tile Spacers

QEP



made in  
**USA**

- Crucial for achieving a level first row of wall tile
- Ideal for maintaining level horizontal grout lines during installation
- Avoids tile slippage on vertical surfaces - will not compress
- Can be used for up to 1/8" (3mm)

10285Q	Wedge Tile Spacers, Bag	500 Qty	(12/cs)
--------	-------------------------	---------	---------

QEP Canada (English/French Packaging)

10285QC	Wedge Tile Spacers, Bag	500 Qty	(12/cs)
---------	-------------------------	---------	---------



## CARPET TOOLS

## Power-Lok Stretcher

### ROBERTS

The 10-254V Value Kit includes: one power unit, tail block with wheels, six 3 ft. extension tubes, adjustable locking tube, transfer tube and the complete interlocking wheeled stretcher carrying case and tube carrying case



The Power-Lok Stretcher is the most advanced power stretcher available.

- Power-Lok swivel head locks into 17 different “stretch/pattern holding” positions
- Unique swivel head for stretching angles or corners
- Variable pin penetration for different carpet thicknesses  
Low profile head with sidekicking platform makes it compatible with a knee-kicker
- Steel handle on head for better grip and repositioning
- Standard 18 in. tail block includes a foam wall protector and wheels for easy repositioning  
Stretch up to 38 ft. with the Value Kit and up to 23-1/2' with the standard set

The Power-Lok Stretcher is also available as a standard set

- A standard 10-254 set includes: one power unit, tail block with wheels, three 3 ft. extension tubes, adjustable locking tube, transfer tube, and the single interlocking wheeled stretcher carrying case

10-254V	Power-Lok Stretcher Value Kit (1/cs)
10-254	Power-Lok Stretcher (1/cs)
10-254-50	Replacement Power Head for 10-254 (10/cs) (does not include tube, tail block or carrying cases)

#### Included with each stretcher! No. 10-250 Adjustable Locking Tube




Adjust your stretcher poles in a flash with our Adjustable Locking Tube! Just push back on your tubes to extend, push buttons and pull back to shorten. Also sold separately.

## Additional Stretcher Tubes

### ROBERTS

- Fits all standard Roberts Stretchers as well as most other standard carpet stretchers

10-250	Adjustable Locking Tube (1/cs)
10-230-10	3' Steel Stretcher Tube Fits 10-254 & 10-237 Stretchers (1/cs)
10-235-10	3' Aluminum Stretcher Tube (not shown) (1/cs)
10-235-05	5' Aluminum Stretcher Tube (not shown) (1/cs)



## Junior Power Stretcher

ROBERTS

The 10-237V Value Kit includes: one power unit, tail block with wheels, six 3' extension tubes, adjustable locking tube, transfer tube and the complete interlocking wheeled stretcher carrying case and tube carrying case



Our most economical power stretcher is loaded with features.

- The low profile power head is easy to span with the knee kicker
- 18 in. spring-loaded tail block with wheels provides additional support
- Stretch over 38' with the Value Kit and up to 23-1/2' with the standard set

The Junior Power Stretcher is also available as a standard set.

- A standard 10-237 set includes: one power unit, tail block with wheels, three 3' extension tubes, adjustable locking tube, transfer tube, and the single interlocking wheeled stretcher carrying case

**Included with each stretcher!**  
No. 10-250 Adjustable Locking Tube



Adjust your stretcher poles in a flash with our Adjustable Locking Tube! Just push back on your tubes to extend, push buttons and pull back to shorten. Also sold separately.

10-237V	Junior Power Stretcher Value Kit (1/cs)
10-237	Junior Power Stretcher (1/cs)
10-237-50	Replacement Power Head for 10-237 (1/cs) (does not include tube, tail block or carrying cases)

## Stretcher Cases

ROBERTS

The Roberts Stretcher Case System includes a stretcher case with wheels and a tube case that hooks onto the stretcher case for easy transportation. The cases are easily split apart to equally distribute the weight when carrying to and from the jobsite. Both cases include high-density blow molded plastic walls for exceptional durability, recessed hinges and latches and comfortable molded handles.



10-230-40



10-230-3K

- Stretcher Case with 4" Wheels holds stretcher unit, tail block with wheels, three 3 ft. extension tubes, adjustable locking tube and transfer tube (nylon web belt with quick release buckle included)
  - For use with 10-254 and 10-237 stretchers
- |           |  |
|-----------|--|
| 10-230-40 | Empty Stretcher Case with Wheels (1/cs)        |
| 10-230-3K | Tube Case with Three 3' Extension Tubes (1/cs) |

## Locking Pattern Matching & Seam Repair Stretcher

ROBERTS



INCLUDES:  
Tailblade  
for stretching  
carpet off  
of tackstrip



ON/OFF knob  
provides locking  
or conventional  
operation




The unique locking action enables "hands-off" seam repair. Turn the Automatic Locking Mechanism "ON" and the powerhead locks each 1/4" of pin plate travel for easy pattern alignment. Turn the locking action "OFF" and the stretcher works in the conventional "non-locking" mode.

- Adjustable pin depths for different carpet thicknesses
- Holds up to 300 lbs. of stretch tension
- Tailblade swivel construction allows for angle stretching in any direction off of tackstrip
- Solid die cast frame stands up to years of dependable service
- Includes custom molded carrying case

10-128 Locking Pattern Matching and Seam Repair Stretcher (1/cs)  
10-117-04 Powerhead Replacement Unit (1/cs)  
10-107-03 Tailblade Replacement Unit (1/cs)

## Nap Grip Head (Cotton Head)

ROBERTS



- Designed to use on low profile loop, cut pile and woven carpets

10-248 Nap Grip Head for 10-254 and 10-237 stretchers (1/cs)

## Power Stretcher Tail

ROBERTS



- Needle sharp point bites through carpet and pad into wood subfloor for a firm solid stretch
- Stretch even when there are no walls to brace against
- Precision made with hand-ground tempered steel
- Fits all standard Roberts Stretchers

10-258 Power Stretcher Tail (1/cs)

## Gel Pro 505 Knee Kicker

ROBERTS




- Innovative lever design for easy pin depth adjustment
- Gel bumper softens impact to knee, reducing knee shock
- Angled bumper provides optimum driving impact
- Contoured, heavy duty "bullneck" body design
- Quick thumb release for adjusting the extension arm
- Comfort pad insert

10-505 Gel Pro 505 Knee Kicker (2/cs)  
10-505-200 Bumper Pad Kit (Bumper, Plate, Boot, Gel Pad) (1/cs)

## GT2000 XL Knee Kicker

ROBERTS



- Scientifically engineered bumper pad significantly reduces knee shock
- 28% wider head than standard kickers provides 33% more gripping power
- Trigger easily adjusts the length from 18½" to 22½"
- Thick walled, aluminum die cast body for maximum strength
- High contour neck fits over stretcher
- Center grooved head for adjusting power stretcher head
- Smooth, precise dial adjusts pin depth

10-2000GT GT2000 XL Knee Kicker (3/cs)  
10-2000-09 Replacement Bumper Pad (3" thick) (1/cs)  
10-412-09 Replacement Bumper Pad (2" thick) (1/cs)

## GT Knee Kicker

GOLDEN TOUCH



- Easy one button adjustments from 18-7/8" to 24" lengths
- Extra wide head for improved load distribution
- High contour neck for use over stretcher head and poles
- Center grooved head for adjusting power stretcher head
- Easy to read, easy to adjust pin depth dial

10-501 GT Knee Kicker (3/cs)  
10-412-09 Replacement Bumper Pad (2" thick) (1/cs)  
10-2000-09 Replacement Bumper Pad (3" thick) (1/cs)

## Deluxe Knee Kicker

ROBERTS



The 10-412 Deluxe Knee Kicker is Roberts' most popular knee kicker and has been the "industry standard" for over 25 years.

- Trigger assembly easily adjusts the length from 17" to 21"
- Superior die cast aluminum body is lightweight and durable
- Exclusive non-slip checkered hand grip
- Foam-filled seamless bumper pad for extra comfort
- Easy to read, easy to adjust pin depth dial
- Center grooved head for adjusting power stretcher head

10-412-2	Deluxe Knee Kicker (no case) (2/cs)
10-412BKK	Deluxe Knee Kicker (black finish with case) (3/cs)
10-412-09	Replacement Bumper Pad (2" thick) (1/cs)
10-2000-09	Replacement Bumper Pad (3" thick) (1/cs)

## Deluxe High Profile Knee Kicker

ROBERTS



The 10-422BK features the same solid construction and reliability of the 10-412 but with the added value of a number of installer-designed features.

- High contour neck for use over stretcher head and poles
- 50% thicker bumper pad for extra knee comfort
- 16% wider head for improved load distribution
- Solid, dependable trigger release adjusts from 17-1/2" to 21-1/2"
- Non-slip checkered hand grip
- Center grooved head for adjusting power stretcher head

10-422BK	Deluxe High Profile Knee Kicker (3/cs)
10-412-09	Replacement Bumper Pad (2" thick) (1/cs)
10-422-09	Replacement Thick Bumper Pad (3" thick) (1/cs)
10-2000-09	Replacement Bumper Pad (3" thick) (1/cs)

## Adjustable Knee Kicker

ROBERTS



- Great for all carpeting installations - big or small
- Double locking pins to easily adjust length from 19" to 23"
- Extra heavy aluminum casting and industrial grade steel provide rugged strength
- High contour neck for use over stretcher head and poles
- Center grooved head for adjusting power stretcher head
- Easy to read, easy to adjust pin depth dial
- Durable powder coated finish

10-410	Adjustable Knee Kicker (3/cs)
10-412-09	Replacement Bumper Pad (2" thick) (1/cs)
10-2000-09	Replacement Bumper Pad (3" thick) (1/cs)

## Cool Shield® Heat Bond Iron

ROBERTS



The Cool Shield Heat Bond Iron melts 3" wide heat bond tape quickly and easily while maintaining a cooler top shield temperature. Even on the highest setting of 425°F the 10-482G reaches a maximum heat shield temperature of only 256°F.

- Patented double heat shield minimizes deforming of carpet backing and face yarn
- "S" shaped heating element provides even heating and longer heat retention
- Grooved non-stick base for fast, easy clean-up
- "Comb Profile" forms ridges in adhesive for stronger carpet seams
- Streamlined, low profile design allows for easy carpet seaming
- 3-way cord guide keeps the 9-1/2' cord out of the way
- Thermostat indicator light shows when iron is heating

10-482G Cool Shield Heat Bond Iron (110 V) (3/cs)

## Deluxe Heat Bond Iron

ROBERTS



This best selling Heat Bond Iron is the first choice of professionals worldwide.

- Streamlined, low profile design allows for easy carpet seaming
- Even heat distribution for thorough melting
- Heat shield to prevent backings from overheating
- Non-stick coated for fast, easy clean-up
- "Comb Profile" forms ridges in adhesive for stronger seams
- 2-way pivoting cord for easier control
- Stay-cool handle and up-front thermostat make it easy to use
- Bi-color indicator light turns red to green when at desired temperature
- Approximate heat range 135°F to 425°F

10-282G-2 Deluxe Heat Bond Iron, Grooved Base (110 V) (2/cs)

## 6" Heat Bond Iron

ROBERTS



Get faster, more thorough bonding even near walls or in doorways.

- Custom designed to distribute heat evenly from front to tail
- Special contoured handle stays cool
- Grooved non-stick base for fast, easy clean-up
- Up-front thermostat control for easy heat-setting adjustments
- Low profile, tapered base plate design for joining carpet easily at the back of the iron
- 3-way cord guide keeps cord out of the way
- Approximate heat range 135°F to 425°F
- 110 V

10-286G 6" Heat Bond Iron (110 V) (3/cs)

## 4" Loop Pile Seam Roller

ROBERTS



- Extended, angled soft grip handle for better leverage
- Specifically designed for seaming loop pile and berber carpets
- Star wheels maximize hot melt transfer into carpet back for stronger seams
- Excellent for hooking carpet on tackstrip

10-169 4" Loop Pile Seam Roller (3/cs)

## 5" Carpet Seam Roller

ROBERTS



- Specially designed for loop pile carpet
- Wide head reduces dishing in seam area
- Durable and lightweight superior die cast handle
- Get stronger seams and increased hot melt transfer into carpet back with stationary roller shaft

10-100 5" Extra Wide Carpet Seam Roller (3/cs)

## 4 1/2" Deluxe Carpet Seam Roller

ROBERTS



- Specially designed for loop pile carpet
- Professionally finishes even the most demanding carpet seams
- No-slip handle and lightweight design to minimize user fatigue
- Offset, extra wide 4-1/2" rollers to reduce seam peaking and maximize adhesive penetration for stronger, longer lasting seams

10-101 4-1/2" Deluxe Carpet Seam Roller (4/cs)

## 4" Cut Pile Seam Roller

ROBERTS



- Extended, angled soft grip handle for better leverage
- Smooth roller forces carpet backing into seaming tape without fraying yarn ends
- Specifically designed for safe seaming of cut pile carpets, saxonomies and vinyl seams

10-170 4" Cut Pile Seam Roller (3/cs)

## Conventional Carpet Trimmer

ROBERTS / GOLDEN TOUCH



- Quickly trims carpet neatly at the wall and under toe kicks
- Five position folding handle moves easily in hard to reach areas
- Quick and positive vertical and horizontal adjustment
- Anti-slip rubber handle and hardened stainless steel guide
- 10-617GT includes dual layer spring steel blade clips

10-616-2 GT Conventional Carpet Trimmer (2/cs)  
(Includes 20 Heavy Duty Slotted Blades)  
10-617GT GT Carpet Trimmer (Classic Handle) (2/cs)

## Multi-Purpose Wall Trimmer

ROBERTS / GOLDEN TOUCH



This Multipurpose Wall Trimmer is not only good for cutting conventional carpet, it is great for cutting soft vinyl sheet goods, carpet tiles and cushion back for glue-down carpets.

- Make cleaner cuts without marking walls
- Hooked blades can be used to cut carpet tiles quickly and easily
- Slotted blades can be used for regular carpet or vinyl sheet goods
- Snap-on anti-friction boot glides smoothly over sheet goods
- Fully adjustable for most material thicknesses
- Stainless steel construction

10-905 Multi-Purpose Wall Trimmer (3/cs)  
Uses replacement blades: 10-440, 10-436, 10-438

## Loop Pile Cutter

ROBERTS / GOLDEN TOUCH



- Efficiently cuts most loop pile carpet regardless of thickness
- Unique two-blade design accommodates both left and right positions for cutting closer to the yarn edge
- "Direct Contact" locking design keeps blades securely in place
- Throat opening adjusts automatically for different carpet backs
- Constructed of stainless steel for maximum durability

10-152-3 Loop Pile Cutter (3/cs)  
(Includes 15 Heavy Duty Slotted Blades)  
10-152GT GT Loop Pile Cutter (Classic Handle) (6/cs)  
Uses replacement blades: 10-436, 10-438

## Cushion Back Cutter

ROBERTS / GOLDEN TOUCH



- Cut all thicknesses of cushion back carpet and conventional carpet with adjustable blade depth
- Two blades that lock into position for close, precise cutting
- Direct-pressure blade knob holds blades tightly in place
- Constructed of stainless steel for maximum durability

10-146-3 Cushion Back Cutter (3/cs)  
(Includes 15 Heavy Duty Slotted Blades)  
10-146GT GT Cushion Back Cutter (Classic Handle) (6/cs)  
Uses replacement blades: 10-436, 10-438

## Universal Seam Cutter

ROBERTS



- Single center mechanism holds both slotted and utility blades in place
- Superior double usage - use slotted blade for top cutting or trimmer blade for bottom cutting
- 50° blade angle permits cleaner, smoother precise cuts
- Quick release blade replacement feature for fast blade changes
- Extra long nose provides for better row separation
- Accepts all standard utility blades

10-154-3 Universal Seam Cutter (3/cs)  
Uses replacement blades: 10-388-3, 10-436, 10-438

## Row Finder/Separator

ROBERTS



- Use to separate carpet rows to minimize damage to nap and loops
- Features tapered round end for cut pile and flattened end for loop pile carpets
- Slip resistant checkered grip

10-517 Row Finder Separator (6/cs)

## EZ TUK Carpet Tucker

ROBERTS



made in  
**USA**

- Lightweight tucking tool will not mark or damage walls
- Use around toilets and ceramic tile without fear of breakage
- Square edge works well for tucking carpet into corners
- Curved edge is great for stairs
- 3-1/2 in. wide blade

10-522-4 EZ TUK Carpet Tucker (4/cs)

## Stair Tool

ROBERTS



- Use to set carpet into tack strip, drive carpet into gullies and crease carpet along wall line
- Heavy duty blade easily sets carpet into stairway crevices
- Made from forged, chrome-plated steel

10-521 4" Extra Wide Stair Tool (3/cs)

## Longneck Plus 6" Jamb Saw

ROBERTS



- 1-1/2" vacuum port for optimal dust containment
- Extended "tail" for maximum leverage against torque
- Powerful, 1100 watt industrial grade power unit, 120 V
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Easy access trigger for better control
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Includes 6-3/16 in. 36-tooth carbide tip blade and masonry blade
- Includes custom molded carrying case

10-56	Longneck Plus 6" Jamb Saw (1/cs)
10-47-2	6-3/16" 36-Tooth Carbide Tip Saw Blade (2/cs)
10-47-6	6-3/16" 20-Tooth Carbide Tip Saw Blade (6/cs)
10-55-24	Masonry Blade (1/cs)



\*hose not included

## Super Six 6" Jamb Saw

ROBERTS



- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Powerful, 900 Watt industrial grade power unit has all ball and needle bearings, 120 V
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Spiral ground gears for smooth, quiet operation
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Includes 6-3/16" 36-tooth carbide tip blade
- Includes custom molded carrying case

10-46	Super Six 6" Jamb Saw (1/cs)
10-47-2	6-3/16 in. 36-Tooth Carbide Tip Saw Blade (2/cs)
10-47-6	6-3/16 in. 20-Tooth Carbide Tip Saw Blade (6/cs)

## Jamb Saw Replacement Blades

ROBERTS



- 10-47-6 6-3/16" Carbide tipped blade provides long cutting life 20-tooth anti-snag blade resists catching on hidden nails (6/cs)
- 10-47-2 6-3/16" 36-tooth carbide tipped blade easily cuts through tough wood. Excellent for cutting door jams, baseboards and along walls (2/cs)
- 10-55-24 6" Durable masonry blade easily cuts through brick and cement block (1/cs)
- 10-42 4-1/4" Carbide tipped blade provides long cutting life 20-tooth anti-snag blade resists catching on hidden nails (6/cs)  
For use with Roberts 10-40 Jamb Saw

## Professional Electric Stapler

ROBERTS



- Powerful, 15 amp solenoid delivers more power to drive staples deeper, 120 V
- 6-3/4" low profile head allows easy access in tight places, particularly stairs
- Heavy 14 gauge, 12' power cord offers maximum power and provides a wider range of travel without extension cords
- Hardened driver mechanism that shoots 20 gauge, 3/16" crown staples
- Quick-release bottom loading magazine for fast reloading (85 staple capacity)
- Ergonomic non-slip handle with rubber grip for maximum comfort and control
- Includes custom molded carrying case
- Accepts Duo-Fast® #5418-D Staples and other quality brand 9/16" divergent Point Staples

10-600 Professional Electric Stapler (1/cs)

## Staple Hammer

ROBERTS



- Perfect balance, durable stamped steel, comfortable vinyl grip, and easy back-end loading
- Accepts 3/8 in. staples
- Holds 160 staples

10-109 Staple Hammer (6/cs)  
 30-210 3/8" Divergent Point Staples 5000/bx (20/cs)  
 30-110 3/8" Chisel Point Staples 5000/bx (20/cs)

## Nail Driving Bar

ROBERTS



- Constructed of cold forged carbon steel for an extra long life
- Features a magnetic head to hold nails in place for easy starting
- Unique design to access hard-to-reach places such as: under radiators, toe kicks, overhangs and next to glass doors when nailing down tackless strip
- 12-3/8" in length, with soft, no-slip handle

10-151 Nail Driving Bar (6/cs)

## 30' Tape Measure

ROBERTS



- 30' x 1" steel acrylic coated blade
- Rugged case with red rubber jacket
- Bright colors for "easy to find" visibility
- Strong spring return; thumb lock and steel belt clip

10-140 30' Tape Measure (12/cs)

## 10" Carpet Shears

ROBERTS



*made in*  
**USA**

- Precision ground cutting blades
- Superior cutting ability and durability
- Accommodates large hands comfortably with extra wide, vinyl coated cushioned handle openings
- Blade edge sharpens easily on stone
- Chrome plated with knife edges

10-123 10" Carpet Shears (6/cs)

## 8" Napping Shears

ROBERTS



*made in*  
**USA**

Side angle profile



- Offset handle for easy, level napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-121 8" Napping Shears (6/cs)

## 6" Duckbill Napping Shears

ROBERTS



*made in*  
**USA**

Side angle profile



- Offset handle and special blade prevent gouging while napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-585 6" Duckbill Napping Shears (6/cs)

## 7" Duckbill Napping Shears

ROBERTS



*made in*  
**USA**

Side angle profile




- Offset handle and special blade prevent gouging while napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-586-3 7" Duckbill Napping Shears (3/cs)

## 24" Steel Tool Box

ROBERTS



Seaming Plate



Staple Storage

- Heavy duty steel construction
- Durable full length piano style hinge
- Strong side handles and durable soft grip lid handle for easy carrying
- Vented nylon seaming plate mounted under tray acts as seaming weight
- Tray provides extra storage for staple and nail boxes
- 3 hardened steel hasps provide secure closure and accept padlocks for additional security
- 24" W x 9-3/4" H x 8-3/4" D

10-161

24" Steel Tool Box (1/cs)

## Carpet Installation Kit

ROBERTS



Carpet Installation Kit Includes:

10-161	24" Steel Tool Box
10-169	Loop Pile Seam Roller
10-108	Professional 2 in. Strip Cutter
10-109	Staple Hammer
10-114	20 oz. Ripping Hammer
10-146GT	GT Cushion Back Cutter
10-151	Nail Driving Bar
10-152GT	GT Loop Pile Cutter
10-616-2	Conventional Carpet Trimmer
10-252	Professional Carpet Knife
10-260	Deluxe Grip Tool Pouch
10-303S	Chalk Reel
10-321	White Chalk Refill - 8 oz.
10-412-2	Deluxe Knee Kicker
10-510-3	Base Molding Lifter
10-521	4" Extra Wide Stair Tool
10-522-4	EZ Tuk Carpet Tucker
10-586-3	7" Duckbill Napping Shears
10-920-6	Pro Fixed Blade Utility Knife
10-931	Linoleum Knife
10-140	30' Tape Measure
10-517	Row Finder/Separator
61613	White Rubber Mallet

10-750

Carpet Installation Tool Kit (1/cs)

## Economy Carpet Installation Kit

ROBERTS



Carpet Installation Kit Includes:

10-154-3	Universal Seam Cutter
10-169	4" Loop Pile Seam Roller
10-252	Professional Carpet Knife
10-521	4" Extra Wide Stair Tool
10-586-3	7" Duckbill Napping Shears

10-751

Carpet Installation Kit (1/cs)

## Deluxe Grip Pouch

ROBERTS



- Holds tools firmly in place with special leather insert grips
- Professionally constructed of 100% leather and double stitching
- Slotted to fit directly on the belt
- 7-1/2" x 4-1/2" x 3/4"

10-260 Deluxe Grip Pouch (12/cs)

## Hot Melt Glue Gun

ROBERTS



- Solid state heating system warms up in just 3 minutes
- Silicone feed sleeve provides smooth application
- Extrudes up to 1 lb. of glue per hour
- Specially designed trigger with feed pressure limiter eliminates glue back-up and gun damage
- 40 Watts at 380°F
- Includes 6 glue sticks (4" long and 1/2" in diameter)

10-700 Hot Melt Glue Gun (6/cs)

## Glue Sticks

ROBERTS



- Excellent for most carpet and sheet goods excluding vinyl backs
- Make repairs disappear with our translucent hot melt glue stick that cools almost clear
- 1/2" diameter fits most glue guns

10-802 10" Glue Sticks (12 sticks per box) (24/cs)

## Professional 2" Strip Cutter

ROBERTS



- Long jaws cut all strip, including architectural strip
- Powerful cutting force - 8 to 1 leverage
- Rugged, forged steel construction
- Blade storage in handle

10-108 Professional 2" Strip Cutter (3/cs)  
Uses replacement blades: 10-439

## Multi-Use Trim Shears

QEP



- Easily cuts tile trim, PVC piping, quarter round, tackstrip and other light materials
- Attached miter guide for precise cutting of angles
- Pre-notched guide at 45°, 60°, 75°, 90°, 105° and 120°

10711Q Multi-Use Trim Shears (6/cs)


## Carpet Rake & Groomer

### ROBERTS

The Roberts® Carpet Rake and Groomer is ideal for quick and easy carpet maintenance. By using a 'Push Pull' motion the rake releases trapped-in dirt, pet hair and debris and pulls it to the surface so that the vacuum can remove it. By using a 'Rake Like' motion the carpet pile is revived with a 'Like New' appearance.

- Easy and quick carpet care and maintenance
- Extra long 51" handle and 12" wide head covers large areas quickly
- Specially designed bristles reach deep into the base of carpet
- Makes vacuum tracks disappear
- Three part handle can be disassembled for easy storage

70-127 Carpet Rake and Groomer (6/cs)



## Heavy Cargo Dollies

### ROBERTS




- These rugged, durable movers are perfect for moving rolls of carpet or sheet goods, equipment, furniture and appliances
- Each dolly holds up to 1000 pounds
- Made from heavy industrial steel, with welded and bolted construction
- Easily extends from 24" to 33" with spring loaded lock pins
- 3" heavy-duty ball bearing non-mar polyurethane wheels

10-575 Heavy Cargo Dollies set of 2 (1/cs)

## Dual Air Glider

### ROBERTS



- A powerful, lightweight mechanism which utilizes hovercraft principles for easy and safe movement of commercial and industrial machinery, office equipment and household appliances without damaging floors
- 8-1/2" x 36" dual vacuum platforms
- 1.75 HP blower provides a 750 lbs. lift capacity
- Improved motor output connector
- Includes carrying case
- 2 Year Warranty

10-480 110 V Dual Air Glider (1/cs)





## LAMINATE & WOOD TOOLS

## 25" Pro Flooring Cutter

ROBERTS



### Applications

- Carpet Tile
- Laminate & Engineered Wood Flooring
- Vinyl Flooring
- Vinyl Sliding
- VCT Tile
- Rubber
- Foam
- PVC and more

- Cuts Carpet Tile, Wood Planks and flooring up to 25" wide 17" diagonal and 16 mm thick
- Extendible handle provides extra leverage for more cutting power with less effort
- Cutting guide swivels for angle cuts and is adjustable to maintain perfect 90° cuts
- Replaceable, resharpenable 4mm thick tungsten blade

10-68 25" Pro Flooring Cutter (1/cs)

10-468 25" Tungsten Carbide Rep. Blade (1/cs)

## 18" Pro Flooring Cutter

ROBERTS



### Applications

- Laminate & Engineered Wood Flooring
- Vinyl Flooring
- Vinyl Sliding
- VCT Tile
- Parquet
- Rubber
- Foam
- PVC and more

- Cuts up to 18" planks, 12" diagonal and 16 mm thick
- Extendible handle provides extra leverage for more cutting power with less effort
- Cutting guide swivels for angle cuts and is adjustable to maintain perfect 90° cuts
- Replaceable, resharpenable 4mm thick tungsten blade

10-66 18" Pro Flooring Cutter (1/cs)

10-466 18" Tungsten Carbide Rep. Blades (1/cs)

## 13" Pro Flooring Cutter

ROBERTS



### Applications

- Laminate & Engineered Wood Flooring
  - Vinyl Flooring
  - Vinyl Siding
  - VCT Tile
  - Soft Plastic
  - Fiber Cement Siding
- Extendible handle provides extra leverage for more cutting power with less effort
  - Guide swivels for angle cuts
  - Heavy duty extruded aluminum base with thick plastic surface
  - Replaceable, resharpenable 4mm thick blade
  - Cuts up to 13" wide, 8" diagonal and 16 mm thick material

10-64      13" Pro Flooring Cutter (1/cs)  
10-464     13" Tungsten Carbide Replacement Blade (1/cs)

## 13" Flooring Cutter

ROBERTS



### Applications

- Parquet
  - Vinyl Flooring
  - Vinyl Siding
  - VCT Tile
  - Rubber
  - Foam
  - PVC and more
- Extendible handle provides extra leverage for more cutting power with less effort
  - Table miter gauge for angled cuts 0° - 45°
  - Replaceable, resharpenable blade
  - Cuts up to 13" wide and 12mm thick material

10-63      13" Pro Flooring Cutter (1/cs)  
10-463     13" Tungsten Carbide Replacement Blade (1/cs)

## 9" Flooring Cutter

ROBERTS



### Applications

- Laminate & engineered wood flooring
- Heavy duty steel "T" base design for maximum stability
  - Extra long handle for better cutting leverage
  - Long lasting 9", resharpenable 4mm tungsten blade
  - Versatile angle guide for 45° cuts
  - Sturdy, positionable "V" support keeps planks level while cutting

10-60      9" Flooring Cutter (1/cs)  
10-460     9" Tungsten Carbide Replacement Blade (1/cs)

PLANK WIDTH	MAX CUTTING THICKNESS
5½"	up to 16 mm thick
7"	up to 12 mm thick
8½"	up to 9.5 mm thick

## 8" Laminate Cutter

ROBERTS



- Cuts laminate up to 8" wide and 10mm thick
- Heavy duty steel frame for maximum stability
- Positionable "V" support keeps planks level while cutting

10-35 8" Laminate Cutter (1/cs)

## 8" Flooring Cutter

QEP



### Applications


- Laminate
- LVT
- LVP

- Cuts laminate up to 8" wide and 12 mm thick
- Heavy duty steel frame for maximum stability
- Positionable "V" support keeps planks level while cutting

10-37 8" Flooring Cutter (2/cs)

## Porta-Jack Pro Hardwood Flooring Jack

PORTA-NAILS



### Applications

- Solid & engineered wood flooring

- Tightens and holds flooring strips in place for nailing
- Versatile features allow use up against walls or in the middle of the floor
- Straightens crooked or bowed flooring strips
- 'Non-stick' coated base provides protection for prefinished floors
- Includes 2 knob screws for easy front lip removal
- Delivers over one ton of force

47100 Porta-Jack Pro Hardwood Flooring Jack (1/cs)

## Porta-Nailer Hammerhead

### PORTA-NAILS



- 5/8", 3/4" & 33/32" domestic solid wood flooring
- 3/8" to 9/16" solid wood flooring (40230 Accessory shoe required)
- 1/2" to 9/16" engineered wood flooring (40230 Accessory shoe required)
- 5/8" bamboo\* flooring (40248 Accessory shoe required)

### SPECIFICATIONS

Operating Pressure	Manual
Fastener Capacity	100
Fastener Style	16 Ga "T" Cleats

- Blind nail 3/8" - 33/32" and face nail tongue and groove flooring using interchangeable shoe attachments
- Multi-hit minimizes fatigue while providing greater impact and floor tightness - no need to hit tool hard
- Ratcheting ram allows for single or multi-hit, guaranteeing nails are properly set every time
- Includes extension handle, mallet, angled shoe for 5/8" - 33/32" tongue and groove flooring, wrenches and rugged carrying case

402A	16 Ga Manual Floor Nailer (1/cs)
40225	Face Nail Shoe (1/cs)
40230	Thin Flooring Shoe (3/8" to 9/16" solid wood floors) (1/cs)
40248	Bamboo Flooring Shoe (5/8" horizontal or vertical grain) (1/cs)

\*Not recommended for stranded bamboo products

## Portamatic Hammerhead TL

### PORTA-NAILS



- 1/2" to 3/4" domestic solid wood flooring
- 1/2" solid & engineered wood flooring

### SPECIFICATIONS

Operating Pressure	90 psi @ 4.2 cfm
Fastener Capacity	150
Fastener Style	16 Ga "T" & "L" Cleats

- Taller handle yields less back fatigue
- Mallet activated to ensure the tightest floor possible
- Integrated safety prevents accidental firing
- Includes mallet, wrenches, pneumatic lubricant, safety goggles, an easy to convert reversible shoe base for nailing 1/2" and 3/4" flooring, swivel air inlet connector and carrying case

470A	16 Ga Floor Nailer (1/cs)
47090	Prefinished Flooring Shoe, Wide Profile (9/16" to 3/4") (1/cs)

\*Not recommended for stranded bamboo products

## Portamatic Evolution

### PORTA-NAILS



- 3/8" to 3/4" engineered wood, solid wood, & bamboo flooring
- 3/8" to 5/8" stranded or woven bamboo products

### SPECIFICATIONS

Operating Pressure	80 psi @ 3.8 cfm
Fastener Capacity	110
Fastener Style	18 Ga "L" Cleats

- Unique ram design can be hit at any angle to get closer to the wall
- Cam operated height adjustment
- Quick access to the valve and main piston
- Safety mechanism is built into the base of the tool

418A	18 Ga Floor Nailer (1/cs)
------	---------------------------

## 3-in-1 Portamatic 465SLT

### PORTA-NAILS



- 5/8", 3/4" & 33/32" domestic solid wood flooring
- 3/8" to 9/16" solid wood flooring
- 9/16" engineered wood flooring

### SPECIFICATIONS

Operating Pressure	70-115 psi
Fastener Capacity	100-120 pieces
Fastener Style	16 Ga "T" & "L" Cleats / 15.5 Ga Staples

- 3-in-1 design allows for cleats or staples
- Mallet activated to ensure the tightest floor possible
- Integrated safety prevents accidental firing
- Includes mallet, wrenches, pneumatic lubricant, safety goggles, (2) shoe bases for nailing 1/2" and 3/4" flooring, and carrying case

465SLT 16 Ga 3-in-1 Floor Nailer/Stapler (1/cs)

## Portamatic Elevator

### PORTA-NAILS



- 3/8" to 5/8" engineered wood, solid wood, & bamboo\* flooring

### SPECIFICATIONS

Operating Pressure	100 psi @ 1.93 cfm
Fastener Capacity	150
Fastener Style	18 Ga 1/4" Staples

- Tool-free adjustable 'Elevator Shoe' for precise adjustment of varying flooring geometry
- Safety mechanism is built into the base of the tool
- Tool-free adjustable exhaust deflector
- Includes carrying case, safety goggles, air inlet, connector and hex wrenches

461A 18 Ga Floor Stapler (1/cs)

\*Not recommended for stranded bamboo products

## Portamatic Hammerhead S

### PORTA-NAILS



- 1/2" & 3/4" domestic solid wood flooring
- 1/2" solid & engineered wood flooring

### SPECIFICATIONS

Operating Pressure	90 psi @ 4.2 cfm
Fastener Capacity	150
Fastener Style	15-1/2 Ga 1/2" Staples

- Taller handle yields less back fatigue
- Mallet activated to ensure the tightest floor possible
- Integrated safety trigger prevents accidental firing
- Includes mallet, wrenches, pneumatic lubricant, safety goggles, an easy to convert reversible shoe base for nailing 1/2" and 3/4" flooring, swivel air inlet connector, and carrying case

472A 15-1/2 Ga Floor Stapler (1/cs)

47090 Prefinished Flooring Shoe, Wide Profile (9/16" to 3/4") (1/cs)

\*Not recommended for stranded bamboo products

## Fasteners - Cleats

### "L" Head Flooring Porta-Nails Cleats

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
4702	2" L-Porta-Nails, 16 Ga	1000	5	19 lbs.	1/2" to 3/4" Solid Wood	465SLT, 470A
4703	1-3/4" L-Porta-Nails, 16 Ga	1000	5	18 lbs.	1/2" to 3/4" Solid Wood	465SLT, 470A
4704	1-1/2" L-Porta-Nails, 16 Ga	1000	5	16 lbs.	1/2" to 3/32" Solid Wood	465SLT, 470A
47080	2" L-Porta-Nails, 16 Ga STAINLESS STEEL*	1000	1	4 lbs.	1/2" to 3/32" Solid Wood & ACQ Treated Wood	465SLT, 470A
41801	1-1/4" L-Porta-Nails, 18 Ga	2000	5	19 lbs.	3/8" to 9/16" Engineered Wood, Solid Wood & Stranded Bamboo	418A
41802	1-1/2" L-Porta-Nails, 18 Ga	1200	5	16 lbs.	3/8" to 3/4" Engineered Wood, Solid Wood & Stranded Bamboo	418A
41803	1-3/4" L-Porta-Nails, 18 Ga	1200	5	17 lbs.	3/8" to 3/4" Engineered Wood, Solid Wood & Stranded Bamboo	418A

### "T" Head Flooring Porta-Nails Cleats

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
42640	1-1/2" T-Porta-Nails, 16 Ga	1000	5	15 lbs.	1/2" to 3/4" Solid Wood	465SLT, 402A, 470A
42629	2" T-Porta-Nails, 16 Ga	1000	10	42 lbs.	1/2" to 3/32" Solid Wood	465SLT, 402A, 470A
42660	2" T-Porta-Nails, 16 Ga STAINLESS STEEL*	1000	1	4 lbs.	1/2" to 3/32" Solid Wood & ACQ Treated Wood	465SLT, 402A, 470A

\*Stainless steel nails are recommended for use with "ACQ" decking.

## Fasteners - Staples

### 1/2" Crown Flooring Staples

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
47271	1-1/2" Crown Staples, 15-1/2 Ga, BCS Type	1000	5	20 lbs.	1/2" to 3/4" Solid Wood	465SLT, 472A
47261	2" Crown Staples, 15-1/2 Ga, BCS Type	1000	5	24 lbs.	1/2" to 3/32" Solid Wood	465SLT, 472A
4723	2" Crown Staples, 15-1/2 Ga, BCS Type	7700	1	36.4 lbs.	1/2" to 3/32" Solid Wood	465SLT, 472A

### 1/4" Crown Flooring Staples

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
46196	1" Crown Staples, 18 Ga	5000	1	5.2 lbs.	3/8" to 7/16" Engineered & Solid Wood	461A
46197	1-1/4" Crown Staples, 18 Ga	5000	1	6.6 lbs.	3/8" to 9/16" Engineered & Solid Wood	461A
46198	1-1/2" Crown Staples, 18 Ga	5000	1	6.2 lbs.	3/8" to 5/8" Engineered & Solid Wood	461A

NWFA recommends that you follow the flooring manufacturers' installation guidelines regarding the tool and fastener to be used on your floors. The recommendations in this catalog are intended to be a guide to assist the user in placing the flooring fastener in the correct position, protect the pre finished surface and to obtain optimum installation results using industry standard guidelines. Always test the flooring for nail placement before full installation.

## Flooring Mallet

### PORTA-NAILS




- 60 oz. heavy duty mallet for use with mallet actuated nailers and staplers
- Balanced head to maximize striking force
- Flat face insures solid contact with the flooring tool
- Features a hickory handle and a non-marring rubber cap

40009 Flooring Mallet (1/cs)

## Flooring Nail Set

### PORTA-NAILS



- Wide, anti-slip tip is designed to fit T and L flooring Nails/ Cleats or 18 Ga Flooring Staples
- Properly sets nails that are not counter set
- Black oxide finish inhibits rust
- Made of hardened tool steel

42620 Flooring Nail Set (1/cs)

## Pro Pull Bar

ROBERTS



- Used for floating floor and glue down installations of all brands of tongue and groove flooring
- 16-1/4" long; premium steel construction
- Angled profile allows planks to be tapped together in tight areas and at walls
- Soft felt backing protects floors from scratches during installation

10-18-8 Pro Pull Bar (8/cs)

## Tapping Block

ROBERTS




- Used to install all brands of tongue and groove flooring
- High density polypropylene base provides extended product life
- 20" profile equally distributes maximum tapping force
- Comfortable large grip handle
- 20" long

10-17-8 Tapping Block (8/cs)

## Universal Tapping Block

ROBERTS



Combination Edge Design

- Unique combination edge design for use with most types of flooring
- Edges specifically designed for:  
Resilient Vinyl Tile and Plank Flooring  
Tongue and Groove Floors  
Click Floors

10-25 Universal Tapping Block (8/cs)

## Flooring Installation Kit

ROBERTS



- Used to install all brands of tongue and groove flooring
- Use with glue down and floating floor applications
- Kit contains: 30 Spacers, Tapping Block, Pull Bar

10-26 Flooring Installation Kit (10/cs)

10-27 Laminate Wedge Spacers Only (30 wedges/bag) (6/cs)

## Universal Repair Kit

ROBERTS



- Quickly repairs scratches, cracks and other damage
- For use with wood floors, vinyl floors & counters, wood cabinets, moldings and furniture
- 5 colors to custom mix and create unlimited shades to match any project

10-33 Universal Repair Kit (6/cs)

## Wood, Laminate & Vinyl Putty

ROBERTS



- Fills gaps, nicks and scratches on flooring
- Acrylic based putty is easy to use and fast drying
- Can be sanded, painted or stained
- 8 color choices to match a wide variety of flooring
- 3 oz. tubes

PC7725 Brown Repair Putty (6/cs)  
 PC7726 Light Repair Putty (6/cs)  
 PC7727 Light Red Repair Putty (6/cs)  
 PC7728 Gray Repair Putty (6/cs)  
 PC7729 Gold Tones Repair Putty (6/cs)  
 PC7730 Tan Repair Putty (6/cs)  
 PC7731 Dark Red Repair Putty (6/cs)  
 PC7732 Dark Brown Repair Putty (6/cs)



**VINYL TOOLS**

## Heavy Duty Linoleum Carpet Rollers

ROBERTS



- Detachable transport wheel assembly kit for easy transport, upright support, and protection of segmented rollers included
- Chrome-plated segmented rollers exert even pressure on uneven surfaces
- Inset axles won't scuff walls
- 30" removable handle for convenient storage

10-950 75 lb. Roller (1/cs)  
 10-952 100 lb. Roller (1/cs)  
 10-952-04 Replacement Transport Wheel Assembly Kit (1/cs)

## Lightweight 35 lb. Roller

ROBERTS



- Lightweight, easy to carry on and off the job
- Ideal for "double glue" installations
- Chrome-plated segmented rollers exert even pressure on uneven surfaces
- Inset axles won't scuff walls
- 30" removable handle for convenient storage

10-935 35 lb. Roller (1/cs)

## Extendible Floor Roller

ROBERTS



- Great for rolling vinyl floor covering, carpet and cove base
- Handle extends from 17" to 27"
- Segmented rollers exert even pressure on uneven surfaces
- 7-3/8" wide non-marking rollers and inset axles won't scuff walls
- Second handle for additional leverage

10-955 Extendible Floor Roller (2/cs)

## 18" Vinyl Tile Cutter

ROBERTS




- Moveable cutting guide for consistent and accurate repetitive cutting of Vinyl Composition Tile (VCT)
- Built-in casters for greater maneuverability and rubber feet for added stability
- Clearly marked measuring guide and 45° miter guide
- Cuts 18" tiles or 12" tiles diagonally
- Extended one-year warranty

10-918 18" Vinyl Tile Cutter (1/cs)

## 12" Vinyl Tile Cutter

ROBERTS



- Moveable cutting guide for consistent and accurate repetitive cutting of Vinyl Composition Tile (VCT)
- Built-in casters for greater maneuverability and rubber feet for added stability
- Clearly marked measuring guide and 45° miter guide
- Includes custom blow molded carrying case
- Cuts 12" tiles or 9 in. tiles diagonally
- Extended one-year warranty

10-900 12" Vinyl Tile Cutter (1/cs)

## 12" Vinyl Tile Cutter

ROBERTS



- Cuts vinyl tile up to 12" x 12"
- Hardened steel blades for accurate cuts
- Convenient carry handle for easy transport

10-895 12" Vinyl Tile Cutter (3/cs)

## Quik-Cut Vinyl Tile Cutter

ROBERTS



- Cuts vinyl tile up to 12" x 12"
- Ball and needle bearings for long life and precise operation
- Hardened steel blades
- Die cast aluminum base

30002 Quik-Cut Vinyl Tile Cutter (3/cs)

## VCT Seam Roller

ROBERTS



- Use to roll seams on VCT and sheet vinyl
- Rounded outside edge
- 2" x 2" polished steel rollers mounted on 2 smooth rolling ball bearings
- Case hardened brackets resist axle wear

10-960 VCT Seam Roller (6/cs)

## "Snozzle" Adhesive Applicator

ROBERTS



- Exclusive design spreads 11 rows of adhesive
- Creates a flat, well-bonded installation
- Fits all standard open end caulking guns
- Works with both 11 oz. and 30 oz. cartridges

10-981-25 "Snozzle" Adhesive Applicator (25/cs)

## Topset Gouge

ROBERTS



- Grooves the back of vinyl or rubber cove base to allow the material to be tightly wrapped around corners
- 5/32" wide blade adjusts for depth and can be sharpened

10-279 Topset Gouge (12/cs)

## Mozart Weld Rod Trimmer

MOZART



- Prevents nearly all damage to the floor covering, using one hand
- Unique cutting principle: the bottom of the blade hugs the floor allowing the highest points on the floor covering to determine where the wire is cut
- No sharpening needed - includes interchangeable, industrially manufactured, economical trimming blades
- Includes swivelling MOZART spacer claw, eliminating need for guide plate

10-1600 Mozart Weld Rod Trimmer (1/cs)

10-8678 Mozart Trimmer Blades (5-pack blister card) (10/cs)

10-8679 Mozart Weld Rod spacer claw 0.5mm (1 guide on blister card) (10/cs)

10-8700 Mozart Weld Rod spacer claw 0.7mm (1 guide on blister card) (10/cs)

10-041 Fixing Attachments (Spares, 1 screw with 3 spring washers) (10/cs)


Only available in Canada



## UNDERLAYMENTS

## Elastilon® Strong

ROBERTS



- Peel and stick easy install underlayment. No nails or glue needed
- For use with all types of hardwood up to ¾ inch, including exotics such as bamboo
- Install directly over most surfaces, including: concrete, ceramic tiles, vinyl tiles, sheet goods, existing wood floors and any other type of stable floor
- Non allergenic, resistant to mold, mildew, and decay odors, V.O.C. free For use with below, on and above grade subfloors
- For use with below, on and above grade subfloors

70-196 107.64 sq. ft. roll - 39.3 in. x 32.8 ft. (5/cs)

IIC Rating*	STC Rating*
62	54

## AIRGUARD® Premium

ROBERTS



made in USA


- Sound resistant underlayment for use under all laminate and engineered hardwood floating floors
- Excellent moisture resistance, includes Microban protection
- Reduces ambient noise
- 8" overlap with adhesive strip for installation
- Outstanding compression resistance over time
- For use with below, on and above grade subfloors
- Ideal in condos and multi-level dwellings

70-105 100 sq. ft. roll - 40 in. x 30 ft. (12/cs)  
 70-105-1 630 sq. ft. roll - 40 in. x 189 ft. (1/cs)  
 70-105-2 3650 sq. ft. roll - 40 in. x 1,095 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*
68	67	0.39

## First Step Premium 3-in-1

ROBERTS



made in USA

- Sound resistant underlayment for use under all laminate and engineered hardwood floating floors
- Excellent moisture resistance
- Reduces ambient noise
- 4" overlap with adhesive strip for installation
- Outstanding compression resistance over time
- For use with below, on and above grade subfloors
- Ideal in condos and multi-level dwellings

70-102-12 100 sq. ft. roll - 40 in. x 30 ft. (12/cs)  
 70-102-1 630 sq. ft. roll - 40 in. x 189 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*
68	67	0.39

## Quiet Cushion®

ROBERTS



- 2 mm Progressive Foam Technology (PFT) designed for supreme sound reduction
- Extra fine, cross linked foam for advanced moisture protection and shock absorption
- Delta Rating of 21 - one of the best in the industry
- Excellent for radiant heat floors, mold and mildew resistant
- Anti-crush technology for excellent performance and long life
- Includes adhesive strip and 3" overlap film
- For use under engineered and laminate flooring

70-180 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
71	67	21

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Soft Stride®

ROBERTS



- 2 mm dense foam provides excellent sound reduction under engineered and laminate flooring
- Closed cell foam for excellent moisture protection
- Excellent for radiant heat floors, mold and mildew resistant
- Anti-crush technology for excellent performance and long life
- Includes adhesive strip and 3" overlap film

70-185 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
69	66	21

## Black Jack

ROBERTS




- 2.5 mm thick foam provides optimal floor cushion
- Reduces surface noise as well as sound transference between floors
- Dense closed-cell structure provides high moisture resistance
- Mold and mildew resistant
- For use with below, on and above grade uses under laminate and engineered wood flooring
- Includes overlap and adhesive strip to seal out moisture and join multiple rolls

70-026 100 sq. ft. roll - 43 in. x 28 ft. (12/cs)  
70-026-XL 600 sq. ft. roll - 43 in. x 167.5 ft. (2/cs)

IIC Rating*	STC Rating*	Δ Rating*
70	66	21

## Thermawave™

ROBERTS



- Thermawave™ design eliminates rerolling for easier installation
- Aluminum backing provides moisture protection and thermal insulation
- Dense foam provides excellent sound reduction
- Mold and mildew resistant
- 2 mm foam cushions floor

70-178 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

Roberts Canada (English/French Packaging)

70-177 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)  
Includes adhesive strip and 3" overlap film

IIC Rating*	STC Rating*
69	65

## Super Felt®

ROBERTS



- Made from 80% recycled fibers, provides deep, rich sound by absorbing noise instead of deflecting it
- Extremely high temperature manufacturing process treats fibers
- Excellent for radiant heat floors, mold and mildew resistant
- 3 mm thick pad corrects minor sub-floor imperfections
- 2 mil thick top film protects from harmful moisture vapor
- Added R-Value to chilly floors
- Includes adhesive strip and 3" overlap film
- For use under engineered and laminate flooring

70-190 100 sq. ft. roll - 44 in. x 27.3 ft. (1/cs)  
70-193 360 sq. ft. roll - 44 in. x 98 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*	Δ Rating*
67	66	0.59	21

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Unison® 2-in-1

ROBERTS



- 3/32" polyethylene foam increases cushioning between flooring and subfloor
- 4" film overlap with adhesive strip for seamless protection
- Top film protects from harmful moisture vapor

70-025 100 sq. ft. roll - 48 in. x 25 ft. (12/cs)  
70-025-15 1500 sq. ft. roll - 48 in. x 375 ft. (1/cs)

Roberts Canada (English/French Packaging)

70-025-C 100 sq. ft. roll - 48 in. x 25 ft. (12/cs)

IIC Rating*	STC Rating*
61	54

## Serenity Foam

ROBERTS



- 3/32" polyethylene foam underlayment for laminate and engineered wood flooring
- Ideal for above grade uses
- Corrects minor subfloor imperfections


70-010 100 sq. ft. roll - 48 in. x 25 ft. (60/cs)  
70-010-XL 400 sq. ft. roll - 49 in. x 100ft. (1/cs)  
70-010-500 2000 sq. ft. roll - 48 in. x 500 ft. (1/cs)

Roberts Canada (English/French Packaging)

70-010 100 sq. ft. roll - 48 in. x 25 ft. (65/cs)

## LVT Underlayment

ROBERTS



- 1 mm Closed Foam Technology designed for excellent sound reduction
- Extra fine, for advanced moisture protection and shock absorption
- Mold and mildew protection
- Anti-crush technology for excellent performance and long life
- For use under LVT/LVP, laminate and engineered wood flooring

70-073 100 sq. ft. roll - 39 in. x 30.75 ft. (12/cs)  
Only available in Canada

## Underlayment Seam Tape

ROBERTS



- For joining underlayment, carpet padding, packing and sealing
- Multipurpose and general repair
- Moisture resistant

50-030 Underlayment Seam Tape - (12/cs)  
1-7/8" x 100' roll

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Cork Pro Plus

ROBERTS



- 2.5 mm thickness reduces impact noise transmission through floors
- For glue down or floating installations of LVT, VCT, VET, sheet vinyl and linoleum floors
- Highly resistant to residual indentation
- Made from rapidly renewing and recycled cork with recycled EVA foam
- 85% recycled (post-industrial)

70-173-230 230 sq. ft. roll - 42 in. x 65.65 ft. (1/cs)

Test Results	IIC Rating	STC Rating	R-Value*	Δ Rating*
70-173-230 - with 6" cement slab	55	55	.30	22

## Natural Cork Sheets

QEP / ROBERTS



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems
- Each sheet: 2'x3'

QEP

72025 2.5 mm Sheets - 696 sq. ft./case, (116/cs)  
Only available in Canada

72004 3/16" (4 mm) Sheets - 456 sq. ft./case, (76/cs)  
Only available in Canada

72005Q 1/4" (6 mm) Sheets - 30 sq. ft./pack, (5sh/pk) (8/cs)

72001Q 1/2" (12 mm) Sheets - 150 sq. ft./case, (25sh/pk) (1/cs)

ROBERTS

70-175 1/4" (6 mm) Sheets - 300 sq. ft./case, (50sh/pk)

Test Results	IIC Rating	STC Rating
72025 - with 6" cement slab and suspended ceiling	60	59
72005Q - with 6" cement slab	51	52
72005Q - with 6" cement slab and suspended ceiling	61	60
70-175 - with 6" cement slab	51	52
70-175 - with 6" cement slab and suspended ceiling	61	60

## Natural Cork Roll

QEP



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems

72000Q 1/4" (6 mm) Natural Cork Roll - 200 sq. ft. roll, 48" x 50' (1/cs)

72003Q 1/4" (6 mm) Natural Cork Roll - 100 sq. ft. roll, 48" x 25' (1/cs)

72008Q 1/8" (3 mm) Natural Cork Roll - 200 sq. ft. roll, 48" x 50' (1/cs)

Test Results	IIC Rating	STC Rating
72000Q - with 6" cement slab	51	52
72000Q - with 6" cement slab & suspended ceiling	61	60
72003Q - with 6" cement slab	51	52
72003Q - with 6" cement slab & suspended ceiling	61	60

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Moisture Barricade

ROBERTS



- Use with standard foam underlayments to protect against moisture
- 6 mil. thick polyethylene film for long life
- Roll unfolds to cover an extra large 10 ft. x 12 ft. area
- Includes adhesive strip

70-115      120 sq. ft. sheet - 10 ft. x 12 ft. (12/cs)

## SVS™ Silicone Vapor Shield™

ROBERTS



- Recommended for staple and nail down installations of solid and engineered wood floors
- Reduces vapor flow without trapping moisture
- Helps reduce dust and noise levels
- Meets perm ratings recommended by the National Wood Flooring Association
- Can be used with radiant heat systems - No asphalt odor

70-198      200 sq. ft. roll, 33.5 in. x 72 ft. (6/cs)

Roberts Canada (English/French Packaging)

70-198-C      200 sq. ft. roll, 33.5 in. x 72 ft. (6/cs)

## Aquabar® "B" Moisture Vapor Barrier

QEP



- Sub-floor barrier helps prevent buckling, cupping and cracking
- Ideal for interior installations of: ceramic, porcelain or stone over cement board, plywood or concrete; and, finished or unfinished wood floors over plywood or concrete

70-195      500 sq. ft. roll - 36 in. x 167 ft. (1/cs)

## Waxed Paper Roll

ROBERTS



- 30-lb. heavy duty Kraft paper waxed on both sides for use with hardwood or engineered nail-down installations
- Use as a barrier between wood subfloor and new floor on above grade installations
- Helps in reducing squeaks in plywood subfloors
- Use to slide boards into place with ease

70-120      750 sq. ft. roll - 36 in. x 250 ft. (1/cs)

Only available in Canada

## Sheathing Paper

ROBERTS



- Environmentally friendly, made from recycled materials and is 100% recyclable
- Helps to protect floors when painting renovating or moving
- Reduces cleanup time on jobsites with this protective barrier to catch dust, splatters and worksite debris.
- Can also be used for hardwood floor underlayment
- Can be used for garden weed control, arts and crafts projects, garage floor protection from oil spills, and a variety of other projects
- Easy to handle roll, large enough for several projects




70-121      400 sq. ft. roll - 36 in. x 143.5 ft. (1/cs)

Only available in Canada

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.



# TROWELS








Comfort Grip Stainless Steel Notched Trowels	Wood Handle Notched Trowels	Economy Notched Trowels
		 <i>made in USA</i>
<ul style="list-style-type: none"> <li>• Rustproof stainless steel blade</li> <li>• Large, contoured and cushioned grip handles for comfort</li> <li>• High quality 11" x 4-1/2" trowel designed for the professional</li> <li>• Durable 230mm zinc die-cast shank</li> <li>• Extra handle-to-shank clearance to allow for complete hand rotation</li> <li>• Longer shank with 9 rivets. First and last rivet reinforced and welded</li> </ul> No. in case 12	<ul style="list-style-type: none"> <li>• Hardened and tempered steel blade, grounded and polished for long lasting durability</li> <li>• Large wooden handle for an easy grip</li> <li>• Quality trowel measuring 11" x 4-1/2" designed for the professional installer</li> <li>• Aluminum die-cast shank</li> <li>• Some notches available in 16" lengths</li> </ul> 11" Trowels: No. in case 12 16" Trowels: No. in case 6	<ul style="list-style-type: none"> <li>• Hard, cold-rolled steel blade for longer wear</li> <li>• High-impact black plastic handle</li> <li>• Quality trowel measuring 9" x 4"</li> </ul> No. in case 30 Unless noted as -12

### Subfloor Prep














Notch Size	Application	Brand	Wood Handle (11" Blade)
Patch & Finishing Trowel - No Notch	For finishing the surface of the mortar or plaster beds to the required smoothness	QEP	49708Q

### For Tile, Marble and Stone

(C) Also available in Canada

Notch Size	Application	Brand	Comfort Grip (11" Blade)	Wood Handle (11" Blade)	Wood Handle (16" Blade)	Economy
 3/16" x 5/32" V	For plastic, wall, ceramic & metal tile 6" x 6" or smaller and mosaics on drywall. Also for wall base.	QEP	49917Q(C)	49715Q(C)		10115Q
 1/4" x 3/16" V	For ceramic, metal & aluminum wall tile 6" x 6" up to 12" x 12"	QEP		49716Q		10116 Canada Only
 1/4" x 1/4" x 1/4" SQ	For thinset application of ceramic tile 8" x 8" or smaller, laminated wood plank flooring, flat milled solid & shorts or plywood	QEP	49915Q(C)	49713Q(C)		10113Q
 1/4" x 3/8" x 1/4" SQ	Thinset application of ceramic tile 8" x 8" up to 16" x 16"	QEP	49916Q(C)	49714Q(C)	49745Q	10114Q
 1/2" x 1/2" x 1/2" SQ	Thinset or medium bed mortar application of natural stone, quarry tile, pavers, saltillo and ceramic tiles 12" x 12" and larger	QEP	49919Q(C)	49720Q(C)	49746Q	10120Q
 3/4" x 9/16" x 3/8" U	Thinset or medium bed mortar application of natural stone, quarry tile, pavers, saltillo and ceramic tiles 12" x 12" and larger	QEP		49795Q	49747Q	
 3/4" x 3/4" x 3/4" SQ	Thinset or medium bed mortar application of natural stone, quarry tile, pavers, saltillo and ceramic tiles 12" x 12" and larger	QEP		49754Q		

# For Carpet, Vinyl Sheet, LVT, VCT and Wood


Notch Size	Application	Brand	Comfort Grip (11" Blade)	Wood Handle (11" Blade)	Economy
 1/16" x 1/16" x 1/16" SQ	For carpet tile, fiberglass sheet, felt-backed sheet, luxury vinyl tile, plank, and cork underlayment	ROBERTS			10125 10-180*
 1/16" x 1/16" x 1/16" SQ	For carpet tile, fiberglass sheet, felt-backed sheet, luxury vinyl tile and plank	ROBERTS	10-823 (with 10° blade angle)	10-810 (with 10° blade angle)	
 1/8" x 1/8" x 1/8" SQ	For pre-finished parquet and wall base	ROBERTS			10123-12
 1/16" x 1/16" x 3/32" U	For fiberglass sheet, felt-backed sheet, VCT, luxury vinyl tile and plank	ROBERTS		49736	10121-12
 3/32" x 3/32" x 3/32" Flat-Top V	For smooth backed carpet	ROBERTS	10-833 (with 10° blade angle)	10-820 (with 10° blade angle)	
 1/8" x 1/8" x 1/16" Flat-Top V	For secondary-backed carpet, direct glue-down, sheet vinyl installations, and cork underlayment	ROBERTS		49737	10137-12
 1/16" x 1/32" x 1/32" U	For VCT, vinyl, vinyl tile, & vinyl plank	ROBERTS	10-829 (with 10° blade angle)	10-816 (with 10° blade angle)	10111-12
 1/16" x 1/32" x 1/32" U	For VCT, vinyl, luxury vinyl tile and plank	ROBERTS			10-180*
 1/16" x 1/32" x 5/64" U	For carpet tile, fiberglass sheet, felt-backed sheet, & VCT	ROBERTS		49738	10122
 1/4" x 1/4" x 1/4" Flat-Top V	For pre-finished engineered wood plank, solid wood, bamboo and acrylic impregnated plank flooring	ROBERTS			10142-12
 3/8" x 5/16" V	For bamboo, solid and engineered wood flooring from 1/2 to 3/4 in. thick	ROBERTS			10143 (12/cs)
 1/4" x 3/16" Tiger Tooth®	For bamboo, solid and engineered wood flooring up to 1/2 in. thick	ROBERTS			10144 (12/cs)
 3/16" x 1/4" x 1/2" Flat-Top V	For laminated wood plank, solid wood, bamboo and acrylic impregnated plank flooring	ROBERTS		49730	

\* Double Sided Trowels

Always check adhesive/mortar manufacturer's trowel recommendations before selecting a trowel notch.

All Trowels Measure: Width x Depth x Space Apart

Recommended notch sizes by NTCA (National Tile Contractors Association)



TILE  
CARPET  
WOOD  
VINYL  
UNDERLAYMENT  
TROWELS  
BLADES & KNIVES  
TAPE  
TEAR-OUT  
CEILING

## Wall Base Spreader

ROBERTS



- Durable cold-rolled steel blade for applying wall base adhesives
- Conveniently fits into a quart can

10033 Wall Base Spreader - V-Notch 3/16" x 5/32" (24/cs)

## Margin Trowel

QEP



- For patch jobs, hard-to-reach areas and spreading thinset on v-cap or bullnose tile
- Cushion grip handle for comfort

42110Q 6" x 2" Comfort Grip Margin Trowel No Notch (12/cs)

42111Q 6" x 2" Margin Trowel Square Notch 1/4" x 1/4" x 1/4" (12/cs)

QEP Canada (English/French Packaging)

42103QC 5" x 2" Margin Trowel No Notch, Wood Handle (12/cs)

## Pointing Trowel

QEP



- For patching cracks and shaping joints in brick, stone and concrete walls

92220Q 5-1/2" Pointing Trowel, Wood Handle (12/cs)

QEP Canada (English/French Packaging)

92220QC 5-1/2" Pointing Trowel, Wood Handle (12/cs)



## KNIVES & BLADES

## Professional Carpet Knife

ROBERTS



- Special thumbstop design provides safety and increased cutting pressure
- Easy push button for quick blade changing
- Knurled grip assures firm grip

10-252 Professional Carpet Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-436, 10-438

## Razor Blade Knife

ROBERTS



- Features safety guards to keep blade firmly in place
- Easy-open knob with bail to make blade changes more convenient
- Checkered handle for a slip resistant grip
- Rugged lightweight precision die cast aluminum
- Handle stores additional heavy duty slotted blades

10-215 Razor Blade Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-436, 10-438

## Cut & Jam Carpet Knife

ROBERTS



- Patented, unique dual function design; use one end to cut carpet and the other to jam carpet into gullies
- Features an easy-open knob with bail, safety thumb and blade guards
- Checkered handle for a slip resistant grip
- Rugged lightweight precision die cast aluminum
- Handle stores up to 10 additional heavy duty slotted blades, three blades included

10-220 Cut & Jam Carpet Knife (6/cs)  
Uses replacement blades: 10-436, 10-438

## Slotted Blade Carpet Knife

ROBERTS



- Contoured handle for precise cutting
- Finger blade guard
- Extra blade storage

10-253 Slotted Blade Carpet Knife (Includes 2 Slotted Blades) (12/cs)  
Uses replacement blades: 10-436, 10-438

## Big Fatso Multi-Purpose Knife

ROBERTS



- Offset head gives knuckle room and convenient, precise cutting angle
- Large contoured handle for comfort
- Unscrew end cap and swing open for quick and easy blade change
- Uses most standard utility and hook blades with 2 or 3 positioning slots on top
- Handle stores additional standard or heavy duty utility and hook blades

10-218      Big Fatso Multi-Purpose Knife (Includes 3 Blades) (12/cs)  
Uses replacement blades: 10-434, 10-440

## Professional Fixed Blade Utility Knife

ROBERTS



- Easy-open knob with bail to make blade changes more convenient
- Checkered handle for a slip resistant grip
- Uses standard replacement blades with 1, 2 or 3 positioning slots on top
- Handle stores additional standard or heavy duty utility blades

10-920-6      Professional Fixed Blade Utility Knife (Inc. 3 Blades) (6/cs)  
Uses replacement blades: 10-434, 10-444

## Linoleum Knife

ROBERTS



- Cuts linoleum, vinyl sheet goods
- Heavy gauge, high carbon steel blade
- Makes accurate, even cuts without burrs
- Soft, comfort grip handle with hang hole
- Double edge sharp blade will provide years of perfect cuts

10-931      Linoleum Knife (12/cs)

## Slide-Lock Scoring Knife

QEP



- Twin carbide scoring knife
- Double slide-lock-knife
- Chisel tip

10098Q      Slide-Lock Scoring Knife (6/cs)

## Pro Flooring Cutter Blades

### ROBERTS



High quality 4 mm Tungsten Carbide replacement blades:

10-460	9" Replacement Blade for 10-60 (1/cs)
10-463	13" Replacement Blade for 10-63 (1/cs)
10-464	13" Replacement Blade for 10-64 (1/cs)
10-466	18" Replacement Blade for 10-66 (1/cs)
10-468	25" Replacement Blade for 10-68 (1/cs)

## 4" Floor/Wall Scraper Blades

### ROBERTS



Fits Roberts 10-194, 10-294 Floor Scraper and most other brands

Blade Specifications: 4 in. long x .015 in. thick

10-442	10 Blade Blister Card	10 cards/case (100 blades)
--------	-----------------------	----------------------------

## 8" Floor/Wall Scraper Blades

### ROBERTS



Fits Roberts 10-296 Stand-Up Scraper, and most other brands

Blade Specifications: 8" long x 0.74" wide x .035" thick

10-458	10 Blade Tube	1 tube (10 blades)
--------	---------------	--------------------

## Heavy Duty Slotted Blades (Blue)

### ROBERTS



Fits Roberts 10-146-3, 10-146GT Cushion Back Cutter, 10-152-3, 10-152GT Loop Pile Cutter, 10-252 Professional Carpet Knife, 10-215 Razor Blade Knife, 10-253 Slotted Blade Carpet Knife, 10-220 Cut & Jam Carpet Knife, 10-905 Multipurpose Wall Trimmer, and most other brands

Blade Specifications: 2.25" long x .017" thick

10-436	10 Blade Blister Card	10 cards/case (100 blades)
10-438	100 Blade Pack - Bulk	10 packs/case (1000 blades)

## Heavy Duty Utility Blades

**ROBERTS**



**Fits Roberts 10-218 and 10-920-6 Utility Knives, and most other brands**

**Heavy Duty Blade Specifications: 2.28" long x .025" thick**  
 10-434      100 Blade Pack - Bulk   10 packs/case (1000 blades)

## Hooked Blades

**ROBERTS**



**Fits Roberts 10-905 Multipurpose Wall Trimmer**

**Blade Specifications: 1.84" long x .025" thick**  
 10-440      10 Blade Blister Card   10 cards/case (100 blades)

## Trimmer Blades

**ROBERTS**



**Fits Roberts 10-154-3 Loop Pile Cutter, 10-616-2 Conventional Carpet Trimmer, 10-920-6 Professional Utility Knife, and most other brands**

**Blade Specifications: 2.18" long x .017" thick**  
 10-444      10 Blade Blister Card   10 cards/case (100 blades)

## Strip Cutter Blades

**ROBERTS**



**Fits Roberts 10-108 Strip Cutter**

**Blade Specifications: 1.86" long x .45" wide x .038" thick**  
 10-439      6 Blade Blister Card      10 cards/case (60 blades)

## 10 Gauge Concrete Nails

ROBERTS



- A heavy 10-gauge shank nail for use on extremely hard or “aged” concrete

33-100 5/8" Concrete Nails 1 lb. Bag (10/cs)

## Chisel Point Staples

ROBERTS



- Get jam-proof efficiency with its “V” shaped points that drive easily into most wood floors

30-110 3/8" Staples 5000/bx (20/cs)

## Divergent Point Staples

ROBERTS



- Easily penetrate vinyl tile, linoleum, felt and wood (including hardwoods) with its 60° point
- Get added holding power when staple legs veer in opposite directions

30-210 3/8" Staples 5000/bx (20/cs)

## Cement Board Screws

QEP



- For use in the attachment of Durock®, Wonderboard® and HardieBacker® cement board
- No pre-drilling necessary
- Corrosion resistant coating
- Wafer head with ribbed countersinking profile for flush seating

99602 1-1/4" - # 8 High Low Cement Board Screws, 200 screws/pkg (12/case)



**TAPE**

## Max Grip® Vinyl Floor Installation Tape

ROBERTS



- For the permanent installation of vinyl flooring, wall base, stairs & treads and vinyl trim
- Will adhere to any clean and dry subflooring (concrete, wood, etc...)
- Perfect for modified loose lay vinyl sheet flooring installation
- Aggressive, acrylic adhesive with reinforced scrim webbing for extra strength
- Great for flooring repairs

50-540 Vinyl Installation Tape - 1-7/8" x 50' (12/cs)

QEP Canada (English/French Packaging)

50-540-C Vinyl Installation Tape - 1-7/8" x 50' (12/csa)

## Max Grip® Carpet Installation Tape

ROBERTS



- For the permanent installation of carpet, moldings and trim
- Aggressive, acrylic adhesive with reinforced scrim webbing for extra strength
- Works on indoor and outdoor installations
- Ideal for stairs and treads

50-550 Carpet Installation Tape - 1-7/8" x 75' (12/cs)

QEP Canada (English/French Packaging)

50-550-C Carpet Installation Tape - 1-7/8" x 75' (12/cs)

## Rug Traction™ Anti-Slip Rubber Tape

ROBERTS



- Specially designed non-slip strip for holding rugs and mats in place
- One side attaches permanently to the rug and the other side provides a non-slip surface for additional traction
- Easy to apply and requires no clean up

50-545 Rug Traction™ Anti-Slip - 2-1/2" x 25'  
Individually Boxed (12/cs)

QEP Canada (English/French Packaging)

50-545-C Rug Traction™ Anti-Slip - 2-1/2" x 25'  
Individually Boxed (12/cs)

## Duct Tape

ROBERTS



- Great for general repairs, projects, packing, seaming and sealing
- Easily tears by hand
- Conforms easily to uneven surfaces

50-555 Duct Tape - 1-7/8" x 60 yds, Individually Packaged (36/cs)

## Rug Gripper™

ROBERTS

made in  
**USA**



- Holds rugs & mats in place on all floor surfaces
- Safe for all floor surfaces, including carpet
- Removable, repositionable

- 50-580 Rug Gripper for Small Rugs – 2-1/2" x 25' roll (6/cs)
- 50-582 Rug Gripper for Small Rugs Value Roll – 2-1/2" x 60' roll (6/cs)
- 50-560 Carpet Adhesive Strip – 1" x 164' roll (36/cs)
- 50-565 Carpet Adhesive Strip – 3" x 164' roll (3/cs)

- QEP Canada (English/French Packaging)
- 50-580-C Rug Gripper for Small Rugs – 2-1/2" x 25' roll (6/cs)
  - 50-582-C Rug Gripper for Small Rugs Value Roll – 2-1/2" x 60' roll (6/cs)

## Board Seam Tape

QEP



- For use in seaming all types of cement backerboard and tile underlayment
- Alkali resistant fiberglass mesh, self-adhesive tape – reduces taping time
- Resists tears and will not shrink

- 99600Q Board Seam Tape – 2" x 50' roll (24/cs)

- QEP Canada (English/French Packaging)
- 99600QC Board Seam Tape – 2" x 50' roll (24/cs)

## Underlayment Seam Tape

ROBERTS



- For joining underlayment, carpet padding, packing and sealing
- Multipurpose and general repair
- Moisture resistant


- 50-030 Underlayment Seam Tape – 1-7/8" x 100' roll (12/cs)



**TEAR-OUT**

## 14" Surface Scraper

QEP



made in  
**USA**

- Flexible 14" blade helps remove old floors and cleans up excess debris
- 5' long handle and flex blade made of premium quality carbon steel offer long-lasting durability

20900Q 14" Surface Scraper with Blade (6/cs)  
21000Q 14" Replacement Blade (3/cs)

QEP Canada (English/French Packaging)  
20900QC 14" Surface Scraper with Blade (6/cs)

## 12" Super Scraper

QEP




made in  
**USA**

- Lifetime warranty reinforced fiberglass handle
- Removes tile, wood, laminate, adhesive, stone and carpet
- Resharpens quickly with file or grinder - No replacement blade necessary

62995Q 12" Super Scraper (3/cs)

## Demolition Scraper

QEP



made in  
**USA**

- Unique reversible hardened steel blade can easily be converted from 5" to 3" wide (ideal for scraping in tight areas)
- Double angled design offers increased leverage during scraping and prying
- Great for removing tile, wood, laminate, stone, carpet, ice and roofing
- Resharpenable hard steel (use file or grinder)
- Galvanized steel ergonomic handle reduces fatigue

62965Q Demolition Scraper (3/cs)

## 7" Heavy Duty Floor Scraper

QEP



made in  
**USA**

- Thick, professional high-carbon steel 7" blade scrapes up concrete, marble, ceramic tile and wood floors
- All welded construction made of pipe steel with a replaceable rigid blade
- Rips up roofing, asphalt, tile and chips away cement and plaster
- 4' long handle includes foot peg for better leverage on difficult projects
- Great for ice removal

75006Q 7" Heavy-Duty Floor Scraper with Blade (6/cs)  
75007Q 7" Replacement Blade (3/cs)

QEP Canada (English/French Packaging)  
75006QC 7" Heavy-Duty Floor Scraper with Blade (6/cs)

## 8" Adjustable Razor Floor Scraper

QEP



- Twist lock adjustable telescoping handle adjusts from 3' to 6' in length
- Removes old tile, adhesive, vinyl, carpet and other floor covering materials
- Deluxe cushioned grip handle provides added comfort
- 15° angled 8" blade head for ease of comfort when scraping
- Canvas blade guard included

62909Q 8" Adjustable Razor Floor Stripper (6/cs)  
 62904Q 8" Stripper Blade (3 on a skincard) (10/cs)  
 62907Q 8" Stripper Blades (10 on a skincard) (1/cs)

QEP Canada (English/French Packaging)

62909QC 8" Adjustable Razor Floor Stripper (6/cs)

## Stand-Up Scraper

ROBERTS



- Professional stand-up scraper
- Steel shank molded into head, welded to steel handle
- Deluxe cushioned grip handle, adjustable from 3' to 6'
- Sturdy construction with an 8" hardened steel blade and locking cam
- Features a 15° angled head

10-296 Stand-Up Scraper (6/cs)  
 10-458 8" Floor/Wall Scraper Replacement Blades  
 (10 blades) (10/cs)

## Heavy Duty 6" Convertible Scraper

ROBERTS



- Dependable heavy duty scraper easily converts to a stand-up scraper with the addition of a stretcher extension tube (sold separately)
- "Action lock" handle adjusts 360° to any position
- Comfortable molded handle maximizes thrust and conserves energy
- Includes a 6" hardened steel blade, heavy duty cast aluminum scraper head and a hardened steel locking cam
- Add 3' stretcher extension tubes to achieve desired length

10-195 Heavy Duty 6" Convertible Scraper (1/cs)  
 10-195-01 6" Hardened Steel Replacement Blade (1/cs)  
 10-230-10 3' Steel Stretcher Tube (1/cs)

## Floor/Wall Scrapers

ROBERTS



- Angled head provides “clean shaving” cutting action, perfect for stripping floors, walls and wallpaper
- Features three blade clamp screws for maximum blade holding power and flex-grip anti-fatigue vinyl hand grip

10-194	4" Floor/Wall Scraper - 12" handle (10/cs)
10-294	4" Floor/Wall Scraper - 18" handle (10/cs)
10-442	4" Floor/Wall Scraper Replacement Blade (10 pcs.) (10/cs)

## 4" Razor Scraper

QEP



- Scrapes residue off subfloors, windows and walls
- Great for wallpaper removal
- Complete with 4" blade

62900Q	4" Razor Scraper (12/cs)
62901Q	4" Razor Scraper Replacement Blades (5 on a skincard) (6/cs)

QEP Canada (English/French Packaging)	
62900QC	4" Razor Scraper (12/cs)
62901QC	4" Razor Scraper Replacement Blades (5 on a skincard) (6/cs)

## Chisel Scraper

QEP



- 3" stainless steel blade
- Multi-functioning tool ideal to remove debris, adhesive and residue from most surfaces
- Hammer end for quick strike use on stubborn material

62970Q	Chisel Scraper (6/cs)
--------	-----------------------

QEP Canada (English/French Packaging)	
62970QC	Chisel Scraper (6/cs)

## Multi-Use Power Scrapers

QEP



- Fits most reciprocating saws
- Heavy duty resharpenable blade blasts through thinset, linoleum, drywall mud, paint and glue
- Twisted shank keeps interchangeable blades at a comfortable angle

62985Q	2" Power-Scraper (6/cs)
62986Q	Multi-Use Power Scraper (2", 4" & 6") (6/cs)

QEP Canada (English/French Packaging)	
62985QC	2" Power-Scraper (6/cs)
62986QC	Multi-Use Power Scraper (2", 4" & 6") (6/cs)

## 20 oz. Ripping Hammer

ROBERTS



- Sturdy, quality hickory construction
- Long straight claw is ideal for pulling up old tackstrip
- 20 oz. head
- Contoured handle provides optimal strength while minimizing impact shock
- 14" long

10-114      20 oz. Ripping Hammer (6/cs)

## Magnetic Hammer

QEP



- Magnetic head holds nails for rapid installation of floor and ceiling channel to concrete
- Quality 13" wooden handle
- Size: 13" L x 5-3/4" W

61605      20 oz. Magnetic Hammer (12/cs)

## Carpet Puller

ROBERTS



- Unique design provides maximum pulling power
- Serrated clamps provide firm carpet grip, great for removing carpet
- Large comfortable handle
- Die-cast aluminum

10-10      Carpet Puller (2/cs)

## Base Molding Lifter

ROBERTS



- Perfect angles provide ideal leverage for removing base molding and tackstrip
- New deep bevel nail slot for easy nail removal
- Constructed from high carbon forged steel with bright nickel plating
- 10-1/2" long

10-510-3      Base Molding Lifter (3/cs)



# CEILING

## 12 Gauge Hanger Wire - 100'

SUSPEND-IT



- Suspends main tees from eye lag screws in commercial applications

8850 12 Gauge Hanger Wire - 100 ft. (12/case)

## 18 Gauge Hanger Wire - 300'

SUSPEND-IT




- Suspends main tees from eye lag screws in commercial applications

8851 18 Gauge Hanger Wire - 300 ft. (12/cs)

## Light Duty Hanger Wire Installation Kit

SUSPEND-IT



- Suspends main tees in residential applications of approximately 192 sq. ft. with a maximum drop of 18"

Contains:

- 12 pieces of 30" long, 18 gauge hanger wire
- 12 eye lag screws for wood joists

8854 Light Duty Hanger Wire Installation Kit (12/cs)

## Wire-Fastening Nail Hooks

SUSPEND-IT




- Attaches ceiling hanger wire to wood

8855 Wire-Fastening Nail Hooks - 20 pack (12/cs)

## Eye Lag Screws for Wood Joist

SUSPEND-IT




- Attaches ceiling hanger wire to wood joists
- 1/4" x 3" self-tapping sharp point

8856 12 Eye Lag Screws for Wood Joists - 100 pack (12/cs)

## Eye Lag Screws for Metal Joist

SUSPEND-IT



- Attaches ceiling hanger wire to metal joists
- 1/4" x 2" self-tapping drill point

8857 Eye Lag Screws for Metal Joist - 50 pack (12/cs)

## Eye Lag Screw Drill Adapter

SUSPEND-IT



- Attaches to any 3/8" power drill
- For easy installation of eye lag screws

8858 Eye Lag Screw Drill Adapter (24/cs)

## Rivets

SUSPEND-IT




- Rivets acoustical ceiling tile tees to perimeter wall angles at 4' intervals

8859 Rivets - 100 pack (24/cs)

## Leveling Line - 450'

SUSPEND-IT



- Optic yellow color provides excellent visibility in any leveling job site
- Used in leveling and squaring suspended ceiling grid

8860 Leveling Line - 450 ft. (12/cs)

## Grid Clamps

SUSPEND-IT



- Holds leveling lines during installation of main and cross tees
- Temporarily secures main and/or cross tees to wall angles when riveting

8861 Grid Clamps - 6 pack (12/cs)

## Panel Clips

SUSPEND-IT



- Holds ceiling tile panels secure against the grid in drafty areas

8863 Panel Clips - 20 pack (12/cs)

## Light-Duty Ceiling Hooks

SUSPEND-IT



- Hangs lightweight objects such as plants, signs and decorations from ceiling tees

8864 Light-Duty Ceiling Hooks - 4 pack (24/cs)

## Grid Installation Kit

SUSPEND-IT



Value pack contains tools and hardware to install ceiling grid in a 20' x 20' room (400 sq. ft.)

Kit contains:

- 18 gauge hanger wire - 64'
- 2 grid clamps
- 1 eye lag screw drill adapter
- 50' leveling line
- 20 white rivets
- 16 eye lag screws for wood joists

8865 Grid Installation Kit (12/cs)

## 1/8" Grid Punch

SUSPEND-IT



- For punching holes in main tees for hanger wire attachment
- For punching pilot holes in wall angle, in main tees or cross tees that need to be secured with rivets

8866-2 1/8" Grid Punch (2/cs)

# INDEX

## By Item Number

Item #	Description	Page #	Item #	Description	Page #
6-1001Q	10" Continuous Rim Diamond Blade- Black Series	12	10-194	4" Floor/Wall Scraper - 12" handle	87
6-1003Q	10" Continuous Rim Diamond Blade- Gold Series	12	10-195	Heavy Duty 6" Convertible Scraper	86
6-1008BW	10" Black Widow® Blade	12	10-195-01	6" Hardened Steel Replacement Blade	86
6-4001Q	4" Continuous Rim Diamond Blade- Black Series	12	10-215	Razor Blade Knife	76
6-4003Q	4" Continuous Rim Diamond Blade- Gold Series	12	10-218	Big Fatso Multi-Purpose Knife	77
6-4006GLQ	4" Continuous Rim Diamond Blade- Glass Series	12	10-117-04	Powerhead Replacement Unit	40
6-4008BW	4" Black Widow® Blade	12	10-220	Cut & Jam Carpet Knife	76
6-7001Q	7" Continuous Rim Diamond Blade- Black Series	12	10-230-10	3' Steel Stretcher Tube	38, 86
6-7003Q	7" Continuous Rim Diamond Blade- Gold Series	12	10-230-3K	Tube Case with Three 3' Extension Tubes	39
6-7006GLQ (C)	7" Continuous Rim Diamond Blade- Glass Series	12	10-230-40	Empty Stretcher Case with Wheels	39
6-7008BW	7" Black Widow® Blade	12	10-235-05	5' Aluminum Stretcher Tube	38
6-8001Q	8" Continuous Rim Diamond Blade- Black Series	12	10-235-10	3' Aluminum Stretcher Tube	38
6-8003Q	8" Continuous Rim Diamond Blade- Gold Series	12	10-237	Junior Power Stretcher	39
6-8008BW	8" Black Widow® Blade	12	10-237-50	Replacement Power Head	39
10-10	Carpet Puller	88	10-237V	Junior Power Stretcher Value Kit	39
10-17-8	Tapping Block	60	10-248	Nap Grip Head	40
10-18-8	Pro Pull Bar	60	10-250	Adjustable Locking Tube	38
10-25	Universal Tapping Block	60	10-252	Professional Carpet Knife	50, 76
10-26	Flooring Installation Kit	60	10-253	Slotted Blade Carpet Knife	76
10-27	Laminate Wedge Spacers	60	10-254	Power-Lok Stretcher	38
10-33	Universal Repair Kit	60	10-254-50	Replacement Power Head	38
10-35	8" Laminate Cutter	56	10-254V	Power-Lok Stretcher Value Kit	38
10-37	8" Flooring Cutter	56	10-258	Power Stretcher Tail	40
10-42	4-1/4 in. 20-Tooth Carbide Tip Saw Blade	47	10-260	Deluxe Grip Tool Pouch	50, 51
10-47-2	6-3/16 in. 36-Tooth Carbide Tip Saw Blade	47	10-279	Topset Gouge	64
10-47-6	6-3/16" 20-Tooth Carbide Tip Saw Blade	47	10-282G-2	Deluxe Heat Bond Iron, Grooved Base	43
10-114	20 oz. Ripping Hammer	50, 88	10-286G	6" Heat Bond Iron	43
10-46	Super Six 6" Jamb Saw	47	10-294	4" Floor/Wall Scraper - 18" handle	87
10-55-24	6" Masonry Blade	47	10-296	Stand-Up Scraper	86
10-56	Longneck Plus 6" Jamb Saw	47	10-303S	Chalk Reel	21, 50
10-60	9" Flooring Cutter	55	10-321	White Chalk Refil, 8 oz.	21, 50
10-63	13" Pro Flooring Cutter	55	10-410	Adjustable Knee Kicker	42
10-64	13" Pro Flooring Cutter	55	10-412-09	Replacement Bumper Pad	41, 42
10-66	18" Pro Flooring Cutter	54	10-412-2	Deluxe Knee Kicker	42, 50
10-68	25" Pro Flooring Cutter	54	10-412BKK	Deluxe Knee Kicker	42
10-100	5" Carpet Seam Roller	44	10-422-09	Replacement Thick Bumper Pad	42
10-101	4½" Deluxe Carpet Seam Roller	44	10-422BK	Deluxe High Profile Knee Kicker	42
10-107-03	Tailblade Replacement Unit	40	10-434	Heavy Duty Utility Blades	77, 79
10-108	Professional 2" Strip Cutter	50, 51	10-436	Heavy Duty Slotted Blades (Blue)	76, 78
10-109	Staple Hammer	48, 50	10-438	Heavy Duty Slotted Blades (Blue) - Bulk	76, 78
10-121	8" Napping Shears	49	10-440	Hooked Blades	77, 79
10-123	10" Carpet Shears	49	10-442	4" Floor/Wall Scraper Replacement Blade	78, 87
10-128	Locking Pattern Matching & Seam Repair Stretcher	40	10-444	Trimmer Blades	79
10-140	30' Tape Measure	48, 50	10-458	8" Floor/Wall Scraper Replacement Blades	78, 86
10-146-3	Cushion Back Cutter	45	10-460	9" Tungsten Carbide Replacement Blade	55, 78
10-146GT	GT Cushion Back Cutter	45, 50	10-463	13" Tungsten Carbide Replacement Blade	55, 78
10-151	Nail Driving Bar	48, 50	10-464	13" Tungsten Carbide Replacement Blade	55, 78
10-152-3	Loop Pile Cutter	45	10-466	18" Tungsten Carbide Replacement Blade	54, 78
10-152GT	GT Loop Pile Cutter	45, 50	10-468	25" Tungsten Carbide Replacement Blade	54, 78
10-154-3	Universal Seam Cutter	46, 50	10-480	Dual Air Glider	52
10-161	24" Steel Tool Box	50	10-482G	Cool Shield Heat Bond Iron	43
10-169	4" Loop Pile Seam Roller	44, 50	10-501	GT Knee Kicker	41
10-170	4" Cut Pile Seam Roller	44	10-505	Gel Pro 505 Knee Kicker	41
10-180	Double Sided Economy Trowel	73	10-505-200	Bumper Pad Kit	41

Item #	Description	Page #	Item #	Description	Page #
10-510-3	Base Molding Lifter	50, 88	70-105-1	AIRGUARD® Premium (630 sq. ft. roll)	66
10-517	Row Finder/Separator	46, 50	70-105-2	AIRGUARD® Premium (3650 sq. ft. roll)	66
10-521	4" Extra Wide Stair Tool	46, 50	70-115	Moisture Barricade (120 sq. ft. roll)	70
10-522-4	EZ TUK Carpet Tucker	46, 50	70-120	Waxed Paper Roll (750 sq. ft. roll)	70
10-575	Heavy Cargo Dollies	52	70-121	Sheathing Paper (400 sq. ft. roll)	70
10-585	6" Duckbill Napping Shears	49	70-127	Carpet Rake and Groomer	52
10-586-3	7" Duckbill Napping Shears	49, 50	70-173-230	Cork Pro Plus (230 sq. ft. roll)	69
10-600	Professional Electric Stapler	48	70-175	1/4" (6 mm) Natural Cork Sheets	69
10-616-2	GT Conventional Carpet Trimmer	45, 50	70-177	Thermawave™ Plus (100 sq. ft. roll)	67
10-617GT	GT Carpet Trimmer	45	70-178	Thermawave™ (100 sq. ft. roll)	67
10-700	Hot Melt Glue Gun	51	70-180	Quiet Cushion® (100 sq. ft. roll)	66
10-750	Carpet Installation Kit	50	70-185	Soft Stride® (100 sq. ft. roll)	67
10-751	Economy Carpet Installation Kit	50	70-190	Super Felt® (100 sq. ft. roll)	67
10-802	10" Glue Sticks	51	70-193	Super Felt® (630 sq. ft. roll)	67
10-810	1/16" x 1/16" x 1/16" (SQ), Wood Handle Trowel	73	70-195	Aquabar® "B" Moisture Vapor Barrier (500 sq. ft. roll)	70
10-816	1/16" x 1/32" x 1/32" (U), Wood Handle Trowel	73	70-196	Elastilon® Strong (107.64 sq. ft. roll)	66
10-820	3/32" x 3/32" x 3/32" (Flat-V), Wood Handle Trowel	73	70-198 (-C)	SVS™ Silicone Vapor Shield™ (200 sq. ft. roll)	70
10-823	1/16" x 1/16" x 1/16" (SQ), Comfort Grip Trowel	73	402A	Porta-Nailer Hammerhead, 16 Ga Manual Floor Nailer	57
10-829	1/16" x 1/32" x 1/32" (U), Comfort Grip Trowel	73	418A	Portamatic Evolution, 18 Ga Floor Nailer	57
10-833	3/32" x 3/32" x 3/32" (Flat-V), Comfort Grip Trowel	73	461A	Portamatic Elevator, 18 Ga Floor Stapler	58
10-895	12" Vinyl Tile Cutter	63	465SLT	Portamatic 465SLT, 16 Ga 3-in-1 Floor Nailer/Stapler	58
10-900	12" Vinyl Tile Cutter	63	470A	Portamatic Hammerhead TL, 16 Ga Floor Nailer	57
10-905	Multi-Purpose Wall Trimmer	45	472A	Portamatic Hammerhead S, 15-1/2 Ga Floor Stapler	59
10-918	18" Vinyl Tile Cutter	63	4702	2" L-Porta-Nails, 16 Ga	59
10-920-6	Professional Fixed Blade Utility Knife	50, 77	4703	1-3/4" L-Porta-Nails, 16 Ga	59
10-931	Linoleum Knife	50, 77	4704	1-1/2" L-Porta-Nails, 16 Ga	59
10-935	35 lb. Roller	62	4723	2" Crown Staples, 15-1/2 Ga, BCS Type	59
10-950	75 lb. Roller	62	8850	12 Gauge Hanger Wire - 100'	90
10-952	100 lb. Roller	62	8851	18 Gauge Hanger Wire - 300'	90
10-952-04	Replacement Transport Wheel Assembly Kit	62	8854	Light Duty Hanger Wire Installation Kit	90
10-955	Extendible Floor Roller	62	8855	Wire-Fastening Nail Hooks	90
10-960	VCT Seam Roller	64	8856	12 Eye Lag Screws for Wood Joists	90
10-981-25	"Snuzzle" Adhesive Applicator	64	8857	Eye Lag Screws for Metal Joist	91
10-2000-09	Replacement Bumper Pad	41, 42	8858	Eye Lag Screw Drill Adapter	91
10-2000GT	GT2000 XL Knee Kicker	41	8859	Rivets	91
30-110	3/8" Chisel Point Staples	48, 80	8860	Leveling Line - 450'	91
30-210	3/8" Divergent Point Staples	48, 80	8861	Grid Clamps	91
33-100	10 Gauge Concrete Nails	80	8863	Panel Clips	92
50-030	Underlayment Seam Tape	68, 83	8864	Light-Duty Ceiling Hooks	92
50-540 (-C)	Max Grip® Vinyl Floor Installation Tape	82	8865	Grid Installation Kit	92
50-545 (-C)	Rug Traction™ Anti-Slip Rubber Tape	82	8866-2	1/8" Grid Punch	92
50-550 (-C)	Max Grip® Carpet Installation Tape	82	10001QC	Grout Saw	24
50-555	Duct Tape	82	10003Q	Tile Nipper	19
50-560	1" Carpet Adhesive Strip	83	10005Q (C)	1/4" Tile Spacers, Bag	36
50-565	3" Carpet Adhesive Strip	83	10006Q (C)	1/16" Tile Spacers, Bag	36
50-580 (-C)	Rug Gripper™ for Small Rugs	83	10010HD	Tile Cutting Wheel	18
50-582 (-C)	Rug Gripper™ for Small Rugs Value Roll	83	10012Q (C)	Grout Saw	24
70-010	Serenity Foam (100 sq. ft. roll)	68	10014QC	Saber Saw Blade	20
70-010-500	Serenity Foam (2000 sq. ft. roll)	68	10020Q (C)	Grout Remover	25
70-010-XL	Serenity Foam (400 sq. ft. roll)	68	10022Q (C)	Rubbing Stone	22
70-025 (-C)	Unison® 2-in-1 (100 sq. ft. roll)	68	10024Q	Sharpening Stone	22
70-025-15	Unison® 2-in-1 (1500 sq. ft. roll)	68	10025Q (C)	Replacement Grout Saw Blades	24
70-026	Black Jack (100 sq. ft. roll)	67	10026Q (C)	1/8" Tile Spacers, Bag	36
70-026-XL	Black Jack (600 sq. ft. roll)	67	10027Q	3/8" Tile Spacers, Bag	36
70-073	LVT Underlayment (100 sq. ft. roll)	68	10032Q (C)	10" Contour Gauge	21
70-102-1	First Step Premium 3-in-1 (630 sq. ft. roll)	66	10033	Wall Base Spreader - V-Notch	74
70-102-12	First Step Premium 3-in-1 (100 sq. ft. roll)	66	10038Q	6" Contour Gauge	21
70-105	AIRGUARD® Premium (100 sq. ft. roll)	66	10060Q (C)	Molded Rubber Grout Float 9-1/2" x 4"	32

Item #	Description	Page #	Item #	Description	Page #
10061Q (C)	Gum Rubber Grout Float 9-1/2" x 4"	32	10568Q (C)	1/4" Porcelain Diamond Drill Bit	13
10062Q	Economy Rubber Grout Float 9" x 4"	33	10569Q (C)	1-3/8 Porcelain Diamond Hole Saw	13
10063Q (C)	Gum Rubber Grout Float 12" x 4"	32	10570	1-3/8 Hole Saw Mounting Tape	13
10067Q (C)	1/16" & 3/16" CLEARVIEW, Bags	35	10576Q	Tile Caddy	26
10068Q (C)	1/8" & 1/4" CLEARVIEW, Bags	35	10585Q	3" PRO Diamond Jigsaw Blade	20
10073QC	6" x 2" Margin Float, Wood Handle	33	10586Q	PRO Diamond Grit File	22
10074Q (C)	Universal Grout Float 9-1/2" x 4"	32	10589QC	Tile Scorer	21
10075Q	1/4" Diamond Drill Bit	13	10600BR	24" Big Clinker Tile Cutter	16, 18
10076Q	XL Grout Scrubber	28	10630Q	24" Professional Tile Cutter	16, 18
10080Q	5/16" Diamond Drill Bit	13	10675Q	20" Professional Tile Cutter	18
10087Q	1-3/8" Diamond Hole Saw	13	10675Q-41	Tile Cutting Wheel	18
10091Q (C)	Tile & Stone File	22	10711Q	Multi-Use Trim Shears	20, 51
10092Q (C)	Pro Grout Saw	24	10800	27" Big Clinker Tile Cutter	16, 18
10096Q	Undercut Saw	20	10900Q	35" Professional Tile Cutter	16, 18
10098Q	Slide-Lock Scoring Knife	77	20840Q (C)	Grout Brush	25
10111-12	1/16" x 1/32" x 1/32" (U), Economy Trowel	73	20900Q (C)	14" Surface Scraper with Blade	85
10113Q	1/4" x 1/4" x 1/4" (SQ), Economy Trowel	72	21000Q	14" Replacement Blade	85
10114Q	1/4" x 3/8" x 1/4" (SQ), Economy Trowel	72	21123Q	Tile Cutting Wheel	16
10115Q	3/16" x 5/32" (V), Economy Trowel	72	21125	Tile Cutting Wheel	16, 17
10116	1/4" x 3/16" (V), Economy Trowel		21127Q	10 mm Post Scoring Wheel	17
10117 (QC)	Tile Cutting Wheel	17	21591Q	Heavy Duty Multipurpose Gloves	31
10119Q	Tile Cutting Wheel	17	21592Q	Tiler's Gloves	31
10121-12	1/16" x 1/16" x 3/32" (U), Economy Trowel	73	21643Q	4" Handheld Tile Saw	10
10122	1/16" x 1/32" x 5/64" (U), Economy Trowel	73	21665Q	Power Mixer Pro	14
10123-12	1/8" x 1/8" x 1/8" (SQ), Economy Trowel	73	21661	Professional Mixing Paddle	14
10125	1/16" x 1/16" x 1/16" (SQ), Economy Trowel	73	22400Q	4" Torque Master XT Portable Tile Saw	9, 11
10137-12	1/8" x 1/8" x 1/16" (Flat-V), EconomyTrowel	73	22650Q	7" 650XT Tile Wet Saw	8, 11
10142-12	1/4" x 1/4" x 1/4" (Flat- V), Economy Trowel	73	22660Q	7" 660 Tile Wet Saw	9,11
10143	3/8" x 5/16" (V), Economy Trowel	73	22750Q	7" 750XT Tile Wet Saw	8, 11
10144	1/4" x 3/16" Tiger Tooth®, Economy Trowel	73	22900Q	7" Power Pro 1HP Tile Saw	7, 11
10214Q	14" Professional Tile Cutter	18	30002	Quik-Cut Vinyl Tile Cutter	63
10220Q	20" Professional Tile Cutter	18	32010Q (C)	Glass Tile Nipper	19
10221Q	21" Professional Tile Cutter	17, 18	32024Q (C)	Tile Cutter	19
10268B	13" Tile Cutter	18	32035Q (C)	Compound Tile Nipper	19
10279Q	Grout Sealer Applicator	25	38229	Toilet Installation Kit	30
10281Q (C)	1/8" Tile Spacers, Bag	36	38232	Fluidmaster® 12" SS Braided Toilet Connector	30
10282Q	1/4" Tile Spacers, Bag	36	38233	No-Seep Wax Ring, No. 50	30
10284Q (C)	3/16" Tile Spacers, Bag	36	40009	Flooring Mallet	59
10285Q (C)	Wedge Tile Spacers, Bag	36	40225	Face Nail Shoe	57
10316Q (C)	3/16" Tile Spacers, Bag	36	40230	Thin Flooring Shoe	57
10320Q	1/16" Horseshoe Shims, Tub	36	40248	Bamboo Flooring Shoe	57
10321Q	1/8" Horseshoe Shims, Tub	36	41801	1-1/4" L-Porta-Nails, 18 Ga	59
10322Q	3/16" Horseshoe Shims, Tub	36	41802	1-1/2" L-Porta-Nails, 18 Ga	59
10323Q	1/4" Horseshoe Shims, Tub	36	41803	1-3/4" L-Porta-Nails, 18 Ga	59
10330Q	1/16" Leave-In Spacers, Bag	35	42103QC	5" x 2" Wood Handle Margin Trowel No Notch	74
10331Q	1/8" Leave-In Spacers, Bag	35	42110Q	6" x 2" Comfort Grip Margin Trowel No Notch	74
10332Q	3/16" Tile Spacers, Bag	35	42111Q	6" x 2" Margin Trowel Square Notch	74
10333Q	1/4" Leave-In Spacers, Bag	35	42115Q	6" Margin Float	33
10336Q	1/16" Leave-In Spacers, Clamshell	35	42620	Flooring Nail Set	59
10337Q	1/8" Leave-In Spacers, Clamshell	35	42629	2" T-Porta-Nails, 16 Ga	59
10338Q	3/16" Leave-In Spacers, Clamshell	35	42640	1-1/2" T-Porta-Nails, 16 Ga	59
10339Q	1/4" Leave-In Spacers, Clamshell	35	42660	2" T-Porta-Nails, 16 Ga STAINLESS STEEL *	59
10420Q	20" WISHBONE Professional Tile Cutter	17, 18	46196	1" Crown Staples, 18 Ga	59
10424Q	24" WISHBONE Professional Tile Cutter	17, 18	46197	1-1/4" Crown Staples, 18 Ga	59
10500	20" Big Clinker Tile Cutter	16, 18	46198	1-1/2" Crown Staples, 18 Ga	59
10552BR	20" Tile Cutter	17, 18	47080	2" L-Porta-Nails, 16 Ga STAINLESS STEEL *	59
10566Q (C)	5/16" Porcelain Diamond Drill Bit	13	47090	Prefinished Flooring Shoe, Wide Profile	57, 58
10567	Diamond Drill Bit Mounting Tape	13	47100	Porta-Jack Pro Hardwood Flooring Jack	56

Item #	Description	Page #	Item #	Description	Page #
47261	2" Crown Staples, 15-1/2 Ga, BCS Type	59	72004	3/16" (4 mm) Natural Cork Sheets	69
47271	1-1/2" Crown Staples, 15-1/2 Ga, BCS Type	59	72005Q	1/4" (6 mm) Natural Cork Sheets	69
49708Q	11" Blade, Patch & Finishing Trowel, Wood Handle	72	72008Q	1/8" (3 mm) Natural Cork Roll	69
49713Q (C)	1/4" x 1/4" x 1/4" (SQ), Wood Handle Trowel	72	72025	2.5 mm Natural Cork Sheets	69
49714Q (C)	1/4" x 3/8" x 1/4" (SQ), Wood Handle Trowel	72	75000Q (C)	Suction Cup	23
49715Q (C)	3/16" x 5/32" (V), Wood Handle Trowel	72	75001Q	Thinset and Grout Mixing Paddle	15
49716Q	1/4" x 3/16" (V), Wood Handle Trowel	72	75003Q	Double Suction Cup	23
49720Q (C)	1/2" x 1/2" x 1/2" (SQ), Wood Handle Trowel	72	75006Q (C)	7" Heavy-Duty Floor Scraper with Blade	86
49730	3/16" x 1/4" x 1/2" (Flat-V), Wood Handle Trowel	73	75007Q	7" Scraper Replacement Blade	86
49736	1/16" x 1/16" x 3/32" (U), Wood Handle Trowel	73	75009Q	Grout Grabber	24
49737	1/8" x 1/8" x 1/16" (Flat-V), Wood Handle Trowel	73	75011Q	Replacement Grout Saw Blades	24
49738	1/16" x 1/32" x 5/64" (U), Wood Handle Trowel	73	76000Q (C)	Grout Bag	31
49745Q	1/4" x 3/8" x 1/4" (SQ), Wood Handle Trowel	72	76030Q (C)	Polishing Cheesecloth	28
49746Q	1/2" x 1/2" x 1/2" (SQ), Wood Handle Trowel	72	78200	5 Gallon Plastic Mixing Bucket - White	15
49747Q	3/4" x 9/16" x 3/8" (U), Wood Handle Trowel	72	78201	Pour Spout Lid for 78200, 78217 & 78300	15
49754Q	3/4" x 3/4" x 3/4" (SQ), Wood Handle Trowel	72	78208	3-1/2 Gallon Plastic Mixing Bucket - White	15
49795Q	3/4" x 9/16" x 3/8" (U), Wood Handle Trowel	72	78217	15 Litre Plastic Mixing Bucket - White	15
49915Q (C)	1/4" x 1/4" x 1/4" (SQ), Comfort Grip Trowel	72	78220Q (-C)	Tile Installation Kit	26
49916Q (C)	1/4" x 3/8" x 1/4" (SQ), Comfort Grip Trowel	72	78300	10 Litre Plastic Mixing Bucket - White	15
49917Q (C)	3/16" x 5/32" (V), Comfort Grip Trowel	72	79023-6	Hard Cap Knee Pads	30
49919Q (C)	1/2" x 1/2" x 1/2" (SQ), Comfort Grip Trowel	72	79631Q	Washable Knee Pads	30
60020SQ	24" Heavy Duty Tile Saw	7, 11	79639Q	Ultra Fit Pro Knee Pads	29
60095	Submersible Tile Saw Water Pump	10	79642Q	F3 Stabilizer Pro Knee Pads	29
60098	Submersible Tile Saw Water Pump	10	79650Q	XL Professional Knee Pads	28
61024BR	24" Professional Tile Saw	6, 11	83200Q	24" Bridge Saw	5, 11
61205Q (C)	Professional Mixing Paddle	15	83250Q	30" Bridge Saw	5, 11
61210Q (C)	Universal Mixing Paddle	15	92220Q (C)	5-1/2" Pointing Trowel	74
61230Q	30" XL Spiral Pro Mixer	14	99600Q (C)	Board Seam Tape – 2" x 50' roll	83
61605	20 oz. Magnetic Hammer	88	99602	Cement Board Screws: 1-1/4"	80
61613	White Rubber Mallet	23, 50	99702	LASH® Clips, Bag	34
61620Q	Tile Mallet	23	99703	LASH® Wedges, Bag	34
61900Q	10" 900XT Pro Tile Saw	6, 11	99720Q (C)	LASH® Clips, Bag	34
62413	Red Rubber Finishing Float 9-1/2" x 4"	33	99725Q (C)	LASH® Wedges, Bag	34
62900Q (C)	4" Razor Scraper	87	99750Q	LASH® Pliers	34
62901Q (C)	4" Razor Scraper Replacement Blades	87	99751Q	LASH® Clips, Box	34
62904Q	8" Razor Stripper Blade (3)	86	99760Q	XL LASH® Clips, Bag	34
62907Q	8" Razor Stripper Blade (10)	86	99765Q	XL LASH® Wedges, Bag	34
62909Q (C)	8" Adjustable Razor Floor Stripper	86	PC7725	Brown Repair Putty	60
62962Q	REGROUT® Tool	24	PC7726	Light Repair Putty	60
62965Q	Demolition Scraper	85	PC7727	Light Red Repair Putty	60
62970Q (C)	Chisel Scraper	87	PC7728	Gray Repair Putty	60
62976Q	Jobsite Tough Bag	26	PC7729	Gold Tones Repair Putty	60
62985Q (C)	2" Power-Scraper	87	PC7730	Tan Repair Putty	60
62986Q (C)	2", 4" & 6" Multi-Use Power Scrapers	87	PC7731	Dark Red Repair Putty	60
62995Q	12" Super Scraper	85	PC7732	Dark Brown Repair Putty	60
70020Q	Extra Large Epoxy Grout Sponge	27			
70005QC	Heavy Duty All-Purpose Sponge	27			
70005Q-144	Heavy Duty All-Purpose Sponge	27			
70005Q-24	Heavy Duty All-Purpose Sponge	27			
70005Q-500	Heavy Duty All-Purpose Sponge	27			
70005Q-6D	Heavy Duty All-Purpose Sponge	27			
70007Q-24	Scrubbing Sponge	27			
70007QC-D	Scrubbing Sponge	27			
70010Q (C)	Microfiber Polishing Sponge	27			
70018Q (C)	Microfiber Grout Cleaning Cloth	28			
72000Q	1/4" (6 mm) Natural Cork Roll	69			
72001Q	1/2" (12 mm) Natural Cork Sheets	69			
72003Q	1/4" (6 mm) Natural Cork Roll	69			

# INDEX

## By Description

Description	Page #
<b>A</b>	
Adhesive Applicator	64
Air Glider	52
<b>B</b>	
Base Molding Lifter	50, 88
Blades, Flooring Cutter	55, 78
Blades, Grout Saw	24
Blades, Jamb Saw	47
Blades, Knife	50, 76-80
Blades, Masonry	47
Blades, Scraper	78, 85-87
Bridge Saws	5, 11
Brush, Counter	25
Buckets, Mixing	15
<b>C</b>	
Carpet Puller	88
Carpet Rakes	52
Chalk	21, 50
Chalk Reel	21, 50
Cheesecloth	28
China Markers	21
Contour Gauges	21
Cushion Back Cutters	45, 50
Cutters, Carpet	45-46
Cutters, Laminate	55-56
Cutters, Vinyl Tile	63
<b>D</b>	
Demolition Bags	26
Diamond Blades, Black Widow®	12
Diamond Blades, Continuous Rim	12
Diamond Blades, Glass	12
Dollies	52
Drill Bits	13
<b>F</b>	
<i>Fastener Reference Chart</i>	59
Files	22
Floats	32-33
Floats, Margin	33
Flooring Cutter	54-56
Flooring Jack	56
<b>G</b>	
Gloves	31
Glue Gun	51
Glue Sticks	51
Grid Punch	92
Grout Bag	31
Grout Brush	25
Grout Remover	24-25
Grout Saws	24
Grout Scrubber	28
Grout Sealer Applicator	25
<b>H</b>	
Hammers	50, 88
Heat Bond Irons	43
Hole Saws	13
<b>J</b>	
Jamb Saws	47
Jigsaw Blades	20
<b>K</b>	
Kits, Carpet	50
Kits, Ceiling Installation	90, 92
Kits, Flooring Installation	60
Kits, Putty Kit	60
Kits, Tile Installation	26
Knee Kickers	41-42
Knee Pads	28-30
Knives	50, 76
<b>L</b>	
Lag Screws, Metal Joist	91
Lag Screws, Wood Joists	90
LASH®	34
Linoleum Knife	50, 77
Loop Pile Cutter	45, 50
<b>M</b>	
Mallets	23, 50, 59
Microfiber, Cloth	28
Microfiber, Sponge	27
Mixer, Electric	14
Mixing Paddles	14-15
Moisture Vapor Barriers	70
<b>N</b>	
Nail Driving Bar	48, 50
Nail Set	59
Nailer, Flooring	57-58
Nails, Concrete	80
Nails, L-Cleats	59
Nails, T-Cleats	59
Napping Shears	49, 50

**P**

Pull Bar	60
Putty	60

**R**

Rivets, Ceiling Installation	91
Rollers	62
Row Finder/Separator	46, 50
Rubbing Stones	22
Rug Gripper™	83

**S**

Scoring Wheels, Post	17
Scoring Wheels, Tile Cutter	16, 17
Scrapers	85-87
Screws, Cement Board	80
Seam Rollers, Carpet	44
Seam Rollers, VCT	64
Seam Tape, Backerboard	83
Seam Tape, Underlayment	68, 83
Sharpening Stones	22
Sheathing Paper	70
Shims, Horseshoe	36
Snuzzle Adhesive Applicator	64
Spacers, Laminate Wedge	60
Spacers, LASH	34
Spacers, Tile	35-36
Sponges	27
Stair Tools	46, 50
Staple Hammer	48, 50
Stapler, Electric	48
Staplers, Flooring	57-58
Staples	48, 59, 80
Stretcher Tubes	38-39, 86
Stretchers, Carpet	38-40
Strip Cutter	50, 51
Strippers	86
Suction Cups	23

**T**

Tape Measure	48, 50
Tape, Anti-Slip Rubber	82
Tape, Carpet Installation	82
Tape, Duct	82
Tape, Vinyl Installation	82
Tapping Blocks	60
Tile Caddy	26
<i>Tile Cutter Reference Chart</i>	18
Tile Cutters	16-18
Tile Nippers	19
Tile Pliers	19
<i>Tile Saw Reference Chart</i>	11
Tile Saws, Handheld	10
Tile Saws, Portable	7-11
Tile Saws, Professional	6-7
Toilet Installation Kit	30

Tool Boxes	50
Tool Pouch	50, 51
Topset Gouge	64
Trim Shears	20, 51
Trimmer, Carpet	45, 50
<i>Trowels Reference Chart</i>	72-73
Trowels, Comfort Grip	72-74
Trowels, Economy	72-73
Trowels, Margin	74
Trowels, Pointing	74
Trowels, Wood Handle	72-74

**U**

Undercut Saws	20
Underlayment	66-69
Underlayment, Cork	69

**W**

Water Pump, Tile Saw	10
Waxed Paper	70
Wedges, Laminate	60
Wire, Ceiling Installation	90

QEP®, LASH®, Black Widow®, Brutus®, Porta-Nails® and Suspend-It® are registered trademarks of Q.E.P. Co., Inc.

Roberts®, AirGuard®, Cool Shield®, the e® logo, Golden Touch®, Max Grip®, Quiet Cushion®, Soft Stride®, Super Felt®, Tiger Tooth® and Unison® are registered trademarks of Roberts Consolidated Industries, Inc.

Vitrex® is a registered trademark of Q.E.P. Co., Inc.

Aquabar® "B" is a registered trademark of Fortifiber Corporation

CRI® is a registered trademark of The Carpet and Rug Institute

DUO-FAST® is a registered trademark of Illinois Tool Works Inc.

DUROCK® is a registered trademark of United States Gypsum Company

Fluidmaster® is a registered trademark of Fluidmaster, Inc.

HardieBacker® is a registered trademark of James Hardie Technology Limited

johni-ring® is a registered trademark of HCC Holdings, Inc.

LEXAN® is a registered trademark of Sabic Global Technologies B.V.

Microban® and Microban Antimicrobial Protection® are registered trademarks of Microban Products Company

Primpact® is a registered trademark of Laboratoire Primattech Inc.

REGROUT® is a registered trademark of Michael L. Taylor

Rug Gripper™ is a trademark of Optimum Technologies, Inc.

SVS™ is a trademark of AllGlobe Inc.

VELCRO® is a registered trademark of Velcro Industries B.V.





1001 Broken Sound Parkway, NW | Suite A  
Boca Raton, Florida 33487

**[www.qepcorporate.com](http://www.qepcorporate.com)**

**[www.qep.com](http://www.qep.com) [www.robertsconsolidated.com](http://www.robertsconsolidated.com) [www.porta-nails.com](http://www.porta-nails.com)**

**For more information call 866-435-8665**