



FARM & RANCH CATALOG



About QRRI, Inc.

QRRI, Inc. manufactures and distributes rubber products for the equine and ag-retail industries. Founded in 1987, the company is a female and minority owned small U.S. business enterprise. Our corporate offices are located in Sandy Springs, GA, and products are inventoried in warehouses across the country.

QRRI specializes in using recycled rubber. Our unique compounding and manufacturing processes have been designed to meet virtually any customer need. QRRI delivers a niche service experience by providing customers with a complete solution for developing, manufacturing, and marketing rubber products.


Some of the markets serviced:

- Equine Industry: Equine and specialty retailers
- Agriculture Industry: Farm & ranch retailers and wholesalers, tack & supply retailers and equine distributors
- Retail: Including home centers, specialty stores, and general merchandise
- Transportation Industry: OEM manufacturers of specialty trailers and agriculture related vehicles
- Wholesalers: Including equine tack & supply distributors and farm & ranch distributors

Our philosophy is to build partnerships with our customers while providing top quality products at very competitive prices. QRRI supports that philosophy by maintaining overhead at the lowest possible level. By combining marketing and manufacturing, we aim to create a high level of trust and confidence for our customers.

The desire to exceed our customers' expectations at all levels makes our marketing approach extremely successful. This approach includes excellent quality control, full testing and research capabilities, and on-time delivery performance.

Warehouse Locations




Mira Loma, CA
Denver, CO
North Haven, CT

Orlando, FL
Atlanta, GA
West Chicago, IL

La Grange, KY
Billings, MT
Milwaukee, WI

Introduction	i
Stall Mats	1
Interlocking Stall Mats	2
Custom Interlocking Stall Mats	3
Rubber Pavers	4
Quik-Fit® Stall Kit	4
Entrance Mats	5
Entrance Mats Display	7
Utility Mats	7
Ring Mats	8
Trailer Products	9
Parking Curbs	11
ATV / RV Products	12
Technofloor™ Mats	13
Techno Boots™	14
Secure Step™	15
Warranty	16
Terms & Conditions	16

STALL MATS



FLEXGARD® Stall Mats

QRRI's FLEXGARD® stall mats are constructed from durable, high-quality FLEXGARD® rubber. Our unique Punter® and Pebble top designs provide better traction for a comfortable, non-slip surface. The FLEXGARD® rubber absorbs shock and lessens muscle strain, decreasing the risk of injuries. Our stall mats also insulate against cold and prevent damp conditions, providing your animals with a safe, healthy, and natural environment. Reduces cleaning and beddings costs while saving time and effort. For a durable, economical solution for your stall flooring needs, FLEXGARD® stall mats are the perfect fit.

FEATURES:

- Anti-fatigue design
- Durable in all weather conditions
- 100% recycled FLEXGARD® rubber
- Non-slip surface
- Easy to clean
- Limited warranty




Punter® Top Mat




Wide Rib Bottom

Color	Size	Thickness	Weight	Item ID
Black	4' x 6'	3/4"	95 lbs	ASM4872-DR3/4




Pebble Top Mat




Grooved Bottom

Color	Size	Thickness	Weight	Item ID
Black	4' x 3'	1/2"	37 lbs	MPT12-4X3PNG
Black	4' x 6'	1/2"	73 lbs	MPT12-4X6PNG



Punter® Top Interlocking 2' x 2' Mat



Wide Rib Bottom

Color	Size	Thickness	Weight	Item ID
Black	2' x 2'	3/4"	17 lbs	DRV4-24F4

USES:

- Fitness areas
- Locker rooms
- Tack rooms
- School gyms
- Weight rooms
- Cardio decks
- Horse barns
- Baseball dugouts
- Ice Rinks
- Wash rack areas
- Horse trailers
- Multipurpose areas

Punter® Top Interlocking Tile

QRRI's FLEXGARD® 2'x2' Punter® Top Interlocking Tiles are a tough, durable, all-rubber solution for expanding and enhancing your current floor configurations. The interlocking edges allow these tiles to form an endless combination of layouts. All tiles interlock on all 4 sides, enabling fast and simple assembly. The tiles have a wide rib underside, allowing air to circulate beneath the tile to reduce condensation buildup that leads to mold and mildew. The Punter® Top surface prevents costly slips and falls, while the FLEXGARD® rubber provides excellent impact and shock absorption.

FEATURES:

- 100% recycled FLEXGARD® rubber
- Water-jet precision cut for exact fit
- Non-slip surface
- Superior impact protection
- 3/4" Thickness



Tru-Lite® Interlocking EVA Foam Mat



Tru-Lite™ Design

Color	Size	Thickness	Weight	Item ID
Black	3' x 4'	7/8"	17 lbs	TRM-TRU-LITE

USES:

- Temporary stall mats
- Temporary trailer mats
- Fitness areas
- Multipurpose areas
- Exercise areas
- Yoga studios
- Gyms
- Dojos
- Daycares

Tru-Lite® Interlocking Mats

QRRI's Tru-lite® Interlocking Mats are a versatile flooring solution, suitable for multiple uses. These mats are made of high density, durable, closed-cell EVA (Ethylene Vinyl Acetate) foam. EVA is a strong yet lightweight material, making it easier and less costly to transport and store. All mats interlock on all 4 sides, enabling fast and simple installation. The slightly textured surface improves slip resistance. Create a clean, quiet, and soft workout area for any floor or gym. Tru-lite® Interlocking Flooring can conveniently also be used as portable stall mats. Give your horses safe, comfortable flooring while saving on assembly time and effort.

FEATURES:

- Non-toxic
- Anti-fatigue
- Lightweight
- Waterproof
- Absorbs shock
- Easy to clean & install

CUSTOM INTERLOCKING STALL MATS

Popular Stall Arrangements

Endless Combinations


FEATURES:

- Anti-fatigue
- 10-year limited warranty
- 100% recycled FLEXGARD® rubber
- Punter® Top non-slip surface
- 3/4" Thickness
- Reduces back & leg strain
- Easy installation
- Heavy duty, durable
- Reduces bedding/cleaning cost
- Good for all weather conditions


SIZES:

- DRV4-10L: 46 5/8" x 69 7/8" x 3/4"
- DRV4-10R: 46 5/8" x 69 7/8" x 3/4"
- DRV4-14: 46 5/8" x 70 7/8" x 3/4"
- DRV4-16: 47 5/8" x 69 7/8" x 3/4"
- DRV4-20: 47 5/8" x 70 7/8" x 3/4"
- DRV4-24F4: 24 5/16" x 24 5/16" x 3/4"

MAT DIAGRAMS:




Interlocking Pathways




Black




Grey



Green



Brick Red



7/8" Thick Pavers

Colors	Weight	Pavers/ft ²	Pallet Quantity	Container Quantity
All	1.3 lbs	3.42	1,548 pieces	30,960

1 3/4" Thick Pavers

Colors	Weight	Pavers/ft ²	Pallet Quantity	Container Quantity
All	2.8 lbs	3.42	774 pieces	15,480

Easy Paving


QRRI interlocking pavers provide a simple and attractive way to decorate and protect areas within your business, barn or home. The dog-bone shaped design can be combined into a variety of shapes and lengths. The pavers are durable and resilient, while providing foot cushioning and anti-fatigue protection. Easy to install, shape, modify and saw-cut. Available in 1 3/4" and 7/8" thicknesses.

USES:

- Equine flooring
- Wash bays
- Aisle ways
- Service roads
- Saddling areas
- Walkways
- Garden pathways
- Barns areas
- Anti-slip protection
- Patios

QUIK-FIT® STALL KIT

Fast Stall Matting



Weight	Mats per Kit	Kits per Pallet	Item ID
600 lbs	6	1	DRV4-12X12KITPT

Pre-Cut Stall Flooring

QRRI Quik-Fit® interlocking stall mats are made of high quality FLEXGARD® rubber. The textured Punter® top surface design increases traction, providing a comfortable non-slip surface. The wide-ribbed underside increases stability and drainage, reducing cleaning and bedding costs and effort. Quik-Fit® stall mats also insulate against cold and prevent damp conditions while absorbing shock. Give your animals a healthy, safe, and natural environment with this durable, economical stall flooring option.

USES:

- Anti-fatigue
- 5-year limited warranty
- 3/4" thickness
- Water-jet precision cut for exact fit
- Durable in all weather conditions
- 100% recycled FLEXGARD® Rubber

ENTRANCE MATS

Decorate Entryways

Enhance any entryway with our beautiful yet durable, natural coir and rubber mats. These mats prevent tracking dirt and grime into indoor areas and increase traction, preventing accidents. Vacuum or shake rigorously to clean. To prolong usage, place mats in covered areas and avoid leaving in standing water.

FEATURES:

- Non-slip surface
- Decorative styling
- Heavy-duty
- Limited 1-year warranty



USES:

- Decks
- Porches
- Mudrooms
- Doorways
- Indoors
- Outdoors
- Balconies
- Garages
- Entryways
- Vestibules

Animal Designs



Galloping Horse

Item ID: IM180-18X30GALLOPHOR

Size: 18" x 30"

Weight: 4.2 lbs



Mare & Foal

Item ID: IM180-18X30MARE&FOAL

Size: 18" x 30"

Weight: 4.2 lbs



Three Horses Running

Item ID: IM180-18X30THREEHRUN

Size: 18" x 30"

Weight: 4.2 lbs



Welcome Horses Running

Item ID: IM180-18X30-WELCHRSRUN

Size: 18" x 30"

Weight: 4.2 lbs



Welcome Horses

Item ID: IM20X30RING-WH

Size: 20" x 30"

Weight: 7.72 lbs



Four Dogs

Item ID: IM180-18X30-FOURDOGS

Size: 18" x 30"

Weight: 4.2 lbs



Three Dogs

Item ID: IM180-18X30-THREEDOGS

Size: 18" x 30"

Weight: 4.2 lbs



Welcome Cats

Item ID: IM180-18X30-WELCCATS

Size: 18" x 30"

Weight: 4.2 lbs

Seasonal Designs



Merry Christmas Bells & Stars

Item ID: IM180-18X30-MCBELLSTAR

Size: 18" x 30"

Weight: 4.2 lbs



Merry Christmas/Happy New Year/Snow

Item ID: IM180-18X30MCHNYSNOW

Size: 18" x 30"

Weight: 4.74 lbs



Winter Wonderland Snow

Item ID: IM180-18X30-WWSNOW

Size: 18" x 30"

Weight: 4.74 lbs










Season's Greetings Ornaments

Item ID: IM180-18X30-SGORNAMENTS



Size: 18" x 30"

Weight: 4.2 lbs

Greeting Designs



Abstract & Nature Designs



Designed and manufactured by Aspinwall USA, exclusively for QRRI, Inc.

ENTRANCE MAT DISPLAY

In-Store Display Unit

This rolling product display system is the perfect way to showcase our Aspinwall™ entrance mats. Each of the four tiered display shelves easily holds six inventory items. The rack is constructed from sturdy metal and comes with a black powder-coated finish. The display is equipped with heavy-duty casters for quick and simple placement. Easy to assemble.



Multi-Use Utility Mats

Our durable rolled rubber mats are excellent for a variety of uses. Made of 1/4" thick rubber, these rolls are designed to withstand years of continuous use. The optional display rack is constructed from sturdy grey steel and is easy to assemble. Merchandise header included.

FEATURES:

- Fights fatigue
- Superior traction
- Protects floors
- Disperses impact
- Reduces noise
- Non-slip top surface
- Non-absorbent
- Blocks bacteria


USES:

- Wash areas
- Truck floors & beds
- Fitness areas
- Animal protection
- Work benches
- Entry & aisle ways
- Barns
- Trailers

SIZES:

- 36" x 60"..... 19 lbs
- 40" x 96"..... 33 lbs
- 48" x 72"..... 30 lbs
- 48" x 96"..... 40 lbs
- 60" x 96"..... 50 lbs
- 60" x 120"..... 63 lbs


Rolled Mats



UTILITY MATS



Interlocking Ring Mat



Underside View

Interlocking Ring Mat

QRRI's comfortable interlocking ring mat can be used effectively in most industrial, workplace, and animal areas. The resilient design reduces fatigue and increases safety, keeping you more alert and less prone to accidents. The large drainage holes in the mat help maintain a clean, effective, non-slip surface for improved traction. These mats are suitable for wet and dry conditions and are designed to resist chemical damage.

USES:

- Bars & restaurants
- Workshops
- Commercial & industrial areas
- Service areas
- Swimming areas
- Kitchens
- Meat departments
- Entryways
- Horse stalls & trailers




ANTI-FATIGUE DESIGN

PREVENTS SLIPS

WATERPROOF SURFACE

Color	Size	Thickness	Weight	Item ID
Black	3' x 3'	1/2"	10.2 lbs	IM120-33ILS-EC

Beveled Ring Mat



Beveled Ring Mat

QRRI's durable yet stylish beveled ring door mats are a useful addition for any entryway. These mats are strong enough to weather the elements and withstand daily tough wear and tear. The non-slip surface reduces the risk of injury, providing a safer experience for users. It also traps dirt and grime, preventing it from being tracked into your home. The beveled rings allow for better drainage to prevent bacterial growth. Easy to store and clean.

FEATURES:

- Limited 3-year warranty
- Non-slip surface
- Resists bacterial growth
- Heavy-duty construction
- Traps unwanted dirt and grime

USES:

- Outdoors
- Wet areas
- Entryways
- Indoors
- Porches
- Decks

Color	Size	Thickness	Weight	Item ID
Black	18" x 30"	3/8"	3.85 lbs	IM100-18X30BEV-RM

TRAILER PRODUCTS



Masticated Wall Liner

QRRI's 100% FLEXGARD® rubber durable, masticated rubber wall liner is our premier product for the lining rubber industry. FLEXGARD® masticated rubber is made from high-quality recycled tire material, resulting in both an economic and eco-friendly product. Our rubber wall liners are also fiber-reinforced and fully vulcanized for optimum durability in all conditions. All masticated liners are available in custom thicknesses, widths, and lengths.

FEATURES:

- 100% FLEXGARD® masticated rubber
- Flexible up to -40 degrees Fahrenheit
- Will not expand or contract
- Meets industry's toughest specifications
- Durable in ALL weather conditions

USES:

- Horse trailer walls
- Horse stall walls
- Utility trailer walls
- Auto-trailer walls



River Rock Wall Liner



Surface Texture

Color	Size	Thickness	Weight	Item ID
Black	4' x 50'	1/8"	170 lbs	IR912-048-80C018050


Ribbed Wall Liner



Surface Texture

Color	Size	Thickness	Weight	Item ID
Black	4' x 50'	1/8"	170 lbs	IR914-048-80C018050

Ramp Rubber



Surface Texture

Roll Color	Roll Size	Roll Thickness	Weight/ft ²	Item ID
Black	48" x 150'	3/16"	3.24 lbs	CON-RT-48"-1PLY
Black	52" x 150'	3/16"	3.5 lbs	CON-RT-52"-1PLY
Black	60" x 150'	3/16"	4.05 lbs	CON-RT-60"-1PLY

Rough Top Ramp Rubber

QRRI's ramp mats are the very definition of tough. Constructed of the highest quality rubber, they can withstand wear and tear and heavy use from animals like horses and cows. Ramp rubber rolls are also reinforced with 1 ply EP fabric for additional strength. All ramp rubber can be glued, screwed, or riveted directly without affecting the structural integrity.

FEATURES:

- Seamless one-piece installation
- Available in several widths
- High-quality woven nylon ply backing
- Resists tearing/stretching from hooves
- Several installation methods

USES:

- Horse trailer ramps
- Livestock trailer ramps
- Enclosed auto-trailers
- Utility trailers



Pebble Wall Liner



Surface Texture

Color	Size	Thickness	Weight	Item ID
Black	4' x 50'	3/16"	300 lbs	RS04848050PF

Pebble Wall Liner

QRRI's rolled rubber is one of the best wall liner options in the market today. The 100% rubber material provides excellent flexibility without compromising durability, while the micro-pebble surface design provides added character and distinction for a more pleasing aesthetic.

FEATURES:

- 100% FLEXGARD® rubber
- Improved micro-pebble surface
- Flat bottom
- Durable in ALL weather conditions
- Maintains flexibility over time

USES:

- Horse trailer walls
- Horse stall walls
- Utility trailer walls
- Auto-trailer walls



PARKING CURBS



Secure Park™



Color	Size	Thickness	Weight	Item ID
Black & Yellow	6" x 20"	3 3/4"	9 lbs	TF375-6X20-SP

Secure Park™ Parking Stop

Our Secure Park™ products are made of highly durable 100% recycled rubber. These products provide a safe, secure alternative to traditional parking stops. Secure Park™ is an excellent parking stop choice for home garages, trailers, and other vehicles. Secure Park™ II is a stronger, heavy-duty option, perfect for securely chocking large vehicles like RV's, boats, Big Rigs, trucks and trailers.

FEATURES:

- Durable in all seasons
- Heavy-duty construction
- Moisture resistant
- Easy to install & maintain

USES:

- Automobiles
- Trucks
- Trailers
- Campers
- RVs



Secure Park™ II



Color	Size	Thickness	Weight	Item ID
Black	6" x 10"	3 3/4"	5 lbs	TF375-6X10-SP-II



Hush Pad™



Color	Size	Thickness	Weight	Item ID
Black	11" x 14"	2"	10 lbs	TF002-11X14-HP



Hush Pad™ Line

Our 100% recycled rubber Hush Pad™ line is the perfect option for parking RVs and reducing vibration. Hush Pads™ are built for heavy-duty applications, and are an outstanding, durable replacement for less-safe rocks and wood scraps. Along with the original Hush Pad™ we offer the Hush Pad™ II, a smaller version of the Hush Pad™ which provides the same excellent support and vibration reduction. The Hush Pad™ is sold individually, the Hush Pad™ II is sold in pack of 4.

FEATURES:

- Anti-vibration
- Moisture & mold resistant
- Extremely durable
- Usable in all weather conditions

USES:

- Goosenecks
- RVs
- Trailers



Hush Pad™ II



Color	Size	Thickness	Weight	Item ID
Black	6.25" x 8.75"	1/2"	6 lbs	TF003-6.25X8.75-HP II



TECHNOFLOOR™ MATS

All Purpose Mat

The TechnoFloor™ All Purpose Mat is an economical anti-slip mat with a wide selection of uses. This 100% recycled material mat is waterproof, UV resistant, reversible, easy to cut, and simple to clean. Use in doorways, entryways, work shops, gyms, and more. Comes in three sizes to fit all of your needs.

FEATURES:

- Anti-slip
- Waterproof
- UV resistant
- Easy to cut/clean
- Reduces noise
- 100% recycled material

USES:

- Workshops
- Doorways
- Fitness areas
- Entryways
- Gyms



All Purpose Mat



Color	Size	Thickness	Weight	Item ID
Black	24" x 54"	1/8"	6 lbs	TF018-24X54-APIOM
Black	36" x 60"	1/8"	10 lbs	TF018-36X60-APIOM
Black	48" x 72"	1/8"	16 lbs	TF018-48X72-APIOM

BBQ Mat

The TechnoFloor™ BBQ grill mat is the perfect solution for protecting your deck or patio from grease stains and damage. Made from 100% recycled materials, this mat is easy to clean and maintain. Available in two sizes.

FEATURES:

- Stain resistant
- UV resistant
- 100% recycled material

USES:

- Driveways
- Decks
- Patios



BBQ Mat



Color	Size	Thickness	Weight	Item ID
Black	24" x 54"	1/8"	6 lbs	TF018-24X54-BBQ
Black	36" x 60"	1/8"	10 lbs	TF018-36X60-BBQ

BBQ Mat Display

Item ID: TF018BBQMATCOMBODISPLAY2

Dimensions: 25" x 15" x 37"

Holds 195 lbs of mats:
 - 12 [24" x 54"] mats
 - 12 [36" x 60"] mats

Acoustic Underlayment



Size	Thickness	Weight	Item ID
48" x 25'	3/16"	17 lbs	TF003-48X300-ACOUS



FEATURES:

- Superior soundproofing
- Absorbs impact noise
- Insulates temperature
- Effective vapor barrier
- Highly resilient
- Easy to install
- Eco-friendly

USES:

- Under wood flooring
- Under laminate flooring
- Under carpet
- On concrete flooring
- Commercial
- Residential

Acoustic Mat

TechnoFloor™ Acoustic underlayment is a versatile, effective, easy-to-install, and eco-friendly sound-proofing mat. Manufactured after extensive research and development, this acoustic mat is perfect for isolating sound beneath hardwood, laminate engineered wood, or carpeted floors. It is also an excellent choice for residential and commercial sound-proofing applications. This 100% recycled tire material mat includes a highly effective vapor/moisture barrier on the top surface to prevent mold and bacteria buildup. TechnoFloor™ Acoustic mats are resilient and will not bottom out, become brittle, or break apart, therefore ensuring a long lasting successful installation.



TECHNO BOOTS™

Boot Tray




Techno Boots™ Display

Item ID: TF001-BOOTTRAY-DISPLAY

Dimensions: 25" x 16" x 43"

Holds 115 lbs of trays:
- 56 [3-pack] Techno Boots™



Color	Size	Thickness	Weight	Item ID
Black	12" x 15"	1"	2 lbs	TF001-12X15-TB-3PK

Interlocking Modular Boot Tray

No more worrying about those muddy boots and shoes with these Techno Boots™ interlocking boot trays. These trays are universally interlockable, creating virtually any shape necessary, including an L-shape. They are made from 100% recycled materials, durable, and light weight. Comes 3 trays per pack.

FEATURES:

- Modular
- Eco-friendly
- Easy to clean
- Calcium/salt resistant

USES:

- Entryways
- Laundry rooms
- Mud rooms
- Garages



Stair Treads

Easily Secure Your Steps

Secure Step™ offers year-around skid and slip protection for any surface, every step of the way. Made from 100% high-quality recycled rubber, this product is environmentally friendly, durable, and easy to install. Usable in all weather and season. Comes in 3 sizes for maximum customization.

FEATURES:

- Skid resistant
- 100% recycled rubber
- Easy installation
- Durable
- UV resistant
- Helps melt snow

USES:

- Walkways
- Landings
- Stairs



Color	Size	Thickness	Weight	Item ID
Black	8" x 24"	1/2"	4 lbs	TF012-08X24-SS
Black	9" x 36"	1/2"	6.5 lbs	TF012-09X36-SS
Black	10" x 48"	1/2"	9.5 lbs	TF012-10X48-SS



Before



After



Warranty

QRRI, Inc. offers the following limited warranty on its roster of products. We warrant that each product meets the applicable specifications supplied by QRRI, Inc. and will be free from defects in material and workmanship at the time of shipment from QRRI, Inc. or an Authorized Selling Dealer or Distributor as detailed below from purchase date. If defects occur during the warranty period, QRRI, Inc. will, at its sole option and as customer's exclusive remedy, repair or replace the defective product at the applicable charge, provided that QRRI, Inc. is notified in writing within 10 days of the end of the warranty period or sooner. Any and all warranty claims must be approved in advance by QRRI, Inc., and no Authorized Selling Dealers or Distributors shall authorize any warranty, without the prior written approval and acceptance by QRRI, Inc. Proof of purchase must be accompanied with any written warranty claim. Warranty claims are to be submitted direct to QRRI, Inc. or through an Authorized Selling Dealer or Distributor. Non-payment of any open invoices voids all related product warranties described herein.

QRRI, Inc. reserves the right to have the defective product returned for warranty evaluation. This warranty covers the original purchaser of the product only. The warranty period covers from the original purchase date only and will not be extended as a result of product being replaced under warranty. Any defect as determined by QRRI, Inc. to be caused by customer's alteration, modification, negligence, improper installation or misuse is not covered by this warranty. This warranty applies to materials only and does not include delivery, labor, installation, disposal cost or any other costs involved with the removal and re-installation of specified products. Designs, data, and other technical information supplied by QRRI, Inc. is supplied "AS IS" and is not covered by this or any other warranty, unless otherwise stated in writing by QRRI, Inc.. QRRI, Inc. has no control over how its products and technology will be used by its customers. QRRI, Inc. does not make representations of warranties that those products or technologies will work in specific applications. In no event will QRRI, Inc. be liable for any damages or injuries caused by use of any QRRI, Inc. product or technology in any specific application or industry. In no event will QRRI, Inc. or its distributors, dealers, officers, or employees be held liable for any indirect, incidental, consequential or specific damages, including but not limited to lost profit, loss of use or other economic loss. In no event will QRRI, Inc.' liability under this warranty exceed the amount paid by the customer for the product at issue. This warranty sets forth the entire liability of QRRI, Inc. with respect to the product warranted, except for any implied warranties which may arise under state law and any such implied warranties are hereby limited to the duration of this express warranty. Any and all incidental and/or consequential damages are hereby waived by the purchaser. This warranty shall not be extended, altered or varied unless in a written instrument executed by an authorized representative of QRRI, Inc.

Rev. 014-7-001

Product	Limited Warranty Terms	Full Warranty	Prorated Warranty
1-pc. Rubber Flooring – All Models	5 Year Prorated	Year 1	Year 2-5 Prorated
Arena Footing (Crumb Rubber or Mulch Rubber)	Metal Free Only		
Aspinwall Natural Fiber Entrance Mats	1 Year	Year 1	
Custom Interlocking Rubber Flooring Components – All Models	10 Year Prorated	Years 1-5	Year 6-10 Prorated
Tru-Lite™ Interlocking Flooring	1 Year	Year 1	
Ring or Drainage Mats – All Models	3 Year Prorated	Year 1	Year 2-3 Prorated
Rolled Rubber Sport Flooring – FlexGard®	3 Year Prorated	Year 1	Year 2-3 Prorated
Rubber Edge Strips	3 Year Prorated	Year 1	Year 2-3 Prorated
Rubber Flooring – Full size Standard Interlocking Flooring	10 Year Prorated	Years 1-5	Year 6-10 Prorated
All Rubber Mats – ½”	3 Year Prorated	Year 1	Year 2-3 Prorated
All Rubber Mats – ¾”	10 Year Prorated	Year 1-5	Year 6-10 Prorated
All Rubber Pavers – 1” and 1 ¾”	3 Year Prorated	Year 1	Year 2-3 Prorated
All Rubber Rolls	3 Year Prorated	Year 1	Year 2-3 Prorated
Sealants, Silicones & Adhesives	Per Manufactures Warranty		
Stall Mats – ¾” – All Models (Straight Edge or Interlocking)	10 Year Prorated	Years 1-5	Year 6-10 Prorated
All Trailer Mats	5 Year Prorated	Year 1	Year 2-5 Prorated

Terms & Conditions

QRRI, INC. sells products commercially for multiple applications determined by the Buyer or end-user. Determination of the suitability of the products for the uses and applications of Buyers and end-users shall be the sole responsibility of the Buyer or end-user. QRRI, INC. does not recommend any of its products for any particular use or application. The purchaser or end-user shall assume full responsibility for the adequacy and suitability for the intended use. Rubber products may fail as a result of temperature variances, excessive pressures, abrasion or damaging substances. The wear life of rubber products is limited by the circumstances and conditions of use. Buyer and end-users should regularly inspect the rubber to determine if it should be replaced for operational and safety requirements, to prevent injury of damage to persons and property.

Payment Terms: Net 30 days from date of invoice on approved credit and accounts in current good standing, unless otherwise stated and approved. At our discretion, we may require full or partial payment in advance if Buyer does not qualify for terms or continued terms. A charge of 1.5% per month (or at the highest rate permitted by law) shall be charged on overdue accounts. Credit balances will only be applied to future purchases.

Transportation Policy: All shipments are made FOB Origin, Freight Collect or FOB Origin, Freight Prepaid & Add. Seller will determine the point of shipment, the method of transportation, and the routing of shipment. For Freight Prepaid & Add shipments, Seller reserves the right to determine the most economical shipping method on shipments, and all freight charges shall be added to Buyer invoice. Partial deliveries shall be accepted by the Buyer. Seller does not guarantee any delivery or completion date. Seller shall not be liable or responsible for any loss, damage, expense or charge of any kind, direct or indirect, suffered or incurred by Buyer as a result of such delay. All shipments shall be carefully inspected when received and any claims for freight damage should be noted on the Bill of Lading. Seller shall not be responsible for freight damage and/or concealed damage not reported to the carrier at time of delivery.

Prices/Minimum Order: Minimum order is \$250.00. All prices are subject to change without prior notice. All Buyer purchase orders shall be accepted by Seller at time of order. All price pages and catalog weights are approximate and actual shipping weights may vary from these listings. In case of dispute, actual shipping weight will apply. All orders accepted by the Seller are accepted on the understanding that Buyer, by placing the order, has agreed to these Standard Terms and Conditions of Sale, and are part of the Buyer's order.

Quantity Variance: Due to manufacturing variances, the quantity of goods delivered can be within 10% more or less, of the quantity specified and shall be charged at the unit price. Buyer agrees to accept quantity variances that may differ from the purchase order as described within.

Cancellations: Requests for cancellation or modification for orders from warehouse stock must be submitted in writing and received by Seller at least 2 days prior to shipment. No cancellations or modifications are allowed on direct container shipments. Orders for merchandise produced and/or shipped specifically for a customer cannot be cancelled once goods are produced.

Returned Goods: No goods may be returned without Seller's prior written authorization. Each request for exchange or return shall describe the condition of the goods, and the reasons for the requested return or exchange. Buyer shall request and receive a RMA (Return Merchandise Authorization) number from the Seller before returning any goods. Seller will not accept any returned good shipment without a RMA number attached to the shipment. For return of 1st class goods, Buyer shall pay return transportation costs and a restocking charge of 15%. All return requests shall apply only to warehouse stock products purchased within a six month period. No returns on goods that have been cut, treated, altered, processed, subject to abuse or misuse, or damaged after shipment by Seller. No returns on special orders, made-to-order goods, or custom-cut lengths.

Warranties and Disclaimers: Goods furnished under this agreement shall conform to the description herein. All first quality goods are warranted to be free from defects in material and workmanship at the time of shipment. Seller shall convey good title to buyer. Seller further warrants that the goods sold hereunder do not infringe any valid US patent, and Seller does not warrant, however, that the use of the good or products made therefrom, either alone or in conjunction with other materials, will not infringe any valid US patent. THE WARRANTIES SET FORTH IN THIS PROVISION ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING WARRANTIES ARISING FROM COURSE FOR DEALING OR USAGE OF TRADE. SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. ALL PRODUCT ARE SOLD AND WARRANTED ONLY PURSUANT TO OUR PUBLISHED TERMS AND CONDITIONS OF SALES. WE ARE NOT RESPONSIBLE FOR THE USER FOR ANY CONSEQUENTIAL, INCIDENTAL, OR SPECIAL DAMAGES RESULTING FROM PRODUCT USE OR PROCESSING. IN NO CIRCUMSTANCES WILL SELLER'S LIABILITY EXCEED THE PURCHASE PRICE OF THE GOODS.

Products Suitability and Length of Use: Buyer acknowledges the use of its own knowledge, expertise, skill, experience and judgment in the selection of products(s) and/or in the selection, provision, or designation of any specifications or set of specifications for a product(s) agreed upon by the Buyer and Seller. Buyer acknowledges that Seller shall not be liable for, and Buyer assumes all risk of, inaccurate or unsuitable specifications or information provided, selected or designed by the Buyer. QRRI, INC. MAKES NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE SUITABILITY OF MATERIALS FOR A PARTICULAR PURPOSE. BUYERS AND USERS MUST DETERMINE THE SAFETY AND SUITABILITY OF QRRI, INC.'S PRODUCTS FOR THEIR OWN PURPOSES, AND ASSUME ALL RISK, RESPONSIBILITY, AND LIABILITY FOR ALL INJURIES, LOSSES, OR DAMAGES ARISING FROM THE APPLICATION OF THE INFORMATION OR USE OF QRRI, INC.'S PRODUCTS, WHETHER OR NOT CAUSED BY QRRI, INC.'S NEGLIGENCE OR BASED ON STRICT PRODUCT LIABILITY.

Claim Period and Remedies: Prompt written notice shall be given to Seller of any claim or failure of goods to conform to the warranties hereunder. Should any failure to conform to these warranties appear under normal and proper use within the period of six (6) months from the date of shipment to the Buyer, Seller shall correct such nonconformity, at its option, by repair or replacement of the defective goods or by the refund of the purchase price thereof with due allowances made for the service rendered by the goods returned. In no circumstances shall Buyer commence any action under this Agreement later than one year after receipt of the goods. The remedies provided above are the Buyer's sole remedies for any failure of Seller to comply with its obligations.

Limitation of Liability: Seller shall not be liable to contract, in tort (including negligence) or otherwise for damage or loss other property, loss of profits or revenue, loss of use of property or equipment, claims of customers of the Buyer, or for any special, indirect, incidental, or consequential damages whatsoever. Under no circumstances shall Seller's liability exceed the purchase price of the goods in respect of which damages are claimed.

Attorney's Fees and Venue: In any action to collect amounts due Seller, with respect to sales made to Buyer, arising out of or relating to this Agreement or any such sales, or in which a party seeks an interpretation of this Agreement or asserts it as a defense, the prevailing party shall be entitled to recover attorney's fees in any amount determined by the Court to be reasonable, as well as such party's costs of suit. All notices, requests, claims and other communication by Buyer with respect to this Agreement or sales hereunder shall be direct to Seller at its corporate offices located at 8525 Dunwoody Pl, Sandy Springs, GA 30350. Any action brought by Buyer against Seller must be brought in a State or Federal Court located in Fulton County, Georgia, and any action brought in any other locations shall, upon appropriate motion by Seller, be dismissed.

Entire Agreement: This agreement constitutes the complete and final Agreement of sale and purchase of the products specified herein and supersedes all prior contracts and discussions. NO modification hereof shall be effected by the use of purchase order, acknowledgement, acceptance, or other forms that vary with or are additions to the terms and conditions contained herein. No modification shall be effected in any manner other than in writing and signed by seller.

Governing Law: This contract shall be governed by and construed under the laws of the State of Georgia, USA

Terms and conditions of sale are subject to change without notice

FLEXGARD and the FLEXGARD logo are registered trademarks of QRRI, Inc.
PUNTER, NU-GRIP, TRU-LITE, & QUIK-FIT and the QUIK-FIT logo are registered trademarks of QRRI, Inc.
QRRI & the QRRI Logo are Registered Trademarks of QRRI, Inc.



8525 Dunwoody Place · Sandy Springs, Georgia 30350-3330
tel: 678-832-6034 · fax: 404-581-5988 · toll-free: 800-313-3464
email: sales@qrri.com · web: www.qrri.com

FLEXGARD and the FLEXGARD logo are registered trademarks of QRRI, Inc.
PUNTER, NU-GRIP, TRU-LITE, & QUIK-FIT and the QUIK-FIT logo are registered trademarks of QRRI, Inc.