



**RAYOVAC**

**SUMMER 2019**  
*Industrial Product Catalog*





# POWERING AMERICA SINCE 1906

[www.RAYOVAC.com](http://www.RAYOVAC.com)

<sup>1</sup>Alkaline only. Excludes 9V.






In 1906, Alfred Landau was modestly manufacturing six inch battery cells in a Chicago attic. After a young man by the name of James B. Ramsay took interest in the battery business, it was incorporated as the "The French Battery Company" and moved to Madison, Wisconsin. In 1934, the company's name changed to Rayovac. Throughout the years, Rayovac would become intertwined with American history. We were in the cockpit with Lindbergh when he crossed the Atlantic, alongside American soldiers when they stormed the beaches of Normandy, and in space when NASA saved a dying satellite. Rayovac is a proud partner of the American Red Cross, having donated nearly \$1,000,000 of product to help with relief efforts of Hurricane Harvey, Hurricane Irma, and Hurricane Maria in 2017. We continue to stay loyal to our humble beginnings by providing hardworking products at a fair price.

**We've spent over 110 years thinking about batteries so you can think about them less.**

Our RAYOVAC® Alkaline batteries are rigorously tested to ensure the quality and performance meet your expectations. Every single alkaline battery is designed to prevent leakage and tested twice prior to shipment. While technology has changed over the years, our commitment to producing batteries in America's heartland has not.<sup>1</sup> Get the most out of the moments you love with the long-lasting power of RAYOVAC® batteries.





# WORK STOPS

WHEN BATTERIES DIE

KEEP THE JOB MOVING WITH LONG LASTING  
**RAYOVAC® BATTERIES**





# RAYOVAC<sup>®</sup>

ENGINEERED FOR PROFESSIONAL USE



## QUALITY

Engineered for professional use and designed for optimal performance in industrial devices.



## MADE IN THE USA<sup>1</sup>

American made, American power. Powering America Since 1906.



## SERVICE & SUPPORT

Dedicated to meeting the needs of customers both large and small.



## POWER VARIETY

Diverse battery solutions keep devices and tools powered throughout the workday.



## SUPPLY CHAIN EXCELLENCE

Domestic production gets you the product you need on time.

## USAGE GUIDE

|                                                                                                      | BEST USES                                                                                                                                                     | SIZE AVAILABLE    | COMPOSITION | SHELF LIFE<br>AA, AAA, C, D | SHELF LIFE<br>9V         | RECHARGEABLE |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------|-----------------------------|--------------------------|--------------|
| <br>FUSION™         | <b>High drain devices such as:</b><br>Electronic Stapler<br>Digital Camera<br>Soap Dispenser<br>Towel Dispenser<br>Microphones<br>Tape Measure<br>Laser Level | AA, AAA, C, D, 9V | Alkaline    | Up to 12 Years in Storage   | Up to 5 Years in Storage | No           |
| <br>ULTRA PRO™      | <b>For high use professional devices such as:</b><br>Flashlight<br>Thermostat<br>Smoke Detector<br>Door Lock<br>Volt Meter<br>CO <sub>2</sub> Detector        | AA, AAA, C, D, 9V | Alkaline    | Up to 10 Years in Storage   | Up to 5 Years in Storage | No           |
| <br>HIGH ENERGY™  | <b>For high use everyday devices such as:</b><br>Wireless Mouse<br>Wireless Headset<br>Digital Clock<br>Label Maker<br>Digital Scale                          | AA, AAA, C, D, 9V | Alkaline    | Up to 10 Years in Storage   | Up to 5 Years in Storage | No           |
| <br>ZINC CARBON   | <b>For low drain devices such as:</b><br>Clock Radio<br>Remote Control<br>Air Freshener                                                                       | AA, AAA, C, D, 9V | Zinc Carbon | Up to 3 Years in Storage    | Up to 3 Years in Storage | No           |
| <br>RECHARGE      | <b>For high use devices such as:</b><br>Toys<br>Flashlight<br>Wireless Mouse                                                                                  | AA, AAA           | NIMH        | 5 Year Power in Storage     | N/A                      | Yes          |
| <br>RECHARGE PLUS | <b>For high drain &amp; high use devices such as:</b><br>Wireless Headset<br>Power Tool                                                                       | AA, AAA, C, D, 9V | NIMH        | 5 Year Power in Storage     | 5 Year Power in Storage  | Yes          |



# BATTERY EDUCATION

## TIPS & TRICKS



### REMOVE BATTERIES IN STORED DEVICES

Many devices do not turn off completely when not in use.



### USE MATCHING BATTERY TYPES

Mixing battery types (Alkaline, NiMH, Zinc Carbon) will limit performance and may cause damage to your device.



### STORE BATTERIES AT ROOM TEMPERATURE

Temperatures over 85°F and below 60°F can shorten battery life. Store batteries in a cool, dry place.



### SWITCH OFF BATTERY POWERED DEVICES

Devices can still use a small amount of power when sitting idle.



### DO NOT MIX OLD AND NEW BATTERIES

Mixing batteries will limit performance to the lowest capacity battery and may cause damage to your device.

## BATTERY DISPOSAL



For over 20 years, Rayovac has partnered with Call2Recycle® — the premier battery stewardship organization in North America. Rayovac helps support Call2Recycle's nearly 30,000 battery recycling collection sites across the U.S. and Canada. To find a drop-off location near you, please visit Call2Recycle's drop-off locator: [www.call2recycle.org/locator](http://www.call2recycle.org/locator)

### BATTERY TYPE

#### Primary/Single Usage

Alkaline, Zinc Carbon, Silver Oxide, Lithium, Zinc Air and Zinc-Chloride

#### Rechargeable

Nickel Metal Hydride (Ni-MH), Nickel Cadmium (Ni-Cd), Sealed Lead Acid, and Lithium Ion.

### PROPER DISPOSAL

Batteries can be disposed of with normal household waste in all US states with the exception of Vermont. For proper disposal, seal batteries in bags or place tape on terminals.

Batteries must be properly disposed using the Call2Recycle program.

# FUSION™

## NO ALKALINE BATTERY LASTS LONGER<sup>1</sup>

Guaranteed to last longer<sup>2</sup>  
in today's most power  
hungry devices.<sup>3</sup>



No competitor can outlast **RAYOVAC® FUSION™** premium alkaline batteries<sup>1</sup>—our longest lasting alkaline battery ever. Packed with energy-rich power, these batteries are specially formulated for power hungry, high drain devices.



### Improved Current Collector

A longer, high purity brass nail creates stronger current capability.<sup>4</sup>



### Zinc Formula

Our patent-pending breakthrough zinc formula creates better ion transfer for more powerful energy.<sup>6</sup>



### High Purity Materials

Many of our materials meet pharmaceutical purity levels to control cell contaminants, extend shelf life, and avoid leakage.



### Smart Seal

A highly engineered seal that allows more space for active ingredients.<sup>4</sup>



### Max Can Capacity

Highly efficient case for safely containing and delivering maximum power.<sup>5</sup>

  
**MADE IN THE  
USA**  
with US and global parts<sup>7</sup>

**12  
YEAR  
POWER  
GUARANTEE**  
In Storage<sup>2</sup>



## RAYOVAC® FUSION™ TRADITIONAL PACKS

| Stock # / SKU | Description                      | Case Qty |
|---------------|----------------------------------|----------|
| 815-4TFUSK    | AA 4ct Carded Product with Tray  | 28       |
| 824-4TFUSK    | AAA 4ct Carded Product with Tray | 20       |
| 815-6FUSK     | AA 6ct Carded Product            | 48       |
| 824-6FUSK     | AAA 6ct Carded Product           | 48       |



824-6FUSK

## RAYOVAC® FUSION™ MULTI PACKS

| Stock # / SKU | Description                      | Case Qty |
|---------------|----------------------------------|----------|
| 815-8TFUSK    | AA 8ct Carded Product with Tray  | 24       |
| 824-8TFUSK    | AAA 8ct Carded Product with Tray | 30       |
| 814-4TFUSK    | C 4ct Carded Product with Tray   | 12       |
| 813-4TFUSK    | D 4ct Carded Product with Tray   | 12       |
| A1604-2TFUSK  | 9V 2ct Carded Product with Tray  | 12       |



815-8TFUSK

## RAYOVAC® FUSION™ VALUE PACKS

| Stock # / SKU | Description                       | Case Qty |
|---------------|-----------------------------------|----------|
| 815-16LTFUSK  | AA 16ct Carded Product with Tray  | 10       |
| 824-16LTFUSK  | AAA 16ct Carded Product with Tray | 14       |
| 814-8LTFUSK   | C 8ct Carded Product with Tray    | 7        |
| 813-8LTFUSK   | D 8ct Carded Product with Tray    | 4        |



815-16LTFUSK

## RAYOVAC® FUSION™ PRO PACKS

| Stock # / SKU | Description       | Case Qty |
|---------------|-------------------|----------|
| 815-30PPFUSK  | AA 30ct Pro Pack  | 12       |
| 824-30PPFUSK  | AAA 30ct Pro Pack | 12       |



824-30PPFUSK

# ULTRA PRO™

## ENGINEERED FOR PROFESSIONAL USE

Provides long lasting power for industrial and commercial devices.



**RAYOVAC® ULTRA PRO™** alkaline batteries offer the ultimate in energy and savings, with packaging specifically designed for today's industrial customer.



### Smart Seal

Highly engineered seal that allows more space for active ingredients.<sup>2</sup>



### Energy Dense Core

Updated composition with additional zinc content for increased energy and higher density.<sup>2</sup>



### Optimized Force

More concentrated energy for higher conductivity resulting in a higher performing battery.<sup>2</sup>

  
**MADE IN THE  
USA**  
with US and global parts

**10  
YEAR  
POWER  
GUARANTEE**  
In Storage<sup>1</sup>



## RAYOVAC® ULTRA PRO™ SHRINK WRAPPED PACKS

| Stock # / SKU | Description                 | Case Qty |
|---------------|-----------------------------|----------|
| ALAA-8J       | AA 8ct Shrink Pack          | 12       |
| ALAAA-8J      | AAA 8ct Shrink Pack         | 12       |
| ALC-6J        | C 6ct Shrink Pack           | 12       |
| ALD-6J        | D 6ct Shrink Pack           | 12       |
| AL9V-6J       | 9V 6ct Shrink Pack          | 12       |
| AL9VA-6J      | 9V 6ct Shrink Pack (Quad A) | 12       |



ALAA-8J

## RAYOVAC® ULTRA PRO™ CONTRACTOR PACKS

| Stock # / SKU | Description                      | Case Qty |
|---------------|----------------------------------|----------|
| ALAA-24PPJ    | AA 24ct Contractor Pack          | 12       |
| ALAA-48PPJ    | AA 48ct Contractor Pack          | 8        |
| ALAAA-18PPJ   | AAA 18ct Contractor Pack         | 12       |
| ALAAA-24PPJ   | AAA 24ct Contractor Pack         | 12       |
| ALC-12PPJ     | C 12ct Contractor Pack           | 8        |
| ALD-12PPJ     | D 12ct Contractor Pack           | 8        |
| AL9V-12PPJ    | 9V 12ct Contractor Pack          | 12       |
| AL9VA-12PPJ   | 9V 12ct Contractor Pack (Quad A) | 12       |



ALAA-24PPJ

## RAYOVAC® ULTRA PRO™ VENDING BOXES

| Stock # / SKU | Description         | Case Qty |
|---------------|---------------------|----------|
| ALAA-4BXJ     | AA 4ct Vending Box  | 36       |
| ALAAA-4BXJ    | AAA 4ct Vending Box | 36       |



ALAA-4BXJ

# HIGH ENERGY™

## LONG LASTING GUARANTEED<sup>1</sup>

Guaranteed to provide  
long lasting power  
in high-use devices.<sup>1</sup>



We've spent over 110 years thinking about batteries so you can think about them less. **RAYOVAC® HIGH ENERGY™** batteries are Long Lasting, Guaranteed — plain and simple or your money back.<sup>1</sup>



### Power Rings

Provides steady power for consistent performance.<sup>3</sup>



### Smart Seal

Highly engineered seal that allows more space for active ingredients.<sup>2</sup>



### Max Can Capacity

Highly efficient case for safely containing and delivering maximum power.<sup>3</sup>

  
**MADE IN THE  
USA**  
with US and global parts

**10  
YEAR  
POWER  
GUARANTEE**  
In Storage<sup>1</sup>



## RAYOVAC® HIGH ENERGY™ TRADITIONAL PACKS

| Stock # / SKU | Description            | Case Qty |
|---------------|------------------------|----------|
| 815-4K        | AA 4ct Carded Product  | 48       |
| 824-4K        | AAA 4ct Carded Product | 48       |
| 814-2K        | C 2ct Carded Product   | 48       |
| 813-2K        | D 2ct Carded Product   | 48       |
| A1604-1K      | 9V 1ct Carded Product  | 48       |



815-4K

## RAYOVAC® HIGH ENERGY™ MULTI PACKS

| Stock # / SKU | Description                    | Case Qty |
|---------------|--------------------------------|----------|
| 815-8K        | AA 8ct Carded Product          | 24       |
| 824-8K        | AAA 8ct Carded Product         | 24       |
| 814-4TK       | C 4ct Carded Product with Tray | 12       |
| 813-4TK       | D 4ct Carded Product with Tray | 12       |
| A1604-2K      | 9V 2ct Carded Product          | 48       |



815-16TK

## RAYOVAC® HIGH ENERGY™ VALUE PACKS

| Stock # / SKU | Description                       | Case Qty |
|---------------|-----------------------------------|----------|
| 815-16LTK     | AA 16ct Carded Product with Tray  | 10       |
| 824-16LTK     | AAA 16ct Carded Product with Tray | 14       |
| 814-8LK       | C 8ct Carded Product              | 6        |
| 813-8LK       | D 8ct Carded Product              | 6        |
| A1604-4TK     | 9V 4ct Carded Product with Tray   | 9        |



A1604-4TK

## RAYOVAC® HIGH ENERGY™ PRO PACKS

| Stock # / SKU | Description       | Case Qty |
|---------------|-------------------|----------|
| 815-30PPK     | AA 30ct Pro Pack  | 12       |
| 815-48PPK     | AA 48ct Pro Pack  | 8        |
| 824-30PPK     | AAA 30ct Pro Pack | 12       |
| 824-48PPK     | AAA 48ct Pro Pack | 8        |
| 814-12PPK     | C 12ct Pro Pack   | 8        |
| 813-12PPK     | D 12ct Pro Pack   | 8        |
| A1604-8PPK    | 9V 8ct Pro Pack   | 12       |



815-30PPK

## RAYOVAC® HIGH ENERGY™ BULK PACKS

| Stock # / SKU | Description            | Case Qty |
|---------------|------------------------|----------|
| 815 BULKJ     | AA 500ct Bulk Product  | 500      |
| 824 BULKJ     | AAA 500ct Bulk Product | 500      |
| 814 BULKJ     | C 168ct Bulk Product   | 168      |
| 813 BULKJ     | D 105ct Bulk Product   | 105      |
| A1604 BK210J  | 9V 210ct Bulk Product  | 210      |

# PERMANENT FIXTURES

Maximize consumer needs by  
customizing your own display.



Permanent fixtures ship without product.

|                                                 |                                                                                   |                                                                  |                                                                                                                                       |                                                                  |
|-------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
|                                                 |                                                                                   |                                                                  |                                                                                                                                       |                                                                  |
| STOCK #/SKU                                     |                                                                                   |                                                                  |                                                                                                                                       |                                                                  |
| F72SHR                                          | F725SHRPP                                                                         | F625                                                             | F627                                                                                                                                  | F25                                                              |
| DESCRIPTION                                     |                                                                                   |                                                                  |                                                                                                                                       |                                                                  |
| Shrink Pack Gravity Feed                        | Contractor Pack Gravity Feed                                                      | Two-Sided Floor Spinner                                          | Battery Display Tray                                                                                                                  | Carded Battery Fixture                                           |
| PRODUCT OPTIONS                                 |                                                                                   |                                                                  |                                                                                                                                       |                                                                  |
| ULTRA PRO™<br>AA, AAA, C, D, 9V<br>Shrink Packs | FUSION™, ULTRA PRO™,<br>and HIGH ENERGY™<br>AA, AAA, C, D, 9V<br>Contractor Packs | FUSION™<br>and HIGH ENERGY™<br>AA, AAA, C, D, 9V<br>Carded Packs | FUSION™, ULTRA PRO™,<br>and HIGH ENERGY™<br>AA, AAA, C, D, 9V<br>Contractor Packs,<br>ULTRA PRO™<br>AA, AAA, C, D, 9V<br>Shrink Packs | FUSION™<br>and HIGH ENERGY™<br>AA, AAA, C, D, 9V<br>Carded Packs |
| MERCHANDISING OPTIONS                           |                                                                                   |                                                                  |                                                                                                                                       |                                                                  |
| Slat Wall<br>Peg Wall                           | Slat Wall<br>Peg Wall<br>Counter                                                  | Floor                                                            | Peg Wall<br>Use with F625 Spinner                                                                                                     | Slat Wall<br>Peg Wall<br>Counter                                 |
| SET UP DIMENSIONS                               |                                                                                   |                                                                  |                                                                                                                                       |                                                                  |
| 11" x 15.7" x 6"                                | 12.5" x 29.4" x 14.25"                                                            | 21.5" x 25.4" x 66.25"                                           | 20.875" x 14.125" x 8.875"                                                                                                            | 12.5" x 7.375" x 14"                                             |



# MERCHANDISING

## TEMPORARY DISPLAYS

Capture impulse battery sales throughout the store with pre-loaded assortments.



Temporary fixtures ship with product.



| STOCK #/SKU                                                                      |                                                |                                                                                  |                                                           |                                                            |
|----------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------|
| AC75K                                                                            | AMC60K                                         | AC39K                                                                            | 815-8STRK                                                 | 824-8STRK                                                  |
| DESCRIPTION                                                                      |                                                |                                                                                  |                                                           |                                                            |
| 75 Piece Floor Stand                                                             | 60 Piece Floor Stand                           | 39 Piece Counter Display                                                         | AA<br>Clip Strips                                         | AAA<br>Clip Strips                                         |
| PRODUCT ASSORTMENT                                                               |                                                |                                                                                  |                                                           |                                                            |
| <b>HIGH ENERGY™</b><br>AA-4 (35)<br>AAA-4 (20)<br>C-2 (8)<br>D-2 (6)<br>9V-1 (6) | <b>HIGH ENERGY™</b><br>AA-8 (40)<br>AAA-8 (20) | <b>HIGH ENERGY™</b><br>AA-4 (16)<br>AAA-4 (10)<br>C-2 (4)<br>D-2 (3)<br>9V-1 (6) | <b>HIGH ENERGY™</b><br>AA-8<br>(4 strips of 6 cards each) | <b>HIGH ENERGY™</b><br>AAA-8<br>(4 strips of 6 cards each) |
| MERCHANDISING OPTIONS                                                            |                                                |                                                                                  |                                                           |                                                            |
| Floor                                                                            | Floor                                          | Counter                                                                          | S Hook<br>Peg Hook                                        | S Hook<br>Peg Hook                                         |
| SET UP DIMENSIONS                                                                |                                                |                                                                                  |                                                           |                                                            |
| 20.5" x 15.5" x 54"                                                              | 20.5" x 15.5" x 54"                            | 12.75" x 5.5" x 16"                                                              |                                                           |                                                            |

# ZINC CARBON

## AFFORDABLE POWER SOLUTION

Inexpensive power for  
low-drain devices



The zinc carbon formula inside **RAYOVAC® BATTERIES** works in low-drain devices like clocks, radios, and remote controls.

### RAYOVAC® ZINC CARBON CARDED and PRO PACKS

| Stock # / SKU | Description                      | Case Qty |
|---------------|----------------------------------|----------|
| 5AA-4F        | AA 4ct Carded Product            | 48       |
| 5AA-8CTF      | AA 8ct Carded Product with Tray  | 24       |
| 5AA-20F       | AA 20ct Carded Product           | 10       |
| 5AA-30PPF     | AA 30ct Pro Pack                 | 12       |
| 3AAA-4F       | AAA 4ct Carded Product           | 24       |
| 3AAA-8CTF     | AAA 8ct Carded Product with Tray | 30       |
| 3AAA-20F      | AAA 20ct Carded Product          | 14       |
| 3AAA-30PPF    | AAA 30ct Pro Pack                | 12       |
| 4C-2BF        | C 2ct Carded Product             | 72       |
| 6D-2BF        | D 2ct Carded Product             | 48       |
| D1604-1F      | 9V 1ct Carded Product            | 48       |
| D1604-4TF     | 9V 4ct Carded Product with Tray  | 9        |



5AA-4F



HD-AAF

### RAYOVAC® ZINC CARBON SHRINK PACKS

| Stock # / SKU | Description        | Case Qty |
|---------------|--------------------|----------|
| HD-AAF        | AA 8ct Shrink Pack | 12       |
| HD-CF         | C 6ct Shrink Pack  | 12       |
| HD-DF         | D 6ct Shrink Pack  | 12       |
| HD-9VF        | 9V 6ct Shrink Pack | 12       |



4C-2BF

### RAYOVAC® ZINC CARBON BULK PACKS

| Stock # / SKU | Description            | Case Qty |
|---------------|------------------------|----------|
| 5AA BULKF     | AA 1000ct Bulk Product | 1000     |
| 6D BULKF      | D 145ct Bulk Product   | 145      |





# LANTERN

## BUILT FOR PERFORMANCE

Long lasting battery power guaranteed against leakage.!

Rayovac offers the broadest assortment of lantern and barricade batteries to fit your industrial application needs.



806C

### RAYOVAC® ALKALINE LANTERN

| Stock # / SKU | Description                              | Case Qty |
|---------------|------------------------------------------|----------|
| 806C          | D Cell, 6V Battery, Spring Terminals     | 6        |
| 808C          | F Cell, 6V Battery, Spring Terminals     | 4        |
| 803C          | Emergency, 7.5V Battery, Screw Terminals | 4        |



944-2RC

### RAYOVAC ZINC CARBON LANTERN

| Stock # / SKU | Description                              | Case Qty |
|---------------|------------------------------------------|----------|
| 944C          | 6V Battery, Spring Terminals             | 4        |
| 944-2RC       | 6V Lantern, Spring Terminals 2-Pack      | 4        |
| 945R4C        | 6V Lantern, Screw Terminals              | 4        |
| 903C          | Emergency, 7.5V Battery, Screw Terminals | 4        |
| 45V-HD        | 45V Telecommunication Battery            | 15       |



926C

### RAYOVAC® GENERAL PURPOSE LANTERN

| Stock # / SKU | Description                                                          | Case Qty |
|---------------|----------------------------------------------------------------------|----------|
| 941C          | 6V Battery, Spring Terminals                                         | 12       |
| 918C          | 6V Battery, Screw Terminals                                          | 6        |
| 926C          | 12V Battery, Screw Terminals<br><b>Flexible Connections Only</b>     | 6        |
| 926D          | 12V Battery, Screw Terminals<br><b>Fixed or Flexible Connections</b> | 6        |

# SPECIALTY

## OUT OF SIGHT, OUT OF MIND

Don't forget about batteries  
for your everyday devices.



It's easy to forget that smaller devices - calculators, security door bells, and smoke detectors — run on batteries. It is often not until the batteries stop working that we remember we need them. Rayovac offers batteries that keep those essential everyday devices going.

|                                                                                     | PRODUCT                      | SIZES AVAILABLE                                      | CHEMISTRY    | BEST USES                                                              |
|-------------------------------------------------------------------------------------|------------------------------|------------------------------------------------------|--------------|------------------------------------------------------------------------|
|  | COIN CELL LITHIUM            | 1216, 1220, 1616, 1620, 1632, 2016, 2025, 2032, 2450 | Lithium      | Medical Devices<br>Keyless Entry Watches                               |
|  | LITHIUM PHOTO                | 2CR5, 123A, 223A, CR2, CRV3                          | Lithium      | Cameras<br>Flashlights<br>Home Security Systems<br>Hunting Accessories |
|  | SILVER OXIDE WATCH BATTERIES | 303/357                                              | Silver Oxide | Watches<br>Toys<br>Calculators                                         |
|  | MINIATURE ALKALINE           | 23A, 825 (AAAA)                                      | Alkaline     | Watches<br>Remote Controls<br>Medical Devices                          |
|  | 9V LITHIUM                   | 9V                                                   | Lithium      | Smoke Detectors<br>Home Security Systems                               |



## RAYOVAC® SILVER OXIDE

| Stock # / SKU | Description                | Case Qty |
|---------------|----------------------------|----------|
| 303/357-1ZMG  | Size 303/357 1.5V 1ct Pack | 6        |
| 303/357-3ZMG  | Size 303/357 1.5V 3ct Pack | 6        |

## RAYOVAC® LITHIUM COIN

| Stock # / SKU  | Description               | Case Qty |
|----------------|---------------------------|----------|
| KECR1216-2G    | Size 1216 3.0V 2ct Pack   | 10       |
| KECR1220-2G    | Size 1220 3.0V 2ct Pack   | 10       |
| KECR1616-1G    | Size 1616 3.0V 1ct Pack   | 10       |
| KECR1620-1G    | Size 1620 3.0V 1ct Pack   | 10       |
| KECR1632-1G    | Size 1632 3.0V 1ct Pack   | 10       |
| KECR2016-1G    | Size 2016 3.0V 1ct Pack   | 10       |
| KECR2016-2G    | Size 2016 3.0V 2ct Pack   | 10       |
| KECR2025-1G    | Size 2025 3.0V 1ct Pack   | 10       |
| KECR2025-2G    | Size 2025 3.0V 2ct Pack   | 10       |
| KECR2025 BULKA | Size 2025 3.0V 600ct Pack | 600      |
| KECR2032-1G    | Size 2032 3.0V 1ct Pack   | 10       |
| KECR2032-2G    | Size 2032 3.0V 2ct Pack   | 10       |
| KECR2032-4G    | Size 2032 3.0V 4ct Pack   | 10       |
| KECR2032 BULKA | Size 2032 3.0V 600ct Pack | 600      |
| KECR2450-2G    | Size 2450 3.0V 2ct Pack   | 10       |

## RAYOVAC® LITHIUM PHOTO

| Stock # / SKU | Description               | Case Qty |
|---------------|---------------------------|----------|
| RL123A-1G     | Size 123A 3.0V 1ct Pack   | 6        |
| RL123A-2G     | Size 123A 3.0V 2ct Pack   | 6        |
| RL123A-4G     | Size 123A 3.0V 4ct Pack   | 6        |
| RL123A-8TG    | Size 123A 3.0V 8ct Pack   | 6        |
| RL123A BULKD  | Size 123A 3.0V 100ct Pack | 100      |
| RLCR2-1G      | Size CR2 3.0V 1ct Pack    | 6        |
| RLCR2-2G      | Size CR2 3.0V 2ct Pack    | 6        |
| RL2CR5-1G     | Size 2CR5 6.0V 1ct Pack   | 6        |
| RL223A-1G     | Size 223A 6.0V 1ct Pack   | 6        |
| RLCRV3-1G     | Size CRV3 6.0V 1ct Pack   | 6        |

## RAYOVAC® LITHIUM

| Stock # / SKU | Description | Case Qty |
|---------------|-------------|----------|
| R9VL-1G       | 9V 1ct Pack | 12       |
| R9VL-8G       | 9V 8ct Pack | 6        |

## RAYOVAC® MINIATURE ALKALINE

| Stock # / SKU | Description             | Case Qty |
|---------------|-------------------------|----------|
| KE825-2G      | Size AAAA 1.5V 2ct Pack | 80       |
| KE23A-1ZMG    | Size 23A 12V 1ct Pack   | 72       |
| KE23A-2ZMG    | Size 23A 12V 2ct Pack   | 80       |
| 810 BULKD     | Size N 1.5V 500ct Pack  | 500      |



303/357-1ZMB



KECR2032-4G



RL123A-2G



R9VL-1G



KE825-2G

# RECHARGEABLE

## LESS WASTE, MORE POWER<sup>1</sup>

Batteries come charged and ready to use with long lasting power.



Use these powerful batteries time and time again to keep disposable batteries out of landfills and more money in your pocket.<sup>3</sup>

|  | PRODUCT              | USAGE                              | AA CAPACITY | POWER GUARANTEE                 | PERFORMANCE                        |
|--|----------------------|------------------------------------|-------------|---------------------------------|------------------------------------|
|  | <b>RECHARGE</b>      | Recommended for high use devices   | 1350 mAh    | 5 years in storage <sup>2</sup> | Lasts up to 2x longer <sup>4</sup> |
|  | <b>RECHARGE PLUS</b> | Recommended for high drain devices | 2400 mAh    | 5 years in storage <sup>2</sup> | Lasts up to 4x longer <sup>4</sup> |

|  | PRODUCT                  | CHARGE TIME          | BATTERIES INCLUDED                       | SIZE COMPATIBILITY | SAFETY AUTO SHUT OFF |
|--|--------------------------|----------------------|------------------------------------------|--------------------|----------------------|
|  | <b>VALUE CHARGER</b>     | 8 hours <sup>5</sup> | 2 AA & 2 AAA RAYOVAC® Recharge Batteries | AA & AAA           | Yes                  |
|  | <b>SMART CHARGER</b>     | 4 hours <sup>5</sup> | 4 AA RAYOVAC® Recharge Batteries         | AA & AAA           | Yes                  |
|  | <b>UNIVERSAL CHARGER</b> | Varies by usage      | N/A                                      | AA, AAA, C, D & 9V | Yes                  |



# RECHARGEABLES

## RAYOVAC® RECHARGE

| Stock # / SKU  | Description               | Case Qty |
|----------------|---------------------------|----------|
| LD715-4OP GENE | NiMH 1350 mAh AA 4ct Pack | 6        |
| LD715-8OP GENE | NiMH 1350 mAh AA 8ct Pack | 6        |
| LD724-4OP GENE | NiMH 600 mAh AA 4ct Pack  | 6        |



LD715-4OP GENE

## RAYOVAC® RECHARGE PLUS

| Stock # / SKU | Description               | Case Qty |
|---------------|---------------------------|----------|
| PL715-4 GENE  | NiMH 2400 mAh AA 4ct Pack | 24       |
| PL724-4 GENE  | NiMH 900 mAh AAA 4ct Pack | 24       |
| PL714-2 GENE  | NiMH 3000 mAh C 2ct Pack  | 24       |
| PL713-2 GENE  | NiMH 3000 mAh D 2ct Pack  | 24       |
| PL1604-1 GENE | NiMH 200 mAh 9V 1ct Pack  | 24       |



PL715-4 GENE

## RAYOVAC® BATTERY CHARGERS

| Stock # / SKU | Description                           | Case Qty |
|---------------|---------------------------------------|----------|
| PS134-4B GENE | Value Charger with 2AA/2AAA Batteries | 4        |
| PS335-4B GENE | Smart Charger with 4AA Batteries      | 4        |
| PS204 GENE    | Universal Charger                     | 3        |



PS134-4B GENE

## RAYOVAC® PORTABLE POWER

| Stock # / SKU | Description                    | Case Qty |
|---------------|--------------------------------|----------|
| PS92BKE       | PS92 2200 mAh Black Power Bank | 4        |
| PS93BKE       | PS93 6000 mAh Black Power Bank | 4        |
| PS101E        | PS101 Qualcomm® Wall Adapter   | 4        |



PS92-BKE



PS93BKE



PS101E


# NO HEARING AID BATTERY LASTS LONGER<sup>1</sup>

Lasts up to two more days of battery life than our previous formulation.<sup>2</sup>



With the introduction of **ACTIVE CORE TECHNOLOGY** Rayovac has created our most advanced hearing aid battery yet.<sup>3</sup> Designed to keep up with advancements in hearing aid technology and ideal for high drain uses like wireless streaming. Our innovative new package features longer battery tabs<sup>4</sup>, a secure dial and an easy access reclosable door.

## ACTIVE CORE TECHNOLOGY



### Long Lasting Formula

This long lasting formula provides consistent, high-quality performance throughout the life of the battery.



### Optimal Battery Tab

Longer, wider tabs make it easier to handle batteries.<sup>4</sup>



### Secure Dial

Controlled turn dial keeps batteries secure and protected.



### Reclosable Door

Positioned for easy access to batteries and simple removal from package.



# HEARING AID

## RAYOVAC® HEARING AID SIZE 10

| Stock # / SKU | Description       | Case Qty |
|---------------|-------------------|----------|
| 10-8          | Size 10 8ct Pack  | 4        |
| 10-16         | Size 10 16ct Pack | 4        |
| 10-18         | Size 10 18ct Pack | 4        |
| 10-24         | Size 10 24ct Pack | 4        |
| 10-48         | Size 10 48ct Pack | 6        |



10-8

## RAYOVAC® HEARING AID SIZE 13

| Stock # / SKU | Description       | Case Qty |
|---------------|-------------------|----------|
| 13-8          | Size 13 8ct Pack  | 4        |
| 13-16         | Size 13 16ct Pack | 4        |
| 13-18         | Size 13 18ct Pack | 4        |
| 13-24         | Size 13 24ct Pack | 4        |
| 13-36         | Size 13 36ct Pack | 6        |
| 13-48         | Size 13 48ct Pack | 6        |



13-16

## RAYOVAC® HEARING AID SIZE 312

| Stock # / SKU | Description        | Case Qty |
|---------------|--------------------|----------|
| 312-8         | Size 312 8ct Pack  | 4        |
| 312-16        | Size 312 16ct Pack | 4        |
| 312-18        | Size 312 18ct Pack | 4        |
| 312-24        | Size 312 24ct Pack | 4        |
| 312-36        | Size 312 36 Pack   | 6        |
| 312-48        | Size 312 48 Pack   | 6        |



312-24

## RAYOVAC® HEARING AID SIZE 675

| Stock # / SKU | Description       | Case Qty |
|---------------|-------------------|----------|
| 675-6         | Size 675 6ct Pack | 4        |

# HEARING AID DISPLAYS



### HASK-24

STOCK #/SKU  
HASK-24

DESCRIPTION  
24 piece Sidekick Display

PRODUCT ASSORTMENT  
3 units of 10-24  
6 units of 13-24  
12 units of 312-24  
3 units of 675-6

SET UP DIMENSIONS  
24" x 13.875" x 4"



### HACT2-16

STOCK #/SKU  
HACT2-16

DESCRIPTION  
16 piece Counter Display

PRODUCT ASSORTMENT  
4 units of 10-8  
4 units of 13-8  
8 units of 312-8

SET UP DIMENSIONS  
14" x 12.8" x 6.4"

# VARTA™

## BEST ENERGY FOR EVERY DEVICE

Varta products are trustful and reliable companions to power your life.



The **VARTA** name stands for “Made in Germany”. Its quality and expertise has been appreciated all over the world for more than 130 years.

|  |  |  |  |                      |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| STOCK#/SKU                                                                         |                                                                                    |                                                                                    |                                                                                     |                                                                                                          |
| <b>LONG LIFE POWER<br/>MAX POWER</b>                                               | <b>LOONGLIFE<br/>POWER</b>                                                         | <b>PHOTO<br/>LITHIUM</b>                                                           | <b>ELECTRONIC<br/>CELLS</b>                                                         | <b>LITHIUM<br/>COIN CELL</b>                                                                             |
| BEST USES                                                                          |                                                                                    |                                                                                    |                                                                                     |                                                                                                          |
| For power hungry devices<br>Microphone<br>Soap Dispenser<br>Levels Indicator       | High use devices<br>Thermostat<br>Door Lock<br>CO <sub>2</sub> Detector            | High Performance Devices<br>Camera<br>Flashlight                                   | Reliable Power for Small Electronic Devices<br>Garage Door Opener<br>Medical Device | Reliable Power for Small Electronic Devices<br>Key Fob<br>Remote Control<br>Fitness Device<br>Calculator |
| CELL SIZES                                                                         |                                                                                    |                                                                                    |                                                                                     |                                                                                                          |
| AAA, AA                                                                            | AA, AAA,<br>C, D, 9V                                                               | 123A, 223A,<br>CR5, 2CR5                                                           | V4034PX, V23GA,<br>V10GA, V13GA, V625U,<br>CR1/3 N, 28PXL 17PX                      | CR1216, CR1220, CR2016,<br>CR2025, CR2032,<br>CR2430, CR2450                                             |
| PACKAGING OPTIONS                                                                  |                                                                                    |                                                                                    |                                                                                     |                                                                                                          |
| Carded Blister                                                                     | Carded Blister<br>Bulk<br>Tray Packs                                               | Carded Blister<br>Bulk                                                             | Carded Blister                                                                      | Carded Blister                                                                                           |



## VARTA® ALKALINE BATTERIES

| Material     | Product Description                        | Case Quantity     |
|--------------|--------------------------------------------|-------------------|
| V490612141B  | Longlife Power Alk AA 4ct Carded Pack      | 20                |
| V4706101404B | Longlife Max Power Alk AA 4ct Carded Pack  | 20                |
| V4906121354  | Longlife Power Alk AA 4ct Pack with Tray   | 10                |
| V4906121511A | Longlife Power Alk AA 500ct Bulk Product   | 500               |
| V4903121412A | Longlife Power Alk AAA 2ct Carded Pack     | 10                |
| V4903121414B | Longlife Power Alk AAA 4ct Carded Pack     | 10                |
| V4703101404B | Longlife Max Power Alk AAA 4ct Carded Pack | 10                |
| V4903121111  | Longlife Power Alk AAA 10ct Box            | 20                |
| V4903121511A | Longlife Power Alk AAA 500ct Bulk Product  | 500               |
| V4914121412  | Longlife Power Alk C 2ct Carded Pack       | 10                |
| V4914121111  | Longlife Power Alk C 20ct Tray             | 1 Tray (20 Batts) |
| V4920121412B | Longlife Power Alk D 2ct Carded Pack       | 10                |
| V4920121111  | Longlife Power Alk D 20ct Tray             | 1 Tray (20 Batts) |
| V4922121411  | Longlife Power Alk 9V 1ct Carded Pack      | 10                |
| V4922121111  | Longlife Power Alk 9V 20ct Tray            | 1 Tray (20 Batts) |



V4706101404B



V4906121414B

## VARTA® PHOTO BATTERIES

| Material     | Product Description            | Case Quantity |
|--------------|--------------------------------|---------------|
| V6205301401A | Lithium 3.0V CR123A 1ct Pack   | 10            |
| V6205301402A | Lithium 3.0V CR123A 2ct Pack   | 10            |
| V6206301401  | Lithium 3.0V CR2 1ct Pack      | 10            |
| V6206301402A | Lithium 3.0V CR2 2ct Pack      | 10            |
| V6203301401A | Lithium 6.0V 2CR5 1ct Pack     | 10            |
| V6203201501A | Lithium 6.0V 2CR5 Bulk Product | 48            |
| V6204301401A | Lithium 6.0 223A 1ct Pack      | 10            |

## VARTA® RECHARGE BATTERIES

| Material     | Product Description        | Case Quantity |
|--------------|----------------------------|---------------|
| V5716101402  | NiMH 2600 mAh AA 2ct Pack  | 10            |
| V5703301402  | NiMH 1000 mAh AAA 2ct Pack | 10            |
| V56722101401 | NiMH 200 mAh 9V 1ct Pack   | 10            |



V5716101402

## VARTA® SPECIALTY BATTERIES

| Material     | Product Description                           | Case Quantity |
|--------------|-----------------------------------------------|---------------|
| V4223101401  | Alkaline 12V Size V23GA 1ct Pack              | 10            |
| V4274101401  | Alkaline 1.5V Size V10GA 1ct Pack             | 10            |
| V4276101401  | Alkaline 1.5V Size V13GA (LR44) 1ct Pack      | 10            |
| V4626101401  | Alkaline 1.5V Size V625U 1ct Pack             | 10            |
| V4028101401  | Silver Oxide 6.2V Size V28PX 1ct Pack         | 10            |
| V4075101401  | Silver Oxide 1.55V Size V76PX 1ct Pack        | 10            |
| V6016101401  | Lithium 3V Size CR2016 1ct Pack               | 10            |
| V6025101401  | Lithium 3V Size CR2025 1ct Pack               | 10            |
| V6032101401  | Lithium 3V Size CR2032 1ct Pack               | 10            |
| V6131101401  | Lithium 3V Size CR 1/3 N 1ct Pack             | 10            |
| V6220101401  | Lithium 3V Size CR1220 1ct Pack               | 10            |
| V6231101401  | Lithium 6V Size 28 PXL (2CR1/3N) 1ct Pack     | 10            |
| V6430101401  | Lithium 3V Size CR2430 1ct Pack               | 10            |
| V6450101401  | Lithium 3V Size CR2450 1ct Pack               | 10            |
| V20303101111 | Silver Oxide 1.55V Size 303 1ct Pill Box Pack | 10            |
| V20357101111 | Silver Oxide 1.55V Size 357 1ct Pill Box Pack | 10            |
| V20364101111 | Silver Oxide 1.55V Size 364 1ct Pill Box Pack | 10            |
| V20377101111 | Silver Oxide 1.55V Size 377 1ct Pill Box Pack | 10            |
| V20389101111 | Silver Oxide 1.55V Size 389 1ct Pill Box Pack | 10            |



V6450101401

**READY FOR ALL YOUR  
LIGHTING NEEDS**



[www.RAYOVAC.com](http://www.RAYOVAC.com)

**WARNING** This product can expose you to chemicals including DEHP, which is known to the State of California to cause birth defects or reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



# LIGHTS EDUCATION

## LIGHT TYPES



### HANDHELD

Best for tactical function



### HEADLIGHT

Best for hands free needs



### LANTERN & SPOTLIGHT

Best for area lighting

## STANDARD FEATURES



### LIGHT OUTPUT

The total photopic luminous flux as defined by the 1931 CIE eye response curve. It is the total quantity of emitted overall light energy as measured by integrating the entire angular output of the portable light source. Light output in this standard is expressed in units of lumens.



### RUNTIME

The duration of time from the initial light output value—defined as 30 seconds after the point the device is first turned on—using fresh batteries, until the light output reaches 10% of the initial value.



### BEAM DISTANCE

Beam Distance is defined as the distance from the device at which the light beam is 0.25 lux. 0.25 lux is approximately the equivalent of the light emitted from the full moon “on a clear night in an open field.”



### PEAK BEAM INTENSITY

Peak Beam Intensity is the maximum luminous intensity typically along the central axis of a cone of light. The value is reported in candela and does not change with distance.



### IMPACT RESISTANCE

Impact Resistance is the degree to which a device resists damage from dropping on a solid surface.



### WATER RESISTANT

IPX4—Water splashed against the device from any direction shall have no harmful effects.



### SUBMERSIBLE

IPX8—Ingress of water in quantities causing harmful effects shall not be possible when the enclosure is continuously immersed in water under conditions which shall be stated by the manufacturer, but which are more severe than for IPX7.

# VIRTUALLY INDESTRUCTIBLE

## BRAVE. BOLD. BRASH.

Virtually Indestructible lights offer bright, long-lasting light with a lifetime guarantee and impressive drop tests.



**WATER  
RESISTANT**

**LIFETIME  
WARRANTY**

**LED**





## RAYOVAC® WORKHORSE™ ELITE LIGHTING

| Stock # / SKU | Description                                              | Case Qty |
|---------------|----------------------------------------------------------|----------|
| WHESFL4AA-B   | 208 Lumen Auto-Focus Spot-to-Flood 4AA Flashlight w/Batt | 2        |
| WHESHL3AAA-B  | 210 Lumen Auto-Focus Spot-to-Flood 3AAA Headlight w/Batt | 2        |

## RAYOVAC® VIRTUALLY INDESTRUCTIBLE

| Stock # / SKU    | Description                                     | Case Qty |
|------------------|-------------------------------------------------|----------|
| DIY2AA-BTA       | 300 Lumen 2AA LED Flashlight w/Batteries        | 4        |
| DIY3AAA-BXTB     | 300 Lumen 3AAA LED Flashlight w/Batteries       | 4        |
| DIY3AAA-B BULK B | 250 Lumen 3AAA LED Flashlight w/Batteries Bulk  | 18       |
| DIYLN3D-BXB      | 600 Lumen 3D LED Lantern w/Batteries            | 4        |
| DIY6AA-BXTA      | 450 Lumen 6AA LED Flashlight w/Batteries        | 4        |
| DIYSP6AA-BXB     | 750 Lumen 6AA LED Spotlight w/Batteries         | 2        |
| DIYHL3AAA-BTA    | 50 Lumen 3AAA LED Headlight w/Batteries         | 4        |
| DIYPHL3AAA-BXTB  | 210 Lumen 3AAA LED Headlight w/Batteries        | 4        |
| DIYHPL3AAA-BXTB  | 350 Lumen 3AAA LED Headlight w/Batteries        | 4        |
| DIYSL4AA-B       | 200 Lumen 4AA LED Swivel Flashlight w/Batteries | 2        |

## RAYOVAC® WORKHORSE™

| Stock # / SKU | Description                                             | Case Qty |
|---------------|---------------------------------------------------------|----------|
| 301K-A        | 75 Lumen 6V Swivel Head Krypton Beam Lantern w/Battery  | 6        |
| WHK2D-BULKA   | 17 Lumen 2D Krypton Flashlight Bulk                     | 24       |
| WHH2D-BA      | 20 Lumen 2D LED Flashlight w/Batteries                  | 6        |
| IN2-MSE       | 8 Lumen 2D Krypton Mine Safety Flashlight               | 6        |
| RNHL3AAA-BE   | 80 Lumen 3AAA LED Headlight w/Batteries                 | 4        |
| RN3AAA-BA     | 260 Lumen 3AAA LED Tactical Flashlight w/Batteries      | 4        |
| WHFHL-B2TA    | 300 Lumen 3AAA Flashlight / Headlight Combo             | 4        |
| WHSF3AAA-BXA  | 300 Lumen 3AAA LED Spot-to-Flood Flashlight w/Batteries | 4        |
| W8-A          | Safety Wand for WHH2D-A & WHK2D-BULKA Flashlights       | 12       |
| WHH2D-A       | 10 Lumen 2D PR Bulb Industrial Light with Ring Hanger   | 6        |
| WHK2AA-BA     | 8 Lumen 2AA Krypton Flashlight w/Batteries              | 6        |
| WHKLN6V-BA    | 75 Lumen 6V Krypton Swivel Stand Lantern w/Battery      | 2        |



WHESFL4AA-B



DIY3AAA-BXTB



DIYHPL3AAA-BXTB



RN3AAA-BA



WHKLN6V-BA



IN2-MSE




WHFHL-B2TA



WHH2D-BA

# SPORTSMAN® OUTDOOR

ATTRACTS  
**69%**  
LESS  
INSECTS<sup>1</sup>



## 2 HANGING OPTIONS



SPBUGLN3D-BA





# SPORTSMAN® SURVIVOR

## 3in1 LANTERN FLASHLIGHT PHONE CHARGER

LITHIUM-ION  
RECHARGEABLE

1 FULL RECHARGE =  
27 AAA BATTERIES

1 full charge/discharge would have consumed 27 AAA alkaline cells



SP18650LN



[www.RAYOVAC.com](http://www.RAYOVAC.com)

For full list of products see product index pgs xx-xx

# SPORTSMAN<sup>®</sup> ESSENTIALS

## FROM THE WORKSITE TO THE CAMPSITE

When you've got customers heading for the hills—or the woods, the lake, or the backyard—these are the lights they will want with them.

**WATER  
RESISTANT**

**LIFETIME  
WARRANTY**

**GLOWS  
IN THE DARK**

**DESIGNED  
IN THE USA**



High performance LED


Easy push  
on/off button

Stainless steel  
bottle opener

Non-slip grip

Robust aluminum body

Glow material charges  
from flashlight beam





# OUTDOOR LIGHTS

## FROM THE WORKSITE TO THE CAMPSITE

Professional-grade lighting solution for the most rugged environments, from the job site to the campsite.



SP18650LN

### RAYOVAC® SPORTSMAN

| Stock # / SKU | Description                                             | Case Qty |
|---------------|---------------------------------------------------------|----------|
| SP4123A-BA    | 2000 Lumen 4 123A LED Beast Flashlight w/ Batteries     | 2        |
| SPBUGLN3D-BA  | Amber LED Insect Lantern w/ Batteries                   | 4        |
| SPPHL3AAA-BXA | 200 Lumen 3AAA LED Spot to Flood Headlight w/ Batteries | 4        |
| SPLN3D-TA     | 305 Lumen 3D LED Camping Lantern                        | 4        |
| SP18650LN     | Pathfinder 3-in-1 Lithium Ion Rechargeable Lantern      | 2        |
| SPGL3AAA-BA   | 200 Lumen 3AAA LED Glow Ring Flashlight w/ Batteries    | 4        |
| SPGL3C-BA     | 310 Lumen 3C LED Glow Ring Flashlight w/ Batteries      | 4        |
| SPKHL3AAA-BA  | 3AAA LED/Krypton Multi-Mode Headlight w/ Batteries      | 4        |
| SPLN8D-TA     | 300 Lumen 8D Fluorescent Camping Lantern                | 4        |

### RAYOVAC® BULBS


| Stock # / SKU | Description                                | Case Qty |
|---------------|--------------------------------------------|----------|
| 3VLED-1TE     | 2 Cell 3 Volt LED Replacement Bulb 1-Pack  | 12       |
| 4V6VLED-1TE   | 3-4 Cell or 6V LED Replacement Bulb 1-Pack | 12       |
| F9W-1E        | 9 Volt Fluorescent U Tube 1-Pack           | 6        |
| K13-2TE       | 4AA, 4C, 4D or 6V Krypton Bulb 2-Pack      | 12       |



SPLN8D-TA



F9W-1E



SP4123A-BA



SPBUGLN3D-BA



SPPHL3AAA-BXA



SPLN3D-TA



SPGL3AAA-BA



SPGL3C-BA

# BRITE ESSENTIALS™

## VALUE-PRICED FOR YOUR EVERYDAY NEEDS

Designed for a wide array of home and light to medium workplace needs.



BER2AA-BA



BE3AAA-BTA



BEH1D-B2A




BEH1D-BA

### RAYOVAC® BRITE ESSENTIALS™

| Stock # / SKU | Description                                                  | Case Qty |
|---------------|--------------------------------------------------------------|----------|
| BER2AA-BA     | 2AA LED Rubber & Aluminum Flashlight w/ Batteries in Tray    | 4        |
| BE3AAA-BTA    | 3AAA 9 LED Mini Flashlight w/ Batteries in Tray              | 12       |
| BEH1D-B2A     | 1D LED Hang Loop Flashlight 2-Pack w/ Batteries              | 4        |
| BEH1D-BA      | 1D LED Hang Loop Flashlight w/ Batteries                     | 4        |
| BEHPLN6V-BTA  | 6V 10 LED Home Lantern w/ Battery in Tray                    | 4        |
| BEK2D-A       | 2D Incandescent Flashlight                                   | 12       |
| BELZ3AAA-BTA  | 3AAA 9 LED Laser Pointer Flashlight w/ Batteries in Tray     | 4        |
| BEP2AA-BTA    | 2AA LED Comfort Grip Flashlight w/ Batteries in Tray         | 4        |
| BEPLN6V-BTA   | 6-Volt 10 LED Floating Lantern w/ Battery in Tray            | 4        |
| BEPN1AAA-BTA  | 1AAA LED Aluminum Penlight w/ Battery in Tray                | 6        |
| BER2AA2D-B3TA | 2AA/2D LED Rubberized Flashlight 3-Pack w/ Batteries in Tray | 3        |
| BEHR2AA-BA    | 2AA LED Rubberized Flashlight w/ Batteries                   | 4        |
| BEHR2D-BA     | 2D LED Rubberized Flashlight w/ Batteries                    | 4        |
| BEUV3AAA-BTA  | 3AAA 9 LED UV Flashlight w/ Batteries in Tray                | 4        |
| B EGL3AAA-BA  | 3AAA 14 LED Glow in the Dark Flashlight w/ Batteries         | 4        |
| BEHL3AAA-BA   | 3AAA 5 LED Active Headlight w/ Batteries                     | 4        |
| BEKLN6V-BTA   | 6-Volt Krypton Floating Lantern w/ Batteries in Tray         | 6        |
| BE2AA-BXA     | 2AA LED Sleek Body Flashlight w/ Batteries                   | 4        |
| BELN6V-BTA    | 6-Volt LED Floating Lantern w/ Battery in Tray               | 4        |
| B EGL-BA      | Disposable LED Glowstick w/ Battery                          | 12       |
| BEH2AA-BA     | 2AA LED Slim Grip Flashlight w/ Batteries                    | 6        |
| BEH2AA-B2A    | 2AA LED Slim Grip Flashlight 2-Pack w/ Batteries             | 6        |
| BEP1D-BA      | 1D LED Comfort Grip Flashlight w/ Batteries                  | 4        |
| VBL2AA-B2     | 2AA LED Comfort Grip Flashlight 2-Pack w/ Batteries          | 6        |
| BEMKY1AA-BA   | 1AA LED Keychain Flashlight w/ Battery                       | 6        |



# BRITE ESSENTIALS™ CONTINUED...



BEHPLN6V-BTA



BEK2D-B



BELZ3AAA-BTA



BEP2AA-BTA



BEPLN6V-BTA



BEPN1AAA-BTA



BER2AA2D-B3TA



BEHR2AA-BA



BEHR2D-BA



BEUV3AAA-BTA



BEGL3AAA-BA



BEHL3AAA-BA



BEKLN6V-BTA



BE2AA-BXA



BELN6V-BTA



BEGL-BA



BEH2AA-BA



BEH2AA-B2A



BEP1D-BA



VBL2AA-B2



BEMKY1AA-BA

# STORM PREP

## BE SMART. BE SAFE. BE PREPARED

When hurricanes, wildfires, earthquakes, tornadoes, or lightning hit, Rayovac is here to cover your needs.

When the electricity goes out, make sure you're prepared with power. **RAYOVAC® ULTRA PRO™** and **HIGH ENERGY™** batteries have a 10 year power guarantee in storage<sup>1</sup>

### STORM PREP SUPPLY LIST

- Water - one gallon per person per day for at least three days
- Food - at least a three day supply of non-perishable food
- Battery-powered or hand crank radio
- RAYOVAC® Flashlight
- First aid kit
- RAYOVAC® Batteries
- Whistle to signal for help
- Mask to filter contaminated air
- Plastic sheeting and duct tape to shelter-in-place
- Moist towelettes, garbage bags and plastic ties for personal sanitation
- Wrench or pliers to turn off utilities
- Manual can opener for food
- Local maps
- Cell phone with chargers and backup batteries.







# BE PREPARED FOR ANYTHING

For storm emergencies, call 1-800-331-4522 during  
normal business hours.

# PRODUCT INDEX

## RAYOVAC® FUSION™ PREMIUM ALKALINE CARDED PACKS

| Material     | Product Description                 | Item UPC    | Length | Width | Height | Volume | Weight |
|--------------|-------------------------------------|-------------|--------|-------|--------|--------|--------|
| 815-4TFUSK   | AA 4ct Carded Product with Tray     | 12800522965 | 0.625  | 3.875 | 4.5    | 0.006  | 0.217  |
| 815-6FUSK    | AA 6ct Carded Product               | 12800523344 | 0.625  | 3.875 | 4.5    | 0.006  | 0.32   |
| 815-8TFUSK   | AA 8ct Carded Product with Tray     | 12800522897 | 1.125  | 3.875 | 4.5    | 0.011  | 0.424  |
| 815-16LTFUSK | AA 16ct Pack Carded Pack with Tray  | 12800522989 | 1.125  | 7.5   | 4.25   | 0.021  | 0.855  |
| 824-4TFUSK   | AAA 4ct Carded Product with Tray    | 12800523009 | 0.5    | 3.875 | 4.5    | 0.005  | 0.107  |
| 824-6FUSK    | AAA 6ct Carded Product              | 12800523351 | 0.5    | 3.875 | 4.5    | 0.005  | 0.175  |
| 824-8TFUSK   | AAA 8ct Carded Product with Tray    | 12800522903 | 0.5    | 3.875 | 4.5    | 0.005  | 0.205  |
| 824-16LTFUSK | AAA 16ct Pack Carded Pack with Tray | 12800523023 | 0.875  | 7.5   | 4.25   | 0.016  | 0.45   |
| 814-4TFUSK   | C 4ct Carded Product with Tray      | 12800522934 | 1.75   | 3.938 | 4.625  | 0.018  | 0.636  |
| 814-8LTFUSK  | C 8ct Pack Carded Pack with Tray    | 12800522958 | 1.625  | 7.75  | 4.5    | 0.033  | 1.48   |
| 813-4TFUSK   | D 4ct Carded Product with Tray      | 12800522927 | 2.625  | 3.938 | 4.625  | 0.028  | 1.245  |
| 813-8LTFUSK  | D 8ct Carded Pack with Tray         | 12800522941 | 2.375  | 7.75  | 4.5    | 0.048  | 2.89   |
| A1604-2FUSK  | 9V 2ct Carded Product               | 12800523047 | 0.75   | 3.75  | 4.5    | 0.007  | 0.218  |
| A1604-2TFUSK | 9V 2ct Carded Product with Tray     | 12800523047 | 0.75   | 3.75  | 4.5    | 0.007  | 0.218  |

## RAYOVAC® FUSION™ PREMIUM ALKALINE PRO PACKS

| Material     | Product Description      | Item UPC    | Length | Width | Height | Volume | Weight |
|--------------|--------------------------|-------------|--------|-------|--------|--------|--------|
| 815-30PPFUSK | AA 30ct Contractor Pack  | 12800523931 | 3.688  | 4.188 | 2.125  | 0.019  | 1.575  |
| 824-30PPFUSK | AAA 30ct Contractor Pack | 12800523948 | 2.875  | 3.25  | 1.813  | 0.01   | 0.76   |

## RAYOVAC® ULTRA PRO™ PROFESSIONAL ALKALINE SHRINK-WRAPPED PACKS

| Material | Product Description         | Item UPC    | Length | Width | Height | Volume | Weight |
|----------|-----------------------------|-------------|--------|-------|--------|--------|--------|
| ALAA-8J  | AA 8ct Shrink Pack          | 12800000432 | 0.5    | 4.5   | 2      | 0.003  | 0.44   |
| ALAAA-8J | AAA 8ct Shrink Pack         | 12800000456 | 0.375  | 3     | 1.75   | 0.001  | 0.208  |
| ALC-6J   | C 6ct Shrink Pack           | 12800000418 | 1      | 6     | 2      | 0.007  | 0.95   |
| ALD-6J   | D 6ct Shrink Pack           | 12800000425 | 1.25   | 7.75  | 2.375  | 0.014  | 1.94   |
| AL9V-6J  | 9V 6ct Shrink Pack          | 12800000449 | 0.688  | 6     | 1.875  | 0.005  | 0.61   |
| AL9VA-6J | 9V 6ct Shrink Pack (Quad A) | 12800526413 | 0.688  | 6     | 1.875  | 0.005  | 0.61   |

## RAYOVAC® ULTRA PRO™ PROFESSIONAL ALKALINE CONTRACTOR PACKS

| Material    | Product Description              | Item UPC    | Length | Width | Height | Volume | Weight |
|-------------|----------------------------------|-------------|--------|-------|--------|--------|--------|
| ALAA-24PPJ  | AA 24ct Contractor Pack          | 12800474097 | 3.188  | 4.188 | 2.125  | 0.017  | 1.306  |
| ALAA-48PPJ  | AA 48ct Contractor Pack          | 12800503889 | 5.25   | 4.125 | 2.125  | 0.027  | 2.66   |
| ALAAA-18PPJ | AAA 18ct Contractor Pack         | 12800474103 | 2      | 3.188 | 1.75   | 0.006  | 0.5    |
| ALAAA-24PPJ | AAA 24ct Contractor Pack         | 12800507986 | 1.75   | 2.375 | 3.188  | 0.007  | 0.655  |
| ALC-12PPJ   | C 12ct Contractor Pack           | 12800474110 | 3.875  | 4.875 | 2      | 0.022  | 1.9    |
| ALD-12PPJ   | D 12ct Contractor Pack           | 12800474127 | 4.813  | 6.125 | 2.375  | 0.041  | 3.86   |
| AL9V-12PPJ  | 9V 12ct Contractor Pack          | 12800507832 | 4      | 3.688 | 2.063  | 0.018  | 1.29   |
| AL9VA-12PPJ | 9V 12ct Contractor Pack (Quad A) | 12800507832 | 4      | 3.688 | 2.063  | 0.018  | 1.29   |

## RAYOVAC® ULTRA PRO™ PROFESSIONAL ALKALINE VENDING BOX

| Material   | Product Description | Item UPC    | Length | Width | Height | Volume | Weight |
|------------|---------------------|-------------|--------|-------|--------|--------|--------|
| ALAA-4BXJ  | AA 4ct Vending Box  | 12800522408 | 0.625  | 2.313 | 2.125  | 0.002  | 0.208  |
| ALAAA-4BXJ | AAA 4ct Vending Box | 12800522415 | 0.5    | 1.75  | 1.875  | 0.001  | 0.101  |



| Inner Quantity | Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|----------------|---------------|----------------|--------|--------|--------|--------|--------|
| 12             | 28            | 10012800522962 | 10.5   | 9      | 5.188  | 0.284  | 6.842  |
|                | 48            | 20012800523348 | 9.5    | 8.375  | 5.625  | 0.259  | 15.93  |
|                | 24            | 30012800522898 | 12.875 | 10.625 | 5.25   | 0.416  | 11.163 |
|                | 10            | 10012800522986 | 11.938 | 8.25   | 4.688  | 0.267  | 9.069  |
| 12             | 20            | 10012800523006 | 8.25   | 5.5    | 4.875  | 0.128  | 2.431  |
|                | 48            | 20012800523355 | 10.375 | 8.5    | 3.75   | 0.191  | 8.544  |
|                | 30            | 30012800522904 | 12.875 | 5.125  | 5.563  | 0.227  | 6.554  |
|                | 14            | 10012800523020 | 12.563 | 8.25   | 4.688  | 0.281  | 6.578  |
|                | 12            | 10012800522931 | 10.625 | 8.25   | 5.438  | 0.276  | 8.198  |
|                | 7             | 10012800522955 | 12.125 | 8.813  | 5.125  | 0.317  | 10.36  |
|                | 12            | 10012800522924 | 12.438 | 10.875 | 5.438  | 0.426  | 15.816 |
|                | 4             | 10012800522948 | 12.125 | 8.813  | 5.125  | 0.317  | 11.56  |
|                | 6             | 20012800523041 | 5.625  | 4      | 2.75   | 0.036  | 1.428  |
|                | 12            | 10012800523044 | 8.25   | 5.625  | 5      | 0.134  | 2.938  |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|----------------|---------------|----------------|--------|-------|--------|--------|--------|
|                | 12            | 10012800523938 | 11.25  | 9.063 | 4.813  | 0.284  | 19.4   |
|                | 12            | 10012800523945 | 8.75   | 6.625 | 4.125  | 0.138  | 9.52   |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|----------------|---------------|----------------|--------|-------|--------|--------|--------|
|                | 12            | 10012800000439 | 8.625  | 5.125 | 1.75   | 0.045  | 5.28   |
|                | 12            | 10012800000453 | 7.5    | 3.813 | 1.343  | 0.02   | 2.496  |
|                | 12            | 10012800000415 | 8.875  | 6.875 | 3.25   | 0.115  | 11.4   |
|                | 12            | 10012800000422 | 10.5   | 8.5   | 4.125  | 0.22   | 23.28  |
|                | 12            | 10012800000446 | 8.625  | 6.875 | 2.125  | 0.073  | 7.32   |
|                | 12            | 10012800526410 | 8.625  | 6.875 | 2.125  | 0.073  | 7.32   |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|----------------|---------------|----------------|--------|--------|--------|--------|--------|
|                | 12            | 10012800474094 | 9.75   | 9.25   | 4.375  | 0.2    | 15.68  |
|                | 8             | 10012800503886 | 11     | 8.563  | 4.875  | 0.266  | 21.28  |
|                | 12            | 10012800474100 | 7.313  | 6.5    | 4      | 0.11   | 6      |
|                | 12            | 10012800507983 | 7.625  | 7.375  | 3.875  | 0.13   | 7.86   |
|                | 8             | 10012800474117 | 9.938  | 8.125  | 4.75   | 0.222  | 15.2   |
|                | 8             | 10012800474124 | 12.625 | 10.063 | 6      | 0.441  | 30.88  |
|                | 12            | 10012800507839 | 12.313 | 8.25   | 4.375  | 0.257  | 15.48  |
|                | 12            | 10012800507839 | 12.313 | 8.25   | 4.375  | 0.257  | 15.48  |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|----------------|---------------|----------------|--------|-------|--------|--------|--------|
|                | 36            | 10012800522405 | 8.125  | 7.375 | 2.375  | 0.082  | 7.68   |
|                | 36            | 10012800522412 | 6.625  | 5.563 | 2.125  | 0.045  | 3.76   |

## RAYOVAC® HIGH ENERGY™ ALKALINE CARDED PACKS

| Material  | Product Description               | Item UPC    | Length | Width | Height | Volume | Weight |
|-----------|-----------------------------------|-------------|--------|-------|--------|--------|--------|
| 815-2K    | AA 2ct Carded Product             | 12800180936 | 0.625  | 3.75  | 4.5    | 0.01   | 0.138  |
| 815-4K    | AA 4ct Carded Product             | 12800517763 | 0.625  | 3.75  | 4.5    | 0.006  | 0.238  |
| 815-4TK   | AA 4ct Carded Product with Tray   | 12800517763 | 0.625  | 3.875 | 4.5    | 0.006  | 0.217  |
| 815-6K    | AA 6ct Carded Product             | 12800478552 | 0.625  | 3.875 | 4.5    | 0.006  | 0.32   |
| 815-8K    | AA 8ct Carded Product             | 12800517725 | 1.188  | 3.875 | 4.5    | 0.012  | 0.43   |
| 815-8TK   | AA 8ct Carded Product with Tray   | 12800517725 | 1.188  | 3.875 | 4.5    | 0.012  | 0.43   |
| 815-10TK  | AA 10ct Carded Product with Tray  | 12800520718 | 1.188  | 3.875 | 4.5    | 0.012  | 0.52   |
| 815-12K   | AA 12ct Carded Product with Tray  | 12800462162 | 1.188  | 3.875 | 4.5    | 0.012  | 0.642  |
| 815-16LTK | AA 16ct Carded Product with Tray  | 12800517824 | 1.125  | 7.5   | 4.25   | 0.021  | 0.855  |
| 815-20LTK | AA 20ct Carded Product with Tray  | 12800516124 | 1.125  | 7.5   | 4.25   | 0.021  | 1.067  |
| 815-24LTK | AA 24ct Carded Product with Tray  | 12800520053 | 1.563  | 7.5   | 4.25   | 0.029  | 1.25   |
| 815-36LK  | AA 36ct Carded Product with Tray  | 12800503650 | 2.31   | 7.5   | 4.25   | 0.043  | 1.88   |
| 815-48LTK | AA 48ct Carded Product with Tray  | 12800501830 | 2.093  | 7.75  | 4.5    | 0.042  | 2.49   |
| 824-2K    | AAA 2ct Carded Product            | 12800198443 | 0.5    | 3.875 | 4.5    | 0.005  | 0.078  |
| 824-4K    | AAA 4ct Carded Product            | 12800517770 | 0.5    | 3.875 | 4.5    | 0.005  | 0.126  |
| 824-4TK   | AAA 4ct Carded Product with Tray  | 12800517770 | 0.5    | 3.875 | 4.5    | 0.005  | 0.107  |
| 824-6K    | AAA 6ct Carded Product            | 12800478569 | 0.5    | 3.875 | 4.5    | 0.005  | 0.175  |
| 824-8K    | AAA 8ct Carded Product            | 12800517732 | 0.5    | 3.875 | 4.5    | 0.005  | 0.23   |
| 824-8TK   | AAA 8ct Carded Product with Tray  | 12800517732 | 0.5    | 3.875 | 4.5    | 0.005  | 0.2    |
| 824-10TK  | AAA 10ct Carded Product with Tray | 12800520725 | 0.875  | 3.875 | 4.5    | 0.009  | 0.25   |
| 824-12K   | AAA 12ct Carded Product           | 12800477340 | 0.875  | 3.875 | 4.5    | 0.009  | 0.325  |
| 824-16LTK | AAA 16ct Carded Product with Tray | 12800517831 | 0.875  | 7.5   | 4.25   | 0.016  | 0.45   |
| 824-20LTK | AAA 20ct Carded Product with Tray | 12800516131 | 0.875  | 7.5   | 4.25   | 0.016  | 0.545  |
| 824-24LTK | AAA 24ct Carded Product with Tray | 12800511983 | 0.875  | 7.5   | 4.25   | 0.016  | 0.635  |
| 814-2K    | C 2ct Carded Product              | 12800181766 | 1.125  | 3.75  | 4.5    | 0.011  | 0.31   |
| 814-2TK   | C 2ct Carded Product with Tray    | 12800181766 | 1.125  | 3.75  | 4.5    | 0.011  | 0.309  |
| 814-4TK   | C 4ct Carded Product with Tray    | 12800517756 | 1.75   | 3.938 | 4.625  | 0.018  | 0.705  |
| 814-8LK   | C 8ct Carded Product              | 12800504855 | 1.625  | 7.75  | 4.5    | 0.033  | 1.42   |
| 813-2K    | D 2ct Carded Product              | 12800183173 | 1.438  | 3.75  | 4.5    | 0.014  | 0.635  |
| 813-2TK   | D 2ct Carded Product with Tray    | 12800183173 | 1.5    | 3.75  | 4.5    | 0.015  | 0.71   |
| 813-4TK   | D 4ct Carded Product with Tray    | 12800517749 | 2.625  | 3.938 | 4.625  | 0.028  | 1.37   |
| 813-8LK   | D 8ct Carded Product              | 12800504848 | 2.375  | 7.75  | 4.5    | 0.048  | 2.77   |
| A1604-1K  | 9V 1ct Carded Product             | 12800330355 | 0.75   | 3.75  | 4.5    | 0.007  | 0.13   |
| A1604-1TK | 9V 1ct Carded Product with Tray   | 12800330355 | 0.75   | 3.75  | 4.5    | 0.007  | 0.113  |
| A1604-2K  | 9V 2ct Carded Product             | 12800517787 | 0.75   | 3.75  | 4.5    | 0.007  | 0.217  |
| A1604-2TK | 9V 2ct Carded Product with Tray   | 12800517787 | 0.75   | 3.75  | 4.5    | 0.007  | 0.218  |
| A1604-4TK | 9V 4ct Carded Product with Tray   | 12800517817 | 1.438  | 3.75  | 4.5    | 0.014  | 0.425  |

## RAYOVAC® HIGH ENERGY™ ALKALINE PRO PACKS

| Material    | Product Description         | Item UPC    | Length | Width | Height | Volume | Weight |
|-------------|-----------------------------|-------------|--------|-------|--------|--------|--------|
| 815-24PPTK  | AA 24ct Pro Pack with Tray  | 12800523252 | 3.188  | 4.188 | 2.125  | 0.017  | 1.306  |
| 815-30PPK   | AA 30ct Pro Pack            | 12800496938 | 3.688  | 4.188 | 2.125  | 0.019  | 1.575  |
| 815-36PPK   | AA 36ct Pro Pack            | 12800516179 | 2.125  | 4.25  | 4.813  | 0.025  | 1.855  |
| 815-48PPK   | AA 48ct Pro Pack            | 12800523108 | 5.25   | 4.125 | 2.125  | 0.027  | 2.66   |
| 815-60PPK   | AA 60ct Pro Pack            | 12800520497 | 6.5    | 4.188 | 2.063  | 0.032  | 3.07   |
| 824-24PPTK  | AAA 24ct Pro Pack with Tray | 12800523269 | 1.75   | 2.375 | 3.188  | 0.007  | 0.655  |
| 824-30PPK   | AAA 30ct Pro Pack           | 12800496945 | 2.875  | 3.25  | 1.813  | 0.01   | 0.76   |
| 824-36PPK   | AAA 36ct Pro Pack           | 12800516186 | 1.813  | 3.313 | 3.25   | 0.011  | 0.869  |
| 824-48PPK   | AAA 48ct Pro Pack           | 12800523115 | 4.125  | 3.188 | 1.75   | 0.013  | 1.2    |
| 824-60PPK   | AAA 60ct Pro Pack           | 12800522262 | 5      | 3.25  | 1.813  | 0.017  | 1.455  |
| 814-6PPK    | C 6ct Pro Pack              | 12800520732 | 2.75   | 3.688 | 2.063  | 0.012  | 0.875  |
| 814-8PPK    | C 8ct Pro Pack              | 12800472642 | 2.5    | 4.5   | 2      | 0.013  | 1.18   |
| 814-12PPK   | C 12ct Pro Pack             | 12800470501 | 3.875  | 4.875 | 2      | 0.022  | 1.968  |
| 813-6PPK    | D 6ct Pro Pack              | 12800520749 | 3.313  | 4.625 | 2.563  | 0.023  | 1.99   |
| 813-8PPK    | D 8ct Pro Pack              | 12800472635 | 3.125  | 5.75  | 2.5    | 0.026  | 2.39   |
| 813-12PPK   | D 12ct Pro Pack             | 12800470488 | 4.813  | 6.125 | 2.375  | 0.041  | 3.975  |
| A1604-8PPK  | 9V 8ct Pro Pack             | 12800470518 | 2.938  | 3.625 | 2      | 0.012  | 1.305  |
| A1604-12PPK | 9V 12ct Pro Pack            | 12800521746 | 4      | 3.688 | 2.063  | 0.018  | 1.243  |



| Inner Quantity | Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|----------------|---------------|----------------|--------|--------|--------|--------|--------|
| 12             | 48            | 20012800180930 | 9.5    | 8.375  | 5.625  | 0.26   | 6.64   |
| 12             | 48            | 40012800517761 | 9.5    | 8.375  | 5.625  | 0.259  | 11.44  |
|                | 28            | 10012800517760 | 10.5   | 9      | 5.188  | 0.284  | 6.747  |
| 12             | 48            | 40012800478550 | 9.5    | 8.375  | 5.625  | 0.259  | 15.93  |
| 12             | 24            | 40012800517723 | 8.5    | 8.5    | 5.625  | 0.235  | 11.04  |
|                | 24            | 10012800517722 | 12.875 | 10.625 | 5.25   | 0.416  | 11.008 |
|                | 12            | 10012800520715 | 12.875 | 5.125  | 5.563  | 0.212  | 6.9    |
|                | 12            | 10012800462169 | 8      | 5.188  | 4.438  | 0.107  | 7.704  |
|                | 10            | 10012800517821 | 11.938 | 8.25   | 4.688  | 0.267  | 8.949  |
|                | 10            | 10012800516121 | 11.938 | 8.25   | 4.688  | 0.267  | 11.206 |
|                | 10            | 10012800520050 | 16.938 | 8.375  | 4.813  | 0.395  | 13.25  |
|                | 6             | 10012800503657 | 7.875  | 5.375  | 7.125  | 0.175  | 11.51  |
|                | 6             | 50012800501835 | 13.5   | 8.375  | 4.875  | 0.319  | 15.68  |
| 12             | 24            | 20012800198447 | 8.5    | 5.313  | 3.75   | 0.098  | 1.896  |
| 12             | 48            | 40012800517778 | 10.375 | 8.5    | 3.75   | 0.191  | 6.144  |
|                | 20            | 10012800517777 | 8.25   | 5.5    | 4.875  | 0.128  | 2.463  |
| 12             | 48            | 40012800478567 | 10.375 | 8.5    | 3.75   | 0.191  | 8.544  |
| 12             | 24            | 40012800517730 | 8.5    | 5.313  | 3.75   | 0.098  | 5.808  |
|                | 30            | 10012800517739 | 12.875 | 5.125  | 5.563  | 0.227  | 6.674  |
|                | 10            | 10012800520722 | 8.25   | 5.625  | 5      | 0.134  | 2.85   |
|                | 12            | 10012800477347 | 7.875  | 5      | 3.313  | 0.075  | 3.936  |
|                | 14            | 10012800517838 | 12.563 | 8.25   | 4.688  | 0.281  | 6.491  |
|                | 14            | 10012800516138 | 12.563 | 8.25   | 4.688  | 0.281  | 8.11   |
|                | 14            | 10012800511980 | 12.563 | 8.25   | 4.688  | 0.281  | 9.71   |
| 12             | 48            | 20012800181760 | 12.063 | 8.063  | 7.625  | 0.429  | 15.935 |
|                | 16            | 50012800181761 | 10.5   | 9      | 5.188  | 0.284  | 5.82   |
|                | 12            | 10012800517753 | 10.625 | 8.25   | 5.438  | 0.276  | 8.46   |
|                | 6             | 10012800504852 | 9      | 6.25   | 6.75   | 0.22   | 8.52   |
| 12             | 48            | 20012800183177 | 12.875 | 8.125  | 9.5    | 0.575  | 31.78  |
|                | 18            | 60012800183175 | 12.875 | 10.625 | 5.25   | 0.416  | 12.78  |
|                | 12            | 10012800517746 | 12.438 | 10.875 | 5.438  | 0.426  | 16.44  |
|                | 6             | 10012800504845 | 8.625  | 6.75   | 9      | 0.303  | 16.62  |
| 12             | 48            | 70012800330354 | 11.75  | 7.5    | 5.5    | 0.28   | 6.24   |
|                | 12            | 50012800330350 | 8.25   | 5.5    | 4.875  | 0.128  | 1.67   |
| 12             | 48            | 40012800517785 | 11.625 | 8.125  | 5.538  | 0.303  | 11.38  |
|                | 12            | 10012800517784 | 8.25   | 4.875  | 5.5    | 0.122  | 2.854  |
|                | 9             | 10012800517814 | 12.875 | 5.125  | 5.563  | 0.227  | 4.176  |
| Inner Quantity | Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|                | 12            | 10012800523259 | 9.75   | 9.25   | 4.375  | 0.20   | 15.68  |
|                | 12            | 10012800496935 | 11.25  | 8.625  | 4.813  | 0.27   | 19.4   |
|                | 8             | 10012800516176 | 8.875  | 8.25   | 5.375  | 0.228  | 15.222 |
|                | 8             | 10012800523105 | 11     | 8.563  | 4.875  | 0.266  | 21.28  |
|                | 8             | 10012800520494 | 13.5   | 8.75   | 4.813  | 0.329  | 25.146 |
|                | 12            | 10012800523266 | 7.625  | 7.375  | 3.875  | 0.130  | 7.86   |
|                | 12            | 10012800496942 | 8.75   | 6.625  | 4.125  | 0.138  | 9.52   |
|                | 8             | 10012800516183 | 6.75   | 6.625  | 4.25   | 0.104  | 7.426  |
|                | 8             | 10012800523112 | 8.5    | 6.625  | 4.125  | 0.134  | 9.9    |
|                | 8             | 10012800522269 | 10.375 | 6.75   | 4.375  | 0.177  | 12.278 |
|                | 8             | 10012800520739 | 7.5    | 5.75   | 4.875  | 0.122  | 7.25   |
|                | 8             | 20012800472646 | 10.375 | 4.875  | 4.625  | 0.135  | 9.64   |
|                | 8             | 10012800470508 | 10.25  | 8.25   | 4.25   | 0.21   | 15.75  |
|                | 8             | 10012800520746 | 9.5    | 7      | 5.75   | 0.221  | 15.92  |
|                | 8             | 20012800472639 | 12.75  | 6.125  | 5.75   | 0.26   | 19.52  |
|                | 8             | 10012800470485 | 12.875 | 10     | 5.375  | 0.4    | 31.8   |
|                | 12            | 10012800470515 | 9.375  | 8.25   | 4.375  | 0.2    | 15.66  |
|                | 8             | 10012800521743 | 8.25   | 7.5    | 4.75   | 0.17   | 10.034 |

## RAYOVAC® HIGH ENERGY™ ALKALINE BULK PACKS

| Material     | Product Description              | Item UPC    | Length | Width | Height | Volume | Weight |
|--------------|----------------------------------|-------------|--------|-------|--------|--------|--------|
| 815 BULKJ    | AA 500ct Bulk Product            | 12800173433 | 0      | 0     | 0      | 0.001  | 0.054  |
| 815OEMWB     | AA 500ct Bulk Product            | 12800489237 | 0      | 0     | 0      | 0.001  | 0.054  |
| 824 BULKJ    | AAA 500ct Bulk Product           | 12800194636 | 0      | 0     | 0      | 0.001  | 0.028  |
| 814 BULKJ    | C 168ct Bulk Product             | 12800177721 | 0      | 0     | 0      | 0.001  | 0.17   |
| 813 BULKJ    | D 105ct Bulk Product             | 12800174676 | 0      | 0     | 0      | 0.002  | 0.33   |
| 813FTJ       | D 1050ct Bulk Product (Flat Top) | 12800000005 | 0      | 0     | 0      | 0.002  | 0.326  |
| A1604 BK210J | 9V 210ct Bulk Product            | 12800236046 | 0      | 0     | 0      | 0.001  | 0.107  |

## RAYOVAC® ZINC CARBON CARDED

| Material  | Product Description              | Item UPC    | Length | Width | Height | Volume | Weight |
|-----------|----------------------------------|-------------|--------|-------|--------|--------|--------|
| 5AA-4F    | AA 4ct Carded Product            | 12800525416 | 0.625  | 3.75  | 4.5    | 0.006  | 0.176  |
| 5AA-8CTF  | AA 8ct Carded Product with Tray  | 12800525423 | 1.188  | 3.875 | 4.5    | 0.012  | 0.32   |
| 5AA-20F   | AA 20ct Carded Product           | 12800525393 | 1.125  | 7.5   | 4.25   | 0.021  | 0.71   |
| 3AAA-4F   | AAA 4ct Carded Product           | 12800525348 | 0.5    | 3.75  | 4.5    | 0.005  | 0.089  |
| 3AAA-8CTF | AAA 8ct Carded Product with Tray | 12800525355 | 0.5    | 3.875 | 4.5    | 0.005  | 0.19   |
| 3AAA-20F  | AAA 20ct Carded Product          | 12800525324 | 0.875  | 7.5   | 4.25   | 0.016  | 0.39   |
| 4C-2BF    | C 2ct Carded Product             | 12800525379 | 1.125  | 3.75  | 4.5    | 0.011  | 0.21   |
| 6D-2BF    | D 2ct Carded Product             | 12800525447 | 1.438  | 3.75  | 4.5    | 0.014  | 0.442  |
| D1604-1F  | 9V 1ct Carded Product            | 12800525454 | 0.75   | 3.75  | 4.5    | 0.007  | 0.108  |
| D1604-4TF | 9V 4ct Carded Product with Tray  | 12800525461 | 1.5    | 3.75  | 4.5    | 0.015  | 0.4    |

## RAYOVAC® ZINC CARBON PRO PACKS

| Material   | Product Description | Item UPC    | Length | Width | Height | Volume | Weight |
|------------|---------------------|-------------|--------|-------|--------|--------|--------|
| 5AA-30PPF  | AA 30ct Pro Pack    | 12800525409 | 3.688  | 4.188 | 2.125  | 0.019  | 1.3    |
| 3AAA-30PPF | AAA 30ct Pro Pack   | 12800525331 | 2.875  | 3.25  | 1.813  | 0.01   | 0.585  |

## RAYOVAC® ZINC CARBON BULK PACKS

| Material  | Product Description    | Item UPC    | Length | Width | Height | Volume | Weight |
|-----------|------------------------|-------------|--------|-------|--------|--------|--------|
| 5AA BULKF | AA 1000ct Bulk Product | 12800525386 | 0.55   | 0.55  | 1.98   | 0.001  | 0.043  |
| 6D BULKF  | D 145ct Bulk Product   | 12800525430 | 0      | 0     | 0      | 0.002  | 0.224  |

## RAYOVAC® ZINC CARBON SHRINK-WRAPPED PACKS

| Material | Product Description | Item UPC    | Length | Width | Height | Volume | Weight |
|----------|---------------------|-------------|--------|-------|--------|--------|--------|
| HD-AAF   | AA 8ct Shrink Pack  | 12800525492 | 0.5    | 4.5   | 2      | 0.003  | 0.36   |
| HD-CF    | C 6ct Shrink Pack   | 12800525515 | 1      | 6     | 2      | 0.007  | 0.7    |
| HD-DF    | D 6ct Shrink Pack   | 12800525522 | 1.313  | 7.813 | 2.438  | 0.014  | 1.248  |
| HD-9VF   | 9V 6ct Shrink Pack  | 12800525485 | 0.688  | 6     | 1.875  | 0.005  | 0.52   |

## RAYOVAC® LANTERN BATTERIES

| Material | Product Description                            | Item UPC    | Length | Width | Height | Volume | Weight |
|----------|------------------------------------------------|-------------|--------|-------|--------|--------|--------|
| 806C     | Alkaline 6V Battery, Spring Terminals (D Cell) | 12800463664 | 2.625  | 2.625 | 4.5    | 0.018  | 1.53   |
| 808C     | Alkaline 6V Battery, Spring Terminals (F Cell) | 12800500253 | 2.63   | 2.63  | 4.57   | 0.018  | 2.183  |
| 918C     | General Purpose 6V Battery, Screw Terminals    | 12800186891 | 5.25   | 2.75  | 4.875  | 0.041  | 2.817  |
| 926C     | General Purpose 12V Battery, Screw Terminals   | 12800206285 | 5.25   | 2.75  | 4.875  | 0.051  | 2.792  |
|          | <b>Flexible Connections Only</b>               |             |        |       |        |        |        |
| 926D     | General Purpose 12V Battery, Screw Terminals   | 12800206285 | 5.25   | 2.75  | 4.875  | 0.051  | 2.792  |
|          | <b>Fixed or Flexible Connections</b>           |             |        |       |        |        |        |
| 941C     | General Purpose 6V Battery, Spring Terminals   | 12800222858 | 2.625  | 2.625 | 4.5    | 0.022  | 1.195  |
| 944C     | Heavy Duty 6V Battery, Spring Terminals        | 12800223435 | 2.63   | 2.63  | 4.5    | 0.018  | 1.2    |
| 944-2RC  | Heavy Duty 6V Lantern, Spring Terminals 2-Pack | 12800374083 | 2.625  | 5.25  | 4.5    | 0.036  | 2.54   |
| 945R4C   | Heavy Duty 6V Lantern, Screw Terminals         | 12800223350 | 2.625  | 2.625 | 4.25   | 0.017  | 1.343  |
| 45V-HD   | Heavy Duty 45V Telecommunications Battery      | 12800499038 | 0      | 0     | 0      | 0      | 1.23   |

## RAYOVAC® EMERGENCY BATTERIES

| Material | Product Description                                        | Item UPC    | Length | Width | Height | Volume | Weight |
|----------|------------------------------------------------------------|-------------|--------|-------|--------|--------|--------|
| 803C     | Alkaline 7.5V Emergency Battery, Screw Terminals           | 12800464418 | 7.188  | 4     | 3.75   | 0.062  | 5.525  |
| 903C     | Heavy Duty 7.5V Multiple Ignition Battery, Screw Terminals | 12800165766 | 7.188  | 4     | 6.25   | 0.104  | 6.94   |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|----------------|---------------|----------------|--------|--------|--------|--------|--------|
|                | 500           | 12800991556    | 14.438 | 13.375 | 3.75   | 0.42   | 27     |
|                | 500           | 10012800489234 | 14     | 12.938 | 2.938  | 0.310  | 27.1   |
|                | 500           | 12800991570    | 11.25  | 9.5    | 2.875  | 0.178  | 14     |
|                | 168           | 10012800177728 | 13.25  | 13.25  | 2.875  | 0.29   | 28.56  |
|                | 105           | 20012800174670 | 13.875 | 13.625 | 3.25   | 0.290  | 34.65  |
|                | 105           | 10012800000002 | 14.5   | 13.625 | 3.25   | 0.372  | 34.23  |
|                | 210           | 20012800236040 | 11.625 | 2.75   | 16.375 | 0.30   | 22.47  |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|----------------|---------------|----------------|--------|-------|--------|--------|--------|
| 12             | 48            | 20012800525410 | 11.25  | 7.875 | 4.75   | 0.244  | 9.27   |
|                | 24            | 10012800525420 | 13.25  | 10.5  | 5.375  | 0.433  | 7.85   |
|                | 10            | 10012800525390 | 11.938 | 8.25  | 4.688  | 0.267  | 7.54   |
| 12             | 24            | 20012800525342 | 7.625  | 5.875 | 4.125  | 0.107  | 2.52   |
|                | 30            | 10012800525352 | 12.5   | 5.5   | 5.5    | 0.219  | 5.7    |
|                | 14            | 10012800525321 | 12.563 | 8.25  | 4.688  | 0.281  | 5.94   |
| 12             | 72            | 20012800525373 | 12.063 | 8.063 | 11.188 | 0.63   | 16.585 |
| 12             | 48            | 20012800525441 | 12.875 | 8.125 | 9.5    | 0.575  | 22.52  |
| 12             | 48            | 20012800525458 | 11.75  | 7.5   | 5.5    | 0.28   | 5.28   |
|                | 9             | 10012800525468 | 12.5   | 5.5   | 5.5    | 0.219  | 3.6    |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|----------------|---------------|----------------|--------|-------|--------|--------|--------|
|                | 12            | 10012800525406 | 11.375 | 8.75  | 4.875  | 0.281  | 15.6   |
|                | 12            | 10012800525338 | 8.75   | 6.625 | 4.125  | 0.138  | 7.25   |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|----------------|---------------|----------------|--------|--------|--------|--------|--------|
|                | 1,000         | 10012800525383 | 14.375 | 13.125 | 5.875  | 0.641  | 43     |
|                | 145           | 10012800525437 | 21     | 12.875 | 3.75   | 0.587  | 32.5   |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|----------------|---------------|----------------|--------|-------|--------|--------|--------|
|                | 12            | 10012800525499 | 8.625  | 5.125 | 1.75   | 0.045  | 4.32   |
|                | 12            | 10012800525512 | 8.875  | 6.875 | 3.25   | 0.115  | 8.4    |
|                | 12            | 10012800525529 | 10.5   | 8.375 | 4.375  | 0.223  | 15.6   |
|                | 12            | 10012800525482 | 8.625  | 6.875 | 2.125  | 0.073  | 6.36   |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|----------------|---------------|----------------|--------|-------|--------|--------|--------|
|                | 6             | 10012800463661 | 9.5    | 6.063 | 5      | 0.167  | 9.18   |
|                | 4             | 20012800500257 | 11.875 | 3.375 | 4.625  | 0.107  | 9.05   |
|                | 6             | 10012800186898 | 10.938 | 8.938 | 5.5    | 0.31   | 16.902 |
|                | 6             | 10012800206282 | 10.938 | 8.938 | 5.5    | 0.31   | 16.752 |
|                | 6             | 10012800206282 | 10.938 | 8.938 | 5.5    | 0.31   | 16.752 |
|                | 12            | 10012800222855 | 10.938 | 8.5   | 5.063  | 0.272  | 14.8   |
|                | 4             | 30012800223436 | 11.875 | 3.375 | 4.625  | 0.107  | 5.2    |
|                | 4             | 20012800374087 | 11.5   | 6     | 4.75   | 0.19   | 10.54  |
|                | 4             | 30012800223351 | 6.125  | 6     | 4.75   | 0.101  | 5.372  |
|                | 15            | 10012800499035 | 12.25  | 9.5   | 4.875  | 0.328  | 18.45  |

| Inner Quantity | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|----------------|---------------|----------------|--------|-------|--------|--------|--------|
|                | 4             | 10012800464415 | 15.625 | 8.5   | 5.25   | 0.4    | 22.1   |
|                | 4             | 10012800165763 | 15.125 | 8.75  | 8      | 0.613  | 27.76  |



## RAYOVAC® SILVER OXIDE WATCH BATTERIES

| Material     | Product Description        | Item UPC    | Length | Width | Height | Volume | Weight |
|--------------|----------------------------|-------------|--------|-------|--------|--------|--------|
| 303/357-1ZMG | Size 303/357 1.5V 1ct Pack | 12800516568 | 0.26   | 1.75  | 3.5    | 0.001  | 0.008  |
| 303/357-3ZMG | Size 303/357 1.5V 3ct Pack | 12800517992 | 0.265  | 1.75  | 3.5    | 0.001  | 0.018  |

## RAYOVAC® LITHIUM COIN BATTERIES

| Material       | Product Description               | Item UPC    | Length | Width | Height | Volume | Weight |
|----------------|-----------------------------------|-------------|--------|-------|--------|--------|--------|
| KECR1216-2G    | Size 1216 3.0V 2ct Pack           | 12800526819 | 0.24   | 1.559 | 3.283  | 0.001  | 0.014  |
| KECR1220-2G    | Size 1220 3.0V 2ct Pack           | 12800526826 | 0.24   | 1.559 | 3.283  | 0.001  | 0.015  |
| KECR1616-1G    | Size 1616 3.0V 1ct Pack           | 12800462827 | 0.24   | 1.559 | 3.283  | 0.001  | 0.016  |
| KECR1620-1G    | Size 1620 3.0V 1ct Pack           | 12800509133 | 0.26   | 1.82  | 3.55   | 0.001  | 0.016  |
| KECR1632-1G    | Size 1632 3.0V 1ct Pack           | 12800509140 | 0.24   | 1.559 | 3.283  | 0.001  | 0.016  |
| KECR2016-1G    | Size 2016 3.0V 1ct Pack           | 12800462742 | 0.24   | 1.559 | 3.283  | 0.001  | 0.015  |
| KECR2016-2G    | Size 2016 3.0V 2ct Pack           | 12800517985 | 0.24   | 1.559 | 3.283  | 0.001  | 0.022  |
| KECR2025-1G    | Size 2025 3.0V 1ct Pack           | 12800462841 | 0.24   | 1.559 | 3.283  | 0.001  | 0.018  |
| KECR2025-2G    | Size 2025 3.0V 2ct Pack           | 12800517961 | 0.24   | 1.559 | 3.283  | 0.001  | 0.025  |
| KECR2025 BULKA | Size 2025 3.0V 600ct Bulk Product | 12800519873 | 0.785  | 0.785 | 0.098  | 0      | 0.007  |
| KECR2032-1G    | Size 2032 3.0V 1ct Pack           | 12800462773 | 0.24   | 1.559 | 3.283  | 0.001  | 0.019  |
| KECR2032-2G    | Size 2032 3.0V 2ct Pack           | 12800517978 | 0.24   | 1.559 | 3.283  | 0.001  | 0.034  |
| KECR2032-4G    | Size 2032 3.0V 4ct Pack           | 12800521951 | 0.24   | 3.5   | 3.5    | 0.002  | 0.058  |
| KECR2032 BULKA | Size 2032 3.0V 600ct Bulk Product | 12800520466 | 0.785  | 0.785 | 0.125  | 0      | 0.008  |
| KECR2450-2G    | Size 2450 2ct Pack                | 12800517954 | 0.24   | 1.559 | 3.283  | 0.001  | 0.04   |

## RAYOVAC® LITHIUM PHOTO BATTERIES

| Material     | Product Description               | Item UPC    | Length | Width | Height | Volume | Weight |
|--------------|-----------------------------------|-------------|--------|-------|--------|--------|--------|
| RL123A-1G    | Size 123A 3.0V 1ct Pack           | 12800462339 | 0.625  | 3.5   | 3.5    | 0.003  | 0.046  |
| RL123A-2G    | Size 123A 3.0V 2ct Pack           | 12800462704 | 0.625  | 3.5   | 3.5    | 0.004  | 0.086  |
| RL123A-4G    | Size 123A 3.0V 4ct Pack           | 12800529452 | 0.7    | 3.75  | 4.5    | 0.007  | 0.17   |
| RL123A-8TG   | Size 123A 3.0V 8ct Pack           | 12800525010 | 0.625  | 3.75  | 5.688  | 0.008  | 0.313  |
| RL123A BULKD | Size 123A 3.0V 100ct Bulk Product | 12800486977 | 0      | 0     | 0      | 0.001  | 0.038  |
| RL223A-1G    | Size 223A 6.0V 1ct Pack           | 12800462353 | 0.625  | 3.5   | 3.5    | 0.004  | 0.103  |
| RL2CR5-1G    | Size 2CR5 6.0V 1ct Pack           | 12800462391 | 0.625  | 3.5   | 3.5    | 0.004  | 0.103  |
| RLCR2-1G     | Size CR2 3.0V 1ct Pack            | 12800462377 | 0.625  | 3.5   | 3.5    | 0.003  | 0.037  |
| RLCR2-2G     | Size CR2 3.0V 2ct Pack            | 12800477562 | 0.625  | 3.5   | 3.5    | 0.004  | 0.067  |
| RLCRV3-1G    | Size CRV3 6.0V 1ct Pack           | 12800491193 | 0.625  | 3.5   | 3.5    | 0.004  | 0.1    |

## RAYOVAC® LITHIUM BATTERIES

| Material | Product Description | Item UPC    | Length | Width | Height | Volume | Weight |
|----------|---------------------|-------------|--------|-------|--------|--------|--------|
| R9VL-1G  | 9V 1ct Pack         | 12800512041 | 0.75   | 3.75  | 4.5    | 0.007  | 0.094  |
| R9VL-8G  | 9V 8ct Pack         | 12800519187 | 2.938  | 3.625 | 2      | 0.012  | 0.672  |

## RAYOVAC® MINIATURE ALKALINE BATTERIES

| Material   | Product Description            | Item UPC    | Length | Width | Height | Volume | Weight |
|------------|--------------------------------|-------------|--------|-------|--------|--------|--------|
| KE23A-1ZMG | Size 23A 12.0V 1ct Pack        | 12800517145 | 0.44   | 1.75  | 3.5    | 0.002  | 0.021  |
| KE23A-2ZMG | Size 23A 12.0V 2ct Pack        | 12800517930 | 0.55   | 1.75  | 3.5    | 0.002  | 0.04   |
| KE825-2G   | Size AAAA 1.5V 2ct Pack        | 12800521067 | 0.35   | 1.75  | 3.5    | 0.001  | 0.035  |
| 810 BULKD  | Size N 1.5V 500ct Bulk Product | 12800491674 | 0      | 0     | 0      | 0.001  | 0.02   |

## RAYOVAC® PORTABLE POWER

| Material | Product Description             | Item UPC    | Length | Width | Height | Volume | Weight |
|----------|---------------------------------|-------------|--------|-------|--------|--------|--------|
| PS92BKE  | PS92 2200 mAh Power Bank, Black | 12800524761 | 2.875  | 1     | 7.388  | 0.012  | 0.213  |
| PS93BKE  | PS93 6000 mAh Power Bank, Black | 12800524808 | 4      | 1.625 | 8.375  | 0.032  | 0.5    |
| PS101E   | PS101 Qualcomm® Wall Adapter    | 12800524082 | 1.063  | 3.75  | 4.5    | 0.01   | 0.12   |

## RAYOVAC® RECHARGE CHARGERS

| Material      | Product Description                                       | Item UPC    | Length | Width | Height | Volume | Weight |
|---------------|-----------------------------------------------------------|-------------|--------|-------|--------|--------|--------|
| PS134-4B GENE | Value 4-Position AA/AAA Charger with 2AA & 2AAA Batteries | 12800524013 | 1.75   | 4     | 9      | 0.036  | 0.395  |
| PS335-4B GENE | Smart 4-Position AA/AAA Charger with 4AA Batteries        | 12800530458 | 1.25   | 4     | 9      | 0.026  | 0.415  |
| PS204 GENE    | Universal AA/AAA/C/D/9V Charger                           | 12800530465 | 3.5    | 7.3   | 10.6   | 0.157  | 0.9    |

| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 6             | 30012800516569 | 0.9    | 4.5   | 7      | 0.016  | 0.055  |
| 10            | 30012800517993 | 1.1    | 4.5   | 5.5    | 0.016  | 0.187  |

| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 10            | 10012800526816 | 0.90   | 5.0   | 7.0    | 0.018  | 0.148  |
| 10            | 10012800526823 | 0.90   | 5.0   | 7.0    | 0.018  | 0.154  |
| 10            | 50012800462822 | 0.90   | 5.0   | 7.0    | 0.018  | 0.16   |
| 10            | 40012800509131 | 0.90   | 5.0   | 7.0    | 0.018  | 0.16   |
| 10            | 40012800509148 | 0.90   | 5.0   | 7.0    | 0.018  | 0.16   |
| 10            | 50012800462747 | 0.90   | 5.0   | 7.0    | 0.018  | 0.16   |
| 10            | 30012800517986 | 0.90   | 5.0   | 7.0    | 0.018  | 0.22   |
| 10            | 50012800462846 | 0.90   | 5.0   | 7.0    | 0.018  | 0.18   |
| 10            | 30012800517962 | 0.90   | 5.0   | 7.0    | 0.018  | 0.25   |
| 600           | 10012800519870 | 6.89   | 6.103 | 6.497  | 0.159  | 4.2    |
| 10            | 50012800462778 | 0.9    | 5.0   | 7.0    | 0.018  | 0.19   |
| 10            | 30012800517979 | 0.9    | 5.0   | 7.0    | 0.018  | 0.34   |
| 10            | 10012800521958 | 0.9    | 6.25  | 7.0    | 0.023  | 0.58   |
| 600           | 10012800520463 | 6.89   | 6.103 | 6.497  | 0.159  | 4.807  |
| 10            | 30012800517955 | 0.9    | 5.0   | 7.0    | 0.018  | 0.402  |

| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 6             | 10012800462336 | 3.875  | 2.563 | 3.625  | 0.020  | 0.28   |
| 6             | 10012800462701 | 3.875  | 2.563 | 3.625  | 0.020  | 0.516  |
| 6             | 10012800529459 | 4.75   | 2.625 | 4.0    | 0.029  | 1.1    |
| 6             | 20012800525014 | 10.5   | 4.375 | 6.188  | 0.165  | 2.2    |
| 100           | 20012800486971 | 8.5    | 7.25  | 1.688  | 0.060  | 3.86   |
| 6             | 10012800462350 | 3.875  | 2.563 | 3.625  | 0.020  | 0.618  |
| 6             | 10012800462398 | 3.875  | 2.563 | 3.50   | 0.020  | 0.618  |
| 6             | 10012800462374 | 3.875  | 2.563 | 3.625  | 0.020  | 0.222  |
| 6             | 10012800477569 | 3.875  | 2.563 | 3.625  | 0.020  | 0.402  |
| 6             | 10012800491190 | 3.875  | 2.563 | 3.625  | 0.021  | 0.60   |

| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 12            | 10012800512048 | 6.75   | 5.75  | 3      | 0.067  | 1.32   |
| 6             | 10012800519184 | 9.125  | 3.938 | 4.875  | 0.101  | 4.258  |

| Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|---------------|----------------|--------|--------|--------|--------|--------|
| 6             | 30012800517146 | 0.90   | 4.5    | 7.0    | 0.016  | 0.133  |
| 10            | 30012800517931 | 1.6    | 4.5    | 5.5    | 0.023  | 0.457  |
| 10            | 10012800521064 | 4.21   | 1.97   | 1.75   | 0.008  | 0.381  |
| 500           | 10012800491671 | 10.625 | 10.188 | 2.5    | 0.157  | 10.45  |

| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 4             | 10012800524768 | 8.25   | 5     | 4.5    | 0.107  | 1.202  |
| 4             | 10012800524805 | 9.125  | 7.625 | 5.5    | 0.221  | 2.5    |
| 4             | 10012800524089 | 5.906  | 2.362 | 4.921  | 0.040  | 0.542  |

| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 4             | 10012800524010 | 11     | 3.75  | 4.563  | 0.109  | 1.75   |
| 4             | 10012800530455 | 11.063 | 2.75  | 4.563  | 0.080  | 1.80   |
| 3             | 10012800530462 | 11.438 | 9.125 | 8.5    | 0.513  | 3.747  |

## RAYOVAC® RECHARGE BATTERIES

| Material       | Product Description                | Item UPC    | Length | Width | Height | Volume | Weight |
|----------------|------------------------------------|-------------|--------|-------|--------|--------|--------|
| LD715-4OP GENE | NiMH Recharge 1350 mAh AA 4ct Pack | 12800512515 | 0.648  | 3.75  | 4.5    | 0.006  | 0.212  |
| LD715-8OP GENE | NiMH Recharge 1350 mAh AA 8ct Pack | 12800512522 | 1.25   | 3.75  | 4.5    | 0.012  | 0.426  |
| LD724-4OP GENE | NiMH Recharge 600 mAh AAA 4ct Pack | 12800512539 | 0.5    | 3.75  | 4.5    | 0.005  | 0.107  |

## RAYOVAC® RECHARGE PLUS BATTERIES

| Material      | Product Description                     | Item UPC    | Length | Width | Height | Volume | Weight |
|---------------|-----------------------------------------|-------------|--------|-------|--------|--------|--------|
| PL715-4 GENE  | NiMH Recharge Plus 2400 mAh AA 4ct Pack | 12800519774 | 0.625  | 3.75  | 4.5    | 0.006  | 0.248  |
| PL724-4 GENE  | NiMH Recharge Plus 900 mAh AAA 4ct Pack | 12800519781 | 0.5    | 3.75  | 4.5    | 0.005  | 0.117  |
| PL714-2 GENE  | NiMH Recharge Plus 3000 mAh C 2ct Pack  | 12800513178 | 1.12   | 3.75  | 4.5    | 0.011  | 0.288  |
| PL713-2 GENE  | NiMH Recharge Plus 3000 mAh D 2ct Pack  | 12800513161 | 1.323  | 3.75  | 4.5    | 0.013  | 0.348  |
| PL1604-1 GENE | NiMH Recharge Plus 200 mAh 9V 1ct Pack  | 12800513208 | 0.73   | 3.75  | 4.5    | 0.007  | 0.093  |

## RAYOVAC® HEARING AID BATTERIES

| Material | Product Description | Item UPC    | Length | Width | Height | Volume | Weight |
|----------|---------------------|-------------|--------|-------|--------|--------|--------|
| 10-8     | Size 10 8ct Pack    | 12800528837 | 0.519  | 2.44  | 4.25   | 0.003  | 0.028  |
| 10-16    | Size 10 16ct Pack   | 12800528851 | 0.519  | 5     | 4.25   | 0.006  | 0.057  |
| 10-18    | Size 10 18ct Pack   | 12800530946 | 1      | 5.063 | 4.25   | 0.012  | 0.08   |
| 10-24    | Size 10 24ct Pack   | 12800528868 | 1      | 5.063 | 4.25   | 0.012  | 0.085  |
| 10-32    | Size 10 32ct Pack   | 12800528875 | 1.06   | 5.063 | 4.25   | 0.013  | 0.106  |
| 10-48    | Size 10 48ct Pack   | 12800528882 | 1.125  | 5.125 | 5.031  | 0.017  | 0.184  |
| 13-6     | Size 13 6ct Pack    | 12800528899 | 0.519  | 2.44  | 4.25   | 0.003  | 0.034  |
| 13-8     | Size 13 8ct Pack    | 12800528905 | 0.519  | 2.44  | 4.25   | 0.003  | 0.037  |
| 13-16    | Size 13 16ct Pack   | 12800528929 | 0.519  | 5     | 4.25   | 0.006  | 0.074  |
| 13-18    | Size 13 18ct Pack   | 12800528936 | 1      | 5.063 | 4.25   | 0.012  | 0.1    |
| 13-24    | Size 13 24ct Pack   | 12800528943 | 1      | 5.063 | 4.25   | 0.012  | 0.109  |
| 13-32    | Size 13 32ct Pack   | 12800528950 | 1.06   | 5.063 | 4.25   | 0.013  | 0.138  |
| 13-36    | Size 13 36ct Pack   | 12800530922 | 1.125  | 5.125 | 5.031  | 0.017  | 0.21   |
| 13-48    | Size 13 48ct Pack   | 12800528967 | 1.125  | 5.125 | 5.031  | 0.017  | 0.21   |
| 312-6    | Size 312 6ct Pack   | 12800528974 | 0.519  | 2.44  | 4.25   | 0.003  | 0.03   |
| 312-8    | Size 312 8ct Pack   | 12800528981 | 0.519  | 2.44  | 4.25   | 0.003  | 0.032  |
| 312-16   | Size 312 16ct Pack  | 12800529001 | 0.519  | 5     | 4.25   | 0.006  | 0.065  |
| 312-18   | Size 312 18ct Pack  | 12800529018 | 1      | 5.063 | 4.25   | 0.012  | 0.086  |
| 312-24   | Size 312 24ct Pack  | 12800529025 | 1      | 5.063 | 4.25   | 0.012  | 0.094  |
| 312-32   | Size 312 32ct Pack  | 12800529032 | 1.06   | 5.063 | 4.25   | 0.013  | 0.119  |
| 312-36   | Size 312 36ct Pack  | 12800530939 | 1.125  | 5.125 | 5.031  | 0.017  | 0.196  |
| 312-48   | Size 312 48ct Pack  | 12800529049 | 1.125  | 5.125 | 5.031  | 0.017  | 0.196  |
| 675-6    | Size 675 6ct Pack   | 12800529056 | 0.519  | 2.44  | 4.25   | 0.003  | 0.046  |

## RAYOVAC® HEARING AID DISPLAYS

| Material | Product Description                             | Item UPC    | Length | Width  | Height | Volume | Weight |
|----------|-------------------------------------------------|-------------|--------|--------|--------|--------|--------|
| HASK-24  | Loaded Sidekick Display 24ct (All Sizes)        | 12800529520 | 24.5   | 14.375 | 5.5    | 1.121  | 5.4    |
| HACT1-16 | Loaded Counter Display 16ct (All Sizes)         | 12800529377 | 19.375 | 14.75  | 1.875  | 0.31   | 1.55   |
| HACT2-16 | Loaded Counter Display 16ct (Sizes 10,13 & 312) | 12800529384 | 19.375 | 14.75  | 1.875  | 0.31   | 1.5    |
| F723RET  | Empty Fixture 4 Pegs Wide by 1 Peg High         | 12800529407 | 14.25  | 11.75  | 8      | 0.775  | 2.75   |
| F720RET  | Empty Fixture 4 Pegs Wide by 2 Pegs High        | 12800529391 | 16.5   | 16.5   | 9.625  | 1.516  | 4.7    |



| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 6             | 10012800512512 | 5.25   | 4.125 | 2.25   | 0.028  | 1.38   |
| 6             | 10012800512529 | 5.5    | 4.125 | 4.0    | 0.053  | 2.6    |
| 6             | 10012800512536 | 5.188  | 4.25  | 1.813  | 0.023  | 0.72   |

| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 6             | 10012800519771 | 5.25   | 4.125 | 2.25   | 0.028  | 1.591  |
| 6             | 10012800519788 | 5.188  | 4.25  | 1.875  | 0.024  | 0.769  |
| 6             | 10012800513175 | 5.625  | 4.125 | 4.0    | 0.054  | 1.831  |
| 6             | 10012800513168 | 6.375  | 4.25  | 4.75   | 0.074  | 2.213  |
| 6             | 10012800513205 | 5.50   | 4.125 | 2.75   | 0.036  | 0.642  |

| Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|----------------|--------|-------|--------|--------|--------|
| 4             | 10012800528834 | 1.25   | 4.5   | 2.5    | 0.008  | 0.133  |
| 4             | 10012800528858 | 1.25   | 4.5   | 5.063  | 0.016  | 0.261  |
| 4             | 10012800530943 | 5.188  | 4.375 | 4.25   | 0.056  | 0.427  |
| 4             | 10012800528865 | 5.188  | 4.375 | 4.25   | 0.056  | 0.447  |
| 4             | 10012800528872 | 5.188  | 4.375 | 4.25   | 0.056  | 0.506  |
| 6             | 10012800528889 | 7.375  | 5.5   | 5.625  | 0.132  | 1.852  |
| 4             | 10012800528896 | 1.25   | 4.5   | 2.5    | 0.008  | 0.153  |
| 4             | 10012800528902 | 1.25   | 4.5   | 2.5    | 0.008  | 0.168  |
| 4             | 10012800528926 | 1.25   | 4.5   | 5.063  | 0.016  | 0.331  |
| 4             | 10012800528933 | 5.188  | 4.375 | 4.25   | 0.056  | 0.507  |
| 4             | 10012800528940 | 5.188  | 4.375 | 4.25   | 0.056  | 0.543  |
| 4             | 10012800528957 | 5.188  | 4.375 | 4.25   | 0.056  | 0.659  |
| 6             | 10012800530929 | 7.375  | 5.5   | 5.625  | 0.132  | 2.01   |
| 6             | 10012800528964 | 7.375  | 5.5   | 5.625  | 0.132  | 2.01   |
| 4             | 10012800528971 | 1.25   | 4.5   | 2.5    | 0.008  | 0.139  |
| 4             | 10012800528988 | 1.25   | 4.5   | 2.5    | 0.008  | 0.149  |
| 4             | 10012800529008 | 1.25   | 4.5   | 5.063  | 0.016  | 0.292  |
| 4             | 10012800529015 | 5.188  | 4.375 | 4.25   | 0.056  | 0.451  |
| 4             | 10012800529022 | 5.188  | 4.375 | 4.25   | 0.056  | 0.483  |
| 4             | 10012800529039 | 5.188  | 4.375 | 4.25   | 0.056  | 0.583  |
| 6             | 10012800530936 | 7.375  | 5.5   | 5.625  | 0.132  | 1.924  |
| 6             | 10012800529046 | 7.375  | 5.5   | 5.625  | 0.132  | 1.924  |
| 4             | 10012800529053 | 1.25   | 4.5   | 2.5    | 0.008  | 0.202  |

## VARTA® ALKALINE BATTERIES

| Material     | Product Description                        | Item UPC      | Length | Width | Height | Volume | Weight |
|--------------|--------------------------------------------|---------------|--------|-------|--------|--------|--------|
| V4906121414B | Longlife Power Alk AA 4ct Carded Pack      | 4008496559435 | 0.63   | 3.15  | 4.724  | 0.005  | 0.22   |
| V4706101404B | Longlife Max Power Alk AA 4ct Carded Pack  | 4008496105946 | 0.63   | 3.15  | 4.725  | 0.005  | 0.219  |
| V4906121354  | Longlife Power Alk AA 4ct Pack with Tray   | 4008496573400 | 2.362  | 0.591 | 2.047  | 0.002  | 0.2    |
| V4906121511A | Longlife Power Alk AA 500ct Bulk Product   | 4008496574995 |        |       |        |        | 0.052  |
| V4903121412A | Longlife Power Alk AAA 2ct Carded Pack     | 4008496559701 | 0.472  | 3.15  | 4.724  | 0.004  | 0.036  |
| V4903121414B | Longlife Power Alk AAA 4ct Carded Pack     | 4008496559749 | 0.472  | 3.15  | 4.724  | 0.004  | 0.115  |
| V4703101404B | Longlife Max Power Alk AAA 4ct Carded Pack | 4008496104734 | 0.473  | 3.15  | 4.725  | 0.004  | 0.111  |
| V4903121111  | Longlife Power Alk AAA 10ct Box            | 4008496573448 | 0      | 0     | 0      | 0      | 0.026  |
| V4903121511A | Longlife Power Alk AAA 500ct Bulk Product  | 4008496575053 | 0      | 0     | 0      | 0      | 0.025  |
| V4914121412  | Longlife Power Alk C 2ct Carded Pack       | 4008496559312 | 3.15   | 1.063 | 4.724  | 0.009  | 0.165  |
| V4914121111  | Longlife Power Alk C 20ct Tray             | 4008496573363 | 0      | 0     | 0      | 0      | 0.154  |
| V4920121412B | Longlife Power Alk D 2ct Carded Pack       | 4008496559237 | 1.378  | 3.15  | 4.724  | 0.012  | 0.637  |
| V4920121111  | Longlife Power Alk D 20ct Tray             | 4008496573325 | 0      | 0     | 0      | 0      | 0.318  |
| V4922121411  | Longlife Power Alk 9V 1ct Carded Pack      | 4008496559862 | 3.15   | 0.748 | 4.724  | 0.006  | 0.124  |
| V4922121111  | Longlife Power Alk 9V 20ct Tray            | 4008496573493 | 1.043  | 0.689 | 1.909  | 0.001  | 0.105  |

## VARTA® PHOTO BATTERIES

| Material     | Product Description            | Item UPC      | Length | Width | Height | Volume | Weight |
|--------------|--------------------------------|---------------|--------|-------|--------|--------|--------|
| V6205301401A | Lithium 3.0V CR123A 1ct Pack   | 4008496537280 | 3.15   | 0.709 | 4.75   | 0.006  | 0.057  |
| V6205301402A | Lithium 3.0V CR123A 2ct Pack   | 4008496537327 | 3.15   | 0.709 | 4.75   | 0.006  | 0.105  |
| V6206301401  | Lithium 3.0V CR2 1ct Pack      | 4008496537365 | 3.15   | 0.709 | 4.724  | 0.006  | 0.049  |
| V6206301402A | Lithium 3.0V CR2 2ct Pack      | 4008496537402 | 3.15   | 0.709 | 4.75   | 0.006  | 0.078  |
| V6203301401A | Lithium 6.0V 2CR5 1ct Pack     | 4008496537204 | 3.15   | 0.709 | 4.75   | 0.006  | 0.125  |
| V6203201501A | Lithium 6.0V 2CR5 Bulk Product | 4008496163915 | 0      | 0     | 0      | 0      | 0.085  |
| V6204301401A | Lithium 6.0V 223A 1ct Pack     | 4008496537242 | 3.15   | 0.787 | 4.724  | 0.007  | 0.127  |

## VARTA® RECHARGEABLE BATTERIES

| Material     | Product Description        | Item UPC      | Length | Width | Height | Volume | Weight |
|--------------|----------------------------|---------------|--------|-------|--------|--------|--------|
| V5716101402  | NiMH 2600 mAh AA 2ct Pack  | 4008496745937 | 3.15   | 0.63  | 4.724  | 0.005  | 0.067  |
| V5703301402  | NiMH 1000 mAh AAA 2ct Pack | 4008496538621 | 3.15   | 0.472 | 4.724  | 0.004  | 0.041  |
| V56722101401 | NiMH 200 mAh 9V 1ct Pack   | 4008496550814 | 3.15   | 0.748 | 4.724  | 0.006  | 0.125  |

## VARTA® SPECIALTY BATTERIES

| Material     | Product Description                           | Item UPC      | Length | Width | Height | Volume | Weight |
|--------------|-----------------------------------------------|---------------|--------|-------|--------|--------|--------|
| V4223101401  | Alkaline 12V Size V23GA 1ct Pack              | 4008496261628 | 2.205  | 0.496 | 2.559  | 0.002  | 0.026  |
| V4274101401  | Alkaline 1.5V Size V10GA 1ct Pack             | 4008496297634 | 2.205  | 0.26  | 2.559  | 0.001  | 0.01   |
| V4276101401  | Alkaline 1.5V Size V13GA (LR44) 1ct Pack      | 4008496297641 | 2.205  | 0.26  | 2.559  | 0.001  | 0.011  |
| V4626101401  | Alkaline 1.5V Size V625U 1ct Pack             | 4008496273683 | 2.205  | 0.26  | 2.559  | 0.001  | 0.015  |
| V4028101401  | Silver Oxide 6.2V Size V28PX 1ct Pack         | 4008496273911 | 2.205  | 0.563 | 2.559  | 0.002  | 0.034  |
| V4075101401  | Silver Oxide 1.55V Size V76PX 1ct Pack        | 4008496274062 | 2.205  | 0.26  | 2.559  | 0.001  | 0.013  |
| V6016101401  | Lithium 3V Size CR2016 1ct Pack               | 4008496276639 | 2.205  | 0.26  | 2.559  | 0.001  | 0.011  |
| V6025101401  | Lithium 3V Size CR2025 1ct Pack               | 4008496276875 | 2.205  | 0.26  | 2.559  | 0.001  | 0.013  |
| V6032101401  | Lithium 3V Size CR2032 1ct Pack               | 4008496276882 | 2.205  | 0.26  | 2.559  | 0.001  | 0.014  |
| V6131101401  | Lithium 3V Size CR 1/3 N 1ct Pack             | 4008496274147 | 2.205  | 0.496 | 2.559  | 0.002  | 0.015  |
| V6220101401  | Lithium 3V Size CR1220 1ct Pack               | 4008496276899 | 2.205  | 0.26  | 2.559  | 0.001  | 0.009  |
| V6231101401  | Lithium 6V Size 28 PXL (2CR1/3N) 1ct Pack     | 4008496274154 | 2.205  | 0.563 | 2.559  | 0.002  | 0.028  |
| V6430101401  | Lithium 3V Size CR2430 1ct Pack               | 4008496276929 | 2.205  | 0.26  | 2.559  | 0.001  | 0.016  |
| V6450101401  | Lithium 3V Size CR2450 1ct Pack               | 4008496270972 | 2.205  | 0.26  | 2.559  | 0.001  | 0.019  |
| V20303101111 | Silver Oxide 1.55V Size 303 1ct Pill Box Pack | 4008496245420 | 0.945  | 0.945 | 0.236  | 0.001  | 0.007  |
| V20357101111 | Silver Oxide 1.55V Size 357 1ct Pill Box Pack | 4008496245710 | 0.945  | 0.945 | 0.236  | 0.001  | 0.007  |
| V20364101111 | Silver Oxide 1.55V Size 364 1ct Pill Box Pack | 4008496245734 | 0.945  | 0.945 | 0.236  | 0.001  | 0.003  |
| V20377101111 | Silver Oxide 1.55V Size 377 1ct Pill Box Pack | 4008496245932 | 0.945  | 0.945 | 0.236  | 0.001  | 0.003  |
| V20389101111 | Silver Oxide 1.55V Size 389 1ct Pill Box Pack | 4008496245673 | 0.945  | 0.945 | 0.236  | 0.001  | 0.005  |

| Case Quantity     | Case UPC      | Length | Width  | Height | Volume | Weight |
|-------------------|---------------|--------|--------|--------|--------|--------|
| 20                | 4008496559442 | 6.339  | 5.039  | 3.268  | 0.060  | 4.40   |
| 20                | 4008496105953 | 6.339  | 5.040  | 3.268  | 0.060  | 4.46   |
| 10                | 4008496573417 | 5.906  | 2.598  | 2.087  | 0.019  | 2.068  |
| 500               | 4008496575008 | 12.598 | 13.268 | 2.52   | 0.244  | 26.235 |
| 10                | 4008496559718 | 4.961  | 2.52   | 3.268  | 0.024  | 0.686  |
| 10                | 4008496559756 | 4.961  | 2.52   | 3.268  | 0.024  | 1.15   |
| 10                | 4008496105076 | 4.961  | 2.52   | 3.268  | 0.024  | 1.153  |
| 20                | 4008496573462 | 9.646  | 4.055  | 2.362  | 0.053  | 5.2    |
| 500               | 4008496575060 | 10.315 | 9.764  | 2.362  | 0.138  | 13.07  |
| 10                | 4008496559329 | 5.236  | 5.472  | 3.268  | 0.054  | 2.921  |
| 1 tray (20 batts) | 4008496573370 | 5.315  | 4.252  | 2.047  | 0.027  | 3.08   |
| 10                | 4008496559244 | 6.969  | 5.906  | 3.268  | 0.078  | 6.37   |
| 1 tray (20 batts) | 4008496573332 | 6.772  | 5.512  | 2.48   | 0.054  | 6.36   |
| 10                | 4008496559879 | 5.591  | 3.701  | 3.268  | 0.039  | 1.244  |
| 1 tray (20 batts) | 4008496573509 | 5.197  | 2.795  | 1.969  | 0.017  | 2.1    |

| Case Quantity | Case UPC      | Length | Width | Height | Volume | Weight |
|---------------|---------------|--------|-------|--------|--------|--------|
| 10            | 4008496537297 | 5      | 3.85  | 3.28   | 0.037  | 0.578  |
| 10            | 4008496537334 | 5      | 3.85  | 3.28   | 0.037  | 1.06   |
| 10            | 4008496537372 | 3.858  | 5     | 3.287  | 0.037  | 0.49   |
| 10            | 4008496537419 | 5      | 3.85  | 3.28   | 0.037  | 0.785  |
| 10            | 4008496537211 | 5      | 3.85  | 3.28   | 0.037  | 1.27   |
| 48            | 4008496658787 | 7.25   | 6     | 5.5    | 0.138  | 4.8    |
| 10            | 4008496537259 | 5      | 3.85  | 3.28   | 0.037  | 1.27   |

| Case Quantity | Case UPC      | Length | Width | Height | Volume | Weight |
|---------------|---------------|--------|-------|--------|--------|--------|
| 10            | 4008496745944 | 3.15   | 4.98  | 3.287  | 0.03   | 1.303  |
| 10            | 4008496538638 | 5.433  | 2.48  | 3.228  | 0.025  | 0.783  |
| 10            | 4008496550821 | 5.5    | 3.625 | 3.125  | 0.036  | 1.25   |

| Case Quantity | Case UPC      | Length | Width | Height | Volume | Weight |
|---------------|---------------|--------|-------|--------|--------|--------|
| 10            | 4008496046966 | 2.677  | 2.677 | 2.362  | 0.010  | 0.26   |
| 10            | 4008496047000 | 2.677  | 1.417 | 2.283  | 0.005  | 0.10   |
| 10            | 4008496046997 | 2.677  | 1.417 | 2.283  | 0.005  | 0.11   |
| 10            | 4008496045044 | 2.677  | 1.417 | 2.283  | 0.005  | 0.15   |
| 10            | 4008496046270 | 3.228  | 2.598 | 2.244  | 0.011  | 0.34   |
| 10            | 4008496038862 | 2.677  | 1.417 | 2.283  | 0.005  | 0.13   |
| 10            | 4008496000654 | 2.677  | 1.417 | 2.283  | 0.005  | 0.11   |
| 10            | 4008496000647 | 2.677  | 1.417 | 2.283  | 0.005  | 0.13   |
| 10            | 4008496031979 | 2.677  | 1.417 | 2.283  | 0.005  | 0.14   |
| 10            | 4008496104802 | 2.598  | 2.667 | 2.283  | 0.009  | 0.15   |
| 10            | 4008496043637 | 2.677  | 1.417 | 2.283  | 0.005  | 0.09   |
| 10            | 4008496044566 | 3.228  | 2.598 | 2.244  | 0.11   | 0.28   |
| 10            | 4008496043699 | 2.677  | 1.417 | 2.283  | 0.005  | 0.16   |
| 10            | 4008496043712 | 2.677  | 1.417 | 2.283  | 0.005  | 0.192  |
| 10            | 4008496272679 | 2.362  | 0.984 | 0.984  | 0.001  | 0.070  |
| 10            | 4008496273256 | 2.362  | 0.984 | 0.984  | 0.001  | 0.070  |
| 10            | 4008496273294 | 2.362  | 0.984 | 0.984  | 0.001  | 0.030  |
| 10            | 4008496273423 | 2.362  | 0.984 | 0.984  | 0.001  | 0.030  |
| 10            | 4008496273584 | 2.362  | 0.984 | 0.984  | 0.001  | 0.050  |



## RAYOVAC® WORKHORSE™ ELITE LIGHTING

| Sku          | Previous Sku | Product Description                                  | Item UPC    | Length | Width | Height | Volume | Weight | Lumens        |
|--------------|--------------|------------------------------------------------------|-------------|--------|-------|--------|--------|--------|---------------|
| WHESFL4AAA-B |              | Auto-Focus Spot-to-Flood 4AA Flashlight w/ Batteries | 12800525720 | 5.5    | 2.625 | 11     | 0.092  | 1.3    | 208 Sp/205 FI |
| WHESHL3AAA-B |              | Auto-Focus Spot-to-Flood 3AAA Headlight w/Batteries  | 12800525713 | 5.5    | 2.625 | 11     | 0.092  | 0.725  | 210 Sp/215 FI |

## RAYOVAC® WORKHORSE™ PRO VIRTUALLY INDESTRUCTIBLE LIGHTING

| Sku              | Previous Sku     | Product Description                                            | Item UPC    | Length | Width | Height | Volume | Weight | Lumens       |
|------------------|------------------|----------------------------------------------------------------|-------------|--------|-------|--------|--------|--------|--------------|
| DIY2AA-BTA       | DIY2AA-BC        | Virtually Indestructible 2AA LED Flashlight w/Batteries        | 12800524983 | 1.68   | 5     | 9.5    | 0.046  | 0.5    | 300 Hi/70 Lo |
| DIY3AAA-BXTB     | DIY3AAA-BE       | Virtually Indestructible 3AAA LED Flashlight w/Batteries       | 12800515578 | 1.66   | 3.9   | 8      | 0.03   | 0.43   | 300 Hi/30 Lo |
| DIY3AAA-B BULK B | DIY3AAA-B BULK A | Virtually Indestructible 3AAA LED Flashlight w/Batteries Bulk  | 12800517350 | 1.62   | 1.62  | 5.34   | 0.008  | 0.371  | 300 Hi/30 Lo |
| DIYLN3D-BXB      | DIYLN3D-BA       | Virtually Indestructible 3D Lantern w/ Batteries               | 12800519835 | 4.375  | 4     | 10     | 0.101  | 2.76   | 600 Hi/68 Lo |
| DIY6AA-BXTA      |                  | Virtually Indestructible 6AA LED Flashlight w/ Batteries       | 12800528721 | 2.188  | 5.25  | 13     | 0.086  | 1.163  | 450 Hi/45 Lo |
| DIYSP6AA-BXB     | DIYSP6AA-BA      | Virtually Indestructible 6AA LED Spotlight w/ Batteries        | 12800519842 | 3.5    | 7     | 8.875  | 0.126  | 1.572  | 750 Hi/80 Lo |
| DIYHL3AAA-BTA    | DIYHL3AAA-BCT    | Virtually Indestructible 3AAA LED Headlight w/ Batteries       | 12800524969 | 2.875  | 3.938 | 6      | 0.039  | 0.263  | 50 Hi/21 Lo  |
| DIYPHL3AAA-BXTB  | DIYPHL3AAA-BTA   | Virtually Indestructible 3AAA LED Headlight w/ Batteries       | 12800524976 | 1.875  | 3.938 | 7      | 0.030  | 0.225  | 210 Hi/50 Lo |
| DIYPHL3AAA-BXTB  | DIYPHL3AAA-BTA   | Virtually Indestructible 3AAA LED Headlight w/ Batteries       | 12800524617 | 1.875  | 3.938 | 7      | 0.030  | 0.225  | 350 Hi/60 Lo |
| DIYSL4AAA-B      |                  | Virtually Indestructible 4AA LED Swivel Flashlight w Batteries | 12800525690 | 2.688  | 5.313 | 11.125 | 0.092  | 0.9    | 200 Hi/40 Lo |

## RAYOVAC® WORKHORSE™ LIGHTING

| Sku          | Previous Sku | Product Description                                       | Item UPC    | Length | Width | Height | Volume | Weight | Lumens        |
|--------------|--------------|-----------------------------------------------------------|-------------|--------|-------|--------|--------|--------|---------------|
| 301K-A       | 301KA        | Workhorse™ 6V Swivel Head Krypton Beam Lantern w/Batt     | 12800465569 | 9      | 6.75  | 5.313  | 0.187  | 3.95   | 75            |
| WHK2D-BULK A | I2D BULK D   | Workhorse™ 2D Krypton Flashlight Bulk                     | 12800480593 | 2.313  | 2.375 | 7.313  | 0.023  | 0.27   | 17            |
| WHH2D-BA     | I2DLED-BD    | Workhorse™ 2D LED Flashlight w/ Batteries                 | 12800508303 | 10.748 | 5.039 | 2.48   | 0.078  | 0.767  | 20            |
| IN2-MSE      | IN2-MSC      | Workhorse™ 2D Krypton Mine Safety Flashlight              | 12800451906 | 2.313  | 5     | 10.75  | 0.051  | 0.366  | 8             |
| RNHL3AAA-BE  | RNHL3AAA-BD  | Roughneck® 3AAA LED Headlight w/ Batteries                | 12800512348 | 2.5    | 6     | 8.75   | 0.076  | 0.42   | 80            |
| RN3AAA-BA    | RNT3AAA-B    | Roughneck® 3AAA LED Tactical Flashlight w/ Batteries      | 12800512256 | 1.613  | 6     | 8.75   | 0.049  | 0.45   | 260 Hi/105 Lo |
| WHFHL-B2TA   | VBFLHL-BT    | Workhorse™ 3AAA Flashlight/Headlight Combo w/ Batteries   | 12800525539 | 2.25   | 6.5   | 8.75   | 0.074  | 0.663  | 300 FL/55 HL  |
| WHSF3AAA-BXA |              | Workhorse™ 3AAA LED Spot-to-Flood Flashlight w/ Batteries | 12800530021 | 1.438  | 3.75  | 8.75   | 0.027  | 0.425  | 300           |
| W8-A         | W8B          | Safety Wand for WHH2D-A & WHK2D-BULK A Flashlights        | 12800488216 | 8.27   | 2.37  | 2.37   | 0.027  | 0.291  | N/A           |
| WHH2D-A      | IN2D         | Workhorse™ 2D PR Bulb Industrial Light with Ring Hanger   | 12800451845 | 2.313  | 5     | 10.75  | 0.072  | 0.366  | 10            |
| WHK2AA-BA    | I2AA-B       | Workhorse™ 2AA Krypton Flashlight w/ Batteries            | 12800452071 | 1.563  | 3.75  | 8.75   | 0.03   | 0.233  | 8             |
| WHKLN6V-BA   | I6V-B2A      | Workhorse™ 6V Krypton Swivel Stand Lantern w/ Battery     | 12800465781 | 7.5    | 4.875 | 5.75   | 0.122  | 2.075  | 75            |

## RAYOVAC® OUTDOOR LIGHTING

| Sku           | Previous Sku | Product Description                                      | Item UPC    | Length | Width | Height | Volume | Weight | Lumens         |
|---------------|--------------|----------------------------------------------------------|-------------|--------|-------|--------|--------|--------|----------------|
| SP4123A-BA    | RWP123A-BD   | Sportsman® 4 123A LED Beast Flashlight w/ Batteries      | 12800524563 | 2.375  | 5.5   | 11.75  | 0.089  | 1.5    | 2000 Hi/200 Lo |
| SPBUGLN3D-BA  |              | Sportsman® Amber LED Insect Lantern w/ Batteries         | 12800529476 | 3.94   | 3.94  | 8.58   | 0.077  | 2.203  | 400 Hi/50 Lo   |
| SPPHL3AAA-BXA |              | Sportsman® 3AAA LED Spot to Flood Headlight w/ Batteries | 12800530052 | 1.875  | 5     | 7.625  | 0.041  | 0.263  | 200 Hi/20 Lo   |
| SPLN3D-TA     | SE3DLN       | Sportsman® 3D LED Camping Lantern                        | 12800517060 | 3.45   | 3.8   | 7.25   | 0.055  | 0.856  | 305 Hi/140 Lo  |
| SP18650LN     |              | Pathfinder 3-in-1 Lithium Ion Rechargeable Lantern       | 12800526031 | 5.5    | 2.5   | 11     | 0.088  | 0.881  | 250 Hi/20 Lo   |
| SPGL3AAA-BA   | SPG3AAA-B    | Sportsman® 3AAA LED Glow Ring Flashlight w/ Batteries    | 12800525737 | 4      | 1.563 | 8      | 0.029  | 0.488  | 200 Hi/40 Lo   |
| SPGL3C-BA     | SPG3C-B      | Sportsman® 3C LED Glow Ring Flashlight w/ Batteries      | 12800525751 | 5      | 2     | 13     | 0.075  | 1.25   | 310 Hi/95 Lo   |
| SPKHL3AAA-BA  | SPHLTLED-BD  | Sportsman® 3AAA LED/Krypton Multi-Mode Headlight w/Bat   | 12800491391 | 2.47   | 4.875 | 8.875  | 0.062  | 0.34   | 22 Hi/7 Lo     |
| SPLN8D-TA     | SP8DTP4      | Sportsman® 8D Fluorescent Camping Lantern, Trayed        | 12800485543 | 7.75   | 7.75  | 12     | 0.417  | 2.86   | 300 Hi/150 Lo  |

## RAYOVAC® BULBS

| Sku         | Previous Sku | Product Description                                | Item UPC    | Length | Width | Height | Volume | Weight | Lumens |
|-------------|--------------|----------------------------------------------------|-------------|--------|-------|--------|--------|--------|--------|
| 3VLED-1TE   | 3VLED-1TD    | 2 Cell 3 Volt LED Replacement Bulb 1-Pack in Tray  | 12800519019 | 0.55   | 1.875 | 4.25   | 0.003  | 0.01   | N/A    |
| 4V6VLED-1TE | 4V6VLED-1TD  | 3-4 Cell or 6V LED Replacement Bulb 1-Pack in Tray | 12800519026 | 0.55   | 1.875 | 4.25   | 0.003  | 0.01   | N/A    |
| F9W-1E      | F9W-1D       | 9 Watt Fluorescent U Tube 1-Pack                   | 12800485833 | 0.875  | 4     | 8.5    | 0.017  | 0.15   | N/A    |
| K13-2TE     | K13-2TD      | 4AA, 4C, 4D or 6V Krypton Bulb 2-Pack in Tray      | 12800385478 | 0.563  | 1.875 | 4.25   | 0.003  | 0.015  | N/A    |

| Run Time (hr) | Beam Dist High (m) | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|---------------|--------------------|---------------|----------------|--------|-------|--------|--------|--------|
| 8 Sp/5 Fl     | 127 Sp/20 Fl       | 2             | 10012800525727 | 6      | 5.75  | 12.25  | 0.245  | 2.944  |
| 6 Sp/5 Fl     | 91 Sp/28 Fl        | 2             | 10012800525710 | 6      | 5.75  | 11.75  | 0.235  | 1.794  |

| Run Time High (hr) | Beam Dist High (m) | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|--------------------|--------------------|---------------|----------------|--------|-------|--------|--------|--------|
| 2 Hi/12 Lo         | 161 Hi/85 Low      | 4             | 10012800524980 | 9      | 6.125 | 10.25  | 0.327  | 2.505  |
| 3 Hi/39 Lo         | 168 Hi/45 Lo       | 4             | 10012800515575 | 8.75   | 5     | 9.125  | 0.231  | 2.145  |
| 3 Hi/39 Lo         | 168 Hi/45 Lo       | 18            | 10012800517357 | 11.25  | 5.75  | 6.5    | 0.243  | 7.37   |
| 40 Hi/260 Lo       | 13 Hi/4.5 Lo       | 4             | 10012800519832 | 9.125  | 8.75  | 10.5   | 0.485  | 11.705 |
| 4 Hi/25 Lo         | 250 Hi/85 Lo       | 4             | 10012800528728 | 10.25  | 6.625 | 14.313 | 0.562  | 6.152  |
| 8 Hi/40 Lo         | 440 Hi/164 Lo      | 2             | 10012800519849 | 7.875  | 7.5   | 9.25   | 0.316  | 3.8    |
| 17 Hi/38 Lo        | 30 Hi/17 Lo        | 4             | 20012800524963 | 13     | 5.375 | 6.75   | 0.273  | 1.582  |
| 5 Hi/17 Lo         | 75 Hi/40 Lo        | 4             | 10012800524973 | 11.188 | 5     | 7.75   | 0.251  | 1.634  |
| 3 Hi/14 Lo         | 95 Hi/50 Lo        | 4             | 10012800524614 | 11.188 | 5     | 7.75   | 0.251  | 1.634  |
| 4 Hi/16 Lo         | 80 Hi/30 Lo        | 2             | 10012800525697 | 11.614 | 3.937 | 5.905  | 0.156  | 1.856  |

| Run Time High (hr) | Beam Dist High (m) | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|--------------------|--------------------|---------------|----------------|--------|-------|--------|--------|--------|
| 13                 | 306                | 6             | 10012800465566 | 21.25  | 11.25 | 8.875  | 1.228  | 25.55  |
| 12                 | 58                 | 24            | 10012800480590 | 13     | 8.75  | 8.375  | 0.55   | 6.5    |
| 55                 | 32                 | 6             | 10012800508300 | 8.25   | 6     | 11.875 | 0.34   | 5.247  |
| 22                 | 25                 | 6             | 10012800451903 | 7.875  | 6.25  | 11.313 | 0.322  | 2.2    |
| 8                  | 99                 | 4             | 10012800512345 | 9.1    | 5.1   | 7.3    | 0.196  | 1.9    |
| 3 Hi/5 Lo          | 110 Hi/75 Lo       | 4             | 10012800512253 | 9.06   | 5.04  | 6.77   | 0.179  | 2.01   |
| 1.5 FL/17 HL       | 132 FL/20 HL       | 4             | 20012800525533 | 9.688  | 7.375 | 9.5    | 0.393  | 3.215  |
| 1.5                | 132                | 4             | 10012800530028 | 5      | 3.75  | 9.5    | 0.103  | 1.87   |
| N/A                | N/A                | 12            | 10012800488213 | 10.25  | 7.875 | 9.25   | 0.423  | 3.492  |
| 20                 | 43                 | 6             | 10012800451842 | 7.875  | 6.25  | 11.313 | 0.32   | 2.2    |
| 2.5                | 30                 | 6             | 10012800452078 | 9.063  | 5.563 | 4.438  | 0.129  | 1.4    |
| 7                  | 191                | 2             | 30012800465782 | 10.5   | 8.25  | 8.875  | 0.445  | 5.13   |

| Run Time High (hr) | Beam Dist High (m) | Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|--------------------|--------------------|---------------|----------------|--------|--------|--------|--------|--------|
| 2 Hi/10 Lo         | 400 Hi/100 Lo      | 2             | 10012800524560 | 6.75   | 5.5    | 12.875 | 0.277  | 3.35   |
| 31 Hi/300 Lo       | 16 Hi/5 Lo         | 4             | 10012800529473 | 8.27   | 8.27   | 9.45   | 0.374  | 8.812  |
| 3 Hi/6 Lo          | 45 Hi/15 Lo        | 4             | 10012800530059 | 8.625  | 6      | 8.25   | 0.247  | 1.532  |
| 70 Hi/140 Lo       | 18 Hi/12 Lo        | 4             | 20012800517064 | 10.5   | 10.5   | 8.125  | 0.518  | 4.4    |
| 3 Hi/26 Lo         | 195 Hi/54 Lo       | 2             | 10012800526038 | 11.625 | 5.75   | 6.75   | 0.261  | 2.275  |
| 6 Hi/24 Lo         | 132 Hi/100 Lo      | 4             | 10012800525734 | 8.625  | 6.438  | 5      | 0.161  | 2.263  |
| 40 Hi/120 Lo       | 141 Hi/98 Lo       | 4             | 10012800525758 | 13.375 | 7.5    | 6.125  | 0.356  | 5.575  |
| 2 Hi/50 Lo         | 60 Hi/12 Lo        | 4             | 60012800491393 | 10.125 | 9.25   | 5.5    | 0.298  | 1.812  |
| 14 Hi/30 Lo        | 15 Hi/10 Lo        | 4             | 10012800485540 | 17     | 16.875 | 13.5   | 2.241  | 13.91  |

| Run Time High (hr) | Beam Dist High (m) | Case Quantity | Case UPC       | Length | Width | Height | Volume | Weight |
|--------------------|--------------------|---------------|----------------|--------|-------|--------|--------|--------|
| N/A                | N/A                | 12            | 40012800519017 | 8      | 5.5   | 2.625  | 0.067  | 0.304  |
| N/A                | N/A                | 12            | 40012800519024 | 8      | 5.5   | 2.625  | 0.067  | 0.304  |
| N/A                | N/A                | 6             | 10012800485830 | 9.25   | 5.25  | 5.25   | 0.148  | 0.9    |
| N/A                | N/A                | 12            | 50012800385473 | 8      | 5.5   | 2.625  | 0.067  | 0.364  |

## RAYOVAC® BRITE ESSENTIALS™ LIGHTING

| SKU           | Previous SKU  | Product Description                                         | Item UPC    | Length | Width | Height | Volume | Weight | Lumens |
|---------------|---------------|-------------------------------------------------------------|-------------|--------|-------|--------|--------|--------|--------|
| BER2AA-BA     | 2AALED-B      | 2AA LED Rubber & Aluminum Flashlight w/ Batteries           | 12800518968 | 1.83   | 3.75  | 8.75   | 0.035  | 0.327  | 25     |
| BE3AAA-BTA    | BRS9LED-BTP   | 3AAA 9 LED Mini Flashlight w/ Batteries in Tray             | 12800515905 | 1.24   | 1.43  | 3.83   | 0.004  | 0.138  | 18     |
| BEH1D-B2A     | VB1D-B2       | 1D LED Hang Loop Flashlight 2-Pack w/ Batteries             | 12800524693 | 2.75   | 8     | 11     | 0.14   | 0.888  | 20     |
| BEH1D-BA      | VB1D-B        | 1D LED Hang Loop Flashlight w/ Batteries                    | 12800524686 | 2.75   | 4.5   | 11     | 0.079  | 0.588  | 20     |
| BEHPLN6V-BTA  | VBLN6V10LED-B | 6V 10 LED Home Lantern w/ Battery in Tray                   | 12800524747 | 7.2    | 4.92  | 9.45   | 0.143  | 1.8    | 100    |
| BEK2D-A       | WHE2D-1D      | 2D Incandescent Flashlight                                  | 12800498369 | 3      | 3.75  | 9      | 0.059  | 0.193  | 9      |
| BELZ3AAA-BTA  | GP3AAALSR-BD  | 3AAA 9 LED Laser Pointer Flashlight w/ Batteries in Tray    | 12800520176 | 1.375  | 3.875 | 7      | 0.022  | 0.254  | 40     |
| BEP2AA-BTA    | VBL2AA-B      | 2AA LED Comfort Grip Flashlight w/ Batteries in Tray        | 12800524709 | 1.75   | 3.75  | 8.75   | 0.034  | 0.24   | 18     |
| BEPLN6V-BTA   | EFL6V10LED-BD | 6-Volt 10 LED Floating Lantern w/ Battery in Tray           | 12800519194 | 7.25   | 4.625 | 7.378  | 0.143  | 1.765  | 85     |
| BEPN1AAA-BTA  | BRSLEDPEN-BD  | 1AAA LED Aluminum Penlight w/ Battery in Tray               | 12800506613 | 0.6    | 3     | 6.25   | 0.007  | 0.071  | 3      |
| BER2AA2D-B3TA | BRSLED3PK-BD  | 2AA/2D LED Rubberized Flashlight 3-Pack w/Batteries in Tray | 12800513260 | 2.67   | 8     | 11     | 0.136  | 1.388  | 26/40  |
| BEHR2AA-BA    |               | 2AA LED Rubberized Flashlight w/ Batteries                  | 12800530403 | 1.938  | 3.75  | 8.75   | 0.037  | 0.275  | 18     |
| BEHR2D-BA     |               | 2D LED Rubberized Flashlight w/ Batteries                   | 12800530410 | 2.75   | 5     | 10.75  | 0.086  | 0.888  | 27     |
| BEUV3AAA-BTA  | VBUV-BD       | 3AAA 9 LED UV Flashlight w/ Batteries in Tray               | 12800518852 | 1.433  | 3.875 | 7.125  | 0.023  | 0.283  | N/A    |
| BEGL3AAA-BA   | BRS14LED-BA   | 3AAA 14 LED Glow In the Dark Flashlight w/ Batteries        | 12800514069 | 1.4    | 3     | 6.5    | 0.016  | 0.223  | 18     |
| BEHL3AAA-BA   | BRS5LEDHLT-BB | 3AAA 5 LED Active Headlight w/ Batteries                    | 12800514076 | 1.71   | 3.75  | 6.5    | 0.024  | 0.187  | 14     |
| BEKLN6V-BTA   | EFL6V-BA      | 6-Volt Krypton Floating Lantern w/ Batteries in Tray        | 12800512973 | 7.24   | 4.57  | 7.68   | 0.147  | 1.78   | 75     |
| BE2AA-BXA     | GP2AA-BD      | 2AA LED Sleek Body Flashlight w/ Batteries                  | 12800523214 | 1.3    | 3.75  | 8.688  | 0.025  | 0.329  | 60     |
| BELN6V-BTA    | VBFL6V-BD     | 6-Volt LED Floating Lantern w/ Battery in Tray              | 12800524884 | 7.25   | 4.625 | 7.378  | 0.143  | 1.765  | 40     |
| BEGL-BA       | VBGLOW-BC     | Disposable LED Glowstick w/ Battery                         | 12800525287 | 1.275  | 1.875 | 10.25  | 0.014  | 0.07   | N/A    |
| BEH2AA-BA     | VB12AA-B      | 2AA LED Slim Grip Flashlight w/ Batteries                   | 12800524662 | 3.75   | 1.625 | 8.75   | 0.031  | 0.213  | 18     |
| BEH2AA-B2A    | VB12AA-B2     | 2AA LED Slim Grip Flashlight 2-Pack w/ Batteries            | 12800524679 | 6.75   | 1.625 | 8.75   | 0.056  | 0.45   | 18     |
| BEP1D-BA      | VBL1D-B       | 1D LED Comfort Grip Flashlight w/ Batteries                 | 12800524723 | 2.5    | 4.5   | 11     | 0.072  | 0.563  | 20     |
| VBL2AA-B2     |               | 2AA LED Comfort Grip Flashlight 2-Pack w/ Batteries         | 12800524716 | 6.75   | 1.75  | 8.75   | 0.06   | 0.475  | 18     |
| BEMKY1AA-BA   | VBMET-B       | 1AA LED Keychain Flashlight w/ Battery                      | 12800517541 | 0.91   | 3     | 5.63   | 0.009  | 0.152  | 19     |

## RAYOVAC® DISPLAYS

| Material  | Product Description                                      | Item UPC    | Length | Width  | Height | Volume  | Weight |
|-----------|----------------------------------------------------------|-------------|--------|--------|--------|---------|--------|
| AMC60FUSK | Fusion 60-pc AA/AAA 8-Pack Floorstand Assortment         | 12800525874 | 26.75  | 15.75  | 9.875  | 2.408   | 29.7   |
| AC39K     | High Energy 39-pc Traditional Pack Counter Display       | 12800525966 | 13.25  | 13.25  | 6.5    | 0.66    | 10.8   |
| AC75K     | High Energy 75-pc Traditional Pack Floorstand Assortment | 12800525775 | 26.75  | 15.75  | 9.875  | 2.408   | 25.6   |
| AMC60K    | High Energy 60-pc AA/AAA 8-Pack Floorstand Assortment    | 12800525867 | 26.75  | 15.75  | 9.875  | 2.408   | 29.7   |
| AVP26K    | High Energy 26-pc AA/AAA 12-Pack Tray                    | 12800525959 | 12.75  | 10.75  | 5.375  | 0.426   | 15.22  |
| PAMC120K  | High Energy 120-pc Multi-Card Assortment Quarter Pallet  | 12800525904 | 21     | 21     | 49.1   | 12.531  | 113.2  |
| PAMC142K  | High Energy 142-pc AA/AAA 8-Pack Quarter Pallet Assort   | 12800525911 | 21     | 21     | 49.1   | 12.531  | 89.2   |
| PAVP64K   | High Energy 64-pc AA/AAA 24-Pack Quarter Pallet Assort   | 12800525898 | 21     | 21     | 49.1   | 12.531  | 101.2  |
| RPAPP120K | High Energy 120-pc Pro Pack Rolling Assortment           | 12800525942 | 31.75  | 17.75  | 51     | 16.633  | 266    |
| F25       | Fixture, 6-Position Counter Top or Pegboard              | 12800455287 | 14.75  | 12.5   | 8.375  | 0.894   | 2.5    |
| F724SHR   | Fixture, Ultra Pro™ Shrink Wrap Gravity Feed Display     |             | 17.375 | 11.375 | 7.5    | 0.858   | 11.6   |
| F725SHRPP | Fixture, Shrink Wrap/Contractor Pack/Pro Pack Display    | 12800530007 | 27.5   | 13.25  | 15.25  | 3.216   | 19.1   |
| F625      | Fixture, 2-Sided Floor Spinner                           | 12800489268 | 27     | 22     | 72     | 24.75   | 88     |
| F627      | Fixture, Wire Battery Display Tray for Pegboard          | 12800489275 | 21.25  | 14.625 | 9.625  | 1.731   | 11.938 |
| F711K     | Fixture, 4-Row High, 24 Inch Wide Wire Sidekick          | 12800522651 | 30.38  | 15     | 5.94   | 1.566   | 15.9   |
| F713K     | Fixture, 3-Sided Endcap 36 x 20                          | 12800523399 | 44     | 32     | 64     | 52.148  | 250    |
| F715K     | Fixture, 3-Sided Endcap 38 x 48                          | 12800524525 | 54     | 41     | 84     | 107.625 | 488    |



| Run Time High (hr) | Beam Dist High (m) | Case Quantity | Case UPC       | Length | Width  | Height | Volume | Weight |
|--------------------|--------------------|---------------|----------------|--------|--------|--------|--------|--------|
| 23                 | 42                 | 4             | 10012800518965 | 5.125  | 5      | 10.375 | 0.154  | 1.6    |
| 8                  | 18                 | 12            | 20012800515909 | 9.5    | 7.25   | 4.75   | 0.189  | 2.11   |
| 140                | 55                 | 4             | 10012800524690 | 11.25  | 10     | 8.625  | 0.562  | 4.158  |
| 140                | 55                 | 4             | 10012800524683 | 11.438 | 6.188  | 6.875  | 0.282  | 2.7    |
| 45                 | 125                | 4             | 10012800524744 | 18.11  | 8.27   | 8.46   | 0.71   | 8.38   |
| 7                  | 75                 | 12            | 10012800498366 | 15.94  | 11.688 | 8.25   | 0.889  | 3.341  |
| 5                  | 20                 | 4             | 20012800520170 | 6.25   | 4.625  | 7.625  | 0.128  | 1.4    |
| 40                 | 33                 | 4             | 20012800524703 | 8.125  | 4.75   | 9.375  | 0.201  | 1.339  |
| 45                 | 100                | 4             | 10012800519191 | 15.5   | 8.75   | 8.25   | 0.648  | 7.998  |
| 5.5                | 11                 | 6             | 30012800506614 | 6.625  | 3.375  | 6.75   | 0.088  | 0.67   |
| 4/16               | 20/50              | 3             | 40012800513268 | 8.875  | 8.5    | 11.375 | 0.497  | 4.69   |
| 10                 | 25                 | 4             | 10012800530400 | 9.063  | 4.438  | 5.563  | 0.129  | 1.306  |
| 50                 | 63                 | 4             | 10012800530417 | 11.375 | 6.25   | 7.375  | 0.303  | 3.91   |
| N/A                | N/A                | 4             | 20012800518856 | 6.5    | 4.625  | 7.625  | 0.133  | 1.4    |
| 9                  | 18                 | 4             | 10012800514066 | 4.125  | 3.25   | 6.875  | 0.053  | 1.11   |
| 16                 | 19                 | 4             | 10012800514073 | 6.25   | 4.125  | 7.75   | 0.116  | 0.95   |
| 3                  | 226                | 6             | 10012800512970 | 15.75  | 12.87  | 7.87   | 0.923  | 11.6   |
| 1.5                | 78                 | 4             | 10012800523211 | 9.5    | 3.5    | 5      | 0.096  | 1.503  |
| 20                 | 30                 | 4             | 20012800524888 | 15.5   | 8.75   | 8.25   | 0.648  | 7.998  |
| N/A                | N/A                | 12            | 10012800525284 | 11.024 | 7.283  | 5      | 0.232  | 0.948  |
| 38                 | 36                 | 6             | 10012800524669 | 5.813  | 4.625  | 9.25   | 0.144  | 1.475  |
| 38                 | 36                 | 6             | 10012800524676 | 8.375  | 5.5    | 9.5    | 0.253  | 2.988  |
| 140                | 55                 | 4             | 10012800524720 | 11.438 | 5.813  | 6.75   | 0.26   | 2.579  |
| 40                 | 33                 | 6             | 10012800524713 | 8.375  | 5.5    | 9.5    | 0.253  | 3.138  |
| 3                  | 25                 | 6             | 10012800517548 | 5      | 3.75   | 6.875  | 0.075  | 1.067  |


|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lantern Batteries and Portable Power | <b>⚠ WARNING</b> This product can expose you to chemicals including Styrene, which is known to the state of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .                                                                                                                                                       |
| Lights                               | <b>⚠ WARNING</b> This product can expose you to chemicals including DEHP, which is known to the state of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .                                                                                                                                                          |
| About California Proposition 65      | <b>⚠ WARNING</b> California's Proposition 65 entitles California consumers to special warnings for products that contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm if those products expose consumers to such chemicals above certain threshold levels. We care about our customers' safety and hope that this information helps you with your buying decisions.* |





**POWERING AMERICA  
SINCE 1906**





Visit us at  
**[www.RAYOVACindustrial.com](http://www.RAYOVACindustrial.com)**  
Click on the Pro Shop tab

Rayovac • 3001 Deming Way • Middleton, WI 53562  
1.800.323.1993 • Fax 1.800.356.4200 • [www.rayovac.com](http://www.rayovac.com)

©2019 Energizer. Rayovac is a trademark of Energizer Brands.

