Battery/Charging Solutions 5-2 Battery Tender® 5-2 GUEST® Battery Pal Magnum™ 5-2 OptiMate 3 and Accessories 5-3 Battery Tray Kits & Batteries 5-3 DC Charging Cords 5-4 Cold Weather Kits 5-4 Cord Sets 5-5 Covers 5-6 Hanger/Lift Kits 5-7 Generator Load Bank Test Set 5-8 Light Kits 5-8
Battery Tray Kits & Batteries 5-3 DC Charging Cords 5-4 Cold Weather Kits 5-4 Cord Sets 5-5 Covers 5-6 Hanger/Lift Kits 5-7 Generator Load Bank Test Set 5-8
DC Charging Cords 5-4 Cold Weather Kits 5-4 Cord Sets 5-5 Covers 5-6 Hanger/Lift Kits 5-7 Generator Load Bank Test Set 5-8
Cold Weather Kits 5-4 Cord Sets 5-5 Covers 5-6 Hanger/Lift Kits 5-7 Generator Load Bank Test Set 5-8
Cord Sets 5-5 Covers 5-6 Hanger/Lift Kits 5-7 Generator Load Bank Test Set 5-8
Covers 5-6 Hanger/Lift Kits 5-7 Generator Load Bank Test Set 5-8
Hanger/Lift Kits5-7Generator Load Bank Test Set5-8
Generator Load Bank Test Set 5-8
Light Kits
Lockstraps & Accessories
Miscellaneous 5-10
Appliance Load Tester
Hour Meter
RV Adapters
Theft Deterrent Bracket
Parallel Cables & Kits
Plugs and Connectors 5-12
Plug Style Application Guide
Plugs (Male)
Locking Plug Application Guide
Locking Plugs for Generator Receptacles
Power Inlet Boxes
Remote Control Starting Kits & Parts
Transfer Switch Guide
Transfer Switches & Kits 5-19
TempLite®
Wheel Kits

Battery/Charging Solutions

Battery Tender®

Use these fully automatic battery tenders to keep your battery in top condition during the off-season. Battery Tender Plus (12 Volt 1.25 Amp Indoor) and Waterproof 800 (12 Volt 800 mA Indoor/Outdoor).

Battery Tender® Plus (not for sale in California or Oregon; see Optimate 3 P/N 31670-BMS-004 for California and Oregon)	31670-HPE-000
Waterproof 800 Tender	32670-HPE-800
Quick connect cable	41670-HPE-000
25' ext. cord 4-pack	51670-HPE-004





QUICK CONNECT CABLE



WATERPROOF 800 TENDER



25' EXT. CORD

GUEST® Battery Pal MagnumTM

The Battery Pal can be used for charging or maintaining batteries. 12V 3A with 4' long cables and alligator clips (water resistant).

GUEST® Battery Pal Magnum™	GUEST-2603



Battery/Charging Solutions (cont.)

OptiMate 3

The OptiMate 3 battery charger will automatically recover, monitor, and maintain all types of batteries from 2.5 to 32 amp-hours with its advanced diagnostic program, so your Honda generator is always ready to start when you need it. The OptiMate 3 battery charger has a unique ability to desulfate and recover most batteries that have been neglected or deeply discharged.

OptiMate 3 charger 31670-BMS-004



Battery Tray Kits & Batteries

Some Honda generators are recoil start, but the models listed below require just a battery and battery tray kit to add electric start. Our battery tray kit is an all-steel, bolt-on kit. Note: We recommend using a battery tender when storing.

Model	Battery Tray Kit	Battery	
EM3500SX, EM3500SXK1, EM5000SX	08020-ZB410AH	Commercially Available	
EM3800SX, EM5000SXK2, EM6500SXK1	06550-Z22-A30AH	Commercially Available	

DC Charging Cords

If your Honda generator has DC output, use one of these special cords to charge batteries. All have alligator clips on one end and are 6 or 10 feet long.

Model	Plug Style	Part No	
EB2200i, EB3000CKAG, EM3000C, EU1000i, EU2000i, EU2200i, EU3000i, EU3000is, EX700c (10' long)	В	32660-894-BCX12H (Reliance)	
All other models with DC output	С	32650-825-015	

Cold Weather Kits

Honda has developed a small, 10-watt heating coil that fits inside the crankcase breather tube to prevent water from freezing inside the crankcase due to extreme cold weather. If ice forms in the breather tube, it can block the air flow causing the generator to not work properly and/or leak oil. The heating coil gets its power from the generator by connecting to the back terminal of a selected receptacle. Each kit is unique to a specific generator, and some come with special insulated parts to help regulate the temperature. Once installed, the cold weather kit may remain on the generator; it is okay for it to operate year-round.

Model(s)	Part No
EB3000cK1, EB3000cK2	06390-Z04-E20
EB3800X, EB5000XK2, EB6500X	06390-Z22-T20
EG2800i	06390-Z43-A30
EM3800SX, EM5000SXK2, EM6500SXK1	06390-Z22-S20
EM5000is (K0 only)	06390-Z12-R10
EM5000is1, EU6500is1	06390-Z25-V40
EU1000i, EU1000iK1	06390-ZT3-S10
EU2000i	06390-Z07-C20
EU3000i Handi, EU3000iK1 Handit	06150-Z28-C31
EU3000is, EU3000isK1	06390-ZS9-T20
EU6500is	06390-Z25-R00
EU7000is	06390-Z37-A41



Cord Sets

Description	Length	Rating	Mfg	NEMA	Part No	
	1:	25/250V (Tw	ist-Lock)	•		
6 gauge 4-wire, male/female ends	10 ft.	50A	GenTran	CS6365N/ CS6364N*	06580-064-010AH	
10 gauge 4-wire, male/female ends	25 ft.	30A	GenTran	L14-30	06583-104-025AH	
10 gauge 4-wire, male/female ends	10 ft.	30A		eliance L14-30	06581-104-PC3010	
	25 ft.		Reliance		06581-104-PC3025	
maio/iemaio enas	40 ft.				06581-104-PC3040	
12 gauge 4-wire, male/female ends	25 ft.	20A	004	CanTran	144.20	06580-124-025AH
	50 ft.		GenTran	L14-20	06580-124-050AH	
EU3000 (for Manual Transfer Switch w/4-prong L14-30 Inlet)						

40	10 ft.				06581-104-010AH
10 gauge 3-wire, 3-prong male/4-prong female	25 ft.	30A	GenTran	L14-30	06581-104-025AH
prong malo, i prong tomale	50 ft.				06581-104-050AH

Temporary Power Boxes, Convenience, and Shore Power

Triple tap extension cord, yellow, 14/3 SJTW with 5-15 male to 3 x 5-15 female receptacles.	25 ft.	15A, 125V	Generac	L5-15	06580-RJB14325YL
Triple tap, heavy-duty extension cord, black, L5-30P male to lighted triple tap 5-20 (clear) female receptacles, 10/3 SJTW.	25 ft.	30A, 125V	Generac	L5-30	06580-RJB10325C
Triple tap, heavy-duty extension cord, yellow, 12/3 SJTW with 5-15 male to 3 x 5-15 female receptacles.	50 ft.	15A, 125V	Generac	L5-15	06580-RJB12350YL
Extension cord on reel, black, 14/3 SJTW with 5-15 male to 4 x 5-15 female.	50 ft.	15A, 125V	Generac	L5-15	06580-RJB14350R

^{*} California Standard

Covers



Protect your investment with a custom-fitted, water-resistant generator cover with an elastic band for a secure fit. *RV cover material* is urethane coated polyester.

Model(s)	Part No
EB2200X, EB2500XK1, EG1400X, EG2200X, EG2200Z, EG2500XK1, EM1600X, EM1800X, EM1800XK1, EM2200X, EM2500XK1, EP2500X, EZ1400, EZ2500	08P57-ZS9-00S
EB2800i, EG2800i	08P57-Z43-001AH
EB3000C, EM3000C	08P57-Z04-000
EB3000C, EM3000C (heavy duty cover)	08P58-Z04-100S
EB3500XK1, EB5000XK1, EW171 (w/handle openings)	08P57-ZC2-100
Universal Fixed Handle Wheel Kit Models: EB3800XA, EB5000XK2A, EB6500XA EG4000CL, EG5000CL, EG6500CL (w/wheel kit installed) EM3800SX, EM5000SX, EM6500SX (w/out battery tray kit)	08P58-Z22-600
Universal Folding Handle Wheel Kit Models: EB4000XA, EB5000XK2, EB6500XK1 EM4000SX, EM5000SXK3, EM6500SXK2, EU6500isA	08P57-Z25-500
EB5000i, EB7000i, EM5000is, EM7000is	08P57-Z11-200
EB6500SX, EM6000GP	08P57-ZD1-000
EB10000 (Silver, red Honda logo)	08P57-Z26-100
EB11000, EX5500, EX5500K1 (w/out wheel kit installed)	08P57-ZA0-A80
EB11000 (w/wheel kit installed)	08P57-YZA-000
EG3500, EG5000, EX2200	08361-340008G
EG4000CLA, EG5000CLA, EG6500CLAT (w/out wheel kit installed)	08P58-Z30-000
EL5000, ES6500, EX6500K1/K2	08P57-ZA0-B80
EM3500X, EM3500SX/SXK1, EM5000X/XK1, EN2500, EP2500, EZ3500, EZ5000 (no handle)	08P34-ZC2-000
EM3800SX, EM5000SX, EM65000SX (fits over battery tray kit)	08P57-Z22-300
EX3300S, EX4500S, EXW171	08P57-ZB8-180
EU1000i (Silver, Honda Generator logo)	08P57-ZT3-00S
EU1000i (Silver, heavy duty cover)	08P58-ZT3-100S
EU1000i (Silver, RV cover material)	08P59-ZT3-00S
EU1000i (Silver, Honda Marine logo)	08381-340023
EU1000i (Camouflage)	08P57-ZT3-00G
EU1000i (Camouflage, heavy duty cover)	08P58-ZT3-100G
EU1000i (Blue Sunbrella, Honda Marine logo)	08391-340024

Covers (cont.)

Model	Part No
EB2000I, EB2200i, EU2000i, EU2200i (Silver, Honda Generator logo)	08P57-Z07-00S
EB2000I, EB2200i, EU2000i, EU2200i (Silver, heavy duty cover, includes access to carrying handle)	08P58-Z07-100S
EB2000I, EB2200i, EU2000i, EU2200i (Silver, Honda Marine logo)	08381-Z07-002
EB2000I, EB2200i, EU2000i, EU2200i (Camouflage)	08P57-Z07-00G
EB2000I, EB2200i, EU2000i, EU2200i (Camouflage, heavy duty cover)	08P58-Z07-100G
EB2000I, EB2200i, EU2000i, EU2200i (Blue Sunbrella, Honda Marine logo)	08391-Z07-003
EB2000I, EB2200i, EU2000i, EU2200i (Silver, fits over cable kit when installed on generator)	08P57-Z07-20S
EB2000I, EB2200i, EU2000i, EU2200i (Camouflage, fits over cable kit when installed on generator)	08P57-Z07-20G
EU3000i Handi (Silver, Honda Generator logo)	08P58-Z28-00S
EU3000i Handi (Camouflage, no logo)	08P58-Z28-00G
EU3000i Handi (Blue Sunbrella, Honda logo)	08P58-Z28-00B
EU3000is (Silver, Honda Generator logo)	08P57-ZS9-00S
EU3000is (Silver, handle openings for 2-wheel kit)	08P60-ZS9-00S
EU3000is (Silver, heavy duty cover)	08P58-ZS9-100S
EU3000is (Camouflage)	08P57-ZS9-00G
EU3000is (Camouflage, heavy duty cover)	08P58-ZS9-100G
EU3000is (Blue Sunbrella, Honda logo)	08P59-ZS9-00B
EU6500isA, EU7000iS	08P57-Z25-500

Hanger/Lift Kits

A sturdy steel crossbar bolted to the frame makes lifting a generator easy. Each kit comes with all the hardware and installs in minutes. The hanger/lift kit is standard on EB series generators.

Model	Part No	
EB3500X, EB5000X, EM3500X/SX/SXK1, EM5000SX/K1, EM6000GP	06810-ZB4-800	
EG4000CL, EG5000CL, EG6500CL, EM3800SX, EM4000SX, EM5000SX K2/K3, EM6500SX K1/K2	06810-Z22-A30ZA	
EM5000is, EM7000is, EU6500is, EU7000iS	06531-Z11-E00ZA	

Generator Load Bank Test Set

The **BCS Generator Load Bank Tester Set** is a self-contained unit for load testing AC portable generators that operate at either 120V or 240V at 60Hz, and can accommodate loads as large as 65 amps (15,600 watts). The tester is designed to be used as either a diagnostic tool or to assist in sales. Large voltage, current, and frequency meters display generator vitals while easy to operate switches control the load. Two outlets allow for external loads to be applied so that a customer can determine the proper sized generator necessary for their application. The tester includes a 2-wheel kit for field service portability.

One central LED display instantly provides the user with all generator vitals. Digital meters ensure that the readings are accurate and consistent. Voltage, current, and frequency are simultaneously displayed. No calibration is necessary. A complete set of adapters to suit any type of generator, both 120V and 240V is included (50A and L6-20P adapter is optional). Hooks mounted on the sides of the tester carry the adapters. A large fan provides cooling to the resistive coils, allowing for continuous use of the tester.

Note: The fan must be plugged in for the tester to operate.

See Page 10-2 for Service and Warranty information

Description	Part No
Digital Generator Test Set	06610-BCS-2612AH
Adapter Cord, 30A 45" (included)	40608-HAC608
Adapter Cord, L14-20P (included)	40609-HAC609
Adapter Cord, L5-30P (included)	40610-HAC610
Adapter Cord, L5-20P (included)	40611-HAC611
Adapter Cord, L5-15P (included)	40612-HAC612
Adapter Cord, L6-20P (optional)	40613-HAC613
Adapter Cord, 50A 45" (optional)	40614-PC50045



Light Kits

Lightweight, folding 500 watt quartz halogen Tele-Lite kit. Contact Tele-Lite at 800-538-0022 for replacements parts.

Model(s)	Part No		
EU1000i	08602-ZT3-010AH		
EU2000i	08602-Z07-010AH		



Lockstraps & Accessories

Description	Part No	Image
8.5 ft. Lockstrap - hardened steel combination locking carabiner with a stainless steel cable running inside the full length of the strap.	78727-101-000AH	
24 ft. Cable Lock - nylon extension strap with a 3 mm stainless steel cable running inside the full length of the strap.	78727-301-000AH	
Lockwrap - neoprene cover keeps ice, snow, and debris out of combination locks.	56257-501-000AH	
Single Carabiner - single locking combination carabiner made of hardened steel.	56257-801-000AH	
2 ft. Cable Lock - nylon strap has one combination locking carabiner and a 3 mm stainless steel cable running inside the length of the strap.	78727-901-000AH	

Miscellaneous

Appliance Load Tester

Description	Part No
15A, 1875 watt hand-held ammeter/wattmeter; UL listed.	32660-893-THP103



Hour Meter

Description	Part No
When you really want to keep track of use and help ensure prompt maintenance, an hour meter kit is the answer. The meter kit is self-powered and has a large 7-segment LCD display. Indicates RPM when operating. Indicates hours when engine is OFF. For use on all Honda-powered products.	08181-ENM-036AH



RV Adapters

These adapters convert an L5-30 locking receptacle to RV-ready. Plug into a 30A125V NEMA L5-30 locking receptacle.

Description	Mfg	Part No
57 mm long	Marinco	L530P-RV30R



Theft Deterrent Bracket

Custom-made, powder-coated steel bracket with tamper-proof bolts to deter thieves from cutting the plastic handle and removing a cable lock.

Model	Part No
EB2000i, EB2200i, EU2000i, EU2000i Companion, EU2200i	63230-Z07-010AH



Parallel Cables & Kits



Model	Description	Mfg	NEMA	Part No
EU1000i EU2000i, EU2200i, EU3000i Handi (not for EU3000is)	Parallel cable links two EU1000i, two EU2000i, two EU2200i, or two EU3000i Handi generators; output is limited by the capacity of the receptacles	Reliance		08E93-HPK123HI
EU2000i Companion, EU2200i Companion	Cable and RV adapter kit links standard EU2000i and EU2000i Companion in parallel; includes 30A RV adapter	Reliance	L5-30	08E92-HPK2031
EU3000is only SN 1034452~later	Parallel cable links two EU3000is generators; output is limited by the capacity of the receptacles	Reliance		06321-ZS9-T30AH

^{*} California Standard

Plugs and Connectors

Plugs and connectors are available for a range of applications, from 15A~50A and 125/250V AC configurations. The application table below lists generator/welder models and the plug styles they use.

Plugs (male) fit the matching receptacle on the generator. Most plugs are rugged nylon construction with heavy-duty screw terminals.

Connectors (female) are used on the ends of cords and are required to connect a generator to a transfer switch.

Plug Style Application Guide

Model	Plug Style	Model	Plug Style
EB10000	CFHI	EM4000SX	CFG
EB11000	CFHI	EM5000is	CFH
EB2000i	К	EM5000SX	CFH
EB3000C	FN	EM6000GP	CFH
EB5000	CFH	EM6500SX	CFH
EB5000X	CFH	EM7000is	CFH
EB6500X	CFH	ES6500/K1/K2	CFH
EG3500/K1	CFG	EU1000i	В
EG4000CL	CFG	EB2200i, EU2000i, EU2200i	С
EG5000CL	CFH	EB2200i, EU2000i Companion, EU2200i	FJ
EG5000XK1	CFH	EU3000i/is	CF
EG6500CL	CFH	EU6500is	CFH
EM3000C	С	EU7000is	CFH

Note: A "B" plug can be used in a "C" receptacle.

Plugs and Connectors (cont.)

Plugs (Male)

Plug Style	Description	otion Rating		Part No
А	2-prong	15A, 125V	_	commercially available
В	3-prong	15A, 125V	5-15	32310-836-100
С	3-prong	20A, 125V	5-20	32310-840-000AH
F	3-prong locking	30A, 125V	L5-30	32312-880-710
G	4-prong locking	20A, 125/250V	L14-20	32312-899-630
Н	4-prong locking	30A, 125/250V	L14-30	32310-ZA0-630
I	3-pole, 4-wire, locking	50A, 125/250V	CS6365N*	32310-ZC6-630
J	Locking	20A, 250V	_	32311-880-710
K	DC charging cord (T-prongs)	10A, 24V	_	32651-892-003
L	Locking	30A, 250V	_	32321-880-000
М	3-prong (EN model)	20A, 250V	6-20	32310-Z01-100
N	3-prong locking	20A, 125V	L5-20	32311-899-630
Х	3-prong (EU2/EU3 parallel)	50A, 125V	CS6361N*	32314-189-053AH



Connectors (Female)

Description	Rating	NEMA	Part No
Mate for F (EU3000i inlet box)	30A, 125V	L5-30	32315-ZS9-530
Mate for G	20A, 125/250V	L14-20	32330-0506EF
Mate for H	30A, 125/250V	L14-30	32313-ZA0-630
Mate for I	50A, 125/250V	CS6364N*	32314-189-050AH
Mate for X (EU3000i parallel connector)	50A, 125V	CS6360N*	32314-189-054AH



^{*} California Standard

^{*} California Standard

Plugs and Connectors (cont.)

Locking Plug Application Guide

Generator	Poting	Plug (Male)		Connector (Female)	
Generator	Rating	NEMA	Part No	NEMA	Part No
EB3000c, EB3000cKAG					
EM3000c	30A, 125V only	L5-30	22242 000 740	L5-30	32315-ZS9-530
EU3000is, EU3000i	30A, 123 V OI II V	SV Offig L5-30	32312-880-710	L5-30	32315-259-530
EW171					
EB3500, EB3800, EB4000					
EG3500		250V L14-20	32312-899-630	L14-20	32330-0506EF
EM3500X, EM3800, EM4000	20A, 125/250V				
EX3300					
EZ3500, EZ5000					
EB5000, EB6500					
EG5000					
EM5000, EM5000is, EM6000GP, EM6500SX1A, EM7000is	30A, 125/250V	L14-30	32310-ZA0-630	L14-30	32313-ZA0-630
ES6500	-				
EU6500is					
EX4500, EX5500	1				
EB11000, EB12D	50A, 125/250V	CS6365N*	32310-ZC6-630	CS6364N*	32314-189-050AH

^{*} California Standard

Plugs and Connectors (cont.)

Locking Plugs for Generator Receptacles

Check the generator receptacles to determine the type needed. Refer to the instructions included with the plug for wiring.

Plug Style	Rating	NEMA	Part No	Receptacle Configuration Illustration
F	30A, 125V	L5-30	32312-880-710	(9) 20 (25)
G	20A, 125/250V	L14-20	32312-899-630	128-120 ₃
н	30A, 125/250V	L14-30	32310-ZA0-630	Control of the contro
I	50A, 125/250V	CS6365N*	32310-ZC6-630	
N	20A, 125V	L5-20	32311-899-630	0 200

^{*} California Standard

Power Inlet Boxes

Inlet boxes are mounted on the outside of a home to avoid running a power cord through a door or window.

Description	Rating	Mfg	NEMA	Part No	
Во					
30 Amp, non-metallic	125/250V	GenTran	L14-30	32318-189-030AH	
30 Amp, non-metallic (EU3)	125V	GenTran	L5-30	32318-189-035AH	Or by
30 Amp, non-metallic	125/250V	Reliance	L14-30	32316-189-PBN30	
50 Amp, non-metallic	125/250V	GenTran	CS6364N*	32318-189-055AH	
	Front Inlet	w/Cover			
20 Amp	125/250V	Reliance	L14-20	32316-189-PB20	1
30 Amp	125/250V	Reliance	L14-30	32316-189-PB30	
30 Amp (EU3)	125V only	Reliance	L5-30	32316-189-PB31	
50 Amp	125/250V	Reliance	CS6364N*	32316-189-PB50	

^{*} California Standard

Remote Control Starting Kits & Parts

Now you can start and stop some generators from a remote location. The remote control panel has a pilot light and includes cable. **Note:** For use with generators equipped with electric start and automatic choke only (listed below). Replacement battery for 06611-Z22-810AH is CR2016 (qty 2).



Remote Kit w/30' Cable



Universal Remote Kit w/50' Cable



Wireless Remote Kit w/ 100' Range



Remote Kit

Model	Kit Part No and Description	Kit Components
EM3500SX/SXK1	06610-ZB4-000ZB (remote kit)	31690-893-720 (25' 6-wire remote cable)
EM2000CV	06610-Z22-800ZA (remote kit w/30' cable)	
EM3800SX	06610-Z22-800AH (universal remote kit w/50' cable)	32520-Z22-850AH (50' ext. cable)
EM4000SX	06610-Z22-800ZA (remote kit w/30' cable)	
EIVI40003A	06610-Z22-800AH (universal remote kit w/50' cable)	
EM5000is	06610-Z22-800ZA (remote kit w/30' cable)	
EIVIOUUIS	06610-Z22-800AH (universal remote kit w/50' cable)	
EM5000SX/SXK1	06610-ZB4-000ZB (remote kit)	31690-893-720 (25' 6-wire remote cable)
EM5000SXK2	06610-Z22-800ZA (remote kit w/30' cable)	
EMOUUSAKZ	06610-Z22-800AH (universal remote kit w/50' cable)	32520-Z22-850AH (50' ext. cable)
EM5000SXK3	06610-Z22-800ZA (remote kit w/30' cable)	
EMBOOOSAKS	06610-Z22-800AH (universal remote kit w/50' cable)	
EM6000GP	06316-ZAA-000ZB (remote kit)	31650-ZAA-K60 (relay box)
EM6500SXK1	06610-Z22-800ZA (remote kit w/30' cable)	
EMOSOOSAKT	06610-Z22-800AH (universal remote kit w/50' cable)	32520-Z22-850AH (50' ext. cable)
EM6500SXK2	06610-Z22-800ZA (remote kit w/30' cable)	
EIVIOSUUSAKZ	06610-Z22-800AH (universal remote kit w/50' cable)	
EMZ000;	06610-Z22-800ZA (remote kit w/30' cable)	
EM7000is	06610-Z22-800AH (universal remote kit w/50' cable)	
EU6500is	32380-Z11-810ZA (remote kit w/30' cable)	
EU0000IS	06610-Z22-800AH (universal remote kit w/50' cable)	
EU7000is	32380-Z37-800ZA (wired remote kit w/33' cable)	
EU/UUUIS	32380-Z37-820ZA (wired remote kit w/98' cable)	
EX5500/K1/K2	06610-ZA0-802ZB (remote kit)	

Transfer Switch Guide

Transfer switches and inlet boxes must be installed by a qualified electrician and the connection must comply with all applicable laws and electrical codes.

Model	NEMA	Power Cord (page 5-5)	Power Inlet Box (page 5-16)	Transfer Switch (page 5-19)
EB2200i EU1000i EU2000i EU2200i (Duplex Receptacle Connection)		Use standard outdoor extension cord, 50 ft. max	N/A	15 Amp, 1-circuit furnace; for generators up to 2000 watts, includes 5-15 male inlet. 32314-TF151W (Reliance)
EB3500 ⁽¹⁾ EB3800X ⁽¹⁾ EG3500 EG4000 EM3500X EM3800SX EX3300 EZ3500 EZ5000	L14-20	20 Amp, 125/250V, 12-gauge, 4-wire 06580-124-010AH (10 ft.) 06580-124-025AH (25 ft.) 06580-124-050AH (50 ft.)	20 Amp, 125/250V 32318-189-030AH (bottom inlet) 32316-189-PB20 (front inlet)	20 Amp, 6-circuit, indoor; for generators up to 5000 watts, includes L14-20 male inlet. 32315-UTS6BI (APC surface/flush mount)
EG5000 EM5000 EM5000iS EM6000GP EM6500SX1A EM7000iS ES6500 EU6500is EU7000is EX4500 EX5500	L14-30	30 Amp, 125/250V, 10-gauge, 4-wire 06583-104-025AH (25 ft.)	30 Amp, 125/250V 32318-189-030AH (bottom inlet) 32316-189-PB30 (front inlet)	30 Amp, 6- or 10-circuit, indoor; for generators up to 7500 watts, includes L14-30 male inlet. Hard-wire or use plug-in cord connection. 32311-189006 (10-circuit GenTran) 32316-Q310A (10-circuit Reliance) 32315-UTS10BI (10-circuit APC) (See page 5-19 for 30 Amp, 125/250V kits.)
EB5000 EB5000i EB6500 EB7000i	L14-30	30 Amp, 125/250V, 10-gauge, 4-wire 06583-104-025AH (25 ft.)	30 Amp, 125/250V 32318-189-030AH (bottom inlet) 32316-189-PB30 (front inlet)	30 Amp, 10-circuit PANEL/LINK [®] X (Reliance) Designed for EB series GFCI generators. 32316-XRC1003AH
EB3000c (K0/	L5-30	30 Amp, 125V,	30 Amp, 125V	30 Amp, 125V, 6-circuit, indoor; for generators
K1 only) EG2800i EM3000c EU3000is EW171		10-gauge, 3-wire 06582-103-025AH (25 ft.) 06582-103-050AH (50 ft.)	32318-189-035AH (bottom inlet) 32316-189-PB31 (front inlet)	up to 3750 watts. 32316-30216A1 (Reliance, loadside 6-circuit) 32316-UTS6H (APC, 6-circuit)
EB10000 EB11000	CS6365N*	50 Amp, 125/250V, 6-gauge, 4-wire	50 Amp, 125/250V	50 Amp, 12-circuit, indoor; for generators up to 12,500 watts, includes 50 Amp inlet.
EB11000K1 ⁽¹⁾ EB12D*		06580-064-010AH (10 ft.) 06580-064-025AH (25 ft.)	32318-189-055AH (bottom inlet) 32316-189-PB50 (front inlet)	Hard-wire or use a plug-in cord connection. Expandable to 16 circuits. 32311-18950A (GenTran)
l	l	1	1, ,	

⁽¹⁾ When connecting EB series generators to a transfer switch, please refer to Generator Service Bulletin #20.

^{*} California Standard

Transfer Switches & Kits

Transfer switches isolate the generator, allowing a safe connection so it can't accidentally electrify external power wires. Transfer switches and inlet boxes must be installed by a qualified electrician and the connection must comply with all applicable laws and electrical codes.

Transfer Switch Description	Max Watts	NEMA	Part No	Image			
APC							
20 Amp, 6-circuit, universal	5000	L14-20	32315-UTS6BI	ACS			
30 Amp, 6-circuit, universal (EU3) ⁽¹⁾	3750	L5-30	32316-UTS6H	::::: • · · · · · · · · · · · · · · · · · · ·			
30 Amp, 10-circuit, universal (20A max circuits) ⁽¹⁾	7500	L14-30	32315-UTS10BI ⁽²⁾	·::			
(1) These transfer switches offer adaptive load management hardware kits for hard-wiring and UTS back-up batteries be	(auto-load s	shedding) ar	nd UTS (battery back-up)) connection. See			
(2) This transfer switch no longer includes a load-side option	n. It must be	hard-wired	with an inlet box.				
Hardware kit (30A) (for inlet box applications) (not shown)	3750	L5-30	32316-UTSHW	4			
1300 VA/780 watt w/LCD (UTS back-up battery)	780		32315-BR1300G	-			
1500 VA/865 watt w/LCD (UTS back-up battery)	865		32315-BR1500G				
GenTran	Transfer I	Kits	1	'			

20A indoor, 120/240V, 6-circuit with inlet box with 25' cord (expandable to 10-circuit)	5000	L14-20	32312-KIT3026NF25	
---	------	--------	-------------------	--

Transfer Switches & Kits (cont.)

Transfer Switch Description	Max Watts	NEMA	Part No	Image		
GenTran Transfer Switches						
50 Amp, 12-circuit, indoor ⁽¹⁾	12500	CS6364	32311-18950A			
30 Amp, 10-circuit, indoor ⁽¹⁾	7500	L14-30	32311-189006	: 11		
(1) These transfer switches can be expanded up to 16 circuit watts to 12,500 watts, UL1008 listed.	s during inst	allation. De	signed for generators ran	ging from 3,750		
30 Amp, 125V, 1-pole traffic signal switch w/EPL	3750	L5-30	32314E-300130TS			
Reliance	Transfer k	Cits				
30 Amp, 6-circuit, indoor w/25' cord and box	7500	L14-30	32316-31406CHK			
30 Amp, 8-circuit, indoor w/25' cord and box ⁽²⁾	7500	L14-30	32313-30408-BHK25	6		

Transfer Switches & Kits (cont.)

Transfer Switch Description	Max Watts	NEMA	Part No	Image
-----------------------------	--------------	------	---------	-------

Reliance Transfer Kits (continued)

30 Amp, 10-circuit, indoor w/25' cord and box ⁽²⁾	7500	L14-30	32313-Q310-CHK25	E &
--	------	--------	------------------	-----

⁽²⁾ These turn-key, load-side transfer switch kits offer hardwire/plug-in features, are totally pre-wired, and do not require additional feeder breakers. The 10-circuit transfer switch has interchangeable circuit breakers. Both kits permit relocating the flanged 30A inlet from the power inlet box to the transfer switch for direct cord-connection to the transfer switch.

Reliance Transfer Switches

15 Amp, 1-circuit, furnace	1875	5-15	32314-TF151W	
30 Amp, 125 Volt, 6-circuit, indoor (EU3)	3750	L5-30	32316-30216A1	000000
30 Amp, 6 circuit-indoor	7500	L14-30	32316-31406C	
30 Amp, 10-circuit, indoor	7500	L14-30	32316-Q310A	1.0 ~
30 Amp, 10-circuit PANEL/LINK [®] X [Designed for EB series generators (excluding EB300K2), UL1008 listed (Generator Service Bulletin #20 does not apply.)]	7500	L14-30	32316-XRC1003AH	ia.

TempLite®

TempLite is a surface-mount light fixture for installation into the L14-20 and L14-30 flanged inlet openings of most manual transfer switches when used with a power inlet box. The TempLite provides illumination to the face of the transfer switch while the generator is supplying power. By Reliance Controls.

Part No
32316-189-6288





Wheel Kits









It's not always easy or convenient to lift a generator, so Honda offers both 2-wheel and 4-wheel kits. All have rubber tires and make moving a generator a breeze.

Model	Mfg	Part No					
2-Wheel Kits (include handlebars, grips, two wheels, one axle, two legs, and all hardware)							
EB2800i, EG2800i	Agri-Fab	06425-Z43-001AH					
EB3500X, EB3500XK1, EB5000X, EB5000XK1, EM3500X, EM3500SX, EM3500SXK1, EM5000SX, EM5000SXK1, EW171	Honda	06710-ZB4-800					
EG4000CL, EG5000CL, EG6500CL	Honda	06710-Z22-A40ZA					
EU3000is	Agri-Fab	06425-ZS9-020AH					
EU3000is Hardware Kit (replacement hardware included with wheel kit)	Agri-Fab	06425-ZS9-010KT					
4-Wheel Kits (include four wheels, two axles, and all hardware)							

EB3500X, EB3500XK1, EM3500X, EM3500SX, EM3500SXK1, EB5000X, EB5000XK1, EM5000SX, EM5000SXK1, EM6000GP, EB6500SX	Honda	06710-ZB4-010
EU3000is 4-wheel kit w/locking front swivel casters and 6" rear wheels	Reliance	06424-ZS9-000AH
EU3000is 4-wheel kit w/out locking feature	Honda	06423-ZS9-T30