



**PAINT ADDITIVE
INSECTICIDE**

DESCRIPTION AND USES

Paint Plus™ Insecticide Paint Additive is designed to kill crawling insects when exposed to treated surfaces.

PRODUCTS

SKU	Description
262484	1.6 fluid ounces

PRODUCT APPLICATION

SURFACE PREPARATION

Clean food/feed handling or processing equipment and thoroughly rinse with clean, fresh water. After application in bakeries, clean all food contact surfaces thoroughly with the appropriate cleaning equipment.

Spot or Crack & Crevice Applications

Except in federally inspected meat and poultry plants, spot or crack and crevice applications may be made while the facility is in operation, provided exposed food is covered or removed from the area being treated prior to the application. Do not apply directly to food or food-handling surfaces. In the home, do not allow coating to contact food/feed surfaces. If contact is made, clean immediately with soap and water.

Residential Applications

Apply paint Plus Insecticide treated coating to surfaces of buildings, porches, window frames, eaves, patios and garages to control spiders, ticks, American and German cockroaches, silverfish, imported and southern fire ants and leafcutter ants. Do not apply to furniture, swing sets or other outdoor playground articles.

Environmental Hazards

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

It is in violation of Federal law to use this product in a manner inconsistent with its labeling.

In order to ensure the efficacy of the formulated latex coating, the amount of latex coating formulated should not exceed the amount that can be applied within three hours and all site application should be completed within the first three hours after mixing. For oil-based coatings, stains, varnish or sealers, the amount of coating formulated should not exceed the amount that can be applied within 6 hours.

Do not allow children or pets to enter the treated area until the surfaces are dry.

PRODUCT APPLICATION (cont.)

MIXING DIRECTIONS

Add the contents (1.66 fluid ounces) to 1 gallon of latex coating (water-based), oil-based coating and stains or sealers; then mix well to ensure proper dilution.

EQUIPMENT

Apply treated coating with a brush, roller or conventional airless equipment.

PEST CONTROL INDOORS

Treatment Sites: When used in accordance with label directions, Paint Plus Insecticide treated coating may be applied in and on residential and non-residential buildings and structures including residential kitchens and all types of food/feed handling establishments. This product can be applied to non-food contact surfaces of walls, floors, ceilings, in and around cabinets, behind and beneath equipment and appliances, around floor drains, window and door frames and around plumbing, sinks and other possible pest harborage sites. The treated coating can be applied only as a crack and crevice or spot treatment indoors. Do not use for broadcast interior applications such as entire walls, ceilings and floors. Permitted areas of use include, but are not limited to food/feed and non-food/non-feed areas.

Do not apply to classrooms when in use. Do not use in aircraft cabins. Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or infirm. Do not apply to institutions including libraries, sport facilities or in the immediate area when occupants are present.

Pantry Pest Control: To kill adult and accessible stages of insect pests such as spiders, ticks, cockroaches and ants, make application to cupboards, shelving and storage areas. Remove all foodstuffs, all utensils, shelf paper and other objects before coating with the Paint Plus Insecticide treated coating. Allow all treated surfaces to dry and cover shelves with clean paper prior to replacing foodstuffs, utensils or other items. Any foodstuff accidentally contaminated with any coating solution should be discarded.

Crawling Insect Pests: Insect pests include spiders, ticks, cockroaches, mosquitoes, imported and southern fire ants, leafcutter ants and silverfish. Apply Paint Plus Insecticide treated coating to localized areas of walls, ceilings and other resting areas as a crack and crevice or spot treatment. The treated coating may be used inside residential buildings, in and around carports, garages, storage sheds, unoccupied horse stables and per kennels.

TECHNICAL DATA

PAINT ADDITIVE INSECTICIDE

PRODUCT APPLICATION (cont.)

Pet Kennels: For residential control of crawling and flying insects in and around these structures, apply to cracks and crevices or spot treatment. Maximum control results if facilities to be treated are clean, and coated surfaces are cleaned regularly (every 21 days). Apply only to areas to areas of the facility where animals are not present. Allow the treated coating to dry before allowing animals to re-enter. Do not apply to animal feed or watering equipment.

Food/Feed Handling Establishments: For control of all labeled pests, applications are permitted in food/feed and non-food/non-feed areas of food/free handling and processing establishments as spot or crack and crevice treatment.

Food/Feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Also included are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving area where food/feed is exposed and the facility is in operation are also considered food/feed areas.

PRODUCT APPLICATION (cont.)

Non-Food/Non-Feed Areas: Examples of non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated.

Do not use this application method in the food/feed handling areas of the facility when the facility is in operation or foods/feeds are exposed. Do not apply directly to food/feed products. Cover or remove all food/feed processing and/or handling equipment during application. After application in food/feed processing plants, cafeterias and similar facilities, WASH all equipment, benches, shelving and other surfaces which food/feed will contact.

TECHNICAL DATA

PAINT ADDITIVE INSECTICIDE

PHYSICAL PROPERTIES

Physical Properties		PAINT ADDITIVE INSECTICIDE
Composition		Deltamethrin
Weight	Per Gallon	8.66 lbs.
	Per Liter	1.04 kg
Physical State		Liquid
pH		5.0-6.5
Volatile Organic Compounds		0 g/l
Shelf Life		1 year
Practical Coverage		Will depend on the coating, method of application and surface type
Flash Point		>200°F (93°C)
Safety Information		For additional information, see SDS

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.