
# 

**QUALITY PRODUCTS BY NDS** 



MICRO IRRIGATION PRODUCTS



# **RAINDRIP**

















KITS	4-9
Landscape Kits	5
Sprinklers / Vegetable Gardens	6
Planters & Pots / Hanging Containers	7
Automated Containers / Instant Drip	8
Water Timers	9

HOSE · TUBING	10-1
1/4", 1/2", 5/8" & .710" Polyethylene Hose/Tubing	11
1/4" Vinyl Tubing	11
1/4" Drip-A-Long® · 1/2" Drip-A-Long®	12
1/4" Porous Soaker Tubing	12
<u> </u>	

DRIPPERS	13-1
Pressure Compensating Drippers	14
Mini In-line Drippers	14
Button Drippers • Flag Drippers	15

SPRINKLERS & NOZZLES	16
Nozzles • Pop-Up Body Sprinklers	16

LOW VOLUME SPRINKLERS · MISTERS	17-23
Adjustable Sprinklers & Sprayers	18
Non-Adjustable Sprinklers	19
Sprinkler & Stake Combinations	19
Sprinkler Sprayer Assemblies • Micro Spray Jets	20
Winged Jet & Super Jet Sprayer Assemblies	21
Aqua-Pop™ • Misters	22
Sprinkler Stakes	23

CONVERSION DEVICES	24-29
Adjustable Watering Manifolds	24-25
Adjustable Bubblers	26-27
Drip Star Emitters • Multiplex Bubbler Assemblies	28
Conversion Adaptors	29

FITTINGS & ADAPTORS	30-39
Barbed & Compression Tees	31
Barbed Connectors & Compression Couplers	32
Barbed & Compression Elbows • 1/4" Barbed Cross	33
End Clamps • Compression Hose End Plugs	34
Swivel Adaptors	35
Stretch 'n Lock Fittings	36
Swivel Tee Adaptors	37
Thread to Thread Adaptors	38
Adaptors • PVC Adaptors	39

ACCESSORIES	40-47
Valves	41
Anti-Syphons • Adjustable Pressure Regulator	42
Preset Pressure Regulators	43
Filters • Filter Elements • Flow Controls	44-45
Supports • Stakes • Clamps	46
Hole Punches • Cutter • Hole Plugs • Fix it Kit	47

MERCHANDISING	48-55
Prepacked Kit Displays • Tri-Lingual Headers	48
Master Irrigation Center	49
Starter Irrigation Center	50
Tri-Lingual Irrigation Center	51
Drip Smart™ Maxi-Miser and Mini-Miser Center	52
Maxi-Miser Bulk Centers	53
Merchandising Items • Product Index	54-55

# **KITS**

Complete do-it-yourself kits designed for specific home gardening applications

Our kits are the core of the Raindrip product line. They are designed to advertise and educate with colorful, consumer friendly packaging. Each contains everything needed for their specific application. The kits' objective is to make any level do-it-yourself gardener an "instant expert."

RAINDRIP's colorful pictures invite the customer to pick up the kit and learn more about the benefits of low-flow and drip watering and how easy it is to get started.


RAINDRIP kits are the perfect item for advertising; they are totally self-contained, provide excellent value to the consumer and may be cross merchandised in many high visibility/traffic areas of the store.

	520 530	541	547	551	552 557	559	562 567	293
TREES SHRUBS HEDGES	*	*						*
FLOWER BEDS & GROUND COVER		*	*					*
VEGETABLE GARDENS & PLANTS IN ROWS		*					*	*
CONTAINERS & PATIO GARDENS		*		*	*	*		
MULTI LINGUAL PACKAGING		*		*	*		*	

- Our consumer friendly kits contain everything needed for an easy, successful installation.
- Raindrip's comprehensive, Micro Watering Handbook is included FREE with each kit.
- The advantages of each kit are boldly listed to quickly educate the consumer.
- Colorful product-in-use photos display the benefits of low volume watering.
- An illustrated contents and quantities chart is on every kit.
- Easy step-by-step instructions are right on the box.
- Illustrated lay-outs suggest installation possibilities.

CHAPTHING THU NED HIRA AINT A AINT BOOK UP

RAINDRIP kits are designed to advertise and educate with colorful, consumer-friendly packaging. Inside each kit is everything needed to make any level "do-it-yourself" gardener an instant expert.



English/French/Spanish

English/French

English/Spanish

Multi-lingual items throughout the catalog are flagged with these symbols for easy identification

#### LANDSCAPE KITS





R520DP Drip Watering Landscape Kit™ (6 per case)
R520BP Same as R520DP with BSP Threads (6 per case)
R530DP Drip Watering Landscape Kit™
with Anti-Syphon (6 per case)

#### **FEATURES:**

- Waters up to 10 trees and hedges + 30 plants or 20 shrubs
- Pressure Compensating Drippers for consistent drip watering on various elevations.
- Includes everything for complete installation
- No extra tools needed
- · Ideal kit for all landscape, perennial & garden areas

Kit Dimensions: 15" H X 15" W X 4" D Packed 6 kits per carton

CONTENTS: 60' 1/2" Poly Hose, 20' 1/4" Tubing, 20 1 GPH PC Drippers, 2 1/2" Hose End Clamps, 2 1/2" Compression Tees, 1 1/2" Compression Coupling, 5 1/4" Barb Tees, 10 1/4" Barb Connectors, 2 1/2" Compression Elbows, 1 3/4" Swivel Adaptor, 10 Support Stakes, 1 30 GPH Flow Control, 1 Filter Washer, 1 Hole Punch, 5 Hole Plugs, 1 3/4" Pipe Coupling & 1 RAINDRIP Handbook.





low volume sprinklers for ground cover or new planting

# A541DP Micro Irrigation Kit™ (6 per case) Kit De Micro-Irrigation Ensamble De Micro Irrigación

#### **FEATURES:**

- Deluxe landscape watering kit in English, French and Spanish-Ideal for the international market
- Low volume sprinkler, pressure compensating drippers & mini in-line drippers make this a deluxe all-in-one kit
- Includes everything for 2 complete installations
- Waters up to 30 plants + 350 sq. ft.

Kit Dimensions: 15" H X 15" W X 4" D Packed 6 kits per carton

CONTENTS: 75' 1/2" Poly Hose, 100' 1/4" Tubing, 10 1/2 GPH PC Drippers, 10 1 GPH PC Drippers, 15 1/2 GPH Mini In-line Drippers, 1 25 GPHFull Circle Sprinkler Head, 2 14 GPH Half Circle Sprinkler Heads, 4 7 GPHQuarter Circle Sprinkler Heads, 4 1/2" Hose End Clamps, 4 1/4" Tube End Clamps, 8 1/4" Barbed Tees, 20 1/4" Barbed Connectors, 2 1/2" Barbed Connectors, 2 1/2" Barbed Elbows, 2 3/4" Hose Thread Swivel x 1/2" Compression Adaptors, 20 4" Support Stakes, 7 8" Sprinkler Support Stakes with 4" Risers, 2 Filter Washers, 1 Hole Punch, 5 Hole Plugs, 2 3/4" Hose Thread Anti-Syphons, 3 Compensating Flow Controls & 1 RAINDRIP Handbook.

## SPRINKLER KITS • VEGETABLE KITS





Efficient • Adjustable • Moveable • Expandable Low Volume Sprinklers


**R547DP Low-Flow Sprinkler Kit™** (6 per case) with Adjustable Sprinkler Heads

#### FEATURES:

- Adjustable sprinkler heads in 3 spray patterns
- · Ideal for ground cover, flower beds and hillside plantings
- Gently, efficiently waters up to 600 sq. ft.
- Includes everything for complete installation
- Up to 50% water savings compared to conventional sprinklers
- Expandable

Kit Dimensions: 15" H X 15" W X 4" D Packed 6 kits per carton

CONTENTS: 75' 1/2" Poly Hose, 100' 1/4" Tubing, 2 1/2" Hose End Clamps, 1 1/2" Compression Tee, 1 1/2" Compression Coupling, 11 1/4" Barbed Connectors, 1 1/2" Compression Elbow, 1 3/4" Swivel Adaptor, 1 3/4" 25 PSI Pre-set Pipe Pressure Regulator, 1 Filter Washer, 1 3/4" Hose/Pipe Anti-Syphon, 1 Hole Punch, 10 Hole Plugs, 1 3/4" Pipe/Pipe Coupling, 2 Full Circle Adjustable Sprinkler Heads, 4 Half Circle Adjustable Spray Heads, 4 Quarter Circle Adjustable Spray Heads, 10 8" Plastic Stakes, 10 4" Risers, & 1 RAINDRIP Handbook.



**R562DT** Drip Watering Vegetable Garden Kit ™ (10/case)

**R562CT** Kit d'Arrosage pour Jardin Potager (10 per case)

➤ R562FT Same as R562CT with BSP threads (10 per case)

► R562MT Equipo para el Riego de Hortalizas (10 per case)

R562ST Same as R562MT with BSP Threads (10 per case)

R567DT Drip Watering Vegetable Garden Kit with Anti-Syphon™ (10 per case)

#### FEATURES:

- Mini in-line drippers for custom placement
- Ideal for raised bed vegetable gardens
- Better growth higher yields less water
- Waters up to 150 sq. ft.
- Includes everything for complete installation

AAINDHIP

ATT PARROSAGE

ATT PARROSA

Kit Dimensions: 8.5" H X 8.25" W X 2.5" D Packed 10 kits per carton

CONTENTS: 75' 1/4" Tubing, 25 1/2 GPH Mini In-Line Drippers, 4 1/4" Tube End Clamps, 3 1/4" Barb Tees, 1 1/4" Barb Connector, 2 1/4" Barb Elbows, 1 3/4" Swivel Adaptor, 1 10 GPH Flow Control, 1 Filter Washer and 1 RAINDRIP Handbook. R567D includes Anti-Syphon.

## PLANTERS & POTS KITS . CONTAINER KITS





- **R551D Planters & Pots Watering Kit** (10 per case) featuring Adjustable Bubblers for Large Container Plants
- R551CT Kit d'Arrosage pour Planteurs et Pots (10 per case)
- R551MT Juego de Riego para Macetas (10 per case)
- R551ST Same as R551MT with BSP Threads (10 per case)

#### FEATURES:

- Includes everything for watering large pots, planters and containers
- 5 easy steps to a quick installation
- Priced to sell quickly
- Designed to custom water small area gardens and patios
- Adjustable bubblers
- Includes Hook-ups for faucet and 1/2" riser

Kit Dimensions: 8.5" H X 8.25" W X 2.5" D Packed 10 kits per carton

**CONTENTS: 50'** 1/4" Tubing , **2** Half-circle Adjustable Bubblers and Stakes, **2** Full circle Adjustable Bubblers and Stakes, **4** 1/4" Barbed Tees, **1** 3/4" FHT x 1/4" Cone Adaptor with Washer, **1** 1/4" Tap-off and filter (for 1/2" riser conversion), **1** RAINDRIP Handbook.





**R552DT** Container Drip Watering Kit™

(10 per case)

R557DT Same as R552DT with Anti-Syphon

(10 per case)

➤ R552CT Kit d'Arrosage Goutte a Goutte

pour plantes en pots (10 per case)

► R552FT Same as R552CT with BSP Threads

(10 per case)

► R552ST Same as R552MT with BSP Threads

(10 per case)

#### FEATURES:

- Quick and easy kit for potted plants, hanging baskets and planter boxes
- Mini in-line drippers and PC drippers for all types of container drip watering
- Includes everything for complete installation

Kit Dimensions: 8.5" H X 8.25" W X 2.5" D Packed 10 kits per carton

CONTENTS: 75' 1/4" Tubing, 10 1/2 GPH PC Drippers, 10 1/2 GPH Mini In-Line Drippers, 5 1/4" Tube End Clamps, 15 1/4" Barb Tees, 2 1/4" Barb Connectors, 1 3/4" Swivel Adaptor, 15 Support Stakes, 10 1/4" Tubing Support Clamps, 1 10 GPH Flow Control, 1 Filter Washer, 1 3/4" Pipe Coupling, 1 RAINDRIP Handbook. R557DT includes Anti-Syphon.

## **AUTOMATED CONTAINER KITS • INSTANT DRIP KIT**





R559DP Automatic Drip Watering Patio Kit (6 per case)
Electronic Timer Automatically Drip Waters up
to 20 Container Plants or Hanging Baskets
R559BP Same as R559DP with BSP threads (6 per case)

#### **FEATURES:**

- Electronic water timer automatically waters your container plants
- Quick and easy kit for potted plants, hanging baskets and planter boxes
- Mini in-line drippers and PC drippers for all types of container drip watering
- · Includes everything for complete installation

Kit Dimensions: 8.75" H X 13.25" W X 4.12" D Packed 6 kits per carton

CONTENTS: 75' 1/4" Hose, 10 1/2 GPH Pressure Compensating Drippers, 10 1 GPH Mini In-Line Drippers, 5 1/4" Tube End Clamps, 15 1/4" Barbed Tees, 1 3/4" Hose Thread Swivel to 1/4" Compression Adaptor & Filter Washer, 2 1/4" Barbed Connectors, 2 1/4" Barbed Elbows, 15 4" Support Stakes, 10 1/4" Mounting Clamps, 1 10 GPH Pressure Compensating Flow Control, 1 Electronic Water Timer 3/4" FHT X 3/4" MHT, 1 RAINDRIP Handbook.



**R293DP Instant Drip Kit** (6 per case)
Features built-in pressure-compensating drippers spaced every 18" on Dripperline

#### **FEATURES:**

- Includes 30' of Dripperline with built-in pressure compensating 1GPH drippers, spaced at every 18"
- · Easy to install and virtually maintenance free
- Fully explandable
- · Includes everything for complete installation
- · Compatible with other drip irrigation systems

Kit Dimensions: 15" H X 15" W X 4" D Packed 6 kits per carton

CONTENTS: 1 roll with: 30' 1/2" Dripperline Hose with 1 GPH pressure-compensating drippers built-in every 18", plus 10' Lead in Hose, 2 1/2" Compression Tees, 5 1/2" Hose End Clamps, 1 1/2" Compression Coupler, 1 3/4" Pipe Thread Swivel to 1/2" Compression Adaptor & Washer, 10 Wire Hooks and 1 RAINDRIP Handbook.

#### TIMERS



#### **ELECTRONIC WATER TIMER**

One less chore to remember. Gardeners program RAINDRIP's single station battery-operated analog water timer and relax. Large control knobs for easy set-up. Frequency every 1, 2, 3, 4, 6, 8, 12, 24, 48, 72 or 168 hour(s) with run times of 1, 3, 5, 10, 15, 20, 30, 60 or 120 minute(s). In addition, timer has a manual on-off feature. Timer has built-in LED indicator to alert you when the batteries are low. Uses two AAA 1.5v batteries. Inlet: 3/4" female hose thread swivel. Outlet: 3/4" male hose thread.

MODEL NO.	QTY / PACK	PACKS / CARTON
R672CT (Hose Threads) R672BT (BSP Threads)		10 10
Programmateur d'arr R672QT (Hose Threads R672FI (BSP Threads)	) 1/clam shell blister	10 10
Regulador electrónico R672MT (Hose Threads	O	10



#### **DIGITAL WATER TIMER**

RAINDRIP's single Digital Water Timer is fully programable. Once you set up the clock, you can program 16 different watering schedules into the Timer. For example, you can program the watering to start at 7 AM every day, or only on Mondays, Wednesdays and Saturdays. Uses two AAA 1.5v batteries. Inlet: 3/4" female hose thread swivel. Outlet: 3/4" male hose thread.

MODEL	QTY /	PACKS /	
NO.	PACK	CARTON	
<b>R673CT</b> (Hose '	Threads) 1/clam shell blister	10	



#### **DUAL STATION WATER TIMER**

Use to automate outdoor watering of two separate outdoor areas using only one hose faucet! The Dual Timer is easy to program using dials, with no confusing and complicated digital clock to figure out. Unlike other watering timers on the market, the versatile Raindrip Dual Station works with drip systems, garden hose, soaker hose and sprinklers. Set to water from 1 minute up to 2 hours. Timer has built-in LED indicator to alert you when the batteries are low. Uses two AA battery.

MODEL	QTY /	PACKS /
NO.	PACK	CARTON
R682CP (Hose Threads	s) 1/clam shell blister	

# HOSE & TUBING

Durable • Versatile • Economical Professional quality drip watering hose and tubing

The hose and tubing are the manifold/supply line and feeder lines to any low flow and drip watering device. It is important that superior quality RAINDRIP hose and tubing be used in any installation that is expected to perform year-round, year after year.

- 1/4" Polyethylene manifold hose 5/8" & .710 Contractor's choice
- Professional Quality Hose in coils from 50 1000 feet
- Architecturally compatible colored tubing



Install 1/2" Drip-A-Long® for row crops such as tomatoes, corn and squash. Use 1/4" line for smaller, more closely placed plants.

Connect watering lines to 1/2" supply line. Supply line is buried.




Plant seedlings & seeds near drippers.




Faster, healthier growth with fewer weeds and less run off.



Drip-A-Long® features advanced design drippers built right into 1/4" tubing and 1/2" hose.



# **HOSE & TUBING**



RAINDRIP's 1/4" Drip Watering Tubing remains strong in the hot sun and flexible in cool temperatures. Our tubing is available in colors to coordinate with the most common outdoor surfaces!



Professional quality RAINDRIP 1/2", 5/8" and .710" Hose is made from linear, low-density polyethylene (poly). Composed of 2.2% carbon black and UV inhibitors, it can be left out year-round, buried or on the surface, in any weather. Superior to hose made from reprocessed materials.



#### **1/4" TUBING** (.160"-.197" I.D., .245" O.D.) 6 mm

Used as a feeder line off a 1/2", 5/8" or .710" main line, or as a complete circuit.

MODEL	COIL	COILS/CTN
R250DT Black	50'	10
R251DT Redwood	50'	10
R252DT Sand	50'	10
R255DT White	50'	10
R256DT Green	50'	10
R260DP Black	100'	5
016005VP Black Vinyl	50'	20
<b>016005P</b> Black	†50 <sup>'</sup>	20
<b>016010T</b> Black	†100'	10
<b>016050</b> Black	†500 <sup>'</sup>	1
<b>016100</b> Black	†1000'	1
016010VT Black Vinyl	100'	10

#### 1/2" POLY DRIP WATERING HOSE (.620"-.630" O.D.) 16 mm

Main line for most drip installations.

MODEL	COIL	COILS/CTN
R205DP	50'	5
R210DP	100'	5
R220DP	200'	5
052005P	†50 <sup>'</sup>	5
052010P	†100'	5
052020P	†200'	5
052050	†500 <sup>'</sup>	1
052100	†1000'	1

#### **5/8" POLY DRIP WATERING HOSE** (.690"-.700" O.D.) 18 mm

Main line for some drip installations. 20% more flow capacity than 1/2" hose.

MODEL	COIL	COILS/CTN
061005P	†50'	5
061010P	†100'	5
061020P	†200'	5
061050	†500 <sup>'</sup>	1
061100	†1000'	1

#### .710" POLY DRIP WATERING HOSE (.710" O.D.) 18 mm

Main line for some drip installations. 25% more flow capacity than 1/2" hose.

MODEL	COIL	COILS/CTN	
062005P	†50'	5	
062010P	†100'	5	
062020P	†200'	5	
062050	†500'	1	
062100	†1000'	1	

 $\dagger Bulk\ pack$ 

## DRIP-A-LONG®









#### 1/4" DRIP-A-LONG®

1/4" polyethylene tubing with built-in 1/2 GPH turbulent flow (non-pressure compensating) drippers every 12". An easy-to-use add-on product ideal for watering planters and small plants in rows and borders. Individual lines can run up to 20'. Model R280D includes 50' of Drip-A-Long® tubing and appropriate fittings.

COIL	COILS/CTN
50' + Fittings	10
50'	10
50'	10
50'	10
	50' + Fittings 50' 50'

#### 1/2" DRIP-A-LONG®

No drippers to insert in this polyethylene hose! Built-in pressure compensating turbulent flow drippers spaced at 12" or 18" intervals combine the reliability of drip watering with the convenience of soaker hose. Non-clogging, patented pressure compensating drippers maintain a constant flow rate of 1 GPH with supply pressure up to 60 PSI. Durable, but flexible poly hose can be left above ground year round and removed for retilling and replanting. Expandable to 400' with less than 5% variation in dripper outflow.

**Drip-A-Long\* System** Includes a swivel adaptor that easily connects to a faucet, garden hose or RAINDRIP 1/2" poly hose. System includes a hose end plug with 3/4" cap for flushing or easy system expansion.

R290DP	50'	5
50' of fully assembled	Drip-A-Long®. Includes	hook-up.

**Drip-A-Long® Hose** 1 GPH drippers spaced every 18".

R292DP	50'	5
049010P	100'	5

**Drip-A-Long**<sup>®</sup> **Hose** 1 GPH drippers spaced every 12".

**047010P** 100' 5



#### 1/4" POROUS SOAKER TUBING

Flexible porous tubing waters trees, hedges and garden areas. Connects to 1/4" barbed fittings, and needs a 1/2" or larger water supply line.

MODEL NO.	COIL	COILS/CTN
015005T	50'	10

# **DRIPPERS**

On-line & In-line emitters for drip watering trees, shrubs, most landscape plantings and plants in containers







- RAINDRIP's "turbulent flow" PC (pressure compensating) drippers maintain their rated flow rate for 10-60 PSI inlet pressure.
- More drippers on a single line increase versatility and decrease complexity.
- Can be used at the end of 1/4" tubing feeders or can be inserted directly into 1/2", 5/8" or .710" RAINDRIP hose.
- Can be buried and "ported" up to surface with 1/4" tubing.



English/French/Spanish

English / French - English/Spanish

Multi-lingual items throughout the catalog are flagged with these symbols for easy identification







The rewards of drip watering are efficiency, and effectiveness. Every plant gets exactly what it needs and


you save water, time and money.

- Precise, even drip watering
- Faster growth & healthier plants
- Up to 70% less water usage
- Greater yields & fewer weeds

are the leader in the industry for reliability, accuracy & versatility. There is a unique dripper design for every watering need.

13





# PC DRIPPERS • MINI IN LINE DRIPPERS



#### PRESSURE COMPENSATING DRIPPERS

For landscape & container plants. Maintains a constant flow rate even on hillsides or long circuits.





	MODEL NO.	QTY/ PACK	PACKS/ CARTON	QTY/ BIN BOX
	R108CT	10/card	10	
	R108CB	10/card		50
	R109CT	20/card	10	
<b>&gt;</b>	A108CT	10/card	10	
<b>&gt;</b>	A108CB	10/card		50
	PC2010B	10/bag		40
	PC2025B	25/bag		25
	PC2050B	50/bag		18
	PC2100B	100/bag		9
	R110CT	10/card	10	

50

50

40

25


18

9





1 GPH Drippers Ideal for medium soil (loam) Color coded: black base








**2 GPH Drippers** Ideal for light soil (sandy) Color coded: green base

R112CT	10/card	10	
R112CB	10/card		50
R113CT	20/card	10	
A112CT	10/card	10	
A112CB	10/card		50
PC8010B	10/bag		40
PC8025B	25/bag		25
PC8050B	50/bag		18
PC8100B	100/bag		9





Designed for use on level ground and shorter circuits.





1/2 GPH Drippers
Ideal for heavy soil (clay).
Color coded: red/black base

0				
MINI IN-LINE DRIPPERS	MODEL NO.	QTY/ PACK	PACKS/ CARTON	QTY/ BIN BOX
1/2 GPH Drippers	R116CT	10/card	10	_
Ideal for heavy soil (clay).	R116CB	10/card		50
Color coded: red/black base	116010B	10/bag		40
	116025B	25/bag		25
	116050B	50/bag		20
1 GPH Drippers	R117CT	10/card	10	_





1 GPH Drippers
Ideal for medium soil (loam).
Color coded: black base

10/card	10	
10/card		50
10/card	10	
10/card		50
10/bag		40
25/bag		25
50/bag		20
	10/card 10/card 10/card 10/bag 25/bag	10/card — 10 10/card 10 10/card — 10/bag — 25/bag —

# **BUTTON DRIPPERS • FLAG DRIPPERS**














#### PARTIALLY PRESSURE COMPENSATING DRIPPERS

For landscape and container plants.

#### **BUTTON DRIPPERS**


Value priced turbulent flow on-line dripper for most drip watering applications on level terrain.



BUTTON DRIPPERS FLOW RATE IN GPH						
PRESSURE (PSI)		•	<b></b>			
10	0.46	0.80	1.60			
15	0.55	1.10	2.10			
20	0.65	1.25	2.40			
25	0.70	1.30	2.70			

#### **NON PRESSURE COMPENSATING DRIPPERS**

Laminar flow take-apart design for easy clean out.



FLAG DRIPPERS FLOW RATE IN GPH							
PRESSURE (PSI)	K	K	K				
10	0.8	1.5	3.6				
15	1.0	1.8	4.3				
20	1.3	2.2	5.4				
25	1.5	2.5	6.0				
30	1.7	2.7	6.3				

# POP-UP/INGROUND SPRINKLERS & NOZZLES

 Nozzles are easy to use with an existing sprinkler system.
 Radius is easy to adjust.





Toro® is a registered trademark of The Toro Company

Nozzles are easy to use with an existing sprinkler system.

#### **NOZZLES**

A full selection of male nozzles compatible with TOrO® 570™ MPR sprinkler systems.



		MODEL	NO.		QTY/PACK	QTY/ BIN BOX
T	15' Radius	TP15F,	TP15TQ,	TP15H, TP15T, TI	P15Q 2	10
*	12' Radius	TP12F,	ТР12Н,	TP12Q	2	10
7	10' Radius	TP10F,	ТР10Н,	TP10Q	2	10
-	8' Radius	TP8F,	трвн,	TP8Q	2	10
9	5' Radius	TP5F,	ТР5Н,	TP5Q	2	10
	Shrub Adaptor	TSA			2	10
	POP-UP BOD	Υ				
		der bodies TPOP2	compatible	with Toro® 570™ M	IPR Sprinkler Series.	48
	2" Pop-Up	TPOP3				48
	3" Pop-Up 4" Pop-Up	TPOP4				48
		TPOP6				24
	6" Pop-Up	IPOPO				∠ <del>1</del>

NOZZLES

A full selection of

A full selection of nozzles compatible with all  $\boldsymbol{Rain}\ \boldsymbol{Bird}^{\boldsymbol{\varpi}}$  sprinkler systems.





Rain Bird\* is a registered trademark of Rain Bird Corporation

ı	15' Radius	RP15F, <b>●</b>	RP15TQ,	RP15H, RP15	r, rp15Q	2	10
ı	12' Radius	RP12F,	RP12H,	RP12Q		2	10
ı	10' Radius	RP10F,	RP10H,	RP10Q		2	10
ı	8' Radius	RP8F,	RP8H,	RP8Q		2	10
ı	5' Radius	RP5F,	RP5H,	RP5Q		2	10
	Shrub Adaptor	RSA		_		2	10

#### **POP-UP BODY**

Male Pop-Up Sprinkler bodies compatible with all **Rain Bird®** Spray Nozzles and Pop-Up Sprinkler Series.

2" Pop-Up	RPOP2	48
3" Pop-Up	RPOP3	48
4" Pop-Up	RPOP4	48
6" Pop-Up	RPOP6	24


# SPRINKLERS • MISTERS • JETS

Adjustable/non-adjustable items & assemblies

### Benefits of Raindrip Sprinklers & Sprayers

- Inexpensive and easy to use no tools or underground installation required
- Use up to 50% less water than conventional sprinklers
- Stakes with different sized risers are available for convenient height adjustment
- Four spray patterns
- Hose manifold can be above ground or buried
- Expandable easy to add or subtract sprinklers
- Easy to move or remove
- Operates quietly

Sprinklers in four primary spray patterns provide custom watering for ground cover, hillsides, flower beds, new plantings, and seed germination.



English/French/Spanish

English/French

English/Spanish

Multi-lingual items throughout the catalog are flagged with these symbols for easy identification



# **ADJUSTABLE SPRINKLERS & SPRAYERS**











#### ADJUSTABLE LOW-FLOW SPRINKLER HEADS

Featuring a knob to adjust the flow  $(4-20~{\rm GPH}~@25~{\rm PSI})$  and diameter of spray. Use on separate circuits. Do not mix with drippers.

MODEL	QTY/	PACKS/	QTY
NO.	PACK	CARTON	BIN BOX

**Full Circle Adjustable Stream Sprayer** Sprays 12 individual streams over a circular area with an adjustable diameter of up to 18 feet. (For windy conditions) Sprayer Inlet: 10-32 NFT



Full Circle Adjustable Rotary Sprinkler Uniformly sprays water over a full circle with an adjustable diameter of up to 15 feet. Sprinkler Inlet: 10-32 NFT



**Half Circle Adjustable Sprayer** Uniformly sprays water over a semicircular area with an adjustable radius of up to 7 feet. Sprayer Inlet: 10-32 NFT



**Quarter Circle Adjustable Sprayer** Uniformly sprays water over a quarter-circular area with an adjustable radius of up to 8 feet. Sprayer Inlet: 10-32 NFT

R191CT	5/card	10	
R191CB	5/card		35
A191005B	5/bag		50
A191010B	10/bag		35

**"Bow Tie" (Strip) Adjustable Sprayer** Waters two 30° patterns each with a radius up to 8 feet. Adjustable length of up to 16 feet x 4 feet. Sprayer Inlet: 10-32 NFT

	R198CT	5/card	10	
7	R198CB	5/card		35
	A198010B	10/bag		35



I	ADJUSTABLE LOW-FLOW SPRINKLERS							
PERFORMANCE		-	G	-	-	-		
		360°	360°	180°	90°	2 X 30°		
PRESSURE (PSI)	FLOW (GPH)	DIAMETER OF THROW (IN FEET)	DIAMETER OF THROW (IN FEET)	RADIUS OF THROW (IN FEET)	RADIUS OF THROW (IN FEET)	RADIUS OF THROW (IN FEET)		
10	13.6	7.5	6.6	2.6	3.8	3.1		
15	14.9	10.8	10.0	3.9	4.8	4.4		
20	18.3	13.6	13.3	5.0	5.0	5.3		
25	20.7	15.5	14.0	6.2	6.6	6.3		
30	22.1	17.3	14.6	6.8	7.8	7.5		
35	23.9	18.9	15.2	7.4	8.8	8.3		



# **SPRINKLERS • SPRINKLER & STAKE COMBINATIONS**









1	FLOW RATE IN GPH BY SPRINKLER					
	R183C	R186C	R190C	R197C		
PRESSURE	183XXX	186XXX	190XXX	197XXX		
(PSI)	P	P	P	5		
10	15.0	9.0	5.0	9.0		
15	17.9	11.7	6.4	11.7		
20	21.5	12.7	7.0	12.7		
25	25.7	14.1	7.9	14.1		
30	29.6	16.1	9.0	16.1		





#### NON ADJUSTABLE LOW-FLOW SPRINKLER HEADS

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

Full Circle Rotary Sprinkler Waters a full circle with a diameter up to 20'.

neads only.	met:	10-54	ľ
		1	?

R183CT	5/card	10	_
R183CB	5/card		35
183005B	5/bag	_	50

**Half Circle Sprayer** Waters a half circle with a radius up to 6'.

Heads only. Inlet: 10-32 NFT

R186CT	5/card	10	_
R186CB	5/card		35
186005B	5/bag		50


**Quarter Circle Sprayer** Waters a quarter circle with a radius up to 6'.

Heads only. Inlet: 10-32 NFT



"Bow-Tie" (Strip) Sprayer Waters two 30° patterns each with a radius up to 9'. Heads only. Inlet: 10-32 NFT





#### **SPRINKLER & STAKE COMBINATIONS**

MODEL QTY/	PACKS/	QTY/
NO. PAC	CARTON	BIN BOX

#### Low-Flow Rotary Sprinklers & 8" Stakes

Rociadores de Circulo Completo y Estacas de 8" Designed for ground cover, seed germination and hillside applications where routing of drippers to base of each plant is impractical. Non- adjustable sprinklers spray over a 16-22 ft. diameter circle. Operating pressure range: 15-70 PSI. Includes heavy duty 8" stakes with 4" risers.



R175CT	3/card	10	
R175CB	3/card		8
A175CT	3/card	10	_
A175CB	3/card		8

Full-Circle Adjustable Rotary Sprinklers & 8" Stakes Packaged with adjustable rotary sprinklers to uniformly spray over a full circle with an adjustable diameter of up to 15 feet. Operating pressure range: 15-70 PSI. Includes heavy duty 8" stakes with 4" risers.

3/card

3/card



R176CT

2/card

10

10

10

Half Circle Sprayers + Stakes

Arrosoirs à faible volume - demi-cercle et piquets (180°) Rociadores de caudal flojo - media circulo (180°)



Quarter Circle Sprayers + Stakes

Arrosoirs à faible volume - quart de cercle et piquets (90°) Rociadores de caudal flojo - cuarto de circulo (90°)



A178CT A178CB

8



# **SPRINKLER/SPRAYER ASSEMBLIES • MICRO SPRAYS**





#### ADJUSTABLE SPRINKLER/SPRAYER ASSEMBLIES

**With heavy duty 13" stake.** Includes pre-assembled adjustable sprinkler head, 13" stake with 8" adjustable riser and 2' of 1/4" tubing with a 1/4" connector. Turn the knob to adjust the flow (4-20 GPH @ 25 PSI) and spray. Rigid riser moves up or down to water above plants.

	MODEL NO.	QTY/ PACK	PACKS/ CARTON	QTY/ BIN BOX	
Full Circle Strea	ım Sprayer <i>I</i>	Assembly			
0000	R170CT	1/card	10		
	R170CB	1/card		15	
Full Circle Rota	ry Sprinkler	Assembly			
	R171CT	1/card	10		
	R171CB	1/card	_	15	
Half Circle Spra	yer Assemb	ly			
	R172CT	1/card	10		
	R172CB	1/card	_	15	
Quarter Circle Sprayer Assembly					
	R173CT	1/card	10		
	R173CB	1/card	_	15	

#### **MICRO SPRAY JETS**

For flowers, ground cover and hillsides.

Use with R382CT. R382CB, 382005B, 382010B, 384R0UB, R336C, R336CT and R336CB.

MICRO SPRAY JETS					
PERFORMA	ANCE	-	1	-	
		360°	180°	90°	
PRESSURE (PSI)	FLOW (GPH)	DIAMETER OF THROW (IN FEET)	RADIUS OF THROW (IN FEET)	RADIUS OF THROW (IN FEET)	
10	7.0	9.5	5.0	2.5	
15	8.9	11.5	6.5	4.0	
20	10.5	13.0	7.5	6.5	
25	11.9	15.5	8.0	7.0	
30	13.3	18.5	9.3	8.5	





MODEL NO.	QTY/ PACK	PACKS/ CARTON	QTY/ BIN BOX
eam Spray Jo	et		
R167CT	10/card	10	
R167CB	10/card		50
360JET010B	10/bag		100
R168CT R168CB	10/card 10/card	10	
icro Spray Je R169CT R169CB	<b>t</b> 10/card 10/card	10	
	REAL SPRAY JOE R167CT R167CB 360JET010B SPRAY JET R168CT R168CB 180JET010B SICRO SPRAY JET R169CT	Ream Spray Jet R167CT 10/card R167CB 10/card 360JET010B 10/bag  Spray Jet R168CT 10/card R168CB 10/card 180JET010B 10/bag  icro Spray Jet R169CT 10/card R169CB 10/card	PACK   CARTON







# **WINGED JET • SUPER JET SPRAYER ASSEMBLIES**









1/4" tubing may be threaded through stake eyelet to help secure assembly

#### **WINGED JET ASSEMBLIES**

MODEL

Sprays water up to a 6 foot radius. Non-Adjustable. Attach one end of 1/4" tubing to barbed adaptor and other end to 1/2" -.710" hose. Includes winged jet sprayer, 8" adjustable riser with 1/4" barbed adaptor and 13" stake.

QTY/

PACKS/

PACKS/

QTY/

	NO.	PACK	CARTON	BIN BOX
Full Circle Winge 31.4 GPH @20 PSI-We		•		
	P1075UB	loose+UPC	_	30
Half Circle Wing 28.2 GPH @20 PSI-W		•	_	30
Quarter Circle W 21.8 GPH @20 PSI-W	•	•	_	30

#### **SUPER JET SPRAYER ASSEMBLIES**

MODEL

Full Circle Pressure Compensating Sprayer Assemblies include: 13" stake, 2 feet of 1/4" tubing and 1/4" connector. Sprays water over a full circle in low angle jet streams. Unique take apart design for easy cleaning. Sprayer has integral "anti-insect" device. Non-Adjustable. Attaches to 1/2-5/8" from 1/4" tubing. **Ideal for hillsides.** 

QTY/

	NO.	PACK	CARTON	BIN BOX
Pressure Compens	ating 5 GPH @	20-60 PSI-Colo	r code: black	
spray radius 6.0'	P3530UB	Loose+UPC		12
Pressure Compens	ating 8 GPH @	20-60 PSI-Colo	r code: light bl	ue
spray radius 6.8'	P3531UB	Loose+UPC	_	12
Pressure Compens	ating 11 GPH	@ 20-60 PSI-Col	or code: dark i	blue
spray radius 8.5'	P3532UB	Loose+UPC		12
Pressure Compens	ating 15 GPH	@ 20-60 PSI-Col	or code: green	
spray radius 9.2'	P3534UB	Loose+UPC	_	12









# AQUA-POP™ • MISTERS



















#### **AQUA-POP™ ASSEMBLIES**

A rigid, high density polyethylene housing is designed to be 'planted' below ground. It becomes an efficient sprayer for ground cover and gardens, only 6 PSI needed to activate the pop-up riser. The Aqua-Pop  $^{\text{TM}}$  Assemblies thread directly into a  $1/2^{\text{"}}$  FPT nipple or connect to  $1/4^{\text{"}}$  tubing. We offer two installation options. Pre-assembled Aqua-Pops  $^{\text{TM}}$  come with full-circle, half-circle and quarter-circle Micro Spray Fan Jets.

MODEL QTY/ PACKS/ QTY/ NO. PACK CARTON BIN BOX



Full, Half and Quarter-Circle Micro Spray Jets (3 Jets/1 Pop-up) on 5" Riser and 1/4" barbed connector inlet.

APS5BUB Loose + UPC —



Full, Half and Quarter-Circle Micro Spray Jets (3 Jets/1 Pop-up) on 5" Riser and 1/2" male pipe thred inlet.

APS5TUB Loose + UPC — 14

Water pressure 'pops-up' the riser to 5" above gardens or ground cover. When not in use, the AQUA-POP<sup>TM</sup> retreats to ground level, out of sight.

#### **MISTERS**

Misters are used in dry, hot weather and in greenhouses and atriums to lower leaf temperatures and prevent leaf dry out. They are also useful for tropical plants which require application of water directly to the leaves and for moss baskets. Use misters on separate circuits—

do not mix with drippers.

MODEL QTY/ PACKS/ QTY/ NO. PACK CARTON BIN BOX

**Jet Mister & 4" Barbed Riser Assemblies** Jet Misters come mounted on 4" high density polyethylene risers with 1/4" barbed adaptors. Mists approx. 3 ft. diameter circle. Use to spray ferns and other tropical plants in hanging baskets, greenhouses and atriums. Flow rate: 6 GPH @ 25 PSI.



R165CT	5/card	10	
R165CB	5/card		40
165005B	5/bag		50

**Adjustable Misters and 4" Barbed Risers** Adjustable misters and 4" high density polyethylene risers with 1/4" barbed adaptors. Adjustable from fine to heavy mist — up to 3 ft. diameter. Flow rate: 4-7 GPH @ 25 PSI.



R166CT	3/card	10	
R166CB	3/card		20
166005B	5/bag		40

**Tornado Mist Spray Heads** Tornado mist sprayers feature a vortex water passage way that helps prevent clogging. Use with 12" rigid riser (part #3892005B) 7 *GPH @ 40 PSI-Wetted diameter: 5.4'-Color code: blue* 



**162005B** 5/bag — 50

#### **Tornado Ray Jet Assembly**



**P3420UB** — 12

# **STAKES**

Use to stabilize risers when sprinkler/sprayers are in use. (see below for example of product in use #3892005B)

# STAKES FOR SPRINKLERS, SPRAYERS, JETS & ADJUSTABLE BUBBLERS

MODEL QTY/ PACKS/ QTY/ NO. PACK CARTON BIN BOX

**14" Galvanized Stabilizer Stakes** Stabilizer stakes are used to secure 12" rigid risers in place when they are connected directly to 1/2"-.710" poly tubing. Use with rigid riser (part#3892005B899) and either misters, sprinklers, sprayers, or micro spray-jets.

R379CT	12/pack	10	
R379CB	12/pack		20

**8" Stakes for Low-Flow Sprinklers** Heavy duty 8" stakes with 4" risers for use with low-flow sprinklers, sprayers and jets. 1/4" double-barbed inlet secures connection of 1/4" tubing and directs it downward below soil surface for connection to 1/2" supply line. Constructed of high impact ABS and high density polyethylene.

R382CT	3/card	10	
R382CB	3/card		8
382005B	5/bag		8
382010B	10/bag		5

**13" Heavy Duty Stakes with 8" Adjustable Riser** Heavy duty 13" stake with adjustable 8" rigid riser for use with low-flow sprinklers and spray heads with 10-32 NFT inlets. Just screw the sprinkler/sprayer into the rigid riser moving it up or down to water above plants. Constructed of high density polyethylene and polypropylene.

R384CT	2/card	10	
R384CB	2/card		8
384ROUB	loose+UPC		32

12" Rigid Riser with 1/4" Barbed Adaptor These 12" rigid risers provide a mount upon which low flow sprinklers, sprayers, micro-spray jets, misters and some adjustable bubblers are mounted. The risers must be used in conjunction with a 13" support stake or 14" stabilizer stake. Riser has 1/4" barbed inlet. Mount sprinkler, sprayer, micro-spray jet, mister or bubbler by screwing them on to open end of riser.

3892005B	5/Pack	 20









389

# CONVERSION

RAINDRIP conversion products are a valuable addition to plumbing departments as well as garden centers. Adaptors & Tap-offs connect a variety of RAINDRIP low flow watering devices to a sprinkler riser, making even container & planter watering a practical operation.

**RAINDRIP** makes it easy to convert conventional underground sprinkler systems to efficient, effective low-flow and drip watering.














#### **ADJUSTABLE MANIFOLDS**

- · Variable flow rates per outlet
- Ideal for landscaped perimeters & garden areas
- No wasteful overspray; dry, safe walkways
- Can be used with timer Fewer weeds, less erosion





· Boxed Hydroport Kit

English / French - English/Spanish

- Blister Cards with full instructions
- · Economy Bulk Bags
- · Bin Boxes for high volume merchandising



## **ADJUSTABLE MANIFOLDS**













#### **HYDRO-PORT® WATERING MANIFOLD**

Using patented technology, converts a traditional underground sprinkler system to a micro irrigation drip system. Waters up to eight plants with one unit. Fully adjustable ports with flows that can be individually set from 0 to 30 GPH. Swivel arms aid in fine-tuning outlet tubing position. Pressure-rated up to 8880 PSI. Built-in filter extends system lifespan by preventing clogging from debris. UV inhibitors minimize polymer breakdown when used in outdoor applications. Inlet: 1/2" female pipe thread; Outlet: 1/4" ports (available in 4 port and 8 port versions).

MODEL NO.	QTY/ PACK	PACKS/ CARTON	QTY/ BIN BOX
R154DT (8 port)	1/box	10	
13400UB (4 port)	Loose + UPC		20
13800UB (8 port)	Loose + UPC		20

#### **HYDRO-PORT® WATERING MANIFOLD KIT**

Complete kit includes everything in R154DT above and in addition: 50' of 1/4" tubing and 8.4" support stakes to direct the water to the plant's root zone.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX
R574DT	1/box	10	_

#### **ADJUSTABLE 6-OUTLET MANIFOLD**

Converts 1/2" sprinkler riser to six adjustable **pressure compensating** outlets. Each outlet is fully adjustable from 0-20 GPH, maintaining a constant flow rate with pressures ranging from 15-40 PSI. Inlet: 1/2" FPT, Outlet: 1/4" barbed valve

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX
13500UB	Loose+UPC	_	20

## ADJUSTABLE BUBBLERS ON STAKES

Adjustable Bubbler rotates easily to preferred water flow — from full coverage for sbrubs and large potted trees to sbut-off position.

Barbed Connector attaches 1/4"Tubing to this sturdy 'easy-to-plant' stake.



153



155



156

#### **ADJUSTABLE BUBBLERS**

Convert existing 1/2" underground sprinkler systems to low flow watering where a drip circuit can't be set up. Adjustable bubblers are available in stream spray with a maximum spray diameter of 3' @ 30 PSI or for finer water droplets, a fan spray, with spray diameter up to 13' @ 30 PSI. Bubbler flow rates are adjustable from 0-13 GPH @ 30 PSI for stream type, and from 0-24 GPH @ 30 PSI for the fan spray. These features allow the higher flow rates required when watering large and small plants on the same circuit.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

#### Full Circle Fan Spray Bubbler on Stake



R153CT	3/card	10	
R153CB	3/card	_	16
153005B	5/bag		20
15300UB	loose+UPC	_	100

FAN SPRAY BUBBLERS			
R153C 153XXX	360°		
PRESSURE (PSI)	FLOW (GPH)	DIAMETER OF THROW (IN FEET)	
15	0-17	0-9	
20	0-20	0-11	
30	0-24	0-13	

#### Half Circle Stream Spray Bubbler on Stake



R155CT	3/card	10	
R155CB	3/card	_	16
155005B	5/bag	_	20
15500UB	loose+UPC	_	100

#### Full Circle Stream Spray Bubbler on Stake



R156CT 3/	card	10	
R156CB 3/	card		16
156005B 5/	bag		20
15600UB lo	ose+UPC		100



# **ADJUSTABLE BUBBLERS**



#### **ADJUSTABLE BUBBLERS**

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

#### Full Circle Stream Spray Bubbler 1/4" Barbed Inlet



R157CT	5/card	10	
R157CB	5/card		35
157005B	5/bag		100
157010B	10/bag		40
157050B	50/bag		18



#### Full Circle Stream Spray Bubbler 10-32 NF Threaded Inlet



R158CT	5/card	10	_
R158CB	5/card		35
158010B	10/bag		40





# Full Circle Stream Spray Bubbler on 1/2" FPT Adapter



15900UB	10/bag	10	150

## Half Circle Stream Spray Bubbler on 1/2" FPT Adapter



16000UB	loose+UPC	10	150



	STREAM SPRAY BUBBLERS						
PERFORM	NANCE	180°	360°	360°	360°	360°	180°
PRESSURE (PSI)	FLOW (GPH)	RADIUS OF THROW (IN FEET)	DIAMETER OF THROW (IN FEET)				
15	9	1.2	1.2	1.2	1.2	1.2	1.2
20	10	1.5	1.9	1.9	1.9	1.9	1.5
30	13	2.0	3.0	3.0	3.0	3.0	2.0

## **EMITTERS & BUBBLERS**





R144C

#### **DRIP STAR EMITTERS**

Ideal for watering up to six plants with only one unit. Micro irrigation emitter contains six pressure-compensating ports. Provides equal water flow at 1 GPH for each outlet. Unique inset prevents tubing kinks and outlet damage. Female threaded connection. UV inhibitors added to material.

Inlet: 1/2" female pipe thread, Outlet: four recessed ports for 1/4" tubing.

MODEL NO.		QTY/ PACK	PACKS/ CARTON	QTY/ BIN BOX
R144CT	1 GPH-Color coded: red	loose+UPC	10	
R144CB	1 GPH-Color coded: red	loose+UPC		20











#### **MULTIPLEX BUBBLER™ ASSEMBLIES**

Converts individual sprinkler risers to high flow bubblers. Contains six independent pressure compensating bubblers in a single housing. Constant 2, 6, 10 or 20 GPH per outlet, depending upon model number, with supply pressure of 15 to 80 PSI. Use from one to six as needed by snipping off tip of nipple. Includes filter and street elbow. Inlet: 1/2" female pipe thread, Outlet: six 1/4" nipples.

MODEL NO.		QTY/ PACK	PACKS/ CARTON	QTY/ BIN BOX
R145CB	2 GPH-Color coded: blue	1/card	_	20
R146CT	6 GPH-Color coded: black	1/card	10	
R146CB	6 GPH-Color coded: black	1/card		20
R147CT	10 GPH-Color coded: red	1/card	10	
R147CB	10 GPH-Color coded: red	1/card		20
R148CT	20 GPH-Color coded: green	1/card	10	
R148CB	20 GPH-Color coded: green	1/card		20

#### **FOUR OUTLET BUBBLERS**

Converts individual sprinkler risers to high flow bubblers. Contains four pressure compensating bubblers in a single housing. Constant 2, 6, 10 or 20 GPH per outlet, depending upon model number, with supply pressure of 20 to 80 psi. All four 1/4" barbed outlets are open. Includes filter. Inlet: 1/2" female pipe thread, Outlet: four 1/4" nipples.

MODEL NO.		QTY/ PACK	PACKS/ CARTON	QTY/ BIN BOX
QB02UB	2 GPH-Color coded: blue	loose+UPC		75
QB06UB	6 GPH-Color coded: black	loose+UPC		75
QB10UB	10 GPH-Color coded: red	loose+UPC		75
QB20UB	20 GPH-Color coded: green	nloose+UPC		75

# **CONVERSION ADAPTORS**





#### **CONVERSION ADAPTORS**

MODEL QTY/ PACKS/ QTY/ NO. PACK CARTON BIN BOX

#### **SWIVEL TEE ASSEMBLY FOR 1/2" & 3/4" RISER**

Converts 1/2" sprinkler riser to a 1/2" double drip manifold. Connects two 1/2" poly hose to a 1/2" sprinkler riser. Includes: tee, filter, 3-way connector & 2 flow controls.

R334CT	1/card	10	
R334CB	1/card		16





#### SWIVEL ELBOW ASSEMBLY FOR 1/2" & 3/4" RISER

Converts 1/2" sprinkler riser to a 1/2" single drip manifold. Connects one 1/2" poly hose to a 1/2" sprinkler riser. Includes: elbow, filter, 3-way connector & 2 flow controls.

R335CT	1/card	10	
R335CB	1/card		16





#### 1/2" RISER ADAPTORS FOR LOW-FLOW SPRINKLERS

Connects RAINDRIP low-flow sprinklers to 1/2" MPT sprinkler risers. Inlet: 1/2" FPT Outlet: 10-32 NF Includes filter washer.

R336CT	1/card	10	
R336CB	1/card		30
336002B	2/bag		50





#### 1/2" DUAL PORT RISER ADAPTOR

Converts sprinkler risers to two 1/4" drip lines. Inlet: 1/2" FPT Outlet: 1/4" barbed tee.

336STUB	loose+UPC	 50





#### 1/4" DRIP LINE TAP-OFF FOR 1/2" SPRINKLER RISER

Connects 1/4" tubing to existing 1/2" MPT underground sprinkler riser. Inlet: 1/2" FPT Outlet: 1/4" barb and 1/2" MPT Includes filter washer.

R338CT	1/card	10	
R338CB	1/card		32
338005B	5/bag		15

# FITTINGS & ADAPTORS

Hose and tubing fittings, ends, adaptors and PVC adaptors

All RAINDRIP fittings are made in the USA of quality materials for optimum performance with RAINDRIP hose and are interchangeable with competitive systems.

- 1/4" Fittings and adaptors for use with 1/4" tubing
- 1/2" Barbed fittings offering the most economical option
- ABS Compression fittings and adaptors for high performance applications
- Fittings available sized to meet contractor's specifications for professional installations



English/French/Spanish

- English / French

English/Spanish

Multi-lingual items throughout the catalog are flagged with these symbols for easy identification

**RAINDRIP** manufactures fittings and adaptors to meet every need, whether your customers are professionals or do-it-yourselfers.









**RAINDRIP Compression Fittings** for optimum performance with water pressures up to 60 psi

**RAINDRIP** fittings & parts are packaged to offer quantity and price point options:

- Blister Cards with full installation instructions
- Bulk Bags







# **TEES & BARBED CROSS**

305





#### **TEES**

Establish branch circuits.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

**BARBED TEES** Our exclusive double barbed design allows use with higher water pressures.

**1/4" Double Barbed Tee** For use with 1/4" (.160" I.D.) tube only. Creates a 1/4" branch from a 1/4" tube, or two 1/4" branches from a 1/2" hose. For water pressures up to 50 PSI.

R307CT	5/card	10	
R307CB	5/card	_	50
R308CT	10/card	10	
R308CB	10/card		50
A307CT	5/card	10	
A307CB	5/card		65
307010B	10/bag		100
307025B	25/bag		40
307050B	50/bag		25
307100	100/bag	1	






**1/2" Double Barbed Tee** For use with 1/2" (.520"-.525" I.D.) hose only. For water pressure up to 30 PSI.

305005B	5/bag	_	6
305050	50/bag	1	

**COMPRESSION TEES** Made from ABS. For water pressure up to 60 PSI. Ends are color coded for easy size identification.

**1/2" Compression Tee** For use with 1/2" (.620"–.630" O.D.) hose only. *Color coded - Green compression rings* 



R348



**5/8" Compression Tee** For use with 5/8"(.690"–.700"O.D.) hose only. *Color coded - Black compression rings* 

R348CT	2/card	10	
R348CB	2/card	_	10
348G10B	10/bag	_	4
348G00UB	loose+UPC	_	40





.710" Compression Tee For use with .710" O.D. hose only. Color Coded - Blue compression rings

349G00UB	loose+UPC	_	40
----------	-----------	---	----


# **CONNECTORS • COUPLERS**



312



310005B



310/344



345



36





#### **CONNECTORS / COUPLERS**

Join or connect two lengths of line.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

#### **BARBED CONNECTORS**

Exclusive double barbed design allows use with higher water pressures.

**1/4" Double Barbed Connector** For use with 1/4" (.160" I.D.) tube only. Double barb design allows water pressures up to 50 PSI.

R312CT	5/card	10	
R312CB	5/card		65
R313CT	10/card	10	
R313CB	10/card		65
A313CT	10/card	10	
A313CB	10/card		65
312010B	10/bag		100
312025B	25/bag		50
312050B	50/bag		40
312100B	100/bag	1	_

**1/2" Double Barbed Connector** For use with 1/2" (.520"-.525" I.D.) hose only. For water pressure up to 30 PSI.

310005B	5/bag		10
310100	100/bag	1	

**COMPRESSION COUPLERS** Made from ABS. For water pressure up to 60 PSI. Ends are color coded for easy size identification.

**1/2" Compression Coupling** For use with 1/2" (.620"–.630" O.D.) hose only. *Color coded Green compression ring* 

R310CT	2/card	10	_
R310CB	2/card		20
A310CT	2/card	10	_
A310CB	2/card		20
344G10B	10/bag		7
344G00UB	loose+UPC		75

**5/8" Compression Coupling** For use with 5/8" (.690"–.700"O.D.) hose only. *Color coded Black compression ring* 

R345CT	2/card	10	_
R345CB	2/card		20
345G10B	10/bag		7
345G00UB	loose+UPC		75

**.710" Compression Coupling** For use with .710" O.D. hose only.

otor	coaea .	виче compress	sion ring	
		360G00UB	loose+UPC	

<b>Compression Reduction Couplings</b>	Joins two different size hoses. 1/2" hose to	

Compression Reduction	ni coupinigs	Johns two unici	CIII SIZC HOSCS. 1/2 II	O.
5/8" hose. <i>Color coded 1/2</i> "	(Green) x 5/8"	(Black) comp	pression ring	
R341CT	1/card	10		

R341CT	1/card	10	
R341CB	1/card		40
352G00UB	loose+UPC		75

#### **ELBOWS**














#### **ELBOWS**

Create 90° turn in line.

BARBED ELBOWS Our exclusive double barbed design allows use with higher pressures.

MODEL OTY/ PACKS/ OTY/
NO. PACK CARTON BIN BOX

**1/4" Double Barbed Elbow** For use with 1/4" (.160" I.D.) tube only. Exclusive double barb design allows water pressures up to 50 PSI.



R314CT	5/card	10	
R314CB	5/card		40
314010B	10/bag		100
314050B	50/bag		20
314025B	25/bag		20
314100	100/bag	1	

**1/2" Barbed Elbow** For use with 1/2" (.520"-.525" I.D.) hose only. For water pressure up to 30 PSI.



315005	5/bag	1 —
315050	50/bag	1 —

**COMPRESSION ELBOWS** Made from ABS. For water pressure up to 60 PSI. Ends are color coded for easy size identification.



1/2" Compression	<b>Elbow</b> For use with	1/2" (.620"630"	O.D.) hose only.
Color coded green con	npression ring		



R315CT	2/card	10	
R315CB	2/card		16
A315CT	2/card	10	
A315CB	2/card		16
367G10B	10/bag		6
367G00UB	loose+UPC		60

**5/8" Compression Elbow** For use with 5/8"(.690"—.700"O.D.)hose only. *Color coded black compression ring* 



R368CT	2/card	10	
R368CB	2/card		16
368G10B	10/bag		6
368G00UB	loose+UPC		60

**.710" Compression Elbow** For use with .710"O.D. hose only. *Color coded blue compression ring* 



369G00UB	loose+UPC	60

#### 1/4" BARBED CROSS

Four way intersection for use with 1/4" tubing. Our exclusive double barbed design, allows use with higher water pressures.



R399CT	4/card	10	
R399CB	4/card		50
399010B	10/bag		50

# **END CLAMPS • COMPRESSION HOSE END PLUGS**





#### **END CLAMPS**

Closes off ends of tubing and hose.

MODEL	QTY/	PACKS/	QTY
NO.	PACK	CARTON	BIN BOX




	- 4	
299005B	5/bag	 25





R301CT	5/card	10	
R301CB	5/card		20
300005B	5/bag		25
300025B	25/bag		10



R302CT	5/card	10	
R302CB	5/card		50
A302CT	5/card	10	
A302CB	5/card		50
302010B	10/bag		25





#### **COMPRESSION HOSE END PLUGS**

303G05B

303G00UB

Close off ends and flush hose. Made from ABS. For water pressure up to 60 PSI.

1/2" Compression Hose End Plug with 3/4" Cap Closes ends of 1/2" (.620"-.630" O.D.) poly hose when frequent flushing is necessary. Green compression ring





_				
F	R303CT	1/card	10	
F	R303CB	1/card		30
A	303CT	1/card	10	
A	303CB	1/card		30

5/8" Compression Hose End Plug with 3/4" Cap Closes ends of 5/8" (.690"-.700" O.D.) poly hose when frequent flushing is necessary. Black compression ring

5/bag

loose+UPC





R304CT	1/card	10	
R304CB	1/card		30
304G05B	5/bag		15
304G00UB	loose+UPC		75

15

75





.710" Compression Hose End Plug with 3/4" Cap Closes ends of .710" O.D. poly hose when frequent flushing is necessary.

Blue compression ring

305G00UB	loose+UPC	 75
JUJUUUU	100301010	1)

## SWIVEL ADAPTORS





To join tubing to threaded adaptor.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

30 30 50

30

30

50

30 50

30 50



For use with 1/4" (.245" O.D.) tube only. Connects 1/4" tubing to faucet or other 3/4" male hose thread. Includes filter washer.





NJ4
R32
A325
A325
3250

R325CT	1/card	10
R325CB	1/card	
A325CT	1/card	10
A325CB	1/card	
325G00UB	loose+UPC	



For use with 1/4" (.245" O.D.) tube only. Connects 1/4" vinyl tubing to 3/4" male pipe thread. R326CT/R326CB includes washer.



R326CT	1/card	10	
R326CB	1/card	_	30
326G00UB	loose+UPC		50


#### 3/4" Hose Thread Swivel x 1/2" Compression Adaptor


For use with 1/2" (.620"–.630" O.D.) hose only. Connects 1/2" poly hose to faucet or other 3/4" male hose thread. Includes filter washer. *Green compression ring* 



R320CT	1/card	10
R320CB	1/card	_
A320CT	1/card	10
A320CB	1/card	
320G00UB	loose+UPC	

## SWIVEL ADAPTORS:







#### 3/4" Pipe Thread Swivel x 1/2" Compression Adaptor

For use with 1/2" (.620"-.630" O.D.) hose only. Connects 1/2" poly hose to 3/4" male pipe thread. Includes washer. *Green compression ring* 

	5	-	BS.	
	d	~	7	b
			- 1	
4	w	ĸ.	- 2	
	٦	۰.	-6	r

R321CT	1/card	10
R321CB	1/card	
321G00UB	loose+UPC	



#### 3/4" Hose Thread Swivel x 5/8" Compression Adaptor

For use with 5/8" (.690"-.700" O.D.) hose only. Connects 5/8" poly hose to faucet or other 3/4" male hose thread. Includes filter washer. *Black compression ring* 



R327CT	1/card	10
R327CB	1/card	
327G00UB	loose+UPC	



#### 3/4" Pipe Thread Swivel x 5/8" Compression Adaptor

For use with 5/8" (.690"–.700" O.D.) hose only. Connects 5/8" poly hose to 3/4" male pipe thread. Washer included. *Black compression ring* 





# Hose thread versions connect hose to 3/4" Male Hose Thread.

Pipe thread versions connect hose to 3/4" Male Pipe Thread.



#### 3/4" Hose Thread Swivel x .710" Compression Adaptor

For use with .710" O.D. hose only Connects .710" poly hose to faucet or other 3/4" male hose thread. Includes filter washer. **Blue compression ring** 



mici washci. Di	ne compression	11118	
356G00UB	loose+UPC		50



#### 3/4" Pipe Thread Swivel x .710" Compression Adaptor

For use with .710" O.D. hose only. Connects .710" poly hose to 3/4" male pipe thread. Washer included. *Blue compression ring* 



357G00UB loose+UPC

- 50

# STRETCH 'n LOCK™ FITTINGS

#### STRETCH 'n LOCK™

Unique design accommodates a range of hose diameters and will not blow off hose with water pressures up to 100 PSI.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX





STRETCH 'n LOCK™ TEE

**1/2"-.710"** Stretch 'n Lock<sup>™</sup> Tee For use with 1/2" - .710" (.520"-.620" I.D.) hose.

S5500UB loose+UPC — 25





#### **STRETCH 'n LOCK™ COUPLER**

**1/2" - .710" Stretch 'n Lock™ Coupler** For use with 1/2" - .710" (.520"-.620" I.D.) hose.

**S5600UB** loose+UPC — 50





#### STRETCH 'n LOCK™ ELBOW

**1/2"-.710" Stretch 'n Lock™ Elbow** For use with 1/2" - .710" (.520"-.620" I.D.) hose.

S5700UB loose+UPC — 25







#### STRETCH 'n LOCK™ HOSE END PLUG

**1/2"-.710"** Stretch 'n Lock<sup>TM</sup> Hose End Plug with 3/4" Cap For use with 1/2" -.710" (.520"-.620" I.D.) hose.

**S5800UB** loose+UPC — 50





#### STRETCH 'n LOCK™ ADAPTOR

**3/4" Hose Thread Swivel x Stretch 'n Lock™ Adaptor** For use with 1/2" -.710" (.520"-.620" I.D.) poly hose. Connects poly hose to faucet or other 3/4" male hose thread. Includes filter washer.

**S5900UB** loose+UPC — 50





**3/4" Pipe Thread Swivel x Stretch 'n Lock™ Adaptor** For use with 1/2" -.710" (.520"-.620" I.D.) poly hose. Connects poly hose to 3/4" male pipe thread. Includes plain washer.

S6000UB	loose+UPC	50
OUUUUUD	IOOSC±UFG	 )()

## **SWIVEL TEE ADAPTORS**


#### **SWIVEL TEE ADAPTORS**

Hose thread versions connect two hoses to 3/4" male hose thread (faucet). Pipe thread versions connect two hoses to 3/4" male pipe thread. For water pressure up to 60 PSI. Available in 3/4" BSP thread. Call for details.

3/4" Hose Thread Swivel x 1/2" Compression Tee For use with 1/2"

MODEL	OTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX





(.620"-.630" O.D.) hose only. Includes filter washer. *Color coded Green compression ring* 

R332CT	1/card	10	
R332CB	1/card		16
332G00UB	loose+UPC		50

3/4" Pipe Thread Swivel x 1/2" Compression Tee For use with 1/2" (.620"-.630" O.D.) hose only. Washer included. Color coded Green compression ring









3/4" Hose Thread Swivel x 5/8" Compression Tee For use with 5/8" (.690"-.700" O.D.) hose only. Includes filter washer. Color coded Black compression ring



R337CT	1/card	10	
R337CB	1/card		16
337G00UB	loose+UPC		30



3/4" Pipe Thread Swivel x 5/8" Compression Tee For use with 5/8" (.690"-.700" O.D.) hose only. Washer included. Color coded Black compression ring



R339CT 1/card 10 R339CB 1/card 339G10 10/bag



3/4" Hose Thread Swivel x .710" Compression Tee For use with .710" O.D. hose only. Includes filter washer. Color coded Blue compression ring



358G00UB loose+UPC 50



3/4" Pipe Thread Swivel x .710" Compression Tee For use with .710" O.D. hose only. Washer included. Color coded Blue compression ring



359G10 10/bag 1

16

## THREAD TO THREAD ADAPTORS













#### **THREAD TO THREAD ADAPTORS**

Used to adapt connections to a water source.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX



**1/2" to 1/2" Street Elbow** Connects 1/2" male pipe thread riser to 1/2" female pipe thread. Use with R144CB-R148CB models.

36200UB	loose+UPC	 20



**1/2" to 3/4" Street Elbow** Connects 1/2" male pipe thread riser to 3/4" female pipe thread. Use with R461CB, R462CB, R465CB, 461XXX, 462XXX and 465XXX model numbers.

36300UB	loose+UPC	 20



**3/4"** Hose to **3/4"** Pipe Swivel Coupling Connects 3/4" male pipe thread to 3/4" male hose thread. Use with R605DT.

R650CT	1/card	10	_
R650CB	1/card		30
650G00UB	loose+UPC		75



**3/4" Pipe to 3/4" Pipe Swivel Coupling** Connects 3/4" male pipe thread to 3/4" male pipe thread. Use with R605D.

R652CT	1/card	10	
R652CB	1/card		30
652G10	10/hag	1	



**1/2" Male Pipe Thread x 3/4" Male Hose Thread** Connects 1/2" female pipe thread to 3/4" female hose thread. Use for hook-up to 1/2" sprinkler type anti-syphon.

659010	10/bag	1	
--------	--------	---	--



**3-Way Connectors** Connects 3/4" female pipe thread to 3/4" female hose thread or 1/2" male pipe thread. Use to convert conventional sprinkler/sprayer systems to drip or any female 3/4" hose thread connection.

R660CT	2/card	10	
R660CB	2/card		36
660010	10/bag	1	_

## **ADAPTORS • PVC ADAPTORS**



















Use to adapt connections to a water source.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

1

1/2" Male Pipe Thread x 3/4" Male Pipe Thread

661010

662010

Connects 1/2" female pipe thread to 3/4" female pipe thread. Use for hook-up to 1/2" sprinkler type anti-syphon.

3/4" Male Hose Thread x 3/4" Male Pipe Thread Connects 3/4" female
hose thread to 3/4" female pipe thread. Use for hook-up to 3/4" sprinkler type anti-syphon

10/bag

10/bag

3/4" Male Pipe Thread x 3/4" Male Pipe Thread

Connects 3/4" female pipe thread to 3/4" female pipe thread. Use for hook-up to 3/4" sprinkler type anti-syphon.

663010	10/bag	1	

#### **PVC ADAPTORS**

Used to join hose directly to 1/2" PVC fitting or pipe.



R373CT	3/card	10	
R373CB	3/card		30
37300UB	loose+UPC		75

**5/8" Compression x 1/2" PVC Coupling** Joins 5/8" tubing to 1/2" PVC pipe. Black compression ring

R374CT	3/card	10	
R374CB	3/card		30
27/00UD	looge LIDC		75

1/2" Glue-in Compression Adaptor Glues into 1/2" PVC fitting to convert to 1/2" compression adaptor. Green ABS

R376CT	10/card	10	
R376CB	10/card	_	20
376025B	25/bag		15

5/8" Glue-in Compression Adaptor Glues into 1/2" PVC fitting to convert to 5/8" compression adaptor. Black ABS

R377CT	10/card	10	
R377CB	10/card		20
377025B	25/bag		15

.710" Glue-in Compression Adaptor Glues into 1/2" PVC fitting to convert to .710" compression adaptor. Blue ABS

378025B	25/bag	 15




















## **ACCESSORIES**

Valves • Pressure Regulators & Flow Controls • Filters • Installation Aids









RAINDRIP makes accessory items ideal for plumbing departments and garden centers – for use by the professional contractor and the do-it-yourself customer.







RAINDRIP is MULTI-LINGUAL

English/French/Spanish

English/French

English/Spanish

Multi-lingual items throughout the catalog are flagged with these symbols for easy identification RAINDRIP accessories are packaged to offer quantity and price point options:

- · Blister Cards with full instructions, charts and watering schedules.
- Bulk Bags

RAINDRIP

· Loose in Bin Boxes for high volume merchandising

### **VALVES**

















**1/4" Double Barbed Valve** (1/4" barb Inlet/Outlet) Adjusts, balances or shuts off water flow to watering circuits, zones or plants. For use with 1/4" (.160" I.D.) vinyl tubing only. Double barb design allows water pressures up to 50 PSI.

R612CT	2/card	10	
R612CB	2/card		50
612010B	10/bag		35

**1/4" Threaded Valve** (10-32 NFT Inlet/Outlet) Use to retrofit non-adjustable sprinklers attached to 1/4" (.160"-.170" I.D.) rigid poly risers only. For water pressure up to 60 PSI.

R613CT	4/card	10	
R613CB	4/card		30
613010B	10/bag		10

**3/4" FHT x 3/4" MHT Ball Valve** For use as a drain valve with 'Y' Filter R605DT, or as a shut-off valve with 'T' filter R608CT. Switch the lever for easy draining. Available in 3/4" BSP, contact your representative.

61500UB	loose+UPC	 50
615B00U(BSP Threads)	loose+UPC	 40



**"Y" Connector with Dual Shut-Off** Converts one faucet to two separately controllable outlets. 3/4" female hose thread inlet x 3/4" male hose thread outlets. Available in 3/4" BSP, contact your representative.

R616CT	1/card	10	
R616CB	1/card		14
61600UB	loose+UPC		50

**1/2" Compression Valve -** *Green Rings* For use with 1/2" (.620"–.630" O.D.) hose only. Compression inlet/outlet shut-off for 1/2" hose. For water pressure up to 60 PSI.



 R617CT
 1/card
 10
 —

 R617CB
 1/card
 —
 15

 61700UB
 loose+UPC
 —
 40

**5/8" Compression Valve -** *Black Rings* For use with 5/8" (.690"–.700" O.D.) hose only. Compression inlet/outlet shut-off for 5/8" hose. For water pressure up to 60 PSI.

R618CT	1/card	10	
R618CB	1/card		15
61800UB	loose+UPC	_	40

**3-Outlet Manifold with Triple Shut-Offs** Converts one faucet to three separately controllable outlets. 3/4" female hose thread inlet x 3/4" male hose thread outlets.

61900UB	loose+UPC	 10



Order Desk: 888 417 3747 / web: www.raindrip.com / e-mail: raindrip@raindrip.com

## **ANTI-SYPHONS • PRESSURE REGULATORS**











#### **ANTI-SYPHONS**

Atmospheric vacuum breaker made of high impact ABS. Keeps impure water from syphoning back into water supply. Required by most local health codes. Maximum flow rate: 480 GPH.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

**3/4"** Hose/Hose Anti-Syphon 3/4" hose female thread inlet; 3/4" male hose thread outlet. Includes filter washer.

Available in 3/4" BSP threads, contact your representative.





R620CT	1/card	10	_
R620CB	1/card		20
A620CT	1/card	10	
A620CB	1/card		20
62000UB	loose+UPC		45

**3/4"** Hose/Pipe Anti-Syphon 3/4" hose female thread inlet; 3/4" male pipe thread outlet. Includes filter washer.



R622CT R622CB 62200UB 1/card 10 1/card loose+UPC —

20 45









#### **REGULATION OF PRESSURE & FLOW RATE**

Precise regulation of pressure & flow rate is a key element of the RAINDRIP system. Three options are available for maximum flexibility & optimum performance: Flow controls, Adjustable Pressure Regulators & Preset Pressure Regulators.

#### 3/4" ADJUSTABLE PRESSURE REGULATOR & GAUGE

Large plastic adjustment knob, makes it easy to precisely dial in the desired system pressure. Maximum inlet pressure: 150 PSI. Outlet adjustable: 5-50 PSI. Hose thread inlet/hose thread outlet. Maintains selected pressure for circuits totaling 5-120 GPH. Inlet: 3/4" FHT swivel. Outlet: 3/4" MHT thread.

R450CP	1/clam shell blister	4	_
R450CB	1/clam shell blister	_	8

### PRESSURE REGULATORS







# 461/463















The most flexible pressure regulators, though suitable only for drip watering systems, sprinklers, and misters. Molded high impact ABS.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

#### PROFESSIONAL PRESET PRESSURE REGULATORS

3/4" FPT Pressure Regulator-preset @20 PSI, flow rate: 6-480 GPH

3/4" female pipe thread inlet and outlet. Maximum inlet pressure: 100 PSI

45100UB loose+UPC 20

3/4" FPT Pressure Regulator-preset @30 PSI, flow rate: 6-480 GPH

3/4" female pipe thread inlet and outlet. Maximum inlet pressure: 100 PSI

45200UB 20 loose+UPC

#### STANDARD PRESET PRESSURE REGULATORS

MAINTAINS 15-20 PSI FOR CIRCUITS TOTALING UP TO 360 GPH.

#### 3/4" Preset Hose Pressure Regulator

3/4" hose thread inlet x 3/4" hose thread outlet. Available in 3/4" BSP threads, contact your representative.

R460CT	1/card	10	
R460CB	1/card		19
<b>A460CT</b>	1/card	10	_
► A460CB	1/card		19
46000UB	loose		45

#### 3/4" Preset Pipe/Hose Pressure Regulator

3/4" pipe thread inlet x 3/4" hose thread outlet.

R461CT	1/card	10	_
R461CB	1/card		19
46100UB	loose+UPC	45	45

#### 3/4" Preset Pipe Pressure Regulator \*

3/4" pipe thread inlet x 3/4" pipe thread outlet.

R462CT	1/card	10	_
R462CB	1/card		19
46200UB	loose+UPC		45

#### MAINTAINS 25-30 PSI FOR CIRCUITS TOTALING UP TO 480 GPH.

#### 3/4" Preset Hose Pressure Regulator

3/4" hose thread inlet x 3/4" hose thread outlet. Available in 3/4" BSP threads, contact your representative.

R463CT	1/card	10	_
R463CB	1/card		19
<b>A463CT</b>	1/card	10	
<b>A463CB</b>	1/card	_	19
46300U	loose+UPC	45	45

#### 3/4" Preset Pipe Pressure Regulator

3/4" pipe thread inlet x 3/4" pipe thread outlet.

Available in 3/4" BSP threads, contact your representative.

R465CT	1/card	10	
R465CB	1/card	_	19
46500UB	loose+UPC	_	45




## **FILTERS**















#### **FILTERS**

Filters out particles in the water supply to further reduce the possibility of drippers clogging. Filter selection is determined by water quality.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

#### 3/4" "Y" FILTER AND PLANT FOOD APPLICATOR

Removes dirt particles from water supply and feeds plants automatically as they are watered. Handles up to 720 GPH through 150 mesh (100 micron) stainless steel or poly screen element. **Recommended for well water.** Model R605DT includes hose/pipe swivel coupling. Filter inlets and outlets are NPT. Can be used as an applicator for **Bloom & Grow Plant Food**.

R605DT	1/box	10	
polyester screen	element		

#### 3/4" "Y" FILTER- 3/4" MPT INLET & OUTLET

Can be used as an applicator for **Bloom & Grow Plant Food**.

60400UB polyester screen	loose+UPC element		6
604P01B polyester screen	1/bag element & 3/4" pipe/j	— pipe swivel co	6 upling
604Y01B polyester screen +FPT x MHT Ad:	loose element & 3/4" hose/ aptor	pipe swivel co	6 oupling

#### 1" "Y" FILTER- 1" MPT INLET & OUTLET

Can be used as an applicator for **Bloom & Grow Plant Food**.

60100UB	loose+UPC		6	
stainless steel screen element				
60500UB	loose+UPC		6	

Shown with optional ball flush-out valve 61500UB

#### **BLOOM & GROW PLANT FOOD 15-15-15**

Raindrip created the perfectly balanced supplement for your plants. Bloom & Grow Plant Food is water soluble, specifically formulated for drip irrigation systems and will not clog drippers or leave messy residue. Load one tablet for each emitter in your system. If your filter cartridge is too small, break the tablet into smaller pieces. It disolves in about 20 minutes. Repeat every three weeks for best results.

R680CB	30/bag		20
--------	--------	--	----

## FILTERS • FILTER ELEMENTS • FLOW CONTROLS















#### 3/4" "T" FILTER

MODEL QT	**	PACKS/	QTY/
NO. PAG		CARTON	BIN BOX

In-line filter with 150 mesh (100 micron) stainless steel screen attaches to 3/4" MHT Inlet: 3/4" FHT swivel for easy installation. Outlet: 3/4" MHT accepts RAINDRIP's hose swivel fittings. Element is easy to clean without dismantling unit. Capacity up to 10 GPM (600 GPH) with low pressure loss. Available in 3/4" BSP threads, contact your representative. Can be used as an applicator with **Bloom & Grow Plant Food**.

14
14
25

#### **FILTER WASHERS**

Traps water supply sediment to prevent clogging of drippers.  $60\,\mathrm{x}\,50$  mesh stainless steel screen. Use model # 609100 for 1/2" FPT and model # R610CT with 3/4" FHT fittings only. Recommended for city water supplies.

R610CT	3/card		65
R610CB	3/card	10	
609100	100/bag	1	
610100	100/bag	1	

#### **FILTER SCREEN ELEMENTS**

#### 150 MESH (100 MICRON) SCREEN ELEMENTS for 'Y' FILTERS

For use with 3/4" "Y" Filter.

60200UB Stainless Steel Screen	loose+UPC	_	10
602010	10/bag	1	
Stainless Steel Screen <b>603010</b>	10/bag	1	
Polyester Screen			

#### **FLOW CONTROLS**

**Pressure Compensating Flow Controls** The least expensive method to control flow. Maximum inlet pressure: 140 PSI. Color-coded by outlet flow capacity. Two piece design for exact pressure compensation from 10-140 PSI.

R425CT	4/card	10	_
R425CB	4/card		65
1 each: 10 GPH, 30			

## **SUPPORTS • STAKES • CLAMPS**











397





#### **SUPPORTS, STAKES & CLAMPS**

Designed to keep low-flow watering lines where you want them.

MODEL	QTY/	PACKS/	QTY/
NO.	PACK	CARTON	BIN BOX

#### 1/4" TUBING SUPPORTS

**4" Support Stakes** Plastic stakes hold 1/4" tubing in place next to plants.

R380CT	10/card	10	
R380CB	10/card		40
380010B	10/bag		30
380050B	50/bag		15
380100	100/hag	1	

**6" Heavy Duty Support Stakes** Heavy-duty plastic stakes hold 1/4" lines in place.

R381CT	10/card	10	
R381CB	10/card		22
A381CB	10/card		22
381010B	10/bag		25
381025B	25/bag		15
381050B	50/bag		8

**3.5"** Galvanized Wire 'U' Support Stakes Holds 1/4" tubing in place next to plants. 3.5" long; 11-gauge steel.

0, 0 0			
R396CT	20/card	10	
R396CB	20/card		20

#### 1/2"-.710" TUBING STAKES

**12" Galvanized Wire Stakes** Holds 1/2", 5/8" or .710" lines in place. 12" long; 11-gauge steel. Easy to bend. Packed in clear plastic tube.

R385CT	12/bundle	10	
R385CB	12/bundle		20
A385CT	12/bundle	10	
A385CB	12/bundle		20

**8" Galvanized Wire Hook Stakes (Shepherd Stakes)** Holds 1/2", 5/8" or .710" lines in place. 8" wire hook stakes pre-bent to hold lines in place easily.

R397CT	20/card	10	
R397CB	20/card		8
397010B	10/bundle		30
397015B	15/bundle		25
397025B	25/bundle	_	25

**6" Cleated Tubing Stakes** Holds 1/2", 5/8" or .710" lines in place. Plastic stakes have an exclusive cleated design to hold lines securely in place.

R398CT	8/card	10	
R398CB	8/card		6
398001IB	loose+UPC		50

#### **SUPPORT CLAMPS**

Black poly clamps molded to fit tubing or hose. Includes pre-inserted nail.

#### 1/4" Tubing Support Clamps

For fastening 1/4" tubing to posts, beams and stucco walls.

R390CT	15/card	10	
R390CB	15/card		50
390100B	100/bag		10

#### 1/2" Hose Support Clamps

For fastening 1/2"-5/8" hose to posts, beams, decks, patios, and walls.

R395CT	3/card	10	
R395CB	3/card		40
395025B	25/bag		10



## **HOLE PUNCHES • PLUGS • FIX-IT KIT**















#### **HOLE PUNCH, HOSE/TUBING CUTTERS & PLUGS**

NO. PACK CARTON BIN BOX	MODEL	QTY/	PACKS/	QTY/
	NO.	PACK	CARTON	BIN BOX

**Hole Punch** Designed for comfortable use. Punches holes in 1/2", 5/8" or .710" hose to insert PC drippers or 1/4" fittings. Card includes hole plugs.

R630CT	1/card	10	
R630CB	1/card	_	19
A630CT	1/card	10	
A630CB	1/card		19
63000UB	loose+UPC		100

**Professional Hole Punch** Designed for comfortable use. Punches holes in 1/2", 5/8" or .710" hose to insert PC drippers or 1/4" fittings.

63100UB	loose+UPC	 10

Professional Flexible Hose/Tubing Cutter Hardened stainless steel blade is designed to cut all flexible plastic hose/tubing up to 1.5" O.D.

63200UB	loose+UPC	 10

**Hole Plugs** Double-ended, double-duty plugs seal either large or small holes in 1/2", 5/8" or .710" hose.



**Bug Plugs/Diffusers** Use to prevent bugs from entering open 1/4" tube ends. Also when used in conjunction with high flow emitters/bubblers they spread the water stream in such a way as to reduce soil erosion.

R647CT	25/card	10	
R647CB	25/card		65

FIX-IT KIT A great way to help RAINDRIP gardeners maintain their low-flow watering systems. Convenient, compact plastic case has sections holding the parts needed to repair, change or expand an installation. The case is ideal for keeping leftovers, too. Spare parts can be stored in the reusable box for later use. Colorful, convenient kit includes:

- Each type of 1/4" fitting
- Hose End Clamps
- Filter Washer

- Hole Plugs
- Special Hole Punch
- PC Drippers

- Mini In-Line Drippers
- Mounting Clamps
- 1/4" Stakes

R558DT	1/kit	10	
R558FT (French label)	1/kit	10	



## **MERCHANDISING**

RAINDRIP Merchandising Displays are designed not just to catch the customer's eye, but to hold it. Color header cards show how the product is used and emphasize the benefits of drip watering. From starter centers to bulk pack displays, we'll help sell it!

#### DRIP WATERING **CENTERS & DISPLAYS**

These categories of merchandising programs are tailored to satisfy dealers everywhere in achieving maximum sales potential.

#### **NEW PRE-PACK DISPLAYS**

Our popular starter kits for patio plants and vegetable gardens are merchandised for quick selling in attractive restockable displays that can be placed in high traffic areas.

#### **PACKAGED COMPONENTS ON PEGBOARD**

#### R4012V Master Center

Most complete package display program for dealers ready to move beyond Starter Centers. Includes both drip and low volume sprinkler and mister components.

#### R3012V/R3112V Starter Centers

For first-time dealers willing to test drip watering in new markets.

#### A3005S Micro-Irrigation Center

Tri-Lingual packaging of popular RAINDRIP items.



**Single Station Timer Pre-pack Display** 36 kits with header in

**Dual Station Timer** Pre-pack Display

24 kits with header in a self-contained display

R682CDD English



DRIP



BAIN

**Patio Kit with Timer Pre-pack Display** 

12 kits with header in self-contained display box.

R859D English

Many dealers carry both the Packaged Program Centers and the Bulk Packed Components Display to appeal to both the novice and experienced consumer in the same market.

Eye-catching, informative packaging invites the customer to "Pick me up!"

High Impact color header makes RAINDRIP easy to find, easy to understand, easy to sell.

Drip-Smart™ key numbers belp the customers find what they need—and where and how it should be used—right at the point of sale.

> Easy to set up. Includes planogram, reorder cards and 12" books.

#### **BULK PACKED DISPLAYS**

All components merchandised in bin boxes—poly bagged or loose.

#### R4112P/R4212P/R4312P Maxi-Miser Displays For dealers in the Western market, where customers are already familiar with all the components and installation procedures. This display features larger bagged quantities for the most economical way to

#### R4412P/R4512P Mini-Miser **Display**

buy Raindrip.

Same as the Maxi-Miser, but with smaller quantities per bag. This display is a more conservative dealer investment.

#### **MASTER IRRIGATION CENTER**

The Master Center is designed for stores and garden centers serving experienced gardening enthusiasts and customers new to drip watering and low volume sprinkling.

#### **R4014C MASTER CENTER**

#### A Complete Drip and Low Volume Sprinkling Display

A supply of RAINDRIP items displayed on a 4' x 6' merchandiser ensures shopper involvement. Customers new to drip and low volume sprinklers will be attracted to the selection of Starter Kits for landscape, garden, container watering, ground cover and soaker systems. The Static Model shelf display will visually explain how the parts are installed. Gardeners who already have drip systems will love the convenience of individually packaged parts to expand their systems. Included is a full selection of P.O.P. materials, an advertising kit, and a colorful header card illustrating which RAINDRIP parts to use for different gardening applications, and how to use them. \* R4014C includes anti-syphons and appropriate pipe thread fittings to comply with most local plumbing codes.





R4014C Display fixture not included.

#### **BILL OF MATERIALS**

PART NO.	DESCRIPTION	NO. OF PACKS
015005T	1/4" Soaker Hose, 50' Coil	10
016005P	1/4" Poly Tubing - Black, 50' Coil	20
016010T	1/4" Poly Tubing - Black, 100' Coil	10
052005P	1/2" Poly Drip Watering Hose, 50' Coil	10
052010P	1/2" Poly Drip Watering Hose, 100' Coil	10
R108CT	1/2 GPH Pressure Compensating Drippers, 10/card	10
R110CT	1 GPH Pressure Compensating Drippers, 10/card	10
R112CT	2 GPH Pressure Compensating Drippers, 10/card	10
R116CT	1/2 GPH Mini In-line Drippers, 10/card	10
R117CT	1 GPH Mini In-line Drippers, 10/card	10
R153CT	Full Circle Bubbler on 5" Stake-Fan Spray, 3/card	10
R154DT	Hydroport™ Watering Manifold, 1/box	10
R156CT	Full Circle Adj. Bubbler 5" Stake-Stream Sprays, 3/card	10
R166CT	Adjustable Misters & 4" Barbed Risers, 3/card	10
R184CT	Full Circle Rotary Adjust. Sprinklers, 5/card	10
R187CT	Half Circle Adjust. Sprayers, 5/card	10
R191CT	Quarter Circle Adjust. Sprayers, 5/card	10
R302CT	1/4" Tube End Clamps, 5/card	10
R303CT	1/2" Hose End Plug with 3/4" Cap, 1/card	10
R305CT	1/2" Compression Tees, 2/card	10
R307CT	1/4" Barbed Tees, 5/card	10
R310CT	1/2" Compression Couplings, 2/card	10
R312CT	1/4" Barbed Connectors, 5/card	10
R314CT	1/4" Barbed Elbows, 5/card	10
R315CT	1/2" Compression Elbows, 2/card	10
R320CT	3/4" Hose Thd. Swivel X 1/2" Adaptor, 1/card	10
R321CT	3/4" Pipe Thread Swivel X 1/2" Adaptor, 1/card	10
R325CT	3/4" Hose Thread Swivel X 1/4" Adaptor, 1/card	10
R326CT	3/4" Pipe Thread Swivel X 1/4" Adaptor, 1/card	10
R334CT	Swivel Tee Assembly for 1/2" Riser, 1/card	10
R335CT	Swivel Elbow Assembly for 1/2" Riser, 1/card	10
R381CT	6" Heavy Duty Support Stakes, 10/card	10
R384CT	13" Heavy Duty Stakes + 8" Adjustable Riser, 2/card	10
R398CT	6" Cleated Tubing Stakes, 8/card	10
R463CT	3/4" Preset Hose Pressure Regulator 25 - 30 PSI, 1/card	10
R465CT	3/4" Preset Pipe Pressure Regulator 25 - 30 PSI, 1/card	10
R530DP	Drip Watering Landscape Kit™ + Anti-Syphon	3
R547DP	Deluxe Low-Volume Sprinkler Kit™+ Anti-Syphon	3
R557DT	Container Drip Watering Kit™ + Anti-Syphon	5
R567DT	Drip Vegetable Garden Kit™ + Anti-Syphon	5
R605DT	3/4" "Y" Filter & Fertilizer Applicator, 1/box	10
R612CT	1/4" Barbed Valves, 2/card	10
R616CT	"Y" Connector with Dual Shut-Off, (Hose Threads) 1/card	10
R620CT	3/4" Hose/Hose Anti-Syphon, 1/card	10
R622CT	3/4" Hose/Pipe Anti-Syphon, 1/card	10
R630CT	Hole Punch [includes hole plugs], 1 Punch/card	10
R645CT	Hole Plugs, 15/card	10
R672CT	Analog Electronic Water Timer, 1/clam shell blister	10
R682CP	Dual Timer	3
R705M	4' DIY Header Card	1
R725M	18" Header Card Holder	1
R720B	Micro Watering Handbook 25/Box	1
R759T	Static Model with Peg Hooks	1
R730N	Hooks for Static Model	2
R770L	Dealer Kit (Catalog & Pricelist)	1
	LL CENTERS DROP SHIPPED PREPA	

#### **ALL CENTERS DROP SHIPPED PREPAID**

## STARTER IRRIGATION CENTERS

**ORDER DESK:** 888 417 3747

web: www.raindrip.com

e-mail: raindrip@raindrip.com

Exec. In a Sourcest Drip of Low Velocine Supervise, for the Source State State

R3014C/R3114C Display fixture not included.

Starter Centers, an easy, affordable way for both you and your customer to discover the benefits of drip watering. These compact centers have small base areas, making them ideal where space is limited.

#### **R3014C SMALL STARTER IRRIGATION CENTER**

This center includes a selection of the fastest-selling components on cards for easy set up and stocking. RAINDRIP's selection of starter kits for landscape, vegetable garden and container watering is supplemented by colorful bubble cards of individual parts. Included are a full selection of P.O.P materials, an advertising kit and a colorful header card.

#### **BILL OF MATERIALS**

PART	DESCRIPTION	NO. OF
NO.	DECOMIN TION	PACKS
016005P	1/4" Poly Tubing - Black, 50' Coil	10
052005P	1/2" Poly Drip Watering Hose, 50' Coil	5
R108CT	1/2 GPH Pressure Compensating Drippers, 10/card	10
R110CT	1 GPH Pressure Compensating Drippers, 10/card	10
R112CT	2 GPH Pressure Compensating Drippers, 10/card	10
R117CT	1 GPH Mini In-line Drippers, 10/card	10
R153CT	Full Circle Bubbler on 5" Stake-Fan Spray, 3/card	10
R156CT	Full Circle Adj. Bubbler 5" Stake-Stream Sprays, 3/card	10
R184CT	Full Circle Rotary Adjust. Sprinklers, 5/card	10
R187CT	Half Circle Adjust. Sprayers, 5/card	10
R191 CT	Quarter Circle Adjust. Sprayers, 5/card	10
R302CT	1/4" Tube End Clamps, 5/card	10
R303CT	1/2" Hose End Plug with 3/4" Cap, 1/card	10
R305CT	1/2" Compression Tees, 2/card	10
R307CT	1/4" Barbed Tees, 5/card	10
R310CT	1/2" Compression Couplings, 2/card	10
R312CT	1/4" Barbed Connectors, 5/card	10
R315CT	1/2" Compression Elbows, 2/card	10
R320CT	3/4" Hose Thd. Swivel X 1/2" Adaptor, 1/card	10
R321CT	3/4" Pipe Thread Swivel X 1/2" Adaptor, 1/card	10
R380CT	4" Support Stakes (for 1/4" tubing), 10/card	10
R384CT	13" Heavy Duty Stakes + 8" Adjustable Riser, 2/card	10
R398CT	6" Cleated Tubing Stakes, 8/card	10
R465CT	3/4" Preset Pipe Pressure Regulator 25 - 30 PSI, 1/card	10
R530DP	Drip Watering Landscape Kit™ + Anti-Syphon	2
R547DP	Deluxe Low-Volume Sprinkler Kit™+ Anti-Syphon	2
R557DT	Container Drip Watering Kit™ + Anti-Syphon	4
R567DT	Drip Vegetable Garden Kit™ + Anti-Syphon	2
R605DT	3/4" "Y" Filter & Fertilizer Applicator, 1/box	2
R616CT	"Y" Connector with Dual Shut-Off, (Hose Threads) 1/card	10
R620CT	3/4" Hose/Hose Anti-Syphon, 1/card	10
R622CT	3/4" Hose/Pipe Anti-Syphon, 1/card	10
R630CT	Hole Punch [includes hole plugs], 1 Punch/card	10
R645CT	Hole Plugs, 15/card	10
R672CT	Analog Electronic Water Timer, 1/clam shell blister	3
R725M	18" Header Card Holder	1
R720B	Micro Watering Handbook 25/Box	1
R704M	3 Foot Header Card	1
R770L	Dealer Kit (Catalog & Pricelist)	1

## TRI-LINGUAL MICRO IRRIGATION CENTER

The Tri-Lingual Center offers Raindrip's most popular items in tri-lingual packaging (English, French & Spanish).

## A30048 TRI-LINGUAL MICRO IRRIGATION CENTER

This tri-lingual merchandising display is designed to fit a 4' x 54" gondola. The assortment will not only benefit our international French and Spanish speaking dealers, but also our domestic dealers who have a high percentage of Spanish speaking customers. The center includes two tri-lingual starter kits and all the necessary components to complement these kits and encourage 'add-on' sales. Each blister card has fully illustrated instructions for installation and use in English, French and Spanish. Bring in new customers with RAINDRIP'S Micro Irrigation Center! Available in BSP threads.




A30048 Display fixture not included.

#### **BILL OF MATERIALS**

PART	OI MATERIALS	NO. OF
NO.	DESCRIPTION	PACKS
016010T	1/4" Poly Tubing - Black, 100' Coil	10
052010P	1/2" Poly Drip Watering Hose, 100' Coil	5
A108CT	1/2 GPH Pressure Compensating Drippers (Tri-ling. Pkg), 10/card	10
A110CT	1 GPH Pressure Compensating Drippers (Tri-ling. Pkg), 10/card	10
A112CT	2 GPH Pressure Compensating Drippers (Tri-ling. Pkg), 10/card	10
A117CT	1 GPH Mini In-Line Drippers (Tri-ling. Pkg), 10/card	10
A175CT	Low Vol. Rotary Sprinklers & 8" Stakes (Tri-ling. Pkg), 3/card	10
A177CT	Half Circle Adjust. Sprayers (Tri-ling. Pkg), 3/card	10
A178CT	Quarter Circle Adjust. Sprayers (Tri-ling. Pkg), 3/card	10
A281DT	1/4" Drip-A-Long®, 50' Black Display Coil (Tri-ling. Pkg)	10
A302CT	1/4" Tube End Clamps (Tri-ling. Pkg), 5/card	10
A303CT	1/2" Hose End Plug with 3/4" Cap (Tri-ling. Pkg), 1/card	10
A305CT	1/2" Compression Tees (Tri-lingual Packaging), 2/card	10
A307CT	1/4" Barbed Tees (Tri-lingual Packaging), 5/card	10
A310CT	1/2" Compression Couplings (Tri-lingual Packaging), 2/card	10
A313CT	1/4" Barbed Connectors (Tri-lingual Packaging), 10/card	10
A315CT	1/2" Compression Elbows (Tri-lingual Packaging), 2/card	10
A320CT	3/4" Hose Thread Swivel X 1/2" Adaptor (Tri-ling. Pkg), 1/card	10
A325CT	3/4" Hose Thread Swivel X 1/4" Adaptor (Tri-ling. Pkg), 1/card	10
A381CT	6" Heavy Duty Support Stakes (Tri-ling. Pkg), 10/card	10
A385CT	12" Galvanized Wire Stakes (Tri-ling. Pkg), 12/tube	10
A460CT	3/4" Preset Hose Pressure Reg. (Tri-ling. Pkg), 1/card	10
A463CT	3/4" Preset Hose Pressure Regulator (Tri-ling. Pkg), 1/card	10
A541DP	Micro Irrigation Kit (Tri-lingual Packaging)+ Anti-Syphon	3
A552MT	Container Drip Watering Kit™, (Tri-ling. Pkg)	5
A608CT	3/4" "T" Filter, 150 Mesh Stain. Steel Element (Tri-ling. Pkg), 1/card	10
A620CT	3/4" Hose/Hose Anti-Syphon (Tri-lingual Packaging), 1/card	10
A630CT	Hole Punch [includes hole plugs] (Tri-ling. Pkg), 1 Punch/card	10
A645CT	Hole Plugs (Tri-ling. Pkg), 15/card	10
R558DT	Fix-lt-Kit	5
R672CT	Analog Electronic Water Timer, 1/clam shell blister	4
R705M	4' DIY Header Card	1
R725M	18" Header Card Holder	1
R720B	Micro Watering Handbook 25/Box	2

## DRIP SMART™ MERCHANDISING





#### **MAXI-MISER DISPLAY**

**R4114C** Includes 1/2" fittings, 1/2" hose. **R4124C** Includes 5/8" fittings, 5/8" hose.

Display fixture not included.

#### **MAXI-MISER BULK CENTERS**

#### R4114C/R4124C/R4314P

A self-selling system for merchandising micro irrigation parts to the experienced buyer and professional. This center offers smaller bin boxes with a more complete line in the same 4' x 6' space. Consumer-friendly product in use labels correlate with the header card, giving the customers easy reference to the parts they need.

#### **BILL OF MATERIALS**

PART	DESCRIPTION	NO. OF
NO.	DESCRIPTION	PACKS
015005T	1/4" Soaker Hose, 50' Coil	10
016005P	1/4" Tubing - Black, 50' Coil	20
016010T	1/4" Tubing - Black, 100' Coil • Bulk	10
052005P	1/2" Poly Drip Watering Hose, 50' Coil	5
052010P	1/2" Poly Drip Watering Hose, 100' Coil	5
116025B	1/2 GPH Mini In-Line Drippers • Bulk	25
117025B	1 GPH Mini In-Line Drippers • Bulk	25
124025B	4 GPH Flag Drippers, 25/bag	35
13800UB	HYDROPORT 8 Outlet Adjustable Manifold	20
15300UB	Full Circle Adj. Bubbler on 5" Stake-Fan Spray	100
15600UB	Full Circle Adj. Bubbler on 5" Stake-Stream Spray	100
166005B	Adjustable Misters & 4" Barbed Risers • Bulk	40
299005B	1/2"-5/8" Hose End Clamps • Bulk	25
302010B	1/4" Tube End Clamps • Bulk	25
	1/2" Hose End Plugs with 3/4" Cap • Bulk	75
307025B	1/4" Barbed Tees • Bulk	40
312025B	1/4" Barbed Connectors • Bulk	50
314025B	1/4" Double Barbed Elbows • Bulk	50
	3/4" Hose Thread Swivel x 1/2" Adapter • Bulk	50
	3/4" Pipe Thread Swivel x 1/2" Adapter • Bulk	50
	3/4" Hose Thread Swivel x 1/4" Adapter • Bulk	50
	3/4" Pipe Thread Swivel x 1/4" Adapter • Bulk	50
	1/2" Compression Couplings • Bulk	75
	1/2" Compression Tees • Bulk	40
	1/2" Compression Elbows • Bulk	60
381025B	6" Heavy Duty Support Stakes • Bulk	15
382005B	8" Sprinkler Support Stakes & 4" Risers • Bulk	8
384ROUB	13" High Density Stakes w/8" Adjustable Risers • Bulk	32
39800UB	6" Plastic Hook Stakes • Bulk	50
46300UB	3/4" Preset Hose Pressure Regulator • Bulk	45
46500UB	3/4" Preset Pipe Pressure Regulator • Bulk	45
62200UB	3/4" Hose/Pipe Anti-Syphon • Bulk	45
63000UB	Hole Punch • Bulk	100
63100UB	Professional Hole Punch	100
646050B	Double Sided Hole Plugs • Bulk	30
A184010B	Adjustable Full Circle Rotary Sprinklers • Bulk	20
A187010B	Adjustable Half Circle Sprayers • Bulk	35
A191010B	Adjustable Quarter Circle Sprayers • Bulk	35
PC2025B	1/2 GPH Pressure Compensating Drippers • Bulk	25
PC4025B	1 GPH Pressure Compensating Drippers • Bulk	25
PC8025B	2 GPH Pressure Compensating Drippers • Bulk	25
R108CT	1/2 GPH Pressure Compensating Drippers • Bulk	50
R110CT	1 GPH Pressure Compensating Drippers	50
R112CT	1 0 11	50
R620CT	2 GPH Pressure Compensating Drippers	20
R672CT	3/4" Hose/Hose Anti-Syphon (Vacuum Breaker)	5
R682CP	Analog Electronic Water Timer DUAL TIMER	
S5600UB		3
200000B	Stretch 'n Lock Coupler	50

## **MAXI-MISER BULK CENTERS**


#### **BILL OF MATERIALS**

PART	DESCRIPTION	NUMBER	OF PACKS
NO.		R8024C	R8044C
015005T	1/4" Recycled Tire Hose, 50' Coil	10	10
016005P	1/4" Poly Tubing - Black, 50' Coil	20	30
016010T	1/4" Poly Tubing - Black, 100' Coil	10	10
052005P	1/2" Poly Drip Watering Hose, 50' Coil	10	10
052010P	1/2" Poly Drip Watering Hose, 100' Coil	10	10
061010P	5/8" Poly Drip Watering Hose, 100' Coil	10	
062010P	.710 Poly Drip Watering Hose, 100' Bulk Coil		10
117025B	1 GPH Mini In-Line Drippers, 25/bag	25	25
122010B	2 GPH Flag Drippers, 10/bag	70	70
124010B	4 GPH Flag Drippers, 10/bag	70	70
13800UB	Hydroport™ 8 Outlet Adjustable Manifold	20	20
15300UB	Full Circle Adjust. Bubbler on 5" Stake-Fan Spray, bulk	100	100
15500U	Half Circle Adjust. Stream Spray Bubbler on 5" Stake	100	100
15600UB	Full Circle Adjust. Bubbler 5" Stake-Stream Spray, bulk	100	100
165005B	Jet Misters & 4" Riser Assemblies, 5/bag	40	40
300025B	1/2" Hose End Clamps, 25/bag	10	
305G00UB	.710" Hose End Plug with 3/4" Cap, bulk		75
307025B	1/4" Barbed Tees, 25/bag	40	40
312025B	1/4" Barbed Connectors, 25/bag	50	50
314025B	1/4" Barbed Elbows, 25/bag	50	50
320G00UB	3/4" Hose Thread Swivel x 1/2" Adaptor + FWash,bulk	50	50
321G00UB	3/4" Pipe Thread Swivel x 1/2" Adaptor + Wash, bulk	50	50
328G00UB	3/4" Pipe Thread Swivel x 5/8" Adaptor + Wash, bulk	50	
336STUB	1/2" FPT x 1/4" Barbed Tee, bulk	50	50
344G00UB	1/2" Compression Couplings, bulk	75	75
345G00UB	5/8" Compression Couplings, bulk	75	
347G00UB	1/2" Compression Tees, bulk	40	40
348G00UB	5/8" Compression Tees, bulk	40	
349G00UB	.710" Compression Tees, bulk		40
356G00UB	3/4" Hose Thd. Swivel x.710"Adaptor + FWash, bulk		50
357G00UB	3/4" Pipe Thd. Swivel x.710"Adaptor + Wash, bulk		50
360G00UB	.710" Compression Couplings, bulk		75
367G00UB	1/2" Compression Elbows, bulk	60	60
368GOOUB	5/8" Compression Elbows, bulk	60	
369GOOUB	.710" Compression Elbows, bulk		60
381025B	6" Heavy Duty Support Stakes, 25/bag	15	15
382005B	8" Sprink. Support Stakes & 4" Risers, 5/bag	8	8
384ROUB	13" High Density Stakes w/8" Adjustable Risers	32	32
397015B	8" Galvanized Wire Hook Stakes, 15/bag	25	25
39800UB	6" Plastic Hook Stakes, bulk	50	50
46300UB	3/4" Preset Hose Pressure Regulators 25-30 PSI, bulk	45	45
46500UB	3/4" Preset Pipe Pressure Regulators 25-30 PSI, bulk	45	45
604P01B	3/4" "Y" Filter w/ Polyester Element & Pipe Swivel Coupling, 1/bag	6	6
63100UB	Professional Hole Punch, bulk	10	10
646050B	Double Sided Hole Plugs, 50/bag	30	30
P1025UB	Otr Circle Winged Jet & Stake Ass'y 9.5 GPH @ 15 PSI	30	30
P1050UB	Half Circle Winged Jet & Stake Ass'y 19 GPH @ 15 PSI	30	30
P1075UB	Full Circle Winged Jet & Stake Ass'y 27 GPH @ 15 PSI	30	30
PC2025B	1/2 GPH Pressure Compensating Drippers, 25/bag	25	25
PC4025B	1 GPH Pressure Compensating Drippers, 25/bag	25	25
PC8025B	2 GPH Pressure Compensating Drippers, 25/bag	25	25
R108CT	1/2 GPH Pressure Compensating Drippers, 10/card	10	10
R110CT	1 GPH Pressure Compensating Drippers, 10/card	10	10
1111001	i ui ii i iooouie ooiiipeiioauiig uiippeio, to/odiu	10	10

PART	DESCRIPTION	NUMBER	
NO.	O COUL Processor Companyation Princess 10/cond	R8024C	R8044C
R112CT	2 GPH Pressure Compensating Drippers, 10/card	10	10
R116CT	1/2 GPH Mini In-line Drippers, 10/card	10	10
R117CT	1 GPH Mini In-line Drippers, 10/card	10	10
R144CT	Drip Star™, 1 GPH/port for 1/2" Riser, 1/card	10	10
R166CT	Adjustable Misters & 4" Barbed Risers, 3/card	10	10
R175CT	Low Vol. Rotary Sprinklers & 8" Stakes, 3/card	10	10
R176CT	Full Circle Rotary Adjust. Sprinklers & 8" Stakes, 2/card	10	10
R180CT	Full Circle Stream Adjust. Sprayers, 5/card	10	10
R184CT	Full Circle Rotary Adjust. Sprinklers, 5/card	10	10
R187CT	Half Circle Adjust. Sprayers, 5/card	10	10
R191CT	Quarter Circle Adjust. Sprayers, 5/card	10	10
R198CT	Adjustable "Bowtie" (Strip) Sprayers, 5/card	10	10
R301CT	1/2" - 5/8" Hose End Clamps, 5/card	10	10
R302CT	1/4" Tube End Clamps, 5/card	10	10
R303CT	1/2" Hose End Plug with 3/4" Cap, 1/card	10	10
R304CT	5/8" Hose End Plug with 3/4" Cap, 1/card	10	
R307CT	1/4" Barbed Tees, 5/card	10	10
R312CT	1/4" Barbed Connectors, 5/card	10	10
R314CT	1/4" Barbed Elbows, 5/card	10	10
R325CT	3/4" Hose Thread Swivel X 1/4" Adaptor, 1/card	10	10
R326CT	3/4" Pipe Thread Swivel X 1/4" Adaptor, 1/card	10	10
R327CT	3/4" Hose Thread Swivel X 5/8" Adaptor, 1/card	10	
R333CT	3/4" Pipe Thread Swivel X 1/2" Tee, 1/card	10	10
R334CT	Swivel Tee Assembly for 1/2" Riser, 1/card	10	10
R335CT	Swivel Elbow Assembly for 1/2" Riser, 1/card	10	10
R336CT	Sprinkler Adaptor for 1/2" Riser, 1/card	10	10
R338CT	1/4" Tap-Off For 1/2" Sprinkler Riser, 1/card	10	10
R373CT	1/2" Compression X 1/2" PVC Couplings, 3/card	10	10
R380CT	4" Support Stakes (for 1/4" tubing), 10/card	10	10
R381CT	6" Heavy Duty Support Stakes, 10/card	10	10
R390CT	1/4" Tubing Support Clamps, 15/card	10	10
R395CT	1/2"-5/8" Hose Support Clamps, 3/card	10	10
R396CT	3.5" Galvanized Wire 'U' Support Stakes, 20/card	10	10
R530DP		3	3
	Drip Watering Landscape Kit™ + Anti-Syphon  Deluxe Low-Volume Sprinkler Kit™+ Anti-Syphon	3	3
R547DP	Container Drip Watering Kit™ + Anti-Syphon	5	5
R557DT			-
R558DT	Fix-It-Kit	10	10
R559DP	Automatic Drip Watering Patio Kit	3	3
R567DT	Drip Vegetable Garden Kit™ + Anti-Syphon	5	5
R612CT	1/4" Barbed Valves, 2/card	10	10
R616CT	"Y" Connector with Dual Shut-Off, (Hose Threads) 1/card	10	10
R617CT	1/2" Compression Valve, 1/card	10	10
R620CT	3/4" Hose/Hose Anti-Syphon, 1/card	10	10
R622CT	3/4" Hose/Pipe Anti-Syphon, 1/card	10	10
R630CT	Hole Punch [includes hole plugs], 1 Punch/card	10	10
R645CT	Hole Plugs, 15/card	10	10
R650CT	3/4" Hose To Pipe Swivel Coupling, 3/4" FPT X 3/4" FHT,1/card	10	10
R672CT	Analog Electronic Water Timer, 1/clam shell blister	5	5
R682CP	Dual Station Water Timer	3	3
\$5600UB	Stretch n' Lock Coupler	50	50
R705M	4' DIY Header Card	2	2
R725M	18" Header Card Holder	2	2
R720B	Micro Watering Handbook 25/Box	2	2
	ļ		

Order Desk: 888 417 3747 / web: www.raindrip.com / e-mail: raindrip@raindrip.com

### **AVAILABLE SEPARATELY • INDEX**



#### **NUMBER-CODED HEADER**

R704M - 3 foot color header card.
R705M - 4 foot color header card. Both headers correspond to RAINDRIP's , *Micro Watering Handbook*, and to coded packaged items, and show the DIY gardener how and where to use them.



#### **RAINDRIP GUIDES**

R720L - 'Micro Watering Handbook'- comprehensive guide

R720B - 25 books per display box, English version

R722L - Spanish Language 'Quick Guide' - 16 page illustrated booklet

R722B - 100 books per display box, Spanish version

Available with order when requested

R723L - French Language 'Quick Guide' - 16 page illustrated booklet

 $\ensuremath{\mathbf{R723B}}$  - 100 books per display box, French version.

Available with order when requested

**OUTDOOR DISPLAY BANNER R728M** - Full color laminated banner  $24" \times 36"$ .

#### IN-STORE PERSONNEL TRAINING TAPE R736M -

A 20-minute VHS, with interactive questions and answers.

**P.O.P. VIDEO** R734M - Featuring product convenience and versatility, 2-minute VHS on a 2 hour loop.

**WORKING MODEL R759P** - Self-contained shelf-type display shows circuit of RAINDRIP parts in operation. Requires less than 2 sq.ft. of shelf space, 110 vac. pump included. No water hookup required; water recirculates in tank. (14 lbs.)

**STATIC MODEL** R759T - Demonstrates layout and connection of RAINDRIP parts. No electrical connection or water tank. Requires less than 2 sq.ft. of shelf space. (10 lbs.)

INDI					
PART# PA	GE#				
015005T	12	300025B	34	380100	46
016005P	11	302010B	34	381010B	46
016005VP	11	303G00UB	34	381025B	46
016010VT	11	303G05B	34	381050B	46
016010T	11	304G00UB	34	382005B	23
016050	11	304G05B	34	382010B	23
016100	11	305005B	31	384R0UB	23
047010P	12	305050	31	3892005B	23
049010P	12	305G00UB	34	390100B	46
052005P	11	307010B	31	395025B	46
052010P	11	307025B	31	397010B	46
052020P	11	307050B	31	397015B	46
052050	11	307100	31	397025B	46
052100	11	310005B	32	39800UB	46
061005P	11	310100	32	399010B	33
061010P	11	312010B	32	45100UB	43
061020P	11	312025B	32	45200UB	43
061050	11	312050B	32	46000UB	43
061100	11	312100B	32	46100UB	43
062005P	11	314010B	33	46200UB	43
062010P	11	314025B	33	46300UB	43
062020P	11	314050B	33	46500UB	43
062050	11	314100	33	60100UB	44
062100	11	315005	33	60200UB	45
090JET010B	20	315050	33	602010	45
106025B	15	320G00UB	35	603010	45
106100B	15	321G00UB	35	60400UB	44
107025B	15	325G00UB	35	604P01B	44
107100B	15	326G00UB	35	604Y01B	44
108025B	15	327G00UB	35	60500UB	44
108100B	15	328G00UB	35	60800UB	45
116010B	14	332G00UB	37	609100	45
116025B	14	336002B	29	610100	45
116050B	14	336STUB	29	612010B	41
117010B	14	337G00UB	37	613010B	41
117025B	14	338005B	29	61500UB	41
117050B	14	339G10	37	615B00U	41
121010B	15	344G00UB	32	61600UB	41
121025B	15	344G10B	32	61700UB	41
122010B	15	345G00UB	32	61800UB	41
122025B	15	345G10B	32	61900UB	41
124010B	15	347G00UB	31	62000UB	42
124025B	15	347G10B	31	62200UB	42
13400UB	25	348G00UB	31	63000UB	47
13500UB	25	348G10B	31	63100UB	47
13800UB	25	349G00UB	31	63200UB	47
15300UB	26	352G00UB	32	646010B 646050B	47
153005B	26	356G00UB	35	650G00UB	47
155005B	26	357G00UB	35		38
15500UB	26	358G00UB	37	652G10 659010	38 38
156005B	26	359G10	37		
15600UB	26	360G00UB 360JET010B	32	660010 661010	38 39
157005B	27	36200UB	20 38	662010	39
157010B	27	36300UB		663010	39
157050B	27	367G00UB	38 33	A108CB	14
158010B	27	367G10B	33	A108CB	14
15900UB	27	368G00UB	33	A110CB	14
16000UB	27	368G10B	33	A110CD	14
162005B	22	369G00UB	33	A112CB	14
165005B	22	37300UB	39	A112CB A112CT	14
166005B	22	37400UB	39	A117CB	14
180JET010B	20	374000B 376005B	39	A117CB A117CT	14
183005B	19			A175CB	19
186005B	19	376025B 377025B	39 39	A175CB A175CT	19
190005B 197005B	19	377025B 378025B	39	A175C1 A177CB	19
197005B 299005B	19 34	380010B	46	A177CB A177CT	19
300005B	34	380050B	46	A178CB	19
JUUUUJD	54	0000000	+0	,,,,,,,,,,	10

## INDEX


A 4 E 0 O D	10	QB02UB	00	R190CB	19	R335CT	29	R520DP	-	DZOOL	E 4
A178CB	19		28						5	R720L	54
A180005B	18	QB06UB	28	R190CT	19	R336CB	29	R530DP	5	R722B	54
A180010B	18	QB10UB	28	R191CB	18	R336CT	29	R547DP	6	R722L	54
A184005B	18	QB20UB	28	R191CT	18	R337CB	37	R551CT	7	R723B	54
A184010B	18	R108CB	14	R197CB	19	R337CT	37	R551DT	7	R723L	54
A187005B	18	R108CT	14	R197CT	19	R338CB	29	R551MT	7	R728M	54
A187010B	18	R109CT	14	R198CB	18	R338CT	29	R551ST	7	R730H	54
A191005B	18	R110CB	14	R198CT	18	R339CB	37	R552CT	7	R734M	54
		R110CT	14	R205DP	11	R339CT	37			R736F	54
A191010B	18							R552DT	7		
A198010B	18	R111CT	14	R210DP	11	R341CB	32	R552FT	7	R736M	54
A281DT	12	R112CB	14	R220DP	11	R341CT	32	R552ST	7	R759P	54
A3004S	51	R112CT	14	R250DT	11	R345CB	32	R557DT	7	R759Q	54
A302CB	34	R113CT	14	R251DT	11	R345CT	32	R558DT	47	R759T	54
A302CT	34	R116CB	14	R252DT	11	R348CB	31	R558FT	47	R859D	48
A303CB	34	R116CT	14	R255DT	11	R348CT	31	R559B	8	RP5F	16
A303CT	34	R117CB	14	R256DT	11	R368CB	33	R559DP	8	RP5H	16
		R117CT	14	R260DP	11	R368CT	33				
A305CB	31							R562CT	6	RP5Q	16
A305CT	31	R144CB	28	R280DT	12	R373CB	39	R562DT	6	RP8F	16
A307CB	31	R144CT	28	R281DT	12	R373CT	39	R562FT	6	RP8H	16
A307CT	31	R145CB	28	R283DT	12	R374CB	39	R562MT	6	RP8Q	16
A310CB	32	R146CB	28	R290DP	12	R374CT	39	R562ST	6	RP10F	16
A310CT	32	R146CT	28	R292DP	12	R376CB	39	R567DT	6	RP10H	16
A313CB	32	R147CB	28	R293DP	7	R376CT	39	R574DT	25	RP10Q	16
	32	R147CT	28	R3014C	50	R377CB	39	R605DT	44	RP12F	16
A313CT				R301CB							
A315CB	33	R148CB	28		34	R377CT	39	R608CB	45	RP12H	16
A315CT	33	R148CT	28	R301CT	34	R379CB	23	R608CT	45	RP12Q	16
A320CB	35	R153CB	26	R302CB	34	R379CT	23	R610CB	45	RP15F	16
A320CT	35	R153CT	26	R302CT	34	R380CB	46	R610CT	45	RP15H	16
A325CB	35	R154DT	25	R303CB	34	R380CT	46	R612CB	41	RP15T	16
A325CT	35	R155CB	26	R303CT	34	R381CB	46	R612CT	41	RP15TQ	16
A381CB	46	R155CT	26	R304CB	34	R381CT	46	R613CB	41	RP15Q	16
		R156CB	26	R304CT	34	R382CB	23			RPOP2	
A385CB	46							R613CT	41		16
A385CT	46	R156CT	26	R305CB	31	R382CT	23	R616CB	41	RPOP3	16
A460CB	43	R157CB	27	R305CT	31	R384CB	23	R616CT	41	RPOP4	16
A460CT	43	R157CT	27	R307CB	31	R384CT	22	R617CB	41	RPOP6	16
A463CB	43	R158CB	27	R307CT	31	R385CB	46	R617CT	41	RSA	16
A463CT	43	R158CT	27	R308CB	31	R385CT	46	R618CB	41	S5500UB	36
A541DP	5	R165CB	22	R308CT	31	R390CB	46	R618CT	41	S5600UB	36
A608CB	45	R165CT	22	R310CB	32	R390CT	46	R620CB	42	S5700UB	36
						R395CB					
A608CT	45	R166CB	22	R310CT	32		46	R620CT	42	S5800UB	36
A620CB	42	R166CT	22	R3114C	32	R395CT	46	R622CB	42	S5900UB	36
A620CT	42	R167CB	20	R312CB	32	R396CB	46	R622CT	42	S6000UB	36
A630CB	47	R167CT	20	R312CT	32	R396CT	46	R630CB	47	TP5F	16
A630CT	47	R168CB	20	R313CB	32	R397CB	46	R630CT	47	TP5H	16
A645CB	47	R168CT	20	R313CT	32	R397CT	46	R645CB	47	TP5Q	16
A645CT	47	R169CB	20	R314CB	33	R398CB	46	R645CT	47	TP8F	16
APS5BUB	22	R169CT	20	R314CT	33	R398CT	46	R647CB	47	TP8H	16
				R315CB		R399CB					
APS5TUB	22	R170CB	20		33		33	R647CT	47	TP8Q	16
P1025UB	21	R170CT	20	R315CT	33	R399CT	33	R650CB	38	TP10F	16
P1050UB	21	R171CB	20	R320CB	35	R4014C	49	R650CT	38	TP10H	16
P1075UC	21	R171CT	20	R320CT	35	R4114P	52	R652CB	38	TP10Q	16
P3420UB	22	R172CB	20	R321CB	35	R4214P	52	R652CT	38	TP12F	16
P3530UB	21	R172CT	20	R321CT	35	R425CB	45	R660CB	38	TP12H	16
P3531UB	21	R173CB	20	R325CB	35	R425CT	45	R660CT	38	TP12Q	16
P3532UB	21	R173CT	20	R325CT	35	R4314P	52	R672BT	9	TP15F	16
		R175CB		R326CB	35	R450CB	42				
P3534UB	21		19					R672CDD	48	TP15H	16
PC2010B	14	R175CT	19	R326CT	35	R450CP	42	R672CT	9	TP15T	16
PC2025B	14	R176CT	19	R327CB	35	R460CB	43	R672FT	9	TP15TQ	16
PC2050B	14	R180CB	18	R327CT	35	R460CT	43	R672MT	9	TP15Q	16
PC2100B	14	R180CT	18	R328CB	35	R461CB	43	R672QT	9	TPOP2	16
PC4010B	14	R183CB	19	R328CT	35	R461CT	43	R673CT	9	TPOP3	16
PC4025B	14	R183CT	19	R332CB	37	R462CB	43	R680CB	44	TPOP4	16
		R184CB	18	R332CT	37	R462CT	43	R682CDD		TPOP6	16
PC4050B	14								48		
PC4100B	14	R184CT	18	R333CB	37	R463CB	43	R682CP	9	TSA	16
PC8010B	14	R186CB	19	R333CT	37	R463CT	43	R704M	54		
PC8025B	14	R186CT	19	R334CB	29	R465CB	43	R705M	54		
PC8050B	14	R187CB	18	R334CT	29	R465CT	43	R720B	ВС		
PC8100B	14	R187CT	18	R335CB	29	R520BP	5	R720B	54		

Order Desk: 888 417 3747 / web: www.raindrip.com / e-mail: raindrip@raindrip.com

## **FREE**

## MICRO WATERING HANDBOOK


This RAINDRIP guide is organized with color-coded, easy-to-follow icons and page tabs that allow the reader to skip directly to the step-by-step instructions needed for the project at hand. This book helps you sell the product and increases your customer's confidence.



**R720B** 25/box

## FREE FRENCH/SPANISH QUICK GUIDES

16 Page illustrated installation booklet.



## RARDRIP® QUALITY PRODUCTS BY NDS

RAINDRIP has drip watering experts to help you or your customers with any questions. Just call Technical Service 888 825 4716 / E-mail: raindrip@raindrip.com

RAINDRIP, Inc.
337 West Bedford Avenue
Fresno, CA 93711 U.S.A.
Customer Service: 800 FOR- DRIP
Technical Service: 888 825 4716

web: www.raindrip.com www.ndspro.com



**Spanish** 

Guide

R722B

100/box

Visit our web site at www.raindrip.com

