


RED BRAND[®]




STANDING GUARD SINCE
1889



FENCE POCKET GUIDE

Since 1889, one brand of fence has stood the test of time. That's why five generations have depended on Red Brand to keep their property and livestock secure. Unmatched strength and durability combine to create a fence that lasts and lasts. That's real value and real peace of mind. The most trusted name in fencing. The one. The only. Red Brand.

Contents	Page
Fence Installation Videos	3
Dealer Locator & Fence Calculator	4
Certified Fence Installer Program	5
Made in America	6
Connect with Red Brand	7
Fence Families, Knots, Guides & Tables	8
Field Fence	12
Horse Fence	18
Sheep & Goat Fence	20
Deer & Wildlife Fence, Deer & Orchard Fence	22
Barbed Wire & Electric Fence Wire	24
Smooth Wire	26
Stockade Panels	28
Poultry Netting	30
Specialty Application	32
Utility Fence	34
Welded Wire	36
Fence Posts & Accessories	40
Fence Staples	42




FREE INSTALLATION VIDEOS

Expert advice for your next installation.



Red Brand has created a comprehensive library of videos that provide installation instruction and techniques to make your next fencing project a success. From post spacing and corner bracing to stretching and splicing, this series covers multiple fence types and applications. Get helpful tips from the pros to make sure your fence looks great and stays secure.

To view and download Red Brand installation videos, go to redbrand.com/installationvideos.



Home


Red Brand Dealers Near You

 [Click here for Canadian requests](#)
 [Click here for Great Britain and EU requests](#)

Please enter the following information to utilize the Red Brand® U.S.A. Dealer Search system. Fields marked with red asterisks * are required. All information is held in strict confidence and will not be divulged to outside sources.

Zip*:

Product*:



DEALER LOCATOR

Find Red Brand fence near you.

Our Dealer Locator provides the most up-to-date information on Red Brand dealers throughout the country. You can find a local Red Brand retailer simply by entering a zip code on our website.

To locate a dealer near you, go to redbrand.com.



ONLINE FENCE CALCULATOR

Planning your fence project is easy.

Red Brand's exclusive Online Fence Calculator uses GPS coordinates to help map your property, determine layout options and select the proper fencing product for your application. You can also estimate the number of rolls needed and material costs.

Find the link for the Fence Calculator at redbrand.com.



CERTIFIED FENCE INSTALLER

A reliable resource for your fence project.

Getting the right fence installed correctly helps to ensure your fence works properly and lasts a long time. If you need a helping hand, the Red Brand Certified Fence Installer (CFI) Program is designed to help property owners locate and hire qualified installers for their fencing project. Each participating CFI company has been carefully screened to assure that they meet Red Brand's standards for excellence and workmanship. Experience, fence knowledge and credibility are all considerations for making our list. By choosing Red Brand fence products and hiring a Certified Fence installer, you can be confident in your fencing investment.

To find a Certified Fence Installer, go to redbrand.com/cfi.



MADE IN THE USA

We know what's in your fence.

For over 125 years, Red Brand fence has been manufactured in Peoria, IL. Steel is carefully formulated in our on-site mill and rigorous testing is performed throughout the fence manufacturing process. Strict specifications, tight tolerances and pride in workmanship result in continuous, reliable and long lasting quality in every roll of Red Brand fence.






Learn more and see our videos at redbrand.com/madeinamerica.



CONNECT WITH RED BRAND. Stay Informed and In Touch.

For valuable information and advice about everything related to agricultural fencing, sign up for our blog notifications. You can also follow Red Brand on Facebook, Vimeo and YouTube.

Visit our websites RedBrand.com and RedBrandStore.com for even more information about Red Brand products.

-  blog.redbrand.com
-  facebook.com/redbrandagfence
-  youtube.com/redbrandagfence
-  vimeo.com/redbrand
-  instagram.com/red_brand_fence

RED BRAND FENCE KNOTS

Many heavy-gauge wire fence styles are made by “tying” sections of wire together with knots. Red Brand Fence uses three types of knots, each with a specific advantage.



Monarch® Knot

The Monarch Knot acts as a hinge that gives under pressure, then allows the fence to spring back into shape.



Square Deal® Knot

The construction of the Square Deal Knot prevents Red Brand fence from buckling or sagging. It provides extra strength and rigidity with flexibility.




Cross Lock® Knot

The Cross Lock Knot firmly affixes the fence wires together, providing superior resistance to movement from animal penetration or severe snowstorms.

MESH DESIGN

Red Brand fence is constructed by forming the wire into uniform patterns called “mesh.” Each design has been refined based on more than a century of experience and usage requirements.



Squared Mesh

The mesh is either “knotted” or welded to form square and rectangle patterns—used mostly with heavier gauge wire.



Netting

Lightweight wire is woven to form a hexagonal mesh. Red Brand uses a reverse weave allowing netting to unroll flat.

HOW TO READ FENCE STYLE NUMBERS

Look for the style number, which is a quick description of the fence it classifies. Pull-out is the measure, in inches, of the distance between the vertical stay wires.


Style# 1047-6-12½

10 #Line wires

47 Height in inches

6 Pullout

12½ Wire gauge



HOW TO GAUGE YOUR FENCE


Red Brand fence is made from various gauges of wire—from very heavy to very light. The chart below shows the size of each gauge (Ga) wire used in producing Red Brand fence. The larger the number, the smaller the wire.

20 Ga 18 Ga 17 Ga 16 Ga 14½ Ga 14 Ga 12½ Ga 11 Ga 10 Ga 9 Ga



ACREAGE GUIDE

The diagram below can be used to calculate the number of rods required to enclose fields of various sizes. These are suggested guidelines using the square area to be fenced.



- 2 miles = 10,560 feet
- 1½ miles = 7,920 feet
- 1 mile = 5,280 feet
- ¼ mile = 1,320 feet = 1 roll Barbed Wire
- 1/16 mile = 330 feet = 1 roll Field Fence

ACREAGE TABLE


The table below helps calculate the number of rolls of fence required to enclose various acreage sizes. These are suggested guidelines assuming the square area to be fenced.

Acres	Fence 330 ft. Rolls	Fence 100 ft. Rolls	Barb Wire 1320 ft. Rolls 1 Strand	Acres	Fence 330 ft. Rolls	Fence 100 ft. Rolls	Barb Wire 1320 ft. Rolls 1 Strand
1	3	9	1	60	20	65	5
2	4	12	1	80	23	75	6
3	5	15	1	100	26	84	7
4	5	17	2	150	31	103	8
5	6	19	2	200	36	118	9
10	8	26	2	250	40	132	10
15	10	33	3	300	44	145	11
20	12	38	3	350	48	157	12
40	16	53	4	400	51	167	13


GALVANIZED ZINC COATING

All Red Brand fence is galvanized, which means the steel has been immersed in molten zinc and is covered with a zinc alloy that is resistant to rust. Each class is associated with a minimum coating weight per square foot of wire. Class 3 coating is heavier, resulting in 2½ times longer service life than Class 1 coating.


MINIMUM COATING WEIGHT
based on 12½ ga wire



CLASS 3
.80 oz/ft2



CLASS 1
.28 oz/ft2



COMMERCIAL
minimal


GALVANIZATION GUIDE

- RB** Red Brand Tradition – Class 1 galvanized wire
- EL** Red Brand Extended Life – Class 3 galvanized wire
- HT** Red Brand High Tensile – Class 3 galvanized wire
- S** Sierra Agricultural Fence – Commercial galvanized wire
- CG** Red Brand Commercial Galvanized wire

FIELD FENCE



Monarch® Knot



- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear

Style No. & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource Number
1047-6-9	RB	9	9	6"	47"	330'	420 70003
1047-12-9	RB	9	9	12"	47"	330'	311 70015
832-6-11	RB	11	9	6"	32"	330'	222 70022
939-6-11	RB	11	9	6"	39"	330'	256 70024
1047-6-11	RB	11	9	6"	47"	330'	292 70027
939-12-11	RB	11	9	12"	39"	330'	193 70036
1047-12-11	RB	11	9	12"	47"	330'	215 70038
726-6-12½	RB	12½	10	6"	26"	330'	127 70041
832-6-12½	RB	12½	10	6"	32"	330'	146 70044
939-6-12½	RB	12½	10	6"	39"	330'	167 70046
1047-6-12½	RB	12½	10	6"	47"	330'	191 70048
832-12-12½	RB	12½	10	12"	32"	330'	114 77349
939-12-12½	RB	12½	10	12"	39"	330'	128 70063
1047-12-12½	RB	12½	10	12"	47"	330'	144 70065
832-6-14½	RB	14½	11	6"	32"	330'	100 7007
939-6-14½	RB	14½	11	6"	39"	330'	106 70072
939-6-14½	HT	14½	12½	6"	39"	330'	97 70091
1047-6-14½	HT	14½	12½	6"	47"	330'	110 70092
939-6-12½	HT	12½	10½	6"	39"	330'	166 70093
1047-6-12½	HT	12½	10½	6"	47"	330'	188 70094

Field Fence (Specialty Spacing) – Monarch Knot

842-9-11	RB	11	9	9"	42"	330'	198	71030
948-9-11	RB	11	9	9"	48"	330'	220	71031

Sierra Field Fence – Monarch Knot

939-6-13	S	13	10½	6"	39"	330'	149	72703
1047-6-13	S	13	10½	6"	47"	330'	167	72704

- RB** Red Brand Tradition – Class 1 galvanized wire
- EL** Red Brand Extended Life – Class 3 galvanized wire
- HT** Red Brand High Tensile – Class 3 galvanized wire
- S** Sierra Agricultural Fence – Commercial galvanized wire





Style No. & Family		Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource Number
939-6-11	RB	11	9	6"	39"	330'	236	70196
1047-6-11	RB	11	9	6"	47"	330'	274	70197
832-6-12½	RB	12½	10	6"	32"	330'	141	70205
939-6-12½	RB	12½	10	6"	39"	330'	161	70206
1047-6-12½	RB	12½	10	6"	47"	330'	184	70207

Field Fence (Specialty Spacing) – Square Deal Knot


949-12-9	RB	9	9	12"	49"	330'	278	70189
----------	-----------	---	---	-----	-----	------	-----	-------

King Ranch® Fence – Square Deal Knot

949-12-9	EL	9	6T 9B	12"	49"	330'	291	70230
949-12-9	EL	9	6T 9B	12"	49"	660'	581	70233

Sierra Field Fence – Square Deal Knot

939-6-13	S	13	10½	6"	39"	330'	143	70220
1047-6-13	S	13	10½	6"	47"	330'	162	70222



- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear

- RB** Red Brand Tradition – Class 1 galvanized wire
- EL** Red Brand Extended Life – Class 3 galvanized wire
- S** Sierra Agricultural Fence – Commercial galvanized wire



FIELD FENCE




Cross Lock® Knot



- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear

Style No. & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource Number
842-16-9¾ RB	9¾	9¾	16"	42"	330'	178	78210
948-16-9¾ RB	9¾	9¾	16"	48"	330'	204	78200
842-16-9¾ RB	9¾	9¾	16"	42"	660'	354	78220
948-16-9¾ RB	9¾	9¾	16"	48"	660'	402	78230
948-16-9¾ EL	9¾	9¾	16"	48"	330'	203	78202
948-16-9¾ EL	9¾	9¾	16"	48"	660'	408	78203
842-12-12½ HT	12½	12½	12"	42"	330'	114	78232
949-12-12½ HT	12½	12½	12"	49"	330'	134	78204
842-12-12½ HT	12½	12½	12"	42"	660'	228	78234
949-12-12½ HT	12½	12½	12"	49"	660'	264	78236



- RB** Red Brand Tradition – Class 1 galvanized wire
- EL** Red Brand Extended Life – Class 3 galvanized wire
- HT** Red Brand High Tensile – Class 3 galvanized wire



HORSE FENCE




For equine applications, it is recommended that a sight rail be installed.

Non-Climb

- 2" x 4" spacing prevents stepping through and climbing up
- Square Deal® knot provides strength and rigidity for security

Keepsafe®

- 2" x 4" durable v-mesh creates springy texture to protect from injury when bumped
- Close spacing prevents hooves and legs from getting caught and keeps predators out



Non-Climb Horse Fence

features 2" x 4" mesh pattern with Square Deal® Knot

Style No. & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource Number
1036-2-12½ RB	12½	10	2"	36"	100'	94	70301
1348-2-12½ RB	12½	10	2"	48"	100'	124	70310
1660-2-12½ RB	12½	10	2"	60"	100'	152	70314
1972-2-12½ RB	12½	10	2"	72"	100'	178	70318
1348-2-12½ RB	12½	10	2"	48"	200'	245	70312
1660-2-12½ RB	12½	10	2"	60"	200'	301	70316
1348-2-12½ EL	12½	10	2"	48"	100'	119	70370
1660-2-12½ EL	12½	10	2"	60"	100'	145	70374
1348-2-12½ EL	12½	10	2"	48"	200'	237	70342
1660-2-12½ EL	12½	10	2"	60"	200'	293	70346

Black Non-Climb Horse Fence – Square Deal Knot

1348-2-12½ RB	12½	10	2"	48"	100'	121	70386
1660-2-12½ RB	12½	10	2"	60"	100'	152	70330



Keepsafe® V-Mesh Horse Fence

features v-mesh weave

Style No. & Family	Horizontal Gauge	Vertical Gauge	Line Wires	Roll Length	Roll Weight	Resource Number
50" Height RB	12½	14	13	165'	250	77855
58" Height RB	12½	14	15	165'	294	77856
50" Height EL	12½	14	13	165'	256	76175
58" Height EL	12½	14	15	165'	301	76180

RB Red Brand Tradition – Class 1 galvanized wire
EL Red Brand Extended Life – Class 3 galvanized wire




SHEEP & GOAT FENCE



Square Deal® Knot



Style No. & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource Number
1348-4-12½ RB	12½	10	4"	48"	100'	80	70305
1348-4-12½ RB	12½	10	4"	48"	330'	264	70315
1348-4-12½ EL	12½	10	4"	48"	100'	77	70303
1348-4-12½ EL	12½	10	4"	48"	330'	258	70309



- 4" x 4" mesh provides strong confinement and deters animals from putting their heads through the fence
- Smooth side of Square Deal® Knot prevents injury to animal
- Strong mesh design minimizes potential for injury by flexing on impact
- Quality galvanized wire resists weathering as well as wear and tear
- Offers secure protection from predatory animals

RB Red Brand Tradition – Class 1 galvanized wire
EL Red Brand Extended Life – Class 3 galvanized wire



DEER & WILDLIFE FENCE DEER & ORCHARD FENCE



Deer & Wildlife Fence with Cross Lock® Knot


Style No. & Family	HT	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource Number
2096-6-12½	HT	12½	12½	6"	96"	330'	393	78206



Deer & Wildlife



Deer & Orchard



Deer & Wildlife

Deer & Orchard



Deer & Orchard Fence with Monarch® Knot

Style No. & Family	RB	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource Number
2048-6-14½	RB	14½	11	6"	48"	165'	89	70250
2360-6-14½	RB	14½	11	6"	60"	165'	103	75513
2672-6-14½	RB	14½	11	6"	72"	165'	117	70253


Deer & Wildlife

- Ensures that valuable herds and/or orchards are protected both inside and out
- The Cross Lock® Knot provides superior resistance to movement from animal penetration and/or climbing and severe snowstorms
- All-terrain fencing is ideal for flat or rolling areas

Deer & Orchard

- Not designed to contain deer within confines; only to exclude entry into the fenced area
- Close spacing at bottom keeps small vermin out

BARBED WIRE & ELECTRIC FENCE



2-Point & 4-Point Barb Styles



Barbed Wire

Style No. & Family	Wire Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight	Resource Number
50 Defender	RB 12½	2 Pt.	4"	1320'	78	70476
80 Ruthless	RB 12½	4 Pt.	5"	1320'	85	70481
2-Pt. High Tensile	HT 15½	2 Pt.	5"	1320'	43	85564
4-Pt. High Tensile	HT 15½	4 Pt.	5"	1320'	43	72600
2-Pt. Sierra	S 12¾	2 Pt.	4"	1320'	69	85584
4-Pt. Sierra	S 12¾	4 Pt.	5"	1320'	74	85581
Barbless Cable	RB 12½	-	-	1320'	68	70523

Fence Stays

Style No. & Family	Wire Gauge	Stay Height	Stay Weight	Resource Number
36" Fence Stays	RB 9½	36"	0.4	74744
42" Fence Stays	RB 9½	42"	0.4	74747
48" Fence Stays	RB 9½	48"	0.4	74752



Electric Fence

Electric Fence Wire

Style No. & Family	Wire Gauge	Spool Length	Spool Weight	Resource Number(s)
Galvanized	CG 14	¼ Mile	24	85610
Galvanized	CG 14	½ Mile	47	85611
Galvanized	CG 17	¼ Mile	12	85612
Galvanized	CG 17	½ Mile	22	85617

Barbed Wire

- Sharp points for effective fencing
- Strong barbs resist bending
- Twisted-cable design

Electric Fence Wire

- Ideal for changeable environment operations
- Easily adds extra security to existing systems
- Quality galvanized wire resists rust and corrosion
- Available in handy dispensing spools

RB Red Brand Tradition – Class 1 galvanized wire

HT Red Brand High Tensile – Class 3 galvanized wire

S Sierra Agricultural Fence – Commercial galvanized wire

CG Red Brand Commercial Galvanized wire





High-Tensile Smooth Wire

- Suitable to enclose livestock and pastures
- Effective, dependable, low-cost fencing solution
- Class 3 galvanized wire has a heavy zinc coating for long life and durability
- Can be electrified when needed

Galvanized and Black Annealed Smooth Wire

- Multiple applications around home, shop and farm
- Single-strand wire ideal for bundling and tying
- Great for hanging tools and other household chores

Baler Wire

- Used in agricultural and commercial tie balers
- Packaged in a heavy-duty corrugated box with center punch for easy dispensing

Ty Wire for Rebar


- Pliable and easy to twist, but strong enough to make firm ties for concrete reinforcement bars
- Special center hole of coil is semi-square with rounded corners to slip quickly onto standard dispensing unit

High-Tensile, Galvanized & Black Annealed

Style No. & Family		Wire Gauge	Coil Length	Coil Weight	Resource Number
170,000 PSI	HT	12½	4000'	101	74002
200,000 PSI	HT	12½	4000'	99	74051
Galvanized	CG	9	170'	10	73428
Galvanized	CG	11	257'	10	73447
Galvanized	CG	12½	381'	10	73461
Galvanized	CG	14	584'	10	73468
Galvanized	CG	16	958'	10	73483
Galvanized	CG	9	425'	25	73430
Galvanized	CG	14	1461'	25	73471
Galvanized	CG	9	1701'	100	73432
Galvanized	CG	10	2053'	100	73443
Galvanized	CG	11	2577'	100	73451
Galvanized	CG	12½	3817'	100	73464
Galvanized	CG	14	5846'	100	73473
Galvanized	CG	16	9580'	100	73487
Black Annealed		9	170'	10	73365
Black Annealed		12½	381'	10	73387
Black Annealed		9	1701'	100	73368
Black Annealed		12½	3817'	100	73389


Baler Wire	Wire Gauge	Coil Length	Coil Weight	Resource Number
Black Annealed	14½	6500'	101	72690

Ty Wire for Rebar	Wire Gauge	Spool Length	Spool Weight	Spools/ Carton	Carton Weight	Resource Number
Black Annealed	16	336'	4	20	70	71572



- Meets the demands of busy farms and ranches
- Unmatched strength and durability stands up well to animal pressure and weight
- Available in several styles and weights to match your specific animal-confinement needs


Style No. & Family	Wire Gauge	Panel Height	Panel Length	Panel Weight	Resource Number
1134-8-¼ Hog	CG ¼"	34"	16'	41	90213
1152-8-¼ Cattle	CG ¼"	52"	16'	47	90832
1052-8-¼ Ranch	CG ¼"	52"	16'	44	91757
1452-8-¼ Combo	CG ¼"	52"	16'	55	90214
1352-8-¼ Econo	CG ¼"	52"	16'	52	90575
1134-8-4 Hog	S 4	34"	16'	30	90215
1052-8-4 Ranch	S 4	52"	16'	33	94915
1352-8-4 Econo	S 4	52"	16'	38	90216
1050-8-4 Ranch	S 4	50"	16'	33	94913
1348-4-4 Sheep & Goat	S 4	48"	16'	51	90406
1660-2-6 Horse	S 6	60"	16'	74	90230



POULTRY NETTING




- Ideal for poultry and pet pens
- Can be used as pest-resistant garden barriers
- Provides predator-proof protection for domestic fowl and gardens
- Hexagon mesh design is reinforced with supplemental horizontal wires to keep netting straight and upright
- 20-gauge wire is galvanized before weaving to last longer, resisting rust and corrosion
- Reverse twist weave unrolls flat, ensuring easier handling



1" Hexagonal Pattern

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
412-1-20 (CG)	20	1"	12"	150'	15	73745
418-1-20 (CG)	20	1"	18"	150'	22	73754
424-1-20 (CG)	20	1"	24"	150'	27	73764
436-1-20 (CG)	20	1"	36"	150'	42	73784
548-1-20 (CG)	20	1"	48"	150'	55	73793
660-1-20 (CG)	20	1"	60"	150'	69	73801
772-1-20 (CG)	20	1"	72"	150'	84	73808
418-1-20 (CG)	20	1"	18"	50'	7	80875
424-1-20 (CG)	20	1"	24"	50'	10	78731
436-1-20 (CG)	20	1"	36"	50'	14	79513
548-1-20 (CG)	20	1"	48"	50'	19	78711
660-1-20 (CG)	20	1"	60"	50'	23	78704
772-1-20 (CG)	20	1"	72"	50'	28	78705



2" Hexagonal Pattern

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
424-2-20 (CG)	20	2"	24"	150'	14	73831
436-2-20 (CG)	20	2"	36"	150'	21	73847
548-2-20 (CG)	20	2"	48"	150'	26	73857
660-2-20 (CG)	20	2"	60"	150'	34	73866
772-2-20 (CG)	20	2"	72"	150'	40	73874
424-2-20 (CG)	20	2"	24"	50'	5	78706
436-2-20 (CG)	20	2"	36"	50'	7	78926
548-2-20 (CG)	20	2"	48"	50'	9	78707
660-2-20 (CG)	20	2"	60"	50'	11	78927
772-2-20 (CG)	20	2"	72"	50'	13	78925

SPECIALTY APPLICATION



Yard, Garden & Kennel

Yard, Garden & Kennel


- 2" x 2" mesh safeguards yards, gardens, toddlers and pets
- Ideal for kennel fencing
- Economical alternative to chain-link fencing
- Strong yet lightweight makes fence easy to install
- Smooth side of Square Deal® Knot prevents injury to animal
- Tough 16-gauge wire has a bright galvanized finish that resists rust

Saltwater Netting

- Flexible netting ideal for crab pots, live wells and fish traps
- Resists corrosion while withstanding severe under-water elements or inclement above-ground weather
- Galvanized twice—before and after weaving

Apron Fence


- Special 12" hinged apron prevents animals from burrowing under the fence
- Sturdy construction for kennels and small animal pens
- Tough 17-gauge wire is woven into 1.5" hexagonal pattern
- Rust-resistant, galvanized wire can be buried under sod



Yard, Garden & Kennel

features 2" x 2" mesh pattern with Square Deal® Knot


Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
1936-2-16 RB	16	2" x 2"	36"	100'	51	70740
2548-2-16 RB	16	2" x 2"	48"	100'	66	70742
3160-2-16 RB	16	2" x 2"	60"	100'	83	70744
3772-2-16 RB	16	2" x 2"	72"	100'	104	70746
1936-2-16 RB	16	2" x 2"	36"	50'	25	70748
2548-2-16 RB	16	2" x 2"	48"	50'	33	70750
1936-2-16 RB	16	2" x 2"	36"	50'	25	70752
2548-2-16 RB	16	2" x 2"	48"	50'	33	70754



Saltwater Netting


1" and 1½" mesh spacing

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
24-1-18 EL	18	1"	24"	150'	70	74182
24-1½-18 EL	18	1½"	24"	150'	46	74188
24-1-20 EL	20	1"	24"	150'	35	74193



Apron Fence

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
60-1½-17 RB	17	1½"	60"	150'	120	73660




12" Hinged Apron

RB Red Brand Tradition – Class 1 galvanized wire
EL Red Brand Extended Life – Class 3 galvanized wire



UTILITY FENCE (Welded Wire)




2"x 4" Mesh Spacing



- General purpose fencing offers strength and rigidity for a variety of outdoor projects
- Solid welded construction ensures a sturdy fence design
- Quality galvanized wire to resist weathering as well as wear and tear

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
1036-2-12½ (CG)	12½	2" x 4"	36"	100'	72	74275
1348-2-12½ (CG)	12½	2" x 4"	48"	100'	96	74278
1660-2-12½ (CG)	12½	2" x 4"	60"	100'	120	74282
1972-2-12½ (CG)	12½	2" x 4"	72"	100'	144	74284
1036-2-14 (CG)	14	2" x 4"	36"	100'	48	84066
1348-2-14 (CG)	14	2" x 4"	48"	100'	63	84067
1660-2-14 (CG)	14	2" x 4"	60"	100'	76	70081
1972-2-14 (CG)	14	2" x 4"	72"	100'	97	84068
2698-2-14 (CG)	14	2" x 4"	98"	100'	126	73020
1036-2-12½ (CG)	12½	2" x 4"	36"	50'	38	74274
1348-2-12½ (CG)	12½	2" x 4"	48"	50'	50	74277
1660-2-12½ (CG)	12½	2" x 4"	60"	50'	62	74281
1972-2-12½ (CG)	12½	2" x 4"	72"	50'	73	74283
1036-2-14 (CG)	14	2" x 4"	36"	50'	24	70946
1348-2-14 (CG)	14	2" x 4"	48"	50'	32	70947
1660-2-14 (CG)	14	2" x 4"	60"	50'	39	70948
1972-2-14 (CG)	14	2" x 4"	72"	50'	48	70949

WELDED WIRE



1"x 1" Mesh Spacing 14 & 17 Gauge

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
2524-1-14*	14	1"x 1"	24"	100'	87	77474
3736-1-14*	14	1"x 1"	36"	100'	130	77476
4948-1-14*	14	1"x 1"	48"	100'	174	77477
2425-1-17*	17	1"x 1"	24"	100'	51	77486
3736-1-17*	17	1"x 1"	36"	100'	65	77488
4948-1-17*	17	1"x 1"	48"	100'	75	77489

- Provides a versatile, low-cost material for fencing needs
- Suitable for a wide variety of animal cage applications
- Quality galvanized wire resists weathering
- Standard 100' rolls are available in a wide variety of styles and gauges to meet the needs of the job



1"x 2" Mesh Spacing 14 Gauge


Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
1018-1-14*	14	1"x 2"	18"	100'	48	77462
1324-1-14*	14	1"x 2"	24"	100'	64	77463
1630-1-14*	14	1"x 2"	30"	100'	77	77464
1936-1-14*	14	1"x 2"	36"	100'	94	77465
2548-1-14*	14	1"x 2"	48"	100'	124	77466
3160-1-14*	14	1"x 2"	60"	100'	154	77467
3772-1-14*	14	1"x 2"	72"	100'	186	77468

* Not manufactured by KSW

WELDED WIRE




- Provides a versatile, low-cost material for fencing needs
- Suitable for a wide variety of animal cage applications
- Quality galvanized wire resists weathering



1/2" x 1" Mesh Spacing

16 & 17 Gauge

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
1918-1/2-16*	16	1/2" x 1"	18"	100'	57	77481
2524-1/2-17*	17	1/2" x 1"	24"	100'	76	77475
3130-1/2-16*	16	1/2" x 1"	30"	100'	95	77478
3736-1/2-17*	17	1/2" x 1"	36"	100'	77	77479
4948-1/2-17*	17	1/2" x 1"	48"	100'	151	77480



2" x 2" Mesh Spacing

12, 14 & 16 Gauge

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource Number
3160-2-12*	12	2" x 2"	60"	150'	268	77522
3160-2-14*	14	2" x 2"	60"	150'	156	77500
3160-2-16*	16	2" x 2"	60"	150'	84	77494

* Meets ASTM A185

* Not manufactured by KSW



T-Posts



U-Brace

T-Posts

- Heavy duty studded steel posts stand up to the demands of cattle and other large animals

Post Driver

- Install any type of steel t-post with easy to grip handles

T-Post Fasteners

- Keeps barbed wire or woven field fence secure

U-Brace

- Steel brace supports wooden corner and end posts

Fence Posts


Style No. & Family	Painted	Post Height	Post Weight	Resource Number
5' Red Top - 1.25 lbs	Yes	5'	7	80153
5½' Red Top - 1.25 lbs	Yes	5½'	7	80168
6' Red Top - 1.25 lbs	Yes	6'	8	80161
6½' Red Top - 1.25 lbs	Yes	6½'	8	80170
7' Red Top - 1.25 lbs	Yes	7'	9	80174
8' Red Top - 1.25 lbs	Yes	8'	10	80179
5½' Red Top - 1.33 lbs	Yes	5½'	8	74839
6' Red Top - 1.33 lbs	Yes	6'	8	74840
6½' Red Top - 1.33 lbs	Yes	6½'	9	74841
48" Round Electric Fence Posts	Yes	48"	1	70345

Fence Accessories

Style No. & Family	Painted	Product Length	Product Weight	Resource Number
Post Driver with Handles	Yes	30"	17	79723
T-Post Fasteners	No	–	18	71756
U-Brace	Yes	9'	18	75010



Post Driver



T-Post Fastener

FENCE STAPLES



Toughcoat™ Premium Single & Double Barbed Staples packaged in plastic buckets

Style No. & Family	Size	Wire Gauge	Bucket Weight	Resource Number
Single Barbed	1¼"	8	10	72204
Double Barbed	1½"	8	10	72206
Double Barbed	1¾"	8	10	72208
Double Barbed	2"	8	10	72210
Double Barbed	2½"	8	10	72212
Single Barbed	1¼"	8	40	72214
Double Barbed	1½"	8	40	72216
Double Barbed	1¾"	8	40	72218
Double Barbed	2"	8	40	72220
Double Barbed	2½"	8	40	72222

Toughcoat™ Premium Staples

- Zinc/aluminum coating offers better protection against weathering than Class 3 galvanized coating
- Single- or double-barbed options with deep barbs and sharp points
- Meets or exceeds ASTM A856/A856M standards

Galvanized Staples

- Single barbed or barbless
- Class 1 galvanization for longer life
- Staples packaged in boxes

Barbless Fence Staples

- Heavy gauge wire with a ¼" inside spread at the shoulder
- Sharp points drive easily into aged or weathered fence posts
- Uniform shank for easier driving
- Smooth, bright finish



Galvanized Staples packaged in boxes

Style No. & Family	Size	Wire Gauge	Box Weight	Resource Number
Barbless RB	¾"	9	50	72561
Barbless RB	1"	9	50	72573
Single Barb RB	1¼"	9	50	72575
Single Barb RB	1½"	9	50	72576
Single Barb RB	1¾"	9	50	72577
Single Barb RB	2"	9	50	72578
Single Barb RB	2½"	9	50	80498



Barbless Fence Staples packaged in boxes

Style No. & Family	Size	Wire Gauge	Box Weight	Resource Number
Brite Staples CG	1"	9	50	72536
Brite Staples CG	1⅞"	9	50	72537
Brite Staples CG	1¼"	9	50	72538
Brite Staples CG	1½"	9	50	72539
Brite Staples CG	1¾"	9	50	72540
Brite Staples CG	2"	9	50	72541



RED BRAND

Keystone Steel & Wire Co. | Peoria, IL 61641
800.447.6444 | redbrand.com