

Standing guard since 1889.™

RED-BRAND®



FENCE POCKET GUIDE

The premium line of agricultural fencing products, Red Brand reigns as the most recognized brand of farm fence in the United States. Since 1889, Red Brand has been standing guard with top-quality, American-made fence for a wide variety of applications. It's the product of choice for anyone—full-time rancher, farmer or part-time enthusiast—selecting the best in farm fence.

Red Brand CONTENTS

	PAGE
Fence Families, Knots, Guides & Tables	3 - 7
Field Fence	8 - 13
Horse Fence	14
Sheep & Goat Fence	16
Deer & Wildlife Fence	18
Barbed Wire & Electric Fence Wire	20
Smooth Wire	22
Stockade Panels	24
Poultry Netting	26
Specialty Application	28
Utility Fence	30
Welded Wire	32 - 35
Fence Posts & Accessories	36
Fence Staples	38

The RED BRAND family of fence



Established Reputation.

Since 1889, Red Brand fence has stood guard protecting American farms, ranches and livestock. With the most complete line of fencing solutions, produced at the highest quality, Red Brand is an American fence tradition.



EXTENDED LIFE

Building On Tradition.

Red Brand Extended Life fence products build on our tradition of excellence, offering a wide range of animal-confinement options. Strong **Class 3** wire with heavy zinc coating increases the long life and durability for which Red Brand is known.



HIGH TENSILE

The Leading Lightweight Alternative.


Designed to confine cattle and other large livestock, our High Tensile products provide farmers and ranchers with a lightweight alternative to traditional fence. Combining high tensile wire with our **Class 3** coating makes Red Brand High Tensile fence your unmatched alternative for strength and life expectancy.



Matching a lighter gauge with our commercial galvanized coating, Sierra is the perfect choice for price-conscious consumers who still require top quality.


Red Brand Fence Knots

Many heavy-gauge wire fence styles are made by “tying” sections of wire together with knots. Red Brand Fence uses three types of knots, each with a specific advantage.




Monarch® Knot

The Monarch Knot acts as a hinge that gives under pressure, then allows the fence to spring back into shape.



Square Deal® Knot

The construction of the Square Deal Knot prevents Red Brand fence from buckling or sagging. It provides extra strength and rigidity with flexibility for ideal installation over hilly terrain.




Cross Lock® Knot

The Cross Lock Knot firmly affixes the fence wires together, providing superior resistance to movement from animal penetration or severe snowstorms.


Mesh Design

Red Brand fence is constructed by forming the wire into uniform patterns called “mesh.” Each design has been refined based on more than a century of experience and usage requirements.



Squared Mesh

The mesh is either “knotted” or welded to form square and rectangle patterns—used mostly with heavier gauge wire.



Netting

Lightweight wire is woven to form a hexagonal mesh. Red Brand uses a reverse weave allowing netting to unroll flat.

How to Read Red Brand Fence

Look for the style number, which is a quick description of the fence it classifies. Pull-out is the measure, in inches, of the distance between the vertical stay wires.


STYLE# **1047-6-9**

10 # Line wires

47 Height in inches


6 Pullout

9 Wire gauge




How to Gauge Your Fence

Red Brand fence is made from various gauges of wire—from very heavy to very light. The chart below shows you the size of each gauge (Ga) wire used in producing Red Brand fence. The larger the number, the smaller the wire.



Acreage Guide & Table

The diagram below can be used to calculate the number of rods required to enclose fields of various sizes. These are suggested guidelines using the square area to be fenced.



- 1 rod = 16 1/2 ft.
- 10 rods = 165 ft.
- 20 rods = 330 ft.
- 1/4 mile = 1,320 ft. or 80 rods
- 1/2 mile = 2,640 ft. or 160 rods
- 1 mile = 5,280 ft. or 320 rods

Acreage Guide & Table

The table below helps calculate the number of rolls of fence required to enclose various acreage sizes. These are suggested guidelines assuming the square area to be fenced.

Acreage	Fence 330 ft. Rolls	Fence 100 ft. Rolls	Barb Wire 1320 ft. Rolls 1 Strand
1	3	9	1
2	4	12	1
3	5	15	1
4	5	17	2
5	6	19	2
6	7	21	2
7	7	22	2
8	8	24	2
9	8	25	2
10	8	26	2
11	8	28	2
12	9	29	3
13	10	31	3
14	10	31	3
15	10	33	3
16	11	34	3
17	11	35	3
18	11	36	3
19	11	37	3
20	12	38	3
25	13	42	4
30	14	46	4
35	15	50	4
40	16	53	4
45	17	56	5
50	18	60	5
55	19	62	5
60	20	65	5

Acreage	Fence 330 ft. Rolls	Fence 100 ft. Rolls	Barb Wire 1320 ft. Rolls 1 Strand
65	21	68	6
70	22	70	6
75	22	75	6
80	23	75	6
85	24	77	6
90	24	80	6
95	25	82	7
100	26	84	7
105	26	86	7
110	27	88	7
115	28	90	7
120	28	92	7
125	28	94	7
130	31	103	8
135	31	103	8
140	31	103	8
145	34	111	8
150	34	111	8
155	36	118	9
160	36	118	9
165	38	126	10
170	38	126	10
175	40	132	10
180	40	132	10
185	42	139	11
190	42	139	11
195	44	145	11
200	44	145	11
205	46	151	12
210	46	151	12
215	48	157	12
220	48	157	12
225	49	162	13
230	49	162	13
235	51	167	13
240	51	167	13
245	53	173	13
250	53	173	13
255	54	177	14
260	54	177	14
265	56	182	14
270	56	182	14

Galvanization Guide

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire
- CG** Red Brand Commercial Galvanized wire

Class 1 = .28 oz/ft² zinc coating Class 3 = .80 oz/ft² zinc coating
 Commercial galvanization = <.28 oz/ft² zinc coating


FIELD FENCE



Specialty Spacing

- 6" Pullout
- 12" Pullout
- 9" Pullout

- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear



Monarch® Knot

Style No. & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource #	
1047-6-9	RB	9	9	6	47"	330'	396	70003
1047-12-9	RB	9	9	12	47"	330'	295	70015
832-6-11	RB	11	9	6	32"	330'	210	70022
939-6-11	RB	11	9	6	39"	330'	241	70024
1047-6-11	RB	11	9	6	47"	330'	290	70027
939-12-11	RB	11	9	12	39"	330'	185	70036
1047-12-11	RB	11	9	12	47"	330'	208	70038
726-6-12 ½	RB	12 ½	10	6	26"	330'	128	70041
832-6-12 ½	RB	12 ½	10	6	32"	330'	148	70044
939-6-12 ½	RB	12 ½	10	6	39"	330'	169	70046
1047-6-12 ½	RB	12 ½	10	6	47"	330'	192	70048
832-12-12 ½	RB	12 ½	10	12	32"	330'	116	77349
939-12-12 ½	RB	12 ½	10	12	39"	330'	131	70063
1047-12-12 ½	RB	12 ½	10	12	47"	330'	146	70065
832-6-14 ½	RB	14 ½	11	6	32"	330'	90	70070
939-6-14 ½	RB	14 ½	11	6	39"	330'	102	70072
1047-6-9	EL	9	9	6	47"	330'	417	75216
1047-6-11	EL	11	9	6	47"	330'	289	75048
939-6-14 ½	HT	14 ½	12 ½	6	39"	330'	98	70091
1047-6-14 ½	HT	14 ½	12 ½	6	47"	330'	111	70092
939-6-12 ½	HT	12 ½	10 ½	6	39"	330'	174	70093
1047-6-12 ½	HT	12 ½	10 ½	6	47"	330'	198	70094

Field Fence (Specialty Spacing) - Monarch Knot

842-9-11	RB	11	9	9	42"	330'	193	71030
948-9-11	RB	11	9	9	48"	330'	217	71031



Sierra Field Fence - Monarch Knot

1047-6-11 ½	S	11 ½	9 ½	6	47"	330'	250	72761
939-6-13	S	13	10 ½	6	39"	330'	151	72703
1047-6-13	S	13	10 ½	6	47"	330'	173	72704

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire



FIELD FENCE



Square Deal® Knot

Style No. & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource #
939-12-9	RB	9	12	39"	330'	248	70188
1047-12-9	RB	9	12	47"	330'	281	70190
832-6-11	RB	11	9	32"	330'	196	70195
939-6-11	RB	11	9	39"	330'	225	70196
1047-6-11	RB	11	9	47"	330'	256	70197
939-12-11	RB	11	9	39"	330'	177	70202
1047-12-11	RB	11	9	47"	330'	199	70203
832-6-12 ½	RB	12 ½	10	32"	330'	138	70205
939-6-12 ½	RB	12 ½	10	39"	330'	158	70206
1047-6-12 ½	RB	12 ½	10	47"	330'	179	70207
1047-6-12 ½	HT	12 ½	10	47"	330'	189	71315
1047-12-12 ½	HT	12 ½	10	47"	330'	149	71322

Field Fence (Specialty Spacing) - Square Deal Knot

949-12-9	RB	9	9	12	49"	330'	264	70189
-----------------	-----------	---	---	----	-----	------	-----	-------


KING RANCH® Fence - Square Deal Knot

949-12-9	EL	9	6T 9B	12	49"	330'	288	70230
949-12-9	EL	9	6T 9B	12	49"	660'	576	70233

Sierra Field Fence - Square Deal Knot

939-6-13	S	13	10 ½	6	39"	330'	157	70220
1047-6-13	S	13	10 ½	6	47"	330'	166	70222

Specialty Spacing & King Ranch




- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire



FIELD FENCE




Cross Lock® Knot



Style No. & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource #
842-16-9 ¾ RB	9 ¾	9 ¾	16	42"	330'	182	78210
948-16-9 ¾ RB	9 ¾	9 ¾	16	48"	330'	203	78200
842-16-9 ¾ RB	9 ¾	9 ¾	16	42"	660'	358	78220
948-16-9 ¾ RB	9 ¾	9 ¾	16	48"	660'	405	78230
948-16-9 ¾ EL	9 ¾	9 ¾	16	48"	330'	201	78202
948-16-9 ¾ EL	9 ¾	9 ¾	16	48"	660'	402	78203
842-12-12 ½ HT	12 ½	12 ½	12	42"	330'	106	78232
949-12-12 ½ HT	12 ½	12 ½	12	49"	330'	128	78204
842-12-12 ½ HT	12 ½	12 ½	12	42"	660'	223	78234
949-12-12 ½ HT	12 ½	12 ½	12	49"	660'	255	78236

- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear



- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire



HORSE FENCE




Non-Climb



Keepsafe®

- Non-Climb fence with a 2" x 4" mesh spacing prevents stepping through and uses the smooth side of Square Deal® Knot to protect hides from injury
- Keepsafe® fence uses a diamond mesh weave to prevent hooves or legs from becoming caught in the fence
- Quality galvanized wire with durable zinc coating resists weathering as well as wear and tear
- Easy to install on flat or hilly terrain
- Strong mesh design minimizes potential for injury by flexing on impact




Non-Climb Horse Fence

features 2"x 4" mesh pattern with Square Deal® Knot

Style No. & Family		Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource #
1036-2-12 ½	RB	12 ½	10	2	36"	100'	92	70301
1348-2-12 ½	RB	12 ½	10	2	48"	100'	120	70310
1660-2-12 ½	RB	12 ½	10	2	60"	100'	148	70314
1972-2-12 ½	RB	12 ½	10	2	72"	100'	177	70318
1348-2-12 ½	RB	12 ½	10	2	48"	200'	240	70312
1660-2-12 ½	RB	12 ½	10	2	60"	200'	296	70316
1348-2-12 ½	RB	12 ½	10	2	48"	330'	396	70382
1348-2-12 ½	EL	12 ½	10	2	48"	100'	122	70370
1660-2-12 ½	EL	12 ½	10	2	60"	100'	151	70374
1348-2-12 ½	EL	12 ½	10	2	48"	200'	240	70342
1660-2-12 ½	EL	12 ½	10	2	60"	200'	296	70346
1348-2-12 ½	EL	12 ½	10	2	48"	330'	391	70384

Black Non-Climb Horse Fence - Square Deal Knot

1348-2-12 ½	RB	12 ½	10	2	48"	200'	251	70380
--------------------	-----------	------	----	---	-----	------	-----	-------



Keepsafe® Horse Fence

features Diamond Mesh Weave

Style No. & Family		Horizontal Gauge	Vertical Gauge	Line Wires	Roll Length	Roll Weight	Resource #
50" Height	RB	12 ½	14	13	165'	250	77855
58" Height	RB	12 ½	14	15	165'	294	77856
50" Height	RB	12 ½	14	13	330'	500	77816
50" Height	EL	12 ½	14	13	165'	256	76175
58" Height	EL	12 ½	14	15	165'	301	76180
50" Height	EL	12 ½	14	13	330'	511	77818


RB Red Brand **Tradition** – Class 1 galvanized wire

EL Red Brand **Extended Life** – Class 3 galvanized wire

HT Red Brand **High Tensile** – Class 3 galvanized wire



SHEEP & GOAT FENCE



Square Deal® Knot

Sheep & Goat




Perimeter



- 4" x 4" mesh provides strong confinement and deters animals from putting their heads through the fence
- Smooth side of Square Deal® Knot prevents injury to animal
- Strong mesh design minimizes potential for injury by flexing on impact
- Quality galvanized wire resists weathering as well as wear and tear
- Offers secure protection from predatory animals
- Easy to install on flat or hilly terrain

Style No. & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource #
1348-4-12 ½ RB	12 ½	10	4	48"	100'	79	70305
1348-4-12 ½ RB	12 ½	10	4	48"	330'	261	70315
1348-4-12 ½ EL	12 ½	10	4	48"	100'	81	70303
1348-4-12 ½ EL	12 ½	10	4	48"	330'	263	70309



- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire



DEER & WILDLIFE FENCE




Cross Lock® Knot



Deer & Wildlife



Deer & Orchard



Style No. & Family	HT	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource #
2096-6-12 ½	HT	12 ½	12 ½	6	96"	330'	414	78206




Deer & Orchard Fence with Monarch® Knot

Style No. & Family	RB	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight	Resource #
2048-6-14 ½	RB	14 ½	11	6	48"	165'	87	70250
2360-6-14 ½	RB	14 ½	11	6	60"	165'	101	75513
2672-6-14 ½	RB	14 ½	11	6	72"	165'	115	70253

- Wildlife fence ensures that valuable herds and/or orchards are protected both inside and out
- All-terrain fencing is ideal for flat or rolling, hilly areas
- Deer & Wildlife Fence features the Cross Lock® Knot to provide superior resistance to movement from animal penetration or climbing and severe snowstorms
- Deer & Orchard Fence uses the Monarch® Knot as a hinge under pressure, allowing the fence to spring back into shape
- Galvanized wire resists weathering as well as wear and tear

RB Red Brand **Tradition** – Class 1 galvanized wire
EL Red Brand **Extended Life** – Class 3 galvanized wire
HT Red Brand **High Tensile** – Class 3 galvanized wire





Barbed Wire & Fence Stays



Electric Fence

Barbed Wire

- Sharp points for effective fencing
- Strong barbs resist bending
- Twisted-cable design

Electric Fence Wire

- Ideal for changeable environment operations
- Easily adds extra security to existing systems
- Quality galvanized wire resists rust and corrosion
- Available in handy dispensing spools

Style No. & Family	Wire Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight	Resource #
50 Defender RB	12 ½	2 Pt.	4"	1320'	78	70476
80 Ruthless RB	12 ½	4 Pt.	5"	1320'	83	70481
4-Pt. Extended Life EL	12 ½	4 Pt.	5"	1320'	83	75078
2-Pt. High Tensile HT	15 ½	2 Pt.	5"	1320'	44	85564
4-Pt. High Tensile HT	15 ½	4 Pt.	5"	1320'	42	72600
2-Pt. Sierra S	12 ¾	2 Pt.	4"	1320'	69	85584
4-Pt. Sierra S	12 ¾	4 Pt.	5"	1320'	75	85581
Barbless Cable RB	12 ½	—	—	1320'	70	70523

Fence Stays

Style No. & Family	Wire Gauge	Stay Height	Stay Weight	Resource #
36" Fence Stays RB	9 ½	36"	0.4	74744
42" Fence Stays RB	9 ½	42"	0.4	74747
48" Fence Stays RB	9 ½	48"	0.4	74752

Electric Fence Wire

Style No. & Family	Wire Gauge	Spool Length	Spool Weight	Resource #
Galvanized CG	14	¼ Mile	22	85610
Galvanized CG	14	½ Mile	44	85611
Galvanized CG	17	¼ Mile	10	85612
Galvanized CG	17	½ Mile	20	85617

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire
- CG** Red Brand Commercial Galvanized wire





High-Tensile Smooth Wire

- Suitable to enclose livestock and pastures
- Effective, dependable, low-cost fencing solution
- Class 3 galvanized wire has a heavy zinc coating for long life and durability
- Can be electrified when needed

Galvanized and Black Annealed Smooth Wire

- Multiple applications around home, shop and farm
- Single-strand wire ideal for bundling and tying
- Great for hanging tools and other household chores

Baler Wire

- Used in agricultural and commercial tie balers
- Packaged in a heavy-duty corrugated box with center punch for easy dispensing

Ty Wire for Rebar

- Pliable and easy to twist, but strong enough to make firm ties for concrete reinforcement bars
- Special center hole of coil is semi-square with rounded corners to slip quickly onto standard dispensing unit

Style No. & Family	Wire Gauge	Coil Length	Coil Weight	Resource #
170,000 PSI	HT	12 ½	4000'	104 74002
200,000 PSI	HT	12 ½	4000'	104 74051
Galvanized	CG	9	170'	10 73428
Galvanized	CG	10	205'	10 73439
Galvanized	CG	11	257'	10 73447
Galvanized	CG	12 ½	381'	10 73461
Galvanized	CG	14	584'	10 73468
Galvanized	CG	16	958'	10 73483
Galvanized	CG	9	425'	25 73430
Galvanized	CG	14	1461'	25 73471
Galvanized	CG	9	1701'	100 73432
Galvanized	CG	10	2053'	100 73443
Galvanized	CG	11	2577'	100 73451
Galvanized	CG	12 ½	3817'	100 73464
Galvanized	CG	14	5846'	100 73473
Galvanized	CG	16	9580'	100 73487
Black Annealed		9	170'	10 73365
Black Annealed		12 ½	381'	10 73387
Black Annealed		9	1701'	100 73368
Black Annealed		10	2053'	100 73372
Black Annealed		11	2577'	100 73377
Black Annealed		12 ½	3817'	100 73389
Black Annealed		14	5946'	100 73396
Black Annealed		16	9580'	100 73404


Baler Wire

Black Annealed	14 ½	6500'	100	72690
-----------------------	------	-------	-----	-------

Ty Wire for Rebar	Wire Gauge	Spool Length	Spool Weight	Spools per Carton	Carton Weight	Resource #
Galvanized	CG	16	336'	3.5	20 70	77536
Black Annealed		16	336'	3.5	20 70	71572


- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- CG** Red Brand **Commercial Galvanized** wire





- Meets the demands of busy farms and ranches
- Unmatched strength and durability stands up well to animal pressure and weight
- Available in several styles and weights to match your specific animal-confinement needs


Style No. & Family	Wire Gauge	Panel Height	Panel Length	Panel Weight	Resource #	
1134-8-¼ Hog	CG	¼"	34"	16'	41	90213
1152-8-¼ Cattle	CG	¼"	52"	16'	47	90832
1052-8-¼ Ranch	CG	¼"	52"	16'	45	91757
1452-8-¼ Combo	CG	¼"	52"	16'	55	90214
1352-8-¼ Econo	CG	¼"	52"	16'	53	90575
1134-8-4 Hog	S	4	34"	16'	30	90215
1052-8-4 Ranch	S	4	52"	16'	33	94915
1352-8-4 Econo	S	4	52"	16'	38	90216
1050-8-4 Ranch	S	4	50"	16'	32	94913
1348-4-4 Sheep & Goat	S	4	48"	16'	50	90406
1660-2-6 Horse	S	6	60"	16'	73	90230



- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- S** **Sierra** Agricultural Fence – Commercial galvanized wire
- CG** Red Brand Commercial Galvanized wire




POULTRY NETTING



1" Hexagonal Pattern

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
412-1-20 CG	20	1"	12"	150'	16	73745
418-1-20 CG	20	1"	18"	150'	23	73754
424-1-20 CG	20	1"	24"	150'	30	73764
430-1-20 CG	20	1"	30"	150'	37	73775
436-1-20 CG	20	1"	36"	150'	44	73784
548-1-20 CG	20	1"	48"	150'	59	73793
660-1-20 CG	20	1"	60"	150'	73	73801
772-1-20 CG	20	1"	72"	150'	88	73808
412-1-20 CG	20	1"	12"	50'	5	79512
418-1-20 CG	20	1"	18"	50'	8	80875
424-1-20 CG	20	1"	24"	50'	10	78731
436-1-20 CG	20	1"	36"	50'	15	79513
548-1-20 CG	20	1"	48"	50'	20	78711
660-1-20 CG	20	1"	60"	50'	24	78704
772-1-20 CG	20	1"	72"	50'	29	78705

- Ideal for poultry and pet pens
- Can be used as pest-resistant garden barriers
- Provides predator-proof protection for domestic fowl and gardens
- Hexagon mesh design is reinforced with supplemental horizontal wires to keep netting straight and upright
- 20-gauge wire is galvanized before weaving to last longer, resisting rust and corrosion
- Reverse twist weave unrolls flat, ensuring easier handling



2" Hexagonal Pattern


Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
418-2-20 CG	20	2"	18"	150'	12	73823
424-2-20 CG	20	2"	24"	150'	15	73831
436-2-20 CG	20	2"	36"	150'	22	73847
548-2-20 CG	20	2"	48"	150'	29	73857
660-2-20 CG	20	2"	60"	150'	36	73866
772-2-20 CG	20	2"	72"	150'	43	73874
424-2-20 CG	20	2"	24"	50'	5	78706
436-2-20 CG	20	2"	36"	50'	7	78926
548-2-20 CG	20	2"	48"	50'	10	78707
660-2-20 CG	20	2"	60"	50'	12	78927
772-2-20 CG	20	2"	72"	50'	14	78925

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- CG** Red Brand Commercial Galvanized wire



SPECIALTY APPLICATION

Yard, Garden & Kennel



Yard, Garden & Kennel

features 2"x 2" mesh pattern
with Square Deal® Knot

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
1936-2-16 RB	16	2"x 2"	36"	50'	25	72791
2548-2-16 RB	16	2"x 2"	48"	50'	33	72795
1936-2-16 RB	16	2"x 2"	36"	100'	51	70341
2548-2-16 RB	16	2"x 2"	48"	100'	66	70344
3160-2-16 RB	16	2"x 2"	60"	100'	83	70348
3772-2-16 RB	16	2"x 2"	72"	100'	104	70352

Yard, Garden & Kennel


- 2"x 2" mesh safeguards yards, gardens, toddlers and pets
- Ideal for kennel fencing
- Economical alternative to chain-link fencing
- Strong yet lightweight makes fence easy to install
- Smooth side of Square Deal® Knot prevents injury to animal
- Tough 16-gauge wire has a bright galvanized finish that resists rust

Saltwater Netting

- Flexible netting ideal for crab pots, live wells and fish traps
- Resists corrosion while withstanding severe underwater elements or inclement above-ground weather
- Galvanized twice—before and after weaving

Apron Fence


- Special 12" hinged apron prevents animals from burrowing under the fence
- Sturdy construction for kennels and small animal pens
- Tough 17-gauge wire is woven into 1.5" hexagonal pattern
- Rust-resistant, galvanized wire can be buried under sod



Saltwater Netting


1" and 1 1/2" Mesh Spacing

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
24-1-18 EL	18	1"	24"	150'	75	74182
24-1 1/2-18 EL	18	1 1/2"	24"	150'	47	74188
24-1-20 EL	20	1"	24"	150'	39	74193



Apron Fence

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
60-1 1/2-17 RB	17	1 1/2"	60"	150'	119	73660



12" Hinged Apron


- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire



UTILITY FENCE (Welded Wire)




- General purpose fencing offers strength and rigidity for a variety of outdoor projects
- Solid welded construction ensures a sturdy fence design
- Quality galvanized wire to resist weathering as well as wear and tear



2"x 4" Mesh Spacing

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
1036-2-12 ½ CG	12 ½	2"x 4"	36"	100'	74	74275
1348-2-12 ½ CG	12 ½	2"x 4"	48"	100'	98	74278
1660-2-12 ½ CG	12 ½	2"x 4"	60"	100'	122	74282
1972-2-12 ½ CG	12 ½	2"x 4"	72"	100'	146	74284
1036-2-14 CG	14	2"x 4"	36"	100'	47	84066
1348-2-14 CG	14	2"x 4"	48"	100'	62	84067
1660-2-14 CG	14	2"x 4"	60"	100'	77	70081
1972-2-14 CG	14	2"x 4"	72"	100'	92	84068
2698-2-14 CG	14	2"x 4"	98"	100'	126	73020
1036-2-12 ½ CG	12 ½	2"x 4"	36"	50'	38	74274
1348-2-12 ½ CG	12 ½	2"x 4"	48"	50'	49	74277
1660-2-12 ½ CG	12 ½	2"x 4"	60"	50'	62	74281
1972-2-12 ½ CG	12 ½	2"x 4"	72"	50'	73	74283
1036-2-14 CG	14	2"x 4"	36"	50'	24	70946
1348-2-14 CG	14	2"x 4"	48"	50'	31	70947
1660-2-14 CG	14	2"x 4"	60"	50'	39	70948
1972-2-14 CG	14	2"x 4"	72"	50'	46	70949



1"x 2" Mesh Spacing

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
1936-1-14 CG	14	1"x 2"	36"	50'	46	74302
2548-1-14 CG	14	1"x 2"	48"	50'	62	74303


- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- CG** Red Brand Commercial Galvanized wire



WELDED WIRE



- Provides a versatile, low-cost material for fencing needs
- Suitable for a wide variety of animal cage applications
- Quality galvanized wire resists weathering
- Standard 100' rolls are available in a wide variety of styles and gauges to meet the needs of the job




1" x 1" Mesh Spacing

14 & 16 Gauge

33

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
2524-1-14 CG	14	1"x 1"	24"	100'	87	77474
3736-1-14 CG	14	1"x 1"	36"	100'	130	77476
4948-1-14 CG	14	1"x 1"	48"	100'	174	77477
2524-1-16 CG	16	1"x 1"	24"	100'	50	77486
3736-1-16 CG	16	1"x 1"	36"	100'	75	77488
4948-1-16 CG	16	1"x 1"	48"	100'	101	77489



1" x 2" Mesh Spacing

14 Gauge

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
1018-1-14 CG	14	1"x 2"	18"	100'	48	77462
1324-1-14 CG	14	1"x 2"	24"	100'	64	77463
1630-1-14 CG	14	1"x 2"	30"	100'	79	77464
1936-1-14 CG	14	1"x 2"	36"	100'	95	77465
2548-1-14 CG	14	1"x 2"	48"	100'	126	77466
3160-1-14 CG	14	1"x 2"	60"	100'	157	77467
3772-1-14 CG	14	1"x 2"	72"	100'	188	77468


- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- CG** Red Brand Commercial Galvanized wire



WELDED WIRE



- Provides a versatile, low-cost material for fencing needs
- Suitable for a wide variety of animal cage applications
- Quality galvanized wire resists weathering
- Standard 100' rolls are available in a wide variety of styles and gauges to meet the needs of the job




1/2"x 1" Mesh Spacing

16 Gauge

35

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
1918-1-16 CG	16	½"x 1"	18"	100'	57	77481
2524-1-16 CG	16	½"x 1"	24"	100'	76	77475
3130-1-16 CG	16	½"x 1"	30"	100'	95	77478
3736-1-16 CG	16	½"x 1"	36"	100'	114	77479
4948-1-16 CG	16	½"x 1"	48"	100'	151	77480



2"x 2" Mesh Spacing

12, 14 & 16 Gauge

Style No. & Family	Wire Gauge	Mesh Spacing	Roll Height	Roll Length	Roll Weight	Resource #
3160-2-12* CG	12	2"x 2"	60"	100'	278	77522
3160-2-14* CG	14	2"x 2"	60"	100'	156	77500
3160-2-16 CG	16	2"x 2"	60"	150'	84	77494

* Meets ASTM A185

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire
- CG** Red Brand Commercial Galvanized wire




FENCE POSTS & ACCESSORIES

Fence Posts




T-Posts



U-Brace



Post Driver



T-Post Fastener

Style No. & Family	Painted	Post Height	Post Weight	Resource #
5' Red Top - 1.25 lbs	Yes	5'	7	80153
5 ½' Red Top - 1.25 lbs	Yes	5 ½'	7	80168
6' Red Top - 1.25 lbs	Yes	6'	8	80161
6 ½' Red Top - 1.25 lbs	Yes	6 ½'	8	80170
7' Red Top - 1.25 lbs	Yes	7'	9	80174
8' Red Top - 1.25 lbs	Yes	8'	10	80179
5 ½' Red Top - 1.33 lbs	Yes	5 ½'	8	74839
6' Red Top - 1.33 lbs	Yes	6'	8	74840
6 ½' Red Top - 1.33 lbs	Yes	6 ½'	9	74841
7' Red Top - 1.33 lbs	Yes	7'	10	74842
6' Green / Gray Top - 1.25 lbs	Yes	6'	7.9	75553
6 ½' Green / Gray Top - 1.25 lbs	Yes	6 ½'	8.5	75554
7' Green / Gray Top - 1.25 lbs	Yes	7'	9.1	80763
48" Round Electric Fence Posts	Yes	48"	1.2	70345

Fence Accessories

Style No. & Family	Painted	Product Length	Product Weight	Resource #
Post Driver with Handles	Yes	30"	17	79723
T-Post Fasteners	No	—	—	71756
U-Brace	Yes	9'	18	75010

- RB** Red Brand **Tradition** – Class 1 galvanized wire
- EL** Red Brand **Extended Life** – Class 3 galvanized wire
- HT** Red Brand **High Tensile** – Class 3 galvanized wire



FENCE STAPLES




Toughcoat™ Premium Staples

- Zinc/aluminum coating offers better protection against weathering than Class 3 galvanized coating
- Single- or double-barbed options with deep barbs and sharp points
- Meets or exceeds ASTM A856/A856M standards

Barbless Fence Staples

- Sturdy 9-gauge wire with a 1/4" inside spread at the shoulder
- Sharp points drive easily into aged or weathered fence posts
- Uniform shank for easier driving



Toughcoat™ Premium

Single and Double Barbed Staples
packaged in plastic buckets

Style No. & Family	Size	Wire Gauge	Bucket Weight	Resource #
Single Barbed	1 ¼"	8	10	72204
Double Barbed	1 ½"	8	10	72206
Double Barbed	1 ¾"	8	10	72208
Double Barbed	2"	8	10	72210
Double Barbed	2 ½"	8	10	72212
Single Barbed	1 ¼"	8	40	72214
Double Barbed	1 ½"	8	40	72216
Double Barbed	1 ¾"	8	40	72218
Double Barbed	2"	8	40	72220
Double Barbed	2 ½"	8	40	72222



Barbless Fence Staples

packaged in boxes

Style No. & Family	Size	Wire Gauge	Box Weight	Resource #
Brite Staples	1"	9	50	72536
Brite Staples	1 ⅞"	9	50	72537
Brite Staples	1 ¼"	9	50	72538
Brite Staples	1 ½"	9	50	72539
Brite Staples	1 ¾"	9	50	72540
Brite Staples	2"	9	50	72541
Galvanized Staples RB	¾"	9	50	72561
Galvanized Staples RB	1"	9	50	72573
Galvanized Staples RB	1 ¼"	9	50	72575
Galvanized Staples RB	1 ½"	9	50	72576
Galvanized Staples RB	1 ¾"	9	50	72577
Galvanized Staples RB	2"	9	50	72578
Galvanized Staples RB	2 ½"	9	50	80498

RB Red Brand **Tradition** – Class 1 galvanized wire

EL Red Brand **Extended Life** – Class 3 galvanized wire

HT Red Brand **High Tensile** – Class 3 galvanized wire



To view installation information
and videos, please visit us at:

www.redbrand.com/installation

Standing guard since 1889.™

RED-BRAND®
www.redbrand.com