

INNOVATION IN BUILDING PRODUCTS









LED LIGHTING

WOOD RAILING SYSTEM

TEMPERED GLASS PANELS

COMMERCIAL RAILING

- Easy 1-2-3 Step Installation
- Patented Rail Lock System
- Premium Powder Coat Finish
- No Painting, Less Maintaining
- Meets and Exceeds Building Codes
- •3D Quoting Program
- Never Rust Aluminum
- 20 Year Warranty*



*IMPORTANT: Regal 20 year component warranty invalid unless genuine Regal Ideas components / glass are used in the Regal railing system.




regalideas.com

Toll Free: 1-800-819-4344 1-604-952-4291 Fax: Fig. 1 To 3 5 2 12 3 12 3 12

Regal ideas

Regal ideas **INDEX ALUMINUM RAILING SYSTEM PAGE TOP & BOTTOM RAILS** 1 **ALUMINUM PICKETS / DECORATIVE PICKETS** 2 3 **TEMPERED GLASS PANELS LED LIGHTING** Crystal Rail | LED Lighting ALUMINUM POSTS - 2 1/4" x 42" HIGH 5 ALUMINUM POSTS - 4" x 42" HIGH SPECIALTY RAILING SYSTEMS **CRYSTAL RAIL** 7-8 36" HIGH RAILING 9 60" HIGH WIND WALL/ POOL RAILING 10-11 36" Railing **FASTENERS & ASSEMBLY PARTS FASTENERS** 12 Railing **ASSEMBLY PARTS** 13-14 HAND/STAIR RAIL HAND/STAIR RAIL SOLUTION (ADA COMPLIANT) 15-16 Fasteners WOOD RAILING SYSTEM WOOD RAILING SYSTEM - ROUND/CURVED BALUSTERS 17 Assembly Parts WOOD RAILING SYSTEM - USING 3/4" SQUARE REGAL PICKETS 18 **WOOD RAILING SYSTEM - COMPONENTS & GATES** 19 WOOD RAILING SYSTEM - USING TEMPERED GLASS 20 Hand/Stair Rail QUICKSTEP STAIR SYSTEM **STRINGERS** 21 STAIR TREADS, RISERS, CONNECTOR 22 **MERCHANDISING DISPLAYS** 23 24 **MERCHANDISERS** QuickStep






TOP & BOTTOM RAILS


- · Regal Aluminum Railing top and bottom rail for use with square pickets, wide pickets, decorative pickets and glass panels.
- For use with 36", 42" & 60" (wind wall/pool railing) Regal Aluminum Railing systems.
- · Patented lock-in picket system allows pickets to be quickly installed without the use of fasteners and bottom rail support.
- Constructed of high strength aluminum alloys to meet or exceed national building codes.
- · Premium UV powder coated finish provides maximum durability and low maintenance.
- Twenty year limited warranty on components and ten years on finish.

<u>.</u> .	ottom Rails			Tempered
Code	Description	Qty	Price	— ₽
TBR6	6' o/c Top & Bottom Rails • Actual length: 69"	1 set		
TBR8	8' o/c Top & Bottom Rails • Actual length: 93"	1 set		
TBR10	10' o/c Top & Bottom Rails • Actual length: 117"	1 set		Pailing
TBR12	12' o/c Top & Bottom Rails • Actual length: 141"	1 set	Patented Locking Railing System	ي ا
Stair Har	nd Rails - For use where building code spec	ifies grasp	pability requirement	
Code	Description	Qty	Price	
STBR-12	12' o/c Stair Top & Bottom Rails	1 set		
	Use with UAB and/or in-line post Actual length: 141"			Assembly
				Stair
STBR-CS	Continuous Stair Top Rail Connecting Splice	1 unit		Hand/Stair
	Connecting splice to join 2 stair top rails for stair runs that exceed 12 ft Fasteners sold separately For use with in-line stair post (ILSP)			Mood
SHRC	End Cap for Stair Top Rail Used to cap the ends of Regal Aluminum stair top	1 unit		l lickster
	rail (STBR stair handrail) • Fasteners sold separately			Saisibacdara











ALUMINUM PICKETS

Features:

- · Pickets for 42" High Regal Aluminum Railing system.
- · Patented lock-in picket system allows pickets to be quickly installed in railing without the use of fasteners and bottom rail support.
- Constructed of high strength aluminum alloys to meet or exceed national building codes.
- · Premium UV powder coated finish provides maximum durability and low maintenance.
- · Twenty year limited warranty on components and ten years on finish.

Pickets - for 42" High Regal Aluminum Railing

Code	Description	Qty	Price		Tempered
SP6	Straight Pickets for 6' o/c • 3/4" pickets, Includes 30 aluminum 4" spacers	14/pkg		Pickets lock into place in seconds.	
SP8	Straight Pickets for 8' o/c • ¾" pickets, Includes 40 aluminum 4" spacers	19/pkg		place in seconds, no screws or bolts!	
P10	Straight Pickets for 10' o/c • ¾" pickets, Includes 50 aluminum 4" spacers	24/pkg		3/4"	
PS6	Stair Straight Pickets for 6' o/c • ¾" pickets, Includes 26 aluminum 5" spacers	12/pkg			
VP3	Wide Pickets (covers 3ft with spacers) • 1 % "pickets, Includes 14 aluminum 4" spacers	6/pkg		Spacers Pickets	
PS3	Stair Wide Pickets (covers 3ft with spacers)	6/pkg			

Available Colors: (0W) White, (BL) Black, (TP) Taupe, (YB) Yard Bronze, (TB) Textured Black


Decorative Inserts & Pickets

- Decorative Inserts and Pickets are an Ornamental Option for standard 42" high Regal Aluminum Railing

Code	Description	Qty	Price	
DC	Decorative Circle Ornamental option that fits in place of top spacer Can be used with 42", 36" and 60" high railing with pickets	1 unit		
DP-NR	Narrow Round Decorative Picket Ornamental option that fits in place of regular picket For straight horizontal applications, not available for stairs. Compatible with 42" High Railing System only	1 unit		
DP-WR	 Wide Round Decorative Picket Ornamental option that fits in place of regular picket For straight horizontal applications, not available for stairs. Compatible with 42" High Railing System only 	1 unit		
	Mix and Match Regal Ideas Decorative Pickets with the 42" high Regal Aluminum - Railing system to create a personalized railing	23	23	NR WR

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED













Merchandising

60" Railing

Fasteners

Assembly

Hand/Stair

TEMPERED GLASS PANELS

Features:

- Regal Ideas tempered glass thickness is ¼" to conform to code specifications in U.S. and Canada.
- Provides railing with an unobstructed view.
- Compliment your glass panels by incorporating Regal Ideas LED lighting system.



Crystal Rail | LED Lighting |

, Railing

36"

.09

Fasteners

Hand/Stair Rail

Tempered Glass Panels 35 1/8" H x 1/4" T (6mm)

Code	Description	Qty	Price	
	Clear Glass Panel Sizes (Width):			(CTG) CLEAR GLASS PANELS
CTG6	6" Tempered Glass Panel	1 panel		
CTG9	9" Tempered Glass Panel	1 panel		
CTG12	12"Tempered Glass Panel	1 panel		
CTG15	15" Tempered Glass Panel	1 panel		
CTG18	18" Tempered Glass Panel	1 panel		
CTG21	21" Tempered Glass Panel	1 panel		dasspane
CTG24	24" Tempered Glass Panel	1 panel		GRB10: Insert blocks 35 7/8"
CTG27	27" Tempered Glass Panel	1 panel		1" in from edge of glass panel.
CTG30	30" Tempered Glass Panel	1 panel		Insert rubber blocks (2 per panel) in bottom insert only.
СТG33	33" Tempered Glass Panel	1 panel		Solidin moore only.
CTG36	36" Tempered Glass Panel	1 panel		(CDG6) HORIZONTAL 7 1/4" GLASS PANELS
СТС39	39" Tempered Glass Panel	1 panel		
CTG42	42" Tempered Glass Panel	1 panel		
CTG45	45" Tempered Glass Panel	1 panel		
CTG48	48" Tempered Glass Panel	1 panel		
CTG51	51" Tempered Glass Panel	1 panel		
CTG54	54" Tempered Glass Panel	1 panel		
CTG57	57" Tempered Glass Panel	1 panel		(CAG6) STAIR ANGLED 6"GLASS PANELS
CTG60	60" Tempered Glass Panel	1 panel		
CTG63	63" Tempered Glass Panel	1 panel		Comes with spacers and inserts.
CTG66	66" Tempered Glass Panel	1 panel		
CDG-6	 Horizontal 7 ¼" Glass Panels For 6' railing section c/w spacers and glass gaskets that are LED compatible 	6/pkg		
CAG-6	Stair Angled 6" Glass Panels For 6' stair section - c/w 7 sets of spacer inserts and glass gaskets that are LED compatible Designed for 35 degree stairs (+/- 2 degrees)	6/pkg		
Glass Par	nel Components (Required for glass installatio	n)		
Code	Description	Qtv	Price	

Code	Description	Qty	Price	
GVIL	Vinyl Insert for Tempered Glass	1 set		
	For 6' o/c sections		GVIL	
GRB-10	Rubber Blocks • 2 blocks required per glass panel	10/pkg	GRB-10	
	Insert blocks 1" in from edge of glass panel			~
PRODUCT	IS MAY NOT BE EXACTLY AS ILLUSTRATED			Page 3

LED LIGHTING SYSTEM

- · Exterior moisture resistant, low voltage remote controlled LED lighting system for use in Regal Aluminum Railing system.
- LED lighting is UL/CSA certified.
- For use with 36", 42" and 60" picket and tempered glass systems.
- Remote control unit provides 3 color and 3 brightness settings (White, Gold, Blue).
- Each power adapter can run up to 60ft (10 strips) of LED lighting strips.




42" Railing

	warranty.				٦.
Code	Description	Qty	Price		Tempered
LED-C	LED Lighting Control Pack	1 kit			
	Compact size low voltage LED control unit for easy placement inside Regal Aluminum Railing posts Compact RF remote control unit Includes 20ft power cord Remote control unit provides 3 color and 3 brightness settings				
	Note: One Power Supply will run a maximum of 10 LED strips (approx 60ft.)				
		4 "		/ %/	ľ
LED-L	LED Lighting Strips - 78" (2m) • 78" encapsulated LED strips for 6' railing sections	1 unit			
	(pickets and/or glass) • 120 LED lights per section				L
				Locking Clips	
_ED-P	LED Clear Spacers -For Picket System	15/pkg		/. /	t
	15 clear spacers for lighting 6' picket railing section				
ED-SP	LED Clear Stair Spacers -For Stair Picket System	13/pkg			L
	13 clear spacers for lighting 6' picket stair railing section				
ED-G	LED Glass Gasket - 6' o/c	1 set			A
	-For Glass Panel System			Top	1
	6'o/c glass gasket for lighting 6' glass railing section (actual length: 69")			TOP STATE OF THE PARTY OF THE P	
				Bottom	f
LED-T	LED Splitter Cord	1 unit		Locking	
	Used to run LED lighting in 2 directions using the same power supply			Clips	ļ
.ED-PC	LED Patch Cord	1 unit			$\frac{1}{1}$
.ニリ-アし	13ft Patch Cord used to connect LED strips when	, unit			ľ
	railing is not continuous. (eg. for stairway opening)			Locking	
		1		Clips	1











42" HIGH POSTS

Tempered Glass

LED Lighting

Crystal Rail

Railing

36"

Railing

..09

Fasteners

- · Posts for 42" High Regal Aluminum Railing.
- Posts are 2 1/4" square complete with post cap, welded rail sleeves and attached 4" square aluminum base plate that is ACQ corrosion-resistant.
- · Constructed of high strength aluminum alloys to meet or exceed national building codes.
- · Premium UV powder coated finish provides maximum durability and low maintenance.
- · Twenty year limited warranty on components and ten years on finish.

2	'/4	POST	ts -	42	High
_	_				

Code	Description	Qty	Price		
				\bigcirc \bigcirc \bigcirc	\Diamond \Diamond
RCP	Corner Post (2 1/4" x 2 1/4" x 42"H)	1 unit			* *
	Welded brackets at 90° to connect rails to posts				
REP	End Post (2 1/4" x 2 1/4" x 42"H)	1 unit			
	Welded brackets to connect rails to posts				
RLP	Line Post (2 1/4" x 2 1/4" x 42"H)	1 unit			
	Welded brackets to connect rails to posts				
RSP	Stair Post (2 1/4" x 2 1/4" x 42"H)	1 unit			
	For use with angle bracket or post bracket in stair, angle or custom applications				
	Note: Fasteners sold separately			RCP REP	RLP RSP
RP45	45° Angle Post (2 1/4" x 2 1/4" x 42"H) • Welded brackets connect rails to posts at 45° angle	1 unit			
ILSP	In-Line Stair Post (2 ¼" x 2 ¼" x 36"H)	1 unit			
	Undermount post to attach Top rail between top and bottom of stairs Includes bottom UAB bracket				
	Note: Fasteners sold separately			RP45	ILSP

Base Plate Cover - for 2 1/4" Regal Aluminum Posts

Code	Description	Qty	Price	÷	
ВС	 2 1/4" Post Base Plate Cover Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a 	1 unit		Hand/Sta Rail	
	finished appearance			ي ۾	


Decor	ative Post Caps - for 2 ¼" Regal Aluminum Po	osts					
Code	Description	Qty	Price				
DPC-B	Ball Post Cap	1 unit			\wedge		
DPC-P	Pyramid Post Cap	1 unit					>
DPC-T	Tower Post Cap	1 unit					
	Snap on aluminum cap to replace standard cap			DPC-B	DPC-P	DPC-T	
	Available Colors: (0W) White, (BL) Black, (TP) Taupe, (Y	B)Yard Bronze	, (TB) Texture	ed Black			_

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED













4" ALUMINUM POSTS

Tempered Glass

LED Lighting

Crystal Rail

Railing

36"

Railing

.09

Fasteners

QuickStep

Merchandising

- · Posts for 42" High Regal Aluminum Railing.
- Complete with post cap, welded rail sleeves and attached 6" square aluminum base plate that is ACQ corrosion-resistant.
- Constructed of high strength aluminum alloys to meet or exceed national building codes.
- Premium UV powder coated finish provides maximum durability and low maintenance.
- Twenty year limited warranty on components and ten years on finish.


RP4C (4" X4" x 42" Height) • Welded brackets at 90" to connect rails to posts RP4E 4" End Post (4" x 4" x 42" Height) • Welded brackets to connect rails to posts RP4L 4" Line Post (4" x 4" x 42" Height) • Welded brackets to connect rails to posts RP4L (4" x 4" x 42" Height) • Welded brackets to connect rails to posts RP4S 4" Stair Post (4" x 4" x 42" Height) • For use with angle bracket or post bracket in stair, angle or custom applications Note: Fasteners sold separately Base Plate Cover - for 4" Regal Aluminum Posts	Code	Description	Qty	Price		
PAGE Post (4" x 4" x 42" Height) Welded brackets to connect rails to posts 1 unit RP4L 4" Line Post (4" x 4" x 42" Height) Welded brackets to connect rails to posts 1 unit RP4C RP4E 4" Stair Post (4" x 4" x 42" Height) Welded brackets to connect rails to posts 1 unit RP4S 4" Stair Post (4" x 4" x 42" Height) For use with angle bracket or post bracket in stair, angle or custom applications Note: Fasteners sold separately RP4L RP4S	RP4C		1 unit			
(4" x 4" x 42" Height) • Welded brackets to connect rails to posts RP4L 4" Line Post (4" x 4" x 42" Height) • Welded brackets to connect rails to posts RP4S 4" Stair Post (4" x 4" x 42" Height) • For use with angle bracket or post bracket in stair, angle or custom applications Note: Fasteners sold separately RP4L RP4S						
RP4S 4" Stair Post (4" x 4" x 42" Height) • Welded brackets to connect rails to posts 1 unit 1 unit Note: Fasteners sold separately RP4L RP4S	RP4E	(4" x 4" x 42" Height)	1 unit			
(4" x 4" x 42" Height) • For use with angle bracket or post bracket in stair, angle or custom applications Note: Fasteners sold separately RP4L RP4S	RP4L	(4" x 4" x 42" Height)	1 unit		RP4C	RP4E
Base Plate Cover - for 4" Regal Aluminum Posts	RP4S	 (4" x 4" x 42" Height) For use with angle bracket or post bracket in stair, angle or custom applications 	1 unit		RP4L	RP4S
	Base F	Plate Cover - for 4" Regal Aluminum Posts				

Code	Description	Qty	Price
BC4	 4" Post Base Plate Cover Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a more finished appearance 	1 unit	

Available Colors: (0W) White, (BL) Black, (TP) Taupe, (YB)Yard Bronze, (TB) Textured Black

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED











Regal ideas **CRYSTAL RAIL**

Features:

- The stunning clarity of Regal Ideas White No Iron Tempered Glass panels make it the obvious choice for homeowners that want an unobstructed view. Conforms to code specifications in U.S. and Canada.
- Tempered Glass contains no iron which produces a crystal clear glass panel with clarity like you have never seen before.
- Glass Mounting brackets include pre-installed LED's that can light up your glass panels at night.
- White No Iron Tempered Glass Stair Panels are also available. For Hand/Stair rail options see page 15.

Crystal Rail Horizontal & Stair Glass Mounts

Crystal Rail Horizontal & Stair Glass Mounts						
Code	Description	Qty	Price	1	Tempered	
CRH	Horizontal Glass Mount with LED To hold No Iron tempered glass panels (CRG) c/w internal leveling angle adjustments c/w white LED light inside mount	1 unit			L ED Liahtina	
CRHS	Stair Horizontal Glass Mount To hold No Iron tempered glass panels (CRSG) on stairs c/w internal leveling angle adjustments	1 unit			Crystal Rail	
	c/w white LED light inside mount Color: Satin Aluminum IMPORTANT: Must be fastened using mounting plates and				36" Railing	
	bolts found on page 12 Driver Kit and additional components required to operate LED (see next page)				60" Railing	

White No Iron Tempered Glass Panels - 3/8" (10mm) Thickness

Code	Description	Qty	Price	
CRG24 CRG30 CRG36 CRG42 CRG48 CRG54 CRG60	24" x 40" H White No Iron Clear Panel 30" x 40" H White No Iron Clear Panel 36" x 40" H White No Iron Clear Panel 42" x 40" H White No Iron Clear Panel 48" x 40" H White No Iron Clear Panel 54" x 40" H White No Iron Clear Panel 60" x 40" H White No Iron Clear Panel	1 panel		

White No Iron Tempered for 35° Stair Glass Panels (Note: for use on 35° angle)


willte No from Tempered for 33 Stair Glass Patiers (Note: for use on 35 langle)						
Code Description Qty Price						
CRSG03 10mm Angled glass for 3 steps (29 ½" Width) 1 panel 1 p	thandising QuickStep					

HAND RAIL OPTIONS FOR CRYSTAL RAIL - see page 15

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

42" Railing

Hand/Stair Rail









Rega	al ideas			CRYSTAL RAIL	
White I	No Iron Tempered Glass for Pool Rail/	Wind W	/all App	lications	Bu
Code	Description	Qty	Price		Railing
CRG48	 48" x 40" White No Iron Tempered Glass Can be installed on end to achieve 50" height when 48" (min) is required 	1 panel			42"
CRG60	 60" x 40" White No Iron Tempered Glass Can be installed on end to achieve 62" height when 60" (min) is required 	1 panel			ng Tempered
	NOTE: Wind Wall/Pool Railing designed for ground level applications only				LED Lighting
Crystal	Rail Gate Parts				Rail
Code	Description	Qty	Price		stal F
CRGH	Gate Hinge Set • Durable hinge set used to hold the Crystal Rail Glass panel for the gate	1 pair			Railing Crystal
CRIL	Magnetic In-line Gate Latch	1 unit			36" R
OIVIL	Adjustable magnetic in-line latching system For use in horizontal in-line gates	T dille			Railing 3
CRCL	Magnetic Corner Gate Latch	1 unit			60" R
	Adjustable magnetic corner gate latching system For use in 90° corner gates				
	Note: • For gates, use glass size up to max 42" • Pool applications require self closing hinges				/ Fasteners
LED Co	ntroller and Components				embly
Code	Description	Qty	Price		Asse
CRLC	LED Controller	1 unit			T
	For use with Crystal Rail glass mounts Max 40 glass mounts per controller Includes Remote Control			CRLC	Hand/Stair Rail
CRDT	Double-T Splitter Connection Cord	1 unit		CREC	ع ح
	39" (1 meter) cord To connect LED to each Glass Mount			CRDT	Wood
Vacuun	n Cup			,	tep
Code	Description	Qty	Price		QuickStep
CVC	Vacuum Cup	1 unit			Qu
	Vacuum tool for easier moving and handling of ¾" (10mm) glass panels (2 required)				Merchandising
ŀ	IAND RAIL OPTIONS FOR CRYSTAL RAIL - see page 15	FASTEN	NERS - see	page 12	Merc
PRODU	CTS MAY NOT BE EXACTLY AS ILLUSTRATED			Page 8	

36" HIGH RAILING

Railing

42"

36" Railing

60" Railing

Fasteners

- 36" High Regal Aluminum Railing is available using standard 3/4" pickets only. Tempered Glass and Decorative Pickets not available.
- Posts are 2 ¼" square complete with post cap, welded rail sleeves and attached 4" square aluminum base plate that is ACQ corrosion-resistant.
- Constructed of high strength aluminum and premium UV powder coated finish provides maximum durability and low maintenance.
- · Twenty year limited warranty on components and ten years on finish.

2 1/4" Posts - 36" High

2 ¼" Pc	osts - 36" High				Tempered
Code	Description	Qty	Price		ַ מַנְיָּ
RCP36	36" High Corner Post (2 1/4" x 2 1/4" x 36" H)	1 unit			
REP36	36" High End Post (2 1/4" x 2 1/4" x 36" H)	1 unit			Lighting
RLP36	36" High Line Post (2 1/4" x 2 1/4" x 36" H)	1 unit			LED
RSP36	36" High Stair Post (2 1/4" x 2 1/4" x 36" H) Note: Fasteners sold separately	1 unit		RCP REP RLP RSP	stal Rail

Base Plate Cover - for 2 1/4" Regal Aluminum Posts

Code	Description	Qty	Price	
ВС	2 1/4" Post Base Plate Cover	1 unit		
	Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a more finished appearance			

Decorative Post Caps - for 2 1/4" Regal Aluminum Posts

Code	Description	Qty	Price	
DPC-B	Ball Post Cap	1 unit		
DPC-P	Pyramid Post Cap	1 unit		
DPC-T	Tower Post Cap	1 unit		DPC-B DPC-P DPC-T

Top & Bottom Rails (Same Top & Bottom Rails used in the 42" High Railing System)

10p & Bottom Rails (Same lop & Bottom Rails used in the 42 High Railing System)						
Code	Description	Qty	Price		mbly	
TBR6	6' o/c Top & Bottom Rails (Actual length: 69")	1 set			Asse	
TBR8	8' o/c Top & Bottom Rails (Actual length: 93")	1 set				
TBR10	10' o/c Top & Bottom Rails (Actual length: 117")	1 set			Stai	
TBR12	12' o/c Top & Bottom Rails (Actual length: 141")	1 set			Hand/S	
	Note: Fasteners sold separately				广	

36" High Pickets & Gates

Code	Description	Qty	Price	
SP36-6	Straight Pickets for 6' o/c section • ¾" pickets, Includes 30 aluminum 4" spacers • Pickets lock into place, no screws or bolts needed	14/pkg		
SPS6	Stair Straight Pickets for 6' o/c section • ¾" pickets, Includes 26 aluminum 5" spacers	12/pkg		
ASGP36	36"H x 48"W Gate PackageStraight ¾" picketsFits openings up to 48"	1 pkg		SP36-6 ASGP36

Available Colors: (0W) White, (BL) Black, (TB) Textured Black

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED









60" HIGH WIND WALL/POOL RAILING

Don't Forget you

LED Lighting!

Page 4

42"

Fempered

LED Lighting

Rail

Crystal

36"

Fasteners

Assembly Parts

Hand/Stair Rail

tem

- 60" High Regal Aluminum Railing, works with Regal rails, post caps, wall and universal angle brackets.
- Posts are 2 1/4" square complete with post cap, welded rail sleeves and attached 4" square aluminum base plate that is ACQ corrosion-resistant.
- Constructed of high strength aluminum alloys and premium UV powder coated finish.
- · Twenty year limited warranty on components and ten years on finish.

IMPORTANT: Wind Wall/Pool Railing designed for ground level applications only.

2 1/4" Posts - 60" High Code Description **Price** Qty \Diamond \bigoplus \bigoplus **WRCP** Wind Wall Corner Post (2 1/4" x 2 1/4" x 60" H) 1 unit • Welded brackets at 90° to connect rails to posts **WREP** 1 unit Wind Wall End Post (2 1/4" x 2 1/4" x 60" H) · Welded brackets to connect rails to posts **WRLP** 1 unit Wind Wall Line Post (2 1/4" x 2 1/4" x 60" H) · Welded brackets to connect rails to posts Note: Fasteners sold separately WRCP WREP WRLP

Base Plate Cover - for 2 1/4" Regal Aluminum Posts

		Price	Qty	Description	Code
			1 unit	2 1/4" Post Base Plate Cover • Two piece cast aluminum base plate cover	ВС
				Wraps post base to hide fasteners and provide a more finished appearance	
/					

Decorative Post Caps - for 2 1/4" Regal Aluminum Posts


						4
DPC-B	Ball Post Cap	1 unit		\wedge		
DPC-P	Pyramid Post Cap	1 unit				
DPC-T	Tower Post Cap	1 unit				
	Snap on aluminum cap to replace standard cap		DPC-B	DPC-P	DPC-T	Ë

Qtv

Price

Code	Description	Qty	Price	×
TBR6 TBR8 TBR10	6' o/c Top & Bottom Rails (Actual length: 69") 8' o/c Top & Bottom Rails (Actual length: 93") 10' o/c Top & Bottom Rails (Actual length: 117")	1 set 1 set 1 set		
TBR12	12' o/c Top & Bottom Rails (Actual length: 141")	1 set		

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED



Code

Description












60" HIGH WIND WALL/POOL RAILING

60" High Gates and Pickets 42" Railing Code Description Qty **Price** Pickets WSP60-6 1 pkg 60" High Straight Pickets for 6' o/c lock into Tempered • 3/4" pickets. Includes 30 aluminum 4" spacers place in seconds no screws · Pickets lock into place, no screws or bolts needed or bolts! 3/4 LED Lighting WSP60-6 Crystal Rail WPG60 60" High Gate Package 1 pkg • c/w Rails, hinge post, latch post, 8 pickets 3/4" square with spacers, hinges and latch Fits openings up to 48" Railing · Fasteners sold separately 36" · Pool applications require self closing hinges Railing Glass for Wind Wall/Pool Railing Code Description Qty **Price** .09 Fasteners CTWG-31 3ft o/c Wind Wall/Pool Railing Glass 1 panel • 31" x 53 1/8" x 1/4" (6mm) Assembly CTWG-43 4ft o/c Wind Wall/Pool Railing Glass 1 panel • 43 x 53 1/8" x 1/4" (6mm) Hand/Stair Rail Note: Requires glass gasket and rubber blocks for installation Wind Wall/Pool Railing Components (Required for glass installation) Code Description **Price** Qty QuickStep **GVIL** Vinyl Insert for Tempered Glass 1 set · For 6' o/c sections **GRB-10 Rubber Blocks** 10/pkg · 2 blocks required per glass panel Merchandising Available Colors: (0W) White, (BL) Black PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED











Regal ideas FASTENERS

Features:

- High strength fasteners and mounting plates for installing the various Regal ideas railing components.
- · Never compromise on using the right fasteners for your project.
- · Contact our Customer Service department for fastening drawings and requirements for your region.
- IMPORTANT: Please refer to your local building codes for guidelines and limitations.

					_
Code	Description	Qty	Price		Tempered Glass
WCS-50	#10 x 3/4" Self Drilling Screws • For metal connections	50/pkg		(hannan)	
	Available in all standard colors				Lighting
S114	#10 x 1 1/4" Self Drilling Screw • To attach QuickStep stair treads to QuickStep stair stringers	24/pkg		mmm —	LED
SCD 24	#44 x 2 1/2 Log Corous	24/pkg		n	al Rail
SCP-24	#14 x 2 ½" Lag Screws Used with posts and wall brackets Available in all standard colors	24/pkg		Lummmm	Crystal
PML6	3/8" x 6" Lag Screws (Used with Posts*)	4/pkg			Railing
	Hot dipped galvanized				36" R
MB3	3/8" x 2 3/4" Structural Bolt c/w nut	24/pkg			Railing
	For use with MP4, MP5 and MP6 mounting plate to stair treads Hot dipped galvanized				60" Ra
MB6	³⁄₅" x 6" Structural Bolt	4/pkg			ners
	For use with MP4, MP5 and MP6 mounting plates. Hot dipped galvanized			(Fasteners
MD4	41) Alemain and Bell Thomas II Manualina Blade	4 "		0	Assembly Parts
MP4	 4" Aluminum Bolt-Through Mounting Plate For 2 1/4" post (under or side mount) 	1 unit			Asse Pa
	Mill finish aluminum			6	
					Hand/Stair Rail
MP5	5" Aluminum Bolt-Through Mounting Plate	1 unit		0 0 0	Han
	For Crystal Rail (under or sidemount) Mill finish aluminum			() () () () () () () () () ()	
					Wood System
MP6	6" Aluminum Bolt-Through Mounting Plate	1 unit			>ớ
	For 4" Posts Mill finish aluminum				tep
				0	QuickStep
МВС	4" SS Concrete Anchors	4/pkg		000	
	For concrete surface applications Stainless Steel				erchandising
*IMP(DRTANT: Please refer to your local Building Codes for guide	lines on nost	installations	for above ground decks	erch:

*IMPORTANT: Please refer to your local Building Codes for guidelines on post installations for above ground decks.

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

Page 12

42" Railing

Regal ideas **ASSEMBLY PARTS** Railing Code **Description** Qty **Price UAB Universal Angle Bracket** 1 set 42, · To accommodate stairs and angles Fasteners sold separately empered Set includes one Top and one Bottom bracket LED Lighting 1 set **WB Top & Bottom Wall Brackets** · For attaching Regal Aluminum Railing top and bottom rails to an existing structure · Fasteners sold separately Rail Crystal [PB **Top & Bottom Post Brackets** 1 set · Top and bottom rail brackets for custom posts or multi-level applications Railing · Fasteners sold separately 36" 1 unit **PSB** Sidemount Post Bracket Railing · Fascia mount bracket for End Post, Line Post, Stair Post or Inside Corner Post · Fasteners sold separately .09 **PSCB Sidemount Corner Post Bracket** 1 unit Fasteners · For Outside Corner fascia applications · Fasteners sold separately Top View Side View PC Standard Replacement Post Cap 1 unit • Standard replacement post cap for Regal Aluminum Railing 2-1/4" posts Hand/Stair Rail **RS4-6** 4" Spacers 6/pkg · 4" railing spacers (6/pack) **PBW** 1 unit Post Leveling Wedge Post Leveling Wedged Shim for 1:12 Slope QuickStep **PSSB** 1 unit Stair Saddle Bracket • Bracket replaces regular base plate on a 2 1/4" stair post so that it can be mounted to the top of a wood stringer · c/w 4 base plate screws, shims included · Accepts wood stringer thickness of 2.5" - 3.5" Merchandising · Colors: White, Black, Yard Bronze Saddle Bracket Available Colors: (0W) White, (BL) Black, (TP) Taupe, (YB)Yard Bronze, (TB) Textured Black

Page 13

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

(6) 800.819.4344

Regal ideas **ASSEMBLY PARTS** Railing Code Description Qty **Price** 42, **SRSL** 1 unit Stair Rail Support Leg · For stair runs over 4ft empered · For horizontal bottom rail support if required For glass panels 48" W and larger · Fasteners sold separately LED Lighting **HRB Hand Rail Bracket** 1 unit · Used to attach top rail or stair top rail (graspable) to wall or post Crystal Rail · Fasteners sold separately **HRC** 1 unit Railing **Hand Rail Cap** · End cap for stair rails (For use with TBR Rails) 36" · Fasteners sold separately Railing ..09 **TUP** Touch-Up Pen 1 unit Fasteners · Touch-Up paint pen to match Regal Aluminum Railing Pen holds 10 ml of color matched paint and includes extra tip **ISRB Inside Railing Brace** 1 unit · Complete with fasteners for mounting on pickets or 1 unit Hand/Stair Rail **OSRB Outside Railing Brace** Complete with fasteners for mounting on pickets or **ASGP** 42"H x 48"W Gate Package 1 pkg (Straight 3/4" Pickets) · Fits openings up to 48" · Fasteners sold separately QuickStep **WGP** 42"H x 48"W Gate Package 1 pkg (Wide 1 %16" Pickets) Fits openings up to 48" · Fasteners sold separately Merchandising GATE PACKAGE INCLUDES: Rails, hinge post, latch post, pickets with spacers, hinges and latch Available Colors: (0W) White, (BL) Black, (TP) Taupe, (YB)Yard Bronze, (TB) Textured Black PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED Page 14

HAND/STAIR RAIL


Railing

Tempered Glass

LED Railing


Features:


- · Regal ideas offers a complete aluminum Hand/Stair rail solution (ADA Compliant).
- Easy to install and conforms to code specifications in the U.S. and Canada.
- Provides added safety and security to any stair or ramp.
- Used as hand rail/stair rail for Crystal Rail system.



Code	Description	Qty	Price	4
HR8	8ft Hand/Stair Rail 1 ½" OD Hand/Stair rail	1 unit	0	
HCR	 90° Corner/Return Rail Section To accommodate 90° corner or ground return A picket or post bracket must be used at each seam of rail to rail connections when used as a corner 	1 unit	12"	
HW90	90° Wall Return • To accommodate 90° return into wall or post	1 unit		
HLR	 Handrail Loop Return 180° return to finish handrail system A wall return is used one end to attach to post of wall 35° elbow required for stairs, 5° elbow required for ramps 	1 unit		
HE35	 35° Elbow Connects 180° handrail return to hand/stair rail on stair applications 	1 unit	12"	
HE5	 5° Elbow Connects 180° handrail return to handrail on ramp applications 	1 unit	12"	

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED












HAND/STAIR RAIL

Code	Description	Qty	Price	
HSC	Rail Splice and Cap 10" splice to connect sections of hand/stair rail	1 unit		
HAC	Adjustable Angle Connector Accommodates any corner or angle connection Includes 2 mounting screws	1 unit		
HEC	End Rail Cap • End cap for rails	1 unit		
HBW	Wall/Post Bracket • To attach handrail to wall or post	1 unit		
НВР	Picket Bracket • To attach handrail to railing picket	1 unit		
HBG	10mm Glass Bracket • To attach hand/stair rail to Crystal rail 10mm glass	1 unit		
нwс	Handrail Wall/Post Return Connector • Used to cap the end of the hand rail tube against a wall, post or ground return	1 unit		








WOOD RAILING SYSTEM

Wood Railing System

Features:

- Choose from Classic Round or Flat Curved pickets.
- Picket systems for 36", 42" and 46" railing heights.
- · Pickets come in a semi-gloss black powder coat finish.
- · Low maintenance product made of 100% aluminum alloy that will never rust.
- Can be used with wood and composite materials.



Round Balusters - for use with wood or composite materials

Code	Description	Qty	Price	
WPR26	26" Round Balusters (For 36" Railing)	10/pkg		9 9
	Each package of 10 pieces will fill approximately four lineal feet of railing if balusters are spaced 4" o/c			
WPR32	32" Round Balusters (For 42" Railing)	10/pkg		
	Each package of 10 pieces will fill approximately four lineal feet of railing if balusters are spaced 4" o/c			
WPR36	36" Round Balusters (For 42"-46" Railing)	10/pkg		
	Each package of 10 pieces will fill approximately four lineal feet of railing if balusters are spaced 4" o/c			26" 32" 36"
WHCR	Horizontal Connectors (For use with WPR's above)	20/pkg		
	Fasteners Included			
WSCR	Stair Connectors (For use with WPR's above, designed for 35° angle)	20/pkg		WI CD WCCD
	Fasteners Included			WHCR WSCR

Available Color: (TB) Textured Black

Curved Balusters - for use with wood or composite materials

Code	Description	Qty	Price	В	Hand/Stair
WPFC32	 32" Flat Curved Balusters (For 36" Railing) Each package of balusters will complete about 2 lineal feet of railing if spaced is between 3.5" - 3.875" Balusters are ½" thick aluminum Fasteners Included 	5/pkg		WPFC32	Merchandising QuickStep


PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

Page 17











Crystal Rail


.09

WOOD RAILING SYSTEM

Wood Railing System - using Regal Aluminum Pickets

Features:

- Regal Ideas railing adapters allow you to use any of the picket styles for your wood or composite railing system.
- Low maintenance product made of 100% aluminum alloy that will never rust.
- For use with both wood or composite decking materials.



Picket Mounting Brackets - for use with wood or composite

Code	Description	Qty	Price	
whcs	Horizontal Connectors for Square Pickets • For use with Regal Aluminum Railing ¾" straight pickets • Available in Black only	20/pkg		
wscs	Stair Connectors for Square Pickets • For use with Regal Aluminum Railing ¾" straight stair pickets (designed for 35° angle) • Available in Black only	20/pkg		WHCS WSCS
WPB	Picket Mounting Bracket Set	1 set		
	 Powder coat aluminum casting Accepts any Regal Aluminum Railing ³/₄" straight or decorative picket styles c/w fasteners Available in Black and Yard Bronze 			TOP BOTTOM

Decorative Picket Options - for use with Picket Mounting Brackets (WPB) above

Code	Description	Qty	Price			
DP-NR	Narrow Round Decorative Picket	1 unit				
DP-WR	Wide Round Decorative Picket Note: Pickets require WPB Picket Mounting Brackets for installation on wood or composite rails Not for use in stairs	1 unit		₩ NR	WR	

Regal Picket Options - for use with Picket Mounting Brackets (WPB/WHCS) above

Code	Description	Qty	Price	
SP6	Straight Pickets for 6' o/c	14/pkg		
SP8	Straight Pickets for 8' o/c	19/pkg		······
SP10	Straight Pickets for 10' o/c	24/pkg		PICKET MOUNT BRACKETS
	Note: Pickets require WPB, WHCS or WSCS Picket Mounting Brackets for installation on wood or composite rails			SQUARE PICKET

Available Picket Colors: (0W) White, (BL) Black, (TP) Taupe, (YB) Yard Bronze, (TB) Textured Black

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

Page 18











Lighting

Rail

Crystal

Railing


Fasteners

Hand/Stair Rail

WOOD RAILING SYSTEM

Give a custom finished look to any deck!

- Regal Ideas has everything you need to build your next custom wood deck
- Go from Classic to Elegant with our aluminum railing pickets or use our Glass mount track to install any of our Tempered Glass panels.



Post and Rail Attachments - for use with wood or composite materials

Code	Description	Qty	Price	
WPA44	4"X4" Post Anchor • For 4"x4" Wood or Composite posts • Includes Fasteners • Natural Cedar color Note: Not to be used on deck surfaces higher than 24" above grade	1 unit		WPA44
WRA24	Rail Attachment for Wood Railing and Fence Includes Fasteners Natural Cedar color	1 set		WRA24

Post Caps - for 4"x4" wood posts

Code	Description	Qty	Price	
WPC-B	Ball Decorative 4x4 Post Cap	1 unit		
WPC-P	Pyramid Decorative 4x4 Post Cap	1 unit		
WPC-T	Tower Decorative 4x4 Post Cap	1 unit		
	For nominal 4"x4" Wood or Composite posts Hidden claw system, grips onto post No Fasteners or adhesive required			WPC-B WPC-P WPC-T

Available Colors: (NC) Natural Cedar, (BL) Black, (YB) Yard Bronze

Gate Packages - INCLUDES: Rails, hinge post, latch post, pickets, hinges and latch

Code	Description	Qty	Price	
ASGP	42"H x 48"W Gate Package (Straight ¾" Pickets) • Fits openings up to 48"	1 pkg		
WGP	42"H x 48"W Gate Package (1 %6" Wide Pickets) • Fits openings up to 48"	1 pkg		

Available Colors: (0W) White, (BL) Black, (TP) Taupe, (YB)Yard Bronze, (TB) Textured Black


PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

Page 19











ED Lighting

Fempered

Railing

Crystal Rail

Railing 36"

Railing .09

Fasteners


Hand/Stair Rail

WOOD RAILING SYSTEM

Wood Railing System - using Regal Tempered Glass

Features:

- Regal Ideas Glass Mount Track (WGT) allows you to install ¼" (6mm) tempered glass to your wood or composite railing system.
- Easy to install.



Glass Mounting Track - For use with wood or composite

Code	Description	Qty	Price	
WGT	Glass Mounting Track Set • For wood railing • 68" length, for 6' o/c • Fasteners included	1 set		Тор
	Color: (YB) Yard Bronze			Bottom

Tempered Glass Panels 35 1/8" H x 1/4" T (6mm) - For use with Glass Mounting Track (WGT) above

Code	Description	Qty	Price		
CTG6	6" Tempered Glass Panel	1 panel			
CTG9	9" Tempered Glass Panel	1 panel			
CTG12	12" Tempered Glass Panel	1 panel			
CTG15	15" Tempered Glass Panel	1 panel			
CTG18	18" Tempered Glass Panel	1 panel			L
CTG21	21" Tempered Glass Panel	1 panel			14
CTG24	24" Tempered Glass Panel	1 panel			000
CTG27	27" Tempered Glass Panel	1 panel		Glass panel	_
CTG30	30" Tempered Glass Panel	1 panel		s par	į.
CTG33	33" Tempered Glass Panel	1 panel		1 105	0/70
CTG36	36" Tempered Glass Panel	1 panel			2
CTG39	39" Tempered Glass Panel	1 panel			
CTG42	42" Tempered Glass Panel	1 panel			70
CTG45	45" Tempered Glass Panel	1 panel			7//
CTG48	48" Tempered Glass Panel	1 panel			
CTG51	51" Tempered Glass Panel	1 panel			
CTG54	54" Tempered Glass Panel	1 panel			
CTG57	57" Tempered Glass Panel	1 panel			
CTG60	60" Tempered Glass Panel	1 panel			r
CTG63	63" Tempered Glass Panel	1 panel			
CTG66	66" Tempered Glass Panel	1 panel			

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

f y O in

Page 20

LED Lighting

Rail

Crystal

36"

60" Railing

QuickStep STAIR SYSTEM

42" Railing

- · Complete stair solution including stair treads, riser covers and stair stringers.
- Easy undermount installation.
- · Stair Stringers made of never rust, premium UV powder coated aluminum alloy.
- · Tread increments from 1 to 9 steps.


Aluminum Stair	Stringers (2 per	package)
----------------	-------------	-------	----------

Code	Description	Qty	Price	Ter
QS-1	1 Step Aluminum Stair Stringer Rise to Deck: 15", Run: 10.5"	2/pkg		LED Lighting
QS-2	2 Step Aluminum Stair Stringer Rise to Deck: 22.5", Run: 21"	2/pkg		Crystal Rail
QS-3	3 Step Aluminum Stair Stringer Rise to Deck: 30", Run: 31.5"	2/pkg		36" Railing
QS-4	4 Step Aluminum Stair Stringer Rise to Deck: 37.5", Run: 42"	2/pkg		60" Railing
QS-5	5 Step Aluminum Stair Stringer Rise to Deck: 45", Run: 52.5"	2/pkg		Fasteners
QS-6	6 Step Aluminum Stair Stringer Rise to Deck: 52.5", Run: 63"	2/pkg		r Assembly Parts
QS-7	7 Step Aluminum Stair Stringer Rise to Deck: 60", Run: 73.5"	2/pkg		Hand/Stair Rail
QS-8	8 Step Aluminum Stair Stringer Rise to Deck: 67.5", Run: 84"	2/pkg		p Wood System
QS-9	9 Step Aluminum Stair Stringer	2/pkg		ing QuickStep
	Rise to Deck: 75", Run: 94.5"			handising

Available Colors: (0W) White, (BL) Textured Black, (YB)Yard Bronze

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED











QuickStep ALUMINUM STAIR SYSTEM

Code	Description	Qty	Price		Γ
QST4	Stone Wood Stair Tread • Made of high strength S-Glass fiber to accommodate	1 unit			ļ
	up to 36" wide stair stringer spacing • Quick undermount attaching hides fasteners • Can be cut to any length • Colors: Natural Cedar, Slate Gray				-
	Size: 48"L x 11"D x 1 1/2"H Fasteners and MPI insert sold separately				ľ
QSR4	Stair Riser Cover • Aluminum riser cover • Attaches easily to close in back of stair	1 unit			
	Colors: White, Black, Yard Bronze Size: 7-3/8"W x 3"D x 48"L Fasteners sold separately				
	tringer Connector Kit				
Code	Description	Qty	Price	11/1/1	₽
QSC	Stair Stringer Connector Kit Designed to connect second stringer to QS7 but can be cut to size for connecting to smaller stringers Includes: Two 52 ¼" x 2 ¼" posts, connection adapter	1 kit			
	brackets, cross brace and attached base plate • Fasteners sold separately • Colors: Black, White, Yard Bronze			Stair Stringer Connector Kit	
	1			% //////	1
	ers and Mounting Plates			*\$U## \\\\##	ļ
-asten	ers and Mounting Plates Description	Qty	Price	SUM NUM	
Code		Qty 24/pkg	Price	becomen	
Code	Description #10 x 3/4" Self Drilling Screws		Price	(hannan processed	
Code WCS-50	#10 x 3/4" Self Drilling Screws • To mount riser cover (QSR4) to stair stringers #10 x 1 1/4" Self Drilling Screw • To attach QuickStep stair treads to QuickStep stair	24/pkg	Price		╆
Code WCS-50 S114	#10 x 3/4" Self Drilling Screws • To mount riser cover (QSR4) to stair stringers #10 x 1 1/4" Self Drilling Screw • To attach QuickStep stair treads to QuickStep stair stringers 3/8" x 2 3/4" Structural Bolt c/w nut • For use with mounting plate to stair treads	24/pkg 24/pkg	Price	Post	†
Code NCS-50 S114 MB3	#10 x 3/4" Self Drilling Screws • To mount riser cover (QSR4) to stair stringers #10 x 1 1/4" Self Drilling Screw • To attach QuickStep stair treads to QuickStep stair stringers 3/8" x 2 3/4" Structural Bolt c/w nut • For use with mounting plate to stair treads • Hot dipped galvanized Mounting Plate Insert • Aluminum insert for mounting post on QST4 Stair Treads (2 pieces, 12" length)	24/pkg 24/pkg 24/pkg	Price	Post	
Code WCS-50 S114 MB3	#10 x ³/4" Self Drilling Screws To mount riser cover (QSR4) to stair stringers #10 x 1 ¹/4" Self Drilling Screw To attach QuickStep stair treads to QuickStep stair stringers **8" x 2 ³/4" Structural Bolt c/w nut For use with mounting plate to stair treads Hot dipped galvanized Mounting Plate Insert Aluminum insert for mounting post on QST4 Stair Treads (2 pieces, 12" length) Fasteners sold separately 4" Aluminum Bolt-Through Mounting Plate For 2 1/4" post (under or PSB side mount)	24/pkg 24/pkg 24/pkg 2 pcs	Price	Post Tread MPI	†

MERCHANDISING DISPLAYS

Railing

42"

Tempered Glass

LED Lighting

Crystal Rail

Railing

36"

Railing

.09

Fasteners

Hand/Stair Rail

Capture the attention of your in-store customers at the time and place of the potential purchase with one of Regal ideas aluminum railing displays. Regal ideas displays come pre-wired with our LED system, and showcase Regal ideas available colors and profiles.

Regal ideas displays add results to your bottom line and improve your customers shopping experience! Contact your Territory Manager to order one of these displays below.

Counter Top Display

Code	Description	Qty	Price	
MRH-C	Counter Top Railing Display	1 unit		
	 c/w LED System Includes the following: 4" and 2 ¼" Posts Wide and Narrow Pickets Tempered Glass Brochures and holder Dimensions: 4" D x 27" L x 16" H 		Regal ideas Regal ideas Gain Francis	

L-Display

Code	Description	Qty	Price	
MRL-C	L-Display - Railing • c/w LED System • Includes the following: • 4" and 2 '/4" Posts • Decorative Pickets, Inserts and Post Caps • Wide Pickets and Narrow Pickets • Tempered Glass • Complete with P.O.P artwork • Dimensions: 36" D x 53.5" L x 42" H	1 unit		Registration of the second of

3 Tier Display

Code	Description	Qty	Price	
MRT-C	3 Tier Railing	1 unit		
	c/w LED System Includes the following: 4" & 2 1/4" Posts at 42" Height, plus 36" High Railing 60" Tempered Glass Wind Wall/Pool Railing Decorative Pickets and Post Caps Wide and Narrow Pickets Complete Wood Accessories Section Crystal Rail Section Complete with P.O.P artwork Dimensions: 30"D x 90"W x 80"H			

Wood Accessories Display

Code	Description	Qty	Price	
MRW-C	 Wood Acccessories Display Includes the following: Round and Curved Balusters Decorative Post Caps Post and Rail attachments Complete with P.O.P artwork Finished Dimensions: 36" D x 48" L x 42" H NOTE: Dealer to supply wood for display 	1 unit		

See Regal ideas product binder for color images

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

PRODUCT MERCHANDISERS

Railing

Tempered Glass

LED Lighting

Crystal Rail

Railing

Railing

.09

Fasteners

Hand/Stair Rail

Regal ideas merchandising solutions are designed to:

- Increase sales
- · Increase transactions
- Create awareness
- · Easy to shop merchandisers · Be in-stock, meet customer needs
- Improve Category Management Increase space productivity
- · Integrate together to provide a complete solution

Regal Railing Product Center

Code Description **Price** Qty M-R-M6 **Regal Railing Product Center** 1 unit · Merchandiser for Regal Railing products: Top and Bottom rails Accessories Narrow and Wide Pickets · Includes artwork, brochures and all point-ofpurchase materials Frame color: Yard Bronze • Dimensions: 78"W x 36"D x 98"H · Merchandiser only, Product not included See Regal ideas product binder for color images

Regal Railing Tempered Glass Center

Code	Description	Qty	Price	
M-R-GR	Regal Railing Tempered Glass Panel Center • Merchandiser for various tempered glass panel sizes • Frame color: Yard Bronze • Dimensions: 19"W x 42"D x 98"H • Merchandiser only, Product not included	1 unit		
	See Regal ideas product binder for color images			

QuickStep Stair Center

Code	Description	Qty	Price	
MQM4	QuickStep Stair Center A complete retail solution for outdoor stairs 4-sided adjustable merchandiser for: Stair stringers (1 to 7 step) in 3 colors (White, Black, Yard Bronze) Stair Treads Stair Riser Covers Stair Stringer Connector Kit Includes brochures and all point-of-purchase material	1 unit		

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

· Frame color: Yard Bronze



Dimensions: 36"W x 48"D x 101"H Merchandiser only, product not included See Regal ideas product binder for color images







