


Scotts Miracle-Gro		stevenson		Our Stevenson Quality Assurance Team has thoroughly reviewed this file. Upon receipt, please check this file carefully. Our client and its suppliers are responsible for all content, color, legal and regulatory text and product information. Stevenson will, at our cost, replace our product if the work is found to be incorrect at this stage. Should an error be found subsequent to client/supplier approval, Stevenson shall be responsible only for the replacement of the artwork containing the error, and in addition, shall not be held liable for any consequential changes, charges or losses incurred as a result of any error.	
ART			PRINTER		
Design Studio/Contact:		Separator/Contact: Stevenson Color Inc.		Printer & Location:	Print Method: Flexo
Design, File Name:				CCL Label - Memphis	
				Additional Information:	
PRODUCTION/PACKAGE			VERSION		
Job Description: 1 gal Round Up Selective Weed Control South Refill			2		
Stock #: 500901005	Package Type: Neck Label	File Name: A3562G04_Shoulder_FPL.ap			
Component #: LB8755	Substrate:	Date Modified: 10/20/16 11:25 AM			
Scotts Project Number: 34748	CAD #: CCL7910	Operator: MO			
Scotts Project Lead:	Translation Approval Code:	Final Artwork Size: 1.75" x 2.0"			
Workflow: NX: Flex_Label_2_4_Sterling_200LS					
THIS PAGE PRINTS AT 100% REDUCTION OF THE ORIGINAL LABEL TO FIT ON 11" x 17" PAGE					




				Our Stevenson Quality Assurance Team has thoroughly reviewed this file. Upon receipt, please check this file carefully. Our client and its suppliers are responsible for all content, color, legal and regulatory text and product information. Stevenson will, at our cost, replace our product if the work is found to be incorrect at this stage. Should an error be found subsequent to client/supplier approval, Stevenson shall be responsible only for the replacement of the artwork containing the error, and in addition, shall not be held liable for any consequential changes, charges or losses incurred as a result of any error.			
ART			PRINTER				
Design Studio/Contact:		Separator/Contact:		Printer & Location:		Print Method: Flexo	Color Stations: 7
Design, File Name:		Stevenson Color		CCL Label		Additional Information:	
PRODUCTION/PACKAGE			VERSION				
Job Description:			5				
1 gal Round Up Selective Weed Control South Refill							
Stock #:	Package Type:	File Name:		Colors:			
500901005	Front Label	ICC_3562G01_500901005		Cyan		Scotts Green	
Component #:	Substrate:	Date Modified:		Yellow		430	
LB8753		09.19.16 8:12 AM		Black		362	
Scotts Project Number:	CAD #:	Operator:		REGULATORY SIZES			
34748	T00933	Kelly Meadows		Label Portion Of Primary Front Panel In Square Inches (W X H)		27 Sq. Inches	
Scotts Project Lead:	Translation Approval Code:	Final Artwork Size:		"Keep Out of Reach of Children"		12 Point	
		5.875" x 4.625"		"SIGNAL WORD (MUST BE IN ALL CAPS)"		18 Point	
Workflow: Flex_Label_2_4_Sterling_200LS				"Storage And Disposal" Heading		12 Point	
				Minimum Font Size (All Panels)		6 Point	


THIS PAGE PRINTS AT 100% REDUCTION OF THE ORIGINAL LABEL TO FIT ON 11" x 17" PAGE




				Our Stevenson Quality Assurance Team has thoroughly reviewed this file. Upon receipt, please check this file carefully. Our client and its suppliers are responsible for all content, color, legal and regulatory text and product information. Stevenson will, at our cost, replace our product if the work is found to be incorrect at this stage. Should an error be found subsequent to client/supplier approval, Stevenson shall be responsible only for the replacement of the artwork containing the error, and in addition, shall not be held liable for any consequential changes, charges or losses incurred as a result of any error.	
ART		PRINTER			
Design Studio/Contact:		Separator/Contact:		Printer & Location:	Print Method: Offset
Design, File Name:		Stevenson Color Inc.		CCL Label - Memphis	Color Stations: 4
PRODUCTION/PACKAGE		VERSION			
Job Description:		8			
1 gal Round Up Selective Weed Control South Refill					
Stock #:	Package Type:	File Name:			
500901005	Booklet	A3562G02_Pg8&1_FPL.ap			
Component #:	Substrate:	Date Modified:			
LB8754		10/20/16 11:23 AM			
Scotts Project Number:	CAD #:	Operator:			
34748	T00934	MO			
Scotts Project Lead:	Translation Approval Code:	Final Artwork Size:			
		5.375" x 4.625"			
Workflow: Epson: Scotts_Gracol_nfc					
THIS PAGE PRINTS AT 100% REDUCTION OF THE ORIGINAL LABEL TO FIT ON 11" x 17" PAGE					



				Our Stevenson Quality Assurance Team has thoroughly reviewed this file. Upon receipt, please check this file carefully. Our client and its suppliers are responsible for all content, color, legal and regulatory text and product information. Stevenson will, at our cost, replace our product if the work is found to be incorrect at this stage. Should an error be found subsequent to client/supplier approval, Stevenson shall be responsible only for the replacement of the artwork containing the error, and in addition, shall not be held liable for any consequential changes, charges or losses incurred as a result of any error.	
ART			PRINTER		
Design Studio/Contact:		Separator/Contact:		Printer & Location:	
		Stevenson Color Inc.		Print Method: Offset	
Design, File Name:				Color Stations: 2	
				CCL Label - Memphis	
				Additional Information:	
				Colors:	
PRODUCTION/PACKAGE			VERSION		
Job Description:			9		
1 gal Round Up Selective Weed Control South Refill					
Stock #:	Package Type:	File Name:			
500901005	Booklet	A3562G02_Pg2&3_FPL.ap			
Component #:	Substrate:	Date Modified:			
LB8754		10/20/16 11:16 AM			
Scotts Project Number:	CAD #:	Operator:			
34748	T00934	MO			
Scotts Project Lead:	Translation Approval Code:	Final Artwork Size:			
		5.375" x 4.625"			
Workflow: Epson: Scotts_GracoL_nfc					
THIS PAGE PRINTS AT 100% REDUCTION OF THE ORIGINAL LABEL TO FIT ON 11" x 17" PAGE					



Scotts Miracle-Gro		stevenson		Our Stevenson Quality Assurance Team has thoroughly reviewed this file. Upon receipt, please check this file carefully. Our client and its suppliers are responsible for all content, color, legal and regulatory text and product information. Stevenson will, at our cost, replace our product if the work is found to be incorrect at this stage. Should an error be found subsequent to client/supplier approval, Stevenson shall be responsible only for the replacement of the artwork containing the error, and in addition, shall not be held liable for any consequential changes, charges or losses incurred as a result of any error.	
ART			PRINTER		
Design Studio/Contact:		Separator/Contact:		Printer & Location:	Print Method: Offset
		Stevenson Color Inc.		CCL Label - Memphis	Color Stations: 2
Design, File Name:			Additional Information:		
PRODUCTION/PACKAGE			VERSION		
Job Description:			9		
1 gal Round Up Selective Weed Control South Refill					
Stock #:	Package Type:	File Name:			
500901005	Booklet	A3562G02_Pg4&5_FPL.ap			
Component #:	Substrate:	Date Modified:			
LB8754		10/20/16 11:20 AM			
Scotts Project Number:	CAD #:	Operator:			
34748	T00934	MO			
Scotts Project Lead:	Translation Approval Code:	Final Artwork Size:			
		5.375" x 4.625"			
Workflow: Epson: Scotts_Graco1_nfc					
THIS PAGE PRINTS AT 100% REDUCTION OF THE ORIGINAL LABEL TO FIT ON 11" x 17" PAGE					



INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. No aplique este producto de forma que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejadas del área a las personas y las mascotas. Las personas y las mascotas pueden ingresar al área tratada luego de que se seque el rocío. Para informarse sobre requerimientos específicos de su estado o tribu, consulte con la agencia encargada de reglamentar el uso de pesticidas.

DESCRIPCIÓN DEL PRODUCTO:

Roundup® Para Céspedes, contiene múltiples ingredientes activos que proveen un excelente control sobre las malezas en el césped de temporada caliente y temporada fría. Las malezas controlables incluyen la hidrocolita, diente de león, trébol y juncia. Síntomas de daños por malezas se pueden detectar luego de varios días después de utilizarse y las malezas pueden comenzar a morir entre 14 a 28 días. Los síntomas de daños en las malezas pueden incluir hojas y tallos enroscados y malezas tornándose amarillas.

RESTRICCIONES DE USO:

- Solo para tratamiento "localizado".
- No utilizar con boquilla que produce una gota pequeña al rociar el producto. No utilizar cuando el viento esté soplando hacia plantas que desea mantener. No rociar en raíces expuestas de árboles y plantas decorativas.
- No usar partes de las áreas tratadas como mantilla o composta alrededor de flores, plantas decorativas, árboles o huertos.
- No usar en o alrededor de vegetales, frutas o plantas ornamentales (flores, árboles, cubiertas vegetales, setos, jardines/lechos de flores y arbustos).
- No echar en ningún cuerpo de agua tales como lagos, arroyos, ríos, charcas, reservas, o estuarios (bahías de agua salada.) No echar en las orillas (tierras de cultivo adyacentes a las orillas del cuerpo de agua) de lagos, arroyos, ríos, charcas, reservas o estuarios (bahías de agua salada).

DÓNDE USAR

Roundup® Para Céspedes, puede utilizarse en césped, lotes vacíos, parques y otros lugares similares donde se encuentren malezas. Eliminará las malezas San Agustín (incluyendo floratam), de Bermuda, búfalo, ciempiés, pasto de orilla, pasto de bahía, pasto zoysia, pasto azul de Kentucky, festuca alta, y festuca roja o de hoja fina.

La tolerancia del césped a este producto podría variar. Césped amarillento podría ocurrir en césped San Agustín y algunas variedades de césped híbrido de Bermuda. No usar en céspedes de las variedades agrostis, alfombra, dicandra ni en céspedes con tréboles u otras legumbres o en plantas ornamentales (flores, árboles, cubiertas vegetales, jardines y arbustos).

Restricciones del estado:

Nueva York: Prohibida la venta o uso en el estado de Nueva York.

CUÁNTO Y CUÁNDO UTILIZARLO

Utilice solo para tratamiento localizado. Producto listo para usar. No agregue agua. El mejor momento para utilizar este producto es cuando las malezas están jóvenes, creciendo activamente y la humedad de la tierra es adecuada. Normalmente un solo uso es suficiente para eliminar las malezas en estas condiciones. En ocasiones será necesario utilizarlo dos veces para malezas difíciles de eliminar, para infecciones densas de plantas perennes, para condiciones del ambiente adversas o extremas o para malezas maduras y fuertes. Aplicar máximo dos veces por temporada.

Envase de 1 galón para tratamiento de aproximadamente 2000 malezas.

TIPOS DE CÉSPED QUE PUEDEN TRATARSE

TIPO DE CÉSPED	OBSERVACIONES
Césped San Agustín (mejor variedades que incluyen floratam y bitterblue)	No utilizar este producto en césped San Agustín (todas las variedades) por debajo de 10°C. No utilizar este producto en césped San Agustín (todas las variedades) cuando la temperatura está sobre los 29°C a menos que lesiones temporarias sean toleradas. No utilizar este producto en césped San Agustín cuando el césped estará inactivo durante el otoño o que las temperaturas se esperen bajen de los 4°C después de 10 días de haberlo utilizado.
San Agustín (variedades comunes)	Este producto puede ser utilizado en césped Bermuda inactivo, césped zoysia inactivo y césped bahía inactivo.
Césped común Bermuda césped híbrido Bermuda césped Bahía césped zoysia césped búfalo orilla paspalum césped ciempiés	Tenga precaución cuando utilice este producto en césped de temporada caliente cuando el césped estará inactivo durante el otoño o terminando la inactividad en la primavera pues podrían ocurrir lesiones.
Césped azul de Kentucky césped anual azul festuca roja o de hoja fina	Siga las instrucciones en la etiqueta.

RECARGA DE CONTENEDORES

Use este producto para rellenar el envase de Roundup® Para Céspedes, vacío vertiendo con cuidado todo el contenido de la botella de 1 galón directamente en el envase equipado con aplicador de rocío, listo para usar. NO agregue agua.

PRECAUCIONES DE USO

- Algunos céspedes se podrían poner amarillos después de utilizarse el producto. Algunas especies sensibles incluyen San Agustín, ciempiés y Bermuda híbrido.
- No utilice cuando la temperatura del aire supere los 90°F / 29°C para San Agustín) a menos que este daño en el césped pudiera ser tolerado.
- Algunos céspedes se podrían poner amarillos después de utilizarse el producto. Algunas especies sensibles incluyen San Agustín, ciempiés y Bermuda híbrido.
- No utilice cuando la temperatura del aire supere los 90°F / 29°C para San Agustín) a menos que este daño en el césped pudiera ser tolerado.
- Resistente a la lluvia en tan solo 4 horas. No aplique este producto inmediatamente antes de llover o regar. No riegue el césped dentro de las 3 horas posteriores a la aplicación. De imperar condiciones secas, riegue al menos 8 horas antes y 8 horas después de la aplicación.
- Postergue el corte de césped 2 días antes y hasta 2 días después de la aplicación de este producto.
- Para evitar daños en el césped, utilice sólo en césped que sea razonablemente libre de enfermedades, insectos, exceso de calor o frío, sequía o exceso de lluvias/irrigación, áreas con sombra, tierra con pH bajo, nematodos, corte de grama inadecuado o utilización inadecuada de fertilizantes y pesticidas. Daños pueden ocurrir si este producto se utiliza en estas y otras condiciones.
- Evite usarlo durante el otoño o el invierno a menos que el retraso de crecimiento se pueda tolerar.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, la comida ni el pienso para animales al almacenar o eliminar el producto. Guarde el producto en su envase original. No coloque alimentos o bebidas en el envase. Evite la contaminación de piensos y alimentos. Almacene en un lugar fresco y seco, preferiblemente bajo llave.

ALMACENAMIENTO DEL PESTICIDA


Guarde el producto en el envase original en un lugar seguro lejos y alejado de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agitado bien antes de usarlo.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE:

Este envase no se puede rellenar. No vuelva a usar o a rellenar este envase, a menos que las instrucciones de uso permitan que este envase sea rellenado de acuerdo con las instrucciones contenidas en la sección COMO RELLENAR. Si está vacío: Tírelo a la basura o recíclalo, de ser posible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

				<p>Our Stevenson Quality Assurance Team has thoroughly reviewed this file. Upon receipt, please check this file carefully. Our client and its suppliers are responsible for all content, color, legal and regulatory text and product information. Stevenson will, at our cost, replace our product if the work is found to be incorrect at this stage. Should an error be found subsequent to client/supplier approval, Stevenson shall be responsible only for the replacement of the artwork containing the error, and in addition, shall not be held liable for any consequential changes, charges or losses incurred as a result of any error.</p>	
ART			PRINTER		
Design Studio/Contact:		Separator/Contact:		Printer & Location:	
		Stevenson Color Inc.		Print Method: Offset	
Design, File Name:				Color Stations: 1	
				CCL Label - Memphis	
				Additional Information:	
				Colors:	
PRODUCTION/PACKAGE			VERSION		
Job Description:			8		
1 gal Round Up Selective Weed Control South Refill					
Stock #:	Package Type:	File Name:			
500901005	Booklet	A3562G02_Pg6&7_FPL.ap			
Component #:	Substrate:	Date Modified:			
LB8754		10/20/16 11:22 AM			
Scotts Project Number:	CAD #:	Operator:			
34748	T00934	MO			
Scotts Project Lead:	Translation Approval Code:	Final Artwork Size:			
		5.375" x 4.625"			
Workflow: Epson: Scotts_Graco1_nfc					
<p>THIS PAGE PRINTS AT 100% REDUCTION OF THE ORIGINAL LABEL TO FIT ON 11" x 17" PAGE</p>					

BASE LABEL



Scotts Miracle-Gro		stevenson		Our Stevenson Quality Assurance Team has thoroughly reviewed this file. Upon receipt, please check this file carefully. Our client and its suppliers are responsible for all content, color, legal and regulatory text and product information. Stevenson will, at our cost, replace our product if the work is found to be incorrect at this stage. Should an error be found subsequent to client/supplier approval, Stevenson shall be responsible only for the replacement of the artwork containing the error, and in addition, shall not be held liable for any consequential changes, charges or losses incurred as a result of any error.	
ART		PRINTER			
Design Studio/Contact:		Separator/Contact:		Printer & Location:	Print Method: Flexo
Design, File Name:		Stevenson Color Inc.		Color Stations: 2	
Job Description:		VERSION		CCL Label	
1 gal Round Up Selective Weed Control South Refill		5		Additional Information:	
Stock #:	Package Type:	File Name:	Colors:		
500901005	Base Label	A3562G03_Base_FPL.ap	<div style="display: flex; justify-content: space-around;"> <div style="width: 15px; height: 10px; background-color: black; border: 1px solid black;"></div> Black </div>		
Component #:	Substrate:	Date Modified:	<div style="display: flex; justify-content: space-around;"> <div style="width: 15px; height: 10px; background-color: #008000; border: 1px solid black;"></div> Scotts Green </div>		
LB8754		10/20/16 11:25 AM			
Scotts Project Number:	CAD #:	Operator:	REGULATORY SIZES		
34748	T00934	MO	Label Portion Of Primary Front Panel In Square Inches (W X H)		
Scotts Project Lead:	Translation Approval Code:	Final Artwork Size:	"Keep Out of Reach of Children"		
		4.625" x 5.875"	"SIGNAL WORD (MUST BE IN ALL CAPS)"		
Workflow: Epson: Scotts_Gracol_nfc			"Storage And Disposal" Heading		
			Minimum Font Size (All Panels)		
			27 Sq. Inches		
			12 Point		
			18 Point		
			12 Point		
			6 Point		
THIS PAGE PRINTS AT 100% REDUCTION OF THE ORIGINAL LABEL TO FIT ON 11" x 17" PAGE					