STIHL®

Protective Apparel and Accessories 2019

English

Gear up for safety.

Protective Apparel	140 - 149
Forestry Apparel	143
Safety Pants & Chaps	144 - 145
Protective Head, Eye & Ear Wear	146 - 147
Protective Hand & Footwear	148 - 149

11

Canadian Safety Standard Requirements

cUL/BNQ Class 'A'

- TCS 3,000 feet per minute
- Front & back cut protection
- Back pad below knee

Class 'B'

- TCS 3,000 feet per minute
- Front cut protection
- Minimum 15" long pad in front

W.C.B.-B.C.

- TCS 3,600 feet per minute
- Front cut protection pad 1.5" below waist band with 4" extra on left side of each leg
- STIHL pant has cut protection up to waist

ENFORM

- TCS 3,600 feet per minute
- Minimum 28" long front pad with 4" extra on left side of each leg
- STIHL pant has TCS of 4,100 feet per minute to comply with highest industry safety standard demands

BS EN 381-5

European cut protection standard (class 1) accepted from Saskatchewan eastward to Quebec

Design A

- TCS 3900 feet per minute
- Front cut protection

Design B

- TCS 3900 feet per minute
- Front & back cut protection

TCS = Threshold Chain Speed

Safety Guide

What to consider when choosing which type of leg protection is right for you:

Weight

- 'PRO' leg protection is lighter in weight and features Kevlar® pads for maximum safety.
- 'STANDARD' leg protection is economical without sacrificing safety. Pads are constructed of a ballistic nylon/Kevlar® blend which is slightly heavier but still provides excellent protection.

Working conditions

- A cotton outer fabric is more breathable and thus desirable in hot and dry conditions.
- A nylon outer fabric is more moisture-resistant and will be preferable in cold and/or wet conditions.
- For work in proximity to live power lines or other fire hazards, we recommend flame and hydrocarbon flash fire-resistant (FR) safety pants.
- If equipment frequently changes hands or is used sporadically, chaps may be a better option.

Duroflex Rain Jacket NEW

- Flexible and lightweight weatherproof jacket
- Made of waterproof, elastic, durable and easy to clean material (100% polyester with polyurethane coating)
- Functional vents on front and back of sleeves for breathability
- Integrated, nicely fitted hood that stows away neatly in the collar
- Jacket contains 2 waterproof pockets

Sizes Available

S -	0088 554 0048
M -	0088 554 0052
L -	0088 554 0056
XL -	0088 554 0060
XXL -	0088 554 0064

Raintec Rain Pants NEW

- Functional and breathable polyurethane outer fabric is both water and thorn resistant
- "Action Arctic" material in high wear areas ensure the pants hold up under a variety of stress
- Features convenient thigh pocket and zip openings on the back of the legs

Sizes Available

32" -	0000 885 1048
34" -	0000 885 1052
36" -	0000 885 1056
38" -	0000 885 1060
40" -	0000 885 1064

Function Universal Jacket

- All-purpose work jacket designed to coordinate with Function Universal Safety Pants
- "Warning" orange upper torso makes wearer more visible
- Zippered chest pocket and 2 waist pockets
- Vented under the arms
- Elbow, shoulder and collar reinforced with abrasion resistant material

Sizes Available

S -	0088 335 0448
M -	0088 335 0452
L -	0088 335 0456
XL -	0088 335 0460
XXL -	0088 335 0464

Function Universal Safety Pants

- Poly/Cotton blend, stretchable fabric with venting at back of thigh
- Seat pocket, cargo pocket and two hip pockets
- Knee and lower leg (front and back) reinforced with abrasion resistant material
- Meets BS EN 381-5 standards (equivalent to 3,900 ft/min threshold chain speed)
- Cut protection on front of leg, extending from the belt line to the ankle
- Machine washable

Sizes Available

32" -	0088 342 0848
34" -	0088 342 0850
36" -	0088 342 0852
38" -	0088 342 0854
40" -	0088 342 0856
42" -	0088 342 0858

Dynamic Vent Pants BS EN 381-5 NEW

- Light and breathable safety pant that is perfectly suited for summer use.
- Zip ventilation on back of thighs and elasticated trouser back allow for comfort
- Features reinforced knees, two front pockets with zippers, mobile phone pocket
- Meets the EN 381 certified standard for cut protection. Class 1, Design A (front protection).

Urban Forestry Pants cUL/BNQ/W.C.B.-B.C.

- Rugged blue cotton outer features a cargo pocket on the right leg
- Reflective striping meets CSA Class 2, Level 2
- Cut protection options: 3,000 ft/min (tested to cUL/BNQ standard) or 3,600 ft/min (tested to W.C.B.-B.C. standard)

3600 'Pro' Safety Pant W.C.B.-B.C. NEW

- Certified to W.C.B of BC threshold chain speed of 3,600 feet per minute
- Superior combination of protection and lightweight
- Contains 4 layers of 36" Kevlar® pads
- Outer material comprised of a 400 denier rip stop nylon
- Features chip proof pockets, high back waste, side tool pocket and 4" reflective stripping
- Front cut protection

Flame-Resistant Forestry Pants cUL/BNQ/W.C.B.-B.C.

- Meets CAN/CGSB 155.20 (ASTM F1506) standard, ATPV 12.4 per CSA Z46-2
- Westex Indura flame resistant cotton outer with glass buttons
- Reflective striping on legs meets CSA Class 2, Level 2
- 4 layers polyester/Kevlar, tested to threshold chain speed of 3,600 ft/min.

'STANDARD' 3,000 Pants

- Meets cUL/BNQ standards
- Tested for threshold chain speed of 3,000 feet per minute
- 6 layers of nylon/polyester/Kevlar®
- 400 denier nylon for greater strength (nylon version)
- Front and back of leg (below knee) cut protection

'STANDARD' Seismic Pants

- Exceeds Enform Safety Standard
- Threshold chain speed of 4,100 feet per minute
- 5 layers of polyester/Kevlar® protective pads
- 400 denier nylon outer fabric
- Front and back of leg (below knee) cut protection

'DELUXE' Seismic Pants

- Exceeds Enform safety standard
- Threshold chain speed of 4,100 feet per minute
- 5 layers of polyester/Kevlar® cut protective pads
- Black cotton outer fabric with orange reinforced knee
- Reflective striping on legs meets CSA Class 1, Level 1

'STANDARD' 2,600 Camo Chaps

- 1,000 Denier nylon cutters chaps
- Certified 2,600 threshold chain speed
- Blended Kevlar (1 Layer)
- Nylon/Polyester (4 layers) pads
- Available in 35" overall length
- Front cut protection

Suspenders

- Orange suspenders

With Clips - 7002 885 1500
For Buttons - 7002 885 1501

WARNING FOR ELECTRIC CHAIN SAW USERS! The fibers will not stop the sprocket on most electric chain saws because of their constant high torque.

'STANDARD' 2,600 Chaps

- Designed for occasional cutting
- Tested for threshold chain speed of 2,600 feet per minute
- Four layers of nylon/one layer of woven Kevlar®
- 400 denier nylon for greater strength
- Available in 35" overall length
- Front cut protection only

'STANDARD' 3,000 Chaps

- Meets cUL/BNQ standards
- Tested for threshold chain speed of 3,000 feet per minute
- 400 denier nylon for greater strength
- Available in 35" overall length
- Front only or front/back of leg (below knee) cut protection

'PRO' WCB/BC 3,600 Chaps

- Meets Workers' Compensation Standard of British Columbia
- Certified for threshold chain speed of 3,600 feet per minute
- 4 layers of Kevlar® cut protective pads
- 400 denier nylon for greater strength
- Available in 38" overall length
- Available in front only and front/back of leg (below knee) cut protection

'DELUXE' 4,100 Chaps

- Exceeds Enform Safety Standard
- Tested for threshold chain speed of 4,100 feet per minute
- 5 layers of polyester/Kevlar® protective padding
- 400 denier nylon for greater strength
- Available in 37" overall length
- Front and back of leg (below knee) cut protection

	Part #	Rating	Threshold chain speed (ft./min.)	Front protection	Back protection	Cut resistant material	Colour	Fabric	Weight (g)	Water-repellent	Mesh back leg	High back	Elastic waistband	Brass buttons
Pro leg protection														
Pants														
'DELUXE' Seismic Pant	7002 884 0803-06	WCB/BC	4,100	●	●	Kevlar®	Black	Cotton	1,125	-	-	-	●	-
Function Universal	0088 342 0848-58	EN 381-5	3,900	●	-	Avertic	Black	Poly/Cotton	1,170	-	●	●	●	-
Dynamic Vent Pants	0000 883 9348–58	EN 381-5	3,600	●	-	Avertic Dura +	Multi	Poly/Cotton	1,100	-	-	●	●	-
Urban Forestry Pant	7002 883 2700-03	cUL/BNQ	3,000	●	●	Polyester/Kevlar®	Blue	Cotton	1,190	-	-	-	●	-
Urban Forestry Pant	7002 884 6508-11	WCB/BC	3,600	●	●	Polyester/Kevlar®	Blue	Cotton	1,170	-	-	-	●	-
Flame Resistant Forestry Pant	7002 883 6528-40	cUL/BNQ WCB/BC	3,000/3,600	●	●	Polyester/Kevlar®	Blue	Cotton	1,300	-	-	-	●	-
ADVANCE PLUS	7002 883 5500-07	cUL/BNQ WCB/BC	3,000/3,600	●	●	Kevlar®	Black	RIPSTOP	1,180	●	-	●	●	-
3600 'Pro' Pant	7002 886 6728 – 40	WCB/BC	3,600	●	-	Kevlar®	Black	Nylon	1100	-	-	●	●	●
Chaps														
3,600 Chaps	7002 885 0805	WCB/BC	3,600	●	-	Polyester/Kevlar®	Orange	Nylon	840	●	-	-	-	-
3,600 Chaps†	7002 885 0806	WCB/BC	3,600	●	●	Polyester/Kevlar®	Orange	Nylon	1,045	●	-	-	-	-
4,100 Chaps†	7002 884 0807	ENFORM	4,100	●	●	Kevlar®	Orange	Nylon	1,045	●	-	-	-	-
Standard leg protection														
Pants														
2,600 Pant	7002 886 7828-44	-	2,600	●	-	Nylon/Kevlar®	Blue	Cotton	940	-	-	-	●	●
2,600 Pant	7002 886 7628-40	-	2,600	●	-	Nylon/Kevlar®	Blue	Nylon	875	●	●	●	●	●
3,000 Pant	0000 884 4600-03	cUL/BNQ	3,000	●	●	Nylon/Poly-Kevlar®	Blue	Cotton	1,190	-	-	●	●	●
3,000 Pant	7002 884 4628-40	cUL/BNQ	3,000	●	●	Nylon/Poly-Kevlar®	Blue	Nylon	1,150	●	●	-	●	●
4,100 Pant	7002 883 6101-04	ENFORM	4,100	●	●	Polyester/Kevlar®	Blue	Nylon	1,195	●	●	●	●	●
Chaps														
2,600 Chaps	7002 885 0800	-	2,600	●	-	Polyester/Kevlar®	Orange	Nylon	720	●	-	-	-	-
2,600 Camo Chaps	7002 884 0815	-	2,600	●	-	Polyester/Kevlar®	Camo	Nylon	720	●	-	-	-	-
3,000 Chaps (36" ver.)	7002 884 0801	cUL/BNQ	3,000	●	-	Nylon/Kevlar®	Orange	Nylon	915	●	-	-	-	-
3,000 Chaps (36" ver.)	7002 884 0802	cUL/BNQ	3,000	●	●	Nylon/Kevlar®	Orange	Nylon	1,160	●	-	-	-	-

† Equipped with zippers

Advance X Vent Helmet System NEW

- Easy head size adjustment while wearing using ratcheted wheel
- Comfortable six point harness
- Low weight and optimized balance causing less user fatigue
- Non-vented helmet, SNR 28 Hearing protection, etched spring steel visor
- Meets both ANSI and CSA safety standards

Type 1, Class 'E'

Part # 7002 884 0106

'A' Helmet System (Class E)

- Peltor H7 Muff (NRR 24)
- Visor options: Metal mesh, brimmed (V4A) / metal mesh, brimless (V1A) / clear polycarbonate, brimmed (V4F)
- Helmet options: ANSI Type 1 or CSA Type 2

ANSI - Type 1, Class 'E'
CSA - Type 2, Class 'E'

Part #
ANSI 7002 871 1444
CSA 7002 871 1445

'B' Helmet System (Class C)

- Peltor H6 Muff (NRR 21)
- Brimless metal mesh visor (V1A)
- ANSI Type 1 helmet

ANSI - Type 1, Class 'C'

Part # 0000 884 0145

Advance Vent Helmet System NEW

- Easy head size adjustment while wearing using ratcheted wheel
- Comfortable six point harness
- Slim design
- Low weight and optimized balance causing less user fatigue
- Vented helmet, SNR 26 Hearing protection, metal visor
- Meets both ANSI and CSA safety standards

Type 1, Class 'C'

Part # 7002 884 0105

'Function Basic' Helmet System (Class C)

- Muff (NRR 24)
- Visor options: Nylon mesh, brimmed

CSA - Type 1, Class 'C'

Part # 7002 888 0802

G500 Face & Hearing Protection

- Face and hearing protection combination, meets CSA Z94.3
- Adjustable ratchet harness and removable ear muffs
- Ear muff options: 'A' rated (NRR 23) or 'B' rated (NRR 21)
- Visor options: Mesh or clear polycarbonate ('A' system only)

Part #
'A' Kit w/ Mesh Visor (NRR 23) 7002 888 0308
'B' Kit w/ Mesh Visor (NRR 21) 7002 888 0309
'A' Kit w/ Polycarbonate Visor 7002 888 0310

Woodcutter Safety Kit

This woodcutter safety kit is perfect for cutting wood around the home and farm.

Kit Includes:

High Quality Safety Glasses

Polycarbonate lens with anti-fog coating and flexible temple tips.

'Function Basic' Helmet System (Class C)

Helmet system comes complete with helmet, ear muffs (NRR 24) and face shield.

Type 1, Class 'C'

Woodcutter Chaps

- Designed for occasional cutting
- Tested for threshold chain speed of 2,600 feet per minute
- Four layers of nylon/one layer of woven Kevlar®
- 400 denier nylon for greater strength
- 26" length with front protection only

Part # 7002 200 0054

Dynamic BT Ear Protectors NEW

'A' rated headband ear protectors with Bluetooth connection (NRR 28).

Part # 0000 884 0519

Headband Ear Protectors

Headband ear protection available with 'A' or 'B' rating.

Part #
'A' rated (NRR 27) 7002 888 0200
'B' rated (NRR 25) 7002 888 0204

'Virtua Sport' Glasses

Ultralight frame with polycarbonate lens and UV protection. Curved for excellent "wrap" front/side protection.

Part #
Clear 7002 884 0326
Smoke 7002 884 0327

Solus Glasses

Stylish sturdy polycarbonate lens with anti-fog coating and comfortable soft temple tips.

Part #
Clear 7002 884 0332
Smoke 7002 884 0333

"Worktunes" (Peltor)

'A' rated headband ear protectors with AM/FM radio and MP3 input (NRR 22).

Part # 7002 884 0502

'Arsenal' Glasses

Polycarbonate lens with anti-fog hardcoat and UV protection. Low-profile temples for comfort under ear muffs.

Part #
Clear 7002 884 0328
Amber 7002 884 0330

'Privo' Glasses

Stylish sturdy polycarbonate lens with anti-fog coating and comfortable soft temple tips.

Part #
Smoke 7002 884 0311
Amber 7002 884 0312
Indoor/ Outdoor 7002 884 0313

SecureFit 400 Glasses

The ultralight, flexible and comfortable frame that wraps to an individual's head. These glasses come with UV protection lens.

Part #
Clear 7002 884 0335
Smoke 7002 884 0336

Professional Woodcutter Safety Kit

This professional woodcutter safety kit is perfect to meet the requirements of job sites, training institutions and professionals. (Not recommended for sale in British Columbia.)

Kit Includes:

High Quality Safety Glasses

Polycarbonate lens with UV protection, anti-fog coating and flexible temple tips.

STIHL "A" Helmet System

'A' rated helmet system with H7 ear muff (NRR 24) and visor.

ANSI Type 1, Class 'E'

Woodcutter Chaps

- Tested for threshold chain speed of 3,000 feet per minute
- 400 denier nylon outer for greater durability
- 36" length, front & back cut protection

Part # 7002 884 0816

Advance Insulated Gloves

- Water resistant goatskin leather palm and textile back

Sizes available - Part #:
M - 0000 883 8509
L - 0000 883 8510
XL - 0000 883 8511

Protective Hand & Footwear

For heavy-duty use on worksites or just working in the yard, STIHL offers premium-quality gloves and boots for almost every outdoor task. Each pair is designed with a unique task in mind, keeping your hands and feet protected, comfortable and working at peak efficiency.

Forestry Cut-Retardant Safety Gloves

- Leather palm and synthetic textile back cut-retardant layers on back of both hands

Sizes available - Part #:
M - 0000 883 1509
L - 0000 883 1510
XL - 0000 883 1511

Anti-Vibration Gloves

- Vibration-absorbent gel with adjustable wrist closure

Sizes available - Part #:
S - 7002 884 1113
M - 7002 884 1108
L - 7002 884 1109
XL - 7002 884 1110
XXL - 7002 884 1112

'Proscaper' Landscaping Gloves

- Premium boar skin padded palm and adjustable fit wrist strap closure

Sizes available - Part #:
S - 7002 884 1107
M - 7002 884 1104
L - 7002 884 1105
XL - 7002 884 1106
XXL - 7002 884 1111

Leather Work Gloves

- Excellent quality at an affordable price

Sizes available - Part #:
M - 7002 871 1114
L - 7002 871 0163
XL - 7002 871 0164

Lawngrips® Pro Shoes

- CSA Green Patch certified for puncture resistance
- Water-resistant, non-slip sole
- Available in sizes 5-13, including half sizes. (Sizes 12 and 13 are not available in half sizes)

Part # 7002 885 3300 - 15

Lawngrips® Pro 6 Boot

- CSA Green Patch certified for puncture resistance
- Water-resistant, non-slip sole
- Available in sizes 5-13, including half sizes. (Sizes 12 and 13 are not available in half sizes)

Part # 7002 885 1212 - 27

Lawngrips® Pro 8 Boots

- CSA Green Patch certified for puncture resistance
- Water-resistant, non-slip sole
- Available in sizes 7-13, including half sizes. (Sizes 12 and 13 are not available in half sizes)

Part # 7002 885 1200 - 11

CSA Green Patch

All STIHL protective footwear includes Green Patch puncture resistant steel plate and Grade 1 steel toe.

Lightweight Safety Boots

- Lightweight rubber boots with nylon top and drawstring
- CSA Grade 1 toe cap and CSA Class 1 nylon/rubber cut protection

Standard (sizes 6-14)
Part # 7002 884 4400 - 08
Wide Fit (sizes 6-14)
Part # 7002 884 4108 - 16
Spiked (sizes 6-14)
Part # 7002 884 4409 - 17

Leather Upper Safety Boots

- Leather upper/rubber bottom spiked

Spiked (sizes 8-13)
Part # 7002 886 7508 - 13

Boot Liners

Not for use with leather boots

Standard (sizes 6-15)
Part # 7002 883 1700 - 09

Spike Wrench

- Tool for replacing spikes in spiked version safety boots
- Spikes cannot be added to non-spiked boots

Part # 7002 886 7400

Accessorize.

Accessories	150 - 161
Gas Cans, Eco-Friendly Lubricants & Accessories	152 - 153
Sharpening Accessories	154
Chain Saw Accessories	155
Hand Tools & Handheld Sprayers	156 - 157
Felco Hand Tools	158 - 159
Professional, Woodcutter and Polyamide Axes	160 - 161

No-Spill® Gas Can's NEW

With an easy to use push button nozzle, wide stable design, auto stop pouring feature and view stripes on the front and back the No-Spill® cans are a must have for both professionals and homeowners.

5 L	**Part #**	7002 881 0200
10 L	**Part #**	7002 881 0201

Gas Can's

Great value and ideal size for homeowner use. CSA/UL approved.

5 L	**Part #**	AB5
10 L	**Part #**	AB10
25 L	**Part #**	AB25

Grease Gun

Facilitates lubricating tasks.

Part # 1108 890 2500

Combo Gas Can

Combo can for fuel and chain oil. CSA/UL approved.

Part # J63

Heavy-Duty Gear Lubricant

For lubricating the gear box of all STIHL brushcutters and clearing saws.

40 g tube	0781 120 1022
80 g tube	0781 120 1117
225 g tube	0781 120 1118

Multi-Purpose Grease

For lubricating the gear unit of all STIHL hedge trimmers and electric chain saws.

40 g tube	0781 120 1021
80 g tube	0781 120 1109
225 g tube	0781 120 1110

Sprocket Bearing Grease

225 g tube 0781 120 1110

Gearbox Grease

Specifically designed for use in the MM 55 with brass gear.

40 g 0781 120 1004

Varioclean Multi Cleaner NEW

Water based, alkaline cleaner developed to dissolve and remove organic substances like resin, oil and grass stains. Ideal for cleaning filters, chains, guide bars, cutters, saw blades and machine housings.

Part # 0000 881 9400

Hedge Trimmer Blade Cleaner

Effective solvent for cleaning hedge trimmer blades and removing resin and gum build-up.

Part # 7002 871 1468

STIHL 2-Cycle Engine Oil

STIHL 2-cycle oils are formulated to meet the high temperatures and lean running conditions of today's innovative and technically advanced STIHL engines. All STIHL 2-cycle oils contain a fuel stabilizer for longer storage life and to prevent fuel varnishing.

STIHL recommends a mix of 50:1 high-quality 89 octane unleaded gasoline to STIHL engine oil. This same mix ratio should be used during break-in.

Oil is packaged in 100 ml, 200 ml, 500 ml and 1 litre bottles (100 & 200 ml also available as a six-pack).

STIHL Bar and Chain Oil

STIHL bar and chain oil is formulated to adhere to the bar and chain and to reduce wear. Special agents in the oil formulation help keep sap and pitch from clinging to the bar and chain. Available in 3.79 litre bottles, in heavy, medium and light weight and 1 litre bottles in medium weight only.

STIHL HP Ultra Mix Oil - 50:1

STIHL 50:1 high-performance two-stroke synthetic oil is biodegradable in 21 days, therefore more eco-friendly. Contains fuel stabilizer and is certified to TC standard.

STIHL BioPlus™ Oil

STIHL BioPlus™ eco-friendly oil is made with a vegetable oil base. Formulated to reduce the oil's impact on the environment, this biodegradable oil is an effective tool in environmentally sensitive areas, like water sheds. The oil also offers excellent flow characteristics at low temperatures and has a high flash point. Available in 3.0 and 20.0 litre containers. Rated by the Coordinating European Council to be 93.8% biodegradable in 21 days.

Moto4Plus

Moto4Plus is a premium alkylate fuel designed for four cycle engines. At 92 octane, this fuel has no ethanol and is virtually free of harmful additives like benzine. Compared to petroleum based gasoline Moto4Plus has a clean combustion which protects valves and pistons improving service life. Moto4Plus has a shelf life of 5 years unopened and 2 years once opened. Moto4Plus is a great product for customers who operate equipment infrequently, need to store a unit over the winter, or for those customers who prefer to run a high quality fuel.

4 L Can	7002 319 0005
Case of 4 x 4 L	7002 319 0006

MotoMix®

MotoMix® is the ultimate choice of pre-mixed fuel! It's a perfect worry-free 50:1 mix of 92 octane alkylate fuel with STIHL HP Ultra synthetic biodegradable engine oil. It will give your engine what it needs for performance and protection. With no ethanol, you don't have to worry about damaged seals or any other carburetor issues regular mixed fuel can cause.

950 ml Can	7002 871 1404
Case of 6 x 950 ml	7002 871 1405
4 L Can	7002 871 1469
Case of 4 x 4 L	7002 871 1470

2-in-1 File Holder

A unique, easy-to-use filing system sharpens the cutter and lowers the depth gauge with a few simple strokes. Save time and effort with the precise accuracy of this sharpening accessory from STIHL.

7/32 saw chain	0000 750 4300
3/8″ P saw chain	5605 750 4303
.325" saw chain	5605 750 4304
3/8″ saw chain	5605 750 4305
1/4" P saw chain	5605 750 4306

Chain Breaker NG 4

For breaking saw chains.

Part # 5805 012 7500

Rivet Spinner NG 5

For riveting saw chains.

Part # 5805 012 7510

STIHL USG

Universal sharpening tool for sharpening all STIHL saw chain, circular saw blades for FS machines and STIHL hedge trimmer blades.

Basic unit:
Complete with swivel head for all STIHL OILOMATIC® saw chain and two shaped grinding wheels.
Optional:
Swivel head for hedge trimmer blade
Swivel head for circular saw blades

Part # 5203 200 0009

Double-Cut Swiss Saw Chain Files

Flat, round & square ground files. All that an experienced woodcutter needs to resharpen dull chains. Tests show that STIHL files with double-cut teeth remove material faster and last longer than other saw chain files. Available in 3-packs or by the dozen.

Flat File

For lowering the depth gauges.

150 mm
Flat file for 2-in-1 0814 252 3001

File Guide

Simplify filing and help maintain correct filing angles.

Available sizes:

1/8"	5605 750 4300
5/32"	7002 881 5901
3/16"	7002 881 5900
13/64"	7002 881 5904
7/32"	7002 881 5902

Complete Sharpening Kit

Includes file guide, depth gauge, round file, flat file and two file handles.

Kits available:

5/32"	7002 881 6501
3/16"	7002 881 6500
13/64"	7002 881 6504
7/32"	7002 881 6502

File Gauge

For checking side and top plate cutting angles, cutter length and depth gauge setting, for cleaning the groove and oil inlet hole in the guide bar.

1/4″, 3/8″ PM, PM, PM3, .325″, 3/8″	1110 893 4000
.404″, 1/2″	1106 893 4000
1/4″, .043"	0000 893 4005

12 Volt Chain Sharpener

Operates off car/truck battery and features adjustable gauge to achieve proper filing angles.

Part # 0000 882 4001

Multi-Tool

STIHL chain saw maintenance Multi-Tool.

For: MSE 170/MS 150/MS 193/MS 201
MT1 0000 882 6500

For: HT/HTA/MS 170-MS 880
MT2 0000 882 6501

Wedges

STIHL offers a variety of high-impact wedges for use in felling and bucking.

8″ Summer	0000 893 6802
10″ Summer	0000 893 6882
12″ Summer	0000 893 6884
5 1/2″ Winter	7002 881 2204
8″ Winter	7002 881 2201
10″ Winter	7002 881 2203
10″ TriTaper	0000 893 6883

Large Wedge Tool Pouch

Wedge pouch with loop hanger and ample space for wedge and file.

Wedge & tool pouch
Part # 7002 882 5500

Tool Belts

Tool belts available in a variety of widths, including:

1 1/2″ leather	7002 883 2000
2″ leather	7002 883 2001
2″ nylon	7002 883 2002

Measuring Tapes

Professional logging tapes made by Spencer available in 50′, 65′, 75′ and 100′ lengths (with and without nail).

50′	7002 871 0078
65′	7002 871 0079/0115
75′	7002 871 0080/0114
100′	7002 871 0081

Felling Lever

A practical tool for use in the woods. The 32″ handle makes it easier to fell trees safely.

Part # 0000 881 2701

Pulp Hook

High-grade metal, pulp hook available with either a summer or winter replacement tip.

Pulp hook w/summer tip
Part # 7002 881 2900
Replacement winter tip
Part # 7002 881 2901

Pulp Tongs

Metal pulp tongs with non-slip grip. Maximum opening is 7.1" (18.2 cm).

Part # 0000 881 3005

Knife

High-quality steel blade knife with folding handle and sheath.

Single Bladed Knife
Part # 0464 186 0010

Woodsman® Carrying Case

Durable construction with removable bar scabbard for storing or carrying your chain saw.



Fits models: MS 170, 171, 180, 181, 201, 201 T, 211, 231, 241, 250, 251, 261, 291, 311, 362, 391, MSA 120, 140, 160 and 200, MSE 141, 170 and 210.

Part # 0000 900 4008

Precision Hedge Shears

Designed for sculpting hedges, shrubs and decorative plants. Specially engineered with corrosion-resistant blades and measures 30" in length.

Part # 7010 881 3608

Hand Pruners

PG 10 By-Pass 0000 881 3604
Die-cast aluminum with steel blade.

PG 20 Universal By-Pass 0000 881 3637
Forged, integrally moulded plastic handles, for green wood.
Spare parts available.

PG 30 Professional By-Pass 0000 881 3638
Forged, integrally moulded plastic handles, replaceable blade, for green wood.
Spare parts available.

3 in 1 Sharpening Tool

Can be used for pruning shears and secateurs, axes and hatchets, as well as blades and household scissors. Ergonomic design for ease of use and a professional sharpening result.

Part # 0000 881 9801

Whetstone

For sharpening of hand pruner, hedge shear and pruning shear blades.

Part # 0000 881 6001

PR 16 Folding Pruning Saw

Pruning saw blade that is ideal when one tool has to 'do it all'. High strength steel blade with 6" cutting capacity. Replacement blade available.

PR 16 0000 881 8700

PS 60 Pruning Saw

For the most demanding users. 9.5" fixed blade with impulse hardened teeth. Composite sheath with thumb lock and belt loop.

Part # 7002 882 0906

PS 90 Arboriculture Saw

The ultimate arborist hand saw with 12" impulse hardened blade. Sheath with thumb lock.

Part # 7002 882 0907

Super Turbocut Saw Blade

Hard chromium-plated surface ensures efficient cutting in hard and soft wood. To be used with the telescopic pole saw.

Part # 0000 881 4141

PR 24 & PR 32 Pruning Saws

Features 3-sided Japanese style teeth which are impulse hardened and chrome plated. Ergonomic handle and scabbard for left or right hand users with detachable belt loop. Replacement blades available.

PR 24 **(10" / 25.4 cm)**
Part # 0000 881 8701
PR 32 **(13" / 33 cm)**
Part # 0000 881 8702

PB 30 Lopper

Features 32" aluminum handles with 2" cutting capacity. Designed for the toughest jobs.

Part # 0000 881 6500

PB 10 & PB 11 Pruning Loppers

Lightweight 23" aluminum handles with a 1 1/2" cutting capacity.
PB 10
Part # 0000 881 3669

Medium aluminum 30" handles for the professional with a 2" cutting capacity.
PB 11
Part # 0000 881 3670

PR 27 & PR 33 Pruning Saws

For quick and precise sawing. Three-sided Japanese style teeth, impulse hardened, chrome-plated steel, conical blade shape, ergonomic soft handle, corrosion-resistant, with holster for mounting on either side for operation by both left and right-handed users.

PR 27 **(10.6" / 27 cm)**
Part # 0000 881 8703
PR 33 **(13" / 33 cm)**
Part # 0000 881 8704

Cant Hook

The STIHL Cant Hook is specially designed for gripping and moving logs in a wide range of sizes. The 48" handle features an extra-large non-slip grip for improved control and its heavy-duty body stands up to daily wear and tear. Its high-visibility orange colour is easy to spot when at the mill or on the lot.

Part # 7010 881 2602

Peavey Hook

Perfect tool for firewood cutters, farmers, etc. 48" steel handle for excellent leverage.

Part # 7010 881 2603

Pole Pruner PP900

The ideal tool for professional tree pruning. Durable fiberglass poles with a rope-activated pruning blade for a 4 m reach.

Part # 7002 882 0709

Mid-Pole

Extends the length of the PP900 by 2 m.

Part # 0000 882 3900

Telescopic Pole Saw

For the professional arborist; lightweight and durable aluminum construction. Up to 4 m reach. Used with super turbocut saw blade.

Part # 0000 881 4113

SG 11

The STIHL SG 11 handheld sprayer is ideal for balconies and small gardens. It has a 1.5L tank that delivers good working results.

Part # SG11

SG 21

Compact 3L manual sprayer; from the balcony garden to the backyard flower beds, the STIHL SG 21 is user friendly and versatile.

Part # SG21

SG 31

The STIHL SG 31 is ideal for weed killing, pest and plant control and fertilizing in both homeowner and landowner applications. Professional users will also like the SG 31's compact size, 5L tank and great features.

Part # SG31

SG 51

Ergonomic and lightweight, the STIHL SG 51 is perfect for getting into tight spaces for precise spraying of roses and other shrubbery with its 12 L capacity. Measuring the dosage is now even easier than ever, due to the built-in measuring cups on the underside of the tank lid.

Part # SG51

SG 71

The STIHL SG 71 backpack sprayer is 18L and designed for professionals and gardening enthusiasts for spraying pesticides and disease-controlling chemicals. Built-in measuring cups on the underside of the tank lid for ease of use.

Part # SG71

Felco Loppers

Lightweight, durability and comfort grips make these loppers a pleasure to use. With spare parts available, they'll be working with you for years.

Felco Hand Pruners

Comfort, ergonomics and durability; the marks of a quality professional tool. Long service life guaranteed, backed by an array of readily available spare parts.

Features

- High quality forged aluminum handles
- Lightweight and comfortable with non-slip coating
- Shape of handles provides protection against pinching
- User friendly and efficient with models for left or right-handed users
- Ergonomically designed for different hand sizes
- Replaceable blades and spare parts readily available

Felco Loppers

F200 A-40 0000 881 3676



F210 A-60 0000 881 3677



F231 0000 881 3679

Felco Hand Pruner Basic Model

These versatile and precise basic models lend themselves to all types of work. Their straight cutting head allows right and left-handed users alike to use the tools with ease.

F2 0000 881 8500

Felco Hand Pruners Right Handed - Ergonomic Models

The ergonomic models offer cutting heads and ergonomics suited to every user, with large, medium or small hands. To reduce the cutting effort and help prevent tendonitis (RSI), the tools feature inclined cutting heads and some models offer a revolving handle that further reduces physical effort and enhances user comfort.

F7 0000 881 8502

F6 0000 881 8501

F8 0000 881 8503

F12 0000 881 8506

Felco Hand Pruners Left Handed - Ergonomic Models

These models feature the same great qualities as above, but are designed specifically for left-handed users.

F9 0000 881 8504

F10 0000 881 8505

Professional Axes

Axe head made of C60 steel secured with two metal rings with a wooden wedge for maximum safety, and steel collar below axe head to protect wooden handle (except forestry hatchet).

Woodcutter Axes

With ash handles and high quality steel heads.

Polyamide Axes

Strong and durable with non-stick coating enabling smooth movement through wood.

Forestry Hatchet

Whether you're splitting some kindling or clearing brush around a campsite, the STIHL forestry hatchet is ready for your next outdoor adventure. A handy hatchet no serious camper should be without.

Handle Material: Ash
Length: 20"
Part # 0000 881 1914

Forestry Axe

For heavy-duty forestry work, you need an axe that's built to last. Its finely crafted handle will help you get into the swing of things, while its steel sleeve dramatically increases handle durability. It's the wood axe to have on-hand when felling trees, limbing them, doing some light splitting work, or driving wedges.

Handle Material: Ash
Length: 28"
Part # 0000 881 1957

Splitting Axe

Premium hickory wood handle with oversized neck. Drop forged head with precision ground edge for maximum durability. Efficient splitting head contour for exceptional productivity. Perfect for splitting large amounts of firewood.

Handle Material: Hickory
Length: 31"
Part # 0000 881 2014

Splitting Maul

Top quality hickory wood handle with oversized neck for superior strength. Drop forged head with precision ground edge for maximum durability. Efficient splitting head contour for exceptional productivity. Great for driving wedges or splitting large logs.

Handle Material: Hickory
Length: 35"
Head Weight: 6.5 lb
Part # 0000 881 2011

Forestry Hatchet

This woodcutter forestry hatchet features a premium ash handle, and well-balanced cutting head at a slightly smaller size than the professional version. The compact design makes it the perfect choice for taking on the road for camping trips.

Handle Material: Ash
Length: 16"
Part # 0000 881 1969

Forestry Axe

Sometimes you just need an axe. Not a specialized felling axe, or limbing axe, or splitting maul – just a good old-fashioned swinging axe. Meet the STIHL woodcutter forestry axe. It is excellent for felling, light duty splitting, limbing and other forestry work. The handle is crafted from high-quality ash wood and the head is well balanced for a variety of cutting applications. It's the axe of all trades you've been looking for.

Handle Material: Ash
Length: 24"
Part # 0000 881 1971

Splitting Maul

The STIHL woodcutter splitting maul features a heavy-duty cutting head that's great for driving wedges or splitting large wood. The handle is made from top quality ash and has an oversized neck for enhanced stability. It will save you time and energy when dealing with especially dense, gnarly or thick wood.

Handle Material: Ash
Length: 33"
Head Weight: 6.5 lb
Part # 0000 881 2009

Polyamide Forestry Hatchet

Fibreglass reinforced polyamide handles are lightweight, have a no-slip grip and are extremely strong with integrated C60 steel heads. Perfect for splitting kindling or light limbing.

Handle Material: Fibreglass/Polyamide
Length: 15"
Part # 0000 881 6800

Polyamide Forestry Axe

Fibreglass reinforced polyamide handles are lightweight, have a no-slip grip and are extremely strong with integrated C60 steel heads. Great for light duty splitting and limbing.

Handle Material: Fibreglass/Polyamide
Length: 29"
Part # 0000 881 6700

Polyamide Splitting Maul

Fibreglass reinforced polyamide handles are lightweight, have a no-slip grip and are extremely strong with integrated C60 steel heads. Designed for serious wood splitting.

Handle Material: Fibreglass/Polyamide
Length: 30"
Head Weight: 4.5 lb
Part # 0000 881 6600

STIHL power tools are high-performance machines which are often subjected to extremely demanding tasks. Maintenance and care, combined with attentive customer service, play a vital role in guaranteeing the machines' operational efficiency and reliability well into the future. And that is one of the reasons why STIHL products are only available from STIHL authorized Dealers.

Your STIHL servicing Dealer
With your STIHL Dealer, you can be sure of receiving the best possible support - for everything from advice, to sales and service. The dealership staff will advise you on the most appropriate machines for your requirements, give you useful tips on using the machine correctly and offer you professional service. This gives you the assurance that your STIHL power tool will be a pleasure to use for many years to come.

Original STIHL parts
Maximum reliability, even in extreme conditions, is a hallmark of STIHL power tools. If anything should ever go wrong with your STIHL machine, the STIHL service organization has original STIHL parts in stock for you. Always use original STIHL parts to ensure maximum performance, reliability and service life from your STIHL machine. Original STIHL spare parts can be recognized by the STIHL logo or the parts symbol, a stylized S.

STIHL quality control
The high standard of STIHL power tools is based on stringent quality standards, in all areas of the company. STIHL thus complies with the international ISO 9001/ISO 14001 standards for total quality and environment management. STIHL is constantly working on enhancing its entire range of machines and that is why we reserve the right to change the scope of delivery with regards to form, technology and configuration.

For your safety
If used incorrectly, all products can be a source of potential danger to the user, onlookers, animals or nearby objects. It is therefore essential to read the entire owner's manual prior to initial operation and to take sufficient care when using a STIHL product, while always adhering to the safety instructions. Non-compliance could result in death or serious injury.

EXPERIENCE STIHL ONLINE

- Visit us on **Facebook**
- Follow us on **Twitter**
- Follow us on **Instagram**
- Find more information at **stihl.ca** and on **our blog**
- Subscribe to our **email newsletter**
- Enter the world of STIHL on **YouTube**

STIHLCanada

General Notice

1. This catalogue is valid as of January 1, 2019.
2. This catalogue renders all previous catalogues invalid.
3. No claims can be made based on the specifications and images in this catalogue. The design, technology, colours and features are subject to change without prior notice.
4. This catalogue presents the comprehensive range of chain saws, power tools, accessories and protective apparel, including new product developments.
5. The brief descriptions and recommended uses of the various products provide a quick overview of the complete range, while the technical specifications help to find the machine that meets your needs.
6. Although the STIHL range shown in this catalogue is in line with the market requirements for Canada, STIHL Limited is not responsible for any model or product specifications that might change throughout the year. Some products may not be exactly as shown in the photos.
7. This catalogue and all its contents are copyright protected. All rights are reserved, particularly alteration, translation and reproduction with electronic systems.

This catalogue contains numerous combinations of tools and accessories designed for different applications and different kinds of users. For normal applications, we endorse the use of STIHL recommended combinations. These can be found in your tool's user manual. STIHL Dealers can provide you with individual advice regarding the best combination to suit your needs.

STIHL products are regularly tested by German and international institutions. STIHL participates in these tests and inspections because they are considered to be the logical continuation of STIHL's own test programs and because STIHL attaches great importance to the findings of these independent institutions – particularly in the interests of STIHL customers. These institutions award test marks confirming the high quality and exemplary safety standards of STIHL products.

For more details, visit **www.stihl.ca**

7002 871 0525 Printed in Canada © STIHL Limited 2019

For further information and advice visit: