

EVERYTHING IS ON THE LINE

2021

ANY FISH. ANY WATER. ANY TIME.

Seaguar®

*Seaguar Pro-Staffer **Chris Zaldain,** Elite Series Angler Photo courtesy of BASS*



SEAGUAR PRO-STAFFER

SHAW GRIGSBY

MLF ANGLER


Photo courtesy of MLF / Phoenix Moore Photographer

WORLD'S ONLY

DOUBLE-STRUCTURE MAIN LINE FLUORO



DSF
DOUBLE-STRUCTURE FLUOROCARBON




TATSU®

BEST COMBINATION OF STRENGTH & CASTABILITY

TATSU – Japanese for Dragon – delivers an amazingly strong, yet supple, fluorocarbon line unlike any other through a superior, state-of-the-art double-structure process. It fuses two custom, 100% fluorocarbon resins, creating the world's only double-structure main line. Fill your spool with TATSU and fish ***fierce***.

LB. TEST	DIAMETER		200 YARD ORDER #	1000 YARD ORDER #
4	.165 mm	.007 in.	04TS200	—
6	.205 mm	.008 in.	06TS200	06TS1000
8	.235 mm	.009 in.	08TS200	08TS1000
10	.260 mm	.010 in.	10TS200	10TS1000
12	.285 mm	.011 in.	12TS200	12TS1000
15	.330 mm	.013 in.	15TS200	15TS1000
20	.370 mm	.015 in.	20TS200	20TS1000
25	.405 mm	.016 in.	25TS200	—



SEAGUAR PRO-STAFFER

DREW BENTON

ELITE SERIES ANGLER

Photo courtesy of BASS



ABRAZX®
UNPARALLELED ABRASION RESISTANCE

Rocks, weeds, docks. Hit the heavy cover with confidence. Now your whole spool can handle the toughest conditions with a main line fluorocarbon designed with unparalleled abrasion resistance. AbrazX — Fish won't see it, stuff can't break it.

LB. TEST	DIAMETER		200 YARD ORDER #	1000 YARD ORDER #
4	.165 mm	.007 in.	04AX200	—
6	.205 mm	.008 in.	06AX200	06AX1000
8	.235 mm	.009 in.	08AX200	08AX1000
10	.260 mm	.010 in.	10AX200	10AX1000
12	.285 mm	.011 in.	12AX200	12AX1000
15	.330 mm	.013 in.	15AX200	15AX1000
17	.370 mm	.015 in	17AX200	17AX1000
20	.405 mm	.016 in.	20AX200	20AX1000
25	.435 mm	.017 in.	25AX200	25AX1000



SEAGUAR PRO-STAFFER

STETSON BLAYLOCK

ELITE SERIES ANGLER

Photo courtesy of BASS



1000 Yard Spool


600 Yard Spool

INVIZX®

SOFT & EASY TO CAST

Soft, supple and castable. Superior sensitivity. Fill your spool with a main line specially designed to dominate fresh water. It's virtually invisible, with advanced hook-setting power, smooth casting and great knot strength.

LB. TEST	DIAMETER		200 YARD ORDER #	600 YARD ORDER #	1000 YARD ORDER #
4	.165 mm	.007 in.	04VZ200	—	04VZ1000
6	.205 mm	.008 in.	06VZ200	06VZ600	06VZ1000
8	.235 mm	.009 in.	08VZ200	08VZ600	08VZ1000
10	.260 mm	.010 in.	10VZ200	10VZ600	10VZ1000
12	.285 mm	.011 in.	12VZ200	12VZ600	12VZ1000
15	.330 mm	.013 in.	15VZ200	15VZ600	15VZ1000
17	.370 mm	.015 in.	17VZ200	—	17VZ1000
20	.405 mm	.016 in.	20VZ200	20VZ600	20VZ1000
25	.435 mm	.017 in.	25VZ200	—	25VZ1000



SEAGUAR PRO-STAFFER

MARK ROSE

MLF ANGLER

Photo courtesy of MLF / Garrick Dixon Photographer



RED LABEL®

STRONG & HIGHLY ABRASION RESISTANT

Every angler needs a good, all-around line they can trust. This freshwater main line offers the knot and tensile strength and nearly invisible performance of 100% fluorocarbon in an economical option everyone can appreciate.

LB. TEST	DIAMETER		YARDS PER SPOOL	ORDER #	1000 YARD ORDER #
4	.165 mm	.006 in.	200	04RM250	—
6	.185 mm	.007 in.	200	06RM250	06RM1000
8	.235 mm	.009 in.	200	08RM250	08RM1000
10	.260 mm	.010 in.	200	10RM250	10RM1000
12	.310 mm	.012 in.	200	12RM200	12RM1000
15	.330 mm	.013 in.	200	15RM200	15RM1000
20	.405 mm	.016 in.	175	20RM175	20RM1000



SEAGUAR PRO-STAFFER
CAPTAIN TROY PETERSON
SEMINAR INSTRUCTOR AND OWNER OF
MR. BLUEGILL GUIDE SERVICE



LEVEL WIND TECHNOLOGY

NEW ICEX™
LOW MEMORY UNPARALLELED ABRASION RESISTANCE

This is a low memory, micro-diameter ice line that's powered with exclusive Seaguar 100% fluorocarbon resins. It's built for hard water performance, providing unparalleled abrasion resistance with exceptional knot and tensile strength even on the coldest days. It's virtually invisible underwater and with almost zero stretch, IceX is more sensitive, helping you detect more bites and catch more fish.

LB. TEST	DIAMETER		150 YARD ORDER #
2	.117 mm	.005 in.	02ICE50
3	.128 mm	.005 in.	03ICE50
4	.165 mm	.007 in.	04ICE50
6	.205 mm	.008 in.	06ICE50
8	.235 mm	.009 in.	08ICE50



LEADER

SEAGUAR PRO-STAFFER
BRANDON PALANUIK
ELITE SERIES ANGLER




LEVEL WIND TECHNOLOGY

NEW GOLD LABEL
OUR THINNEST LEADER* FOR STEALTHIER PRESENTATIONS

This ultra-thin leader outperforms when targeting clear water walleyes, bass and trout. Not only are thinner leaders even less visible underwater, but you also get the advantage of more natural presentations and better catch-rates on finicky fish. Made with our exclusive double-structure process, we combine two custom Seaguar fluorocarbon resins to create a leader with smaller diameters yet with exceptional knot and tensile strength. It's softer too and cinches easily for fail-safe knots.

LB. TEST	DIAMETER		25 YARD ORDER #
2	.104 mm	.004 in.	02GL25
4	.148 mm	.006 in	04GL25
6	.185 mm	.007 in.	06GL25
8	.220 mm	.009 in.	08GL25
10	.235 mm	.009 in.	10GL25
12	.260 mm	.010 in.	12GL25
15	.285 mm	.011 in	15GL25
20	.330 mm	.013 in.	20GL25
25	.370 mm	.015 in.	25GL25
30	.435 mm	.017 in.	30GL25
40	.520 mm	.020 in	40GL25

DSF
DOUBLE-STRUCTURE FLUOROCARBON



* As compared to Seaguar Fluoro Leader





STS SALMON & TROUT/ STEELHEAD LEADER MATERIAL

STRONG & HIGHLY ABRASION RESISTANT

Tough fish. Rocks and wicked structure. No problem. This genuine 100% fluorocarbon leader material delivers incredible abrasion resistance and maximum impact and knot strength, all with a smaller line diameter than monofilament. This fast-sinking line gets you in the “strike zone” quicker, and with a lower refractive index than monofilament, it is significantly less visible underwater. Move over mono – now you’ve got the optimum choice for targeting Salmon, Trout and Steelhead.

100 YD SPOOLS

LB. TEST	DIAMETER		Trout/Steelhead 100 YARD ORDER #
4	.165 mm	.006 in.	04STS100
6	.185 mm	.007 in.	06STS100
8	.235 mm	.009 in.	08STS100
10	.260 mm	.010 in.	10STS100
12	.310 mm	.012 in.	12STS100
15	.330 mm	.013 in.	15STS100
17	.370 mm	.015 in.	17STS100

LB. TEST	DIAMETER		Salmon 100 YARD ORDER #
20	.405 mm	.016 in.	20STS100
25	.470 mm	.019 in.	25STS100
30	.520 mm	.020 in.	30STS100
40	.570 mm	.022 in.	40STS100
50	.660 mm	.026 in.	50STS100





ABRAZX® MUSKY/PIKE LEADER

STRONG & HIGHLY ABRASION RESISTANT

A strong, stealthy replacement for wire leaders. Built to target toothy fish, this leader material features smaller line diameters with incredible knot & tensile strength. Made from 100% Seaguar resins, it’s extremely soft with low memory and virtually invisible underwater.

LB. TEST	DIAMETER		25 YARD ORDER #
80	.810 mm	.032 in.	80AX25
90	.910 mm	.036 in.	90AX25
100	1.05 mm	.041 in.	100AX25
130	1.17 mm	.046 in.	130AX25



Photo courtesy of MLF/Garrick Dixon Photographer



SMACKDOWN™

SLEEK, ULTRA-STRONG 8-STRAND BRAID

Since its introduction, Smackdown has been setting all-new performance standards for castability and performance. This amazingly thin diameter line is made with 8 ultra-thin, micro-weave strands in a round, smooth-casting profile for smooth and exceptionally quiet, laser-like casts. And you get exceptional knot and tensile strength with unparalleled abrasion resistance.

SMACKDOWN HI-VIS FLASH GREEN

See the bite! Hi-Vis Smackdown Flash Green lets you see line movement and detect subtle bites.

LB. TEST	DIAMETER		MONO EQV. DIA.	FLASH GREEN 150 YARD ORDER #
10	0.205 mm	.008 in.	4	10SDFG150
15	0.235 mm	.009 in.	6	15SDFG150
20	0.260 mm	.010 in.	8	20SDFG150
30	0.285 mm	.011 in.	10	30SDFG150
40	0.330 mm	.013 in.	12	40SDFG150
50	0.370 mm	.015 in.	20	50SDFG150
65	0.405 mm	.016 in.	25	65SDFG150

NEW SIZES

SMACKDOWN LO-VIS STEALTH GRAY

Lo-Vis Smackdown Stealth Gray reduces line visibility, making presentations more natural.

LB. TEST	DIAMETER		MONO EQV. DIA.	STEALTH GRAY 150 YARD ORDER #
10	0.205 mm	.008 in.	4	10SDSG150
15	0.235 mm	.009 in.	6	15SDSG150
20	0.260 mm	.010 in.	8	20SDSG150
30	0.285 mm	.011 in.	10	30SDSG150
40	0.330 mm	.013 in.	12	40SDSG150
50	0.370 mm	.015 in.	20	50SDSG150
65	0.405 mm	.016 in.	25	65SDSG150



SEAGUAR PRO-STAFFER

ALI HUSSAINY

HOST OF LOCAL KNOWLEDGE




THREADLOCK™

ULTRA-STRONG, 16-STRAND HOLLOW-CORE BRAID

Big Game, beware. This high-performance braid features 16 strands in a high-density weave for amazing tensile and impact strength. It is exceptionally strong and smooth with unmatched abrasion resistance. Hollow core for easy knotless leader connections to Seaguar Fluorocarbon Leader material.


				WHITE		BLUE	
LB. TEST	DIAMETER		MONO EQV. DIA.	600 YARD ORDER #	2500 YARD ORDER #	600 YARD ORDER #	2500 YARD ORDER #
50	.370 mm	.015 in.	20	50S16W600	50S16W2500	50S16B600	50S16B2500
60	.405 mm	.016 in.	25	60S16W600	60S16W2500	60S16B600	60S16B2500
80	.470 mm	.019 in.	30	80S16W600	80S16W2500	80S16B600	80S16B2500
100	.520 mm	.020 in.	40	100S16W600	100S16W2500	100S16B600	100S16B2500
130	.570 mm	.022 in.	50	130S16W600	130S16W2500	130S16B600	130S16B2500
200	.740 mm	.030 in.	60	200S16W600	—	200S16B600	—





LEVEL WIND TECHNOLOGY

DSF
DOUBLE-STRUCTURE FLUOROCARBON




GOLD LABEL
OUR THINNEST LEADER* FOR STEALTHIER PRESENTATIONS

Not only are thinner leaders even less visible underwater, but you also get the advantage of more natural presentations and better catch-rates on finicky fish. Made with our exclusive double-structure process, we combine two custom Seaguar fluorocarbon resins to create a leader with smaller diameters yet with exceptional knot and tensile strength. It's softer too and cinches easily for fail-safe knots.

LB. TEST	DIAMETER		25 YARD ORDER #
2	.104 mm	.004 in.	02GL25
4	.148 mm	.006 in	04GL25
6	.185 mm	.007 in.	06GL25
8	.220 mm	.009 in.	08GL25
10	.235 mm	.009 in.	10GL25
12	.260 mm	.010 in.	12GL25
15	.285 mm	.011 in	15GL25
20	.330 mm	.013 in.	20GL25
25	.370 mm	.015 in.	25GL25
30	.435 mm	.017 in.	30GL25
40	.520 mm	.020 in.	40GL25

NEW SIZES

* As compared to Seaguar Fluoro Leader



SEAGUAR PRO-STAFFER

MARK DAVIS

HOST OF BIG WATER ADVENTURES



FLUORO PREMIER™

SMALLER DIAMETER. LOW MEMORY. INCREDIBLE STRENGTH

Thin and strong. Soft with low memory. You get all the benefits of Seaguars' exclusive double-structure fluorocarbon process. It's a perfect shock leader and a versatile choice for a variety of techniques and presentations.




LB. TEST	DIAMETER		25 YARD ORDER #	50 YARD ORDER #
12	.235 mm	.009 in.	12FP25	—
15	.285 mm	.011 in.	15FP25	—
20	.370 mm	.015 in.	20FP25	20FP50
25	.405 mm	.016 in.	25FP25	25FP50
30	.470 mm	.018 in.	30FP25	30FP50
40	.570 mm	.022 in.	40FP25	40FP50
50	.620 mm	.024 in.	50FP25	50FP50
60	.700 mm	.028 in.	60FP25	60FP50
80	.780 mm	.031 in.	80FP25	80FP50



BLUE LABEL

INCREDIBLE ABRASION RESISTANCE & IMPACT STRENGTH

Incredible impact and abrasion resistance. Fast sinking. Superior tensile and knot strength. Seaguar Blue Label 100% fluorocarbon leader material allows you to use a smaller-test leader than comparable nylons or fluorocarbon for unmatched bait presentations. No wonder it's preferred by anglers the world over.



LB. TEST	DIAMETER		25 YARD ORDER #	50 YARD ORDER #	100 YARD ORDER #
2	.117 mm	.005 in.	02FC25	—	—
4	.148 mm	.006 in.	04FC25	—	—
6	.185 mm	.007 in.	06FC25	—	—
8	.215 mm	.008 in.	08FC25	—	—
10	.235 mm	.009 in.	10FC25	10FC50	—
12	.285 mm	.011 in.	12FC25	12FC50	—
15	.330 mm	.013 in.	15FC25	15FC50	—
20	.405 mm	.016 in.	20FC25	20FC50	20FC100
25	.435 mm	.017 in.	25FC25	25FC50	25FC100
30	.520 mm	.020 in.	30FC25	30FC50	30FC100
40	.620 mm	.024 in.	40FC25	40FC50	40FC100
50	.660 mm	.026 in.	50FC25	50FC50	50FC100
60	.740 mm	.029 in.	60FC25	60FC50	60FC100
80	.810 mm	.032 in.	80FC25	80FC50	80FC100



SEAGUAR PRO-STAFFER

MIKE FRENETTE

PROFESSIONAL ANGLER,
INSHORE GUIDE AND LECTURER



LEVEL WIND TECHNOLOGY

NEW INSHORE

STRONG & HIGHLY ABRASION RESISTANT

Fishing skinny water. Running the flats. Working the jetty. Casting from shore. Now you've got a Seaguar leader built to handle the toughest inshore challenge. Made from 100% custom Seaguar resins, Inshore offers incredible abrasion resistance with maximum impact and knot strength. It's faster-sinking and significantly less visible underwater than mono. You get famous Seaguar performance in an economical fluoro – perfect for everyone.

100YD SPOOLS

LB. TEST	DIAMETER		100 YARD ORDER #
12	.310 mm	.012 in.	12IS100
15	.330 mm	.013 in.	15IS100
20	.405 mm	.016 in.	20IS100
25	.470 mm	.019 in.	25IS100
30	.520 mm	.020 in.	30IS100
40	.570 mm	.022 in.	40IS100
50	.660 mm	.026 in.	50IS100
60	.740 mm	.029 in.	60IS100
80	.810 mm	.032 in.	80IS100



LEVEL WIND TECHNOLOGY

PINK LABEL

BETTER VISIBILITY–BETTER LINE CONTROL

Pink Label™ 100% fluorocarbon leader material is made from exclusive Seaguar resins. Pink Label is soft and supple with superior strength, abrasion resistance and minimal stretch.

LB. TEST	DIAMETER		25 YARD ORDER #
15	.330 mm	.013 in.	15PL25
20	.405 mm	.016 in.	20PL25
25	.435 mm	.017 in.	25PL25
30	.520 mm	.020 in.	30PL25
40	.620 mm	.022 in.	40PL25
50	.660 mm	.026 in.	50PL25
60	.740 mm	.029 in.	60PL25
80	.810 mm	.032 in.	80PL25



SEAGUAR PRO-STAFFER

COLIN BYRD

MEXICAN GULF FISHING



BIG GAME FLUORO PREMIER™

SMALLER DIAMETER. LOW MEMORY. INCREDIBLE STRENGTH.

Virtually invisible. Smaller diameters. Incredible knot and tensile strength. Perfect shock leader. Extremely soft with low memory. Seaguar Fluoro Premier & Seaguar Fluoro Premier Big Game. We took fluorocarbon to the next level. After all, we invented it.

LB. TEST	DIAMETER		25 YARD ORDER #	50 YARD ORDER #
100	.910 mm	.036 in.	100FP25	100FP50
130	1.05 mm	.041 in.	130FP25	130FP50
150	1.17 mm	.046 in.	150FPC25	150FPC50
170	1.28 mm	.050 in.	170FPC25	170FPC50
200	1.38 mm	.054 in.	200FPC25	200FPC50



BIG GAME BLUE LABEL

INCREDIBLE ABRASION RESISTANCE & IMPACT STRENGTH

Extreme tensile strength. Advanced impact and abrasion resistance. All the way up to 400 lb. test. Seaguar Big Game 100% Fluorocarbon is specifically designed to meet the rigorous demands of high-pressure, big-water fishing. Seaguar Big Game Fluorocarbon delivers.

LB. TEST	DIAMETER		30 METER ORDER #
90	.910 mm	.036 in.	90FC30
100	1.05 mm	.041 in.	100FC30
130	1.17 mm	.046 in.	130FC30
150	1.28 mm	.050 in.	150FC30
180	1.38 mm	.054 in.	180FC30
200	1.48 mm	.058 in.	200FC30
220	1.66 mm	.065 in.	220FC30
300	1.81 mm	.071 in.	300FC30
400	2.13 mm	.084 in.	400FC30



BIG GAME PINK LABEL

BETTER VISIBILITY– BETTER LINE CONTROL

Pink Label™ 100% fluorocarbon leader material is made from exclusive Seaguar resins. Pink Label is soft and supple with superior strength, abrasion resistance and minimal stretch.

LB. TEST	DIAMETER		25 YARD ORDER #
100	.910 mm	.036 in.	100PL25 Coil
130	1.05 mm	.041 in.	130PL25 Coil
150	1.17 mm	.046 in.	150PL25 Coil
200	1.48 mm	.058 in.	200PL25 Coil

LEVEL WIND TECHNOLOGY

WE'VE NEVER STOPPED CASTING



Not since that day in 1971, when
we invented fluorocarbon fishing line.
Every day since, we've strived to create products that
make a difference to anglers all over the world.

And since we are
the only fluorocarbon company that makes its own fluoro resins
and controls the process from start to finish, we're uniquely able
to develop lines with high-performance features
to help anglers catch more fish.



We're humbled by the trust the industry has put in our brand
and our products. There are lots of line options,
but to know that anglers have made Seaguar®
the #1 brand of fluorocarbon
by choice makes us both thankful and proud.





So as we look back at the past 50 years of growth and look
forward to the next 50, our gratitude for your support and
confidence is deep. Nothing is more important than continuing
our mission of creating lines and leaders that are
Always the Best.

Seaguar
50TH ANNIVERSARY
1971-2021

SEAGUAR.COM

KUREHA AMERICA INC. | 4709 ALLMOND AVE, SUITE 4C | LOUISVILLE, KY 40209 | 502-883-6097 | 502-883-6138
Printed on recycled paper with a minimum of 10% post-consumer waste. Printed using soy-based inks.

© 2020 KUREHA AMERICA INC. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
04201750026003-20